Q
1
S3
Sec A
Vol 66
author Index
N/C
3

ence Ab

S

Index

UNIVERSITY OF ILLINOIS
LIBRARY
JUN 15 1964
CHICAGO

Physics Abstracts

Published by
The Institution of
ctrical Engineers

Vol. 66

Author Index Number 1963

U OF I
LIBRARY

Q
1
S3
Sec. A
vol. 66-67
author Index
1963-64
N/C

1127A

AUTHOR INDEX

For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words, regardless of nationality (e.g. Van Vleck is listed as if written Vanvleck). Cross-references are included in appropriate places. Compound names are generally listed under the last component, unless hyphenated; exceptions to this rule are appropriately cross-referenced.

All names are reproduced in the abstracts and the index with the same spelling as in the original articles; in the case of articles printed in Cyrillic characters, a letter-by-letter transliteration is given, in accordance with the scheme given at the beginning of this volume of "Science Abstracts". Russian authors' names may appear in Latin–alphabet publications in various forms, due to the use of different transliteration schemes; these names are reproduced as printed in the articles abstracted.

In anticipation of reprinting the entries in future cumulative indexes, the Abstract Number given with each entry below incorporates the final digit of the year of publication in "Science Abstracts". The headline at the top of each page supplies the remaining digits to complete the year (1963), and indicates the section (Physics Abstracts). Thus "3=1234" in this index means "Abstract 1234 in the 1963 volume of Physics Abstracts".

Aagard,R.L. Losses in a pulsed ruby laser, 3=16762
Aagard,R.L. See Schuldt,S.B., 3=14332
Aalberts, J.H. and Verheijke, M.L. The solid solubility of nickel in silicon determined by neutron activation analysis, 3=3338
Aamodt,R.E. Model of an electrical discharge in a neutral gas, 3=9744
Aamodt,R.E. and Case,K.M. Useful identities for half-space problems in linear transport theory, 3=9375
Aargard,R.L., Dufault,R.A. and Schuldt,S.B. Angular distribution of light rays from a gas-discharge source, 3=16757
Aaron,R. Detection of an infinite anomalous threshold in the reaction $K^- + p \rightarrow \Sigma + \pi + \pi$, 3=12504
Aarons,J.,Castelli,J.P. and Kidd,W. Cygnus rise and set measurements at v.h.f. and u.h.f. radio frequencies, 3=13712
Aarons,J.,Mullen,M. and Basu,S. Geomagnetic control of satellite scintillations, 3=21077
Aaronson,H.I. On the growth mechanism of sideplates, 3=13534
Aasa,E. See Hamilton,W.D., 3=651
Aasa,E. See Suter,T., 3=24898
Abasov,S.A. See Zhurkov,S.N., 3=16003
Abbakumov,V.G. Convective heating of a stationary layer of plates, 3=16826
Abbati Marescotti,P.P. A problem of neutron transport within a spherical medium, 3=12459
Abbey,F. See Dowson,D.C., 3=12706
Abbondanza,G. See Califano,S., 3=25468
Abbot,M.B. and Torbe,I. On flows and fronts in a stratified fluid, 3=9411
Abdel Rahim,A.M. and Moselhy,M.M. A nomographical method for calculation of structure factor amplitudes, 3=8830
Abdullaev,A.M. See Azimov,S.A., 3=6108
Abdullaev,A.M. See Azimov,S.A., 3=19737
Abdullaev,G.B. See Shakhtakhtinskii,M.K., 3=24116
Abdullaeva,Kh.M. See Ismailzade,I.G., 3=13397
Abdumalikov,A.,Abdurazakov,A.,Gromov,K.,Zhelev,Zh., Lebedev,N.,Dzhelepov,B. and Kudryavtseva,A. New Yb^{162} and Tm^{162} isotopes, 3=22345
Abdurazakov,A. See Abdumalikov,A., 3=22345
Abdurazakov, A.A., Abdurazakova, F.M., Gromov, K.Ya. and Umarov, G.Ya. A new isotope Er^{156}, 3=4597
Abdurazakov, A.A.,Gromov,K.Ya.,Dzhelepov,B.D. and Khalkin,V.A. Conversion electrons from the erbium fraction formed in spallation of tantalum, 3=10307
Abdurazakova,F.M. See Abdurazakov,A.A., 3=4597
Abe,H. and Koga,K. Resonance study of paramagnetic ions coexisting within ordered spin system in copper sulphate, 3=20644
Abe, H. See Yasuoka, H., 3=18149
Abe,K. See Kimura,M., 3=22376
Abe,K. See Shoda,K., 3=15172
Abe,R. Spin paramagnetism of an electron gas in a lattice of positive charges, 3=8381
Abe, R. Nonlinear theory of Esaki effect in bismuth, 3=25353
Abe,Y., Osaka,Y. and Morita,A. Collective excited states and dielectric constant in insulators, 3=2944
Abe,Y. See Morita,A., 3=11022
Abel,J.E. and Reitzner,B. Apparatus for determining ignition times of explosives under vacuum and various cases, 3=18441
Abeledo,C.R. and Selwood,P.W. Chemisorption of hydrogen on cobalt, 3=5163
Abeles,B. Lattice thermal conductivity of disordered semiconductor alloys at high temperatures, 3=25207
Abeles,B. See Beers,D.S., 3=10611
Abeles,B. See Cohen,R.W., 3=14510
Abelès,F. Optical properties of Au–Ni alloys, 3=8580
Abelès,F. and Thèye,M.-L. Simultaneous determination of the scattering parameter and the mean free path of conduction electrons in thin films, 3=15546
Abelishvili,T.L. Neutron transfer in nuclear collisions, 3=4654
Abelishvili,T.L. Theory of neutron transfer in nuclear collisions, 3=8139
Abella,I.D. Optical double-photon absorption in cesium vapor, 3=6359
Abels,L.L. and Shaw,J.H. Study of the total absorptance near 4·5 μ by two samples of N_2O as their total pressures and N_2O concentrations were independently varied, 3=14217
Abel's,V.R. Influence of the direction of demagnetization on the magnetic structure of crystals in sheet silicon steel, 3=13253
Aben,Kh.K. Theory of the imperfect circular polariscope, 3=1836
Aben,Kh.K. Theory of the composite quarter-wave plate, 3=9627
Aben,Kh.K. Phase plates in the measurement of phase difference, 3=14380
Abers,E. and Zemach,C. Bootstraps and the pion–nucleon system, 3=24613
Abidi,S.T.H. and Mohanty,B.K. Production of Y* in K^- capture in a two-nucleon system, 3=10170
Abidi,S.T.H. See Roy,C.L., 3=23084
Abillon,J.M. Inelastic electron–proton and muon–proton scattering at the 3/2 resonance in the isobaric model, 3=19611
Ablekov,V.K. Some experimental studies of stimulated emission from a gas mixture, 3=5465
Ablova,M.S. and Feoktistova,N.N. Anisotropy of the microhardness of InSb, 3=18217
Abou-Hadid,L. See El Nadi,M., 3=12659
Abou-Hadid,L.F. The effect of hard-core and three-body forces in the Λ-nucleon interaction, 3=19706
Abov,J.G. See Lyashenko,B.G., 3=1355
Abov,Yu.B. See Lyashchenko,B.G., 3=13506
Abowitz,G. Ultrasonic attenuation in single-crystal cadmium, 3=12920

U OF I
LIBRARY

Abowitz,G. and Gordon,R.B. Compressibility of mercury alloys, 3=16604
Abragam,A. Some new schemes for dynamic nuclear polarization, 3=19078
Abragam,A.,Borghini,M.,Catillon,P.,Coustham,J.,Roubeau,P. and Thirion,J. Scattering of 20 MeV polarized protons by a target of polarized protons and preliminary measurement of the parameter C_{nn}, 3=2263
Abragam, A., Borghini, M. and Chapellier, M. A new method of measuring nuclear dynamic polarization, 3=2365
Abrahám,A., Tauc,J. and Velický,B. Optical properties of liquid germanium, 3=14167
Abrahám,A. See Tauc,J., 3=925
Abraham,C. and Aharoni,A. Simple model for nucleation around dislocations, 3=5009
Abraham, F, Kidd, J, Koshiba, M, Levi Setti, R, Tsao, C.H. and Wolter, W. Energy spectrum of individual γ-rays at balloon altitude, 3=17379
Abraham,F.F. Evaporation of raindrops, 3=9040
Abraham,F.F. and Kalbach,R.M. Proton–proton collisions at 19·8 GeV/c, 3=2259
Abraham,G. Model study of water gravity waves generated by a moving circular low-pressure area, 3=16595
Abraham,L. See Foltz,J.R., 3=15267
Abraham,M., Chevillot,J.P. and Brenet,J. Principles of a wave theory of the liquid state, 3=14136
Abraham,M.,Judd,B.R. and Wickman,H.H. Paramagnetic resonance of the tripositive curium ion in ethylsulfate and trichloride crystals, 3=13299
Abraham, M. See Flotow, H.E., 3=17658
Abraham,P.B. and Weiss,G.H. Analytic functions of continuant matrices, 3=10
Abraham,P.B. and Weiss,G.H. Evaluation of certain sums arising in chemical physics, 3=21196
Abrahams,K. Proposal for an improved method to determine the spin of low energy neutron resonances, 3=12684
Abrahams,M.S. Effects of surface oxygen on the yield drop in InSb, 3=13353
Abrahams,M.S. and Leibmann,W.K. The dependence of the tensile behavior of InSb on temperature, strain-rate and oxygen content, 3=1223
Abrahams,S.C. Absence of antiferromagnetism in molybdenum, 3=3141
Abrahams,S.C. Goniometer-mounted evacuated furnace for single crystal neutron diffractometry, 3=11247
Abrahams,S.C. Magnetic and crystal structure of titanium sesquioxide, 3=15862
Abrahams,S.C. Absence of antiferromagnetism in palladium, 3=15913
Abrahams,S.C. See Cetlin,B.N., 3=25684
Abrahamson,A.A. Repulsive interaction potentials between rare–gas atoms. Homonuclear two-center systems, 3=12782
Abrahamson,G.R. and Goodier,J.N. Penetration by shaped charge jets of nonuniform velocity, 3=11194
Abramenko,T.N. See Bulÿga,A.V., 3=19132
Abrami,A. Study of light curves of photometric binary systems at partial eclipses, 3=13906
Abramov, O.V, Neymark, V.E. and Teumin, I.I. Problem of the peculiarities and mechanism of the effect of elastic vibrations on the process of crystallization in metals and alloys, 3=18248
Abramovici,F. See Pekeris,C.L., 3=11850
Abrams,I.J. See Sonett,C.P., 3=16297
Abramson,E. and Caspari,M.E. Intensity dependence of X-ray induced strain and coloration in KCl at room temperature, 3=6545
Abramson,E. See Kepler,R.G., 3=18041
Abrikosov,A.A. Green's function for electrons in a metal and analysis of the electron spectrum, 3=2745
Abrikosov,A.A. The free carrier number in metals of the bismuth type at high temperatures, 3=25225
Abrikosov,A.A.and Falkovskii,L.A. Theory of the electron energy spectrum of metals with a bismuth-type lattice, 3=2746
Abrikosov,A.A. and Gor'kov,L.P. Spin–orbit interaction and the Knight shift in superconductors, 3=5576
Abrikosov,A.A. and Gor'kov,L.P. The nature of impurity ferromagnetism, 3=15765
Abrikosov,N.Kh.[Ed.]. Proceedings of the 4th All-Union Conference on Semiconductor Materials, 3=13056
Abrosimov,A.T. See Khristiansen,G.B., 3=4513
Abrosimov,N.K. and Kocharov,G.E. Effect of source thickness on the shape of the energy and directional distributions of alpha-particles, 3=12525
Abroyan, I.A. Conductivity induced in germanium by bombardment with potassium ions, 3=17851
Abroyan,I.A. and Lavrov,V.P. Secondary emission of dielectrics and semiconductors when bombarded with potassium ions, 3=16978
Abroyan,I.A. and Zborovskii,V.A. Excitation of electrons in germanium by potassium ions, 3=858
Abroyan,I.A. and Zborovskii,V.A. Excitation of electrons in germanium by potassium ions, 3=6588
Abt,H.A. and Hunter,J.H. Jr. Stellar rotation in galactic clusters, 3=3605
Abubakar,I. Motion of the surface of a transversely isotropic half-space excited by a buried line source, 3=194
Abubakar,I. Scattering of plane elastic waves at rough surfaces. II, 3=3845
Abuzeid,M.A.,Aly,F.M.,Antoufiev,Y.P.,Baranik,A.T.,Nower,T.M. and Sorokin,P.V. Investigation of the reaction Al^{27} $(p, \alpha^0)Mg^{24}$ in the proton energy range 1-2·5 MeV, 3=19847
Accinni,F. and Zorzoli,G.B. Analysis of a Lu-activation experiment for neutron temperature measurement, 3=22461
Acharya,R. Some consequences of "minimal" analyticity and and unitarity in field theory, 3=10011
Achiwa,M. See Tamai,T., 3=23995
Ackerman,B. Some observations of water contents in hurricanes, 3=25882
Ackerman, F.J. and Redlich, O. On the thermodynamics of solutions. IX. Critical properties of mixtures and the equation of Benedict, Webb, and Rubin. 3=16844
Ackerman,M. See Verghaegen, G., 3=740
Ackermann,R.J., Rauh,E.G. and Thorn,R.J. Effect of oxygen on the vapor pressure of uranium, 3=3930
Ackers,J.K. See Lee,E.W., 3=9899
Acket,G.A. and Volger,J. Measurements of the bulk-conductivity of slightly reduced rutile (TiO_2) parallel and perpendicular to the c-axis, 3=10842
Ackland,R.G. See Buckland,N.M., 3=348
Adachi,I. Study on the aberration and the response function of eye. I, 3=1564
Adachi,I. Measurement of transfer function by the Ronchi test, 3=11625
Adachi,I. Transfer function of the optical system having periodic structure in the pupil, 3=11892
Adachi,I. The diffraction theory of the Ronchi test, 3=24052
Adachi,I. See Ronchi,L., 3=1563
Adachi,I. See Ronchi,L., 3=16463
Adachi,K. See Fukami,A., 3=18419
Adachi,K. See Hirone,T., 3=1025
Adachi,K. See Hirone,T., 3=22814
Adachi,K. See Sato,K., 3=1004
Adachi, M. and Tsujimoto, T. On the mechanical properties and structures of quenched titanium–aluminium–cobalt alloys, 3=18204
Adachi,M. and Tsujimoto,T. On the aging behaviours and mechanical properties in titanium–aluminium–cobalt alloys, 3=18354
Adachi,T. See Hori,S., 3=2728
Adair,A.M. and Hook,R.E. Yield points in iron upon re-application of load at low temperatures, 3=11150
Adair,A.M. See Hook,R.E., 3=15485
Adair,A.M. See Hook,R.E., 3=16005
Adair,R.K. The botany of strange particles, 3=4460
Adair,R.K. Momentum of sigma–pion pairs from the capture of K^- mesons by light nuclei, 3=24801
Adam,A.,Khrashko,P. and Kvittner,P. An ionization chamber for fast-neutron energy measurements, 3=24750
Adam,E. Operational experience and technical development work at the Rossendorf research reactor, 3=25024
Adam,G. and Müller, F.H. Temperature–frequency analysis of dielectric relaxation, 3=3993
Adam,G.D.,Standley,K.S. and Storey,B.E. Defects in ruby maser crystals, 3=22763
Adam,G.D. See Standley,K.J., 3=22004
Adam,I. See Grigor'ev,E.P., 3=8052
Adam,I. See Rzhezanka,I., 3=8010
Adam,J. See Gergely,Gy., 3=18037
Adam,J. See Hooke,W.M., 3=5683
Adam,J.P. and Jouvet,B. Renormalization of a boson doublet interacting with a fermion doublet, 3=22068

Adam,M.G. The observational tests of gravitation theory, 3=3717
Adamchuk, V.K. and Berlaga, R.Ya. Current-induced photo-e.m.f. of lead sulphide layers, 3=17961
Adamchuk,Yu,V. See Nemirovsky,P.E., 3=10199
Adamchuk,Yu.V. See Pevzner,M.I., 3=24956
Adamcik,J.A. The water vapor content of the Martian atmosphere as a problem of chemical equilibrium, 3=23676
Adamov,V.S.and Kantardzhyan,L.T. Effect of reabsorption on the quenching of phosphorescence of molecules in an infinite plane-parallel layer of finite thickness, 3=3032
Adamov,V.M.,Kovalenko,S.S. and Petrzhak,K.A. Kinetic energy of the fragments emitted in the fission of U^{238} bombarded by 14.5 MeV neutrons, 3=6317
Adamovich,M.I., Gorzhevskaya,É.G., Larionova,V.G., Panova,N.M., Popova,V.M., Kharlamov,S.P. and Yagudina,F.R. Investigation of the energy dependence of the cross-section for photoproduction of π^+-mesons on hydrogen near the threshold, 3=4428
Adamovich,M.I.,Gorzhevskaya,É.G. and Yagudina,F.R. The photoproduction of π^+ mesons at angles 25-36° in the energy range 152-162 MeV, 3=2299
Adamowicz,L. Antiferromagnetic superstructures in simple cubic lattices using the molecular field method, 3=3134
Adamowicz,L. Molecular field treatment of some antiferromagnetic superstructures in a body-centred cubic lattice, 3=20621
Adams,A.R. See Spear,W.E., 3=14085
Adams,C.R. High temperature stability of silica-base gels, 3=21010
Adams,E. See Hubbard,W.M., 3=1000
Adams,E.D. See Thomson,A.L., 3=1882
Adams,E.W. and Huffaker,R.M. Parent body hypothesis for origin of tektites, 3=3562
Adams,H.S. See Hanson,A.R., 3=23859
Adams,I.,AuCoin,T.R. and Wolff,G.A. Luminescence in the system Al_2O_3—AlN, 3=10985
Adams,J.B.,Ruderman,M.A. and Woo,C.-H. Neutrino pair emission by a stellar plasma, 3=7824
Adams,J.M. and Heard,C.W. A tilting stage of the Vickers projection microscope, 3=8938
Adams,K.H. See Brandt,R.C., 3=10676
Adams,K.H. See Brandt,R.C., 3=10677
Adams,L.H. See Davis,B.L., 3=20772
Adams,M.A. See Smallman,R.E., 3=20755
Adams,N.I. and Schoefer,P.B. Continuous optical harmonic generation, 3=21506
Adams,W.H. Orbital theories of electronic structure, 3=2600
Adams,W.H. Hartree–Fock perturbation method, 3=3754
Adams,W.H. Correlation effects in the alternant molecular orbital approximation, 3=19966
Adamski,T. Commination of crystal nucleation by a precipitation method, 3=20788
Adamski,T. and Trojanowski,L. Possible radiation damage effects in barium chromate crystals, 3=13016
Adamskii,V.B. Local invariance and the theory of compensating fields, 3=14021
Adamson,A.M.,Duquesne,M. and Foucher,R. Internal conversion and L fluorescence in Pa^{234} (UX_2), 3=7998
Addad,J.P.C. Relaxation temperature T_1 of an anisotropic liquid, 3=21415
Addamiano,A.,Potter,R.M. and Ozarow,V. Photoluminescence of α-SiC, 3=25485
Adderley,E.E. The influence of the moon on atmospheric ozone, 3=13661
Adderley,E.E. and Bowen,E.G. Lunar component in precipitation data, 3=3462
Addiss,R.R.Jr. Oxidation of magnesium single crystals and evaporated films, 3=11335
Adelman,A.H. and Verber,M. Two-photon excitation of phosphorescence and fluorescence, 3=25490
Adelman,A.H. See Verber,C.M., 3=19305
Adelson,E. See Austin,A.E., 3=23197
Ader,M. Action of poloneium α-particles on gelatine, 3=5170
Ader,M. Some remarks on photographic emulsion, 3=19535
Ades,H.W. See Engström,H. 3=3657
Adhav,R.S. Wide angle spectroradiometer, 3=21542
Adhav,R.S. and Kemp,J.G. Infrared radiometer, 3=7384
Adhav,R.S. and Murphy,A.T. A portable spectro-radiometer, 3=24030
Adirovich,É.I.,Gubkin,A.N. and Kopȳlovskii,B.D. Measurement of short carrier lifetimes using the phase characteristic of the voltage transfer coefficient in a circuit with a p–n junction [diode], 3=6606
Adirovich,É.I. and Kuznetsova,E.M. Effect of adhesion levels on the kinetics of electron processes in p-n transitions, 3=2865
Adirovich,É.I. and Kuznetsova,E.M. Lifetime of non-equilibrium charge carriers in semiconductors with local levels, 3=8500
Aditya,P.K.,Bhatia,V.S. and Sood,P.M. On some causes of spurious scattering in nuclear emulsions, 3=24568
Adkins,C.J. Two-particle tunnelling between superconductors, 3=16864
Adler,E. A magnetic diffusion after-effect in cubic face-centred Ni–Fe, 3=15853
Adler,J. The stability of the one-dimensional laminar flame, 3=279
Adler,J.G. and Rogers,J.S. Structure in the density of states of superconducting indium films, 3=24143
Adler,R.P.I. and Wagner,C.N.J. X-ray diffraction study of the effects of solutes on the occurrence of stacking faults in silver-base alloys, 3=2811
Adler,S.L. Theory of the range of hot electrons in real metals, 3=15462
Adler,S.L. and Goldhaber,A.S. Use of the deuteron to provide a polarized proton target, 3=17269
Adloff,J.P. See Schwab,C., 3=932
Admiraal,L.J. See Pistorius,C.W.F.T., 3=9655
Ado,Yu.M. and Elyan,V.V. Absorption of photons from the
Adomian,G. Linear stochastic operators, 3=14037
Adorni,N. and Parmeggiani,A. Description of a device for the measurement with high precision of wall temperature using thermocouples, 3=11983
Adriaens,W.H.T. See van Ruyven,L.J., 3=8534
Adrian,F.J. Electric field gradient asymmetry in solid chlorine, 3=15411
Adrianov,D.G. and Fistul,V.I. Magnetoresistance of degenerate n-type germanium and silicon, 3=20314
Adrianov,V.N. and Polyak,G.L. Differential methods for studying radiant heat transfer, 3=21608
Adrainov,V.N. See Polyak,G.L., 3=18760
Adrianova,I.I. Frequency characteristics of diffraction light–modulators with ferroelectric ceramic sources of ultrasonic waves, 3=1833
Adrianova,I.I. Study of a photoelectric light modulator, 3=16747
Aerts,E., Delavignette,P., Siems,R. and Amelinckx,S. The stacking fault energy in silicon, 3=17764
Aerts,E. See Art,A., 3=17765
Aeschlimann,R. and Bas,E.B. A universal emission electron microscope, 3=19356
Aeuma,T. See Mamuro,T., 3=13688
Afanas'ev,A.M. and Kagan,Yu. Singularities caused by electron–phonon interaction in the phonon dispersion law, 3=15430
Afanas'ev,A.M. See Kagan,Yu, 3=1727
Afanas'ev,E.F. Diffraction of a nonstationary pressure wave on a moving plate, 3=1774
Afanas'ev,I.I., Knyazyatov,A.S. and Fedorov,N.D. A pulse source of ions with small expenditure of gas, 3=4206
Afanasev,I.I.,Knyazyatov,A.S. and Fedorov,N.O. A pulse source of ions with small expenditure of gas, 3=21892
Afanas'ev,I.I. See Mokievskii,V.A., 3=23404
Afanas'ev,N.G. and Dem'yanov,A.V. Electron beam current integrator, 3=14650
Afanas'ev,O.A. See Shteinshleiger,V.B., 3=22002
Afans'ev,V.D. See Klyucharev,V.A., 3=24873
Affleck,J. Magnetic anomaly trend and spacing patterns, 3=2107
Afonin,O.F.,Gangrskǐ,Yu.P.,Lemberg,I.K. and Nabichvrishvili,V.A. Cascade Coulomb excitation of rotational levels with 4^+ and 6^+ spins, 3=15098
Afonin, O.F, Gangrskii, Yu. P, Lemberg, I.Kh, Nabichvrishvili, V.A. and Udralov, Yu.I. Investigation of Coulomb excitation of the first Mo^{92} level, 3=17409
Afonin,I.P.,Gavrilov,B.I.,Zavoiskii,E.K.,Karmanov,F.V. Maksimov,G.P.,Plakhov,A.G.,Cheremnykh,P.A. and Shapkin,V.V. The experimental plasma system S-1 with helical magnetic fields, 3=19283
Afonina,L.N. See Chechernikov,V.I., 3=3146
Afoshin, V.S. See Kirenskii, L.V., 3=18094

Afrosimov,V.V.,Gladkovskii,I.P.,Kislyakov,A.I. and Petrov,M.P. Mass analysis of the neutral flux of atomic particles emitted by plasma in the alpha thermonuclear assembly, 3=24996
Afrosimov,V.V.,Il'in,R.N.,Oparin,V.A.,Solov'ev,E.S. and Fedorenko,N.V. Ionization of argon by atoms and singly and doubly charged neon and argon ions, 3=365
Aftergut,S. See Brown,G.P., 3=10826
Aftergut,S. See Gaynor,J., 3=19030
Agababov,S.G. Experimental determination of emissivity of Pt and Pt—Rh wires, 3=24100
Agafonov,V.P.,Govorkov,B.B.,Denisov,S.P. and Minarik,E.V. Determination of the efficiency of recording of gamma-rays using bremsstrahlung and an energy filter, 3=24678
Agar,A.W. and Lucas,J.H. Use of a new heating stage for the electron microscope, 3=25793
Agarbichanu,I.,Kukerzyanu,I.,Popesku,I. and Vasiliu,V. Determination of the mean lifetime of excited states by a polarimetric method, 3=15287
Agarwal,B.K. See Gupta,Y.M., 3=7923
Agarwal,K.C. See Saksena,B.D., 3=13171
Agdur,B.,Böling,G.,Sellberg,F. and Ohman,Y. Scattering, absorption, and emission of light by thin metal wires, 3=13159
Agdur,B.,Keržar,B. and Nygren,T. Variation of the electron density along a plasma column, 3=19204
Agdur,B.,Keržar,B. and Sellberg,F. Noise radiation and scattering from a cylindrical plasma column, 3=383
Ageenov,V.I. See Feinberg,S.M., 3=10421
Ageeva,L.E. See Tolstoi,N.A., 3=18030
Agekyan,T.A. Spherical star clusters in a quasistationary state, 3=16412
Agekyan, V.T, Gross, E.F, Zakharchenya, B. P. and Kaplyanskii, A.A. Piezomagneto-optical study of the quadrupole exciton transition in a Cu_2O crystal, 3=18001
Agekyan,V.T. See Gross,E.F., 3=15650
Agekyan,V.T. See Gross,E.G., 3=3005
Ageno,M. and Felici,C. Photomultiplier gain stabilization
Aggarwal,K.G. The frequency spectra of one-dimensional lattices, 3=12912
Aggarwal,P.S. and Goswami,A. Epitaxial growth of mercury sulphide on rock salt crystals, 3=16048
Agishev,A.Sh. Investigation of the rotational motion of molecules of a liquid by the method of nuclear magnetic resonance, 3=14143
Aglintsev,K.K.,Mitrofanov,V.V.,Rimskii-Korsakov,A.A. and Smirnov,V.V. Angular distribution of photoelectrons ejected from Ag and Bi targets by Cs^{137} gamma rays, 3=8204
Agnew,J.T. See Dunn,M.G., 3=2666
Agnew,L. See Elioff,T., 3=586
Agnihotri,O.P. Results of Fourier analysis and line breadth measurements on molybdenum filings, 3=16068
Agnihotri, O.P. Study of cold work damage in silver filings, 3=18202
Agnihotri,O.P. Release of lattice energy and annealing of dislocations in deformed silver, 3=22779
Agnihotri,O.P. and Mitra,G.B. On the investigation of pure X-ray diffraction line breadths in deformed copper, 3=20208
Agodi,A., Giordano,R. and Schiffrer,G. A D.W.B.A. analysis of the reaction $Si^{28}(n,p)Al^{28}$ with exchange interaction, 3=17482
Agodi,A. and Pappalardo,G. Statistical fluctuations of compound-nucleus level density and nuclear cross-sections, 3=24855
Agostinelli,C. On a magnetohydrodynamic explanation of the existence of the magnetic field of the earth and of the stars. I., 3=18567
Agostinelli,C. The absolute spatio-temporal form of the equations of magnetofluiddynamics, 3=21960
Agouridis,D.C. Self-sampling system for measurement of picosecond pulse characteristics, 3=5612
Agranovich,V.M.and Kaganov,M.I. The problem of the structure of exciton bands in anisotropic crystals, 3=2767
Agranovich,V.M. and Konobeev,Yu.V. Diffusion of excitons in molecular crystals, 3=20139
Agranovich,V.M. and Mikhlin,É.Ya. Theory of swelling of porous materials, 3=2543
Agranovich,Z.S., Marchenko,V.A. and Shestopalov,V.P. The diffraction of electromagnetic waves from plane metallic lattices, 3=2124
Agranovskaya,A.I. See Isupov,V.A., 3=25390
Agranovskaya,A.I. See Smolenskii,G.A., 3=6614
Agrawal,B.K. and Verma,G.S. Lattice thermal conductivity of solid helium, 3=321
Agrawala,V.K. and Ramakrishnan,T.V. Neutron—proton interaction, 3=4398
Agrinier,B.,Koechlin,Y.,Parlier,B. and Catz,P. Variation of spark brilliance with ionization density along a particle track in a spark chamber, 3=19525
Agron,P.A. See Burns,J.H., 3=12844
Agron,P.A. See Levy,H.H., 3=16074
Aguilar,J.,England,J.B.A. and García,A. Inelastic scattering of He^3 and He^4 by carbon and neon, 3=12699
Agy,V. and Davies,K. Worldwide patterns of ionospheric blackout occurrence, 3=5875
Aharoni,A. Complete eigenvalue spectrum for the nucleation in a ferromagnetic prolate spheroid, 3=23148
Aharoni,A. Upper and lower bounds for the nucleation field in an infinite rectangular ferromagnetic cylinder, 3=23150
Aharoni,A. One-dimensional theory of the parasitic paramagnetism term in the approach to saturation, 3=25511
Aharoni,A.,Ditkovsky,H.,Frei,E.H. and Tzalmona,A. Transients in thermochromy of anils, 3=20979
Aharoni,A. See Abraham,C., 3=5009
Aharonov,Y. and Bohm,D. Further discussion of the role of electromagnetic potentials in the quantum theory, 3=14854
Ahlers,M. and Haasen,P. Orientation changes and multiple glide in silver single crystals, 3=5068
Ahmadzadeh,A.,Burke,P.G. and Tate,C. Regge trajectories for Yukawa potentials, 3=19568
Ahmadzadeh,A. and Sakmar,I.A. An approximation method for Regge trajectories and its implications on the spin 2 particle of the Chew—Frantschi diagram, 3=19572
Ahmavaara,Y. Relativistic quantum theory as a group problem. III. The interaction formalism, 3=2203
Ahmavaara,Y. Relativistic quantum theory as a group problem. IV. Mathematical criticism of some current physical techniques, 3=4308
Ahmed,H. and Beck,A.H.W. Thermionic emission from dispenser cathodes, 3=12235
Ahmed,H. See Beck,A.H.W., 3=19302
Ahn,K.Y. See Beam,W.R., 3=25534
Ahrens,J. Negative ions and their importance for the analysis of residual gas, 3=21012
Ahrens,L.H. Neutron numbers 98, 108 and 116, 3=12751
Ahrens,T.J. and Katz,S. An ultrasonic interferometer for high-pressure research, 3=223
Ahsmann,G.J.M. Some remarks on the anode fall in the Faraday dark space, 3=4028
Ai Bui. Generalization of the analogue method to the study of the phenomenon of ionization in insulating solids, 3=1939
Aidarov,T.K. See Petrova,A.G., 3=25847
Aigrain,P. "Helicons" in semiconductors, 3=6568
Aigrain,P. See Godefroy,L.R., 3=10609
Aikens,R.S. See Powers,W.T., 3=9144
Aikin,A.C. The sunrise absorption effect observed at low frequencies, 3=5882
Ainscough,J.B. Effect of adsorbent temperature on the Brunauer-Emmett-Teller surface area determined by Krypton adsorption at 77°K, 3=5145
Ainslie,N.G. See Woods,J.F., 3=13416
Ainutdinov,M.S.,Zombkovskii,S.M.,Nikitin,S.Ya. and Selektor,Ya.M. Elastic scattering of 7·2 BeV π^--mesons on protons, 3=6058
Ainutdinov,M.S.,Zombkovskii,S.M.,Nikitin,S.Ya.,Selektor,Ya.M. and Grishin,A.F. $\pi\pi$ interaction in π^- p scattering at the energy of 7·2 BeV, 3=6053
Ainutdinov,M.S., Zombkovskii,S.M., Nikitin,S.Ya., Selektor,Ya.M. and Shulyachenko,V.N. $\pi\pi$ interactions in the multiple production of pions in πp collisions, 3=15018
Aĭnutdinov,M.S.,Zombkovskii,S.M.,Nikitin,S.Ya.,Selektor,Ya.M. and Shulyachenko,V.N. Multiple pion production in 7.2 BeV π^-—p collisions, 3=24767
Airapetyants,A.V., Voitenko,R.M., Davydov,B.E. and Krentsel',B.A. The mechanism of conduction in organic semiconducting polymers, 3=20341
Aisenberg,S. The effect of helium on electron temperature and electron density in rare-gas lasers, 3=17091
Aitchison, I.J.R. Extrapolation methods and the nucleon—deuteron breakup reaction, 3=17355

Aitchison,I.J.R. Evidence relating to the existence of the f^0 resonance, 3=22168
Aitken,M.J. and Tite,M.S. A gradient magnetometer, using proton free-precession, 3=7671
Aiya,S.V.C. Structure of atmospheric radio noise, 3=3470
Aizawa,T. See Mutsuro,N., 3=19832
Aizu,H. See Koshiba,M., 3=24815
Aizu,K. Parameter differentiation of quantum-mechanical linear operators, 3=16522
Ajdačić,V.S.,Azuma,R.E. and Fleming,W.H. Measuring-in-core neutron fluxes with semiconductors, 3=22452
Akahori,H., Kubozoe,M. and Kimura,H. A new electron microscope excited by both permanent magnets and electromagnets, 3=19355
Akamatu,K. See Matuzawa,T., 3=18478
Akao,Y. and Ida,Y. Resonance of surface waves on a cylindrical plasma column, 3=19254
Akasaka,K.,Itoh,N. and Suita,T. Thermoluminescence of gamma-irradiated NaCl crystals, 3=11017
Akasaki,I. See Arizumi,T., 3=8440
Akasaki,I. See Arizumi,T., 3=13601
Akashi,K., Saito,H. and Sugihara,M. Universal shock tube, 3=18902
Akashi,M. See Shoda,K., 3=4614
Akasofu,S.-I. On a self-consistent calculation of the ring current field, 3=5815
Akasofu,S.I. The auroral rays, 3=11451
Akasofu,S.-I. and Cain,J.C. The magnetic field of the radiation belts, 3=16293
Akasofu,S. Cain,J.C. and Chapman,S. The magnetic field of the quiet-time proton belt, 3=1492
Akasofu, S.I. and Chapman, S. A large change in the distribution of the auroras during the 11 February 1958 magnetic storm, 3=3520
Akasofu,S.I. and Chapman,S. The lower limit of latitude (U.S. sector) of northern quiet auroral arcs, and its relation to Dst(H), 3=6995
Akasofu,S.I. and Chapman,S. The development of the main phase of magnetic storms, 3=11469
Akasofu,S.-I. and Chapman,S. Magnetic storms: the simultaneous development of the main phase (DR) and of polar magnetic substorms (DP), 3=21076
Akasofu,S.-I.,Chapman,S. and Venkatesan,D. The main phase of great magnetic storms, 3=25947
Akasofu,S.-I. and Lin,W.C. The magnetic moment of model ring current belts and the cutoff rigidity of solar protons, 3=13810
Akasofu,S.-I. See Arnoldy,R.L., 3=13817
Akatsuka,K. See Nakajima,K., 3=24480
Akchurin,R.Sh. See Karasik,V.R., 3=19410
Akerib,R. Microwave breakdown of the atmosphere, 3=4096
Akerib,R. Empirical relations for the energy levels of atoms and ions in an isoelectronic sequence, 3=17522
Akhadov,Ya.Yu. See Shakhparonov,M.I., 3=21386
Akhezer, A.I. and Akhezer, I.A. The problem of coexistence of superconductivity and ferromagnetism, 3=16856
Akhiezer,A.I.,Akhiezer,I.A. and Pomeranchuk,I.Ya. On scattering of slow neutrons in a Fermi liquid, 3=7863
Akhiezer,A.I.,Aleksin,V.F.,Bar'yakhtar,V.G. and Peleminskii,S.V. Effect of radiative effects on electron relaxation and electric conductivity of a plasma in a strong magnetic field, 3=5671
Akhiezer,A.I., Bary'akhtar,V.G. and Peletminskiǐ,S.V. Effect of radiation processes on transport phenomena in a plasma in a strong magnetic field, 3=14583
Akhiezer,A.I.,Bar'yakhtar,V.G. and Peletminskii,S.V. Coherent amplification of spin waves, 3=23208
Akhiezer,A.I., Kitsenko,A.B. and Stepanov,C.N. Interaction of charged-particle beams with low-frequency plasma oscillations, 3=4171
Akhiezer,I.A. The development of fluctuations in a plasma with an unstable distribution function, 3=5685
Akhiezer,I.A. On the possibility of anomalous fluctuations in liquid helium II, 3=16850
Akhiezer,I.A. Restrictions imposed on the Regge trajectory by maximal analyticity, 3=21250
Akhiezer,I.A. See Akhiezer,A.I., 3=7863
Akhezer,I.A. See Akhezer,A.I., 3=16856
Akhmanov,S.A.,Gvozdover,S.D.,Gorshkov,A.S. and Dmitriev,V.G. Nonlinear effects and parametric amplification in the wave interaction in waveguides with long electron streams, 3=2197
Akhmanov,S.A. and Khokhlov,R.V. Concerning the possibilities for amplification of light, 3=7301
Akhmedov,A.R. and Zaitsev,A.A. Noise in a gas discharge and instabilities of the column in a longitudinal magnetic field, 3=24285
Akhmedov,S.Sh. See Karasik,V.R., 3=19410
Akhundov,G.A. Diffusion of components in Tl_2Se and InSe and rectification at the Se—Tl_2Se and Se—InSe boundaries, 3=25293
Akiba,T. S-wave $\overline{K}$—N reactions and vector mesons by semi-phenomenological amplitudes, 3=10172
Akimchenko,I.P., Vavilov,V.S. and Plotnikov,A.F. Spectra and kinetics of the photoconductivity related to simple structural defects in germanium single crystals, 3=20409
Akimoto,K. and Sibley,W.A. Hardening of potassium chloride single crystals by quenching and irradiation, 3=16008
Akimoto,K. See Sonoike,S., 3=23106
Akimoto,S. Magnetic properties of $FeO-Fe_2O_3-TiO_2$ system as a basis of rock magnetism, 3=1497
Akimoto,S. See Syono,S., 3=11063
Akimov,I.A. Investigation of the internal photoeffect spectra in photochemically sensitive semiconductors, 3=2969
Akimov,I.A. and Putseiko,E.K. Photoelectric sensitivity spectra of semiconductors, determined by various methods, 3=2967
Akimov,Yu.K., Komarov,V.I., Marish,K.S., Savchenko,O.V. and Soroko,L.M. Search for anomalies in the spectrum of the H^3 nuclei emitted in the reaction $p + d \to H^3 + \pi^0 + \pi^0$ at a proton energy of 670 MeV, 3=4390
Akimov,Yu.K.,Savchenko,O.V. and Soroko,L.M. Search for anomalies in the energy dependence of the cross-section of the reaction $p + p \to d + \pi^+$ near threshold of pion-pair production, 3=4389
Akimovich,O.M. See Mikhailov,H.C., 3=21457
Akimune,H. See Mori,I., 3=19285
Akishin R A See Sidorov I I 3=24113
Akiyama,K. On the motion of the asteroid Hilda (153), 3=16361
Akkerman,A.F.,Vil'koviskiǐ,É.Ya.,Kaipov,D.K. and Chekanov,V.N. Measurement of the lifetime of the 4^+ level (1281 keV) of the Cd^{114} nucleus by the resonance scattering method, 3=15149
Akopyan,M.E., Balyakin,I.I. and Vilesov,F.I. The Mv-3 vacuum monochromator, 3=1818
Akopyan,M.E. See Vilesov,F.I., 3=24392
Akramov,G. Resonant damping of sound in a metal in a magnetic field, 3=20089
Akriche,J. See Herman,L., 3=11839
Aksenov,E.P.,Grebenikov,E.A. and Demin,V.G. Generalized problem of two fixed centres and its application in the theory of motion of artificial earth satellites, 3=16437
Aksenov, G.I. and Orekhov, Yu.P. Investigation of magnetically soft powder metal alloys in the Fe-Si system, 3=3118
Aksenov,S.I. Structure of the nuclear magnetic resonance lines of the isotopes Cu^{63} and Cu^{65} in β-brass, 3=6765
Aksenov,V.A.,Brodkin,É.B.,Bushuev,A.V. and Polikarpov,V.I. Gamma-radiation of Cs^{139}, 3=4594
Akulyonok,E.M. See Khaimov-Mal'kov,V.Ya., 3=20785
Al Ali,N.S. See Fousek,J., 3=2960
Alamichel,C.,Assous,R. and Legay,F. Dispersion measurement in the infrared absorption bands of gases, apparatus and instrumental corrections, 3=14345
Alavi-Nejad,M. Amplitude of the daily variation of thickness of condensable water in the atmosphere, 3=11392
Albano,V. See Bellon,P.L., 3=23433
Albasiny,E.L. and Cooper,J.R.A. The calculation of electronic properties of BH_4^-, CH_4 and NH_4^+ using one-centre self-consistent field wave functions, 3=22554
Albergotti,J.C. and Shearin,P.E. Coulomb excitation of Tc^{99} and Sm^{147}, 3=19782
Alberigi-Quaranta,A.,De Pretis,M.,Marini,G.,Odian,A., Stoppini,G. and Tau,L. Photoproduction of muon pairs in carbon, 3=7879
Alberigi Quaranta,A. and Martini,M. On a fast transistorized pulse amplifier, 3=21685
Alberigi Quaranta,A. and Pasquinelli,A. Some explanations on the subject of electronics, 3=24152
Alberigi-Quaranta,A. and Righini,B. A new encoder, 3=16893
Albers,C. Effect of photochemical processes on the luminescence properties of CdS single crystals, 3=3037
Albers,C. and Genzow,D. Photochemical reactions and temperature dependence of luminescence in CdS single crystals, 3=15705

Albers,E.W.,Harteck,P. and Reeves,R.R.,Jr. Ortho and para-tritium, 3=12789
Albers,W. See Wasscher,J.D., 3=20423
Albert,D. and Führmann,K. Correction factors for thick gold and sulphur neutron probes, 3=25018
Albert,M.P. and Combs,J.F. Thickness measurement of epitaxial films by the infrared interference method, 3=1650
Albertoni,S., Cercignani,C. and Gotusso,L. Numerical evaluation of the slip coefficient, 3=18841
Alberts,L. See Bishop,J.E.L., 3=831
Albertson,J. Quantum-mechanical measurement operator, 3=5355
Albinsson,H. See Dubois,J., 3=17470
Al'bitskaya,E.A. See Sokolov,Yu.L., 3=21807
Albon,N. The origin of dislocations during crystal growth, 3=20187
Albon,N. and Owen,A.E. The influence of twin structure on growth directions in dendritic ribbons of materials having the diamond or zinc-blende structures, 3=23411
Albouy,G.,Cohen,J.P.,Gusakov,M.,Poffé,N.,Sergolle,J. and Valentin,L. Spallation of oxygen by 20 to 150 MeV protons, 3=4642
Albouy,G.,Cohen,J.P.,Gusakow,M.,Poffé,N.,Sergolle,H. and Valentin,L. (p,3p3n) reactions between 30 and 150 MeV, 3=19852
Albouy,G.,Gusakow,M.,Poffé,N.,Sergolle,H. and Valentin,L. (p, n) reactions at medium energies, 3=12677
Albouy,G. See Poffé,N., 3=12678
Albrecht,A.C. Vibronic—spin—orbit perturbations and the assignment of the lowest triplet state of benzene, 3=8289
Albrecht,A.C. See Dolan,E., 3=959
Albrecht,A.C. See Dolan,E., 3=10989
Albrecht,G. and Ecker,G. Theory of a non-contracted positive column under the influence of negative ions, 3=1971
Albrecht,G. and Ecker,G. The influence of negative ions on a positive column, 3=7495
Albrecht,G.,Ecker,G. and Müller,K.G. Theory of the contraction of a positive column, 3=1951
Albrecht,H. On the impulse reaction of the middle ear, 3=9299
Albrecht,R.W. The measurement of dynamic nuclear reactor parameters using the variance of the number of neutrons detected, 3=2521
Albridge,R.G. See Mehlhorn,W., 3=24865
Albridge,R.G. See Willard,D., 3=2409
Albright,C.H. See McGlinn,W.D., 3=7790
Albritton,D.L. See Edwards,H.D., 3=21045
Alburger,D.E. Beta decay of B^{12}, 3=22326
Alburger,D.E. See Gallmann,A., 3=8132
Alburger,D.E. See Warburton,E.K., 3=10251
Alburger,D.E. See Warburton,E.K., 3=10252
Alburger,D.E. See Wilkinson,D.H., 3=7986
Alburger,D.E. See Wilkinson,D.H., 3=15138
Alden,T.H. Growth of electron transparent silver platelets, 3=3273
Alden,T.H. The hardening of cadmium crystals by cyclic strain, 3=13372
Alden,T.H. Dynamic recovery and fatigue in some brittle crystals, 3=20749
Alden,T.H. High-strength magnesium oxide, 3=25639
Alder,J.C. See Joseph,C., 3=2266
Alder,K.,Matthias,E.,Schneider,W. and Steffen,R.M. Influence of a combined magnetic dipole and electric quadrupole interaction on angular correlations, 3=8025
Alder,K. and Schucan,T.H. Exact calculation of inelastic electron scattering for monopole excitation, 3=12657
Aldred,A.T. and Pratt,J.N. Vapour pressure of liquid bismuth, 3=9662
Aldred,A.T. and Pratt,J.N. Vapour pressure of liquid silver + bismuth alloys, 3=14422
Aldred,A.T. See Nevitt,M.V., 3=11055
Alefeld,G. Dislocation-controlled amplitude dependent relaxation damping, 3=3215
Alefeld,G. Activation energy and activation volume for small stresses and dislocation velocities, 3=5067
Alefeld,G. Activation energy and volume of the elastic after effect in gold, 3=11140
Alefeld,G. Sudden changes in experimental conditions during plastic deformation of solids, 3=13348
Alekhin,S.P. See Voronin,G.F., 3=15399
Aleksandrov,A.Yu.,Delyagin,N.N.,Mitrofanov,K.P.,Polak,L.S. and Shpinel',V.S. Quadrupole interaction and isomeric shifts of the 23.8 keV gamma transition in Sn^{119} in organic tin compounds, 3=15415
Aleksandrov, A.- Yu, Delyagin, N.N, Mitrofanov, K.P. Polak, L.S. and Shpinel, V. S. Effect of γ-radiation on the shape of Mössbauer resonance absorption spectra in tin–organic compounds, 3=17633
Aleksandrov, B.N. Effect of the size of samples of pure metals on their electrical resistance, 3=2851
Aleksandrov,B.N. Effect of the dimensions and purity on the electrical resistance of metals in a longitudinal magnetic field at helium temperatures, 3=15554
Aleksandrov,B.N. Dependence of the residual resistance of Sn, In, Pb, Cd and Zn on the amount and type of impurity, 3=25324
Aleksandrov, B.N. and D'yackov, I.G. Variation of the electric resistance of pure metals with decrease of temperature, 3=2852
Aleksandrov,B.N. and D'yakov,I.G. Zone refining of aluminium and lead, 3=23487
Aleksandrov,E.B. Optical alignment of rubidium isotopes, 3=15295
Aleksandrov,E.B. Quantum beats of resonance luminescence under modulated light excitation, 3=22491
Aleksandrov,E.B. and Khodovoi,V.A. Detection of the K^{40} isotope using optical alignment of the atoms, 3=15296
Aleksandrov,I.B.,Kukaarenko,Yu.A. and Niukkanen,A.V. The transport equation of a non-ideal fermi-system, 3=21263
Aleksandrov,I.V. and Zhidomirov,G.M. Theory of spin—lattice relaxation in radicals in liquids, 3=3817
Aleksandrov,K.S. The reflection of shear elastic waves from the interface of two anisotropic media, 3=21473
Aleksandrov,K.S., Ryzhova,T.V. and Rostuntseva,A.I. Elastic properties of some sulphate heptahydrate crystals, 3=20690
Aleksandrov,K.S. See Kostin,N.F., 3=13408
Aleksandrov,K.S. See Talashkevich,I.P., 3=20686
Aleksandrov,L.H. Damping capacity of tungsten, 3=13329
Aleksandrov,L.N. and Lyubov,B.Ya. A theoretical analysis of the decomposition kinetics of supersaturated solid solutions, 3=20907
Aleksandrov,L.N. and Mordyuk,V.S. Kinetics of recrystallization in tungsten, 3=3333
Aleksandrov,N.A. See Popov,L.E., 3=23317
Aleksandrov,N.A. See Sukhovarov,V.F., 3=20722
Aleksandrov,N.M. and Skripov,F.I. Structural investigations in in crystals by the method of nuclear magnetic resonance, 3=13314
Aleksandrov,Yu.A.,Anikin,G.V. and Soldatov,A.S. The small angle scattering of neutrons with energies 0·8 and 2·8 MeV, 3=4646
Aleksandrov,Yu.A. and Nechaev,Yu.I. Pulsed radiation source, 3=14939
Aleksandrov,Yu.A. and Nikitin,M.K. Investigation of the decay scheme of Eu^{145}, 3=8044
Aleksandrov, Yu.A., Voronov, G.S. and Delone, N.B. The rise of bubbles and the distortion of tracks in bubble chambers, 3=2177
Aleksandrov,Yu.A.,Voronov,G.S. and Delone,N.B. Sensitivity of liquid to radiation, 3=24560
Aleksanyan,A.S., Alikhanyan,A.I. and Veremeev,M.M. Freon bubble chamber of 570 litre capacity, 3=2176
Aleksashin,V.S. See Mikheev,V.S., 3=22898
Alekseev,A.S. Some converse problems in wave propagation theory. I. A spatial problem for waves of SH type [preliminary results], 3=11847
Alekseev,A.S. Some converse problems in wave propagation theory. II. A spatial problem for waves of SH type, 3=11848
Alekseev,B.A. See Dudarev,V.Ya., 3=4219
Alekseev,E.S. An estimate of an electronic transition in barium under pressure, 3=23372
Alekseev,V.A. See Kheiker,D.M., 3=23427
Alekseev,V.M. New examples of "capture" in the three-body problem, 3=1503
Alekseev,V.M. Example of "exchange" in the problem of three bodies with a negative energy constant, 3=7162
Alekseev,Yu.I., Babii,V.I., Vitkevitch,V.V., Gorelova,M.V. and Sukhovei,A.G. Observations of solar radio emission in the metre range during the total solar eclipse of February 15, 1961, 3=1539

Alekseeva, K.I., Gabuniya, L.L., Den Pkhen Su, Zhdanov, G.B. and Tret'yakova, M.I. A rare case of a high-energy nuclear interaction with an isotropic angular distribution of the secondary particles, 3=2428

Alekseeva,K.I., Gabuniya,L.L., Den Pkhen Su, Zhdanov,G.B. and Tret'yakova,M.I. Case of a high-energy nuclear interaction with isotropic angular distribution, 3=19596

Alekseeva,K.I., Gabunia,L.L., Zhdanov,G.B., Soo,J.P. and Tretyakova,M.I. High energy nuclear interaction with isotropic distribution of generated particles, 3=4535

Alekseeva,K.I., Gabuniya,L.L., Zhdanov,G.B., Zamchalova,E.A., Shcherbakova,M.H. and Tret'yakova,M.I. A study of the composition of primary cosmic rays at a height of 320 km, 3=2334

Alekseeva,K.I.,Gabuniya,L.L.,Zhdanov,G.B.,Zamchalova,E.A., Shcherbakova,M.N. and Tret'yakova,M.I. A study of the composition of primary cosmic rays at a height of 320 km, 3=22228

Alekseeva,K.I.,Zhdanov,G.B.,Zamchalova,E.A.,Tret'yakova,M.I. and Shcherbakova,M.N. A photographic emulsion study of the interaction between 8.7 BeV protons and quasi-free nucleons, 3=6001

Alekseeva,N.A. See Kreimer,G.S., 3=11178

Alekseevskii,N.E., Egorov,V.S., Karstens,G.E. and Kazak,B.N. Galvanomagnetic properties of single crystals of transition metals, 3=4909

Alekseevskii,N.E., Fam Zui Khien, Shapiro,V.G. and Shpinel',V.S. Anisotropy of the Mössbauer effect in β-Sn single crystals, 3=2700

Alekseevskii,N.E. and Gaidukov,Yu.P. Fermi surface in silver, 3=6495

Alekseevskii, N.E. and Gaidukov, Yu.P. Open cross-sections of cadmium, zinc and thallium Fermi surfaces, 3=17687

Alekseevskii,N.E. and Gaidukov,Yu.P. Correction to the paper "Open cross-sections of cadmium, zinc and thallium Fermi surfaces", 3=25244

Alekseevskii,N.E. and Mikhailov,N.N. Superconducting solenoids containing Nb_3Sn for strong magnetic fields, 3=3968

Alekseevskii,N.E. and Mikhailov,N.N. Superconductivity of some binary and ternary alloys, 3=16873

Alekseevskii,N.E.,Savitskii,E.M.,Baron,V.V. and Efimov,Yu.V. The influence of alloying elements on the superconducting properties of the compound, 3=335

Alekseyeva,V.G. and Nad',F.Ya. Kinetics of photoconductivity in n-type gold-doped germanium, 3=20411

Alekseyevskii,N.E. and Kostina,T.I. Change of the concentration of current carriers in bismuth due to selenium admixtures, 3=4904

Aleksin,V.F. See Akhiezer,A.I., 3=5671

Aléonard,R.,Brissoneau,P. and Néel,L. New method to measure directly the 180° Bloch wall energy, 3=15802

Aléonard,R. and Pauthenet,R. Magnetic properties of gallates of rare earths at high temperatures, 3=6693

Aler, G.A., Condit, R.E. and Karbon, J.A. Low-temperature internal friction peaks in gold, 3=3212

Alers,G.A. and Fleury,P.A. Modification of the velocity of sound in metals by magnetic fields, 3=8356

Alers,G.A. and Swim,R.T. Oscillations in the velocity of sound in gold at high magnetic fields, 3=23138

Alers,G.A. See Waldorf,D.L., 3=1212

Alers,P.B. and Dolecek,R.L. Pressure-effect model for a luminescence centre: KCl:Tl, 3=10992

Aleskovskii,V.B. See Kalinkin,I.P., 3=18378

Aleskovskii,Yu.M. Investigation of volume recombination in a caesium plasma, 3=24278

Aleskovskii,Yu.M. and Granovskii,V.L. Recombination radiation of a caesium plasma in a homogeneous magnetic field, 3=411

Aleskovskii,Yu.M. and Granovskii,V.L. Investigation of volume recombination in a helium plasma in a magnetic field, 3=14603

Alessandrini,E.I. and Freedman,J.F. The observation by electron diffraction of a 'superlattice' in annealed nickel single crystal films, 3=8835

Alevra,A. See Ivanov,E., 3=8098

Alexakos,L.G. and Cornwell,C.D. Amplitude modulation method for producing sidebands in N.M.R. experiments, 3=19474

Alexander,E. and Fraenkel,B.S. Vacuum ultraviolet spectrometer, 3=21546

Alexander,E.,Fraenkel,B.S.,Feldman,U.,Jacobs,A, and Makovky,J. Review of the research in progress in the vacuum ultraviolet, 3=9593

Alexander,E. and Steinberger,I.T. Electromuninescence emission spectra of ZnS single crystals, 3=6683

Alexander,G.,Dahl,O.I.,Jacobs,L.,Kalbfleisch,G.R.,Miller,D.H., Rittenberg,A.,Schwartz,J. and Smith,G. Final-state interactions in the $\pi^- + p \rightarrow K + \bar{K} + N$ reaction, 3=7924

Alexander,G. and Yekutieli,G. Competition between meson and baryon exchange in peripheral collisions, 3=22135

Alexander,G. See Kalbfleisch,G.R., 3=17349

Alexander,G. See Miller,D.H., 3=19698

Alexander,J.K.,Jr. See Lawrence,J.D.,Jr, 3=23617

Alexander,J.M.,Baltzinger,C. and Gazdik,M.F. Cross section and recoil studies of reactions of U^{238} with protons of 0.5 to 6.2 GeV, 3=8148

Alexander,J.M.,Gazdik,M.F.,Trips,A.R. and Wasif,S. Kinetic energy release in 23-MeV deuteron fission of U^{238}, 3=10397

Alexander,J.M. and Simonoff,G.N. Excitation functions for Tb^{149g} from reactions between complex nuclei, 3=15119

Alexander,J.M. and Sisson,D.H. Recoil range evidence for the compound-nucleus mechanism in reactions between complex nuclei, 3=6303

Alexander,J.M. See Crespo,V.P., 3=22387

Alexander,J.M. See Singh,S., 3=670

Alexander,J.M. See Yaffe,L., 3=22339

Alexander,K.F.,Brinckmann,H.F.,Dönau,F. and Kissener,H.R. Isomerism of In^{116}, 3=15112

Alexander,L.E. and Smith,G.S. Single-crystal intensity measurements with the three-circle counter diffractometer, 3=1282

Alexander,L.E.,Smith,G.S. and Brown,P.E. Determination of the inherent reflecting range of a single crystal in diffractometry, 3=25694

Alexander,L.E. See Ergun,S., 3=3298

Alexander, L.E. See Smith, G.S., 3=18318

Alexander,P. and Boehm,F. Properties of nuclear energy levels in Tm-169, 3=19791

Alexander,P. and Steffen,R.M. Nuclear matrix elements in the first-forbidden beta decay of the Eu^{152} ground state, 3=2412

Alexander,S. Fast-exchange width of nuclear magnetic resonance spectra, 3=22596

Alexander,S.,Corenzwit,E.,Matthias,B.T.,Shulman,R.G. and Wyluda,B.J. Knight shifts in niobium—molybdenum alloys, 3=8737

Alexander,W.M. Cosmic dust, 3=9164

Alexandrakis,G.C. and Dousmanis,G.C. Modulation of carrier surface lifetime and the time constants of surface states in Si, 3=25348

Alexeff,I. and Neidigh,R.V. Observation of ionic sound waves in gaseous discharge tubes, 3=4161

Alexeff,I. and Neidigh,R.V. Observations of ionic sound waves in plasmas: their properties and applications, 3=5658

Alexeff,I. and Neidigh,R.V. Observation of ionic sound waves in gaseous discharge tubes, 3=7457

Alexeff,I. and Neidigh,R.V. A plasma flowmeter: the "plasma eater", 3=21802

Alexeff,I.,Neidigh,R.V.,Peed,W.F.,Shipley,E.D., and Harris,E.G. Hot-electron plasma by beam—plasma interaction, 3=16937

Alexeff,I.,Neidigh,R.V. and Shipley,E.D. Experiments concerning the magnetic confinement of a cold plasma, 3=9802

Alexeff,I.,Neidigh,R.V. and Shipley,E.D. Optimum energy for plasma confinement, 3=12176

Alff,C., Berley,D., Colley,D., Gelfand,N., Nauenberg,U., Miller,D., Schultz,J., Steinberger,J., Tan,T.H., Brugger,H., Kramer,P. and Plano,R. Production of pion resonances in π^+ p interactions, 3=4432

Alff,C., Berley,D., Colley,D., Gelfand,N., Nauenberg,U., Miller,D., Schultz,J., Steinberger,J., Tan,T.H., Brugger,H., Kramer,P. and Plano,R. Decays of the ω and η mesons, 3=4433

Alfimenkov,V.P.,Ostanevich,Yu.M.,Ruskov,T.,Strelkov,A.V., Shapiro,F.L. and Yai'U-Guan [Yen Wu-kuang]. Mössbauer effect in $Sm_2^{149}O_3$, 3=6459

Alfimenkov,V.P.,Ostanevich,Yu.M.,Ruskov,T.,Strelkov,A.V., Shapiro,F.L. and Yai'U-Guan [Yen Wu-kuang]. Energy spectrum of resonance absorption in zinc oxide of the 92 keV γ-radiation from ZN^{67}, 3=6460

Alford,D.,Garrett,F. and Sevin,L.J. Germanium field-effect transistors, 3=4017

Alford,W.L. and Koehler,D.R. Isomeric transition in Samarium-143, 3=6174

Alford, W.L, Koehler, D.R. and Polk, R.G. Decay of neodymium 141, 3=17441
Alford,W.L. See Koehler,D.R., 3=10287
Alfrey,T., Jr and Lloyd,W.G. Kinetics of high-polymer reactions: effects of neighboring groups, 3=8949
Alfvén,H. On the mass distribution in the solar system, 3=3543
Alfven,H. On the early history of the sun and the formation of the solar system, 3=13880
Alfven,H.,Fälthammar,C.G.,Johansson,R.B.,Smars,E.A.,Wilner,B. and Witalis,E. Gas insulation of a hot plasma: theory and experiment, 3=12198
Alfvén,H. and Klein,O. Matter – antimatter annihilation and cosmology, 3=3532
Alfvén,H. and Wilcox,J.M. On the origin of the satellites and the planets, 3=3544
Ali,S.S. See Bodmer,A.R., 3=7940
Ali Bulent Cambel. See Wendt,J.F., 3=9733
Alidieres,M.,Aymar,R.,Jourdan,P.,Koechlin,F. and Samain,A. Behaviour of a plasma, produced by a button-type source in presence of a magnetic field, 3=9777
Aliev,Kh.M. Explosion shock wave in brittle media, 3=23970
Aliev, Yu.F. See Lazarev, B.G., 3=16875
Alikhanian,A.I., Asatiani,T.L., Matevosian,A.M. and Sharkhatunian,R.O. Momentum measurements of charged particles in a single gap spark chamber placed in a magnetic field, 3=17150
Alikhanov,A.I.,Babaev,A.I.,Balats,M.Ya.,Kafttanov,V.S., Landsberg,L.G.,Lyubimov,V.A. and Obukhov,Yu.V. Further search for the $\mu \to e + \gamma$ decay, 3=6024
Alikhanov,R.A. Antiferromagnetism of $NiCO_3$, 3=1115
Alikhanov,S.G., Komin,A.V., Podlesnyi,G.G. and Khorasanov,G.L. Investigation of plasma diffusion in a magnetic field, 3=14592
Alikhanov,S.G.,Zakharov,V.E. and Khorasanov,G.L. Plasma diffusion in a magnetic field due to Coulomb collisions, 3=19239
Alikhanov,S.G. See Demirkhanov,R.A., 3=7522
Alikhanyan, A.I., Arutyunyan, F.R., Ispiryan, K.A. and Ter-Mikaelyan, M.L. On a certain possibility of detecting high-energy charged particles, 3=4368
Alikhayan,A.I., Asatiani,T.L., Krishchyan,V.M., Matevosyan,E.M. and Sharkhatunyan,R.O. Polarisation of cosmic ray muons, 3=4519
Alikhanyan,A.I.,Asatiani,T.L.,Krishchyan,V.M.,Matevosyan,É.M. and Sharkhatunyan,R.O. Polarization of cosmic μ mesons, 3=24824
Alikhanyan,A.I.,Asatiani,T.L.,Matevosyan,E.M. and Sharkhatunyan,R.O. Investigation of the polarization of cosmic ray μ^+-mesons, 3=6114
Alikhanyan,A.I, Laziev,E.U. and Tumanyan,W.A. On a possible method of registration of high-energy neutrinos, 3=17242
Alikhanyan,A.I. and Vaisenberg,A.O. New experimental data on μ mesons, 3=24755
Alikhanyan,A.I. See Aleksanyan,A.S., 3=2176
Alimbarashvili,N.A. See Malkovich,R.Sh., 3=17790
Alishaev,M.G. Forced convection of a compressible viscous gas near a heat source, 3=1854
Al Jobory,M.I. See Turner,D.W., 3=7434
Alkemade,C.T.J.,van Kampen,N.G. and MacDonald,D.K.C. Non-linear Brownian movement of a generalized Rayleigh model. 3=5369
Alkemade,C.T.J. See Bolwijn,P.T., 3=11908
Alkemade,C.T.J. See Smit,C., 3=7634
Al-Kital,R.A. and Peck,R.A.,Jr. $C^{12}(n, \alpha)Be^9$ reaction induced by 14-MeV neutrons, 3=12691
Allab,M.D. See Moriamez,C., 3=21397
Allaby,J.V.,Chisholm,A.,Eades,J. and James,A.N. Spin correlation experiments in proton–proton scattering at 380 MeV, 3=7855
Allain,Y., Miedan-Gros,A. and Vivet,B. Servo magnetic balance, 3=19412
Allais,M.L. Electrical birefringence of macromolecules. Measurements, by compensation, on specimens of desoxyribonucleic acid, 3=4792
Allan, D.W. See Haines, M.G., 3=4252
Allan,R.R. and Ward,G.N. Planetary equations in terms of vectorial elements, 3=21083
Allan,T.D.,Dehlinger,P.,Gantar,C.,Morelli,C.,Pisani,M. and Harrison,J.C. Comparison of Graf-Askania and LaCoste-Romberg surface-ship gravity meters, 3=8995
Allard,J. Remarks on the physical possibilities of the square when visualized as a curvilinear curve, 3=1577
Allas, R.G. See Segel, R.E., 3=17403
Allavena,M. See Bratož,S., 3=2632
Allbutt,M. See Dell,R.M., 3=16473
Allcock,G.M., Branigan,C.K., Mountjoy,J.C. and Helliwell,R.A. Whistler and other very low frequency phenomena associated with the high-altitude nuclear explosition on July 9, 1962, 3=16229
Allcock,G.R. A geometrized class of Yang–Mills fields, 3=17187
Allegra,G. and Perego,G. The crystal structure of the $KF.2Al(C_2H_5)$, complex, 3=11272
Allègre,J. and Charwat,A. An experimental study of the interaction between a supersonic stream and a transverse sonic jet, 3=7229
Allen,C.W. Representative measurements in astronomy, 3=21079
Allen,C.W. and Corliss, C.H. Absolute scale of oscillator strengths, 3=22470
Allen,E. Simple graphical conversion of colorimetric ratios to chromaticity differences; application to determination of chromaticity difference for near-white samples, 3=21177
Allen,E.F., Jr. See Rosenberg,N.W., 3=25918
Allen,F.G. and Gobeli,G.W. Volume and surface effects in photoelectric emission from silicon, 3=9833
Allen.F.G. and Gobeli,G.W. High vacuum deposition of cesium, 3=11844
Allen,G. and Connor,T.M. The measurement of nuclear relaxation times in polyethlene oxides and related polymers, 3=22592
Allen,H.C., Jr. See Olson,W.B., 3=12855
Allen,H.C., Jr. See Olson,W.B., 3=25083
Allen,J. Coolant clean-up in DFR, 3=2541
Allen,J.E.,Bartoli,C.,Brunelli,B.,Nation,J.A.,Rumi,B. and Toschi,R. Observations on an orthogonal pinch discharge (cariddi), 3=12169
Allen,J.E.,Boschi,A. and Magistrelli,F. The limiting current phenomenon in the presence of an azimuthal magnetic field, 3=7487
Allen,J.E. and Coville,C. Reduction of gas density in an arc operating near the current limit, 3=4067
Allen,J.E. and Magistrelli, F. Effect of an azimuthal magnetic field on the limiting current in the low-pressure mercury arc, 3=4068
Allen,J.E.,Martone,M.U. and Segre,S.E. Measurements on an orthogonal pinch discharge, 3=12168
Allen,J.E. See Danysz,M., 3=22276
Allen,J.E. Sr. See Fletcher,E.R., 3=10232
Allen,J.H, McKellar,J.F. and Pearce,V.F. The use of ignitrons for triggering flash photolysis lamps, 3=16759
Allen,J.S. See Brussel,M.K., 3=5787
Allen, J.W. Crystal field theory and luminescence in zinc sulphide, 3=3054
Allen,J.W. Luminescence in vanadium-activated zinc sulphide, 3=20530
Allen,J.W. and Hodby,J.W. Infra-red absorption in gallium phosphide–gallium arsenide alloys. I. Absorption in n-type material, 3=20477
Allen,J.W. and Moncaster,M.E. Injection electroluminescence in gallium arsenide– phosphide alloys, 3=11008
Allen,J.W.,Moncaster,M.E. and Starkiewicz,J. Electroluminescent devices using carrier injection in gallium phosphide, 3=13221
Allen,J.W. See Cherry,R.J., 3=10810
Allen,K.R. and Phillips,K. Cloud chamber study of electron avalanche growth, 3=21711
Allen, K.W. and Jeffrey, G.A. On the structure of bromine hydrate, 3=18312
Allen,L.C. Binding of inert gas halogenide molecules, 3=4750
Allen,L.C. A method for unravelling complex spectra, 3=5516
Allen,L.C. and Karo,A.M. Electronic structure of simple molecules, 3=12814
Allen,L.R.,Anderson,B.,Conway,R.G.,Palmer,H.P.,Reddish,V.C. and Rowson,B. Observations of 384 radio sources at a frequency of 158 Mc/s with a long baseline interferometer, 3=7051
Allen,L.R.,Brown,R.Hanbury and Palmer,H.P. An analysis of the angular sizes of radio sources, 3=9279
Allen,L.R. See Kellermann,K.I., 3=1541

Allen, M.A., Chorney, P. and Maddix, H.S. Stabilization of a hot-cathode P.I.G. discharge in a magnetic field, 3=21735
Allen,M.A. See Kino,G.S., 3=4134
Allen,N.L. Townsend ionization coefficients in compressed nitrogen, 3=21708
Allen,N.L.,Balfour,D.,Cloke,V.C.,Green,L.A.,Hemmings,R.F., Hughes,T.P.,Hunt,S.E.,Jordan,B.,Liley,B.S.,Payne,R.M., Read,J.E.,Ware,A.A.,Williams,R.V. and Young,K.M. The Sceptre IV toroidal discharge, 3=7596
Allen,N.L.,Balfour,D.,Green,L.A.,Hemmings,R.F. and Ware,A.A. The disturbing magnetic fields caused by gaps in toroidal metal discharge tubes, 3=21813
Allen,P., Sr,Heeran,M. and Montwill,A. An example of the π^+ decay of a helium hypernucleus, 3=7976
Allen,P., Sr. See Danysz,M., 3=22276
Allen,P. See Fletcher,E.R., 3=10232
Allen,P.J. See Mayer,C.H., 3=18663
Allen,P.S. and Seymour,E.F.W. Nuclear magnetic resonance in metals under anomalous skin effect conditions, 3=10673
Allen,R.J. A demonstration of the magnetic mirror effect, 3=4194
Allen, R.R. and Weber, M.J. Spin–lattice relaxation due to translational diffusion in LiBr, 3=18143
Allen,R.R. See Weber,M.J., 3=8791
Allen,R.R. See Weber,M.J., 3=23249
Allen,T.K.,McWhirter,R.W.P. and Spalding,I.J. Experiments on cusp compression, 3=12147
Allen,T.L. and Shull,H. Electron pairs in the beryllium atom, 3=12754
Allen,W.W. See Simmons,J.G., 3=13069
Allenden,D. and Winkworth,R. A programmed control system for an automatic neutron spectrometer, 3=24753
Aller,L.H. See Liller,W., 3=21122
Allerhand, A., and von Ragué Schleyer, P. Halide anions as proton acceptors in hydrogen bonding, 3=17566
Alles,W. The $\Sigma \rightarrow \Lambda + e + \nu$ decay as a test of the conserved vector current hypothesis, 3=7933
Alles,W. and Boccaletti,D. Determination of the $\gamma\pi\rho$ coupling constant from a double photo-production experiment, 3=10072
Allgaier,R.S. Galvanomagnetic effects and band structure in PbS, PbSe, and PbTe, 3=868
Allgaier,R.S. and Houston,B.B.,Jr. Mobility studies in semiconductors with very high densities. 3=10829
Allis,W.P. Plasma physics in the last 10 years, 3=9764
Allis,W.P. and Buchsbaum,S.J. Coupling between electromagnetic and electron waves in a plasma, 3=12213
Allison,D.C.S. and Dalgarno,A. Deactivation of metastable helium by proton impact, 3=4718
Allinson,D.L. See Matthews,J.W., 3=20780
Allison,H.W. Solubility and diffusion of zinc in gallium phosphide, 3=10686
Allison,H.W. See Fuller,C.S., 3=6821
Allison,R. See Rieke,F.F., 3=8628
Allsworth,F.L. See Salmon,P.G., 3=22041
Almanov,G.A.,Dzhavakhishvili,L.Ya. and Ketiladze,G.D. Measurement of the E.P.R. spectrum of teflon at helium temperatures, 3=20657
Almazoo,A.B. Theory of quasi-classical fermions in random fields and its application to electrons in glasses and inorganic polymers in bulk, 3=20918
Almazov,A.B. Normal modes of Ge and Si by theta-expansions, 3=4809
Almazov,V.Ya.,Golutvin,I.A.,Inkin,V.D.,Karzhavin,Yu.A., Neustroev,V.D.,Stepanov,V.D. and Chuvilo,I.V. A device for automatic measurement of chamber photographs, APS-1M, 3=17120
Almazova,S.P. See Perelygin,V.P., 3=6316
Almeida,O.G. See Cassignol,E., 3=2941
Almeleh,N. and Goldstein,B. Electron paramagnetic resonance of manganese in gallium arsenide, 3=3177
Almeleh,N. See Goldstein,B., 3=20647
Almqvist,E.,Bromley,D.A.,Kuehner,J.A. and Whalen,B. Spins and partial widths of quasimolecular resonances in $C^{12} + C^{12}$ interactions, 3=12704
Almqvist,E. See Evans,J.E., 3=19771
Almqvist,E. See Evans,J.E., 3=22422
Almqvist,E. See Kuehner,J.A., 3=19889
Almqvist,E. See Kuehner,J.A., 3=19891
Alpat'ev,Yu.S. and Chipak,N.I. A target-rotation device, 3=4414
Alperin,H.A. The magnetic form factor of nickel oxide, 3=1104
Alperin,H.A.,Brown,P.J. and Nathans,R. Aspherical spin density in the ferrimagnetic compound Mn_2Sb, 3=15896
Alperin,H.A. See Nathans,R., 3=1103
Alperin,H.A. See Nathans,R., 3=15736
Alperin,H.A. See Pickart,S.J., 3=15859
Al'perovich,L.I. and Korovina,V.M. Verification of the validity of the Kramers–Kronig dispersion relation in dilute solutions of anthracene, 3=16627
Alpert,S.S. Nuclear moments and hyperfine structure of 13-year Eu^{152}, 3=7968
Alpher,R.A. See White,D.R., 3=23996
Alpiar,R. Sandwich reactor lattices and Bloch's theorem, 3=12728
Alpiner,B.P. See Dickerman,P.J., 3=8180
Al'shin, B.I. and Astrov, D.N. Magnetoelectric effect in titanium oxide Ti_2O_3, 3=25369
Alsop,L.E. Free spheroidal vibrations of the earth at very long periods. I. Calculation of periods for several earth models, 3=18468
Alsop,L.E. Free spheroidal vibrations of the earth at very long periods. II. Effect of rigidity of the inner core, 3=18469
Alstad,J. See Legvold,S., 3=20550
Alston,M.H.,Braley,J.E. and White,P. Quest: An on-line event-processing routine, 3=7091
Alston,M.H. See Alvarez,L.W., 3=15039
Alston,M.H. See Luzzi-Ferro,M., 3=15043
Altenhoff,W. and Mezger,P.G. Radio astronomical measurements at 1370 Mc/s to test a parametric pre-amplifier, 3=18649
Alterman,Z. See Pekeris,C.L., 3=5466
Alterman,Z. See Pekeris,C.L., 3=11850
Althoff,K. Photoproduction of positive pions between 200 and 260 MeV at fixed momentum transfer, 3=22166
Althoff,K.,Fischer,H. and Paul,W. Photoproduction of positive pions on hydrogen between 200 and 450 MeV. II. Magnetic spectrometer method, 3=22165
Altman,C. and Cory,H. The transmission of audio frequency electromagnetic waves through the terrestrial ionosphere in the magneto-ionic mode, 3=12328
Altman,E. See Rozen,S., 3=5613
Altman,J.H. See MacAdam,D.L., 3=18959
Altmann,S.L. The crystallographic point groups as semi-direct products, 3=1276
Al'tshuler,L.V.,Bakanova,A.A. and Trunin,R.F. Shock adiabates and zero isotherms of seven metals at high pressures, 3=6786
Al'tshuler,L.V., Kormer,S.B., Bakanova,A.A., Petrunin,A.P., Funtikov,A.I. and Gubkin,A.A. Irregular conditions of oblique collision of shock waves in solid bodies, 3=1756
Al'tshuler,M.A. See Deryagin,B.V., 3=6906
Al'tshuler,S.A. Paramagnetic spin–lattice relaxation mechanism in ionic crystals at low temperatures, 3=25578
Al'tshuler,S.A.,Bashkirov,Sh.Sh. and Zaripov,M.M. Paramagnetic resonance and spin–lattice relaxation of Ti^3 ions in corundum, 3=23237
Al'tshuler,S.A., Kochelaev,B.I. and Leushin,A.M. Paramagnetic absorption of sound, 3=20097
Al'tshuler,S.A. and Mineeva,R.M. Broadening of the paramagnetic resonance lines due to indirect exchange interactions, 3=20638
Al'tshuler, V.L, Pavlovskii, M.N, Kuleshova, L.V. and Simakov, G.V. Investigation of alkali-metal halides at high pressures and temperatures produced by shock compression, 3=18179
Altstetter,C.J. See Wayman,C.M., 3=8890
Alurkar,S.K. See Shirke,J.S., 3=13735
Alvarez, L.W., Alston,M.H., Ferro-Luzzi,M., Huwe,D.O., Kalbfeisch,G.R., Miller,D.H., Murray,J.J., Rosenfeld,A.H., Shafer,J.B., Soomitz,F.T. and Wojcicki,S.J. 1660 MeV Y_1^* hyperon, 3=15039
Alves,M.P. See Gilly,L.J., 3=22423
Alvi,H. See Venugopal,V.R., 3=16379
Aly,F.M. See Abuzeid,M.A., 3=19847
Aly,H.H. and Appa Rao,M.V.K. On the energy-dependence of fragmentation of cosmic ray nuclei in interstellar space, 3=15067
Aly,H.H.,Fisher,C.M. and Mason,A. Energy determination from the angular distribution of the secondary shower particles, 3=19733
Aly, M.K., Evans,J.W. and Orrall,F.Q. A photometric study of the continuum and seventeen emission lines in the inner solar corona, 3=3577

Aly,M.K.,Evans,J.W. and Orrall,F.Q. Emission-line ratios in the solar corona, 3=18638
Alyamovskii,V.N. Distribution functions of an electric microfield in an ionized gas, 3=5660
Alzetta,R.,Ghirardi,G.C. and Rimini,A. Threshold effects in n—d scattering due to the existence of the dineutron, 3=22137
Amaldi,E.,Baroni,G.,Manfredini,A.,Bradner,H.,Hoffman,L. and Vanderhaeghe,G. Search for Dirac magnetic poles, 3=14861
Amaldi,U.,Jr,Fazzini,T.,Fidecaro,G.,Ghesquière,G.,Legros,M. and Steiner,H. Deuteron and α-particle production in carbon and polyethylene by 26.6 GeV/c protons, 3=24717
Amaldi,U.,Jr. and Selleri,F. Nucleon—nucleon diffraction scattering, 3=4384
Amano,H. See Porile,N.T., 3=17474
Amar,V.,Lucchini,M. and Sona,P.G. Group properties of free-field equations, 3=12398
Amat,G. See Andrade e Silva,M.H., 3=6400
Amateau,M.F. and Spretnak,J.W. Plastic deformation in magnesium oxide crystals subjected to rolling-contact stresses, 3=23321
Amati,D, Cini,M. and Stanghellini,A. Diffraction scattering in the multiperipheral model, 3=17222
Amati,D.,Leader,E. and Vitale,B. Theory of low-energy nucleon—nucleon scattering. IV. Numerical results for high partial waves ($l \geq 2$), 3=12453
Amati,D.,Prentki,J. and Stanghellini,A. Higher symmetries and Pomerancuk conditions, 3=5929
Amati,D.,Stanghellini,A. and Fubini,S. Theory of high-energy scattering and multiple production, 3=5943
Amati,D., Stanghellini,A. and Wilson,K. Theory of fermion Regge poles, 3=14878
Amatislavskii,Ya.E. Light transmission method of obtaining a picture of Fresnel interference in white light, 3=19014
Amato,G.,Chesi,E. and Lambert,J.C. Multi-channel oscilloscope system, 3=19141
Amato,G., Cooper,W.A., Kornelis,Y. and Naumann,L. Automatic gap counting, 3=17135
Amato,G., Courant,H., Filthuth,H., Malamud,E., Petrucci,G., Segar,A.M., Toner,W.T. and Willis,W. A one-stage separated K-meson beam of 1·5 GeV/c momentum at the c.p.s., 3=17001
Amatuni,A.T. The possibility of obtaining polarized electrons, 3=12248
Amazeen,P.G. See Cahill,L.J., 3=18570
Ambach,W. Importance of the extinction of radiation in glacier ice for studies of the interchange of energy, 3=25861
Ambegaokar,V. and Baratoff,A. Tunneling between superconductors, 3=19103
Amberg,C.H. See Little,L.H., 3=3359
Amberg,C.H. See Seanor,D.A., 3=21285
Amboss,K. The effect of the anode aperture in conical flow Pierce guns, 3=4191
Ambrose,D. A simple glass-to-metal pressure-tight coupling, 3=11646
Amdur,I. and Shuler,L.M. Diffusion coefficients of the systems CO—CO and CO—N_2, 3=7232
Ameer,G. and Benesch,W. Line strengths and widths in hydrogen iodide, 3=4749
Amelina,E.A.,Segalova,E.E. and Rebinder,P.A. An induction period of structure formation during the hardening of gypsum hemihydrate, 3=8790
Amelinckx,S. See Aerts,E., 3=17764
Amelinckx,S. See Art,A., 3=12993
Amelinckx,S. See Art,A., 3=17765
Amelinckx,S. See Blank,H., 3=4874
Amelinckx,S. See Blank,H., 3=13113
Amelinckx,S. See Blank,H., 3=22847
Amelinckx,S. See de Coster,M., 3=8341
Amelinckx,S. See Delavignette,P., 3=20622
Amelinckx,S. See Pollak,H. 3=4802
Amelinckx,S. See Ruedl,E., 3=8437
Amelinckx, S. See Ruedl, E., 3=17701
Amelinckx,S. See Ruedl,E., 3=22767
Amelinckx,S. See Siems,R., 3=16060
Amelinckx,S. See Siems,R., 3=17734
Amelinckx,S. See Strumane,R., 3=22776
Amemiya,A. Further investigation on the non-random degradation on linear chain molecules, 3=8324
Amer,S. Van Der Pauw's method of measuring resistivities on lamellae of non-uniform resistivity, 3=14467
Ames,J. The correlation between frequency-selective fading and multipath propagation over an ionospheric path, 3=12330
Ames,L.L.,White,D. and Mann,D.E. Infrared absorption spectra of carbon suboxide and malononitrile in solid argon matrices. 3=10527
Ames,W.F. See De La Cuesta S,H., 3=14393
Amiet,J.-P. On the quantization of classical systems, 3=21239
Amiet,J.-P. and Huguenin,P. Tensor-force and spin-orbit coupling in the framework of the Hartree—Fock theory, 3=22254
Amigo,G. Variation of stereoscopic acuity with observation distance, 3=11635
Amin,A.H. A study of the breakdown processes in long discharge tubes, 3=4098
Aminian,O. Method of measuring the lifetime of an excited state of an atom, 3=12056
Aminov,L.K. Theory of spin—lattice relaxation in paramagnetic ionic crystals, 3=6755
Aminov,L.K. and Kochelaev,B.I. Effect of the spin-phonon interaction on the paramagnetic resonance spectrum, 3=3162
Aminov,L.K. and Kochelaev,B.I. Spin-spin interaction via a phonon field in paramagnetic crystals, 3=6756
Aminov, L.K. and Kochalaev, B.L. Spin—lattice interaction in crystals containing isolated paramagnetic complexes, 3=17647
Amirkhanov,Kh.I., Bashirov,R.I. and Zakiev,Yu.É. Quantum galvanomagnetic effects in n-InAs, 3=4925
Amirkhanov, Kh.I, Bashirov, R.I. and Zakiev, Yu.É. Quantum oscillations of the magnetoresistance of n-type InSb in strong pulsed magnetic fields, 3=17888
Amirkhonova,I.B., Borisov,A.V., Gverdtsiteu,I.G. and Kucherav,R.Ya. Concerning the possible causes of the difference between measurements of the ratio of equilibrium vapour measures of isotopes by differential and Rayleigh methods, 3=15307
Amman,F.,Bassetti,M.,Bernardini,M.,Corazza,G.F.,Mango,L., Massarotti,A.,Pellegrini,C.,Placidi,M.,Puglisi,M. and Tazzioli,F. The high-energy electron and positron storage rings under design at the Laboratori Nazionali di Frascati, 3=12267
Ammann,E.O. Experimental verification of calculated matrix elements of the magnetic moment of ruby, 3=3165
Ammar,R.G.,Choy,L.,Dunn,W.,Holland,M.,Roberts,J.H.,Shipley,E.N Crayton,N,Davis,D.H.,Levi-Setti,R.,Raymund,M.,Skjeggestad,O and Tomasini,G. Binding energies of hypernuclei with mass number $A>5$, 3=10229
Ammar,R.G., Dunn,W. and Holland,M. On the spin and building of ^{3}H, 3=4558
Ammar,R.G.,Holland,M.,Roberts,J.H. and Shipley,E.N. An example of $^7Be_\Lambda$ decaying by π^- emission, 3=7974
Ammerlaan,C.A.J. and Mulder,K. The preparation of lithium drifted semiconductor nuclear particle detectors, 3=10007
Ammerlaan,C.A.J, Rumphorst,R.F. and Koerts,L.A.Ch. Particle identification by pulse shape discrimination in the P-I-N type semiconductor detector, 3=17115
Amonenko,V.M., Ivanov,V.E., Tikhinskii,G.F. and Finkel',V.A. X-ray diffraction study of the solubility of impurities in beryllium, 3=20908
Amonenko,V.M.,Ivanov,V.E.,Tikhinskii,G.F. and Finkel',V.A. Problem of the solubility of impurities in beryllium, 3=25272
Amonenko,V.M., Ivanov,V.E., Tikhinskii,G.F., Finkel',V.A. and Shpagin,I.V. High-temperature polymorphism of beryllium, 3=3297
Amonenko, V.M, Papirov, I.I, Tikhinskii, G.F. and Finkel, V.A. Study of beryllium whiskers. I. Production of whiskers and determination of their orientation, 3=18278
Amorós,J.L.,Carbonell,A. and Canut,M.L. A two-circle X-ray diffractometer for high and low temperatures and its use for absolute measurements of diffuse diffraction, 3=11245
Amorós,J.L. See Canut,M.L., 3=25698
Amos,A.T. Long wave theory of absorption and reflection in molecular crystals, 3=20428
Amram,Y. Digital data processing for nuclear physics experiments, 3=5325
Amsel,G. and Samuel,D. The mechanism of anodic oxidation, 3=13616

Amundsen,T. and Olsen,T. Oscillatory thermal magnetoresistance in aluminium, 3=20123
Amundsen,T. and Olsen,T. Thermal conductivity of niobium from 1.6° K to 15° K, 3=25215
Amus'ya,M.Ya. Optical potential of heavy nuclei, 3=4611
Amus'ya,M.Ya. Single-particle Green's function for a Fermi system with attractive and repulsive interactions, 3=7147
An In. See Chang Li-ning, 3=24799
Anacreon,R.E. See Edgell,W.F., 3=23883
Anand,J.D. See Mitra,A.N., 3=14894
Anand,S.P.S. and Kushwaha,R.S. The magnetogravitational instability of non-uniformly rotating homogeneous and heat conducting medium, 3=1506
Anand,S.P.S. and Kushwaha,R.S. The virial tensor equations for rotating configuration in hydromagnetics, 3=4255
Anand,S.P.S. and Kushwaha,R.S. A virial theorem for plasmas, 3=7543
Anan'ev,L.M., Gorbunov,V.I. and Ch'êng Shên. Methods and instruments for measuring radii of equilibrium orbits in betatrons, 3=19388
Anan'ev,Yu.A.,Gribkovskii,V.P.,Mak,A.A. and Stepanov,B.I. The characteristics of the four-level optical maser, 3=24517
Anan'ev,Yu.A. and Mak,A.A. Limiting sensitivity of methods for recording time-resolved emission spectra, 3=14342
Ananthanarayanan,V. A comparative study of the Raman spectra of anhydrous sulphates and estimation of crystalline forces, 3=13186
Anantharaman,T.R. See Rama Rao,P., 3=1231
Anantharaman,T.R. See Rama Rao,P., 3=8418
Anantharaman,T.R. See Ramesam,J., 3=13542
Anantharaman,T.R. See Rao,S.S., 3=25738
Anashkina,É.S. Photoneutrons from In^{115}, 3=15175
Anastasio, T.A. Use of optical density measurements of thin films to determine vapor distributions, 3=20934
Anbar,M.and Neta,P. Retention of F^{18} produced by the F^{19} (n,2n) reaction in fluoro-organic compounds, 3=5171
Anbar,M. and Neta,P. Formation of F^{18}-labeled fluoro-organic compounds by the F^{19}(n,2n) reaction, 3=6928
Ancker-Johnson,B. Injected plasmas in indium antimonide in the presence of longitudinal magnetic fields, 3=10821
Ancker-Johnson,B. Some observations of growing oscillations in electron—hole plasma, 3=15591
Ancker-Johnson,B. and Drummond,J.E. Thermal pinching in electron—hole plasma, 3=25261
Anders,E. Two meteorites of unusually short cosmic-ray exposure age, 3=3560
Anders,E. See Viste,E., 3=1515
Anders,H.,Maeder,D. and Wiskott,D. A preliminary study of a cathode-ray tube device for scanning spark chamber photographs, 3=19528
Anders,W.A. See Kulp,B.A., 3=25480
Andersen,C.A. See Raub,C.J., 3=21669
Andersen,C.M., Halprin,A. and Primakoff,H. Determination of the two-photon decay rate of the η meson, 3=15024
Anderśen,E.,Lagerqvist,A.,Neuhaus,H. and Åslund,N. Bands of NiH and NiD in the violet region of the spectrum, 3=25103
Andersen,E.J. See Lichtman,S.W., 3=13762
Andersen,T. and Maddock,A.G. Chemical effects of radiative thermal neutron capture. XII. Annealing by compression, 3=25311
Anderson,A., Walmsley,S.H. and Gebbie,H.A. Far infra-red spectra of crystalline hydrogen chloride and hydrogen bromide, 3=938
Anderson, A. See Edmond,J.T., 3=10930
Anderson,A.C.,Reese,W. and Wheatley,J.C. Specific heat, entropy, and expansion coefficient of liquid helium-three, 3=12016
Anderson,A.C.,Reese,W. and Wheatley,J.C. Properties of He^3 at pressures greater than the minimum in the melting curve, 3=14437
Anderson,A.C. and Sarwinski,R.J. Remanent magnetic fields in Nb—Zr superconducting solenoids, 3=14459
Anderson,A.D. See Faust,W.R., 3=81
Anderson,A.G. and Hartmann,S.R. Nuclear magnetic resonance in the demagnetized state, 3=6760
Anderson,A.G. See Hartmann,S.R., 3=23247
Anderson,A.H.,Crowther,T.S. and Raffel,J.I. Drive current margins for magnetic film memories, 3=14730
Anderson,B. See Allen,L.R., 3=7051
Anderson,C.A. and Thompson,T.J. Neutron-spectrometry units, 3=17291
Anderson,C.E.,Sachs,M.,Ladenbauer-Bellis,I. and Preiss,L. Excitation functions for Li^6 induced reactions on Au^{197}, 3=19888
Anderson,C.H. See Brooks,R.A., 3=19974
Anderson,C.H. See Lawrence,T.R., 3=15337
Anderson,D.L. The plastic layer of the earth's mantle, 3=1419
Anderson, D.W, Bureau, A.J, Cook, B.C, Griffin, J.E. McConnell, J.R. and Nybo, K.H. Photoneutron cross-section resonances in O^{16}, 3=17453
Anderson,E.C. See Arnold,J.R., 3=10185
Anderson,E.C. See Metzger,A.E., 3=21145
Anderson,E.E.,Cunningham,J.R.Jr.,McDuffie,G.E.Jr., and Stauder,R.F. Magnetic effects of indium and gallium substitutions in yttrium iron garnet, 3=1048
Anderson,E.W. See Bovey,F.A., 3=25158
Anderson,E.W. See McCall,D.W., 3=24499
Andersen,F.A. The infrared spectrum of CH_3D, 3=22587
Anderson,F.R. Internal morphology of bulk-crystallized polyethylene, 3=23368
Anderson,F.R. Ion-bombardment etching of synthetic fibers. II, 3=23497
Anderson,G.D. and Band,W. Compressible fluid flow and the theory of characteristics, 3=98
Anderson,G.S. Atom ejection in low energy sputtering of single crystals of B.C.C. metals, 3=10704
Anderson,G.S.,Mayer,W.N. and Wehner,G.K. Sputtering of dielectrics by high-frequency fields, 3=450
Anderson,H. See Witzmann,H., 3=2925
Anderson,H. See Witzmann,H., 3=8614
Anderson,H. See Witzmann,H., 3=10993
Anderson,H.L., Johnson,C.S. and Hincks,E.P. μ-mesonic X-ray energies and nuclear radii for fourteen elements from $Z = 12$ to 50, 3=15311
Anderson,H.R. Mariner II: high-energy radiation experiment, 3=22231
Anderson,H.U. Mass spectrometric determination of ionization pressure gauge sensitivities, 3=23950
Anderson,J.,Danforth,W.E. and Williams,A.J., III. Work function and thermal desorption in the system thorium-on-rhenium, 3=21856
Anderson,J.C. Internal ferromagnetic resonance, 3=23203
Anderson,J.C. See Parzen,G., 3=5769
Anderson,J.D. and Mark,H. The proton potential anomaly and (p, n) reactions, 3=19750
Anderson,J.D., Wong,C. and McClure,J.W. Direct (p,n) reaction in medium a nuclei; a configuration-selective process, 3=10347
Anderson,J.D. See Bauer,R.W., 3=10258
Anderson,J.D. See Bauer,R.W., 3=24945
Anderson,J.D. See Wong,C., 3=6255
Anderson,J.H. See Wright,P.M., 3=8459
Anderson,J.M. The Hall effect in the positive column of an electrical gaseous discharge in helium, 3=4036
Anderson,J.M. The very early afterglow in gaseous helium, 3=4065
Anderson,J.M. and Baldeschwieler,J.D. Symmetry properties of double-resonance spectra, 3=13312
Anderson,J.M.,Baldeschwieler,J.D.,Dittmer,D.C. and Phillips,W.D. Long-range N^{14} coupling in ethyl ammonium ions, 3=12864
Anderson, J.R. and Gold A.V. De Haas—Van Alphen effect and internal field in iron, 3=18060
Anderson,J.S.,Bevan,D.J.M. and Burden,J.P. The behaviour of recoil atoms in ionic solids, 3=8475
Anderson,K.A., Anger,C.D., Brown,R.R. and Evans,D.S. Simultaneous electron precipitation in the Northern and Southern Auroral zones, 3=16237
Anderson,K.A. and Winckler,J.R. Solar flare X-ray burst on September 28, 1961, 3=9220
Anderson,K.A. See Brown,R.R., 3=23630
Anderson,K.A. See Winckler,J.R., 3=9117
Anderson,L.K. Observation of optical interaction with ferrimagnetic resonance, 3=6644
Anderson,L.K. Microwave modulation of light using ferrimagnetic resonance, 3=14325
Anderson,L.L. See Rohan,P., 3=12324
Anderson,L.L. See Rohan,P., 3=14780
Anderson,M.E. and Bond,W.H.,Jr. Neutron spectrum of a plutonium—beryllium source, 3=15159
Anderson,N.G. The zonal ultracentrifuge. A new instrument for fractionating mixtures of particles, 3=7077

Anderson,O.L. A low temperature anomaly in silicon, 3=773

Anderson,O.L. A simplified method for calculating the Debye temperature from elastic constants, 3=20110

Anderson,P.W. Theory of flux creep in hard superconductors, 3=3952

Anderson,P.W. Plasmons, gauge invariance, and mass, 3=9368

Anderson,P.W. and Rowell,J.M. Probable observation of the Josephson superconducting tunneling effect, 3=14462

Anderson,P.W. See Rowell,J.M., 3=24146

Anderson,R. and Prausnitz,J.M. Spectroscopic evidence for complex formation between carbon tetrachloride and aromatic hydrocarbons, 3=25814

Anderson,R. and Stepp,E. Decay of intensity of certain Hg lines in an Hg—Ar discharge, 3=24236

Anderson,R.L. Influence of phonon, photon, and electron wave vectors on some device characteristics, 3=4927

Anderson,R.L. and Gupta, S.N. Theory of mesons, baryons and resonances, 3=17294

Anderson,R.L. and McDaniel,B.D. A sub-nanosecond time-of-flight circuit utilizing the inherent modulation of a synchrotron beam, 3=12051

Anderson,T.P. See Cambel,A.B., 3=11816

Anderson,V.C. and Munson,J.C. Directivity of spherical receiving arrays, 3=18922

Anderson,W.A. Applications of modulation techniques to high resolution nuclear magnetic resonance spectrometers, 3=4281

Anderson,W.A. and Nelson,F.A. Removal of residual splitting in nuclear magnetic double resonance, 3=21999

Anderson,W.A. See Bell,G.I., 3=25002

Anderson,W.A. See Freeman,R., 3=2658

Anderson,W.A. See Freeman,R., 3=22594

Andersson,G. See Karras,M., 3=659

Andersson,K.E.B. Pressure drop in packed beds, 3=9419

Andersson,K.E.B. Transition between packed and fluidized state, 3=9420

Andersson,L.O. and Forslind,E. N.M.R. measurement of field gradients in the [100] direction from a substitutional ion in an NaCl-type crystal lattice, 3=18152

Andersson-Lindström,G. and Rössle,E. Si(n, p)Al and Si(n, α)Mg reactions in the neutron energy range of 6-9 MeV, 3=19867

Ando,K.,Steele,M.C. and Lampert,M.A. Negative resistance in constricted semiconductors, 3=25334

Ando,K. See Steele,M.C., 3=8535

Andou,K. See Enjōji,H., 3=5656

Andrä,W. The influence of cathodic hydrogen on the magnetic properties of thin nickel films, 3=1075

Andrade,E.N.da C. The validity of the $t^{1/3}$ law of flow of metals, 3=6794

Andrade,E.N.da C. At apparatus for investigating flow of metals under simple shear, 3=11164

Andrade,E.N.da C. Flow of cadmium under very small stresses, 3=13366

Andrade,E.N.da C. Bath-tub vortex, 3=16593

Andrade,E.N.da C. and Jolliffe,K.H. The flow of polycrystalline metals under simple shear. III, 3=6793

Andrade e Silva,J. and Lochak,G. Generalization of the McMillan—Veksler equation, 3=14691

Andrade Silva,J. and Lochak,G. Can the energy imprecision be reduced on an internal target in an orbital accelerator? 3=24408

Andrade e Silva,M.H. and Amat,G. Theoretical study of the anomalous rotational structure of level 03^11 in the rotation—vibration spectrum of $C^{13}O_2^{16}$, 3=6400

Andramonov,V.S., Baryshev,N.S. and Aver'yanov,I.S. Effect of copper on properties of lead sulphide monocrystals, 3=15593

André,J.P. and Grenier,P. Plastic deformation of imperfect monocrystals of α-uranium by rolling above 550°C, 3=13370

André,K. See Jacobi,W., 3=25899

Andreae,J.H. See Edmonds,P.D., 3=230

Andreassi,G.,Calucci,G.,Furlan,G.,Peressutti,G. and Cazzola,P. Radiative corrections to the total cross section for annihilation of a pair into photons, 3=2251

Andreatch,P.Jr. See McSkimin,H.J., 3=11133

Andreen,C.J. Electron scattering experiments using an intermediate image beta-ray spectrometer, 3=5986

Andreen,C.J.,Parker,W. and Slätis,H. Electron scattering measurements using a double focusing beta-ray spectrometer, 3=12443

Andreesco,I., Beşliu,C., Beşliu,T., Ciudin,T., Constantinesco,A., Gherbanovski,C. and Păsărică,V. Inelastic π^-—nucleon interactions with two outgoing tracks at 7 GeV, 3=17311

Andreev,A.A. See Smolenskii,G.A., 3=11099

Andreev,A.F. Theory of sound absorption in dilute solutions of He^3 in He II, 3=3943

Andreev,A.F. The anomalous reflection of sound from the surface of a metal at low temperatures, 3=8355

Andreev,A.F. The effect of conduction electrons on the kapitza temperature jump, 3=15451

Andreev,D.S.,Vasil'ev,V.D.,Gusinskii,G.M.,Erokina,K.I. and Lemberg,I.Kh. Investigation of Coulomb excitation of nuclear levels by means of multiply charged ions, 3=10237

Andreev, G.B., Deineko, A.S., Malakhov, I.Ya., Sorokin, P.V. and Taranov, A.Ya. Preparation of thin Al_2O_3 films, 3=5147

Andreev,S.I. The use of a spark discharge for obtaining intense light flashes of 10^{-7}—10^{-8} second duration. III. Investigation of capillary and surface spark discharges in air and discharges damped by additive resistance, 3=11905

Andreev,S.I. and Vanyukov,M.P. Criticism of the article by B.A. Demidov, Yu.F. Skachkov and S.D. Fanchenko "channel expansion in small intense sparks", 3=9749

Andreev,S.I. and Vanyukov,M.P. The use of a spark discharge for obtaining intense light flashes of 10^{-7}-10^{-8} second duration. II. Investigation of the optimum relationship between the energy of a spark discharge in air and the duration of the light flash, 3=21742

Andreev,S.I., Vanyukov,M.P. and Daniel',E.V. Increase in intensity and reduction in duration of the light flash emitted by a spark discharge, 3=14547

Andreev,S.I.,Vanyukov,M.P. and Starovoitov, A.T. Investigation of the effect of an external magnetic field on the light characteristics of a pulsed discharge in helium, 3=1959

Andreev,S.I.,Vanyukov,M.P. and Starovoitov,A.T. Investigation of the effect of an external magnetic field on the light characteristics of a pulsed discharge in argon, 3=14540

Andreev,V.N. Fine structure of nuclear masses in α-decay, 3=6194

Andreev,V.N. Fine structure of nuclear mass occurring in α-decay, 3=8026

Andreev,V.V.and Kosevich,A.M. Contribution to the theory of the normal skin effect in a magnetic field at low temperatures, 3=2778

Andreeva,L.I. and Stepanov,B.M. A two-channel electron multiplier, 3=4373

Andreeva,L.I. and Stepanov,B.M. A photocell for the recording of high-intensity light beams, 3=23998

Andreeva,N.S. Peculiarities of the diffraction of X-rays by oriented high-molecular substances, 3=13438

Andreevskii,A.A. See Borishanskiĭ,V.M., 3=16816

Andreichin,R. On various kinds of photoelectromotive forces in lead sulfide layers, 3=25417

Andreichin,R. and Ivanova,H. On photoelectromotive forces in crystal-violet, 3=25418

Andrejtschin,R.,Nikiforova,M.,Ivanov,A. and Stanislavova,J. Vertical photovoltaic effect in the monocrystalline system CdS_xSe_{1-x}, 3=23015

Andrellos,J.C. and Bro,P. The Hall effect reversal in neodymium ditelluride, 3=20340

Andreoletti,J. Necessary and sufficient condition for stability of a low-pressure plasma without magnetic surfaces, 3=14594

Andreoletti,J. Variation of potential energy and the variational principles for the equilibrium and stability of a hot plasma in a strong magnetic field, 3=14596

Andres,K. Giant thermal expansion coefficients in rare earth metals at low temperatures, 3=15442

Andres,K. and Lüthi,B. Magnetostriction of yttrium iron garnet, 3=15852

Andres,K. See Olsen,J.L., 3=14461

Andresen,H.G. Phase-lock system for the general radio 1209-B oscillator, 3=14485

Andresen,H.G. See Ballato,A.D., 3=7172

Andresen,H.G. See Möller,K.D., 3=2598

Andresen,H.G. See Möller,K.D., 3=19959

Andress,B. Luminescence and absorption of ZnO crystals, 3=957

Andrew,E.R. Some nuclear magnetic resonance studies with solids, 3=25584

Andrew,E.R. Nuclear magnetic resonance investigation of solids, 3=25585

Andrew,E.R., Bradbury,A., Eades,R.G. and Wynn,V.T. Nuclear cross-relaxation induced by specimen rotation, 3=20683

Andrew,E.R. and Eades,R.G. Possibilities for high-resolution nuclear magnetic resonance spectra of crystals, 3=14791
Andrew,E.R. and Tunstall,D.P. Anisotropy of chemical shift for some fluorine compounds, 3=25590
Andrew,K.L. See Wilkinson,P.G., 3=13989
Andrews,E.H. Spherulite morphology in thin films of natural rubber, 3=1343
Andrews,E.H. A high-strain specimen stretching device for the Elmiskop I Electron Microscope, 3=18427
Andrews,E.H. Conference on Optical Methods of Stress Analysis, Nottingham, April 1963, 3=18761
Andrews,E.H. Spherulite morphology in ultra-thin films of natural rubber, 3=20919
Andrews,K.W. Tabulation of interplanar spacings of cementite Fe_3C, 3=13455
Andrews,K.W. The structure of cementite and its relation to ferrite, 3=23447
Andrews,M. and Mugglestone,D. The automatic computation of solar atmospheric abundances: carbon abundance, 3=13884
Andrews,P.T., Clifft,R.W., Green,L.L. and Sharpey-Schafer,J.F. The D.W.B.A. for Cr^{52}(d,p)Cr^{53} reactions with measured optical model parameters, 3=4665
Andriambololona,R. Calculation of the second coefficient and the Yukawa term in the normal product for the model of Nambu, 3=4340
Andrianov,A.M. See Bazilevskaya,O.A., 3=7561
Andrianov,A.S. and Kats,M.L. Luminescence of alkali halide phosphors activated by antimony trichloride, 3=948
Andriesh,A.M. and Kolomiets,B.T. Local levels in glassy $Tl_2SeAs_2Te_3$, 3=20418
Andriesh,A.M., Kolomiets,B.T. and Nazarova,T.F. Effect of iodine and germanium impurities on the internal photoeffect spectrum of glassy $TlAsSe_2$, 3=15635
Andrievskii,A.I. and Mocharnyuk,G.F. Observation of dislocations in single crystals of cuprous oxide, 3=22789
Andrievskii,A.I.,Nabitovich,I.D. and Voloshchuk,Ya.V. Structure of thin layers of semiconducting compounds of the A_2B_3 type in the amorphous state, 3=13461
Andrievskiĭ,A.I.,Nabitovich,I.D. and Voloshchuk,Ya.V. An electron-diffraction study of the amorphous structures of compounds of Ga, In, and Sb with Se and Te, 3=20915
Andrievskiĭ,A.I.,Nabitovich,I.D. and Voloshchuk,Ya.V. A method of correcting for the background in electron-diffraction measurements on amorphous substances, 3=20952
Andronik,I.K. and Kot,M.V. Electrical properties of CdSb monocrystals, 3=25356
Andronikashvili,E.L., Bibilashvili,M.F., Vardenga,G.L., Gvaladze,T.V., Javrishvili,A.K., Kazarov,R.E., Kuridze,R.V. and Khaldeiva,I.I. Angular distribution of the penetrating component of extensive air showers at the depth of 200 m.w.e., 3=4505
Andronikashvili,E.L., Bibilashvili,M.F., Vardenga,G.D., Gvaladze,T.V., Dzhavrishvili,A.K., Kazarov,R.E., Kuridze,R.V and Khaldeeva,I.V. Angular distribution of the penetrating component of extensive air showers at a depth of 200 metres water equivalent, 3=19731
Andronikashvili,E.L., Tsakadze, D.S. and Bablidze,R.A. An investigation of rotating He II near the λ-point using second sound, 3=16851
Androsyuk,N.H.,Herasyutenko,N.L.,Krolevets',K.M. and Safyan,D.I. Automatic flow refractometer, 3=21531
Androulakis,J.G, Bamberger,J.A, Brown,D.P, Courtney,H.O, Culwick,B.B, Diener,J.J, Fowler,W.B, Goodzeit,C.L, Harush,J, Hart,E.L, Houtsager, H, Jenson, J.E,Kassner,D.A., Liverios,D.T., Louttit,R.I., Mo,S.C., Morris,T.W.,Palmer,R.B., Pion,P.A., Rau,R.R., Rutan,R., Shutt,R.P., Sondericker,J.H., Thorndike,A.M., Tuttle,W.A., Winters, I.J.Woelfel,H., Wright,D.H., Yamamoto,S.S., Anderson,F.,Courant,H.W. and Kraybill,H.L. Brookhaven National Laboratory 80" hydrogen bubble chamber status and plans, 3=17125
Andrushko,A.F. Orientation of the microcrystals in thin films of cadmium sulphide, 3=16021
Anex,B.G. Ground state of the HeH^+ molecule ion, 3=12821
Ang Wang-Shou, Chang Huang-Ch'üch, Yang Ch'i Lêng. The construction and characteristics of a neutron diffractometer, 3=20819
Anger,B. See Stoffregen,W., 3=13782
Anger,C.D.,Barcus,J.R.,Brown,R.R. and Evans,D.S. Auroral zone X-ray pulsations in the 1- to 15-second period range, 3=13813
Anger,C.D.,Barcus,J.R.,Brown,R.R. and Evans,D.S. Long-period pulsations in electron precipitation associated with hydromagnetic waves in the auroral zone, 3=23631
Anger,C.D. See Anderson,K.A., 3=16237
Anger,C.D. See Brown,R.R., 3=23630
Anger,H. See Guennoc,H., 3=869
Anger, J. See Fritz, B., 3=18005
Angerth,B.,Block,L.,Fahleson,U. and Soop,K. Experiments with partly ionized rotating plasmas, 3=12118
Anghelescu,D. and Ausländer,J.S. Field curvature as a source of systematic errors in nuclear emulsion measurements, 3=12379
Anghelescu,D. and Vogel,A. Abnormally long alpha-tracks, 3=22320
Anghelescu,D. and Vogel,A. Abnormally-long alpha-tracks, 3=22321
Ångström,A. Atmospheric turbidity, global illumination and planetary albedo of the earth, 3=6961
Anikin,G.V. See Aleksandrov,Yu.A., 3=4646
Anikin,I.N. and Shushkanov,A.D. The solubility of fluorite in aqueous solutions of electrolytes, 3=23874
Anikin,V.I. See Averkov,S.I., 3=24032
Anikina,M.Kh.,Nyagu,D.V.,Okonov,E.O.,Petrov,N.I.,Rozanova,A.M. and Rusakov,V.A. An experimental investigation of some consequences of CP invariance in K_2^0-meson decays, 3=6071
Anisimov,A.I., Vinogradov,N.I., Golant,V.E. and Konstantinov,B.P. Diffusion of charged particles in a dense plasma in a magnetic field, 3=14591
Anisimov,G.M. and Teplyakov,V.A. Focusing by the accelerating field, 3=24402
Anisimov,V.F. See Kushnir,Yu.M., 3=2035
Anisovich,V.V. Dispersion representation of the deuteron form factor, 3=4470
Anisovich,V.V. $K^+ \rightarrow 3\pi$ decay and $\pi\pi$ interaction, 3=24786
Anisovich,V.V.,Anselm,A.A. and Gribov,V.N. On the theory of reactions with production of three low-energy particles, 3=550
Anisovich,V.V.,Ansel'm,A.A.,Gribov,V.N. and Dyatlov,I.T. Anomalous thresholds and interaction in the final state, 3=2199
Anisovich,V.V. and Dakhno,L.G. Angular distribution of three particles produced near the threshold, 3=22096
Ankenbrandt,C.M. and Lent,E.M. Increasing the light collection efficiency of scintillation counters, 3=19507
Ankudinov,V.A., Kel'man,V.M., Kresin,O.M. and Sysoeva,L.N. Motion of charged particles in a uniform magnetic field that increases linearly with time, 3=2092
Annagiev,M.Kh. See Ismailzade,I.G., 3=13397
Anno,J.N. See Redmond,R.F., 3=4678
Anquetil,M.C. Electrical resistivity of AuCu alloy, 3=10720
Ansara,I. See Bonnier,E., 3=14152
Ansari, Z.A. Drift speed estimates from large moving irregularities in the F-region at College, Alaska, 3=18544
Ansell,G.S. See Roblin,M.J., 3=17774
Ansel'm,A.A. and Shekhter,V.M. μ^+-molecules, 3=2685
Anselm,A.A. See Anisovich,V.V., 3=550
Ansel'm,A.A. See Anisovich,V.V., 3=2199
Anselm,A.A. See Azimov,Ya.I., 3=21249
Ansel'm,A.A. See Azimov,Ya.I., 3=22092
Ansel'm,A.A. See Azimov,Ya.I., 3=24653
Ansel'm,A.I. and Askerov,B.M. Longitudinal thermomagnetic effects in semiconductors in strong longitudinal magnetic fields, 3=2866
Ansel'm,L.N. See Ksendzov,Ya.M., 3=20337
Anthony, A.M. and Renon, J. The electrical conductivity of a sintered mixture of 87% ZrO_2 − 13% La_2O_3 between 1200° and 1650°C, 3=17901
Anthony,L.J. An annotated bibliography of articles on plasma physics and controlled thermonuclear research by U.K.A.E.A. staff, 1958 to 1962, 3=9766
Antikain,P.A. Determination of accumulated damage from fatigue tests, 3=25643
Antipova,E.I. See Lozinskii,M.G., 3=3234
Antler,M. Metal transfer and the wedge forming mechanism, 3=13385
Antolković,B. Protons from ^{32}S bombarded by 14·6 MeV neutrons, 3=19862
Antolković,B. See Paic,M., 3=19652
Antončik,E. and Landsberg,P.T. Overlap integrals for Bloch electrons, 3=22684

Anton'eva,N.M. and Dzhelepov,B.S. Internal conversion coefficients of some transistions in Yb^{171}, 3=8007
Antoniak,C.E. See Marks,G.W., 3=10876
Antonini,J.F. Study of sulphur as an intrinsic and extrinsic semiconductor, 3=10829
Antonione,C. and Ferro,A. On the correlation between the fatigue resistance and the magnetic properties, 3=23301
Antonov,A. See Nadjakov,G., 3=25411
Antonov,A.V., Granatkin,B.V., Merkul'ev,Yu.A., Puzanov,V.V. and Smolik,Ch.K. Investigation of neutron diffusion in water and ice at temperatures around 0° and - 80°C, 3=4401
Antonov, I. V. and Vlasov, A. Ya. Temperature hysteresis of magnetization and magnetostriction in nickel, 3=3101
Antonov,R.A.,Smorodin,Yu.A.,and Tulinova,Z.I. Experimental data on development of extensive air showers in upper atmosphere, 3=6102
Antonov-Romanovskii,V.V. Kinetics of the luminescence of phosphors with several types of traps, 3=942
Antonov-Romanovskii,V.V. Effective cross-sections for capture and recombination of free charges in solids, 3=20125
Antonov-Romanovskii,V.V. Influence of an electric field on the effective cross-sections for recombination and capture, 3=20126
Antoufiev,Y.P.,El'Nadi,L.M.,Darwish,D.A.E.,Badaway,O.E. and Sorokin,P.V. Decay scheme of the Si^{34} nucleus, 3=19811
Antoufiev,Y.P. See Abuzeid,M.A., 3=19847
Anttila,A. See Simons,L., 3=22307
Antuf'ev,Yu.N.,Gonchar,V.Yu.,Kopanets,E.G.,L'vov,A.N. and Tsȳtko,S.P. Two-crystal spectrometer and its use for investigating the (p,γ) reaction, 3=7746
Antuf'ev,Yu.P.,Val'ter,A.K.,Gonchar,V.Yu.,Kopanets,E.G., L'vov,A.N. and Tsȳtko,S.P. Radiative proton capture by S^{34}, 3=8087
Antuf'ev,Yu.P.,Val'ter,A.K.,L'vov,A.N.,Kopanets,E.G. and Tsytko,S.P. Investigation of resonances at E_p = 1375 and 1500 keV in the Si^{29}(p,γ)P^{30} reaction, 3=6246
Antuf'ev,Yu.P. See Val'ter,A.K., 3=2456
Antuf'ev,Yu.P. See Val'ter,A.K., 3=12586
Antun'ev,V.V., Vasil'ev,Ya.V., Votinov,M.P., Kharitonova,O.K. and Kharitonov,E.V. Electron spin resonance in the titanium oxygen system, 3=3178
Antúnez,H.M. Determination of fission product background in the gamma coincidence technique for U^{238} activation measurements, 3=1397
Antȳchuk,L.I. See Pilat,I.M., 3=2740
Anway,A.C. Empirical determination of total atmospheric refraction at centimeter wavelengths by radiometric means, 3=9949
Anzai,S. See Kunitomi,N., 3=23469
Anzick,W.J. See Seiler,R.F., 3=22414
Aoki,H. See Yoshida,M., 3=6537
Aoki,H. See Yoshida,M., 3=25666
Aoki,M.,Kawazu,A.and Yamada,T. Non linear photo-effects in silicon, 3=2979
Aoki,M. See Kobayashi,S., 3=21969
Aoki,M. See Rybka,V., 3=13002
Aono,O. See Honda,N., 3=12103
Aono,O. See Kihara,T., 3=12436
Aono,O. See Kihara,T., 3=21758
Aono,S. and Higuchi,J. Hyperconjugation and proton hyperfine interaction angular dependence, 3=739
Aono,S. and Oohashi,K. Electron spin resonance of the aromatic-alkali metal system, 3=25138
Aono,Y.,Hirao,K. and Miyazaki,S. Rocket observation of ion density, electron density and electron temperature in the ionosphere, 3=13702
Aoyagi,K. See Yamamoto,M., 3=1041
Apalin,V.F.,Dobrynin,Yu.P.,Zakharova,V.P.,Kutikov,I.E. and Mikaelyan,L.A. The number of neutrons emitted by the individual fragments from U^{235} fission, 3=12713
Apalin,V.F.,Gritsyuk,Y.N.,Kutikov,I.Y.,Lebedev,V.I. and Mikaelyan,L.A. On the number of neutrons emitted by U^{236} in the symmetric fission region, 3=2509
Apalin,V.F.,Gritsyuk,Yu.N.,Kutikov,I.E.,Lebedev,V.I. and Mikaélyn,L.A. On the number of neutrons emitted by U^{236} in the region of symmetrical fission, 3=8151
Apalin,V.F.,Gritsyuk,Yu.N.,Kutikov,I.E.,Lebedev,V.I. and Mikaelyan,L.A. On the number of neutrons emitted by U^{234} and Pu^{240} in the symmetrical fission region, 3=10401
Apalin,V.F., Gritsyuk,Yu.N., Kutikov,I.E., Lebedev,V.I. and Mikaelyan,L.A. Number of neutrons emitted in symmetric fissions of U^{234} and Pu^{240}, 3=17502
Apanasevič,P.A. Absorption theory of intense radiation fluxes. 3=17555
Apanasevich,P.A. Absorption and transformation of powerful radiation fluxes. I. Density matrix equations and their application to an irradiation of the material with monochromatic radiation, 3=25085
Apfel, H. Electrophoresis, a modern procedure for separation and analysis of heterogeneous substances. I. 3=16171
Apling,A. See Vecht,A., 3=23396
Apostol,A.,Nicolae,M. and Pop,R. Preparation of a very finely grained nuclear emulsion, 3=24574
Apostolescu,S. and Indreas,Gr. Use of the microtron as a pulsed source for neutron spectroscopy by the time-of-flight method, 3=22139
Appa Rao,M.V.K. Isotopic analysis of primary cosmic radiation, 3=7947
Appa Rao,M.V.K. and Kaplon,M.F. The influence of ionization loss on the shape of the differential primary cosmic ray energy-spectrum, 3=7948
Appa Rao,M.V.K. and Lavakare,P.J. The abundance of tritons and deuterons in primary cosmic radiation, 3=2335
Appa Rao,M.V.K. and Lavakare,P.J. Study of nuclear interactions produced by 275 MeV deuterons in nuclear emulsions, 3=24808
Appa Rao,M.V.K. See Aly,H.H., 3=15067
Appel, H. and Mayer, W. g-factor measurement on the first excited state of Fe^{56} using internal magnetic fields, 3=17407
Appel,H. See Bowen,P.H., 3=8105
Appel,H. See Bowen,P.H., 3=10349
Appel,J. Effect of electron—electron scattering on the electrical and thermal conductivity of metals, 3=20265
Appel,J.,Bray,R. and Wikner,E.G. Electron—electron scattering in semi-conductors theory and experiment, 3=10732
Appel,J. and Teutsch,W.B. Electric dipole scattering in nonpolar semiconductors, 3=2872
Appel,K.and Werner,E. Effective range theory and velocity dependent potentials, 3=623
Apple,E.F. Observations on the formation of color centers in calcium halophosphates, 3=22834
Apple,E.F. See Ishler,W.E., 3=3038
Applequist,J. On the helix-coil equilibrium in polypeptides, 3=10559
Appleton,E. Ionospheric consequences of the earth's orbital eccentricity, 3=13752
Appleton,J.P. Structure of a Prandtl—Meyer expansion in an ideal dissociating gas, 3=21439
Aptekar',I.L. Constitution diagrams in systems with a body-centred cubic lattice and two types of long-range order (AB and A$_3$B), 3=3325
Aptekar',I.L. and Kamenetskaya,D.S. Effect of pressure on the nucleation of centres of a new phase, 3=25663
Aptekar',I.L. and Zusman,Sh.I. Magnetic and electrical properties and the equilibrium diagram of Fe-Al alloys with the approximate composition Fe$_3$Al, 3=3326
Arabadzhi,V.I. and Rudik,K.I. The spectra of some noises of natural origin, 3=21503
Aragon de la Cruz,F. and Cowley,J.M. Structure of graphitic oxide, 3=5107
Aragon de la cruz,F. and Cowley,J.M. An electron diffraction study of graphitic oxide, 3=18331
Arai,B. Lichtenberg figures observed on color negative films in low atmospheric pressure, 3=5597
Arai,S. and Shida,S. Mercury photosensitized reaction of ethylene at high temperature, 3=8970
Arai,S., Shida,S., Yamaguchi,K. and Kurī,Z. E.S.R. spectrum of electron irradiated cycloheptatriene. Cycloheptatrienyl radical, 3=4778
Arai,T. Automatic computation of electronic energies of diatomic molecules, 3=19970
Arai,T. Temperature variation of optical absorption band produced by oxygen in silicon crystals, 3=23077
Arai,T. and Lykos,P. Correlation energy and the one-center Coulomb repulsion integral [of a conjugated hydrocarbon], 3=22576
Arajs,S., Chessin,H., Colvin,R.V. and Dunmyre,G.R. Paramagnetism and lattice spacings of some cerium-rich cerium-europium alloys, 3=15757
Arajs,S. See Chessin,H., 3=11030
Arajs,S. See Colvin R.V. 3=10722

Arakawa,E.T., Emerson,L.C., Hammer,D.C. and Birkhoff,R.D. Transition radiation and optical bremsstrahlung from electron-bombarded thin gold foils, 3=20536
Araki,H. A generalization of Borchers' theorem, 3=11690
Araki,H. and Woods,E.J. Representations of the canonical commutation relations describing a nonrelativistic infinite free Bose gas, 3=14056
Araki,T. See Finney,J.J., 3=8866
Aramaki,S. Zeros of scattering amplitude and consistency of dispersion relation, 3=564
Aramaki,S. and Osawa,T. On the existence of poles in the unphysical sheet, 3=10015
Aranow,R.H. and Witten,L. Effect of diffusion on interfacial Taylor instability, 3=11789
Arapova,E.Ya. Luminescence of self-activated, sublimated, zinc sulphide phosphor, 3=8623
Arase,E.M.,Hatcher,R.D. and Neuberger,J. Frequency distribution and the specific heat of NaCl, 3=25188
Arase,E.M. See Arase,T., 3=14254
Arase,T. and Arase,E.M. Directivity index of a three-dimensional array of directional sources, 3=14254
Arase,T. See Brockhouse,B.N., 3=2708
Arbrun,J.N. See Biquard,J.N., 3=10592
Arbuckle,J. and Parthé,E. The crystal structures of Sc_5Si_3, Sc_5Ge_3, La_5Ge_3, and Ce_5Ge_3, 3=8842
Arbuzov,B.A., Barbashov,B.M., Logunov,A.A., Nguyen Van Hieu, Tavkhelidze,A.N., Faustov,R.N. and Filipov,A.T. Regge poles and perturbation theory-II, 3=14891
Arbuzov,B.A.,Kladnitskaya,E.N.,Penev,V.N. and Faustov,R.N. Elastic scattering of Λ-hyperons and K_1^0-mesons on hydrogen, 3=6086
Arbuzov,B.A.,Logunov,A.A.,Tavkhelidze,A.N. and Faustov,R.N. Regge poles and the Bethe—Salpeter equation, 3=22087
Arbuzov,B.A.,Logunov,A.A.,Tavkhelidze,A.N.,Faustov,R.N. and Filipov,A.T. Regge poles and perturbation theory, 3=4347
Arbuzov,B.A.,Nguen Van Kheu and Faustov,R.N. K_{e4} decays and the isoscalar pion—pion resonance at low energy, 3=22193
Arbuzov,M.P.and Gitgarts,M.I. A study of thermal expansion in the solid solution and precipitation phase of the alloy EI-437A, 3=2735
Arbuzov,M.P. and Gitgarts,M.I. Problem of the quantitative precipitation of phases by anodic dissociation, 3=8913
Arcas,P.,Haeusler,C.,Joffrin,C.,Meyer,C.,Nguyen van Thanh and Barchewitz,P. High-resolution infrared spectroscopy; application to the study of some simple molecules, 3=24023
Archard,G.D. and Mulvey,T. The present state of quantitative X-ray microanalysis. II. Computational methods, 3=25856
Archbold,E. and Gebbie,H.A. The use of a Michelson interferometer to determine luminescence spectra of optical maser materials, 3=7353
Archer,D.H. See Detig,R.H., 3=9477
Archer,R.D. and Mitchell,W.N. Oxygen contamination and "pure" manganese sulfide, 3=25554
Archer,R.J., Leite,R.C.C., Yariv,A., Porto,S.P.S. and Whelan,J.M. Electron—hole and electron—impurity band tunneling in GaAs luminescent junctions, 3=20543
Arcipiani,B.,Ricabarra,D. and Ricabarra,G.H. A note on the measurement of the U^{238} cadmium ratio, 3=8166
Ard,W.B.,Becker,M.C.,Dandl,R.A.,Eason,H.O.,England,A.C. and Kerr,R.J. Neutron production from a steady-state, hot-electron, deuterium plasma, 3=19913
Ard,W.B. See Becker,M.C., 3=12209
Ardashev,I.V. See Samoilovich,D.M., 3=4303
Ardell,A.J. On the calculation of melting temperatures for low-temperature phases of polymorphic metals, 3=21613
Arecchi,F.T., Cavalleri,G., Principi,P. and Redaelli,G. Experiments with different gas mixtures in the light chamber, 3=17152
Arecchi,F.T. and Sona,A. Enhancement of the He—Ne laser output during the afterglow, 3=14801
Aref'ev,A.V. See Voronkov,R.M., 3=5727
Aref'ev,I.M. and Malȳshev,V.I. Investigation of the hydrogen bond of hydrogen halides, 3=2629
Arell,A. and Varteva,M. Transition energy and temperature of $TlNO_3$ at the transition $I \rightleftarrows II$, 3=11197
Arenberg,D.L. The gated modulator—a new way to measure sound velocities in small samples, 3=18938
Arend,H. and Coufová,P. On the compensation of heterovalent ferric ions in the lattice of barium titanate single crystals, 3=11196
Arends,C.B. General solution to the problem of the effect of neighboring groups in polymer reaction, 3=8950
Arendt,P.R. Measurement of ionospheric electron content regardless of approximations, 3=11434
Arendt,P.R. The non-relativistic Doppler shift in the ionosphere, 3=13722
Arendt,P.R. Measurement of ionospheric electron content with a single satellite frequency, 3=13736
Arendt,P.R. and Soicher,H. Radio horizon distribution variation on 108 megacycles per second measured with satellite signals, 3=12322
Arens,H. Villard effect. VI, 3=3900
Arenstein,M.,Hatcher,R.D. and Neuberger,J. Equation of state of certain ideal lattices, 3=25204
Arenstein,M.,Hatcher,R.D. and Neuberger,J. Equation of state of alkali halides (NaCl), 3=25205
Arents,J. See Gilson,B.R., 3=12837
Argan, P.E., Bendiscioli, G., Piazzoli, A., Bisi, V., Ferrero, M.I. and Piragino, G. Photoproduction of π^+ mesons in He^4, 3=4425
Argan,P.E. and Piazzoli,A. Some possible consequences of the existence of the states H^4 and H^5, 3=19714
Argence,É. and Rawer,K. Determination of upper ionosphere parameters from the Faraday effect, 3=16272
Argent,B.B. See Brinson,G., 3=13362
Argent,B.B. See Kudielka-Artner,E., 3=1126
Argent,B.B. See Piearcey,B.J., 3=20724
Argyle,B.E. See Mcguire,T.R., 3=3080
Argyle,B.E. See McGuire,T.R., 3=15743
Argyres,P.N. Statistical mechanical theory of resonance, 3=21254
Argyres,P.N. See Horing,N.J., 3=10632
Arias,A. Semiautomatic modulus-of-rupture tester for operation in vacuum or inert atmospheres, 3=23361
Arifov,U.A. and Kasymov,A.Kh. A method of investigating the secondary electron energy distribution when a metal is bombarded by electrons, 3=12240
Arikawa,T. Perfect focusing mass spectrometer, 3=24390
Aripov,R.A., Grishin,V.G., Sil'vestrov,L.V. and Strel'tsov,V.N. Scattering of 7-8 GeV π^--mesons by nucleons with high momentum transfer, 3=600
Aripov,R.A., Grishin,V.G., Sil'vestrov,L.V. and Strel'tsov,V.N. Charge exchange between 7-8 BeV π_0-mesons and protons, 3=2303
Aristov,A.V. and Sveshnikov,B.Ya. Effect of temperature on the kinetics of α-phosphorescence of organic substances, 3=3063
Aristov,A.V. and Sveshnikov,B.Ya. Temperature quenching of the β-phosphor-escence of organic phosphors, 3=10999
Ariya,S.M. and Golomolzina,M.V. Infrared spectra of titanium and vanadium oxides in the crystalline state, 3=20491
Ariyama,K. See Suzuki,H., 3=6504
Ariyama,M. See Kohra,K., 3=1294
Arizumi,T. and Akasaki,I. Etch patterns and dislocation etch pits on germanium with $KI—I_2$ redox system, 3=8440
Arizumi,T. and Akasaki,I. Etch patterns and the mechanism of etching of germanium by iodine vapor, 3=13601
Arkad'eva,E.N. Effect of capture levels on the kinetics of impurity photoconductivity in semiconductors, 3=15628
Arkad'eva,E.N.,Paritskii,L.G. and Rȳvkin,S.M. A method of long-wavelength photoelectric "sounding" of local levels in semiconductors, 3=2878
Arkhangel'skaya, E.D, Zaripov, M.M, Pol'skii, Yu.E, Stepanov, V.G, Chirkin, G.K. and Shekun, L.Ya. Investigation of the electron paramagnetic resonance of Cr^{3+} in $K_2Zn(SO_4)_2 . 6H_2O$, 3=18130
Arkhangelskii,Yu.A. On the theorem of Poincaré concerning a motion of a rigid body in a Newtonian force field, 3=23818
Arkhangel'skii,Yu.A. Algebraic integrals in the problem of motion of a rigid body in a Newtonian field of force, 3=23822
Arkharov,V.I. The problem of the thermodynamic treatment of internal adsorption in solids, 3=1383
Arkharov,V.I. The problem of simulating the structure of crystal boundaries, 3=3283
Arkharov,V.I. Regions of coherent rearrangement in a crystal lattice resulting from phase transformations in solids, 3=3284
Arkharov,V.I.,Klotsman,S.M.,Timofeev,A.N. and Trakhtenberg,I.Sh. Diffusion properties of the monochalcogenides of transition metals. II. Self-diffusion in polycrystals, 3=20221

Arkhipov,R.G. An inequality for the effective mass in metals with a low-density carrier current, 3=2773
Arkhipov,R.G. An inequality for the effective mass in metals with a low-density carrier current, 3=8408
Arkhipova,V.P. Photometry of the continuous spectrum of P Cyg type stars, 3=11571
Arking,A. Non-grey convective planetary atmospheres, 3=16346
Armand,N.A. Diffraction of radio waves around the earth through inhomogeneous atmospheric layers, 3=19457
Armbruster, P. and Meister, H. Chain length measurements for the beta-decay of the fission products in the thermal fission of U^{235}, 3=2510
Armbruster,R. See Gorodetzky,S., 3=5607
Armbruster,R. See Gorodetzky,S., 3=19810
Armeanu,V.,Diamandescu,E.,Hornar,S. and Marinescu,L. Chemical temperature indicators, 3=9640
Armenteros,R. See d'Andlau,C., 3=17328
Armington,A. See Dillon,G., 3=1265
Armitage,J. See Mertz,L, 3=16771
Armsbruster,R. See Gorodetzky,M.S., 3=24344
Armstrong,B.H. Anomalous solutions to the Dirac and Schrödinger equations for the Coulomb potential, 3=16525
Armstrong,B.H. Empirical analysis of the H^- photodetachment cross section, 3=19180
Armstrong,B.H. and Power E.A. Acceptable solutions and boundary conditions for the Schrödinger and Dirac equations, 3=10444
Armstrong, B.H. See Kelly,P.S., 3=4708
Armstrong,G.T. and Marantz,S. Heats of formation of two isomers of difluorodiazine, 3=8960
Armstrong,J.A.,Nathan,M.I. and Smith,A.W. Harmonic generation in GaAs injection lasers, 3=24515
Armstrong,J.C. See Figuera,A.S., 3=24929
Armstrong, J.C., Jr. See Hicks,H.G., 3=688
Armstrong,J.C. See Latorre,V., 3=19508
Armstrong,J.C. See Young,F.C., 3=17465
Armstrong,N.H.K. and Emeleus,K.G. Negative glow oscillations, 3=7479
Armstrong,P.E. See Brown,H.L., 3=20693
Armstrong,R.A. See Khan,I.H., 3=7645
Armstrong,R.J. and Wharton,A.E.B. Effects of the high-altitude thermonuclear explosion of July 9, 1962, 0900 ut, observed at Jamaica, 3=16265
Armstrong,R.W. and Horne,G.T. Fatigue behaviour in shear of oriented magnesium single crystals, 3=13338
Armstrong,W.J. The diffusivity of arsenic in silicon, 3=10689
Armstrong,W.M. and Irvine,W.R. Creep deformation of non-stoichiometric uranium dioxide, 3=25632
Armstrong,W.M.,Irvine,W.R. and Martinson,R.H. Creep deformation of stoichiometric uranium dioxide, 3=8773
Arnaud,F.J. See Sealey,W.C., 3=12189
Arndt,R.A. and Fujita,F.E. Isochronal differential microcalorimeter, 3=21606
Arndt,U.W. and Phillips,D.C. Conference on X-ray Diffractometry, London, November 1962, 3=13429
Arndt,U.W. and Willis,B.T.M. Automatic neutron diffractometer for three-dimensional structure-factor determination, 3=12475
Arnell,S.E. and Wernbom,E. Resonance energies for proton capture in Ne^{21} and Ne^{22}, 3=4634
Arnette,T.I.,Blosser,H.G.,Gordon,M.M. and Johnson,D.A. Cyclotron programs for a small computer, 3=5770
Arnette,T.I. See Blosser,H.G., 3=5786
Arnheim,W. See Kwei,T.K., 3=2821
Arnikar,H.J. Use of an electric field to separate the recoil products from the (n,γ)reactions with bromine and iodine, 3=8110
Arnikar,H.J. and Nene,M.G. Suppression of the discharge in iodine vapour due to radio-iodine (^{131}I), 3=14553
Arnikar,H.J. and Nene,M.G. Corona pressure and positive Joshi effect, 3=19207
Arnold,A.J.P.T. See Van Beelen,H., 3=17027
Arnold,G. and Nereson,N. Neutron coherent-scattering amplitudes of Ga, In, As, and Sb, 3=25201
Arnold,G. See Schüler,H., 3=12873
Arnold,G. See Schüler,H., 3=25149
Arnold,H.,Demus,D. and Sackmann,H. Isomorphic relationship between crystalline—liquid phases. VI. Texture of crystalline—liquid phases, 3=24107
Arnold,J.R.,Metzger,A.E.,Anderson,E.C. and van Dilla,M.A. Gamma rays in space,Ranger 3, 3=10185
Arnold,J.R. See Metzger,A.E., 3=21145
Arnold,K.W. and von Engel,A. Hybrid cathode spots of arcs, 3=4070
Arnold,K.W. See Britton,R.B., 3=12097
Arnold,R.C. and Sakurai,J.J. Vector mesons and the KN, $\bar{K}N$ interactions, 3=4458
Arnold,W.H.,Jr. Fit of Yankee startup experiment data to a simple reactor analysis model, 3=2520
Arnoldy, R.L., Hoffman, R.A. and Winckler, J.R. Observation of the Van Allen raidation regions during August and September, 1959. IV. The outer-zone electrons, 3=3515
Arnoldy,R.L.,Hoffman,R.A.,Winckler,J.R. and Akasofu,S.-I. Observations of the Van Allen radiation regions during August and September 1959. V. Visual auroras, high-altitude X-ray bursts and simultaneous satellite observations, 3=13817
Arnoldy,R.L. See Hoffman,R.A., 3=13818
Arnott,R.J. See Larson,E.G., 3=13078
Arnott,R.J. See Rogers,D.B., 3=12934
Arnott,R.J. See Wold,A., 3=16018
Arnoult,R. See Daymezon,P., 3=21392
Arnowitt,R. and Deser,S. Note on uniqueness of canonical commutation relations, 3=14028
Arnowitt,R. and Deser,S. Conditions for flatness in general relativity, 3=23750
Arns,R.G.,Chen,C.H.,Sund,R.E. and Wiedenbeck,M.L. Energy levels of As^{77}, 3=7996
Arnstein,R. See Light,J.C., 3=2667
Arnulf,A. Measurement of absorption of [atmospheric] mists and fogs between 0·38 and 10 μ, 3=1436
Arons,M.E. A statistical model, including new particle resonances, as applied to $\bar{\Lambda} - p$ annihilation, 3=2324
Aronstein,T. See White,H.S., 3=24562
Arp,H. Polarization of a filament which connects two galaxies, 3=7039
Arrak,A. Turbidity effect in spectrum line photometry, 3=1842
Arrott,A. See Haakana,C.H., 3=14710
Arrott,A. See Kimball,C., 3=15907
Arrott,A. See Sato,H., 3=1001
Arsac,J.,Tremblay,R.and Simon,J.C. Wave propagation, tropospheric forward scatter, 3=5204
Arsac,J. See Bellier,M., 3=18612
Arsen'ev,Yu.D. and Averin,E.K. Approximate determination of the optimum thermodynamic cycle of a nuclear power station, 3=6321
Arsen'ev,Yu.I.,Glagolev,V.M.,Eliseev,G.A. and Cheverev,N.S. Interaction of a plasma with an electromagnetic field in a cavity resonator, 3=12136
Arsen'eva-Geil', A.N. and Dzhelepova, N.B. Methods of obtaining high stress sensitivity in PbS, 3=18176
Arshinov,A.A. and Musin,A.K. Equilibrium ionization in dispersed systems, 3=21696
Art,A., Aerts,E., Delavignette,P. and Amelinckx,S. The stacking-fault energy in germanium, 3=17766
Art,A.,Gevers,R. and Amelinckx,S. The determination of the type of stacking faults in face centered cubic alloys by means of contrast effects in the electron microscope, 3=12993
Arthurs,A.M. and Lewis,J.T. Rotating coordinates in scattering theory, 3=51
Artley,J.L.,Pilkington,T.C. and Wooten,F.T. Prediction of Curie temperatures in ternary Fe—Co—Ni alloys, 3=11025
Artman,J.O. and Murphy,J.C. Symmetry considerations in the spectrum of ruby, 3=13183
Artmann,J. Specific heats behind a strong shock front in helium in equilibrium, 3=16699
Artmann,J. See Fucks,W., 3=16698
Artna,A. See MacArthur,D., 3=649
Artsimovich,L.A. Controlled nuclear fusion research, September 1961: Review of experimental results, 3=15251
Artsimovich,L.A. 22nd Congress of the Communist Party of the USSR and problems of Soviet physics, mathematics and astronomy, 3=21185
Artsimovich,L.A. Present state of research in controlled thermonuclear reactions, 3=22442
Artsimovich,L.L. and Nedospasov,A.V. Radial plasma distribution in a positive column in magnetic field, 3=19240

Artyukhina,N.M. and Kholopov,P.N. List of novae recommended for the determination of coordinates and proper motions, 3=9230
Arunachalam,V.S. and Tangri,K. The deformation stacking faults in f.c.c. metals: the case of thorium, 3=12990
Arushanov,G.G. Possible role of vector mesons in elastic scattering of high-energy π-mesons and protons, 3=15023
Arustamova,M.E.,Kanetzyan,A.R.,Sarinyan,M.G.,Toshyan,R.T., Tumahyan,V.A. and Tumanyan,E.R. Production of hypernuclei by 8.8 BeV protons, 3=24849
Arutyunian,F.R. and Tumanian,V.A. The Compton effect on relativistic electrons and the possibility of obtaining high energy beams, 3=14934
Arutyunyan,F.R. See Alikhanyan,A.I., 3=4368
Arutyunyan,N.Kh. and Manukyan,M.M. The indentation of a rigid wedge into a semiplane under conditions of steady creep, 3=3228
Arutyunyan,V.M. Photoproduction of π^0-mesons at high energies, 3=6037
Arvia,A.J. See Cracco,F., 3=2671
Arvieu, R, Baranger, E, Vénéroni, M, Baranger, M. and Gillet, V. Description of the nuclei Z = 50 using a model of interacting quasi-particles, 3=17380
Arvieu,R. and Vénéroni,M. Calculation of the levels of the lead isotopes of $A < 207$, 3=19797
Arvin,M.J. Electrical conductivity and thermoelectric power of indium oxide, 3=2918
Arya,A.P. Gamma—gamma directional correlations in Rh^{105}, 3=7997
Arythyunyan,V.M. Photoproduction of strange particles, 3=15041
Arzumanov,A.A.,Meshcherov,R.A.,Mironov,E.S.,Nemenov,L.M. Rybin,S.N. and Kholmovskii,Yu.A. Tests on particle acceleration and ion yield of variable energy cyclotron with an azimuthally varying magnetic field, 3=9888
Asaad,W.N. Intensities of the K–LL Auger lines, 3=17523
Asaad, W.N. Calculation of Auger spectra in j–j coupling, 3=17524
Asada,T. See Matuzawa,T., 3=18478
Asano,S. and Nakao,Y. Voltage dependence of electroluminescence of ZnS(S : Se) : Cu phosphors, 3=13218
Asaro,F. See Bjørnholm,S., 3=15129
Asaro,F. See Flamm,E., 3=4607
Asaro,F. See Siegbahn,K., 3=6211
Asatiani,T.L. See Alikhayan,A.I., 3=4519
Asatiani,T.L. See Alikhanyan,A.I., 3=6114
Asatiani,T.L. See Alikhanian,A.I., 3=17150
Asatiani,T.L. See Alikhanyan,A.I., 3=24824
Asawa,C.K. and Satten,R.A. An optical double resonance method of measuring paramagnetic relaxation, 3=24490
Asawa,C.K. See D'Haenens,I.J., 3=2143
Asay,J. See Gabrysh,A.F., 3=11362
Asayama,K.,Kobayashi,S. and Itoh,J. Nuclear magnetic resonance of Cu—Ni alloys, 3=15959
Asayama,K. See Itoh,J., 3=15960
Ascarelli, G. Low-field breakdown in n-type germanium, 3=857
Asch,G.,Fontanel,M. and Mesnard,G. Magnetic resonance study of irradiated rochelle salt, 3=20654
Ascoli,A. Neutron-bombardment-enhanced segregation in Cu—Ni alloys 3=10719
Ascoli-Bartoli, U., de Angelis, A. and Martellucci, S. Schlieren photography of an r.f. plasma, 3=4146
Ascoli-Bartoli,U. and Martellucci,S. Schlieren photography of an orthogonal pinch, 3=7585
Ash,E.A. See King,G., 3=14645
Ash,E.A. See Solymar,L., 3=5705
Ash,M. Bang–bang control of boiling moderator nuclear reactors, 3=19906
Ash,R., Barrer,R.M. and Pope,C.G. Flow of adsorbable gases and vapours in a microporous medium. I. Single sorbates, 3=3823
Ash,R.,Barrer,R.M. and Pope,C.G. Flow of adsorbable gases and vapours in a microporous medium. II. Binary mixtures, 3=3824
Ashbee,K.H.G. and Eeles,W.T. Epitaxial growth of rutile on oxidation of titanium carbide, 3=11241
Ashbee,K.H.G. and Smallman,R.E. Epitaxial growth of rutile thin films on titanium carbide single crystals, 3=5092
Ashbee,K.H.G. and Smallman,R.E. The plastic deformation of titanium dioxide single crystals, 3=23328
Ashburn,E.V.,Lee,J.P. and Francis,R.N. Observations of the changes in the earth's magnetic field induced by the high-altitude nuclear explosion of July 9, 1962, 3=23650
Ashby,D.E.T.F. A simple theory of wall evaporation in a pulsed gas discharge, 3=21720
Ashby,D.E.T.F., Holmes,L.S. and Kasha,M.A. A multi-coil magnetic probe, 3=16954
Ashby,D.E.T.F. and Jephcott,D.F. Measurement of plasma density using a gas laser as an infrared interferometer, 3=19276
Ashby,M.F. and Brown,L.M. Diffraction contrast from spherically symmetrical coherency strains, 3=20702
Ashby,V.J.,Catron,H.C.,Goldberg,M.D.,Hill,R.W.,Le Blanc,J.M., Newkirk,L.L.,Stoering,J.P.,Taylor,C.J. and Williamson,M.A. Li^6 and Li^7(n,2n) cross sections, 3=8112
Ashby,W.R.,Von Foerster,H. and Walker,C.C. Instability of pulse activity in a net with threshold, 3=7061
Ashcraft,T.L.,Riney,J. and Hackerman,N. Electrostatic voltmeter for the measurement of surface potentials, 3=7419
Ashcroft,N.W. The fermi surface of aluminium, 3=20133
Ashcroft,N.W. See Hooton,D.J., 3=10336
Ashinuma,K. See Honjo,G., 3=18414
Ashinuma,K. See Takahashi,N., 3=443
Ashirov,A.,Rumanova,I.M. and Belov,N.V. Crystal structure of hydroboracite $CaMgB_3O_{11}.6H_2O$ – = $CaMg[B_3O_4(OH)_3]_2.3H_2O$, 3=8861
Ashkin,A.,Boyd,G.D. and Dziedzic,J.N. Observation of continuous optical harmonic generation with gas masers, 3=21507
Ashkin,A. and Gershenzon,M. Reflection and guiding of light at p—n junctions, 3=23042
Ashkin,A. See Nelson,D.F., 3=20514
Ashley,E.J. See Bennett,H.E., 3=11929
Ashley,E.J. See Bennett,H.E., 3=20443
Ashour,A.A. and Ferraro,V.C.A. Induction of electric currents in a uniform anisotropic ionosphere, 3=9073
Ashton,F. and Wolfendale,A.M. The momentum spectrum of cosmic ray muons at a zenith angle of 80°, 3=10193
Ashton,F. and Wolfendale,A.W. The momentum spectrum of cosmic ray muons at an angle of 80° to the zenith at sea level, 3=10194
Asimov,R. Clustering kinetics in binary alloys, 3=13536
Askar'yan,G.A. Effect of external fields on the motion and growth of bubbles in boiling liquids, 3=123
Askar'yan,G.A. Acceleration of ionized gas clouds with proper magnetic field scattering the electron flux, 3=2113
Askar'yan,G.A. Effect of the gradient of a strong electromagnetic ray on electrons and atoms, 3=5834
Askar'yan,G.A. Cherenkov and transition radiation from electromagnetic waves, 3=5981
Askar'yan,G.A. Interaction of laser radiation with vibrating surfaces, 3=6647
Askar'yan,G.A. Reflection of radiation from a moving plasma in a semiconductor carrying a current in a magnetic field, 3=17827
Askar'yan,G.A. Projection of plasmoids through magnetic fields (magnetodynamic traps), 3=21784
Askar'yan,G.A.,Iovnovich,M.L.,Levin,M.L. and Rabinovich,M.S. Transport and containment of moving plasma concentrations (high frequency and magnetic plasma wave-guides), 3=12174
Askar'yan,G.A. and Moroz,E.M. Evaporation pressure of a body in a radiation beam, 3=19062
Askerov,B.M. See Ansel'm,A.I., 3=2866
Askill,J. and Tomlin,D.H. Self-diffusion in molybdenum, 3=17787
Askochenskii,A.A. and Perekalina,T.M. Natural ferromagnetic resonance in a nickel-iron ferrite single crystal, 3=3156
Aslam Khan,M. A new band system in CdH and CdD, 3=2612
Aslam Khan,M. Ultra-violet spectrum of MgH and MgD, 3=25100
Aslam Khan,M. SrH and SrD bands at 2927 A and 2928 A, 3=25106
Aslam Khan,M. Extension of the $C^2\Sigma \rightarrow X^2\Sigma$ system of SrD, 3=25107
Aslanian,J. and Weil,L. Contribution of specific heat measurements below 4° K to the observation of helium diffusion after annealing in irradiated beryllium oxide, 3=15509
Åslund,N. See Andersén,E., 3=25103
Ašner,A. and Mosig,R. A d.c. magnet power supply for 125 V, 500 A with controlled silicon rectifiers, 3=19137

Asnin,V.M. and Rogachev,A.A. Dependence of the forbidden bandwidth of germanium on the carrier density, 3=20539

Aspelund,O. A fast time-to-pulse height converter, 3=19150

Aspinall,A.,Brown,G. and Warren,S.E. Nuclear energy levels of Fe^{54} and Fe^{56}, 3=19779

Asplund-Nilsson,I.,Conde,H. and Starfelt,N. Average number of prompt neutrons emitted in the spontaneous fission of U^{238} and Pu^{240}, 3=12707

Asplund-Nilsson,I.,Condé,H. and Starfelt,N. An absolute measurement of ν of Cf^{252}, 3=24988

Asribekov,V.E. The choice of invariant variables for the "many-tail" amplitudes, 3=5935

Asribekov,V.E. Choice of invariant variables and analytical properties of many-point functions, 3=10064

Asribekov,V.E. Analytic properties of the amplitudes of feynman diagrams of the type of "many-tails" with a single closed loop, 3=14866

Assenhaim,H.M. The interpretation of spectra in electron spin resonance investigations, 3=24493

Assonova,E.A. See Lozinskii,M.G., 3=3234

Assous,R. See Alamichel,C., 3=14345

Astheimer,L. See Schwochau,K., 3=16609

Astier,A. See d'Andlau,C., 3=17328

Astin,A.V. The unit of electric current, 3=21189

Astner,G.,Bergström,I.,Eriksson,L.,Fägerquist,U.,Holm,G.and Persson,Å. A hindered E2 ground state transition in Po^{207}, 3=19798

Aston,J.G. See Fritz,J.J., 3=9665

Aston,J.G. See Mitacek,P., 3=12924

Aström,B. See Uhler,J., 3=12644

Astrov, D.N. See Al'shin, B.I., 3=25369

Astrue,R.W. See Sato,H., 3=15830

Astwood,P. and Prutton,M. The influence of crucible material upon the magnetic anisotropy of evaporated permalloy films, 3=11057

Asundi,R.K. Electron path length in collision experiments, 3=21704

Asundi,R.K. and Kurepa,M.V. The calibration of the electron energy scale for ionization potential measurements, 3=9719

Asundi,R.K. and Kurepa,M.V. Ionization cross sections in He, Ne, A, Kr and Xe by electron impact, 3=19173

Atack,D. See May,W.D., 3=16564

Ataka,Y. Pion decay and the experimental determination of the renormalization constants, 3=17306

Atakhodzhaev,A.K. and Vuks,M.F. Reorientation of molecules in liquids and comparison of the relaxation times, 3=21302

Atal,B.S. See Schroeder,M.R., 3=1765

Atalla,M.M. and Soshea,R.W. Hot-carrier triodes with thin-film metal base, 3=20366

Aten,A.C.,Van Doorn,C.Z. and Vink,A.T. Direct and phonon-assisted optical transitions in zinc telluride, 3=10968

Aten,A.H.W.,Jr and Langelaar,J. Sources of quasi-monoenergetic γ-radiation. II, 3=24680

Aten,A.H.W.Jr. See Brinkman,G.A., 3=17111

Athay,R.G. The solar chromosphere, 3=1523

Athay,R.G. Excitation of chromospheric He I, 3=13889

Athay,R.G. and House,L.L. Excitation of chromospheric Mg I., 3=11543

Athay,R.G. and Hyder,C.L. Coronal ionization by two-step collision processes, 3=9211

Atkins,G.R., Evans,D.S., Simenhoff,J. and Weinberg,I. The solar eclipse of 1963 January 25, 3=3564

Atkins,K.R. See Everitt,C.W.F., 3=318

Atkinson,D. Prediction of pion phase shifts, 3=2311

Atkinson,R.d'E. General relativity in Euclidean terms, 3=7107

Atkinson,R.d'E. A euclidean re-statement of general relativity, 3=23757

Atkinson,W.R., See Beehler,R.E., 3=11749

Atlan,H. Study of the transmission of light by suspensions of large coloured particles, 3=9621

Atlas,D. Indirect probing techniques, 3=5188

Atlas,D. and Wexler,R. Back-scatter by oblate ice spheroids, 3=9934

Atoji,M. Neutron diffraction studies of higher carbides of heavy metals, 3=1328

Atrashkevich,V.I. See Khristiansen,G.B., 3=4513

Atroshchenko,L.V. See Palatnik,L.S., 3=13513

Atsarkin,V.A. Paramagnetic resonance of the Cr^{3+} ion in spinel, 3=3171

Atsarkin,V.A.,Gerasimova,É.A.,Matveeva,I.G. and Frantsesson,A.V. Paramagnetic resonance of Cr^{3+} in magnesium tungstate, 3=15939

Atsarkin,V.A.,Zhabotinskii,M.E. and Frantsesson,A.V. Obtaining maximum sensitivity in a radio spectroscope for the observation of electron paramagnetic resonance, 3=21992

Attard,A.E. and Azároff,L.V. Electron density distribution in indium antimonide, 3=11260

Attard,A.E. See Southgate,P.D., 3=10663

Attarian,V.,Szwarc,H. and Ter Minassian,L. The distribution of activation energies for kinetic phenomena, 3=8947

Atterling,H. Beam-transport system for the Berkeley 88-inch cyclotron, 3=5791

Attwood,C.F. See Sheridan,K.V., 3=1538

Atwood, M.R. See Vu, H., 3=17572

Au,W.W.S. and Lomon,E.L. Pion–pion amplitudes from the boundary condition model, 3=19676

Aubert,B., Courant,H., Filthuth,H., Segar,A. and Willis,W. Low energy separated beam at the cern P.S. 3=17333

Aubert,M., Clerc,G. and Gilbert,D. Portable apparatus for measurement of very slow terrestrial variations, 3=1478

Aubret,C. See Dumas,J.C., 3=12057

Aubrey,J.E., Gubler,W., Henningsen,T. and Koenig,S.H. Piezoresistance and piezo-Hall effect in n-type silicon, 3=15582

Aubrun,J.N. An alternative theorem on real passive networks, 3=5602

Aubrun,J.N. Nuclear magnetic resonance of metallic cobalt, 3=23259

Aubrun, J.N. See Herve, J., 3=3193

Aubrun,M. Equation of the plane trajectories of paramagnetic particles conveyed by a fluid in a magnetic field, 3=17036

Aubry,M. Partial reflections in the D–region of the ionosphere observed at French Port (Archipelago of Kerguelen), 3=16268

Auchampaugh,G.F. See Bowman,C.D., 3=12709

Auchampaugh,G.F. See Bramblett,R.L., 3=10329

AuCoin,T.R. See Adams,I., 3=10985

Aucouturier,M. and Lacombe,P. Evidence from radioactive tracers on the relationship between α and β cobalt, 3=1257

Aucouturier,M. See Grilhe,J., 3=11198

Auer,P.L. The space charge sheath in low pressure arcs, 3=4057

Auerbach,E.H. and Brown,G.E. Photon–proton scattering in the GeV region, 3=24725

Auerbach,K. See Bodenstedt,E., 3=2391

Auerbach,K. See Körner,H.J., 3=12560

Auerbach,L.B.,Esterling,R.J.,Hill,R.E.,Jenkins,D.A.,Lach,J.T. and Lipman,N.H. Measurement of the μ^- capture rate in He^3, 3=22160

aufm Kampe,H.J.,Smith,M.E. and Brown,R.M. Winds between 60 and 110 kilometers, 3=9033

Augenstein, L.G. See Carter, J.G., 3=18052

Auld,B.A. Couplings of electromagnetic and magnetostatic modes in ferrite-loaded cavity resonators, 3=14777

Auld,B.A.,DiDomenico,M.,Jr. and Pantell,R.H. Traveling-wave harmonic generation along nonlinear transmission lines, 3=4277

Auld,B.A. and Eidson,J.C. Coupling of electromagnetic and quasi-static modes in plasma-loaded waveguides, 3=9935

Auld,B.A. and Holmes,C.H. Even and odd instabilities in coupled ferrite spheroids, 3=15926

Auld,B.A.,Tokheim,R.E. and Winslow,D.K. Pumping effects contributing to the excitation of phonon instabilities in ferromagnetic insulators, 3=23178

Auld,B.A. See Comstock,R.L., 3=13293

Auld,B.A. See Hatfield,W.B., 3=24466

Auleytner,J. and Hörnfeldt,O. Investigation of the Fermi level position in doped silicon and n-CdTe using electron spectroscopy, 3=2758

Auleytner,J. and Lidén,B. The structure of silicon and germanium bremsstrahlung isochromats, 3=8611

Auleytner,J. See Lidén,B., 3=4919

Auleytner,J. See Noreland,E., 3=25472

Auleytner,J. See Szarras,S., 3=8819

Auluck,F.C. and Verma,Y.K. On the magnetogravitational instability of a homogeneous medium in nonuniform and nonsteady rotation, 3=9159

Auman,J. See Gray,L., 3=15042

Aurela,A. On the geometrical error when measuring directional intensities of cosmic rays by means of counter telescopes, 3=15055

Aurell,C.G. Physical equations from the conceptual point of view, 3=13985
Aurich,D. and Detert,K. Recrystallization textures in rolled transformer sheet, 3=16098
Aurouet,C. See Poivilliers,J., 3=4300
Auskern,A. and Osawa,Y. Xenon diffusion in uranium carbide powder, 3=2834
Ausländer,J. See Khulubei,Kh., 3=6029
Ausländer,J.A. See Anghelescu,D., 3=12379
Auslander,J.S. See Hulubei,H., 3=10142
Auslender,I. See Khulubei,Kh., 3=6029
Ausloos,P.J. and Lias,S.G. Radiolysis of methane, 3=16182
Ausloos,P.J. See Borkowski,R.P., 3=8978
Ausloos,P.J. See Borkowski,R.P., 3=23550
Ausloos,P.J. See Sandoval,I.B., 3=18457
Aussenberg,F. See Gross,F., 3=25412
Aussenegg,F. See Gross,F., 3=17788
Aust,R.B. and Drickamer,H.G. Carbon: a new crystalline phase, 3=18229
Austerman,S.B. Sub-crystal formation in BeO crystals at high temperature, 3=2818
Austerman,S.B.,Berlincourt,D.A. and Krueger,H.H.A. Polar properties of BeO single crystals, 3=10884
Austern,N., Drisko,R.M., Rost,E. and Satchler,G.R. Distorted-waves theory of double-excitation by inelastic scattering, 3=661
Austin,A.E.,Adelson,E. and Cloud,W.H. Magnetic structures of chromium-modified Mn$_5$Sb, 3=23197
Austin,A.E. and Richard,N.A. Grain-boundary diffusion of gold in copper, 3=2824
Austin,A.E. See Wood,V.E., 3=2820
Austin,I.G. The effect of pressure on the metal-to-insulator transition in V_2O_3, 3=1254
Authier,A. Path of X-rays in a perfect crystal [set] near total reflection, 3=11253
Autler,S.H.,Rosenblum,E.S. and Gooen,K.H. High-field superconductivity in niobium, 3=19114
Auvray,J. See Legrand,A.P., 3=21406
Auzins,P. See Wertz,J.E., 3=22717
Avakian,P. See Kepler,R.G., 3=18041
Avakyan,R.V. and Radionava,E.A. The special features of differential intensity thresholds for a brief sound signal, 3=18676
Avakyan,V.V. See Khrimyan,A.V., 3=2158
Avakyan,V.V. See Khrimyan,A.V., 3=6097
Avasthi,M.N. See Singh,N.L., 3=22539
Avdeev,V.I. Relaxation rate of donor electrons in compensated semiconductors, 3=25219
Aven,M. and Garwacki,W. Epitaxial growth and properties of ZnTe—CdS heterojunctions, 3=23419
Aven,M. and Segall,B. Carrier mobility and shallow impurity states in ZnSe and ZnTe, 3=10843
Aven,M. See Lorenz,M.R., 3=25268
Aven,M. See Potter,R.M., 3=13207
Averbach,B.L. and Rosenfield,A.R. Reply to comments by Koppenaal on initial yeilding in f.c.c. metals, 3=11152
Averbach,B.L. See Hirano,K., 3=13006
Averbach,B.L. See Houska,C.R., 3=13505
Averbach,B.L. See Kaplow,R., 3=14704
Averbakh,E.M. See Ugai,Ya.A., 3=15597
Averbakh,E.M. See Ugai,Ya.A., 3=20346
Averbakh,E.M. See Ugaĭ,Ya.A., 3=22956
Averbuch,P. and Proctor,W.G. Saturation effects of ultrasonics on nuclear magnetisation in solids, 3=25588
Averell,J.P. See Chrétien,M., 3=24787
Averin,E.K. See Arsen'ev,Yu.D., 3=6321
Averina,A.P. The omegatron as a meter of partial pressures in high-vacuum systems, 3=3841
Averkieva,G.K. See Ozolin'sh,G.V., 3=20836
Averkin,A.A. and Bogomolov,V.N. A high pressure chamber, 3=7078
Averkin, A.A, Dombrovskaya, I.G. and Moizhes, B.Ya. Variation of the forbidden-band width of PbSe with pressure, 3=17889
Averkin,A.A.,Ilisavsky [Ilisavskii]and Regel,A.R. The effect of elastic strain on the electric properties of PbTe,PbSe,PbS, Bi_2Te_3 and Bi_2Se_3, 3=10832
Averkin,A.A.,Kasimov,S. and Nensberg,E.D. Pressure dependence of the electrical properties of PbTe and PbS, 3=22948
Averkov,S.I.,Anikin,V.I.,Ryadov,V.Ya. and Furashov,N.I. Vacuum spectrometer for the far infrared, 3=24032
Avery,D.H. and Backofen,W.A. Fatigue hardening in alloys of low stacking-fault energy, 3=20736
Aver'yanov,I.R.,Kasatkin,A.M.,Liventsov,A.V.,Markov,M.N., Merson,Ya.I.,Shamilev,M.R. and Shervinskii,V.E. Measurement of earth's thermal radiation into space by a high-altitude unmanned geophysical station during the total solar eclipse of 15 February, 1961, 3=23566
Aver'yanov, I.S, Barȳshev, N.S, Baru, V.G. and Yudina, G.I. Some data on preparation of lead sulphide monocrystals, 3=18262
Aver'yanov,I.S. See Andramonov,V.S., 3=15593
Aver'yanov,I.S. See Barȳshev,N.S., 3=2977
Aveyard,S. See Sharpe,R.S., 3=13496
Avignon,Y.,Tropé-Martres,M.J. and Gutmann-Pick,M. Identification of a class of solar flares responsible for polar ionospheric absorptions, 3=16376
Aviles,J.B.,Jr. N-body Bose system with a finite number of states. I. Irreducible representations, 3=11724
Avivi,P. See Deutsch,F., 3=5646
Avivi,P. See Hooke,W.M., 3=5683
Avrahami,M. See Kebarle,P., 3=8971
Avramescu,A. Diffusion phenomena in closed systems characterized by means of a time constant, 3=1640
Avrett,E.H. and Krook,M. The temperature distribution in a stellar atmosphere, 3=13905
Avvakumov,E.G. See Kirgintsev,A.N., 3=23389
Avvakumov,V.I. Distortion of the complexes Cr^{3+} $(H_2O)_6$ and Ni^{2+} $(H_2O)_6$ and splitting of the spin levels of Cr^{3+} and Ni^{2+} by the Jahn-Teller effect, 3=10452
Awaya,T. See Huang,K.K., 3=19843
Awaya,Y. See Yagi,K., 3=12583
Axe,J.D.,Jr. Radiative transition probabilities within $4f^n$ configurations: the fluorescence spectrum of europium ethysulfate, 3=25482
Axe,J.D. and Dieke,G.H. Calculation of crystal-field splittings of Sm^{3+} and Dy^{3+} levels in $LaCl_3$ with inclusion of J mixing, 3=2692
Axe,J.D. and Sorokin,P.P. Divalent rare earth spectra selection rules and spectroscopy of $SrCl_2:Sm^{2+}$, 3=13204
Axe,J.D. See Sorokin,P.P., 3=23052
Axel,P. The production and use of high-resolution gamma rays, 3=17232
Axel,P.,Min,K.,Stein,N. and Sutton,D.C. New resonances in photon transiton strength functions, 3=15173
Axel,P. See Tipler,P.A., 3=10322
Axelrad,D.R. A high temperature furnace for studies of the mechanical properties of materials up to 2100°C, 3=7378
Axelrod,N.N. Microwave line source for vacuum ultraviolet, 3=11922
Axford,W.I. The interaction between the solar wind and the earth's magnetosphere, 3=9134
Axford,W.I. The formation and vertical movement of dense ionized layers in the ionosphere due to neutral wind shears, 3=13753
Axford,W.I.,Dessler,A.J. and Gottlieb,B. Termination of solar wind and solar magnetic field, 3=16368
Axford, W.I. and Reid, G.C. Increases in intensity of solar cosmic rays before sudden commencements of geomagnetic storms, 3=17376
Axilrod,B.M. Comments on the Rosen interaction potential of two helium atoms, 3=10507
Axon,H.J. Dendritic structure in the nedagolla ataxite, 3=7027
Axtmann,R.C. and Bridgwater,J. Energy deposition by fast neutrons: NO_2 production in liquid air, 3=8976
Axton,E.J. An absolute calibration of the National Bureau of Standards Thermal Neutron Flux, 3=19651
Axton,E.J. and Ryves,T.B. Dead-time corrections in the measurement of short-lived radionuclides, 3=17119
Ayant,Y. On the nuclear magnetic resonance line width for the water in zeolites, 3=11126
Ayant,Y. Theory of linewidths of two-quanta transitions, 3=20668
Ayant,Y. and Belorizky,E. Some properties of the Γ_8 level in cubic symmetry, 3=15669
Ayant,Y., Belorizky,E. and Rosset,J. Interpretation of the magnetic susceptibility of uranium oxysulphide, UOS, at high temperatures, 3=15760
Ayant,Y. and Thomas,J. Theoretical study of the magnetic properties of rare earth ions in the structure of garnet, 3=13281

Aycoberry,C., Brin,A., Delobeau,F. and Veyrie,P. Pinch effect of metal plasmas obtained by exploding wires, 3=4139
Ayer,F.,II. See Bolze,E.M., 3=4301
Ayer,F.,II. See Pickup,E., 3=4302
Aymar,R. See Alidieres,M., 3=9777
Aynard,R. Diamagnetic susceptibilities of the elements. Elements characterized by paired s electrons in the outer shells (1 to 6), 3=1119
Aynard,R. Paramagnetic susceptibility of the elements. Elements characterized by unpaired d and f electrons in the outer shells, 3=1123
Ayub,S.M. Exchange forces in nuclei, 3=15068
Ayukawa,T. The effect of surface anisotropy on the spontaneous magnetization of ferromagnetic thin films, 3=15535
Ayurzanain,B.A. See Vlasov,A.Ya., 3=11053
Azam,M.N.and Lehmann,J. Application of the thin film technique to the electron microscope study of uranium= molybdenum two-phase alloys, 3=5154
Azarbayejani,G.H. See Kikuchi,C., 3=1192
Azároff,L.V. and Corvin,I. Crystal structure of potassium ozonide, 3=16071
Azároff,L.V. See Attard,A.E., 3=11260
Azarraga,L. See Kleinerman,M., 3=3060
Azbel',M.Ya. Static skin effect for currents in a strong magnetic field and the resistance of metals, 3=25223
Azbel',M.Ya. Quantization of quasi-particles with a periodic dispersion law in a strong magnetic field, 3=25247
Azbel',M.Ya. and Begiashvili,G.A. The width of the cyclotron resonance line in semimetals and the determination of the correlation function for bismuth, 3=6507
Azbel',M.Ya. and Gurzhi,R.N. The electric conductivity of thin samples and the possibility of determining the mean free path of electrons in metals, 3=3682
Azbel',M.Ya. and Gurzhi,R.N. The electric conductivity of thin samples and the possibility of determining the mean free path of electrons in metals, 3=6561
Azbel',M.Ya. See Gurzhi.R.N., 3=25245
Azbel',M.Ya. See Lifshitz,I.M., 3=15477
Azhgirei, L.S., Kumekin,Yu.P., Meshcheryakov,M.G., Nurushev,S.B. and Stoletov,G.D. Nucleon—nucleon scattering amplitudes and complexity of the spin—orbit interaction potential between nucleons and nuclei. 3=17265
Azhgirey,L.S.,Klepikov,N.P.Kumekin,Yu.P.,Mescheryakov,M.G., Nurushev,S.B. and Stoletov,G.D. pp-phase shifts at 660 MeV, 3=24723
Azhgirey,L.S., Kumekin,Yu.P., Mescheryakov,M.G., Nurushev,S.B. Stoletov,G.D. and Huang De-Tsang. Small-angle elastic scattering of protons on carbon nuclei at 660 MeV, 3=15189
Azhgireĭ,L.S.,Kumekin,Yu.P.,Meshcheryakov,M.G., Nurushev,S.B.,Stoletov,G.D. and Khuan De-Tsyan. Excitation of C^{12} nuclei with 660 MeV protons, 3=4630
Azhgireĭ,L.S.,Kumekin,Yu.P.Meshcheryakov,M.G.,Nurushev,S.B., Stoletov,G.D. and Khuan De-Tsyan [Huang Tieh-Ch'iang]. Small-angle elastic scattering of 660 MeV protons on carbon nuclei, 3=22374
Azim,K.A. See Barakat,N., 3=9395
Azimov,S.A.,Abdullaev,A.M.,Mjalkovskij,V.M. and Juldašbaev,T.S. Investigation of a dependence of the average fraction of energy imparted to the neutral pions on the primary energy, 3=6108
Azimov,S.A.,Abdullaev,A.M.,Myalkovskii,V.M. and Yuldashbaev,T.S. Investigation of the fraction of energy transferred to π° -mesons as a function of the primary energy in the 10^{11}-10^{12} eV region, 3=19737
Azimov,S.A.,Do In Seb,Kirillova,L.F.,Khabibullina,E.M., Tsyganov,E.N.,Shafranova,M.G.,Shakhbazyan,B.A. and Yuldashev,A.A. Elastic scattering of 2.8 MeV protons on protons, 3=6007
Azimov,Ya.I. Creation of π-mesons in weak interactions, 3=4429
Azimov,Ya.I. Influence of the spin on the position of Regge poles, 3=5955
Azimov,Ya.I. The influence of the spin on the position of the Regge poles, 3=19575
Azimov,Ya.I. and Anselm,A.A. Regge poles and asymptotic behaviour of amplitudes in perturbation theory, 3=21249
Azimov,Ya.I.,Ansel'm,A.A. and Shekhter,V.M. The Regge pole trajectories for weak coupling, 3=22092
Azimov,Ya.I.,Ansel'm,A.A. and Shekhter,V.M. Analytic properties of Regge pole trajectories, 3=24653
Azovskii,Yu.S., Guzhovskii,I.T., Safronov,B.G. and Churaev,V.A. Conical plasmoid source. 3=14567
Aziz,N.E.A.,Rogowski,F. and Steiner,O. On the calculation of the structure of free molecules from electron diffraction patterns, 3=12790
Azuma,M. Effect of the lattice on the internal dielectric constant, 3=13104
Azuma,M. See Morita,A., 3=2869
Azuma,R.E. See Ajdačić,V.S., 3=22452
Azuma,Y. See Nakajima,K., 3=24480
Azumi,T., and McGlynn,S.P. Polarization of the luminescence of phenanthrene, 3=3062
Azumi,T. and McGlynn,S.P. Delayed fluorescence of solid solutions of polyacenes, 3=20535

Baazov,N.G. and Mandzhavidze,A.G. On the method of the measurement of the degree of polarization of neutron beams, 3=6014
Bába,Á. See Tamássy-Lentei,I., 3=22541
Baba,C.V.K.,Ewan,G.T. and Suarez,J.F. Beta-decay matrix elements in the decay of Pm^{148}, 3=8043
Baba,C.V.K.,Ewan,G.T. and Suárez,J.F. Levels in Sm^{148} fed in the beta-decay of Pm^{148} and Pm^{148+}, 3=15116
Baba,C.V.K.,Ewan,G.T. and Suárez,J.F. Levels in Sm^{148} fed in the decay of Eu^{148}, 3=15117
Baba,C.V.K. See Hansen,P.G., 3=22314
Baba,C.V.K. See Vandenbosch,S.E., 3=10315
Baba,H. Some effects of zinc atmospheres on zinc sulfide, 3-13084
Baba,H. See Kumagi,H., 3=460
Baba,H. See Suzuki,S., 3=8287
Baba,P.D.,Gyorgy,E.M. and Schnettler,F.J. Two-phase ferrites for high-speed switching, 3=15872
Babad-Zakhryapin,A.A. See Izvekov,V.I., 3=22807
Babaev,A.I.,Balats,M.Ya.,Kaftanov,V.Š.,Landsberg,L.G., Lyubimov,V.A. and Obukhov,Yu.V. Search for the $\mu^+ \rightarrow e^+ + e^+ + e^-$-decay, 3=6025
Babaev,A.I., Balats,M.Ya., Kaftanov,V.S., Landsberg,L.G., Lyubimov,V.A. and Obukhov,Yu.V. Further search for the $\mu^+ \rightarrow e^+ + e^+ + e^-$ decay, 3=17298
Babaev,A.I. See Alikhanov,A.I., 3=6024
Babáková, R. The diffraction pattern of Ge (111)—asymmetrical Bragg case, 3=5098
Babayan,C.P. See Grigorov,N.L., 3=10197
Babayan,H.P.,Bejadjan,N.G.,Babecki,Ya.S.,Buja,Z.A.,Grigorov,N.L Loskiewicz,J.,Massalski,J.,Oles,A.,Tretyakova,C.A. and Schestoperov,V.Ya. Mountain-altitude studies of the interaction of high-energy particles with atomic nuclei. 3=6103
Babayan,Kh.P.,Babetski,Ya.S.,Boyadzhyan,N.G.,Buya,Z.A., Grigorov,N.L.,Loskevich,E.S.,Mamidzhanyan,Z.A., Massal'skii,E.I.,Oles',A.A.,Tret'yakova,Ch.A. and Shesterperov,V.Ya. Investigation of interaction of high-energy particles with atomic nuclei at mountain altitudes, 3=19595
Babayan,Kh.P.,Boyadzhyan,N.G.,Grigorov,N.L.,Tret'yakova,Ch.A. and Shestoperov,V.Ya. Large ionization bursts and the spectrum of nuclear-active particles at mountain altitudes, 3=22237
Babayan,Kh.P. and Marutyan,N.A. Interaction of a high-energy multicharged particle with a photographic emulsion nucleus, 3=24985
Babb,A.L. See Waldorf,D.M., 3=25813
Babb,S.E.,Jr. Values of the Simon constants, 3=16833
Babb,S.E.,Jr. Parameters in the Simon equation relating pressure and melting temperature, 3=19068
Babb,S.E.,Jr. See Bowles,B.F., 3=23371
Babcock,G.D. See Mitchell,E.N., 3=11084
Babcock,H.W. Concentration of elements over the surface of a magnetic star, 3=11564
Babcock,H.W. Instrumental recording of astronomical seeing, 3=25964
Babcock,R. and Riemersma,H. Operation of a superconducting solenoid in a 400-MeV proton flux, 3=3970
Babecki,J. See Grigorov,N.L., 3=10197
Babecki,Ya.S. See Babayan,H.P., 3=6103
Babeliowsky,T.P.J.H. Mass spectrometric determination of the heat of vaporization of some solid elements, 3=1876

Babeliowsky,T.P.J.H. Influence of residual gases on the measurement of chemical equilibria at high temperatures with the Knudsen method, 3=18437

Babeliowsky,T.P.J.H. Heat of sublimation of CaO, 3=19075

Babeliowsky,T.P.J.H. Measurement of chemical equilibrium with the mass spectrometer and the influence of residual gases, 3=3379

Babeliowsky,T.P.J.H. and Boelrijk,N.A.I.M. Negative temperature coefficients of ion-molecule reactions in the ionization chamber of the mass spectrometer. Statistical calculations based on an experimental model for the variation of the micro-scopic reaction cross-section with relative velocity, 3=16156

Babeliowsky,T.P.J.H.,Boerboom,A.J.H. and Kistemaker,J. Mass spectrometric determination of the heat of vaporization of CaO, 3=1875

Babenko,V.P. and Baisa,O.F. The method for measuring spectra of nuclear quadrupole resonance at low temperatures, 3=24503

Babenko,N.P.,Bibichev,B.A.,Konstantinov,I.O. and Nemilov,Yu.A. Neutron polarization in the C^{12}(d,n)N^{13} reaction, 3=22417

Babenko,V.P.,Brodin,M.S. and Soskin,M.S. Cryostat for dispersion measurements at low temperatures, 3=3874

Babenko,V.P.,Brodin,M.S. and Soskin,M.S. A cryostat for dispersion measurements at low temperatures, 3=11902

Baberkin, A.S. See Yurin, V.A., 3=17937

Babetski,S.Yu., Buya, Z.A., Grigorov,N.L., Loskevich,E.S., Massal'ski,E.I., Oles',A.A. and Shestoperov,V.Ya. Investigation of large-ionization bursts produced by cosmic-ray particles at sea level, 3=4487

Babetski,Ya.S. See Babayan,Kh.P., 3=19595

Babich,I.L.,Kondilenko,I.I. and Strizhevskii,V.L. Intermolecular interaction and Fermi resonance in Raman spectra, 3=10487

Babich,I.L.,Kondilenko,I.I. and Strizhevskiĭ,V.L. Investigation of the scattering power of molecules in the liquid state during Raman scattering of light, 3=21372

Babichev,A.P.,Karchevskii,A.I. and Muromkin,Yu.A. Helical instability of a toroidal discharge in a varying magnetic field, 3=1960

Babichev,A.P.,Karchevskii,A.I.,Muromkin,Yu.A. and Sokol'skii,V.V. Formation of a current channel in a gas discharge in a weak magnetic field, 3=1958

Babichev,A.P.,Karchevskii,A.I.,Muromkin,Yu.A. and Sokol'skii,V.V. Investigation of the configuration of an intense discharge in weak constant and in alternating outer magnetic fields, 3=12089

Babichev,A.P.,Karchevskii,A.I.,Muromkin,Yu.A. and Sokolskii,V.V. On the mechanism of the high-current gas discharge in a weak magnetic field, 3=12108

Babichev,A.P.,Venikov,N.I.,Knyazyatov,A.S.,Meshcherov,R.I., Mironov,E.S.,Nemonov,L.M.,Fedorov,N.D. and Kholmovskii,Yu.A. Control of the shape of the magnetic field intensity of a cyclotron, 3=21913

Babii,V.I. See Alekseev,Yu.I., 3=1539

Babikov,V.V. The compound nucleus formation time and the γ-radiation from interacting nuclei, 3=6216

Babikov,V.V. γ-radiation from a compound nucleus with a large angular momentum, 3=6217

Babikov,V.V. Resonance model of nn interactions and its application to nucleus, 3=19621

Babin,L. Ruptures of metastable liquid phase states of very small volume, 3=16837

Babitt,D.G. A summation procedure for certain Feynman integrals, 3=7088

Babkoff,H. and Sutton,S. Perception of temporal order and loudness judgments for dichotic clicks, 3=13951

Bablidze,R.A. Supercritical oscillation conditions in He II, 3=16852

Bablidze, R.A. See Andronikashvili, E.L., 3=16851

Babrov, H.J. Experimental and theoretical infrared spectral absorptance of HCl at various temperatures, 3=16661

Babrov,H.J. and Tourin,R.H. Methods for predicting infrared radiance of flames by extrapolation from laboratory measurements, 3=11992

Babu,S.K. Measurement of partial birefringence of pleochroic minerals, 3=922

Babushkin,F.A. Radiation transitions in a relativistic treatment, 3=2549

Babushkin,F.A. Correction to finite nuclear size in the isotopic shift, 3=6182

Babushkin,F.A. Isotopic shift of spectral lines, 3=25040

Babushkin, V.I. See Mchedlov-Petrosyan, O.P, 3=18269

Babȳkin,M.V., Gavrin,P.P., Zavoiskii,E.K., Rudakov,L.I. and Skoryupin,V.A. Turbulent heating of a plasma, 3=1987

Babykin,M.V., Gavrin,P.P., Zavoĭskiĭ,E.K., Rudakov,L.I. and Koryupin,V.A.S. Trapping and containment of a turbulently heated plasma in a mirror system, 3=16948

Babȳkin,M.V., Zavoiskii, E.K., Rudakov,L.I. and Skoryupin,V.A. Observation of instabilities in ion double beams during a turbulent heating of the plasma, 3=16985

Bacastow,R., Elioff,T., Larsen,R., Wiegand,C. and Ypsilantis,T. Measurement of the branching ratio for pion beta decay, 3=17307

Bacci,C.,Penso,G.,Salvini,G.,Wattenberg,A.,Mencuccini,C., Querzoli,R. and Silvestrini,V. Photoproduction and neutral decay modes of the η particle, 3=22187

Bacconnet,E.,Debiesse,J. and Klein,S. Production of an alternating E.M.F. in an ionized gas subjected to acoustic waves, 3=19181

Bachelet,F.,Balata,P. and Iucci,N. Spectral variation of primary cosmic rays during Forbush decreases, 3=7959

Bacher,A.D. See Tombrello,T.A., 3=12521

Bachmann,L. Shadow-casting using very high melting metals, 3=18417

Bacigalupi,R.J. Effect of magnetic field on iron whisker growth, 3=13422

Baciu,G. Betatron electron injector at the Institute of Atomic Physics of Bucharest, 3=7664

Baciu,G. Efficiency of betatron operation, 3=21915

Bäck,A. A new test bench for measuring optical transfer functions of aerial camera lenses, 3=14385

Back,R.A. and Walker,D.C. Photochemistry in the photo-ionization region. I. Apparatus and techniques, 3=3404

Back,R.A. See Walker,D.C., 3=13618

Backenstoss,G.,Hyams,B.D.,Knop,G.,Marin,P.C. and Stierlin,U. Scattering of 8-GeV μ mesons on electrons, 3=10139

Backenstoss,G.,Hyams,B.D.,Knop,G. and Stierlin,U. A total absorption scintillation detector for electrons, photons and other particles in the GeV region, 3=10097

Backenstoss,G, Hyams,B.D, Knop,G. and Stierlin,U. Properties of a total absorption scintillation detector for particles in the GeV region, 3=17101

Backofen,W.A. See Avery,D.H., 3=20736

Backofen,W.H. See Holt,D.L., 3=23337

Bäckström,G. The potential use of Compton scattered gamma rays for nuclear excitation experiments, 3=24857

Bäckström,G.,Lindskog,J. and Lindström,J.O. Double internal conversion, 3=6170

Bäckström,G. See Grabowski,Z., 3=2388

Backus,G.E. The propagation of short elastic surface waves on a slowly rotating earth, 3=195

Backus,J. Small-vibration theory of the clarinet, 3=9562

Backus,J. Acoustical investigations of the clarinet, 3=16713

Backus,M.M. See Gilbert,F., 3=1416

Bacon,G.E. Recent progress in neutron diffraction, 3=1289

Bacon,G.E. and Crangle,J. Chemical and magnetic order in platinum-rich Pt + Fe alloys, 3=8696

Bacon,G.E. and Wilson,S.A. The unit cell dimensions of Pt$_3$Fe alloys, 3=25745

Bacon,J. and Gillespie,R.J. Analysis of carbon-13 satellites in the n.m.r. spectra of oxalyl fluoride and oxalyl chloridefluoride, 3=15374

Bacon, J, Gillespie, R.J. and Quail, J.W. The nuclear magnetic resonance spectrum of sulphur tetrafluoride, 3=17613

Bacon,M.D. See Dean,P., 3=10582

Bacon,M.D. See Dean,P., 3=22638

Bacquet, G. and Santouil, A. A mirror electron microscope, 3=4199

Bacry,H. On the composition of relativistic momenta in compound models, 3=5342

Bacry,H. A covariant position operator. Application to a system of two particles, 3=18699

Bacry,H. Multipole moments in special relativity. Application to X-ray scattering by a particle having an arbitrary magnetic moment, 3=23749

Bączyński,A. Photoconductivity of polycrystalline systems of cadmium sulphide, 3=905

Bäczyński,A. and Czajkowski,M. On the photoconductivity of polycrystalline cadmium sulfide layers, 3=904

Badachhape,S.B. and Goswami,A. A new type of spinel from cuprous chloride, 3=1326

Badachhape,S.B. and Goswami,A. Structure of evaporated tin sulphide, 3=1327

Badalov,N.B.,Vasilenko,S.S.,Kaganskii,M.G.,Kaminskii,D.L. and Nikitin,M.K. Positron decay of Re^{182}, 3=22347

Badalyan,A.M. Nuclear recoil in the equivalent photon method, 3=666

Badalyan,A.M. Polarization calculation by the equivalent photon method, 3=2237

Badar,L. See Deall,L., 3=11652

Badareu,E. and Ciobotaru,D. The determination of the charge-exchange cross-section in Ne and Xe glow discharges, 3=19219

Badareu,E., Matei,L. and Serban,T. Dichroic colour centres in KCl:LiCl single crystals, 3=17794

Badareu,E. and Wächter,F. Electron emission through photon discharge, 3=7632

Badawy,O.E. See Antoufiev,Y.P., 3=19811

Badenko,I.I.,Berlovich,E.E. and Fleischer,V.G., Slow electrons in beta-decay of P^{32}, 3=10286

Bader,C.J. and Ellis,D.M. Instrument for observation of magnetization vector position in thin magnetic films, 3=6709

Bader,M. Preliminary Explorer 12 data on protons below 20 keV, 3=7954

Bader,M.G. See Wilkins,B.J.S., 3=1359

Bader,R.F.W. On the evaluation of certain two- and three-center molecular integrals occurring in electrostatic calculations, 3=6374

Bader,R.F.W. The forces operative in homonuclear diatomic molecules, 3=25079

Bader,R.F.W. and Jones,G.A. The electron density distributions in hydride molecules. I. The water molecule, 3=12843

Bader, R.F.W. and Jones, G.A. Electron-density distributions in hydride molecules. The ammonia molecule, 3=17587

Badhwar,G.D., Daniel,R.R. and Vijayalakshmi,B. The production of radio isotopes in collisions of cosmic ray nuclei with hydrogen in space and the effect of their decay on the composition of the radiation observed near the earth, 3=619

Badkas,D.J. See Govindaraju,G.R., 3=379

Badoz,J. See Briat,B., 3=19026

Badrinathan,C. See Lingappa,N., 3=639

Bady,I. and Collins,T. Dielectric constant and loss tangent of microwave ferrites at elevated temperatures, 3=22978

Bady,I. See Schlömann,E., 3=11096

Badzioch,S. See Godridge,A.M., 3=8980

Baé,P. and Guillien,R. Dielectric phenomena of seignette [Rochelle] salt, 3=23001

Baelde,A. See Polder,D., 3=13099

Baer,E. See McCormick,J.L., 3=12009

Baer,S. On a hole theory of fluids from molecular distributions, 3=16576

Baer,Y., Busch,G., Fröhlich,C. and Steigmeier,E. Thermal conductivity, electrical conductivity, Hall effect, thermopotential and specific heat of Ag_2Se, 3=2926

Bagaev,V.S., Proshko,G.P. and Shotov,A.P. Infrared absorption in highly-doped germanium, 3=15679

Bagaev,V.S. See Vul,B.M., 3=23122

Bagai,S.K.,Das Gupta,A. and Guruswamy,S. Standard procedure for particle size determination of subsieve size mine dust by the microscope, 3=14088

Bagaryatskii,Yu.A. Dimensions of spots on single-crystal X-ray photographs, and their relationship to block size, disorientation and to dispersion of lattice parameters, 3=20826

Bagaryatskii,Yu.A. and Lukanina,I.G. X-ray diffraction study of the initial stage of decomposition of a Fe-Ni-Al solid solution, 3=20909

Bagaryatskii,Yu.A. and Nosova,G.I. $\beta \rightarrow \omega$ transformation in titanium alloys during quenching: A singular kind of martensitic transformation, 3=8892

Bagaryatskii,Yu.A. and Travina,N.T. Orientations of new phases produced in nickel-beryllium and copper-beryllium ageing alloys, 3=16099

Bagaryatskii, Yu.A. and Tyapkin, Yu.D. Simple device for eliminating the influence of the $K\alpha_2$ component in x-ray back-reflection photographs of single crystals, 3=18291

Bagaryatskii,Yu.A. See Tyapkin,Yu.D., 3=13507

Bagchi,R.N. See Ghosh,U.S., 3=12285

Bagdasarov,Kh.S. See Khaimov-Mal'kov,V.Ya., 3=20785

Bagdasarov,Yu.E. and Kazachkovskiĭ,O.D. Calculation of the non-stationary temperature field in a reactor channel and the thermoelastic stress in the shell of the heat-producing element, 3=4681

Bagge,E. Non-relativistic quantum mechanics of spacially extended elementary particles, 3=7767

Bagge,E. A quantum mechanics of spatially extended elementary particles, 3=21232

Bagge,E. See Richter,G., 3=19859

Bagin,V.I. The possibility of developing an alternating field method for determining the ferromagnetic composition of rocks, 3=13847

Baglin,C. See Bellière,J., 3=24775

Baglin,C. See Bellini,G., 3=7899

Baglin,C. See Fretter,W.B., 3=2301

Bagrowski,J. and Lauriente,M. Electroless Ni-Co-P films with uniaxial anisotropy, 3=20602

Bahadur,K.,Sastry,P.V. and Malhotra,G.L. On the origin of stacking faults in polycrystalline thin evaporated films of some face-centered cubic metals, 3=2813

Bahcall,J.N. Electron capture and nuclear matrix elements of Be^7, 3=2404

Bahcall, J.N. The exclusion principle and photobeta reactions in nucleogenesis, 3=3529

Bahcall,J.N. Overlap and exchange effects in beta decay, 3=10283

Bahcall,J.N. Effect of exchange on L to K capture ratios, 3=15131

Bahcall,J.N. Effect of exchange on M/L electron capture ratios, 3=22324

Bahcall,J.N.,Fowler,W.A.,Iben,I.,Jr and Sears,R.L. Solar neutrino flux, 3=13879

Bahng,J. and Schwarzschild,M. Hydrodynamic oscillations in the solar chromosphere, 3=13887

Baicker,J.A. Recombination and trapping in normal and electron-irradiated silicon, 3=8510

Baicker, J.A. and Faughnan, B.W. Radiation-induced changes in silicon photovoltaic cells, 3=912

Baicker,J.A.,Flicker,H. and Vilms,J. Proton induced lattice displacements in silicon, 3=13023

Baier,V.M. and Sýnakh,V.S. The formation of bimuonium in electron-positron collisions, 3=2292

Baier,V.N. High-energy interactions between electrons and positrons, 3=24692

Bailey, G.C. and Williams, C.M. In-pile Hall coefficient and conductivity measurements on zone-refined, p-type silicon, 3=17867

Bailey,J.E. Electron microscope studies of dislocations in deformed zirconium, 3=10674

Bailey,J.E. The dislocation density, flow stress and stored energy in deformed polycrystalline copper, 3=11159

Bailey,J.E. Electron microscope observations on the precipitation of zirconium hydride in zirconium, 3=11294

Bailey,J.E. The effect of impurity on the dislocation arrangement in deformed polycrystalline zirconium, 3=17745

Bailey,J.E. Electron microscope studies of precipitation in the zirconium hydrogen system, 3=20905

Bailey,L.E. Fluorescent yield in the phosphor NE-102 for X-rays from 4 to 17 KeV, 3=25494

Bailey,P.T. See Pratt,G.W.,Jr., 3=25503

Bailey,R.T. See Long,D.A., 3=14170

Bailey,S.W. See Smith,J.V., 3=25715

Bailey,T.L. See Vance,D.W., 3=21893

Baily,N.A. and Hoalst,K.M. Dosimetry of space radiations, 3=24557

Bainbridge,A.E. Tritium in the North Pacific surface water, 3=24888

Bainbridge,N.W. See Nordon,P., 3=9017

Bair,E.J. See Hanes,M.H., 3=8308

Baird,D. See Buhrer,C.F., 3=5536

Baird,D.H. See Buhrer,C.F., 3=23050

Baird,D.H. See Palilla,F.C., 3=13217

Baird,D.L. and McKinney,C.M. Investigation of the line-and-cone underwater sound transducer, 3=206

Baird,J.C. Oxygen-17 hyperfine structure in electron paramagnetic resonance, 3=6353

Baird, J.D. See Covington, A.K., 3=3344

Baird,K.M. Interference comparators for line standards, 3=13988

Baird,K.M. and Howlett,L.E. The international length standard, 3=13987

Baird,K.M.,Smith,D.S. and Hart,K.H. Vacuum wavelengths of Kr^{86}, Hg^{198} and Cd^{114}, 3=12763
Baird,K.M.,Taylor,M.J. and Turner,R. Construction of a gaseous optical maser using Brewster angle windows, 3=19498
Baird,K.M. See Smith,D.S., 3=11924
Baisa,O.F. See Babenko,V.P., 3=24503
Bajon,J. See Hoffman,J.C., 3=12060
Bajorek, A. and Kraśnicki, S. Scattering of thermal neutrons on CH_3NH_2 molecules in the liquid state, 3=2652
Bak,B., Christensen,D., Dixon,W.B., Hansen-Nygaard,L. and Rastrup-Andersen,J. Benzene ring distortion by one substituent. Microwave determination of the complete structure of benzonitrile, 3=2640
Bak,T.A. and Lebowitz,J.L. Dissocation of diatomic molecules, 3=6422
Bak,T.A. and Lebowitz,J.L. Impulsive collision model for the dissociation of diatomic molecules, 3=20027
Bakai,A.F. See Volkov,D.V., 3=19574
Bakakin,G.N. and Lyubchenko,A. The substructure of a case-hardened layer, 3=1247
Bakanov,S.P. See Deryagin,B.V., 3=152
Bakanov,S.P. See Derjaguin,B.V., 3=5173
Bakanov,S.P. See Deryagin,B.V., 3=5453
Bakanov,S.P. See Deryagin,B.V., 3=7230
Bakanova,A.A. See Al'tshuler,L.V., 3=1756
Baker,B.O. and Cook,K.G. A high power gas discharge switch, 3=4082
Bakanova,A.A. See Al'tshuler,L.V., 3=6786
Baker,C. An electron microscope study of quenched graphite, 3=17741
Baker, C. and Kelly, A. Electron microscope studies of radiation damage in graphite, 3=17705
Baker,C.E., McGuire,J.M. and Muschlitz,E.E., Jr. Low-energy collision cross sections of H^- and OH^- ions in oxygen, 3=4012
Baker,D.D. Determination of far-field characteristics of large underwater sound transducers from near-field measurements, 3=1778
Baker,D.D. and McCormack,K. Computation of farfield characteristics of a transducer from nearfield measurements made in a reflective tank, 3=14257
Baker,D.J., Jr. and Tomboulian,D.H. Photoelectric K-absorption cross section of lithium, 3=704
Baker,E.B. and Burd,L.W. Frequency-swept and proton-stabilized n.m.r. spectrometer for all nuclei using a frequency synthesizer, 3=12332
Baker,E.B.,Burd,L.W. and Root,G.N. Two synthesizer nuclear spin decoupling;INDOR spectroscopy, 3=12333
Baker,G.A.,Jr. Relationship between velocity-dependent potentials and hard-core potentials, 3=2216
Baker,G.A., Jr. Further applications of the Padé approximant method to the Ising and Heisenberg models, 3=5005
Baker,G.A., Jr. Ising model with a long-range interaction in the presence of residual short-range interactions, 3=12899
Baker,G.A., Jr. Divergence and summability of the many-fermion perturbation series, 3=21262
Baker,G.S. Dislocation motion and asymmetric resonance peaks, 3=1220
Baker,G.S. See DeVries,K.L., 3=23333
Baker,G.S. See DeVries,K.L., 3=23334
Baker,G.S. See Vanfleet,H.B., 3=10692
Baker,H.D. Initial stages of dark and light adaptation, 3=5297
Baker,J.A. and Peters,C.W. Mode selection and enhancement with a ruby laser, 3=7316
Baker,J.G. Planetary telescopes, 3=9141
Baker, J.M., Lourens, J.A.J. and Stevenson, R.W.H. The Neel temperature of mixed crystals of zinc and iron group fluorides, 3=1055
Baker,K.D. See Ulwick,J.C., 3=5213
Baker,L.,Jr, Mouradian,E.M. and Bingle,J.D. Determination of the total emissivity of polished and oxidised uranium surfaces, 3=14413
Baker,L.R. A two-channel, recording auto-collimator, 3=16746
Baker,M. and Blankenbecler,R. Unitarity and high-energy inelastic scattering, 3=560
Baker,M. and Glashow,S.L. Formal similarities of weak, strong and electromagnetic interactions, 3=2195
Baker,M. and Glashow,S.L. Spontaneous breakdown of elementary particle symmetries, 3=5925
Baker,R.C. and Strome,W.M. Magnetic disturbance from a high-altitude nuclear explosion, 3=23648
Baker,R.G. See Boniszewski,T., 3=25282
Baker,R.G. See Younger,R.N., 3=18358
Baker,R.G. See Younger,R.N., 3=18385
Baker,W.A.D. See Thornton,E., 3=168
Baker,W.F. A computer program to optimize magnets in a beam transport system, 3=16986
Baker,W.F.,Cool,R.L.,Jenkins,E.W.,Kycia,T.F.,Phillips,R.H. and Read,A.L. K^+-p and K^--p total cross-sections in the momentum rage 3-19 BeV/c, 3=10169
Baker,W.F.,Jenkins,E.W.,Read,A.L.,Cocconi,G.,Cocconi,V.T. and Orear,J. Elastic p—p cross sections at high-momentum transfers, 3=7854
Baker,W.P. Influence of the ambient medium on the electric strength of insulation in the presence of high energy discharges, 3=17946
Baker,W.P. and Rollinson,W. The estimated lives of some common insulating materials under conditions of discharge, 3=16899
Baker,W.R. See Halbach,K., 3=4157
Baker,W.R. See Kunkel,W.B., 3=16934
Baker,W.R. See Wilcox,J.M., 3=1967
Bakewell,H.P., Jr. Longitudinal space—time correlation function in turbulent airflow, 3=18839
Bakh,N.A. See Naryadchikov,D.I., 3=4280
Bakhmat,A.,Belogurov,V.,Gromov,K.,Zhelev,Zh. and Pelekis,L. Investigation of the gamma-ray spectrum of Eu^{148}, 3=10265
Bakhrakh,L.E.,Denisov,Yu.I. and Kir'yashkin,S.I. Some characteristics of ion focusing of electron beams, 3=21875
Bakhrakh,L.E. and Medoks,V.G. Effect of thermal velocity upon blurring of electron beams, 3=19335
Bakhru,H. See Ganguly,A.K., 3=9869
Bakhshiev,N.G. Universal intermolecular interactions and their effect on the position of electron spectra of molecules in two-component solutions. V. Dependence of spectra on the electrical properties, dimensions and structure of the examined molecules, 3=2605
Bakhshiev,N.G. Universal intermolecular interactions and their effect on the position of electron spectra of molecules in two-component solutions. VI. Dipole moments and structure of molecules of some phthalimide derivatives in the ground and first excited electron states, 3=4739
Bakshiev,N.G. Universal effect of the internal field and the position of the electron spectra of molecules in solutions, 3=21373
Bakhishev,N.G. Spectroscopic method for determining dipole moments of polyatomic molecules in the ground and excited states, 3=22529
Bakhshiev,N.G., Girin,O.P. and Libov,V.S. Relation between the observed and the true absorption spectra in a condensed medium, 3=18986
Bakhshiev,N.G., Girin,O.P. and Libov,V.S. Relation between the observed and true absorption spectra of molecules in a condensed medium. I. Universal influence of the effective (internal) field, 3=19958
Bakhshiev,N.G.,Girin,O.P. and Libov,V.S. Relation between the observed and true absorption spectra of molecules in a condensed medium. II. Methods of determining the correction for the universal effect of an effective (internal) field, 3=25077
Bakhshiev,N.G. See Girin,O.P., 3=22521
Bakhshiev,N.G. See Neporent,B.S., 3=1703
Bakken,J.A. and Falnes,J. Experimental work with a plasma gun, 3=19238
Bakken,J.F.,Hess,R. and Sunier,J.W. $\gamma-\gamma$ polarization angular correlations and disintegration scheme for Nd-144, 3=12633
Bakov,A.T.,Belov,S.P.,Kazanskii,Yu.A. and Popov,V.I. Comparison of gamma-ray spectra from capture of thermal and fast neutrons, 3=22409
Bakradze,R.V. and Rom-Krichevskaya,I.A. Etch figures on cadmium selenide crystals, 3=3262
Bakshi,P.M. and Mahanthappa,K.T. Expectation value formalism in quantum field theory. I, 3=7782
Bakshi,P.M. and Mahanthappa,K.T. Expectation value formalism in quantum field theory. II, 3=7783
Baksht,F.G. Compensation of electron space charge in vacuum thermoelements, 3=9867
Bakule,R. Measurement of dielectrical permittivity of glow discharge, 3=19216

Bakushinskii,A.B. See Lyubimov,V.N., 3=22997
Bakuto,I.A. See Nekrashevich,I.G., 3=7473
Balabanova,V.N. and Zhigalovskaya,T.N. Use of silver iodine in the crystallization of supercooled water, 3=11398
Balachandran,A.P. and Pietschmann,H. On the isovector form factors of the nucleon, 3=17259
Balachandran,A.P. and Pietschmann,H. The present status of the new resonances, 3=24670
Balachandran,C.G. and Bhandari,P.S. Sound absorption properties of porous materials, 3=23983
Baladin, M.P, Borisov, N.G, Wang Young-Chang, Kukhareva, R.P, Moiseenko, V.A, Snyatkov, V.I, Soloviev,M.I. and Chuvilo,I.V. A 2-metre propane bubble chamber, 3=17126
Balai,N. and Bloch,R.J.K. Magnetic properties of irradiated Sa-212B pressure-vessel steel, 3=11037
Balakin,V.B. Method of numerical calculation of the discontinuous gasdynamic equation, 3=23918
Balakina,L.M. and Vvedenskaya,A.V. Variation of the elastic parameters and the density of matter at the boundary of the earth's core, 3=13645
Balakrishnan,M. See Lingappa,N., 3=639
Balalaev, V.A, Dzhelepov, B.S, Medvedev, A.I, Meshter, A. and Uchevatkin, I.F. Refinement of the information on the 0^+-0^+ transition in Ce^{140}, 3=17415
Balamuth,L. Ultrasonics and dentistry, 3=16714
Balarama Rao,P. and Ramachandra Rao,B. Seasonal and diurnal variation of the drift and anisotropy parameters of the irregularities in the E- and F-regions of the ionosphere, 3=13751
Balarin,M.,Molchanov,V.A. and Tel'kovskii,V.G. Anisotropy of the coefficient of cathode disintegration and the focused collisions in monocrystals, 3=7658
Balarin,M. and Zetzsche,A. Determination of the activation energy of the mobility of lattice defects through warming linearly with time, 3=6509
Balarin,M. See Hauser,O., 3=4894
Balashko,Yu.G. and Kurepin,A.B. Phase shift analysis of elastic scattering of proton on tritium near the threshold of the $T(p,n)He^3$ reaction, 3=22130
Balashov,D.B. See Semerchan,A.A., 3=3443
Balashov,V.V. Relation between the collective and shell descriptions of dipole excitations of atomic nuclei, 3=6137
Balashov,V.V. Collective dipole excitations of atomic nuclei, 3=7979
Balashov, V.V. The mechanism of inelastic scattering of γ-quanta on nuclei, 3=17449
Balashov,V.V.,Belyaev,V.B. and Zakhar'ev,B.N. Dipole excitations of nuclei according to the superfluid model, 3=6157
Balashov,V.V. and Boyarkina,A.N. Quasi-elastic scattering of fast protons and the hole excitation spectrum in the N^{14} nucleus, 3=8086
Balashov,V.V. and Chernov,V.M. Effect of phonon excitations of nuclei on the characteristics of the giant photoabsorption resonance, 3=8078
Balashov,V.V.,Neudachin,V.G. and Smirnov,Yu.F. Structure of light nuclei, 3=7963
Balashov,V.V.,Shevchenko,V.G. and Yudin,N.P. Giant resonance in Pb^{208} photodisintegration, 3=4619
Balashov,V.V. and Tulinov,A.V. Giant resonance of spin-wave excitation in atomic nuclei, 3=2378
Balasz,N.L. and Bertotti,B. Inertial rotation in a weak gravitational field, 3=9331
Balata,P. See Bachelet,F., 3=7959
Balats,M.Ya. See Alikhanov,A.I., 3=6024
Balats,M.Ya. See Babaev,A.I., 3=6025
Balats,M.Ya. See Babaev,A.I., 3=17298
Balázs,L., Hárzy,M. and Szabó,J. Remark on the decay of the light intensity from electroluminescent cells, 3=4993
Balázs,L.A.P. Low-energy pion–pion scattering, 3=2313
Balázs,L.A.P. $I=\frac{1}{2}$, $J=\frac{1}{2}$ state in πN scattering with the nucleon as a bound state, 3=2314
Balázs,L.A.P. Low-energy pion–pion scattering. II. 3=10157
Balázs,L.A.P. Pion resonances, Regge poles, and the Chew–Frautschi saturation principle, 3=15014
Balchan,A.S. A radiographic study of shock-loaded iron, 3=9549
Balchin,N.C. The friction of clean metals immersed in liquid sodium, 3=1249
Balcombe,R.J. The magneto-resistance of aluminium, 3=25332
Baldeschwieler,J.D. See Anderson,J.M., 3=12864
Baldeschwieler,J.D. See Anderson,J.M., 3=13312
Baldeschwieler,J.D. See Flynn,G.W., 3=6420
Baldeschwieler,J.D. See Flynn,G.W., 3=8298
Baldeschwieler,J.D. See Flynn,G.W., 3=15385
Baldeschwieler,J.D. See Nageswara Rao,B.D., 3=2662
Baldeschwieler, J.D. See Nageswara Rao, B.D., 3=2663
Baldin,A.M. and Komar,A.A. Symmetry of strongly interacting systems with hypercharge Y=O, 3=556
Baldin, A.M. and Komar,A.A. Hypercharge and degeneracy with respect to isotopic spin, 3=4431
Baldin,A.M. and Lebedev,A.I. A peculiarity of the photoproduction of π^0 mesons at threshold, 3=2298
Baldin,A.M. and Lebedev,A.I. Study of the pion photoproduction process on the basis of dispersion relations, 3=7890
Baldin,A.M. and Nguen-Van-Kh'eu. One possibility of determining the magnetic moments of unstable vector particles, 3=5973
Baldinger, E. Tunnel-diodes in fast circuits, 3=17917
Baldinger,E.,Czaja,W. and Gutmann,H. An accurate determination of the energy per electron–hole pair in Si counter, 3=10859
Baldinger, E. and Spycher, U. Determination of the parameters of tunnel diodes, 3=25384
Baldinger,E. See Bilger,H., 3=25307
Baldini,G. Ultraviolet absorption of solid argon, krypton, and xenon, 3=2998
Baldoni,B.,Focardi,S.,Hromadnik,H.,Monari,L.,Saporetti,F., Femino,S.,Mezzanares,F.,Bertolini,E. and Gialanella,G. Proton–proton interaction at 560 MeV. 3=5998
Baldwin,B.S. See Heaslet,M.A., 3=18894
Baldwin,D.E. Close collisions in a plasma, 3=5650
Baldwin, J.A.,Jr Electron paramagnetic resonance investigation of the vacancy in diamond, 3=17710
Baldwin,J.E. See Turtle,A.J., 3=7050
Baldwin,J.P. Hysteresis in superconducting phase transitions in tin films, 3=9687
Baldwin,M.E. See Wigen,P.E., 3=15839
Baldwin,R.L. See LaBar,F.E., 3=6933
Balea,O., Batagui,M., Mihul,A. and Potoceanu,C. A device for the determination of track ionization in bubble chambers, 3=17134
Balescu,R. Some comments on the statistical mechanics of irreversible processes in gases, 3=3827
Balescu,R. Kinetic equation for an unstable plasma, 3=21833
Balezin,S.A. See Yandushkin,K.N., 3=16175
Balfe,J.D. Moon camera values of $\Delta T = ET - UT$, 3=21093
Balfour,D. See Allen,N.L., 3=7596
Balfour,D. See Allen,N.L., 3=21813
Balian,R. and Mehta,M.L. The singularities of the T-matrix after a canonical transformation, 3=10053
Balian,R. and Werthamer,N.R. Superconductivity with pairs in a relative p wave, 3=21655
Balin,W.L. Phase transformation at high temperatures in hafnia and zirconia, 3=25654
Balkanski,M. and Nazarewicz,W. Single phonon absorption bands in fast neutron irradiated silicon, 3=23044
Ball,I.D.L. Temperature measurement techniques described, 3=1858
Ball,J.B., Fulmer,C.B. and Goodman,C.D. (p,d), (p,t), and (p,α) reactions to the same final states in Fe^{56} and in Zr^{90}, 3=15196
Ball,J.S.,Frazer,W.R. and Nauenberg,M. Scattering and production amplitudes with unstable particles, 3=562
Ball,J.S. and Wong,D.Y. Effects of the ρ meson on nucleon form factors, 3=14970
Ball,M., Leask,M.J.M., Wolf,W.P. and Wyatt,A.F.G. Thermal properties of dysprosium aluminium garnet near the Néel temperature, 3=15436
Ball,M. See Wolf,W.P., 3=1052
Ball,R.M. Reactivity and kinetic relations for reactors, 3=17507
Ball,W.P. See MacGregor,M.H., 3=12683
Balla,D. See Brandt,N.B., 3=24158
Ballam,J. See Chu,E.L., 3=19377
Ballard,S.S. and Marquis,D.C. Optical and infrared systems on the Atlantic missile range, 3=18666
Ballario,M.C. On the inclination of H_α solar flares, 3=13893
Ballato,A.D. and Andresen,H.G. Frequency control, 3=7172
Ballentine,L.E. and Betts,D.D. Monolayer adsorption with attractive lateral interaction on a square lattice, 3=3367

Ballentyne,D.W.G. and Ray,B. Electroluminescence in ZnS (Cu) phosphors prepared by the iodine transport method, 3=11010
Ballestracci,R.,Bertaut,E.F. and Pauthenet,R. Magnetic properties and structure of uranium oxysulphide (UOS), 3=13283
Ballhausen,C.J. The intensity and rotatory strength of the spin-forbidden Co(III) absorption band, 3=22557
Ballif, J.R. and Venkateswaran, S.V. An explanation for the observed correlation between the hydroxyl and sodium emissions of the night sky, 3=3511
Ballif,J.R. and Venkateswaran,S.V. On the temporal variations of the OH nightglow, 3=9101
Ballik,E.A. Optical maser frequency stabilisation and precise wavelength measurements, 3=22022
Ballik,E.A. and Ramsay,D.A. The A' $^3\Sigma_g^-$—X' $^3\Pi_u$ band system of the C_2 molecule, 3=8250
Ballik,E.A. and Ramsay,D.A. An extension of the Phillips system of C_2 and a survey of C_2 states, 3=8251
Ballinger,E.R., Harris,P.S., Carr,L., Hiebert,R. and Larkins,J. Body Na^{24} activity as a measure of neutron dose, 3=21151
Ballini,R.,Pomelas,E. and Saunier,N. "Two-dimensional" registering of coincidences between junction and photomultiplier, 3=19157
Ballman,A.A. See Lineares,R.C., 3=1264
Ballou,N.E. See Freiling,E.C., 3=6190
Balluffi,R.W. and Ruoff,A.L. Enhanced diffusion during plastic deformation, 3=8447
Balluffi,R.W. and Ruoff,A.L. On strain-enhanced diffusion in metals. I. Point defect models, 3=15505
Balluffi,R.W. See Killpatrick,D.H., 3=12999
Balluffi,R.W. See Minch,R.B., 3=13356
Balluffi,R.W. See Parsons,J.R., 3=6553
Balluffi,R.W. See Ruoff,A.L., 3=22802
Balluffi,R.W. See Simmons,R.O., 3=8420
Balluffi,R.W. See Simmons,R.O., 3=8428
Balmer,J.R. See Bruce,J.H., 3=16898
Balser,K. See Fengel,D., 3=25799
Balser,M. and Smith,W.B. Some statistical properties of pulsed oblique h.f. ionospheric transmissions, 3=5860
Balser,M. and Wagner,C.A. On frequency variations of the earth—ionosphere cavity modes, 3=12326
Baltay, C., Sandweiss, J., Sanford, J., Brown, H., Webster, M. and Yamamoto, S. The separated beam at the A.G.S.—performance with antiprotons and π^--mesons, 3=16999
Baltay,C.,Sandweiss,J.,Taft,H.D.,Culwick,B.B.,Fowler,W.B., Kopp,J.K.,Louttit,R.I.,Sanford,J.R.,Shutt,R.D.,Stonehill,D.L., Stump,R.,Thorndike,A.M. and Webster,M.S. Observation of the production of a Ξ^0 particle, 3=24805
Baltay,C.,Sandweiss,J.,Taft,H.,Culwick,B.,Fowler,W.B.,Kopp,J.K., Louttit,R.I.,Sanford,J.R.,Shutt,R.D.,Thorndike,A.M. and Webster,M.S. Production of hyperon resonances in $\Lambda^0 + \bar{\Lambda}^0 + \pi^+ + \pi^-$ final states, 3=22209
Baltensperger,W. and Strässler,S. Superconductivity in antiferromagnets, 3=9681
Balthesen,E. See Dietze,H.D., 3=1042
Baltz,A. Influence of vacuum conditions on epitaxially grown Permalloy films, 3=16047
Baltzer,P.K. Contribution to magnetic anistropy from cations which locally distort the crystal lattice, 3=1012
Baltzinger,C. See Alexander,J.M., 3=8148
Baltzinger,C. See Pérey,M., 3=3354
Balyaev,B.N.,Mal'tseva,N.S.,Mekhedov,V.N.,Ming Nam Buk [Min Nam Buk] and Szymchak,R.A. Production of At^{209} and At^{207} by high-energy proton bombardment of Bi and Pb, 3=15203
Balyakin,I.I. See Akopyan,M.E., 3=1818
Balȳgin,I.E. Transformations of amorphous quartz to crystalline quartz during the thermal diffusion of silver, 3=13396
Balȳgin,I.E. Changes in the structure of amorphous quartz on heating in hydrogen, 3=20917
Balzarotti,A.,Chiarotti,G. and Frova,A. Study of the fast-states structure at the surface of n-type germanium, 3=6584
Bamberg,E.A. and Dresvin,S.V. Temperature of torch discharge stabilized by an air current, 3=21727
Bamberg,E.A. and Dresvin,S.V. Determination of certain parameters of a high-frequency ring discharge, 3=21728
Bamberger,J.A. See Androulakis,J.G., 3=17125
Bame,S.J.,Conner,J.P.,Brumley,F.B.,Hosteler,R.L. and Green,A.C. Neutron flux and energy spectrum above the atmosphere, 3=15066
Bame,S.J.,Conner,J.P.,Hill,H.H. and Holly,F.E. Protons in the outer zone of the radiation belt, 3=11457
Bán,M.I.,Fényi,Sz. and Gilde,F.J. Calculation of overlap integrals in transitions metal cyano complexes, 3=10529
Ban,N.T.,Randall,C.M. and Montgomery,D.J. Effect of isotopic mass on viscosity of molten lithium, 3=125
Ban Yui-chan. See Wang Yung-ch'ang.
Banbury,P.C.,Davies,E.A. and Green,G.W. Studies of cleaved germanium surfaces, 3=10782
Banbury, P.C. See Lindley, D.H., 3=22925
Bancie-Grillot,M. See Grillot,E., 3=10986
Band,I.M., Sliv,L.A. and Kharitonov,Yu.I. Correlation of motion of four nucleons in the Po^{212} nucleus, 3=640
Band,W. See Anderson,G.D., 3=98
Bandeen,W.R. See Hanel,R.A., 3=16435
Bander,M. Photoproduction of intermediate vector bosons, 3=10074
Bander,M. Final state interaction corrections to inelastic nucleon—nucleon scattering, 3=12451
Bando,H.,Murota,T. and Nagata,S. Effective Hamiltonian and energy gap in infinite nuclei, 3=10213
Bando,M. See Nakazawa,K., 3=19550
Bando,Y. See Kachi,S., 3=8897
Bandyopadhay,P. See Ochs,G.R., 3=16226
Banerjee,A.K. See Sivaraman,K.R., 3=18514
Banerjee,B.C. See Walker,P.L., 3=16031
Banerjee,B.R.,Hauser,J.J. and Capenos,J.M. Etch-shadow extraction replica in fracture studies, 3=16007
Banerjee,H. Remarks on the analytic continuation of the partial-wave amplitude, 3=24639
Banerjee,K.N. On the effect of mutual reaction of the galvanometer and seismometer in the response characteristics of electromagnetic seismographs, 3=5183
Banerjee,M.K. and Levinson,C.A. New methods in nuclear structure calculations, 3=12552
Banerjee,M.K.,Levinson,C.A. and Meshkov,S. Calculations of energy spectra of nuclei in the 2s, 1d shell, 3=12553
Banerji,A.C. and Srivastava,K.M. Radial oscillations of variable magnetic star and the origin of the planetary, system, 3=18596
Bankoff,S.G. Bubble dynamics at the surface of an exponentially heated plate, 3=12004
Bankoff,S.G. and Rosler,R.S. Constant-temperature hot-film anemometer as a tool in liquid turbulence measurements, 3=3790
Banks,E.,Robbins,M. and Tauber,A. Fluoride ion compensated subsitutions of bivalent cations in $BaFe_{12}O_{19}$ and other hexagonal oxides, 3=1013
Banks,E. See Black,J., 3=874
Banks,E. See Robbins,M., 3=15877
Banks,E. See Robbins,M., 3=18222
Banks,P.M. and Busch,H.F. A step-frequency pulse experiment with high-frequency antipodal and circulating signals, 3=19464
Bannik,B.P.,Gal'per,A.M.,Grishin,V.G.,Kotenko,L.P., Kuzin,L.A.,Kuznetsov,E.P.,Merzon,G.I.,Podgoretskii,M.I. and Sil'vestrov,L.V. Elastic scattering of 2·8 and 6·8 BeV/c π^--mesons on carbon, 3=2481
Bannik,B.P.,Grishin,V.G. and Sil'vestrov,L.V. Elastic scattering of 8·7 BeV protons on the nuclei of photographic emulsions, 3=4633
Bannister,W.J. and Kay,R.H. A circuit to operate a thermoelectric "cold" stimulator, 3=9699
Banos,G. See Xanthakis,J., 3=13885
Bansal,T.D. Equipment for the determination of thermal conductivity of insulating materials, 3=11977
Bansigir,K.G. See Hyder,S.B., 3=17779
Banus, M.D. and Gatos,H.C. Distribution of sulfur in InSb single crystals, 3=2790
Banus,M.D., Hanneman,R.E., Mariano,A.N., Warekois,E.P., Gatos,H.C. and Kafalas,J.A. High-pressure tetragonal phase of InSb, 3=20771
Banus,M.D. See Kafalas,J.A., 3=3253
Banwell,C.N. and Primas,H. On the analysis of high resolution nuclear magnetic resonance spectra. I. Methods of calculating n.m.r. spectra, 3=15381
Bânyai,L. and Brîndus,L. The single-electron density matrix and the exclusion principle, 3=23794
Bao-Khan'-Lin' [Pao-Han-lin] and Lun'kin,Yu.P. Vibrational relaxation behind a shock wave, 3=23969
Bapat,N.J. See Bhide,V.G., 3=10878

Bappu,M.K.V.,Bhatnagar,A. and Punetha,L.M. The influence of superflares on the Hα striation pattern, 3=16378

Baptista,A.M. and Gomes Da Silva,J. Oxidation efficiency for P^{32} beta-radiation of a Fricke dosimeter, 3=7830

Bara,J., Hrynkiewicz,A.Z., Kulgawczuk,D.S. and Lizurej,H. Apparatus for the investigation of the Mössbauer spectra at room temperature, 3=575

Barabanenkov,Yu.N. Change in the momenta of charges colliding in a magnetic field, 3=4253

Barabashov,N.P. The structure of the lunar surface and a study of the first photographs of the reverse side of the moon, 3=9175

Baradzei,L.T., Rubtsov,V.I., Smorodin,Y.A., Solovyov,M.V. and Tolkachev,B.V. Production of the electron–photon component in the interaction of particles of energies 10^{12} to 10^{14} eV with light nuclei in atmosphere, 3=4538

Baradzei,L.T.,Rubtsov,V.N.,Smorodin,Yu.A.,Solov'ev,M.V. and Tolkachev,B.V. Electron–photon component from the interaction of 10^{12}-10^{14} eV particles with light nuclei in the atmosphere, 3=19725

Baraff,G.A. Distribution functions and ionization rates for hot electrons in semiconductors, 3=6573

Baraff,G.A. and Buchsbaum,S.J. Anisotropic electron distribution and the d.c. and microwave avalanche breakdown in hydrogen, 3=12072

Barakat,N.,Mohamed,A.A.A.,El Bialy,A. and Azim,K.A. Interferrometric evaluation of thickness of Canada balsam and collodion films and its relation to concentration of solutions, 3=9395

Barakat,N. and Mokhtar,S. On the factors contributing to the formation of multiple-beam Fizeau fringes, 3=9607

Barakat,N. and Mokhtar,S. Experimental determination of phase change at reflection from glass–metallic layer interface using a Koster interference comparator, 3=24044

Barakat,R. Theory of the coherency matrix for light of arbitrary spectral bandwidth, 3=5507

Barakat,R. Stochastic generalization of the Green–Wolf complex scalar potential of electromagnetic theory, 3=5816

Barakat,R. and Lev,D. Transfer functions and total illuminance of high numerical aperture systems obeying the sine condition, 3=5512

Barakat,R. and Levin,E. Application of apodization to increase two-point resolution by the Sparrow criterion. II. Incoherent illumination, 3=5511

Barakos,P.A. Experimental determination of compressional velocity for the bottom layer by the dispersion method, 3=6950

Baram,A.A. and Kokushkin,O.A. Operating characteristics of an acoustic siren, 3=21496

Baramidze,G.A., Gurgenishvili,G.E. and Khutsishvili,G.R. The quantum theory of cyclotron resonance in a degenerate band, 3=20150

Baran,J.,Semkowicz,A. and Zakrzewski,J. New accelerating voltage stabilizer for a U-120 type cyclotron, 3=14694

Baranger, E. See Arvieu, R., 3=17380

Baranger,M. Reformulation of the theory of pairing correlations, 3=11727

Baranger, M. See Arvieu, R., 3=17380

Baranger,M. See Davies,K.T.R., 3=557

Baranik,A.T. See Abuzeid,M.A., 3=19847

Baranne,A. See Dufay,J., 3=5246

Baranov,A.I.,Blinov,V.A.,Lepenv,G.P. and Selitskii,Yu.A. Vacuum evaporation of materials onto thin organic films. 3=25773

Baranov,É.V.,Kholmogorov,V.E. and Terenin,A.N. Photo-induced electronic paramagnetic resonance signals in zinc oxide, 3=6751

Baranov,P.S.,Slovokhotov,L.I.,Sokol,G.A. and Shtarkov,L.N. Elastic scattering of 247 MeV γ-quanta on hydrogen, 3=4371

Baranov,S.A.,Kulakov,V.M. and Belenky,S.N. Fine structure of α-radiation on Pu^{239}, 3=10319

Baranov,S.A.,Kulakov,V.M. and Belen'kii,S.N. Fine structure of Pu^{239} alpha-radiation, 3=15160

Baranov, S.A., Kulakov, V.M., Samoilov, P.S., Zelenkov, A.G. and Rodionov, Yu. F. Investigation of radioactive decay of Np^{237}, 3=4605

Baranov,S.A., Kulakov,V.M., Samoilov,P.S., Zelenkov,A.G., Rodionov,Yu.F. and Pirozhkov,S.V. Fine structure of the Pa^{231} α-radiation and the energy level scheme of the Ac^{227} nucleus, 3=2420

Baranov,S.A.,Kulakov,V.M.,Zelenkov,A.G. and Shatinskii,V.M. Investigation of α-decay of Am^{241}, 3=2421

Baranov,S.A.,Kulakov,V.M.,Zelenkov,A.G. and Shatinsky,V.M. α-decay of Am^{241}, 3=15162

Baranov, S.A., Samoilov, P.S., Rodionov, Yu. F., Belen'kii, S.N. and Pirozhkov, S.V. Energy levels of the U^{232} nucleus, 3=4581

Baranov,V.B. On the derivation of the equations of anisotropic magnetohydrodynamics, 3=21955

Baranova,V.I. See Krishtal,M.A., 3=5060

Baranovskii,V.I. and Murin,A.N. Calculation of the yield cross-sections for spallation reactions, 3=8058

Baranskii, K.N., Shustin, O.A., Velichkina, T.S. and Yakovlev, I.A. Frequency dependence of sound absorption in Rochelle salt near its upper Curie point, 3=2726

Barantsev,R.G. A method of separating variables in the problem of scattering on a body of arbitrary shape, 3=5366

Barantsev,R.G. The asymptotic law of smoothing out of the discontinuity in a monatomic gas, 3=5488

Barantseva,I.G. See Neshpor,V.S., 3=25213

Barash,L.F. See Okaya,A., 3=487

Barashenkov,B.V.S., Maltsev,V.M. and Huang Tzu-chang, Cross-sections for strange particle production. II, 3=19700

Barashenkov,V.S. Interaction of π-mesons in the Fermi statistical theory, 3=4438

Barashenkov,V.S.,Blokhintsev,D.I.,Van Zhun [Wang Jung], Mikhul,E.K.,Khuan tszu-chzhan' [Huang Tsu-chan] and Khu Shi-Ké [Hu Shih-ko']. Inelastic high-energy pion–nucleon interactions, 3=6040

Barashenkov,V.S., Kaiser,H.J. and Ogreba,A.A. Elastic scattering of γ-quanta by a particle with spin $\frac{1}{2}$, 3=571

Barashenkov,V.S. and Mal'tsev,V.M. Particle production at very high energies, 3=4366

Barashenkov,V.S. and Maltsev,V.M. Effective cross section for reaction $(p,p\pi^{+})$, 3=4635

Barath,F.T.,Barrett,A.H.,Copeland,J.,Jones,D.E. and Lilley,A.E. Mariner II: preliminary reports on measurements of Venus: microwave radiometers, 3=18618

Baratoff,A. See Ambegaokar,V., 3=19103

Baravian,G. See Godart,J., 3=4024

Bar-Avraham,E. and Lindeman,H. Variations on the muon flux caused by Forbush events, 3=12531

Barbanis,B. An application of the third integral in the velocity space, 3=1504

Barbanis,B.S. See Goudas,C.L., 3=18647

Barbariol,I. See Cocco,A., 3=8550

Barbashov,B.M. Dynamic resonances in solutions of the low equation for some field theory models, 3=7760

Barbashov,B.M. and Efimov,G.V. A note on nonrenormalized theories, 3=2184

Barbashov,B.M. and Efimov,G.V. Properties of a solution of the low equation for a local field theory model, 3=5964

Barbashov,B.M. See Arbuzov,B.A., 3=14891

Barber,A.C. and Morton,P.H. Superconducting Nb_3Sn strip, 3=21664

Barber,D.J. Etching of dislocations in sodium chloride crystals, 3=1258

Barber,D.J. A new etchant for revealing defect structures in aluminium, 3=4876

Barber,D.R. Apparent solar control of the effective capacity of a 110 V 170 AH lead-acid storage battery in an 11-year cycle, 3=1927

Barber,D.R. Optical evidence of the lunar atmospheric tide, 3=6988

Barber,M.,Cuthbert,J.,Farren,J. and Linnett,J.W. A mass spectrometer for studying chemical reactions, 3=21902

Barber,M.,Farren,J. and Linnett,J.W. Mass spectrometric sampling through a small hole in the adiabatic flow region, 3=21441

Barber,N.F. See Munk,W.H., 3=16203

Barber,P.B.,Swift,D.A. and Tozer,B.A. Time resolved Schlieren and interferometer studies of a low pressure discharge, 3=9739

Barber,R.C., Bishop,R.L., Cambey,L.A., McLatchie,W. and Duckworth,H.E. Some atomic masses and neutron separation energies for isotopes of tin and antimony, 3=714

Barber,R.C.,Bishop,R.L.,McLatchie,W.,Van Rookhuyzen,P. and Duckworth,H.E. Neutron separation energies for zirconium and the Zr^{96}–Nb^{96} and Nb^{94}–Zr^{94} decay energies, 3=12627

Barber,R.C.,McLatchie,W.,Bishop,R.L.,Van Rookhuyzen,P. and Duckworth,H.E. Neutron separation energies for tellurium and the I^{130}—Te^{130} and Te^{123}—Sb^{123} decay energies, 3=22336
Barber,W.C.,Goldemberg,J.,Peterson,G.A. amd Torizuka,Y. Study of nuclear magnetic transitions by inelastic electron scattering, 3=10332
Barber,W.C. See Goldemberg,J., 3=15181
Barber,W.C. See Lewis,F.H.,Jr., 3=19769
Barbey,P. and Geneux,E. Hyperfine structure of the $8^2P_{3/2}$ state of caesium 133, 3=12757
Barbiellini,G.,Bologna,G.,Diambrini,G. and Murtas,G.P. Measurement of the polarization of the Frascati 1-GeV electron synchrotron γ-ray beam from a diamond crystal radiator, 3=5980
Barbiellini,G, Bologna,G, Diambrini, G. and Murtas,G.P. Crystal method for measuring the linear polarization of photons in the multi-GeV region, 3=17234
Barbier,D. Study of the F region from the red band of the night sky, 3=13774
Barbier,D.,Fafiotte,M.and Weill,G. Aerial mission for the study of the aurora and the night sky in regions of high latitude, 3=5223
Barbier,D. See Roach,F.E., 3=11454
Barbier,M., Dowell,J.D., Kalmus,P.I.P., Leontic,B., Lundby,A., Meunier,R., Petrucci,G., Solinas,L., Stroot,J.P. and Szeptycka,M. Design and performance of a small-angle, high-intensity secondary particle beam from the cern proton synchrotron, 3=17002
Barbier,M.,Lapostolle,P.,Morpurgo,M. and Vogt-Nilsen,N. On the design of an isochronous cyclotron meson factory, 3=5778
Barbour,I.M. The electroproduction of a pion from a nucleon, 3=10145
Barbour,I.M.,Bietti,A. and Touschek,B.F. A remark on the neutrino theory of light, 3=16724
Barchewitz,P. See Arcas,P., 3=24023
Barchewitz,P. See Haeusler,C., 3=19983
Barchewitz,P. See Joffrin-Graffouillere,C., 3=11916
Barchewitz,P. See Legay,F., 3=25108
Barclay,L.W. Variations in the relation between sunspot number and I_{F2}, 3=3503
Barclay,L.W. Slide rule for the calculation of ionospheric absorption loss and of maximum usable frequencies in the lower ionosphere, 3=24483
Barclay,L.W. See Piggott,W.R., 3=13720
Barcus,J.R. and Brown,R.R. Electron precipitation accompanying ionospheric current systems in the auroral zone, 3=1473
Barcus,J.R. See Anger,C.D., 3=13813
Barcus,J.R. See Anger,C.D., 3=23631
Barcy,H. Thomas's classical theory of spin, 3=5329
Bardakci,K. N/D method for complex partial waves, 3=10057
Bardeau,H. and Picca,R. Study of an electron source with an oxide core heated by high-frequency induction, 3=9832
Bardeen,J. Tunneling into superconductors, 3=1894
Bardeen,J. Closing speech, 3=2861
Bardeen,J. Critical fields and currents in superconductors, 3=5584
Bardeen,J. Developments of concepts in superconductivity, 3=12025
Bardin,B.M. See Lind,D.A., 3=5749
Bardócz,A. A new high precision system for time resolved spectroscopy, 3=1813
Bardócz,A., Vörös,T. and Vanyek,U.M. The time variation of spectral line broadening and ion concentration in spark discharges, 3=2553
Bardsley,W.,Boulton,J.S. and Hurle,D.T.J. Constitutional supercooling during crystal growth from stirred melts. III. The morphology of the germanium cellular structure, 3=13415
Bardsley,W.,Callan,J.M.,Chedzey,H.A. and Hurle,D.T.J. Constitutional supercooling during crystal growth from stirred melts. II. Experimental: gallium-doped germanium, 3=13414
Bardsley,W.,Cockayne,B.,Green,G.W. and Hurle,D.T.J. Cellular structure in calcium tungstate, 3=25665
Bardwick,J.,Lambert,J.M. and Parkinson,W.C. The University of Michigan 83-inch cyclotron. IV. The external beam handling system, 3=5744
Barenblatt, G.I, Salganik, R.L. and Cherepanov, G.P. The nonstationary propagation of cracks, 3=18215
Barenblatt,G.I. See Ishlinskii,A.Yu., 3=1644
Barenblatt,G.I. See Zel'dovich,Ya.B., 3=8957
Barer, R. Expanding horizons in the applications of optical microscopy, 3=1803
Barfield,M. and Grant,D.M. The effect of hyperconjugation on the geminal spin—spin coupling constant, 3=22520
Barford,J. An automatic recording differential dilatometer, 3=21277
Barger,R.L.,Broida,H.P.,Estin,A.J. and Radford,H.E. Optical detection of microwave transitions in electronically excited CN produced by a chemical reaction, 3=6390
Barger,V. and Kazes,E. $\pi^+-\pi^0$ mass difference, 3=15002
Barger,V. and Kazes,E. $K_1^0-K_2^0$ mass difference. II. 3=15027
Bargmann,V. On the representations of the rotation group, 3=7096
Bargmann,V., Goldberger,M.L., Treiman,S.B. Wheeler,J.A. and Wightman,A. To Eugene Paul Wigner on his sixtieth birthday, 3=3700
Bariaud,A.,Korman,M.,Lecoustey,P.,Lecegard,J.,Luc,H. and Tachon,J. Study of the transfer of a plasma jet across a magnetic barrier, 3=9800
Barinov,V.M. See Rudnevskii,N.K., 3=24255
Barinova,E.S. See Samoilovich,D.M., 3=2180
Barinova,E.S. See Samoilovich,D.M., 3=4303
Barinskii,R.L. Experimental investigation and calculation of the L absorption spectra of noble gases, 3=8189
Barinskii,R.L. and Malyukov,B.A. Interpretation of the K absorption spectra of sulfur in molecules and crystals in terms of the Stark effect in excitons, 3=23097
Barjon,R.,Flamant,Y. and Lachkar,J. Fast discriminator used in time-of-flight fast neutron spectrometry, 3=19145
Barkalov,I.M.,Gol'danskii,V.I.,Enikolopov,N.S.,Terekhova,S.F. and Trofimova,G.M. Specific nature of the radiation-induced polymerization in the solid phase during irradiation, 3=6925
Barkan,S. On the determination of stopping power of a mixture where a gradient of temperature exists, 3=22046
Barkan,S. See Leroy,J.L., 3=19654
Barkas,W.H.,Dyer,J.N. and Heckman,H.H. Resolution of the Σ^- mass anomaly, 3=24800
Barkas,W.H. See Nickols,N.A., 3=10138
Barker,A.S.,Jr and Tinkham,M. Far-infrared dielectric measurements on potassium dihydrogen phosphate, trigylcine sulfate, and rutile, 3=15687
Barker,B.A. and Latorre,V.R. Articulation effectiveness measure applied to processed speech, 3=21154
Barker,F.C. Levels of N^{13} near 7 MeV excitation. II, 3=22293
Barker,F.C.,Symons,G.D.,Tanner,N.W. and Treacy,P.B. Levels of N^{13} near 7 MeV excitation, 3=22292
Barker,F.C.and Treacy,P.B. Nuclear levels near thresholds, 3=660
Barker,J.A. and Linton,M. Second virial coefficients of mixed hydro-carbon vapors. Principle of congruence, 3=14205
Barker,J.J. See Rosen,S., 3=25747
Barker,R.C. See Miller,J.C., 3=15874
Barker,R.E.Jr. An approximate relation between elastic moduli and thermal expansivities, 3=11130
Barker,W.A. and Keating,J.D. Optical and cross relaxation maser level populations by partial distribution, 3=7732
Barker,W.A. See Keating,J.D., 3=9993
Barker,W.A. See Lal Narchal,M., 3=22490
Barker,W.A. See Obermoeller,W.C., 3=15439
Barkov,L.M.,Mukhin,K.N.,Ogurstov,V.V.,Romantseva,A.S., Svetlolobov,I.A.,Chueva,S.A.,Shlyapnikov,R.S., Likhachev,M.F.,Stavinskii,V.S. and Strunov,L.N. On the problem of D^+-meson, 3=6080
Barkov,V.I. Radiation transfer in a homogeneous sphere with a central point source, 3=19061
Barkow,A.G., Edmund,C.E., Penaranda,F.E., Kane,G. and O'Friel,Z. The energy spectrum of neutrons from stopped π^- interactions in emulsions, 3=17312
Barkow,A.G. See Cuevas,J.E., 3=6038
Barkow,A.G. See Kane,G., 3=7946
Barloutaud,R.,Cardin,L.,Derem,A.,Gensollen,C.,Levéque,A., Louedec,C.,Meyer,J. and Tycho,D. Pion—proton scattering at 600 MeV, 3=7904
Barloutaud,R.,Heughebaert,J.,Levèque,A.,Louedec,C.,Meyer,J. and Tycho,D. Single-pion production in π^+—p collisions at 820, 900 and 1050 MeV, 3=7888
Barloutaud-Crut,M.,Bruge,G.,Faivre,J.C.,Faracci,H. and Saudinos,J. Excitation of the states termed "two-phonon" in Fe^{56}, Fe^{58}, Ni^{62}, Ni^{64} by the inelastic scattering of 44 MeV α-particles, 3=24864

Barlow,A.,Jr. Classical distribution of a mutually interacting system of particles, 3=9358
Barlow,C.A.,Jr. See Macdonald,J.R., 3=24328
Barlow,H.M. Microwave power measurements, 3=12042
Barlow,H.M. See Hill,J.J., 3=9689
Barmby,D.S. See Bostwick,L.G., 3=18367
Barmin,V.V., Krestnikov,Yu.S., Kuznetsov,E.V., Meshkovskiĭ,A.G., Nikitin,Yu.P. and Shebanov,V.A. π^0-meson production in a nuclear Coulomb field, 3=15007
Barmin,V.V.,Krestnikov,Yu.S.,Kuznetsov,E.V.,Meshkovskii,A.G. and Shebanov,V.A. Search for resonances in the $K^0\bar{K}^0$ pair-production reaction, 3=24792
Barnaal,D.E. See Lowe,I.J., 3=9961
Barnard,G. See DeMaria,A.J., 3=12348
Barnard,G. See DeMaria,A.J., 3=21469
Barnes,B.T. Disturbance of a low-pressure discharge by a probe, 3=368
Barnes,D. See Carder,B., 3=9004
Barnes,D.J. The use of Žener diodes as voltage controlled capacitors, 3=25380
Barnes,D.W. and Schatz,P.N. Optical constants and absolute intensities from infrared reflection measurements. The 6·6-μ band of liquid CS_2 and the 13-μ doublet liquid CCl_4, 3=16624
Barnes,E.E. and Simpson,W.T. Correlations among electronic transitions for carbonyl and for carboxyl in the vacuum ultraviolet, 3=22583
Barnes,F. See Buck,A., 3=19217
Barnes,F.S. The choice of a molecule for a beam frequency standard, 3=12882
Barnes,G.T. Phase transitions in water sorbed in silica gel, 3=19069
Barnes,K.J. Speculations on μ-meson form factors, 3=7875
Barnes,K.J. Proton–antiproton annihilation into electrons and muons, 3=14985
Barnes,L.J. and Dillinger,J.R. Thermal boundary resistance between some superconducting and normal metals, 3=19108
Barnes,M.W. See Ruthberg,S., 3=10958
Barnes,M.W. See Ruthberg,S., 3=25463
Barnes,R.G. and Segel,S.L. Nuclear magnetic resonance of Cl^{35} in paramagnetic $FeCl_2$, 3=5049
Barnes,R.S. The migration of large clusters of point defects in irradiated materials, 3=22728
Barnes,R.S. and Mazey,D.J. Stress-generated prismatic dislocation loops in quenched copper, 3=10671
Barnes,R.S. and Mazey,D.J. The migration and coalescence of inert gas bubbles in metals, 3=25314
Barnes,R.S. See Mazey,D.J., 3=4870
Barnes,R.S. See Westmacott,K.H., 3=6520
Barnes, R.S. See Westmacott, K.H., 3=17706
Barnes,R.S. See Westmacott,K.H., 3=22785
Barnett,C.F. See Dunlap,J.L., 3=12196
Barnett,J.D. See Hall,H.T., 3=6817
Barnier,Y. See Pauthenet,R., 3=1141
Bärnighausen,H. and Brauer,G. New europium oxide Eu_3O_4 and the isotypic compound Eu_2SrO_4, 3=5104
Baroff,J.H. and Fulton,T. Spin-one multipion resonances and their possible role in distinguishing between the μ-meson and the electron, 3=24771
Baron,N. and Cohen,B.L. Activation cross-section survey of deuteron-induced reactions, 3=10382
Baron,R. Pressure dependence of the n.m.r. chemical shifts in cesium and rubidium halides, 3=8731
Baron,V.V. See Alekseevskii,N.E., 3=335
Baron,V.V. See Savitskii,E.M., 3=5137
Barone,S.R. Resonances of the Fabry–Perot laser, 3=9590
Baroni,G. See Amaldi,E., 3=14861
Barr,E.S. Anniversaries in 1963 of interest to physicists, 3=5311
Barrachin,B. and Weill,A.R. Crystalline texture of a thick deposit of hard chromium, 3=25782
Barrand,P. and Leak,G.M. On the density of dislocation atmospheres, 3=13333
Barrand,P.,Leak.G.M. and Rosenfield,A.R. 250° internal friction peak in iron, 3=23300
Barras,H., Philip, R. and Rivoira,R. Phenomena observed at low temperatures during the production of metallic thin films, 3=3358
Barraud, A. The behaviour of high resistivity gallium arsenide under high electric fields, 3=17876
Barrault,M.R.,Labat,J. and Prasad,A.N. Experimental errors in magnetic probe studies, 3=24299
Barreau,P. See Blum,D., 3=22300
Barrer,R.M. Two-phase flow of adsorbed vapors, 3=25779
Barrer,R.M.,Barrie,J.A. and Rogers,M.G. Permeation through a membrane with mixed boundary conditions, 3=5418
Barrer,R.M.,Bartholomew,R.F. and Rees,L.V.C. Ion exchange in porous crystals. I, Self- and exchange-diffusion of ions in chabazites, 3=6534
Barrer,R.M.,Bartholomew,R.F. and Rees,L.V.C. Ion exchange in porous crystals. II. The relationship between self- and exchange- diffusion coefficients, 3=10685
Barrer,R.M. See Ash,R., 3=3823
Barrer,R.M. See Ash,R., 3=3824
Barrett,A.H. Microwave spectral lines as probes of Planetary atmospheres, 3=18599
Barrett,A.H. and Chung,V.K. A method for the determination of high-altitude water-vapor abundance from ground-based microwave observations, 3=9020
Barrett,A.H. See Barath,F.T., 3=18618
Barrett,A.H. See Howard,W.E. III, 3=3623
Barrett,B. and Barton,G. Two-photon decay rates of the π^0 and η mesons, 3=12480
Barrett,B. and Barton,G. Goldberger–Treiman formulae with Regge phase shifts, 3=24759
Barrett, C.S, Cucka, P. and Haefner, K. The crystal structure of antimony at 4·2, 78 and 298°K, 3=18308
Barrett,C.S.,Mueller,M.H. and Heaton,L. Germanium as a neutron monochromator, 3=23428
Barrett,C.S.,Mueller,M.H. and Hitterman,R.L. Crystal structure variations in alpha uranium at low temperatures, 3=6841
Barrett,J.H. See Ellis,S.C., 3=7742
Barrett,J.J. and Weber,A. Temperature dependence of optical harmonic generation in KDP and ADP crystals, 3=20453
Barrett,M.J. Radiation of an extended source, 3=2522
Barrett,P.H.,Grant,R.W.,Kaplan,M.,Keller,D.A. and Shirley,D.A. Electron transfer in dilute gold alloys, 3=25220
Barrett, P.H. and Shirley, D.A. Hyperfine structure in Europium metal, 3=17631
Barrett,W.A. Measurement of [ferromagnetic] film relaxation
Barrie,J.A. See Barrer,R.M., 3=5418
Barrie,J.A. See Michaels,A.S., 3=11305
Barrie,J.A. See Michaels,A.S., 3=11306
Barrie,R. See Colbow,K., 3=23080
Barrie,R. See Nishikawa,K., 3=20457
Barrington,A.E. Sensitivity of an ion pump leak detector, 3=1742
Barrington,R.E. and Belrose,J.S. Preliminary results from the very-low frequency receiver aboard Canada's "Alouette" satellite, 3=21056
Barrington,R.E.,Thrane,E.V. and Bjelland,B. Diurnal and seasonal variations in D-region electron densities derived from observations of cross modulation, 3=9084
Barriol,M. See Deviot,B., 3=22988
Barron,T.H.K. and Klein,M.L. On the strain dependence of the vibrational frequency distributions of simple lattices, 3=20081
Barrow,C.,Guest,G.H. and Riddiford,L. A liquid hydrogen – deuterium target for use with the Birmingham 1 GeV proton synchrotron, 3=14692
Barrow,C.H. 38-Mc/s radiation from Jupiter, 3=9269
Barrow,R.F. and Deutsch,E.W. Rational analysis of the $^3\Sigma^- - ^3\Sigma^-$ - system of SeO, 3=4758
Barrow,R.F. and Deutsch,E.W. Rotational analysis of the $A^3\Sigma^-$—$X^3\Sigma^-$ system of SeO, 3=25105
Barrow,R.F.,Fry,P.W. and Le Bargy,R.C. Rotational analysis of bands of the absorption spectrum of PbS, 3=10511
Barrow,R.F. and Ketteringham.J.M. Triplet splitting in the ground state $X^3\Sigma^-_g$, of S_2, 3=10525
Barrow,R.F.,Kopp,I. and Scullman,R. Singlet electronic states of aluminium monofluoride, 3=25090
Barrow,R.F. and Travis,D.N. The electronic spectrum of the AlAu molecule, 3=10505
Barrow,R.F. See Le Bargy,R.C., 3=22543
Barrows,E.C. See Norton,K.A., 3=12321
Barry,G.H. and Widess,P.R. The effect of a solar flare on the frequency of high-frequency ground backscatter, 3=507
Barry,J. See Brown,F., 3=19858
Barry,J.F. The cross section of the $^{58}Ni(n,p)^{58}Co$ reaction for neutrons in the energy range 1.6 to 14.7 MeV, 3=8117
Barry,J.F. The cross section of the reaction $^6Li(n,p)^6He$ in the neutron energy range 3.5 to 14.8 MeV, 3=24953

Barschall,H.H. See Holbrow,C.H., 3=12669
Barschall,H.H. See May,T.H., 3=19636
Barsella,B. and Fabri,E. Angular momenta in relativistic many-body problems, 3=72
Barshauskas,K.I. See Éidukas,D.Yu., 3=24194
Barshay,S. On resonances in a system of coupled two-particle channels, 3=10040
Barshenkov, V.S., Mal'tsev, V.M. and Mikhul, E.K. The mechanism of the interaction of fast nucleons with nuclei, 3=2461
Barsis,A.P. and Johnson,M.E. Prolonged space-wave fadeouts in tropospheric propagation, 3=5856
Barston,E.M. Variational technique for determining dispersion relations in plasma systems, 3=19243
Barsukov,K.A. See Narȳshkina,L.G., 3=24477
Barta,J. Theorems on the oscillations of systems with finite degrees of freedom, 3=7086
Barte,W. See Elder,T., 3=5804
Barte,W. See Elder,T., 3=15790
Bartelink,D.J.,Moll,J.L. and Meyer,N.I. Hot-electron emission from shallow p—n junctions in silicon, 3=13087
Bartell,L.S. Calculation of mean atomic positions in vibrating polyatomic molecules, 3=15328
Bartels,H., Bortfeldt,J. and Berg,K.H. The ignition process of wire explosions, 3=4102
Bartels,H.,Gansauge,P. and Kuhlmei,H. Magnetic compression in high-density gases, 3=7557
Bartels,H. and Meiners,D. A new form of coil for the θ-pinch, 3=19264
Bartels,J. Discussion of time-variations of geomagnetic activity, indices Kp and Ap, 1932-1961, 3=16308
Bartenbach,M.,Tomczak,Z. and Kolodziejczak,J. In-pile thermoelectric power measurements of germanium bombarded by fast neutrons, 3=10898
Bartenev,G.M. and Razumovskaya,I.V. Time dependence of the strength of brittle bodies in surface-active media, 3=25642
Bartenev,G.M. and Remizova,A.A. The effect of impurities on the process of premelting, 3=21324
Bartenev,L.S.,Glebovich,G.V. and Ptitsȳn,K.N. Ultrahigh-speed pulse oscillograph, 3=1914
Barth,C.A. and Patapoff,M. Laboratory spectra of the ultraviolet oxygen airglow, 3=6989
Barthel,J.R. The microwave diagnosis of a column of ionized gas, 3=4136
Barthold,W. Solution of the Boltzmann equation for a shock wave using the Burnett approach for the distribution function. I, 3=14244
Barthold,W. Solution of the Boltzmann equation for a shock wave using the Burnett expression for the distribution function, 3=21478
Bartholomay,A.F. Physico-mathematical foundations of reaction rate theory, 3=3382
Bartholomew,R.F. See Barrer,R.M., 3=6534
Bartholomew,R.F. See Barrer,R.M., 3=10685
Bartholomeyczyk,W. Lummer-Waetzmann interferometer as a differential interferometer, 3=263
Bartke,J. Interactions of 16 GeV/c π^-—mesons in hydrogen leading to the production of strange particles, 3=15012
Bartke,J.,Cooper,W.A.,Czapp,B.,Filthuth,H.,Goldschmidt-Clarmont,Y.,Montanet,L.,Morrison,D.R.O.,Nilsson,S., Peyrou,Ch.,Sosnowski,R.,Bigi,A.,Carrara,R.,Franzinetti,C. and Mannelli,I. Hyperon and kaon production by 24.5 GeV/c protons on protons, 3=22206
Bartkowska,J. Derivative of the magnification of any optical system, 3=24008
Bartl,W. and Weinzierl,P. Experimental investigation on the limits of time resolution of scintillation counters, 3=12373
Bartleson,C.J.,Jenneiahn,R.H. and Woodbury,W.W. Visual contrast in photographic prints, 3=14382
Bartlett,A.A.,Ristinen,R.A. and Bird,R.P. A new double focusing Beta spectrometer and the empirical optimization of its performance, 3=4378
Bartlett,A.A. See Ristinen,R.A., 3=19812
Bartlett,J.F. See Morris,D., 3=18656
Bartoli,C. See Allen,J.E., 3=12169
Bartolini,W. See Jones,I.R., 3=7867
Barton,G. Amplitude parity and radiative effects in pion systems, 3=10141
Barton,G.,Kacser,C. and Rosen,S.P. Isotopic spin in $K \rightarrow 3\pi$, 3=12501
Barton,G. See Barrett,G., 3=12480
Barton,G. See Barrett,B., 3=24759
Barton,G.W.,Jr. See Klein,M.P, 3=19473
Barton,J.C.,Lewis,F.A. and Woodward,I. Hysteresis of the relationships between electrical resistance and the hydrogen content of palladium, 3=22896
Barton,J.W. See Yurko,G.A., 3=8845
Bartulovich,J.J. Modified ultracentrifuge synthetic boundary centerpiece for some polydisperse systems, 3=3420
Bartz,A.M. and Ruhl,H.D. A two-wavelength two-frequency ratio recording infrared spectrometer analyzer, 3=24027
Baru,V.G. and Khmel'nitskaya,E.M. Recombination processes in synthetic PbS monocrystals, 3=6598
Baru, V.G. See Aver'yanov, I.S., 3=18262
Baruch,P. See Pfister,J.C., 3=22825
Barulin,Yu.I. See Fridkin,V.M., 3=5544
Barulin,Yu.N. See Fridkin,V.M., 3=20417
Barulin,Yu.N. See Fridkin,V.M., 3=23006
Barut,A.O. Analyticity in angular momentum of the relativistic many-channel S matrix from dispersion relations and unitarity, 3=2217
Barut,A.O. Crossing symmetry in S-matrix theory, 3=10058
Barut,A.O. On the symmetry of elementary particles. II, 3=17169
Barut,A.O. and Calogero,F. Singularities in angular momentum of the scattering amplitude for a class of soluble potentials, 3=2213
Barut,A.O. and Mullen,G.H. Action principle for higher order Lagrangians with an indefinite metric, 3=3752
Barut,A.O. and Mullen,G.H. Quantization of two-component higher order spinor equations, 3=4322
Barut,A.O.,Muzinich,I. and Williams,D.N. Construction of invariant scattering amplitudes for arbitrary spins and analytic continuation in total angular momentum, 3=10059
Barut,A.O. and Unal,B.C. Amplitudes and crossing relations in isospin, 3=12402
Barwood,I.F. and Butcher,B.R. The $\alpha \rightarrow \beta$ phase transformation in uranium, 3=25652
Bar'yakhtar,V.G. and Kaganov,M.I. Uniform and nonuniform resonances in a plasma, 3=9821
Bar'yakhtar,V.G. and Makarov,V.I. Concerning the oscillations of the tunnel current in a magnetic field, 3=13025
Bar'yakhtar, V.G. and Maleev, S.V. Inelastic scattering of slow neutrons in substances with helical magnetic structure, 3=18097
Bar'yakhtar, V.G. and Savchenko, M.A. Relaxation processes in antiferromagnetics with helical structure, 3=18106
Bar'yakhtar,V.G. See Akhiezer,A.I., 3=5671
Bary'akhtar,V.G. See Akhiezer,A.I., 3=14583
Bar'yakhtar,V.G. See Akhiezer,A.I., 3=23208
Bar'yakhtar,V.G. See Maleev,S.V., 3=23182
Barȳshev,A.I. and Kheifets,S.A. Effect of electron accelerator beam on its accelerating system, 3=19376
Barȳshev,A.I. and Kheifets,S.A. Effect of induced voltage on phase oscillations of particle bunches in an accelerator, 3=24397
Barȳshev,N.S. and Aver'yanov,I.S. Photoelectric properties of synthetic PbS monocrystals, 3=2977
Barȳshev,N.S. See Andramonov,V.S., 3=15593
Barȳshev, N.S. See Aver'yanov, I.S., 3=18262
Bas,E.B. See Aeschlimann,R., 3=19356
Basalaev,M.I. See Voronkov,R.M., 3=5727
Baschek,B.,Kegel,W. and Traving,G. Solar and stellar oscillator strengths of Fe II, 3=9201
Bascó,J. See Csikai,J., 3=10360
Bascomb,C.L. and Pritchard,D.T. A Cartesian hydrometer and its application to sedimentation analysis, 3=7167
Bashandy,E. and El-Nesr,M.S. The half-life of the 152 keV transition in ^{182}W, 3=657
Bashandy,E.,El-nesr,M.S. and Pancholi,S.C. Half-lives of the 67.7, 100 and 222 keV transitions in W^{182}, 3=10272
Bashandy, E. See El Nesr, M.S., 3=4575
Bashandy,E. See El-nesr,M.S., 3=4598
Bashandy,E. See El-Nesr,M.S., 3=4599
Bashirov,R.I. See Amirkhanov,Kh.I., 3=4925
Bashirov, R.I. See Amirkhanov, Kh.I., 3=17888
Bashkin,S. Deficiency of metals in population II stars, 3=13908
Bashkin,S.,Hart,V.P. and Seale,W.A. Bombardment of C^{12} by Li^6 ions, 3=8136

Bashkin,S. See Berkowitz,E., 3=685

Bashkirov, Sh.Sh. and Kopvillem, U.Kh. Spin–spin interaction of nuclei of paramagnetic ions through the phonon field, 3=17648

Bashkirov,Sh.Sh. See Al'tshuler,S.A., 3=23237

Bashlachev,Yu.A.,Voitonis,V.V. and Yakovlev,V.F. An interferometer with two generating crystals, 3=16719

Bashlykov,S.N. See Meerson,G.A., 3=7079

Basikhin,Yu.V. See Bondarev,D.E., 3=20613

Basila,M.R. An infrared study of a silica-alumina surface, 3=11313

Basile,R. and Lagrange,J.M. Relation between cathode temperature and arc voltage, 3=19365

Basina,A.S.,Gromov,K.Ya.,Dzhelepov,B.S. and Morozov,V.A. Conversion electron spectrum of the holmium fraction formed in the proton bombardment of Ta, 3=6208

Basinki,Z.S. Stereo-electron micrography of dislocation networks, 3=20193

Basinski,Z.S.,Dove,D.B. and Mooser,E. Interacting partial dislocations in GaSe, 3=10662

Baskin,M.L.,Tret'yakov,V.I. and Chaporova,I.N. Diffusion of tungsten in tungsten, tantalum and titanium moncarbides and in solid solutions TiC–WC and TiC–WC–TaC, 3=25295

Baskova,K.A.,Vasil'ev,S.S.,No Sen' Chan [No Sêng Ch'ang] and Shavtvalov,L.Ya. Decay scheme for Br^{75}, 3=2407

Baskova,K.A.,Vasil'ev,S.S.,No Sen' Chan [No Sêng-Ch'ang] and Shavtvalov,L.Ya. Investigation of some radioactive nuclei in the region of the filled $1f_{7/2}$ shell, 3=6192

Basler,R.P., Dyce,R.B. and Leinbach,H. High-latitude ionization associated with the July 9 explosion, 3=16267

Basov,N.G. and Krokhin,O.N. Population inversion in a discharge in a mixture of two gases, 3=7467

Basov,N.G.,Krokhin,O.N.,Oraevskii,A.N.,Strakhovskii,G.M. and Chikhachev,B.M. Possible investigation of relativistic effects with the aid of molecular and atomic frequency standards, 3=21214

Basov,N.G.,Krokhin,O.N. and Popov,J.M. Negative absorption coefficient at indirect transitions in semiconductors, 3=2863

Basov,N.G., Lisitsyn,L.M. and Osipov,B.D. Application of an optical quantum generator for excitation of recombination luminescence in semiconductors, 3=20538

Basov,N.G. and Oraevskii,A.N. Emission of molecules in a mixed energy state, 3=6442

Basov,N.G. and Oraevskii,A.N. Attainment of negative temperatures by heating and cooling a system, 3=23782

Basov,N.G., Osipov,B.D. and Khvoshchev,A.N. Recombination radiation from indium antimonide in an avalanche test, 3=4924

Basov,N.G.,Zuev,V.S. and Kryukov,P.G. Enhancement of the pulse power of a ruby optical maser by modulation of the Q-factor of the resonator, 3=522

Basov,N.G.,Zuev,V.S. and Kryukov,P.G. Enhancement of the pulse power of a ruby optical maser by modulation of the Q-factor of the resonator, 3=7740

Basov,N.G., Zuev,V.S. and Krjukov,P.G. Increase of power of the impulse optical quantum generator on ruby by modulation of the resonator quality factor, 3=17073

Basow,N.G., Krochin,O.N. and Popow,J.M. Production of states with negative temperature at p–n junction of degenerate semiconductors, 3=4928

Basow,N.G., Osipow,B.D. and Hwoschtschew,A.N. Recombination radiation of indium antimonide in strong electric fields, 3=4923

Bass,F.G. and Blank,A.Ya. Theory of wave conversion and scattering on plasma fluctuations, 3=14614

Bass,F.G, Kaganov, M.I. and Yakovenko,V.M. Cherenkov radiation and supplementary waves in dielectric, 3=17240

Bass,F.G.,Khankina,S.I. and Yakovenko,V.M. Energy loss of a charge moving in vacuum over a plasma, 3=14746

Bass,J. and Lazarus,D. Effect of pressure on mobility of interstitial carbon in iron, 3=20234

Bass,M.,Franken,P.A.,Ward,J.F. and Weinreich,G. Optical rectification, 3=5537

Bass,R. and Saleh,F.M. Coincidence study of the $K^{39}(n,p\gamma)A^{39}$ and $K^{39}(n,\alpha\gamma)Cl^{36}$ reactions, 3=8115

Bass.R.F. See Cleland,J.W., 3=20173

Bass,R.F. See Mallard,W.C., 3=6538

Bass,S.T. and Soulati,J. The effect of graphite absorption using vacuum cup electrodes by spark techniques, 3=13631

Bassani,F. and Brust,D. Effect of alloying and pressure on the band structure of germanium and silicon, 3=22682

Bassani,F. and Yoshimine,M. Electronic band structure of group IV elements and of III-V compounds, 3=10625

Bassani, F. See Phillips,J.C., 3=17865

Bassani,G., Colli,L., Cristofori,F., Franceschetti,M.O., Frigerio,G.E. and Sona,P.G. Production of a beam of hydrogen atoms in the excited metastable state 2S. I. 3=2584

Bassel,R.H.,Bender,R.S. and Innes,J.G. Analyzing methods for O.R.I.C. magnetic fields, 3=5764

Bassel,R.H.,Satchler,G.R.,Drisko,R.M. and Rost,E. Analysis of the inelastic scattering of alpha particles. I, 3=6294

Bassel,R.H. See Davies,K.T.R., 3=19828

Bassel,R.H. See Drisco,R.M., 3=2455

Bassel,R.H. See Drisko,R.M., 3=22361

Bassel,R.H. See Satchler,G.R., 3=19764

Bassett,D.C. Detachment replication–diffraction and structural information from macroscopic polymer specimens, 3=20967

Bassett,D.W. Thermal rearrangement of a perfectly ordered tungsten surface, 3=18376

Bassett,G.A., Forty,A.J. and Tubbs,M.R. The decomposition of crystals of alkali halides in the beam of an electron microscope, 3=17808

Bassetti,M. See Amman,F., 3=12267

Bassi,A., Camona,G., Dassù,G. and Piazzesi,G. Microfractographic observations on sintered uranium dioxide, 3=3240

Bassi,G. See Coing-Boyat,J., 3=18327

Bassi,P., Ferretti,B., Venturini,G., Bertolini,G.C., Cappellani,F., Mandl,V., Restelli,G.B. and Rota,A. The reaction $^7Be(n,\alpha)^4He$ and parity conservation in strong interactions, 3=17480

Bassi,P.S. See Rastogi,R.P., 3=11206

Bassompierre,G. See Gorodetzky,S., 3=15231

Basson,J.K. A detector for intermediate energy neutrons, 3=17293

Basson,J.K. and Dennis,J.A. Measurement of the energy response of A B^{10} shielded U^{235} fission chamber, 3=690

Bastai,A.,Bertocchi,L. and Tonin,M. Regge trajectories in the weak-coupling limit, 3=22089

Bastard,C. Calculation of the proportion of forbidden collisions in elastic π^-–p scattering at energies between 300 MeV and 9 GeV, 3=7903

Bastide,R.P. See Wittkower,A.B., 3=9870

Bastien,P.L. and Berge,J.P. K^-–p interactions near 760 MeV/c, 3=15030

Bastin,J.A., See Gear,A.E., 3=9170

Basu,B. and Patro,A.P. Decay of In^{107} and gamma spectrum of Cd^{107}, 3=19819

Basu,D.,Jancel,R. and Kahan,T. Electronic distribution function of an anisotropic, inhomogeneous plasma in an alternating electric field, 3=7517

Basu,D. See Das Gupta,M.K., 3=9262

Basu,D. See Das Gupta,M.K., 3=16377

Basu,G.and Belford,R.L. Nature of the visible charge-transfer bands of $K_3Fe(CN)_6$, 3=3011

Basu,J. Microwave method for determining the electron density & collision frequency in a transient plasma, 3=1994

Basu,S. and Castelli,J. Occultations of the Crab nebula by the solar corona in June 1962, 3=13936

Basu,S. See Aarons,J., 3=21077

Basuli,S. Note on the symmetrical bending of nonhomogeneous cylindrical shell of variable thickness, 3=89

Batagui,M. See Balea,O., 3=17134

Batalin,S.S.,Kaipov,D.K. and Chekanov,V.N. A fast coincidence circuit for slow scintillators, 3=24200

Batanov,G.M. Emission of charged particles by alkali-halide crystals on bombardment with potassium ions, 3=5723

Bataruchkova,N.R., Kartashev,A.I. and Kirichenko,A.P. A method for obtaining interference with a great path difference, 3=16797

Batchelor,R. and Towle,J.H. The application of the optical model to the neutron interactions of Li^6 and Li^7, 3=2469

Batchelor,R. See Deuchars,W., 3=24742

Bate,G. and Speliotis,D.E. Hard magnetic films of Co–Ni–P, 3=15835

Bate,G.L.,Chaudhry,R. and Huizenga,J.R. Fission fragment angular distributions and cross sections for deuteron-induced fission, 3=19898

Bate,N.W. and Hartley,M.G. Applications of secondary-emission at cathode-ray tube screens, 3=24351

Bate,P.A.T. The acoustics of woodwind instruments. I., 3=216

Bate,P.A.T. The acoustics of woodwind instruments. II., 3=217

Bate,R.T., Martin,B. and Hille,P.F. Size effects in the resistivity of indium wires at 4·2°K, 3=20273

Bateman,T.B. Elastic moduli of single-crystal zinc oxide, 3=1213

Bateman,T.B. See Mason,W.P., 3=13063

Bateman,T.B. See Spencer,E.G., 3=25601

Bates,C.H., White,W.B. Roy,R. New high-pressure polymorph of zinc oxide, 3=3254

Bates,D.R. Resonance effects in atom—atom collisions, 3=6364

Bates,D.R. and Boyd,A.H. Effect on symmetrical resonance charge transfer cross sections of change in relative motion during encounter, 3=1938

Bates,D.R. and Kingston,A.E. Properties of a decaying plasma, 3=21779

Bates,D.R.,Kingston,A.E. and McWhirter, R.W.P. Recombination between electrons and atomic ions. II. Optically thick plasmas, 3=364

Bates,D.R. and Patterson,T.N.L. Helium ions in the upper atmosphere, 3=3482

Bates,H.F. Very-low-frequency effects from the November 20, 1961, Polar-cap absorption event, 3=509

Bates,L.F. and Craik,D.J. The domain structure of cobalt crystals, 3=1063

Bates,L.R. and Pacey,A.J. The analysis of magnetothermal measurements, 3=466

Bates,R.L. See Eisenman,W.L., 3=14414

Batha,H.D. See Hasselman,D.P.H., 3=20708

Batra,D.P. See Katti,M.R., 3=12812

Batra,D.P. See Katti,M.R., 3=22537

Batrakov,G.F.,Mis'kevich,O.R. and Troinar,E. Measurement of the surface tension between superconducting and normal phases, 3=5594

Batsford,K.O. and Thomas,D.J.D. Defects in vapour-grown silicon layers, 3=804

Batt,A. and Post,B. A procedure for parameter refinement in simple structures, 3=8834

Batt,A.P. See Birks,L.S., 3=23559

Batt,L. See Flowers,M. 3=5164

Battaglia,A.,Gozzini,A. and Iannuzzi,M. Millimetre wave absorption oxygen, 3=23938

Battaglia,A.,Iannuzzi,M. and Polacco,E. A new Zeeman spectrograph for centimetre wavelengths, 3=21983

Battaglia,A.,Iannuzzi,M. and Polacco,E. The molecular Landé factor of the H_2O molecule, 3=22562

Battan,L.J. and Herman,B.M. The radar cross sections of 'spongy' ice spheres, 3=9041

Batterman,B.W. An effect of dynamical diffraction in fluorescent X-ray scattering, 3=10972

Batterman,B.W. See Chipman,D.R., 3=11252

Batterman,B.W. See Patel,J.R., 3=23098

Batterman,B.W. See Treuting,R.G., 3=18337

Batthyany, I., Silva de Stuardo, E., Tsai-Chu and Willot-Chemel, B. Study of knock-on electrons produced by protons of 26 GeV energy in a nuclear emulsion, 3=4387

Batty,C.J.,Gilmore,R.S. and Stafford,G.H. Measurement of the polarization in proton—proton scattering at 30 and 50 MeV, 3=22123

Batty,C.J.,Griffiths,R.J. and Gibbons,P.E. Some results using bulk ionisation semi-conductor detectors, 3=5903

Baturins'ka,N.L. See Hratsians'kӯi,M.M., 3=20913

Batusov, Yu.A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Ratio of $\pi N \rightarrow \pi\pi N$ reaction cross-sections at 290 MeV and $\pi\pi$ interactions, 3=4439

Batusov,Yu.A., Bunyatov,S.A., Sidorov,V.M. and Yarba,V.A. The $\pi^- + p \rightarrow \pi^+ + \pi^- + n$ reaction at an energy 240 MeV, and $\pi\pi$-interaction, 3=17318

Batӯev,E.G. Temperature dependence of the gap in a superconductor, 3=21657

Batӯrev,V.A. X-ray spectroscopic investigation of intermetallic compounds in the Cu – Zn system, 3=5134

Batӯrev,V.A. and Bogdanov,V.G. Vacuum X-ray spectrometer with ionization recording, 3=4234

Baucom, H.H., Jr. See MacDonald, R.N., 3=17510

Baudelet,B. See Taurel,L., 3=10921

Bauer,A. Magnetic contraction of arcs of medium current intensities, 3=7486

Bauer,A. An approximate solution of the Elenbaas—Heller differential equation, 3=21753

Bauer,E. Low energy electron reflection microscopy, 3=25791

Bauer,E. See Browne,H.N., 3=22496

Bauer,E. See Turner,G., 3=20929

Bauer,G.T. Measurement of the absorption coefficient of phosphors consisting of microcrystalline grains, 3=4980

Bauer,Gy.T. See Gergely,Gy., 3=18037

Bauer,H.J. The deposition by evaporation of narrow strips, 3=6885

Bauer,M.E. and Nosanow,L.H. Simple model for the helix-random coil transition in polypeptides, 3=8322

Bauer,R. and Szczurek,T. Depolarization of fluorescence of dye solutions by thermal motion of the molecules, 3=139

Bauer,R.K. and Lew,H. Rotational constants and electric dipole moment of NaF, 3=22550

Bauer,R.K. Polarization and decay of fluorescence of solutions, 3=23993

Bauer,R.W.,Anderson.J.D., and Christensen,L.J. Lifetimes of excited nuclear states using delayed-reaction gamma rays, 3=10258

Bauer,R.W.,Anderson,J.D. and Christensen,L.J. Scattering of 14 MeV neutrons from nitrogen and oxygen, 3=24945

Bauer,R.W. and Deutsch,M. Magnetic moments of the first excited 2^+ states in Sm^{152}, Gd^{154}, and Gd^{156}, 3=628

Bauer,R.W., Grodzins,L. and Wilson,H.H. Decay of Tl^{199} and Au^{199}, 3=658

Bauer,S.H. and Kimura, K. Design and characteristics of parallel incidence electron diffraction apparatus, 3=444

Bauer,S.H. and Tsang,S.C. Mechanism for vibrational relaxation at high temperatures, 3=8236

Bauer,S.H. See Lifshitz,A., 3=16160

Bauer,S.J. Helium ion belt in the upper atmosphere, 3=9072

Bauer,W.,DeFord,J.W.,Koehler,J.S. and Kauffman,J.W. Low-temperature annealing spectrum of electron-irradiated gold and cadmium, 3=2846

Baughan,E.C. Ionization potentials, electron affinities and screening constants. II. Interpretation of screening constants and application to atomic radii and energy levels, 3=15272

Baughan,E.C. Ionization potentials, electron affinities and screening constants. III. The irregular doublet law. 3=25039

Baughman, G.L. See Fontijn, A., 3=16904

Baum,P.M. See Robinson,C.S., 3=4421

Bauman,E. See Mohanty,A., 3=11293

Bauman,J.H. Simple a.c. bridge with polarity reversal of d.c. output at null point, 3=7412

Bauman,R.P. and Thomson,E. Solvent effects on carbonyl bands in infrared spectra, 3=8283

Bauman,R.P. See Considine,J.P., 3=10438

Baumann,G.,Braun,H. and Cüer,P. Mesonic hyperfragments produced in interactions of 1.5 GeV/c K^- mesons with the nuclei of nuclear emulsion. 3=10226

Baumann,G.,Braun,H. and Cüer,P. General study of hyperfragments produced in interactions of 1·5 GeV/cK^- mesons with emulsion nuclei, 3=15089

Baumann,G.,Braun,H. and Cüer,P. Study of the properties and mechanism of emission of hyperfragments produced by 25 GeV/c protons in the nuclei of an ion track emulsion, 3=19756

Baumann,G.,Braun,H. and Cüer,P. Mesic hyperfragments produced in the inter-actions of π^- mesons of 17·2 GeV/c with the nuclei of ionographic emulsion, 3=19872

Baumann,G.,Braun,H. and Cüer,P. Determination of the spin of several light hyperfragments. (${}_{\Lambda}H^3 - {}_{\Lambda}H^4 - {}_{\Lambda}Li^8$), 3=22277

Baumann,G. See Poubeau,P., 3=19536

Baumann,K. Quantum theory of transport coefficients. II. 3=23804

Baumann,K. and Ranninger,J. Quantum theory of transport coefficients. I., 3=751

Baumann,M. Relaxation times for disorienting mercury atoms in the metastable 6^3P_2 state by shocks, 3=15301

Baumann,N.P. Determination of diffusion coefficients for thermal neutrons in D_2O at 20, 100, 165, and 220°C, 3=2270

Baumgardt,E. Preliminary conditions in twilight vision, 3=16464

Baumgärtel,K. and Kolb,W. Remark about the measurement of beryllium 7, 3=25905

Baumgärtel,K. and Wallis,G. Strong non-stationary shock waves with energy losses in the front, 3=9544

Baumgartner,E. See Durisch,J., 3=22392

Baumgartner,E. See Gleyvod,R., 3=22393
Baumgartner,E. See Schaller,L., 3=12081
Baumgartner,E. See Seiler,F., 3=676
Bauminger,R., Cohen,S.G., Marinov,A. and Ofer,S. Studies of the internal fields acting on nuclei in ferrimagnetic and paramagnetic solids, using recoil-free resonance absorption (Mössbauer effect), 3=994
Bäumler,P. Investigation of the total reflection of centimetre waves, 3=19444
Baun,W.L. and Renton,J.J. A true focusing attachment for the X-ray diffractometer, 3=25690
Baur,F. Recent calculations of the next sunspot minimum, 3=9203
Baur,W.H. Determination of the crystal structure of melanterite, $FeSO_4.7H_2O$, 3=6850
Baurer,T. Construction and calibration of Bass–Kessler grating spectrograph, 3=16772
Bautista,R.G. See Blue,G.D., 3=21638
Bauwens,J.C. and Homes,G.A. On the viscosity of high polymers, 3=7203
Baux,M., Couderc,J.J. and Nguyen Quat-Ti. Study of the structure of thin films of bismuth and antimony deposited by thermal evaporation on cleavage faces of bismuth and antimony, 3=16136
Bawtree,E. Flue pipes, 3=215
Baxi,M.R.S. Vibratory Brownian motion, 3=54
Baxshiev,N.G.,Girin,O.P. and Libov,V.S. Observation and correction of the absorption spectrum of liquid $CHCl_3$ and CCl_4 in the region 740-810 cm^{-1}, 3=23884
Baxter,L.,II. Physical dimensions of spectrum levels and of spectral densities of acoustic power, energy and related quantities, 3=18907
Bay,Z. and Farago,P.S. Remarks on coincidence experiments with visible light, 3=21512
Bay,Z. and Pearlstein,R.M. Search for a slow component in alpha ionization, 3=9724
Bayadsyan,N.G. See Grigorov,N.L., 3=10197
Bayer,E.,Hellwege,K.H. and Schaack,G. Ultrasonic modulation of the sharpness of resonance of a ruby laser, 3=19486
Bayer,M.E. See Meyer-Arendt,J.R., 3=1788
Bayer,R. High-level linear 0.1 μsec gate circuit for pulse-height analysers, 3=12053
Bayer,R.W. and Edgell,W.F. ν_1 band of methylacetylene, 3=4770
Bayer,V.N. and Kheifets,S.A. Electron—electron scattering cross-section taking into account hard-photon radiation, 3=24694
Bayer-Helms,F. Analysis of line profiles. I, 3=14340
Bayer-Helms,F. On the analysis of line profiles: halfwidths from Voigt functions, 3=18988
Bayes,J.H. and Scott,W.T. Billiard-ball collision experiment, 3=11654
Bayes,K.D. See Kivelson,D., 3=22462
Bayhurst,B.P. See Cowan,G.A., 3=15243
Baylac,P. See Larroque,P., 3=16057
Bayle,A.,Espiard,J.,Breton,C.,Capet,M. and Herman,L. The Echelle spectrograph "R.E.O.S.C.", type HA, 3=7341
Bayley,S.T. A study of shadowing for high resolution electron microscopy, 3=18416
Baym,G. and Sessler,A.M. Perturbation-theory rules for computing the self-energy operator in quantum statistical mechanics, 3=23786
Baynham,A.C. and Paige,E.G.S. Anisotropy of the energy distribution function of hot holes in germanium, 3=25342
Baysung Hsu. The surface structure of paper under rolling pressure, 3=13553
Bayukov,Yu.D.,Birger,N.G.,Leksin,G.A. and Suchkov,D.A. On the character of πN and pp-scattering in the range of large momentum transfer, 3=7911
Bayukov,Yu.D., Leksin,G.A. and Shalamov,Yu.Ya. Investigation of the $\pi^- + n \rightarrow \pi^- + n + m\pi^0$ reaction with a 2·8 BeV/c π^--meson beam, 3=4440
Bayukov,Yu.D., Leksin,G.A. and Shalamov,Ya.Ya. The scattering of high-energy π-mesons at large angles, 3=4443
Bayukov,Yu.D.,Leksin,G.A.,Suchkov,D.A. and Telenkov,V.V. Some characteristics of spark chambers, 3=24541
Bayukov,Yu.D.,Leksin,G.A.,Suchkov,D.A. and Telenkov,V.V. Spark chambers with small amount of material along the tracks, 3=24563
Baz',A.I. Energy dependence of cross-sections near the "threshold" for unstable particle production, 3=4367
Baz',A.I.,Puzikov,L.D. and Smorodinskii,Ya.A. Reconstruction of the scattering matrix near the threshold, 3=5956
Baz,A.I., Vaks,C.G. and Larkin,A.I. On K-meson–hyperon resonances, 3=2320
Baz',A.I.,Vaks,V.G. and Larkin,A.I. K-meson—hyperon resonances, 3=7912
Bazanov,V.G. See Nikitin,E.N., 3=24159
Bazarov, I.P. The Vlasov equation for a crystal, 3=17639
Bazazyants,N.O. and Gordeev,I.V. The excitation functions of the individual levels of the nuclei U^{235}, U^{233} and Pu^{239} taking into account the competition between the inelastic scattering of neutrons and fission. 3=6184
Bazer,J. and Hurley,J. Geometrical hydromagnetics, 3=9917
Bazhanova,A.E.,Karpukhin,V.T.,Karkhov,A.N. and Pistunovich,V.I. Cyclotron and thermal radiations of plasma in Ogra, 3=12202
Bazhanova,A.E. and Shafranov,V.D. Radiation by a charge which is moving in a plasma near cyclotron resonance, 3=19255
Bazhenov,V.V. and Labzin,V.A. Growing monocrystals of zinc and a zinc–tin alloy with prescribed basal plane orientation, 3=5088
Bazhulin,P.A. The study of rotation and vibration–rotation spectra of gases by the method of Raman scattering of light, 3=19963
Bazilevskaya,O.A.,Andrianov,A.M.,Demichev,V.F. and Vasiljev,V.I. Investigation of an impulsive discharge [plasma] in a hollow cylindrical gas sheath, 3=7561
Bazin,A.P. Effect of the bremsstrahlung radiation from a 25-MeV betatron and of 14-MeV neutrons on the electrical conductivity of polymeric dielectrics, 3=20378
Bazin,C. Application of phase changes produced by total internal reflection in weakly absorbing thin films, 3=5527
Bazley,N.W. and Fox,D.W. Lower bounds for energy levels of molecular systems, 3=25084
Beagley,B. and Edington,J.W. Conference on inorganic and intermetallic crystals, Birmingham, April 1963, 3=25683
Beal,M.T. Order effects in metallic alloys, 3=8901
Beall,E.F.,Cork,B.,Keefe,D.,Murphy,P.G. and Wenzel,W.A. Hyperon decay parameters and the KΛN parity, 3=6083
Beall,E.F.,Holley,W.,Keefe,D.,Kerth,L.T.,Thresher,J.J., Wang,C.L. and Wenzel,W.A. Cylindrical spark chamber array used for the measurement of angle, range and polarization in a study of K^-–p interactions, 3=24790
Beam,W.R. and Ahn,K.Y. A new magnetic-film dispersion measurement, 3=25534
Beams,J.W. Some interferometer techniques for observing sedimentation, 3=8979
Beams,J.W. See Hexner,P.E., 3=8942
Beams,J.W. See Robinson,T.K., 3=7374
Bean,B.R.,Fehlhaber,L. and Grosskopf,J. A comparative study of the correlation of seasonal and diurnal cycles of transhorizon radio transmission loss and surface refractivity, 3=513
Bean,B.R. and Thayer,G.D. Comparison of observed atmospheric radio refraction effects with values predicted through the use of surface weather observations, 3=21055
Bean,B.R. See Sweezy,W.B., 3=9948
Bean,C.P. and Doyle,M.V. Superconductors as permanent magnets, 3=14464
Bean,C.P. and Doyle,V. Superconductors as permanent magnets, 3=338
Bean,C.P. and Rodbell,D.S. Magnetic disorder as a first order phase transition, 3=1002
Bean,C.P. and Schmitt,R.W. The physics of high-field superconductors, 3=12021
Beard,C.I. Statistics of phase quadrature components of microwave fields transmitted through a random medium, 3=7694
Beard,D.B. Self-consistent calculation of the ring current, 3=5814
Beard,D.B. Comets and cometary debris in the solar system, 3=23679
Beard,D.B. and Jenkins,E.B. Correction to the second approximation calculation of the geomagnetic field, solar wind interface, 3=21072
Beard,D.B. and McLellan,A. Quantitative nuclear evaporation theory and the nuclear potential, 3=24834
Beard,D.B. See Davis,L.,Jr., 3=16307
Beard,G.B. and Kelly,W.H. Half-life of the 1·27 MeV level in Sn^{116} by resonant self-absorption, 3=17412
Bearden,A.J. See Sawyer,G.A., 3=24296

Beardsley,G.F., Jr., Knollman,G.C., Hamamoto,A.S. and Eisler,J.D. Device for measuring orbital velocities of particles in an underwater wave field, 3=14126
Beardwood,J.E. and Tyror,J.G. Monte Carlo calculations of fast effects in uranium graphite lattices, 3=10419
Bearman,R.J. See Horne,F.H., 3=7200
Bearman,R.J. See Horne,F.H., 3=7201
Bearse,R.C. See Givens,W.W., 3=15102
Bearse,R.C. See Givens,W.W., 3=24862
Bearse,R.C. See Givens,W.W., 3=24863
Beattie,A.R. See Hearn,C.J., 3=10749
Beatty,D.L. See Simmons,F.B., 3=5286
Beaty,E.C. Mobilities of positive ions in argon, 3=4021
Beauchamp,N.A. and Holladay,W.G. Resonance model for $\gamma + N \rightarrow Y + K$, 3=24797
Beaudet,R.A. Microwave spectrum, barrier to internal rotation, and quadrupole coupling constants of trans-1-chloropropylene, 3=2642
Beaudet, R.A. Microwave spectrum, barrier to internal rotation, and dipole moment of ciscrotononitrile, 3=17594
Beaudry,B.J. See Miller,A.F., 3=18685
Beaufils,J.P. Measurement of electron work function. Modification of the method of the vibrating electrode, 3=16970
Beaumevieille,H.,Longequeue,N. and Longequeue,J.P. Angular distributions of α-particles from the reaction B^{11} (p, α_0) from 140 to 550 keV (experimental results), 3=2452
Beaumevieille,H.,Longequeue,N. and Longequeue,J.P. Angular distributions of He^3 from the reaction $Li^6(p,\alpha)He^3$ at 130-530 keV, 3=12664
Beaumevielle,H. See Longequeue,J.P., 3=11319
Beauxis,J.O. See Richardson,J.T., 3=21924
Bebb,H.B. A polarimetric method of measuring magneto-optic coefficients, 3=14376
Bécart,M. and Mahieu,J.M. Band spectrum of aluminium oxide, 3=25089
Becchi,C.,Meneghetti,L. and Vitale,S. Photo-alpha reaction in Al^{27}, 3=4618
Beck,A.,Jan,J.P.,Pearson,W.B. and Templeton,I.M. Experimental determination of Fermi surfaces; an extension to metallic compounds and alloys, 3=12944
Beck,A.E. Lightweight borehold temperature measuring equipment for resistance thermometers, 3=21023
Beck,A.H.W. and Ahmed,H. The activation process in dispenser cathodes, 3=19302
Beck,A.H.W. See Ahmed,H., 3=12235
Beck,D. Wide-angle scattering in molecular beams. The rainbow effect, 3=6439
Beck,D.,Greene,E.F. and Ross,J. Study of the reaction of K with HBr in crossed molecular beams, 3=6914
Beck,D. and Niehaus,A. Reactions of excited butane molecules, 3=4786
Beck, F., Steinwedel, H. and Süssmann, G. Observations on the Klein paradox, 3=2191
Beck,G. and Bigot,R. On the recording of the temperature differences between the centre and the surface of a cylinder of nickel cooled by tempering, 3=9641
Beck,H.G. Notes on testing astronomical optical systems, 3=9580
Beck,P.A. See Gupta,K.P., 3=8267
Beck,P.A. See Lounasmaa,O.V., 3=6479
Becka,L.N. Neutron inelastic scattering studies of globular compounds, 3=13393
Becka,L.N. See Brockhouse,B.N., 3=743
Beckel,C.L. Vibrational analysis of the Heitler–London potential of H_2, 3=19981
Beckel,C.L. and Nakhleh,J. Application of the second-order W.B.K. approximation to radial problems, 3=18725
Beckel,C.L. See Shafi,M., 3=8254
Becker,C.H. Quantum electronics of optical phonons. I. 3=9966
Becker,E.W.,Bier,K. and Bier,W. Separation jet method with a light additional gas, 3=5460
Becker,E.W., Bier,K., Bier,W. and Schütte,R. Nozzle separation of uranium isotopes by use of light additive gases, 3=15309
Becker,E.W., Klingelhöfer,R. and Lohse,P. Beams of clustered hydrogen, clustered helium and clustered nitrogen in high vacuum, 3=2678
Becker,F. and Walisch,W. Precision thermostat with optically regulated thermometer and controlled peltier cooling, 3=16830
Becker,G. Ammonia-beam maser with rectangular resonator, 3=12337
Becker,G. Focusing of molecular beams for masers with ring and helical electrodes, 3=16987
Becker,G.E. and Gobeli,G.W. Surface studies by spectral analysis of internally reflected infrared radiation: hydrogen on silicon, 3=18397
Becker,J.A. Parity of the 5·83-MeV state of N^{14}, 3=17401
Becker,J.A. and Fox,J.D. Capture of protons by B^{11} in the giant resonance region, 3=15192
Becker,J.H. and Hosler,W.R. Electron energy levels and their relationship to lattice defects in reduced rutile, 3=22955
Becker,J.J. Magnetization changes and losses in conducting ferromagnetic materials, 3=15768
Becker,K. and Nachtigal,D. Properties and radiation response of self-recording pen dosimeters, 3=22045
Becker,L.C. See Jobes,F.C., 3=12610
Becker,M.C.,Dandl,R.A.,Eason,H.O., Jr,England,A.C.,Kerr,R.J. and Ard,W.B. An investigation of electron heating at the cyclotron frequency, 3=12209
Becker,M.C. See Ard,W.B., 3=19913
Becker,P.M. and Dahler,J.S. Double excitation of helium by electron impact, 3=19951
Becker,R.S.,Singh,I.S. and Jackson,E.A. Comprehensive spectroscopic investigation of polynuclear aromatic hydrocarbons. I. Absorption spectra and state assignments for the tetracyclic hydrocarbons and their alkyl-substituted derivatives, 3=15360
Becker,T.,Schmidt-Rohr,U. and Tielsch,E. The A-dependence of elastic deuteron scattering at 11.8 MeV, 3=22415
Becker,W. Spatial distribution of 156 galactic star clusters in dependence of their age, 3=11584
Becker,W. and Fenkart,R. Spatial distribution of 55 H II regions in the Milky Way, 3=9252
Becker,W. and Stubbe,P. Temperature variation in the F-region during the last sunspot cycle, 3=13755
Becker,W. See Block,M.M., 3=12508
Beckerle,J. Effects of ocean waves on acoustic signals to very deep hydrophones, 3=11385
Beckers,J. A property of the β_5 matrix relative to the theory of spin 1 particles, 3=539
Beckers,J.M. Motions in the chromosphere near sunspots, 3=3575
Beckey, H.D. Field ionization mass spectra of organic molecules. I. Normal paraffins from C_1 to C_9, 3=14524
Beckman,O. and Bergvall,P. Doping properties of $Bi_2Te_{2.7}Se_{0.3}$, 3=10895
Beckman,O. See Bergvall,P., 3=13138
Beckman,O. See Bierly,J.N., 3=13524
Beckman,O. See Vallin,J., 3=21501
Beckmann,P. The amplitude distribution of radio waves scattered by meteor trails, 3=7049
Beckmann,P. On the introduction of particle positions in relativistic quantum mechanics, 3=7797
Beckmann,P. A re-examination of the experiments on the velocity of light with moving sources, 3=18958
Beckurts,K.H.,Egelstaff,P.A.,Goldstein,H. and Sjöstrand,N.G. Formation of neutron beams with special properties, 3=24744
Beddoes,J.M. The application of television to the observation of astronomical images, 3=16313
Bedenov,A.A. and Velikhov,E.P. Carrier drift instability in a solid body and coherent phonon emission, 3=4821
Beder,D. Observable reorientation effects in heavy-ion Coulomb excitation, 3=12588
Bederson,B. See Perel,J., 3=2582
Bedinger,J. See Manring,E., 3=9062
Bednyakov,A.A.,Boyarkina,A.N.,Savenko,A.A. and Tulinov,A.F. Investigation of multiple scattering of 100-200 keV protons on carbon, 3=6238
Bednyakov,A.A.,Boyarkina,A.N.,Savenko,I.A. and Tulinov,A.F. An investigation of multiple scattering of protons by the photographic method, 3=24718
Bedreag,C.G. Physical system of the elements, 3=12748
Bedrosian,S.D. Application of linear graphs to multilevel maser analysis, 3=9995
Bedyńska,T. Determination of dislocation distribution and density with the oscillating film spectrograph, 3=15490
Beeby,J.L. The propagator for a particle in the presence of a one-dimensional square-well potential, 3=18729

Beeby,J.L. and Edwards,S.F. The electronic structure of liquid insulators. 3=21384

Beeforth,T.H. The importance of secondary effects when measuring thin film anisotropy fields (H_K), 3=4240

Beehler,R.E.,Atkinson,W.R.,Heim,L.E. and Snider,C.S. A comparison of direct and servo methods for utilizing cesium beam resonators as frequency standards, 3=11749

Beeken,B., Goldman,R. and Oster,L. Resonance phenomena in a gaseous discharge in a strong magnetic field. 3=14535

Beekhuis, H. Accurate measurement of the half-life of the 91 keV state of 147 promethium, 3=4576

Beeler,J.R. Diffusion anisotropy in singly- and doubly-periodic lattices, 3=6324

Beeler,J.R., Jr and Besco,D.G. Range and damage effects of tunnel trajectories in a wurtzite structure, 3=22848

Beeler,J.R., Jr and Besco,D.G. Defect configurations in heavy-atom bombarded BeO, 3=22865

Beeler,J.R., Jr. and Delaney,J.A. Order—disorder events produced by single vacancy migration, 3=13530

Beenaker,J.J.M. See Van Beelen,H., 3=17027

Beer,A. The nature of comets, 3=13868

Beer,A. See Schwab,G.M., 3=6591

Beers,D.S.,Cody,G.D. and Abeles,B. Thermal conductivity of Ge, Si and III-V compounds at high temperatures, 3=10611

Beers,Y. and Strine,G.L. The measurement of voltage by the use of the Stark effect, 3=12041

Beerwald,H. Study of the structure of an electrodeless ring discharge by means of microwaves, 3=4129

Beerwald,H. Study of the structure of an electrodeless ring discharge by means of microwaves, 3=7456

Beerwald,H.,Bogen,P.,El-Khalafawy,T.,Fay,H.,Hintz,E. and Kever,H. Production of a highly ionized deuterium plasma, of low impurity level, with and without magnetic bias fields, for magnetic compression experiments, 3=12164

Beeson,E.L.,Weatherly,T.L. and Williams,Q. Molecular constants of chlorodifluoromethane from microwave spectrum analysis, 3=6411

Beeston,B.E.P. See Girifalco,L.A., 3=13364

Beets,C.,Donneaux,E.,Gierts,G. and Winand,L. Test of relative values of the differential cross-sections for triton emission in the reaction $Li^6(n, t)He^4$ for energies of 150, 200 and 250 keV, 3=12695

Beevers,C.J. Electrical resistivity observations on quenched and cold-worked magnesium, 3=25269

Beevers,C.J. and Mazey,D.J. Irradiation damage in molybdenum after energetic H^+ and He^{2+} ion bombardment, 3=2850

Beevers,C.J. and Nelson,R.S. The formation of defect clusters in aluminium by ion bombardment, 3=20159

Begemann,F. The tritium content of atmospheric hydrogen and atmospheric methane, 3=25894

Beghian,L.E., Rasmussen,N.C., Thews,R. and Weber,J. The investigation of neutron kinetics and cross-sections in fast nonmoderating assemblies by the nanosecond pulsed neutron source technique, 3=17287

Beghian,L.E. and Salomaa,M.K. A high intensity nanosecond pulsed Van de Graaff accelerator, 3=4223

Beghian,L.E.,Sugimoto,K.,Wächter,M.H. and Weber,J. Neutron polarization in the 1 MeV region by elastic scattering on C, O and D, 3=12680

Begiashvili,G.A. See Azbel',M.Ya., 3=6507

Begley,R.J. Liquid sodium absorbs gaseous iodine, 3=21007

Begum,R.J.,Madhav Rao,L. and Umakantha,N. Inelastic scattering of cold neutrons by polycrystalline beryllium oxide in the temperature range from 100° K to 1000° K, 3=12911

Begun,G.M. and Palko,A.A. Raman and infrared spectra of BF_3 complexes with diethyl ether and tetrahydrofuran, and the isotopic exchange of these complexes with BF_3*. 3=15361

Begzhanov,R.B.,Islamov,A.A.,Kaipov,D.K. and Shubnȳi,Yu.K. Lifetime of the 0.845 MeV level of the Fe^{56} nucleus, 3=22303

Begzhanov,R.B. See Kaipov,D.K., 3=2429

Behar,M. and Semeria,R. Contribution to the study of the behaviour of bubbles in a liquid, 3=1661

Behof,A.F., Lietz,G.P., Treviño,S.F. and Darden,S.E. Polarization in neutron—deuteron elastic scattering at 1.0 MeV, 3=19637

Béhot,F. See Fayard,M., 3=17767

Behr,L. and Mittner,P. Electron and π^0 measurements in a heavy liquid bubble chamber, 3=17249

Behr,L.,Mittner,P. and Musset,P. Direct measurement of the π^0 decay into two γ. 3=12498

Behrendt,D.R. See Hoekstra,P., 3=789

Behrendt,D.R. See Kay,M.I., 3=11256

Behring,W.E. See Neupert,W.M., 3=9152

Behringer,J. and Brandmüller,J. The observation of the resonance Raman effect in crystalline powders, 3=6650

Behrndt,K.H. On the coercive force and its connection to the impurities in ferromagnetic thin films, 3=15824

Behrndt,K.H. [Ed.]. Vacuum microbalance techniques. Vol. 3. Proceedings of the Los Angeles Symposium, Oct. 30, 1962, 3=21281

Beil,H., Carlos,P. and Genin,R. High precision cutting of Co—Fe single crystals for use in a neutron spectrometer, 3=20821

Beil,H.,Carlos,P. and Matuszek,J. Production and study of monochromatic polarized beams of slow neutrons, 3=24741

Beil,H. See Genin,R., 3=12467

Beine,H.,Bohm,G. and Bohm,S. Stabilizing device for a 2 MV cascade generator, 3=24415

Bejadjan,N.G. See Babayan,H.P., 3=6103

Bejat,M.J. The technique of metallization and alloying of germanium-based mesa transistors, 3=20365

Bekefi,G. See Brown,S.C., 3=9611

Bekefi,G. See Fields,H., 3=4121

Bekefi,G. See Fields,H., 3=5657

Bekefi,G. See Gruber,S., 3=7470

Bekefi,G. See Hirshfield,J.L., 3=25979

Bel'aev, B.N. and Murin, A.N. Calculation of the interaction of fast protons with heavy nuclei taking into account fission, 3=4638

Belar, H. See Olson, H.F., 3=1551

Belashchenko,D.K. See Bokshtein,B.S., 3=6539

Belaya,A.D. See Zemskov,V.S., 3=20793

Belaya,A.D. See Zemskov,V.S., 3=20902

Belen'kii,S.A. See Der-Shvarts,G.V., 3=19345

Belen'kii,S.N. See Baranov,S.A., 3=4581

Belen'kii,S.N. See Baranov,S.A., 3=15160

Belenky,S.N. See Baranov,S.A., 3=10319

Belenov,E.M. and Oraevskii,A.N. A molecular oscillator with two consecutive resonators. 3=12359

Belevich,V.F. Retardation of stellar rotation, 3=23691

Belford, G.G. and Belford, R.L. Sedimentation in chemically reacting systems. II. Numerical calculations for dimerization. 3=3389

Belford,G.G.,Kuppermann,A. and Phipps,T.E. Application of numerical methods to the theory of the periodic deviations in the Schottky effect, 3=424

Belford,R.L. See Basu,G., 3=3011

Belford, R.L. See Belford, G.G., 3=3389

Belford,R.L. See Ferguson,J., 3=3027

Belforti,D.A. and Lepie,M.P. The surface tension of copper by optical measurements, 3=16598

Beliaev,S.T. and Zelevinsky,V.G. Anharmonic effects of quasrupole oscillations of spherical nuclei, 3=6155

Belikov,A.M., Lisnyak,S.S. and Morozov,A.N. Chromium spinelides and the crystallochemical transformations which occur when they are calcined. 3=16081

Belikov,A.M. and Savinskaya,A.A. Mechanism of twinning as a result of the deformation of single crystals of the alloy Mo—35 at.% Re, 3=23380

Belikova,G.S. and Belyaev,L.M. Mixed organic crystals for scintillation counters, 3=24552

Belikova,G.S.,Kusev,V.G. and Fridkin,V.M. Nonlinear photodepolarization of crystals produced by a space-charge-limited photocurrent, 3=20399

Belikova, G.S. See Fridkin, V.M., 3=17908

Belikova,T.P. and Galanin,M.D. Kinetics of luminescence of ZnS:Cu with excitation by alpha particles and short light pulses, 3=955

Belikova,T.P.,Galanin,M.D. and Sviridenkov,E.A. Photoconductivity and luminescence kinetics of a ZnS:Cu crystal phosphor under pulse excitation, 3=25422

Belinfante,F.J. Consequences of the postulate of a complete commuting set of observables in quantum electrodynamics, 3=4318

Belinfante,J.G. Impulse approximation, 3=5948

Belinfante,J.G. and Unal,B.C. Potential scattering, 3=12413

Belitskii,B.M. See Brodskii,V.B., 3=24302

Belitskii,B.M. See Brodskii,V.B., 3=24307

Belitz,H.J. On the mechanism of corona-free spark counters with inhomogeneous fields, 3=2153
Belitz,H.J. The use of spark and corona spark-counters in nuclear measuring techniques, 3=2155
Belitz,H.J. Mechanism of the corona spark counter, 3=10000
Belkin,I.M. See Vinogradov,G.V., 3=21351
Bell,A.G. and Venning,B.H. High input resistance transistor amplifiers, 3=14482
Bell,B. A long-term north–south asymmetry in the location of solar sources of great geomagnetic storms, 3=18631
Bell,B. and Wolbach,J.G. On short-period relations between North–South asymmetry in spottedness and in great-storm sources, 3=18633
Bell,D.A. Semiconductor noise as a queuing phenomenon, 3=20282
Bell,G.I. Probability distribution of neutrons and precursors in a multiplying assembly, 3=10404
Bell,G.I.,Anderson,W.A. and Galbraith,D. Probability distribution of neutrons and precursors in multiplying medium. II, 3=25002
Bell,G.M. and Fairbairn,W.M. Regular models for solid hydrogen. II, 3=6450
Bell,J.F. Single, temperature-dependent stress– strain law for the dynamic plastic deformation on annealed face-centered cubic metals, 3=11158
Bell,J.S. Fluctuation compressibility theorem and its application to the pairing model, 3=7136
Bell,J.S. On a conjecture of C.N.Yang, 3=16555
Bell,J.S. and Veltman,M. Intermediate Boson production by neutrinos, 3=19609
Bell,M., Bramham,P. and Montague,B.W. Pulse-shortening in electron linear accelerators and E_{11} type modes, 3=19379
Bell,P.R.,Kelley,G.G.,Lazar,N.H. and Mackin,R.J.,Jr. The DCX-2 program of plasma accumulation by high energy injection, 3=12203
Bell,P.R. See Mackin,R.J.,Jr., 3=15270
Bell,R.E. See Onno,P., 3=4294
Bell, R. L. Electric dipole spin transitions in InSb, 3=3175
Bell,R.L. A proposal for a d.c. pumped rare-earth laser, 3=24521
Bell,R.P. and Robinson,R.R. Dielectric loss in solutions of weak electrolytes, 3=5447
Bell,W.A. See Freeman,J.H., 3=16991
Bell,W.E. See Bloom,A.L., 3=19495
Bell,W.W. The analytic properties of the scattering amplitude in nonrelativistic quantum mechanics, 3=24631
Bellamy,E.H. See Miller,D.B., 3=10147
Bellau,R.V. and Coles,B.R. Magnetic brillouin zone effects in the electrical resistivity of manganese and some manganese alloys, 3=20554
Belle,T.S., Gorbunkov,V.M. and Rozenberg,L.D. Calculating amplification factor in inclined incidence of a sonic wave on a parabolic reflector, 3=14267
Bellemans,A. Statistical mechanics of surface phenomena. III. Relation between surface tension and curvature, 3=14052
Bellemans,A. Diagram of state and thermodynamic properties of pure isotopes and isotopic solutions, 3=21321
Bellemans,A.and Kestemont,E. On the approach to equilibrium of an assembly of dipoles on a vibrating lattice, 3=2715
Bellemans,A. See De Leener,M., 3=25260
Beller,L.S. Nanosecond scintillation coincidence spectrometer
Belles,F.E. See Brabbs,T.A., 3=15389
Bellet,J. See Wertheimer,R., 3=19465
Bellettini,G.,Bemporad,C.,Braccini,P.L.,Foà,L. and Toller,M. On the possibility of measuring the η_0 lifetime by detecting the "Primakoff effect", 3=6076
Bellettini,G.,Bemporad,C.,Cerri,C. and Foà,L. Determination of the optimum working conditions of photomultipliers, 3=9839
Bellicard,J. See Blum,D., 3=22300
Bellier,M.,Dupré,F-M.,Wlérick,G.,Rösch,J. and Arsac,J. Photometry of Jupiter and Saturn from plates obtained with the electronic camera, 3=18612
Bellière,J.,Bloch,M.,Drijard,D.,Hennessy,J.,Lowys,J.P., Mittner,P.,Orkin-Lecourtois,A.,Zahaczewski,M., Bingham,H.H.,Di Corato,M.,Gelsema,E.S.,Nikolic,M., Minguzzi-Ranzi,A.,Borreani,G.,Ferrero,M.I.,Garelli,C.M., Vigone,M.,Grigoletto,A.,Limentani,S.,Loria,A.,Waldner,F., Baglin,C.,Rançon,P.,Rousset,A.,De Raad,B.,Salmeron,R. and Voss,R. Correlations in strange-particle pairs produced by π^- of 6, 11 and 18 GeV/c, 3=24775
Bellini,G.,Fiorini,E.,Herze,A.J.,Negri,P.,Ratti,S.,Baglin,C., Bingham,H.,Bloch,M.,Drijard,D.,Lagarrigue,A.,Mittner,P., Orkin-Lecourtois,A.,Rançon,P.,Rousset,A.,de Raad,B., Salmeron,R. and Voss,R. "Glancing" collisions of pions with protons at 6.1 and 18.1 GeV/c, 3=7899
Bellini,G., Fiorini,E. and Orkin-Lecourtois,A. Charge-exchange and total cross-sections in π–p interactions at high energies, 3=15011
Bellini,G. See Fretter,W.B., 3=2301
Bellini,G. See Veillet,J.J., 3=10163
Bellini,G. See Veillet,J.J., 3=17313
Bellman,R.,Birnbaum,G. and Wagner,W.G. Transmission of monochromatic radiation in a two-level material, 3=9990
Bellon,P.L.,Albano,V.,Pompa,F. and Scatturin,V. Crystallographic programmes for the IBM 1620 electronic computer. III. Search for the reduced quadratic form in powder pattern spectrograms, 3=23433
Belloni,J. See Pavlov,D., 3=13608
Belogurov,V. See Bakhmat,A., 3=10265
Belogurov,Yu.P.,Shishova,L.N.,Kibal'chich,G.A. and Tatus',V.I. Measurement of the light yield of large scintillators, 3=24001
Belon,A.G. See Flock,W.L., 3=13832
Belonogov,A.V., Belushkina,A.A., Vinaver,R., Vinogradov,V.N., Glagolev,V.V., Dyachkov,E.I., Zel'dovich,A.G., Zel'dovich,N.K Kozubsky,E.V., Lebedev,R.M., Maly,M., Melnikova,N.N., Moiseev,A.M., Saitov,I.S., Turbin,Yu.A., Ustenko,E.P., Chuvilo,I.V., Shishov,Yu.A. A liquid hydrogen bubble chamber of volume 950 × 350 × 300 mm^3, 3=17127
Belonogov,A.V. and Gorbunkov,V.M. Measurement of the refractive index of liquid hydrogen, 3=21363
Belorizky,E. See Ayant,Y., 3=15669
Belorizky,E. See Ayant,Y., 3=15760
Belotskii,D.P. Semiconducting compounds with sphalerite and sodium chloride structures, 3=22922
Belous,V.M. Effect of thermal treatment on the formation of the trapping level spectrum in silver chloride, 3=8397
Belous,V.M. The nature of the electron trapping levels in silver chloride crystals, 3=20521
Belous,V.M. and Golub,S.I. Certain peculiarities of the luminescence of AgCl:Mn phosphors, 3=20522
Belous,V.M. See Bugrienko,V.I., 3=2964
Belousov, A.S., Rusakov, S.V. and Tamm, E.I. Low-energy photo-deuterons from lithium, 3=2436
Belousov,A.S., Rusakov,S.V., Tamm,E.I. and Tatarinskaya,L.S. Photoproduction of π^0-mesons on deuterium at energies from 170 to 210 MeV, 3=4427
Belousov,A.S.,Rusakov,S.V.,Tamm,E.I. and Tatarinskaya,L.S. Efficiency of Cherenkov counters with lead-glass radiators in recording high-energy gamma-rays, 3=24555
Belosuov,A.S.,Rusakov,S.V.,Tamm,E.I. and Tatarinskaya,L.S. Photoproduction of neutral pions on hydrogen and deuterium at low angles, 3=24766
Belousova,I.M. Mechanism of formation of the equilibrium concentration of the electrode substance in the plasma of an arc discharge, 3=1952
Belov,K.P. Influence of the magnetic sublattice structure of ferrites on their physical properties, 3=6719
Belov, K.P., Belov, V.F., Malevskaya, L.A., Ped'ko, A.V. and Sokolov, V.I. Anomalies in the temperature dependence of the ferromagnetic resonance absorption line width in ferrites, 3=3150
Belov,K.P.,Levitin,R.Z. and Nikitin,S.A. Magnetoelastic properties of terbium and holmium, 3=11091
Belov,K.P., Levitin,R.Z., Nikitin,S.A. and Ped'ko,A.V. Magnetic and magnetoelastic properties of dysprosium and gadolinium, 3=5017
Belov,K.P. and Malevskaya,L.A. Magnetic and resonance properties of yttrium–iron garnets with the Y^3 ions replaced by Tb^{3+}, Nd^{3+} and Lu^{3+} ions, 3=6721
Belov,K.P. and Nikitin,S.A. Effect of helical magnetic structure on the magnetostriction of dysprosium, 3=6716
Belov,K.P. and Ped'ko,A.V. On the "helical" antiferromagnetism of gadolinium, 3=6732
Belov,K.P., Svirina,E.P. and Malikova,O.A. The problem of electrical conductivity of manganese ferrite monocrystals, 3=20334
Belov,K.P., Zaitseva,M.A., Kadomtseva,A.M., Kvitka, S.S. and Ovchinnikova,T.L. Magnetic properties and structures of some garnet systems, 3=15867

Belov,K.P.,Zaitseva,M.A.,Kadomtseva,A.M. and Timofeeva,V.A. Magnetic anisotropy and hysteresis properties of rare earth orthoferrites, 3=8683

Belov,K.P. and Zalesskii,A.V. Change in conductivity incident to magnetization and magnetic anisotropy in ferrite single crystals of the $Mn_xFe_{3-x}O_4$ system, 3=13270

Belov,N.V. and Neronova,N.N. Ferromagnetic groups, 3=1099

Belov,N.V.,Neronova,N.N.,Donnay,J.D.H. and Donnay,G. Tables of magnetic space groups. II. Special positions, 3=1100

Belov,N.V. See Ashirov,A., 3=8861

Belov,N.V. See Ilyukhin,V.V., 3=13484

Belov,N.V. See Kuz'minov,Yu.S., 3=22391

Belov,N.V. See Kuz'minov,Yu.S., 3=23183

Belov,N.V. See Kuz'minov,Yu.S., 3=23186

Belov, N.V. See Shuvalov, L.A., 3=18069

Belov,N.V. See Smirnova,N.L., 3=20774

Belov,N.V. See Smirnova,N.L., 3=23423

Belov,N.V. See Volodina,G.F., 3=18326

Belov,N.V. See Yamzin,I.I., 3=1114

Belov,P.N. Numerical forecast of pressure at various levels taking into account variations of the coriolis parameter and the weather map scale, 3=3452

Belov,S.P. See Bakov,A.T., 3=22409

Belov,V.F. See Belov,K.P., 3=3150

Belova,E.K. See Palatnik,L.S., 3=13513

Belova,N.T. See Kosterin,S.I., 3=14197

Belrose,J.S. and Cetiner,E. Measurement of electron densities in the ionospheric D-region at the time of A 2+ solar flare, 3=1462

Belrose,J.S. See Barrington,R.E., 3=21056

Belsche,J.C. See Uyeda,S., 3=11477

Belser,R.B. and Youmans,A.P. Simple electron beam furnace, 3=9647

Bel'skii,N.K. and Mukhtarov,Ch.K. The electronic absorption spectrum of crystals of several dichromates at low temperatures—interpretation of the spectra, 3=4837

Bel'skii,N.K. and Mukhtarov,Ch.K. Electronic absorption spectrum of some dichromates at low temperatures. I, 3=15671

Belton,M.J.S. and Brandt,J.C. On the local surface density and the scale of the galaxy, 3=16420

Belton,M.J.S. and Brandt,J.C. Rotation curves and space densities with application to the galaxy, 3=21118

Belton,M.J.S., Brandt,J.C. and Hodge,P.W. On the characteristics of distant comets, 3=21103

Belton,M.J.S. See Brandt,J.C., 3=3604

Belushkina,A.A. See Belonogov,A.V., 3=17127

Bely,O. Calculation of the potentials occurring in collision problems, 3=8206

Belyaev,B.N.,Kalyamin,A.V. and Murin,A.N. Alpha-decay to electron capture ratios for Po^{200},P^{201} and Po^{203}, 3=10316

Belyaev,B.N.,Kalyamin,A.V. and Murin,A.N. Reduced derivative width δ^2_α for polonium isotopes, 3=10317

Belyaev,B.N.,Kalyamin,A.V. and Murin,A.N. Decay of nuclei with less than 120 neutrons, 3=22317

Belyaev,B.N.,Kalyamin,A.V. and Murin,A.N. Alpha-decay of neutron-deficient polonium isotopes, 3=24914

Belyaev,L.M., Shakhovskoi,G.P., Smirnov,S.P. and Kuz'mina,L.P. Preparing crystals of cadmium sulphide at high pressures, 3=20791

Belyaev,L.M. See Belikova,G.S., 3=24552

Belyaev,S.T. and Zelevinskii,V.G. "Anharmonic" effects of quadrupole oscillations of spherical nuclei, 3=6161

Belyaev,V.A. and Brevnov,N.N. An electrostatic channel for bringing a beam of ions into a magnetic trap, 3=7651

Belyaev,V.A. and Brevnov,N.N. An electrostatic channel for bringing a beam of ions into a magnetic trap, 3=21897

Belyaev,V.B. and Zakhar'ev,B.N. Pair correlations in single nucleon reduced level widths in nuclei, 3=10205

Belyaev,V.B. See Balashov,V.V., 3=6157

Belyaeva,A.I. and Eremenko,V.V. Temperature dependence of the optical absorption bandwidth of MnF_2 crystals, 3=25461

Belyaeva,I.F., Solov'eva,V.I., Khrenov,B.A. and Khristiansen,G.B. Extensive air showers initiated by high-energy photons, 3=19726

Belyaeva,I.F. See Khristiansen,G.B., 3=4513

Belyaeva,I.F. See Vernov,S.N., 3=19719

Belyaevskii,A.I. and Gur'yan,Yu.A. Eleven-counter instrument for measuring γ-γ angular correlation, 3=7821

Belyak,V.I. and Zaikin,D.A. Rotational states of non-spherical even—even nuclei, 3=10206

Belyakov,V.A.,Van Yun-chan [Wang Yung-Ch'ang],Veksler,V.I., Viryasov,N.M.,Vrana,I.,Du Yan'-tsai [Tu Yüan-Tz'ai], Kim Khi In,Kladnitskaya,E.N.,Kuznetsov,A.A.,Mikhul,E., Nguyen Dinh Tu,Patera,I.,Penev,V.N.,Sokolova,E.S., Solov'ev,M.I.,Hofmokl',T.,Chen Lin-Yan' [Ch'eng Ling-Yen] and Mikhul,A. Investigation of Λ-hyperon and K^0-meson production in π^- p interactions at 7-8 GeV, 3=24798

Belyakov,V.A.,Wang Yung-ch'ang [Ban Yui-chan],Yiryasov,N.M., Du Yuan'-tsai [Tu Yüan-ts'ai],Kim khi In,Kladlitskaya,E.N., Kuznetsov,A.A.,Nguyen Din Ty [N'guen Ling Tai],Penev,V.N., Sokolova,E.S. and Solov'ev,M.I. A study of the properties of π^0-mesons produced with strange particles in π^-P and π^-C interactions, 3=24764

Belyi,M.U.,Gorban'.I.S. and Shishlovskii,A.A. Photoluminescence of halide salts of heavy metals and semiconductor crystals, 3=10990

Belyustin, A.V. A simple method for growing crystals from solutions, 3=18250

Belyustin,A.V. and Portnov,V.N. Influence of movement and faceting of a crystal on the growth velocity of its faces, 3=16034

Bem,J. [J.Böhm],Petrzhilka,V. and Suk.M. Peripheral pion—nucleon interactions at 7 BeV, 3=24772

Bém, P., Habanec, J., Karban, O. and Němec, J. Measurement of the polarization of protons scattered elastically on carbon, 3=2444

Bemporad,C. See Bellettini,G., 3=6076

Bemporad,C. See Bellettini,G., 3=9839

Bemski,G. Hot magnetoplasma resonance in InSb, 3=2775

Bemski,G. Studies of the electronic structure of covalent semiconductors by e.p.r., 3=4911

Bemski,G.,Szymanski,B. and Wright,K. A new paramagnetic center in electron irradiated silicon, 3=6750

Benard,J. See Manenc,J., 3=11200

Ben-Aryeh,Y. See Oppenheim,U.P., 3=5467

Bendaniel,D.J. Ionization transients in cesium, 3=24219

BenDaniel,D.J. and Bishop,C.M. Nonequilibrium ionization in a high-pressure cesium—helium transient discharge, 3=9727

BenDaniel,D.J. and Hurwitz,H., Jr. Matching conditions at gradual plasma boundaries, 3=1986

BenDaniel,D.J., Hurwitz,H., Jr. and Sutton,G.W. Electron conductivity at cyclotron resonance, 3=18836

Ben-David,G. and Huebschmann,B. Neutron flux measurements using dysprosium detectors, 3=2283

Ben-David,G. (Davis) and Huebschmann,B. The nuclear resonant scattering of neutron capture gamma rays, 3=6218

Ben-Davis,G. See Ben-David,G.

Bender,D.,Bucher,E. and Müller,J. Structure and electronic properties of niobium—ruthenium alloys, 3=22662

Bender,P.L. Comparison of the rubidium-87 and proton Zeeman transition frequencies in the earth's magnetic field, 3=8190

Bender,R.S. See Bassel,R.H., 3=5764

Bendiscioli,G. See Argan,P.E., 3=4425

Bendler,H.M. and Nine,H.D. Fatigue failure in copper single crystals at low and high amplitudes of torsion, 3=1245

Bendler,H.M. and Nine,H.D. Metallographic observations on copper single crystals subjected to torsional fatigue cycling, 3=20747

Bendt,P.J. See Flynn,E.R., 3=2268

Béné,G., Duval,E., Finaz,A. and Hochstrasser,G. High resolution spectra in the earth's magnetic field, 3=20021

Béné,G.J. Magnetic resonance in weak fields: recent results in physical structure and magnetometry, 3=21420

Benedek,A. See Plajner, Z., 3=10312

Benedek,G.B. See Heller,P., 3=3195

Benedek,G.B. See Litster,J.D., 3=11123

Benedick,W.B. See Jones,O.E., 3=1224

Benedict,C.M. See Earnshaw,K.B., 3=3904

Benedict,M. See Petersen,G.T., 3=8940

Benedict,W.S. See Jaffe,J.H., 3=15347

Benenson,R.E. and Yaramis,B. $C^{13}(d,n)N^{14}$ and $O^{18}(d,n)F^{18}$ differential cross sections at 3.9—MeV bombarding energy, 3=6289

Benenson,R.E. See Engelke,C.E., 3=4399

Benenson,W. See Gorodetzky,S., 3=19810

Beneš,J.,Berger,Z.,Janoušek,A.,Vacek,K. and Vavřinec,E. X-ray and β-ray luminescence of silver chloride crystals, 3=6671

Benes,J., Fort,A. and Vacek,K. Conductivity of photographic emulsions, 3=3899
Beneş,L.,Iliescu,N.,Iorgulescu,St. and Olteanu,I. X-ray spectrometer with 2 m arm, 3=21919
Beneş,L. See Călusaru,A., 3=23509
Benesch,W. Simultaneous measurement of HI fundamental and overtone lines, 3=25097
Benesch,W. See Ameer,G., 3=4749
Benesch,W. See Goldring,H., 3=4748
Benetskiĭ,B.A. and Frank,I.M. Angular correlation between gamma-rays and 14 MeV neutrons scattered inelastically by carbon, 3=24944
Beneventano,M., Finzi,R., Mezzetti,L., Paoluzi,L. and Tazzari,S. Small-angle photoproduction of single positive pions on hydrogen at energies around the "second resonance", 3=19669
Benezech,P. See Garreta,D., 3=2043
Benford,J.G. and Lindsay,R.W. Importance of penultimate grain size and solid solution impurities in secondary recrystallization in 50 Fe—50 Ni, 3=16112
Bengus,V.Z.,Komnik,S.N. and Startsev,V.I. Formation of dislocations in calcite crystals, 3=12971
Bengus,V.Z.,Komnik,S.N. and Startsev,V.I. Some phenomena observed on the boundaries of a twin lamella in calcite, 3=12982
Benioff,P.A. Effect of the optical potential on the nucleon momentum distribution in nuclei. The pickup reaction, 3=624
Benioff,P.A. Effect of angular localization on direct nuclear reactions, 3=8065
Ben Israel,D.H. and Fine,M.E. Precipitation studies in Ni—10 at.% Ti, 3=25755
Beniston,M.J. and Davis,D.H. The production and decay of a $_{\Lambda}B^{12}$ hyperfragment, 3=7975
Beniston,M.J. See Danysz,M., 3=22276
Beniston,M.J. See Fletcher,E.R., 3=10232
Benjamin,C.E. See Booker,G.R., 3=13149
Benjamin,L. Automatic adiabatic solution calorimeter using thermistors, 3=24095
Benjamin,P. and Weaver,C. The adhesion of metals to crystal faces, 3=23504
Bennemann,K.H. General treatment of the conduction electron redistribution due to point defect complexes and lattice distortion in noble metals, 3=15463
Bennemann,K.H. General method for determining lattice point defect configurations including their dependence on electron redistribution. 3=15480
Bennett,A.L.,Young,R.A. and Hearn,N.K.,Jr. X-ray diffraction topography of vibrating quartz crystals, 3=15982
Bennett,A.S. The preparation of the revised 3C catalogue of radio sources, 3=9280
Bennett,A.S. The revised 3C catalogue radio sources, 3=13926
Bennett,E.F. Proportional counter proton-recoil spectrometer with gamma discrimination, 3=4412
Bennett,F.D. Exploding wires, 3=199
Bennett,F.D. Time-resolved interferometry of ionized gases, 3=3888
Bennett,F.D., Burden,H.S. and Shear,D.D. Two-wavelength streal interferometry of an ionized heavy gas, 3=18900
Bennett,F.D. and Marvin,J.W. Current measurement and transient skin effects in exploding wire circuits, 3=3981
Bennett,G.E. See Morgenthaler,F.R., 3=1164
Bennett,G.S. Measurement of bottom acoustical characteristics, 3=1773
Bennett,G.S. The sonar equation, 3=9551
Bennett,H.E. The solidification curves of the gold—copper system, 3=12002
Bennett,H.E. and Bennett,J.M. Predicting the distribution of infrared radiation from the clear sky, 3=3465
Bennett,H.E.,Bennett,J.M. and Ashley,E.J. The effect of protective coatings of MgF_2 and SiO on the reflectance of aluminized mirrors, 3=11929
Bennett,H.E., Silver,M. and Ashley,E.J. Infrared reflectance of aluminum evaporated in ultra—high vacuum, 3=20443
Bennett,J.A. Evidence regarding the mechanism of fatigue from studies of environmental effects, 3=20751
Bennett,J.M. See Bennett,H.E., 3=3465
Bennett,J.M. See Bennett,H.E., 3=11929
Bennett,L.H. See Snodgrass,R.J., 3=17066
Bennett,L.H. See Streever,R.L., 3=3199
Bennett,L.H. See Streever,R.L., 3=15967
Bennett,L.H. See Streever,R.L., 3=25592
Bennett,R.G. and Calderwood,J.H. Relationship between dielectric relaxation and viscosity in alcohols, 3=21398
Bennett,R.J. Determination of the ionisation energy of magnesium in gallium arsenide, 3=4922
Bennett,W.R., Jr. Gaseous optical masers, 3=7730
Bennett,W.R., Jr. See McFarlane,R.A., 3=6358
Bennett,W.R,Jr. See McFarlane,R.A., 3=17092
Bennett,W.R.,Jr. See Patel,C.K.N., 3=9507
Bennewitz,H.G. and Wedemeyer,R. Molecular beam detector with electron bombardment ionization and four-pole mass filter, 3=6440
Benninghoven,A. Measurement of the vapour pressure of the alkali metals with the Bayard—Alpert ionization manometer, 3=19076
Benoit, H, de Gennes, P—G, and Silhouette, D. Nuclear relaxation in certain alloys of paramagnetic rare earths, 3=18155
Benoit,H.,Ottavi,H. and Pommier,J. Measurement of the correlation time characterizing a chemical exchange, 3=13589
Benoit,H. and Pommier,J. Observation of transitions induced by a radiofrequency field parallel to the static field, 3=17067
Benoît,H.,Ullman,R.,de Vries,A.J. and Wippler,C. Scattering of light by aggregates suspended in a liquid, 3=5531
Benoit,H. See Gallot,Y., 3=11791
Benoît,H. See Leng,M., 3=4793
Benoit,H. See Leng,M., 3=18443
Benoit,H. See Subirana,J.A., 3=10555
Benoit,P. See Dumas,J.C., 3=12057
Benoit,R. The spectrum of incoherent scattering in a plasma with and without collisions, 3=16942
Benoit,R. and Houri,A. On the measurement of the spectral density of a noise in geophysics. Application to the earth-ionosphere cavity, 3=6974
Benoit,W. and Secretan,B. Performance of equipment for measuring internal friction from flexural vibrations, 3=11748
Benoit-Cattin, P. and Blanc, D. Precise evaluation of the sensitive volume of Geiger-Müller counters, using plastic scintillating filaments, 3=4290
Benoit a la Guillaume,C. and Cernogora,J. Extrinsic photoconductivity with phonon emission in germanium, 3=13133
Benoit a la Guillaume,C. and Lavallard,P. Radiative recombination in indium antimonide, 3=10825
Benoit à la Guillaume, C. and Parodi, O. Radiative recombination in germanium and silicon, 3=2900
Benoit à la Guillaume,C. See Tric,C., 3=6639
Ben-Reuven, A, Friedmann, H. and Jaffe, J.H. Theory of pressure-induced shifts of infrared lines, 3=17607
Bens,A.R. See Shepherd,G.G., 3=18555
Ben-Sira,M.Y. See Peled,S., 3=10869
Benson,B.B. See Klots,C.E., 3=9450
Benson,D.K. See Gravitt,J.C., 3=6544
Benson, F.A. Glow-discharge research at the University of Sheffield, 3=4054
Benson,G.C. and Claxton,T.A. Calculation of the surface energy of the $\{110\}$ face of some crystals possessing the fluorite structure, 3=22632
Benson,G.C.,Freeman,P.I. and Dempsey,E. Calculation of surface distortion in an alkali halide crystal bounded by a free $\{100\}$ face, 3=25768
Benson,K.E. See Storm,A.R., 3=20874
Benson,S.W. Reaction of O atoms with NO_2 and the structure of the NO_3 radical, 3=13598
Benson,S.W. Kinetics of the pyrolysis of organic iodides, 3=16157
Benson,S.W. Homogeneous catalysis of gas-phase atom recombination. Recombination of H atoms at high temperatures, 3=16165
Benson,S.W.,Berend,G.C. and Wu,J.C. Classical model for vibrational and rotational excitation of diatomic molecules by collision. I. Hard-sphere collision, 3=8314
Benson,S.W.,Berend,G.C. and Wu,J.C. Classical model for vibrational and rotational excitation of diatomic molecules by collision. II. Interaction with arbitrary potential functions, 3=10502
Benson,S.W. and Bose,A.N. Kinetics of the gas-phase addition of HI to C_2H_4 and the pyrolysis of ethyl iodide, 3=6915

Benson,S.W. and Copeland,C.S. The partial molar volumes of ions, 3=23873
Benson,S.W. and Nangia,P.S. Kinetic isotope effects in the pyrolysis of cyclopropane and cyclobutane, 3=8961
Benson,S.W. See Bose,A.N., 3=11338
Benson,S.W. See Flowers,M. 3=5164
Benson,S.W. See Flowers,M.C., 3=11339
Benson,S.W. See Hartley,D.B., 3=20978
Benson,S.W. See Hershenson,H., 3=3385
Benson,S.W. See Pearson,D., 3=18449
Benson,S.W. See Pearson,D., 3=18450
Bent,R.D. See Eidson,W.W., 3=2498
Bentle,G.G. Some elastic properties of BeO at room temperature, 3=5057
Bentley,D.L. Mathematical representation for Wald's compartment theory, 3=7070
Bentley,P.G. See Rowlands,J.L., 3=14
Bentson,J. See Patel,S.A., 3=14076
Bentwich,M. Free and forced vibrations of a membrane in contact with air, 3=5478
Bentzon,M.W. See Levi,H., 3=17158
Benveniste,J.,Mitchell,A.C. and Fulmer,C.B. Level structure on Ni^{64} and Zn^{64}, 3=10259
Benveniste,J.,Mitchell,A.C. and Fulmer,C.B. Proton scattering by Ni^{64} and Zn^{64} at 9.6 and 11.7 MeV, 3=10339
Benveniste,J.,Mitchell,A.C.,Schrader,C.D. and Zenger,J.H. Gamma rays from the interaction of 14-MeV neutrons with lithium, 3=2474
Benveniste,J.,Mitchell,A. and Thomas,R. A method for measuring the energy of alpha-particle beams in the region 5 to 3 MeV, 3=24812
Benveniste,M. See Blanc,G., 3=2946
Benz,M.G. See Rosner,C.H., 3=19408
Benzler,H. Effect on the degree of cooling efficiency of gas-cooled nuclear reactors of the temperature dependence of the gas properties, burn-up and control, 3=694
Beran,M. and Parrent,G. Jr. The mutual coherence of incoherent radiation, 3=9574
Beranek, L.L. Reply to Shankland's letter, 3=14295
Beranek, L.L. Seeking communication: musical-acoustic vocabulary, 3=14301
Beranek,L.L. See Watters,B.G., 3=16722
Beránková,J. See Hrubý,A., 3=8807
Beránková,J. See Šmirous,K., 3=5087
Berard,M.F. and Wilder,D.R. Self-diffusion in polycrystalline yttrium oxide, 3=22827
Berchtold,J. Infrared fluorescence of green leaves, 3=21149
Berchtold,J. Photoelectric compensation of hum introduced by tungsten lamps operated from alternating current, 3=24177
Bercovitch,M. Day to day study of the diurnal variation of cosmic-ray intensity, 3=24825
Berdnikov,V.F. See Rvachov,V.P., 3=21535
Berenbaum,R. and Umezawa,M. Low excited states of O^{16}. I, 3=15104
Berencz,F. A further application of the method of spin operators, 3=17525
Berencz,F. The calculation of the 1s ns^1 S-state of the hydrogen molecule using the molecular orbital method, 3=22561
Berend,G.C. See Benson,S.W., 3=8314
Berend,G.C. See Benson,S.W., 3=10502
Berendsen,H.J.C. See Zijlstra,R.J.J., 3=21681
Berendt,G. A remark about Regge poles for hard-core potential scattering, 3=10043
Berendt,R.D. and Schmidt,H.A.,Jr. A portable impedance tube, 3=18943
Berenson,P.J. Experiments on pool-boiling heat transfer, 3=298
Berényi,D. Search for positrons in the disintegration of Ag^{110} isomers, 3=6206
Berényi,D. Detection of positrons in a magnetic β-ray spectrometer by means of their annihilation radiation to investigate transitions involving the emission of positrons with low intensity, 3=19617
Berényi,D. and Osvay,M. Transmission of 100-472 keV monoenergetic electrons through Al absorbers, 3=14961
Berényi,D. See Bődy,Z., 3=10095
Bereshchahin,I.K. and Kosyachenko,L.A. Electrical properties of the electro-luminescent phosphor ZnS : Cu, 3=20345
Bereshev,B.I. See Ryabinin,Yu.N., 3=1215
Berestetskii,V.B. The dynamical properties of elementary particles and the theory of the scattering matrix, 3=24643
Berestetskii,V.B. Asymptotic behaviour of scattering amplitudes and the problem of "ghosts" on the trajectories of vacuum Regge poles, 3=24654
Berestetsky,V.B. On the removal of the "ghost" on the vacuum pole trajectory, 3=5954
Beretka,J. Differential thermal analysis of yttrium iron garnet, 3=8796
Berezhkova,G.V. See Lider,V.V., 3=20518
Berezhnoi,Yu.A.,Klyucharev,A.P.,Ranyuk,Yu.N. and Rutkevich,N.Ya. Nuclear breakup reactions, 3=15235
Berezin,A.B.,Malyshev,G.M. and Zaidel,A.N. Investigating interaction of hydrogen with discharge chamber walls by spectro-isotopic method, 3=7451
Berezin,A.B.,Zaidel',A.N. and Malyshev,G.M. Spectroscopic investigation of collective motion of N IV ions in the alpha device, 3=24304
Berezin,A.K.,Fainberg,Ya.B.,Berezina,G.P.,Bolotin,L.I. and Stupak,V.G. The interaction of strong electron beams with a plasma, 3=9780
Berezin,A.K., Stupak,V.G., Berezina,G.P., Bolotin,L.I., Lyapkalo,Yu.M., Solopikhin,D.P. and Bondarenko,V.P. High-power electron gun for use under high-vacuum conditions, 3=14649
Berezin,A.K.,Stupak,V.G.,Bolotin,L.I. and Berezina,G.P. Transmission of intense pulsed electron beams through dielectric tubes. I. 3=9858
Berezin,A.K.,Stupak,V.G.,Bolotin,L.I. and Berezina,G.P. Transmission of intense pulsed electron beams through dielectric tubes. II. 3=9859
Berezin,F.N.,Ofenhenden,R.H.,Rosenthal',O.M. and Shaleiko,M.A. Small pulse-height analyser Aima-3, 3=21687
Berezin,I.A. Distribution of spectral line intensities in the hollow cathode, 3=19936
Berezin,I.A. and Yanovskaya,G.N. Study of the excitation of the iodine spectrum in a hollow cathode, 3=17527
Berezina,G.P. See Berezin,A.K., 3=9780
Berezina,G.P. See Berezin,A.K., 3=9858
Berezina,G.P. See Berezin,A.K., 3=9859
Berezina,G.P. See Berezin,A.K., 3=14649
Berezinski,V.S. The polarisation of the high energy cosmic ray muons, 3=4520
Berezinskii,V. and Dolgoshein,B. Calculation of the polarization of low-energy cosmic ray muons, 3=6117
Berezinskii,V.S. Transverse polarization of cosmic ray μ-mesons, 3=2347
Berezinskii,V.S. Polarization of high energy cosmic ray μ-mesons, 3=6115
Bereznyak,N.G., Bogoyavlenskii,I.V. and Esel'son,B.N. Incipient solidifcation curves of solutions of helium isotopes, 3=16854
Bereznyak,N.G. See Esel'son,B.N., 3=1879
Bereznyak,N.G. See Esel'son,B.N., 3=12012
Berg,K.H. See Bartels,H., 3=4102
Berg,R.A. See Brewer,L., 3=5514
Berg,R.A. See Brewer,L., 3=11838
Berg,U. and Persson,P.A. Multiple flash-gap technique for measuring shock wave velocities, 3=7275
Bergdolt,A.M. See Gorodetzky,M.S., 3=24344
Bergdolt,G. See Gorodetzky,S., 3=2445
Berge,J.P. See Bastien,P.L., 3=15030
Berge,P. See Blanc,G., 3=2946
Berge,P. See Perio,P., 3=22981
Berger,H. Resolution study of photographic thermal neutron image detectors, 3=12477
Berger,H. For non-destructive testing—neutron radiography, 3=16475
Berger,H.,Gutsche,E.,Kahle,W. and Lehmann,G. Electron microscopic surface studies on CdS simple crystals, 3=8924
Berger,L. Influence of spin-orbit interaction on the transport processes in ferromagnetic nickel alloys, in the presence of a degeneracy of the 3d-band, 3=15551
Berger,L. and Rivier,D. Electrical and thermal resistivities of pure Ni and an Fe–Ni alloy in a magnetic field at low temperatures, 3=8489
Berger, P.A. and Günthart, H.H. The distortion of electron spin resonance signal shapes by finite modulation amplitudes, 3=2138
Berger,R.T. and Herzfeld,C.M. On the nature of the crystal field approximation. II. Numerical results, 3=25165
Berger,S. Giant pulsations in the magnetic field and pulsating aurora, 3=25956

Berger,S.B. See Spencer,E.G., 3=25547
Berger,Z. Temperature dependence of the luminescence of crystals of AgCl with admixture of Tl, 3=18032
Berger,Z. See Beneš,J., 3=6671
Bergere,R.,Veyssiere,A. and Daujat,P. Linac beam position monitor, 3=5728
Bergeron,C.J. See Sekula,S.T., 3=14454
Berggren,K.F. and Wood,R.F. Effect of correlation on the hyperfine interaction in lithium, 3=10455
Berggren,T. and Jacob, G. A distorted wave analysis of quasi-free proton-proton scattering in Li^6 and Li^7, 3=2448
Bergh,A.A. The effect of dissolved germanium on the surface tension of molten indium, 3=21335
Bergh,H.W. The time-lag between magnetic and ionospheric changes, 3=3489
Bergh,H.W. See van Wijk,A.M., 3=23644
Bergheim,K. See Høgåsen,H., 3=25174
Bergheim,K. See Skarsvåg,K., 3=19893
Berghout,C.W. The uniaxial magnetic anisotropy of the f.c.c. cobalt precipitate copper, 3=13232
Bergia,S. and Chahoud,J.N. On pion—nucleon diffraction scattering, 3=6047
Berglund,S., Westerlund,S. and Svennerstedt,S. A magnetic probe for plasma measurement, 3=14599
Berglund,S. See Svennerstedt,S., 3=5637
Bergman,A.A. and Shapiro,F.L. Deviations of the cross sections of slow-neutron reactions on light nuclei from the 1/v law, 3=4653
Bergman,I. and Casswell,C. The disturbed layer on ground and shattered quartz powders of respirable size, 3=3352
Bergman,I. See Talbot,J.H., 3=16128
Bergmann,K. See O'Konski,C.T., 3=3804
Bergmann,P.G. See Willis,C.R., 3=69
Bergmann,W.H., Gruber,J., Hahn,G., Harigel,G., Meyer,P., Moustafa,K. and Röhm,H. High-field bubble chamber, 3=17128
Bergner,D. See Lange,W., 3=2830
Bergqvist,C.A. See Rydén,O., 3=4696
Bergqvist,I. Gamma rays from the capture of fast neutrons in U^{238}, 3=4647
Bergqvist,I. Fast neutron radiative capture cross sections in Ag, Ta,W, Au,Hg and U, 3=4648
Bergqvist,I. and Starfelt,N. Gamma-ray spectra from the capture of fast neutrons in Ni and Cu, 3=4649
Bergqvist,I. and Starfelt,N. Gamma rays from the capture of fast neutrons in Ta, W, Au, Hg and Pb, 3=6266
Bergqvist,I. and Starfelt,N. Gamma rays from the capture of fast neutrons in Ag, Sn, I and Cs, 3=6267
Bergsjö,N.-J. Visual photometric measurements of sunspots, Fraunhoffer lines and colour temperature, 3=18627
Bergsnov-Hansen,B. See Pasternak,R.A., 3=7379
Bergsøe,P.,Hansen,P.G. and Jacobsen,C.F. Cyanoplatinate (II) salts as luminescent materials for scintillation counting, 3=6668
Bergstedt,K., Ferguson,E., Schlüter, H. and Wulff,H. Experimental contribution to the theory of spectral line broadening [in a h.f. discharge], 3=4069
Bergstrom,B.H. See Gilvarry,J.J., 3=1239
Bergström,I.,Brown,F.,Davies,J.A.,Geiger,J.S.,Graham,R.L. and Kelly,R. On the electromagnetic separation method of preparing radioactive sources for precision β-spectroscopy, 3=12608
Bergström,I.,Davies,J.A.,Domeji,B. and Uhler,J. The range of Rn^{222} ions of keV energies in aluminium and tungsten, 3=14676
Bergström,I. See Astner,G., 3=19798
Bergström,I. See Domeij,B., 3=14677
Bergström,I. See Graham,R.L., 3=4707
Bergström,J.,Holmberg,S. and Lehnert,B. Momentum balance of a rotating plasma, 3=9798
Bergström,J.,Holmberg,S. and Lehnert,B. Experiments on the energy balance and confinement of a magnetized plasma, 3=12172
Bergstrom, S. See Simons,L., 3=22307
Bergvall,P. and Beckman,O. Thermoelectric properties of non-stoichiometric bismuth—antimony—telluride alloys, 3=13138
Bergvall,P.,Lindström,B. and Hatch,E.N. Search for an isomeric shift in the Kα_1 X-ray of Tm^{169}, 3=12640
Bergvall,P. See Beckman,O., 3=10895
Beridze,D.K. and Shakhparonov,M.I. Some results of investigations of Rayleigh scattering of light in the critical region of stratification of solutions, 3=21367
Berinde,A. See Corciovei,A., 3=4810
Berinde,A. See Corciovei,P.A., 3=20060
Berinde,A. See Hulubei,H., 3=6233
Berinde,A. See Khulubei,Kh., 3=6240
Beringer,R. Coulomb self-energy of axial figures, 3=21689
Berkelman,K., Feldman,M., Littauer,R.M., Rouse,G. and Wilson,R.R. Electron—proton scattering at high momentum transfer, 3=14958
Berkelman,K.,Feldman,M. and Rouse,G. Evidence from electron scattering on the elementary nature of the photon, 3=24673
Berkelman,K.,Franklin,A.,McLeod,D.,Richert,S. and Silverman,A. Search for the photoproduction of the η^0-meson, 3=7914
Berkenblit,M. See Reisman,A., 3=13590
Berkes,I.,Dézsi,I.,Fodor,I. and Keszthelyi,L. The low energy resonances in the P^{31}(p,γ)S^{32} nuclear reaction, 3=6242
Berkes,I.,Dézsi,I.,Fodor,I. and Keszthelyi,L. The resonances at 483 and 597 keV proton energies in F^{19} + p reactions, 3=15193
Berkeyheiser,J.E. See Pankove,J.I., 3=5895
Berkhuijsen,E.M. See Brouw,W.N., 3=6980
Berkley,D.A. and Wolga,G.J. Coherence studies of emission from a pulsed ruby laser, 3=24529
Berko,S. Band structure and positron annihilation in metals: Be and Mg, 3=6503
Berko,S. See Hudson,C.L,Jr., 3=2467
Berkov,A.V. and Nikitin,Yu.P. π-meson production by high-energy μ-mesons in the field of a nucleus, 3=24768
Berkova,A.V. See Mil'vidskii,M.G., 3=25670
Berkovich,I.B.,Zhdanov,A.P.,Lepekhin,F.G. and Khokhlova,Z.S. Analysis of stars containing hypernuclei produced by 9 BeV protons in photographic emulsions, 3=24848
Berkovich,S.Ya. and Lapir,G.M. Effect of Joule heat on the destruction of superconductivity by a current, 3=24140
Berkovskii,B.M. See Stepanov,B.I., 3=488
Berkovskii,F.M,Strokan,N.B. and Khosov,G.V. Measurement of relaxation times in semiconductors of order 10^{-8} sec by means of phase methods, 3=16885
Berkowitz,E., Bashkin,S., Carlson,R.R., Coon,S.A. and Norbeck,E. Gamma radiation from lithium—lithium nuclear reactions, 3=685
Berkowitz,E. See Norbeck,E., 3=15238
Berkowitz,J. and Marquart,J.R. Mass spectrometric study of the magnesium halides, 3=2673
Berkowitz,J. and Marquart,J.R. Equilibrium composition of sulfur vapor, 3=25805
Berkowitz,J. and Wexler,S. On the ionization potential of the CH$_2$ radical, 3=360
Berkowitz,J. See Marquart,J.R., 3=25806
Berkowitz,N. See Srivastava,S.C., 3=21358
Berkowitz-Mattuck,J.B. See Büchler,A., 3=25807
Berkowitz-Mattuck,J.B. See Chen,M.M., 3=19056
Berlad,A.L. Crystalline-phase transformation rates and flame propagation in cryogenic solids, 3=5161
Berlad,A.L. Steady-state, one-dimensionalized analysis of nonadiabatic crystallization in supercooled melts, 3=21625
Berlad,A.L. and Koency,J. Crystallization wave propagation in supercooled phosphorus, 3=9658
Berlaga,R.Ya. and Bykova,T.T. Changes in the surface potential of lead sulphide layers on illumination, 3=20414
Berlaga, R.Ya. and Rudenok, M.I. Structure and e.m.f. of photovoltaic PbS layers prepared by vacuum sublimation, 3=3356
Berlaga, R.Ya. See Adamchuk, V.K., 3=17961
Berlec,I. On the deformation of polycrystalline tungsten at high temperatures, 3=13368
Berley,D.,Colley,D. and Schultz,J. Comparison of η, τ, and τ' decays, 3=12497
Berley,D. See Alff,C., 3=4432
Berley,D. See Alff,C., 3=4433
Berlincourt,D.,Cook,W.R. Jr. and Rander,M.E. Piezoelectric dielectric, and pyroelectric constants of LiH$_3$(SeO$_3$)$_2$, 3=10881
Berlincourt,D.,Jaffe,H. and Shiozawa,L.R. Electroelastic properties of the sulfides, selenides, and tellurides of zinc
Berlincourt,D.A. See Austerman,S.B., 3=10884
Berlincourt,D.A. See Cook,W.R.,Jr, 3=12929
Berlincourt, T.G. and Hake, R.R. Upper critical fields of transition metal alloy superconductors, 3=3949

Bernheim,M. and Bishop,G.R. Excitation of levels in Li^{6} by inelastic electron scattering, 3=22368
Bernheim, M. See Bishop, G.R., 3=17455
Bernière,G., Michard,R. and Rigal,G. Statistical study of local brightness and velocity fluctuations in the photosphere, 3=1520
Bernolak,K. The significance of oblique illumination in microscopy, 3=24011
Bernstein,B.S. See Odian,G., 3=22618
Bernstein,B.T. Elastic constants of synthetic sapphire at 27°C, 3=11131
Bernstein,B.T. Electron contribution to the temperature dependence of the elastic constants of cubic metals. I. Normal metals, 3=25603
Bernstein,E.M. See Graetzer,R., 3=4559
Bernstein,E.M. See Graetzer,R., 3=8134
Bernstein,H. See Papadakis,E.P., 3=13321
Bernstein,H.J. and Sheppard,N. Sign of geminal HH coupling constants in methanes and the effect of substitution, 3=8294
Bernstein,H.J. See Frei,K., 3=4241
Bernstein,H.J. See Frei,K., 3=10498
Bernstein,H.J. See Patrakis,L., 2=12865
Bernstein,H.J. See Petrakis,L., 3=9517
Bernstein,I.B. See Shkarofsky,I.P., 3=7508
Bernstein,J. Theory of the process $p + p \rightarrow d + W^{+}$, 3=10112
Bernstein,L. Tabulated solutions of the equilibrium gas properties behind the incident and reflected normal shockwave in a shock-tube. I. Nitrogen; II. Oxygen, 3=21493
Bernstein,R. See Clusius,K., 3=19073
Bernstein,R.B. Extrema in velocity dependence of total elastic cross-sections for atomic beam scattering: relation to di-atom bound states, 3=4726
Bernstein,R.B. High-velocity molecular beam scattering: total elastic cross sections for L-J(n,6) and exp-6(α) potentials, 3=8315
Bernstein,R.B. Semiclassical analysis of the extrema in the velocity dependence of total elastic-scattering cross sections: relation to the bound states, 3=17544
Bernstein,R.B.,Dalgarno,A.,Massey,H. and Percival,I.C. Thermal scattering of atoms by homonuclear diatomic molecules, 3=22611
Bernstein, R.B. and Kramer, K.H. Comparison and appraisal of approximation formulas for total elastic molecular scattering cross sections, 3=17619
Bernstein,R.B. See Harrison,H., 3=15317
Bernstein,R.B. See Morse,F.A., 3=2586
Bernstein,R.B. See Rothe,E.W., 3=15305
Bernstein,W. A new approach to thermionic energy conversion, 3=7422
Berón Dávila,F. See Sahade,J., 3=18639
Berreman,D.W. Infrared absorption at longitudinal optic frequency in cubic crystal films, 3=15663
Berry,E.X. Nonconservation of angular momentum of a weight on a string, 3=11740
Berry,J.P. Determination of fracture surface energies by the cleavage technique, 3=11179
Berry,L.A. See Johler,J.R., 3=5855
Berry,P.F. and Cameron,J.F. Measurement of leaks in hermetically sealed containers using ^{85}Kr, 3=5310
Berry,R.J. Relationship between the real and ideal resistivity of platinum, 3=17819
Berry,R.J. and Lovejoy,D.R. On Klemens and Lowenthal's paper on deviations from Matthiessen's rule, 3=5551
Berry,R.S. Analog of $n \rightarrow \pi^{*}$ transitions in mono-olefins, 3=15367
Berry,R.S. and Reimann,C.W. Absorption spectrum of gaseous F^{-} and electron affinities of the halogen atoms, 3=12759
Berry,R.S., Reimann,C.W. and Spokes,G.N. Absorption spectra of gaseous halide ions and halogen electron affinities: chlorine, 3=2565
Bers,A. Linear space-charge theory of gap interaction between an electron beam and electromagnetic fields, 3=5696
Bersohn,M. Simple method for variable frequency in electron resonance measurements, 3=14785
Bersohn, R. Bonding wavefunctions in the xenon fluorides, 3=17589
Bersohn,R. and Das,T.P. Many-body aspects of dipolar interaction in crystal lattices, 3=10575
Bersuker,I.B. On the possible rotational Raman spectrum and the depolarization of Rayleigh scattering in certain hexafluorides and similar systems, 3=2623
Berlincourt,T.G. and Hake,R.R. Superconductivity at high magnetic fields, 3=16879
Berlincourt,T.G. See Thorsen,A.C., 3=19413
Berlman,B. and Weinreb,A. On the fluorescence spectrum and decay time of naphthalene, 3=138
Berlman,I.B. and Walter,T.A. Fluorescence quenching of a scintillation solution by oxygen, 3=3810
Berlman,I.B. See Steingraber,O.J., 3=15697
Berlovich,É.E.,Bonits,M.P.,Gusev,Yu.K. and Nikitin,M.K. Probabilities for single-particle transitions in Yb^{173}, 3=8008
Berlovich,É.E.,Bonits,M.P. and Nikitin,V.V. Measurements of the lifetimes of the first excited states of Tb^{159} and Yb^{173} by means of a multichannel analyser, 3=12597
Berlovich,E.E.,Gusev,Yu.K.,Il'in,V.V. and Nikitin,M.K. Lifetimes of the excited states of deformed Dy^{160}, Lu^{175}, Hf^{177} and Ir^{191} nuclei, 3=15121
Berlovich,É.E.,Gusev,Yu.K.,Il'in,V.V.,Nikitin,V.V. and Nikitin,M.K Contribution of collective motion to the removal of l forbiddenness, 3=6175
Berlovich,É.E.,Gusev,Yu.K.,Il'in,V.V.,Nikitin,V.V. and Nikitin,M.K Probabilities of transitions between the low-lying levels in Sm^{147}, 3=19788
Berlovich,É.E.,Klement'ev,V.N.,Krasnov,L.V. and Nikitin,M.K. Gamma-radiation from Eu^{148}, 3=12595
Berlovich,É.E.,Klement'ev,V.N.,Krasnov,L.V. and Nikitin,M.K. Levels of Eu^{147}, Eu^{149} and Eu^{151}, 3=12596
Berlovich,É.E. See Badenko,I.I., 3=10286
Berlovich,E.Ye.,Bukat,G.M.,Gusev,Yu.K.,Il'in,V.V., Nikitin,V.V. and Nikitin,M.K. Lifetimes of lowest levels in nuclei La^{139} and Pm^{145} and nature of ι-forbidden transitions, 3=4573
Berlyand,O.S. See Petrova,G.M., 3=9031
Berman,B.L.,Koester,K.J.,Jr and Smith,H. Photodisintegration of He^{3}, 3=19716
Berman,I. See Gravel,C.L., 3=20361
Berman,I.B. See Berzina,I.G., 3=20188
Berman,R.,Brock,J.C.F. and Huntley,D.J. The effect of spin—phonon interactions on the thermal conductivity of lanthanum cobalt nitrate, 3=8375
Berman,S.M. and Sirlin,A. Some considerations on the radiative corrections to muon and neutron decay, 3=591
Bermond,J. See Brou,R., 3=12381
Bermond,J. See Patou,C., 3=24668
Bern,J.P. and Coumes,A. Reflection and transmission of microwaves by thin metal films undergoing ferromagnetic resonance, 3=11105
Bernal G..E. See Donnallv.B.L., 3=25583
Bernal,I. and Harrison,S.E. On the paramagnetic resonance spectrum of the Cr(CN,NO^{3-} ion, 3=20015
Bernanose,M.A. Organic electroluminescence, 3=965
Bernard,J.L. See Lemaire,J., 3=11170
Bernard,M. Optical absorption as a photomixing process, 3=22025
Bernard,M.,Menoret,M. and Menache,H. Carrier recombination at nickel atoms in germanium: simultaneous emission of several phonons, 3=6580
Bernard,M.P. Low-temperature infrared absorption spectrum of ammonium dihydrogen phosphate (4000-10,000 cm^{-1}) and the harmonic frequencies of the hydrogen bonds, 3=15342
Bernard,R.,Goutte,R.,Guillaud,C. and Javelas,R. Mechanism of secondary ion emission from a metallic surface, 3=24372
Bernard,W. Irreversible thermodynamics of steady-state processes, 3=64
Bernard,W., Roth,H., Schmid,A.P. and Zeldes,P. Junction potential studies in tunnel diodes, 3=20357
Bernard,W. See Roth,H., 3=10860
Bernardini,C., Corazza,G.F., Di Guigno,G., Ghigo,G., Haissinski,J., Marin,P., Querzoli,R. and Touschek,B. Lifetime and beam size in a storage ring, 3=17005
Bernardini,M. See Amman,F., 3=12267
Bernas,R. See Gradsztajn,E., 3=15199
Berndt,A.F. Room temperature lattice constants of alloys of plutonium in alpha-uranium, 3=25733
Berndt,M. and Görlich,P. Studies of the photoemission of semiconductors, 3=19312
Bernecker,R.R. and Long,F.A. Rearrangement processes for forming oxonium ions from aliphatic ester ions, 3=25822
Bernheim,M. and Bishop,G.R. Excitation of levels in Li^{7} by inelastic electron scattering, 3=19766

Bersuker,I.B. Inversion splitting of levels in free complexes of transition metals, 3=15331

Bersuker,I.B. Strong resonance absorption of ultrasound in octahedral transition metal complexes involving inversion splitting, 3=25195

Bersuker,I.B. Spin inversion levels in a magnetic field and the e.p.r. spectrum of octahedral Cu^{2+} ion complexes, 3=25570

Bersuker,I.B. See Veselov,M.G., 3=8187

Bertanza,L., Brisson,V., Connolly,P.L. and Hart,E.L. Spin of the Y^*_1, 3=15037

Bertanza,L.,Brisson,V.,Connolly,P.L.,Hart,E.L.,Mittra,I.S., Moneti,G.C.,Rau,R.R.,Samios,N.P.,Skillicorn,I.O., Yamamoto,S.S.,Goldberg,M.,Gray,L.,Leitner,J.,Lichtman,S. and Westgard,J. Properties of the Ξ^- hyperon, 3=7935

Bertanza,L.,Culwick,B.B.,Lai,K.W.,Mittra,I.S.,Samios,N.P., Thorndike,A.M.,Yamamoto,S.S. and Lea,R.M. Strange particle production by 4.65-BeV/c π^- mesons, 3=12507

Bertaut,E.F. Coupling of spin configurations by anisotropy, 3=3091

Bertaut,E.F., Delapalme,A., Forrat,F. and Pauthenet,R. Study of cobalt and manganese uranates, 3=3139

Bertaut, E.F., Delapalme, A., Forrat, F., Roult, G., De Bergevin,F and Pauthenet, R. The study of certain magnetic structures at the centre for nuclear studies, Grenoble, 3=3320

Bertaut,E.F. and Mercier,M. Magnetic structure of $MnYO_3$, 3=20610

Bertaut,E.F. See Ballestracci,R., 3=13283

Bertaut,E.F. See Chevreton,M., 3=16095

Bertaut,E.F. See Yakel,H.L., 3=25722

Bertaut,F.,de Bergevin,F. and Roult,G. A neutron diffraction study of $Fe_{0.47}Rh_{0.53}$, 3=15856

Bertaut,F.,Forrat,F. and Fang,P. Manganites of rare earths and of yttrium: a new class of ferroelectric; 3=13119

Bertaut,F. See Chevreton,M., 3=1346

Bertaut,F. See James,W., 3=8682

Bertaut,F. See Khoi,Le.Dang., 3=1204

Berteaud,A.J. Ferrimagnetic resonance observed on materials of different shapes, 3=3159

Berteaud,A.J. See Makram,H., 3=8699

Berthelot,C. Ionization potential and nuclear magnetic moments of plutonium, 3=2363

Berthelot,C. Nuclear magnetic moments of Pu^{239} and Pu^{241}, 3=17392

Berthet,G. See Imbaud,J.-P., 3=23908

Bertie,J.E.,Calvert,L.D. and Whalley,E. Transformation of ice II, ice III, and ice V at atmospheric pressure, 3=11202

Bertin,F. and Papet-Lepine,J. Calculation of the total ionospheric electron content, 3=25923

Bertini,H.W. Low-energy intranuclear cascade calculation, 3=22384

Bertocchi,L.,Predazzi,E.,Stangehellini,A. and Tonin,M. The asymptotic properties of the multiperipheral model in the weak coupling approximation, 3=7799

Bertocchi,L. See Bastai,A., 3=22089

Bertolaccini,M. and Cova,S. Amplitude distribution of photomultiplier single electron response, 3=24339

Bertolini,E. See Baldoni,B., 3=5998

Bertolini,G.C. See Bassi,P., 3=17480

Bertolotti,M., Muzii,L. and Sette,D. On cavity termination of ruby laser, 3=1811

Bertotti,B. The evolution towards equilibrium of an ionized gas, 3=12078

Bertotti,B. See Balasz,N.L., 3=9331

Bertozzi,W.,Demos,P.T.,Kowalski,S.,Sargent,C.P.,Turchinetz,W., Fullwood,R. and Russell,J. Polarization of neutrons from the photodisintegration of deuterium, 3=12513

Bertram,H.N. Absolute viscosity of water, 3=11761

Bertram,R. and Cruse,K. Contribution to the development of new methods for determining electrical conductivity and dielectric constants. I. New R.C. method, 3=14466

Bertrand,M. Night-time effects of sudden ionospheric disturbances on long waves, 3=6965

Berwart,L. The theoretical laws pertaining to the granularity of photographic images, 3=24065

Berz,F. Variation with frequency of the transverse impedance of semiconductor surface layers, 3=13053

Berzina,I.G. and Berman,I.B. Variation in dislocation density, rate of contact melting and rate of dissolution of crystals exposed to radiation, 3=20188

Berzina,I.G. and Savintsev,P.A. Contact melting of irradiated crystals, 3=15525

Berztiss,A.T. See Shute,G.G., 3=635

Bès,D. and Szymański,Z. Spurious state in connection with β-vibration of nuclei, 3=2351

Besco,D.G. See Beeler,J.R., Jr, 3=8419

Besco,D.G. See Beeler,J.R., Jr, 3=22848

Besco,D.G. See Beeler,J.R., Jr, 3=22865

Beshers,D.N. See Ohr,S.M., 3=20200

Beshers,D.N. See Petarra,D.P., 3=23287

Beshidze,V.L. Tensor theory of ferromagnetic resonance, 3=6735

Beske,H.E. Ion counting for mass-spectroscopic intensity measurements using Allen-multiplier with commercial counting arrangement, 3=12264

Beşliu,C. See Andreesco,I., 3=17311

Beşliu,T. See Andreesco,I., 3=17311

Besnainou,S.,Prat,R. and Bratoz,S. Electronic theory of the effect of the molecular environment of the carbonyl group upon the infrared intensity, 3=6405

Bessa, F.A. See Kamel, R., 3=18190

Bessa, F.A. See Kamel, R., 3=18200

Bessell,M. See Ellis,G.R.A., 3=9281

Bessis,D.,Itzykson,C. and Jacob,M. One-particle exchange in antiproton collisions in flight, 3=7859

Bessis,N. Calculation of the hyperfine structure constants of light atoms, 3=15288

Bessis,N.,Lefebvre-Brion,H. and Moser,C.W. Calculation of atomic hyperfine structure constants from projected unrestricted Hartree—Fock functions. Constants of F^{19}, 3=12760

Bessonov,A.F., Borisov,B.S. and Vlasov,V.G. Investigation of the structure of the primary oxide layer on uranium, 3=3251

Bessonov,A.F. and Vlasov,V.G. Phase transformations during the oxidation of metallic uranium, 3=3250

Bessonov,E.A. and Popov,P.I. Automatic liquid level measuring system, 3=4767

Bessouat,R., Chavanel,H. and Elberg,S. Device for the measurement of vapour pressures up to 20 kg/cm^2 and 500° C, 3=19072

Best,G.T. and Patterson,T.N.L. The capture of small absorbing particles by the solar radiation field, 3=9188

Best,P.E. Characteristic electron energy losses in compounds, 3=2780

Bestul,A.B. See Shepley,L.C., 3=23492

Betekhtin,V.I. and Slutsker,A.I. Mosiac block disorientation in aluminium, 3=10682

Betekhtin,V.I. See Zhurkov,S.N., 3=11193

Betekhtin,V.I. See Zhurkov,S.N., 3=20728

Bethe,H.A., Brandow,B.H. and Petschek,A.G. Reference spectrum method for nuclear matter, 3=4551

Bethe, H.A. and Kinoshita, T. Behavior of Regge poles in a potential at large energy, 3=2214

Bethge,H. and Fröhlich,F. Crystal growth shapes treated by the Nacken—Kyropoulos method and the production of alkali halide bicrystals, 3=6824

Bethke,G.W.,Frohman,E.D., and Ruess,A.D. Dynamic coupling of high microwave power with shock produced plasmas, 3=16944

Bethke,G.W., and Ruess,A.D. Dynamic coupling of medium microwave power with shock produced plasmas, 3=16943

Bettany,C.P. and Fessler,H. Birefringence behaviour of an eopoxy resin in compression, 3=25440

Betterton,J.O., Jr. See Kneip,G.D., Jr., 3=15437

Betterton,J.O., Jr. See Kneip,G.D., Jr, 3=25199

Bettinger,R.T. See Ulwick,J.C., 3=5213

Bettoni,M.M. See Foglio,A., 3=12638

Betts,D.D.,Schiff,H. and Strickfaden,W.B. Approximate solution of a nonlinear field equation, 3=12393

Betts,D.D. See Ballentine,L.E., 3=3367

Betts,D.S., Osborne,D.W., Welber,B. and Wilks,J. The viscosity of liquid helium 3, 3=16849

Betz,F.W. See Frankel,S., 3=10134

Beu,K.E.,Musil,F.J. and Whitney,D.R. Precise and accurate lattice parameters by film powder methods. I. The likelihood ratio method, 3=8823

Beu,K.E. and Scott,D.L. Precise and accurate lattice parameters by film powder methods. II. An exact eccentricity correction for cylindrical film cameras, 3=8824

Beuermann,K.P. and Wibberenz,G. Study of shallow plastic scintillators and pulse processing in measuring cosmic radiation, 3=12371

Beurtey,R.,Chaminade,R.,Falcoz,A.,Faure,M.M.,Maillard,R., McDaniels,D.,Mikumo,T.,Papineau,A.,Schecter,L. and Thirion, Asymmetries in the elastic scattering of 22 MeV polarized deuterons by calcium, 3=10374
Bevacqua,S.F. See Holonyak,N.,Jr, 3=7734
Bevacqua,S.F. See Holonyak,N.,Jr., 3=15583
Bevacqua,S.F. See Holonyak,N.,Jr, 3=25377
Bevan,A.W.,Jr. See Veigle,W.J., 3=7726
Bevan,A.W.,Jr. See Veigele,W.J., 3=13317
Bevan,A.W.,Jr. See Veigele,W.J., 3=23271
Bevan,D.J.M. See Anderson,J.S., 3=8475
Bevc,V. and Everhart,T.E. Fast-wave propagation in plasma-filled waveguides, 3=2129
Bewilogua,L. On the question of the production and use of helium and neon, 3=16471
Bewilogua,L. and Knorn,M. Production of helium and neon from an air decomposition plant, 3=16472
Bewilogua,L. and Lippold,H. A simple apparatus for checking of metal dewars, 3=19079
Beyer,H. Critical note on the statement of the theory of the true Zernicke effect, 3=11932
Beynam,E. Electromagnetic simulation of point-shaped gamma sources, 3=573
Beynon,W.J.G. and Jones,E.S.O. Ionospheric effects of nuclear explosions, 3=6987
Beynon,W.J.G. See Brown,G.M., 3=13747
Bez,W. and Hisam,E. Electron beams as preionization for a high-current impulse discharge, 3=7464
Bez,W. See Pfender,E., 3=4075
Bezirganyan,P.A. X-ray scattering in gases, liquids and amorphous bodies, 3=21446
Bezlepkin,S.V. See Der-Shvarts,G.V., 3=2038
Bezruchko,I.V. See Yankevich,V.F., 3=25844
Bezuglyĭ,N.A.,Galkin,A.A. and Pushkin,A.I. Magnetoacoustic oscillations and the Fermi surface in aluminium, 3=22685
Bezuglȳi,P.A.,Galkin,A.A.,Pushkin,A.I. and Khomchenko,A.I. Magnetoacoustic resonance in aluminium, 3=6469
Bhacca,N.S. See Freeman,R., 3=8302
Bhacca,N.S. See Freeman,R., 3=10548
Bhaduri,R.K. See Preston,M.A., 3=24830
Bhagat,S.M. and Critchlow,P.R. Growth of mutual friction in liquid helium II, 3=21642
Bhagavan,M.R. A note on the theory of pairing correlations, 3=23801
Bhagavantam,S. and Pantulu,P.V. Force constants in the potential energy of a vibrating molecule, 3=25081
Bhakar,B.S. See Mitra,A.N., 3=2332
Bhalla,C.P. Anomalous beta spectrum of In^{114} $(1^+ \to 0^+)$. 3=10290
Bhalla,C.P. and Rose,M.E. Finite nuclear size effects in β decay, 3=646
Bhalla,M.S., Craggs,J.D. and Meek,J.M. Absorption of photons in a Townsend discharge, 3=4029
Bhamathi,G. See Ramakrishnan,A., 3=610
Bhand,S.C.,Gaur,M.S. and Gogate,D.V. Effect of ionic currents on heat-transfer, 3=24074
Bhandari,N. and Rama. Atmospheric circulation from observations of sodium 22 and other short-lived natural radioactivities, 3=18499
Bhandari,N. and Rama. Study of atmospheric washout processes by means of radon decay products, 3=25902
Bhandari,P.S. See Balachandran,C.G., 3=23983
Bhanot,V.B. and Gupta,S.C. Mass-spectroscopic atomic mass differences, 3=17545
Bhanumathi,A. Eyring's equation of relaxation time and dipole-dipole interaction energy. I. Measurements in pure liquids, 3=14175
Bhanumathi,A. Eyring's equation of relaxation time and dipole-dipole interaction energy. II. Dilute solution measurements, 3=23896
Bhanumathi,A. Eyring's equation of relaxation time and dipole-dipole interaction energy. III. Estimation of the interaction energy, 3=23897
Bharadwaj,R.C. See Sharma,B.D., 3=8766
Bhargava,B.N. Lunar tidal effects in equatorial E$_s$, 3=21060
Bhargrava,R.D. The inclusion problem, 3=790
Bhasin,V.S. See Mitra,A.N., 3=2332
Bhasin,V.S. See Mitra,A.N., 3=19641
Bhatia,B. and Verghese,C.A. Constancy of the visibility of a moving object viewed from different distances with the eyes fixed, 3=7073
Bhatia,V.B. and Tandon,J.N. Interpenetration of two ionized gas clouds. II, 3=16907
Bhatia,V.S. See Aditya,P.K., 3=24568
Bhatnagar,A. See Bappu,M.K.V., 3=16378
Bhatnagar,M.S. Propagation of a shock wave in an inhomogeneous atmosphere, 3=3602
Bhatnagar,M.S. and Kushwaha,R.S. Decay of a shock wave in a stellar atmosphere, 3=9235
Bhatnagar,P.L. and Rajeswari,G.K. The secondary flows induced non-Newtonian fluid between two parallel infinite oscillating planes, 3=9425
Bhatnagar,P.L. and Rajeswari,G.K. Secondary flow of a non-Newtonian fluid which is contained between two concentric spheres rotating about one axis, 3=16590
Bhatnagar, V.M. and Cloutier, J.A.R. The X-ray powder diffraction patterns of ammonion-nickel cyanide complexes, 3=1406
Bhatt,K.H. The single particle Nilsson model for odd-mass nuclei in the 1d-2s shell, 3=6126
Bhattacharya,A.K. See Rostas,F., 3=5668
Bhattacharya,H. Amplitude and phase spectrum of radio-atmospherics, 3=25891
Bhattacharya,H. See Manoranjan Rao, 3=13683
Bhattacharya,H. See Rao,M., 3=9049
Bhattacharyya,B.K. Electromagnetic fields of a vertical magnetic dipole placed above the earth's surface, 3=19439
Bhattacharyya,R. Gamma—gamma coincidences in Pd^{105}, 3=24897
Bhattacharyya,R. and Shastry,S. Positron-decay of Te^{121} and the excited states of Sb^{121}, 3=10293
Bhattacherjee,S.K.,Giberman,E.,Lipkin,H.J. and Nir,A. Transverse polarisation of conversion electrons following beta decay of Hg^{203}, 3=4603
Bhattacherjee,S.K. and Mitra,S.K. Beta—gamma directional correlation in La^{140}, 3=24904
Bhaumik,M.L.,Lyons,H. and Fletcher,P.C. Fluorescence decay times of rare-earth chelates, 3=11001
Bhavsar,P.D. See Winckler,J.R., 3=9117
Bhavsar, P.D. See Winckler, J.R., 3=17377
Bhide,V.G. and Bapat,N.J. Interferometric study of the microtopography arising out of 90° domain walls in single crystals of barium titanate, 3=10878
Bhide,V.G. and Multani,M.S. Effect of doping barium titanate with manganese dioxide, 3=8560
Bhide,V.G. and Shenoy,G.K. Structure of subdivided Bloch walls, 3=15798
Bhimasenachar,J. See Reddy,P.J., 3=20688
Bhodigen, S. See Sundara-vicharana, Y., 3=1453
Bhowmik,B. An interaction of a hyperon of strangeness—2, 3=22215
Bhowmik,B. and Goyal,D.P. The Q$_\Lambda$-value for hyperfragment binding energies, 3=22207
Bhowmik,B., Goyal,D.P. and Yamdagni,N.K. The stimulated decay of the Λ-hyperon, 3=4464
Bhowmik,B.,Goyal,D.P. and Yamdagni,N.K. Binding energies of the Λ^0-hyperon in hypernuclei, 3=7973
Bhuiya,A.K. and Stanley,E. The refinement of atomic parameters by direct calculation of the minimum residual, 3=25701
Bhuta,P.G. Transient response of a thin elastic cylindrical shell to a moving shock wave, 3=7260
Bhuta,P.G. and Jones,J.P. On axial vibrations of a whirling bar, 3=9529
Bhuta,P.G. and Jones,J.P. Symmetric planar vibrations of a rotating disk, 3=18874
Bhuta,P.G. See Jones,J.P., 3=18879
Białas,A. On the radiation of a moving magnetic dipole, 3=4250
Białas,A. Equations of motion of a rotating particle with magnetic moment, 3=4251
Białas,A. On the continuity of the Petrov classification, 3=18707
Białas,A. See Białas,E., 3=3737
Białas,E. and Białas,A. Equations for the vector field in Rayski's unitary theory, 3=3737
Bialkowski,G. On the deuteron wave function, 3=22216
Białkowski,G. and Jurewicz,A. A set of integral equations for the photoproduction of pions on nucleons amplitudes. I, 3=4422
Białynicki-Birula, I. On a renormalizable theory of vector mesons, 3=2287
Białynicki-Birula,I. On the gauge covariance of quantum electrodynamics, 3=5915

Białynicki-Birula,I. Quantum electrodynamics without electromagnetic field, 3=10020

Białynicki-Birula,I. Equation for the propagators in the gauge covariant formulation of quantum electrodynamics, 3=17162

Białynicki-Birula,I. Gauge-invariant variables in the Yang–Mills theory, 3=17186

Białynicki-Birula,I. Certain equivalence theorems in quantum field theory, 3=17199

Białynicka-Birula,Z. On the coupling constant in a model with unstable particle, 3=50

Białynicka-Birula,Z. On the coupling constant in the presence of an unstable particle, 3=5923

Bianchi,G. and Corge,C.R. Numerical analysis of the IBM 7090 of resonances due to "S" neutrons in time-of-flight transmission experiments, 3=12469

Bianchi,J. See Masterton,W.L., 3=18795

Bianchi,U., Cuniberti,C. and Dellepiane,G. Polymers in solution: temperature coefficient of viscosity, 3=18811

Biard,J.R. and Watelski,S.B. Evaluation of germanium epitaxial films, 3=2889

Biberman,L.M.,Toropkin,Yu.N. and Ul'yanov,K.N. Theory of multistage ionization and recombination, 3=7432

Biberman,L.M.,Vorob'ev,V.S. and Norman,G.E. Energy emitted in spectral lines by a plasma at equilibrium, 3=19232

Bibichev,B.A. See Babenko,N.P., 3=22417

Bibik,V.F. Emission of nonequilibrium electrons from cadmium sulphide on illumination, 3=19308

Bibik,V.F., Borzyak,P.G. and Sarbei,O.G. Emission of nonequilibrium electrons from cadmium sulphide, 3=16971

Bibilashvili,M.F. See Andronikashvili,E.L., 3=4505

Bibilashvili,M.F. See Andronikashvili,É.L., 3=19731

Bibinova,B.P.,Kuz'min,A.D.,Salomonovich,A.E. and Shavlovskii,I.V. Observations of the radio emission of Venus and Jupiter at 3.3 cm, 3=9271

Bibinova,V.P., Ksilyakov,A.G., Kuzmin,A.D., Salomonovich,A.E. and Shavlovsky,I.V. Radio observations of Venus carried out on the radio telescope of P.N.Lebedev Physical Institute, 3=21127

Bibl,K. Does magnetic field aligned displacement govern the F2-region? 3=3502

Bibl,K. Ionospheric movements observed using the technique of direct characteristic recording, 3=13724

Bibl,K.,Paul,A. and Rawer,K. Absorption in the D and E regions and its time variation, 3=5879

Bibring, H. Embrittlement of body-centred-cubic metals owing to recrystallization, 3=18214

Bibring,H. and Genty,B. Semi-goniometric specimen holder for RCA-EMU3 electron microscope and example of its application, 3=25797

Bickford,L.R.,Jr. Magnetocrystalline anisotropy of W-type hexagonal barium-cobalt-iron oxides, 3=1029

Bickley,W.P. and Campbell,D.S. The deposition of mixed oxide layers by reactive sputtering, 3=2050

Bicknell,R.W. See Charig,J.M., 3=5091

Bieber,E.,v.Egidy,T. and Schult,O.W.B. Neutron capture ~~spact~~ spectrum of Sm^{150}, 3=10353

Bieber,E. See Schult,O.W.B., 3=12696

Biedenharn,L.C. The generalisation of the Wigner-Racah angular momentum calculus, 3=7121

Biedenharn,L.C. On the representations of the semisimple lie groups. I. The explicit construction of invariants for the unimodular unitary group in N dimensions, 3=11663

Biedenharn,L.C. See Brussard,P.J., 3=12573

Biedenharn,L.C. See Griffy,T.A., 3=665

Biedenharn,L.D. Invariant operators of the Casimir type, 3=3707

Biedenkapp,D. See Weiss,A., 3=2696

Biedermann,K. See Frieser,H., 3=7360

Bieger,W.,Dorn,D.Noll,P. and Tuczek,H. Use of a retarding field method for the particle analysis of a plasma accelerator, 3=7591

Bieger, W., Gresser, H., Noli, P. and Tuczek, H. Acceleration of plasma, 3=21780

Bieger,W.,Gresser,H.,Noll,P. and Tuczek,H. Acceleration of a plasma with an electrodeless, conical ring-discharge, 3=21811

Biel,W. See Richter,G., 3=19859

Biellmann,J. See Nikitine,S., 3=10932

Bielmann,J. See Nikitine,S., 3=2765

Biem,W. The influence of the hard core on the f-sum of nuclei, 3=2356

Bienenstock,A. Calculation of crystallite size distributions from X-ray line broadening, 3=13442

Bienenstock,A. and Ewald,P.P. Symmetry of Fourier space, 3=8816

Bienenstock,A. and Ewald,P.P. Structure theories in physical and in Fourier space, 3=13426

Bienfait,M., Boistelle,R. and Kern,R. Morphodromes of NaCl in the presence of ferri- and ferrocyanide ions, 3=16042

Bieniewski,T.M. and Czyzak,S.J. Refractive indexes of single hexagonal ZnS and CdS crystals, 3=13152

Bienlein,J.K. and Pleasonton,F. The half-life of He^6, 3=614

Bienlein,J.K. and Schlosser,G. Backscattering of electrons in the energy range from 60 to 100 keV, 3=15182

Bier, K. and Hagena, O.F. Importance of compression thrust in the production of intense molecular beams with a nozzle, 3=4790

Bier,K. See Becker,E.W., 3=5460

Bier,K. See Becker,E.W., 3=15309

Bier,W. See Becker,E.W., 3=5460

Bier,W. See Becker,E.W., 3=15309

Bieri,R.H. and Rutsch,W. Cross-section for the production of noble gases by the irradiation of Mg, Al, Fe, Ni, Cu and Ag with 540 MeV protons, 3=12675

Bierlein,T.K.,Legget,R.D.,Mastel,B. and Kosut,B.S. Swelling in uranium—quantitative metallography, 3=22457

Bierlein,T.K. and Mastel,B. Fission-induced vaporization of UO$_2$ from a source and subsequent condensation on collectors exposed to fission fragment bombardment, 3=3935

Bierlein,T.K. and Mastel,B. Defect structures observed in neutron-bombarded aluminum, 3=17735

Bierly,J.N. Vacancy loops in the pseudo-binary alloy BiTe—SbTe, 3=17709

Bierly,J.N.,Muldawer,L. and Beckman,O. The continuous rhombohedral—cubic transformation in GeTe—SnTe alloys, 3=13524

Bierman,A. Acceleration of molecular excitons by an electric field, 3=15473

Bierman,A.,von Kenschitski,C.H. and Pandres,D. Remark on a paper by Kantor, 3=21513

Bierman,E., Taylor,S., Koller,E.L., Stamer,P. and Huetter,T. Absorption time of negative pions in liquid hydrogen, 3=19689

Biermann, L. Toroidal magnetohydrodynamic stability, 3=16949

Biersdorf,W.R. and Granda,A.M. Effects of stimulus duration upon spectral sensitivity of the human electroretinogram, 3=3687

Bierstedt,P.E. See Jarrett,H.S., 3=1026

Bies, D.A. Tapering a bar for uniform stress in longitudinal oscillation, 3=191

Bies,D.A. Acoustic properties of steel wool, 3=11862

Biesel,D.B. Philharmonic Hall—An experiment in living sound, 3=14303

Bietti,A. Asymmetry parameter of neutrons and tritons from the capture of polarised μ^- in He^4, 3=12460

Bietti,A. and Di Porto,P. Study of the reaction $\mu^- + {}^4\text{He} \rightarrow {}^3\text{H} + n + \nu$, 3=14997

Bietti,A. See Barbour,I.M., 3=16724

Bigeleisen,J. Quantum effects in liquid hydrogen, 3=21319

Bigeleisen,J. Vapor pressures of isotopic molecules, 3=21631

Bigeleisen,J. and Goldstein,P. The zero point energies of isotopic homologues and isomers, 3=12793

Bigeleisen,J. and Kerr,E.C. Vapor-liquid equilibria of dilute solutions of HT in e-H$_2$ and DT in e-D$_2$ from the triple points to the critical temperatures of the solutions, 3=21626

Bigeleisen,J.,Ribnikar,S.V. and Van Hook,W.A. Molecular geometry and the vapor pressure of isotopic molecules. The equivalent isomers cis-, gem-, and trans-dideuteroethylenes, 3=8247

Bigeleisen,J.,Stern,M.J. and Van Hook,W.A. Molecular geometry and the vapor pressure of isotopic molecules. C$_2$H$_3$D and C^{12}H$_2$ = C^{13}H$_2$, 3=8248

Bigeleisen,J.,Weston,R.E.,Jr and Wolfsberg,M. Note on the calculation of zero-point energies and isotopic zero-point energy differences by a Taylor's series expansion, 3=12794

Bigg,E.K. A lunar influence on ice nucleus concentrations, 3=11399

Bigg,E.K. The influence of the moon on geomagnetic disturbances, 3=13840

Bigg,E.K. Lunar and planetary influences on geomagnetic disturbances, 3=25962

Bigg,E.K. and Miles,G.T. Stratospheric ice nucleus measurements from balloons, 3=25887

Bigg,P.H. The accuracy of the British kilogramme standards of mass, 3=21188

Bigham,C.B.,Chidley,B.G. and Turner,R.B. The slowing-down spectrum in a CANDU-type reactor, 3=25031

Bigham,C.B.,Turner,R.B. and Chidley,B.G. Neutron temperature distributions in a cylinder of hot moderator, 3=25001

Bigham,C.B. See Chidley,B.G., 3=25030

Bigi,A. See Bartke,J., 3=22206

Bignell,K.,Saiedy,F. and Sheppard,P.A. On the atmospheric infrared continuum, 3=11409

Bigot,J. and Talbot-Besnard,S. Nucleation and growth of filaments and plates of iron sesquioxide, 3=3268

Bigot,R. and Faivre,R. Experimental study of the very rapid cooling obtained by direct quenching in water of solders on thermocouples, 3=7371

Bigot,R. See Beck,G., 3=9641

Bijl,D. See Firth,I.M., 3=817

Bijl,H.K.K. Variable atmospheric properties derived from rocket and satellite observations, 3=6969

Bilaniuk,O.M. and Slobodrian,R.J. Cylindrical Bessel function dependence in the angular distribution of the He^3(d,p)He^4 stripping reaction at 27 MeV, 3=15224

Bilaniuk,O.M. See Marsh,B.B., 3=15227

Bilaniuk,O.M.P.,Deshpande,V.K. and Sudarshan,E.C.G. 'Meta" relativity, 3=33

Bilen'kii,S.M. and Ryndin,R.M. Production of slow π-mesons in pion–nucleon and nucleon–nucleon collisions, 3=17309

Bilen'kiĭ,S.M. and Rȳndin,R.M. Determination of the K*-meson spin, 3=22195

Bilger,H.,Baldinger,E. and Czaja,W. Ionization of Si recoil nuclei in Si counter diodes for neutron radiation from 3.0 to 3.9 MeV, 3=25307

Bilger,H. See Hampe,W., 3=20586

Bilharz,O.W. BF$_3$ counter background study, 3=2147

Bilinski,J.R.,Brooks,E.H.,Cocca,U. and Maier,R.J. Proton–neutron damage correlation in semiconductors, 3=25308

Billardon,M. Precise polarimetric method for visible and ultraviolet radiation, 3=3894

Billardon,M. See Briat,B., 3=19026

Biller,E. Examination of the influence of the condition of the surface and of lattice defects on the line width of the ferromagnetic resonance of metals, 3=1172

Billick,I.H. Velocity sedimentation studies on pressure and concentration dependent systems, 3=6930

Billings,D.E. Spectroscopic limitation on coronal heating mechanisms, 3=11542

Billings,D.E. and Lilliequist,C.G. Coronal temperature gradient and the solar wind, 3=9210

Billings,D.E. See Trotter,D.E., 3=7030

Bills,D.G. See Winters,D.R., 3=14680

Bilot,L.J. and Kawski,A. On the spectroscopic determination of the dipole moments of excited molecules, 3=2604

Bilot,L. and Kawski,A. The influence of the solvent on the electron spectra of luminescent molecules, 3=18823

Bilot,L. and Kawski,A. Dipole moments of some phthalimide-derivatives in the first excited singlet state, 3=20010

Bilpuch,E.G. See Seth,K.K., 3=24954

Bilquey,M. See Dufay,M., 3=13783

Bin,M. and Pauthenet,R. Magnetic properties of a pyrrhotite crystal at low temperatures, 3=15770

Bin,M. and Pauthenet,R. Magnetic anisotropy in pyrrhotite, 3=15788

Binard,L. See Van Horenbeeck,J., 3=10263

Bincer,A.M. and Sakita,B. Bounds on momentum dependence of phase shifts and magnitude of coupling constants, 3=7807

Bindal,V.N. See Saksena,T.K., 3=21360

Binder,G.J. and Cermak,J.E. Streaming-potential fluctuations produced by turbulence, 3=23849

Bineau,M. Hydromagnetic stability of a toroidal plasma, 3=12130

Bineau,M. Hydromagnetic stability of a toroidal plasma: variational study of the energy integral, 3=21775

Binford,J.R. See Loeb,M., 3=18675

Bingel,W.A. Comment on the use of united-atom expansions, 3=12810

Bingham,F.W. and Sampson,M.B. Study of 83-neutron nuclei by deuteron stripping reactions, 3=2360

Bingham,G.McD. Measurement of g/m for muons, 3=10136

Bingham,H. See Bellini,G., 3=7899

Bingham,H. See Fretter,W.B., 3=2301

Bingham,H. See Jauneau,L., 3=12511

Bingham,H. See Veillet,J.J., 3=10163

Bingham,H.H. See Belliere,J., 3=24775

Bingham,H.H. See Jauneau,L., 3=19708

Bingle,J.D. See Baker,L.,Jr., 3=14413

Binnie,D.M.,Jane,M.R.,Newth,J.A.,Potter,D.C. and Walters,J. Photography of Čerenkov rings produced by single particles in a gas, 3=10081

Binnie,D.M., Jane,M., Newth,J.A., Potter,D.C. and Walters,J. Homogeneous scintillation chambers and the photography of Cherenkov light, 3=17153

Biondi,M.A. Studies of the mechanism of electron–ion recombination. I, 3=7442

Biondi,M.A. See Chanin,L.M., 3=362

Biot,A. The position of the object side principal point in cemented doublets, 3=18962

Biot,A. A method of determining back focal lengths and equivalent focal lengths, 3=18963

Biot,A. Computing compensating eyepieces of Ramsden type, 3=18964

Biot,M.A. Internal buckling under initial stress in finite elasticity, 3=14077

Biot,M.A. Surface instability in finite anisotropic elasticity under initial stress, 3=14078

Biot,M.A. Interfacial instability in finite elasticity under initial stress, 3=14079

Biot,M.A. General fluid-displacement equations for acoustic–gravity waves, 3=16581

Biot,M.A. Variational principles of acoustic–gravity waves, 3=18780

Biot,M.A. Acoustic–gravity waves as a particular case of the theory of elasticity under initial stress, 3=18781

Biquard,P.,Arbrun,J.N.,Bourret,A. and Launois,D. Propagation of ultrasonic pulses in metal single crystals, 3=10592

Bir, G.L, Normantas, E. and Pikus, G.E. Galvano and thermomagnetic effects in semiconductors with degenerate bands, 3=17855

Bir,G.L. and Pikus,G.E. Band structure and piezoresistance effects in PbTe and PbSe, 3=15594

Bir,G.L. and Tursunov,A. Effect of holes on the elastic constants of germanium, 3=20689

Bir,G.L. See Pikus,G.E., 3=15592

Biragov,S.B. See Tamoikin,V.V., 3=23974

Birău,O. See Sălceanu,C., 3=7217

Birbrair,B.L. The interaction between protons and neutron in the pair correlation model, 3=6003

Birch,F. See Simmons,G., 3=23280

Birchall,D.R. See Rhodes,P., 3=1065

Bird,G.R. Interdependence of spectral line breadth, sound velocity dispersion, and viscosity of small molecules in the gas phase, 3=16660

Bird,L.,Edwards,D.N.,Rose,B.,Taylor,A.E. and Wood,E. A measurement of the Wolfenstein R-parameter in p–p scattering at 141 MeV, 3=12456

Bird,R.P. See Bartlett,A.A., 3=4378

Birdsall,C.K. and Rayfield,G.W. Focusing of an electron stream solely by the radio-frequency fields on a slow-wave circuit, 3=5709

Birdsall,C.K. See Bridges,W.B., 3=24348

Birge,R.,Ely,R.P.,Gidal,G.,Kalmus,G.E.,Kernan,A., Powell,W M.,Camerini,U.,Fry,W.F.,Gaidos,J.,March,R.H. and Natali,S. Experimental study of K^{+}_{-} decays, 3=22192

Birger,N.G. and Smorodin,Yu.A. On the interactions of π-mesons and nucleons at high energies ("target mass" in one-meson-exchange interaction), 3=12539

Birger,N.G. See Bayukov,Yu.D., 3=7911

Birk,M.,Goldring,G. and Hillman,P. Fast neutron spectroscopy with solid state detectors, 3=12474

Birk,M.,Goldring,G.,Hillman,P. and Moreh,R. Charge symmetry in the mirror reactions Li^6(d,p)Li^7 and Li^6(d,n)Be^7, 3=10379

Birk,M.,Kerns,Q.A. and Nunamaker,T.A. Electronic variable delay for tracing characteristic curves of coincidence

Birkhoff,G. and Bondár,L. Cathode-ray tube to improve digital linear measurement using an optical grating, for the evaluation of nuclear emulsions, 3=19328

Birkhoff,R.D. See Arakawa,E.T., 3=20536

Birks,J.B.[Ed.]. Proceedings of the Rutherford Jubilee International Conference on Nuclear Physics, 3=12362

Birks,J.B.[Ed.]. Proceedings of the Symposium on Nuclear Instruments, Harwell, September, 1961, 3=12364

Birks,J.B. and Christophorou,L.G. Resonance interactions of fluorescent organic molecules in solution, 3=7215
Birks,J.B. and Christophorou,L.G. "Excimer" fluorescence. I. Solution spectra of 1: 2-benzanthracene derivatives, 3=21383
Birks,J.B. and Dyson,D.J. The relations between the fluorescence and absorption properties of organic molecules, 3=23892
Birks,J.B.,Geake,J.E. and Lumb,M.D. The emission spectra of organic liquid scintillators, 3=9464
Birks,J.B. and Hart,J.[Eds]. Progress in dielectrics. Vol. 5, 3=22970
Birks,L.S. and Batt,A.P. Use of a multichannel analyzer for electron probe microanalysis, 3=23559
Birks,L.S. and Harris,D.L. Unusual matrix effects in fluorescent X-ray spectrometry, 3=3421
Birks,N. and Rickert,H. Thermodynamics of sulphur vapour measurements with an electrochemical Knudsen cell, 3=13587
Birman,J.L. Theory of infrared and Raman processes in crystals: selection rules in diamond and zincblende, 3=23061
Birman,J.L. See Peters,T., 3=23123
Birman,S.E. A strain problem for an infinite strip, 3=5393
Birnbaum,G. See Bellman,R., 3=9990
Birnbaum,H.K. Formation of point defects during plastic deformation and their subsequent annealing behavior, 3=22711
Birshtein,T.M. and Ptitsÿn,O.B. Effect of the interaction of neighbouring charged groups on the properties of polyelectrolytes, 3=21345
Birss, F.W. and Fraga, S. Self-consistent-field theory. I. General treatment, 3=17563
Birss,R.R. and Wallis,P.M. The temperature dependence of magnetostriction, 3=8678
Birss, R.R. and Wallis, P.M. Magnetic domains in gadolinium, 3=18081
Birss,R.R. Macroscopic symmetry in space—time, 3=23366
Birstein,S.J. See Orr,C., 3=303
Biryasov,N.M. See Van Gan-Chan, 3=19709
Bis,R.F. Temperature—pressure projection of lead telluride phase diagram, 3=13512
Biscacchi,G. and Furlan,G. Second Born approximation for electron and positron scattering by nuclei, 3=8082
Bisch,C. Forced convection in a bend, 3=9426
Biser,R.H. Undergraduate research project : photon diffraction, 3=3702
Bisgård,K.M. Some data for a six-gap beta-ray spectrometer, 3=17250
Bisgård,K.M.,Cook,C.S.,Hornshoh,P. and Knutsen,A.B. Levels in W^{134} populated in the decay of Re^{184}, 3=10271
Bisgård,K.M.,Dahl,P.,Hornshøj,P. and Knutsen,A.B. The beta decay of Pa^{233}, 3=10318
Bishara,L. See Lagnaux,J.P., 3=17489
Bishop,A.E.,Edmonds,G.D. and Sheffield,J. A 100 kV switch for rapid discharge of high energy capacitators, 3=349
Bishop,C.M. See BenDaniel,D.J., 3=9727
Bishop, D.M. Improved one-centre wave functions for the hydrogen and methane molecules, 3=17577
Bishop,D.M.,Hoyland,J.R. and Parr,R.G. Simple one-centre calculation of breathing force constants and equilibrium internuclear distances for NH_3, H_2O and HF, 3=22564
Bishop,G.R. Monopole elastic and inelastic scattering of high energy electrons, 3=10331
Bishop, G.R. and Bernheim, M. Electrodisintegration of LI^6, 3=17455
Bishop,G.R. and Isabelle,D.B. Possible evidence for nuclear E1 overtones in O^{16}, 3=4627
Bishop,G.R. See Bernheim,M., 3=19766
Bishop,G.R. See Bernheim,M., 3=22368
Bishop,G.R. See Isabelle,D.B., 3=19836
Bishop,J.E.L.,Lee,E.W. and Alberts,L. The skin-effect in iron sheets, 3=831
Bishop,R.E.D. and Gladwell,G.M.L. An investigation into the theory of resonance testing, 3=1745
Bishop,R.L. See Barber,R.C., 3=714
Bishop,R.L. See Barber,R.C., 3=12627
Bishop,R.L. See Barber,R.C., 3=22336
Bishop,W.N. See Wolke,R.L., 3=10180
Bisi,A.,Fasana,A. and Zappa,L. Dependence of the circular polarization of external bremsstrahlung on atomic number, 3=22101
Bisi,A.,Fiorentini,A.,Gatti,E. and Zappa,L. Magnetic quenching of positronium in solids and positron helicity, 3=5992
Bisi,A., Fiorentini,A. and Zappa,L. Long lifetime of positrons in ionic crystals, 3=20148
Bisi,V. See Argan,P.E., 3=4425
Bisi,V. See Marzari-Chiesa,A., 3=19695
Bisshopp,F.E. Asymmetric inviscid modes of instability in Couette flow, 3=9413
Biswas,A.B. See Rao,R.V.G., 3=8365
Biswas,K.R.,Ghose,B.K.,Khemani,L.T. and Ramana Murty,B.V. Rain intensity measurements by radar technique, 3=13669
Biswas,M.M. See Mayer-Böricke,C., 3=3558
Bingham,H. See Veillet,J.J., 3=17313
Biswas,N.N. π^+—decay of hypernucleus and pionic Σ-decay amplitudes, 3=22275
Biswas,N.N., Derado,I., Gottstein,K., Kenney,V.P., Lüers,D., Lütjens,G. and Schmitz,N. Evidence for a $T = 2\ \pi\pi$ resonance at 620 MeV, 3=4434
Biswas,N.N., Derado,I., Gottstein,K., Kenney,V.P., Lüers,D., Lütjens,G. and Schmitz,N. Particle identification from track density for 4 GeV/c π^-p reactions in the 80 cm hydrogen bubble chamber, 3=17133
Biswas,N.N. See Bondâr,L., 3=19678
Biswas,S., Fichtel,C.E. and Guss,D.E. Study of the hydrogen helium and heavy nuclei in the November 12, 1960 solar cosmic-ray event, 3=4482
Biswas,S.,Fichtel,C.E.,Guss,D.E. and Waddington,C.J. Hydrogen, helium, and heavy nuclei from the solar event on November 15, 1960, 3=22227
Biswas,S.N. Possible quantum numbers of $K\bar{K}$ resonance, 3=15032
Biswas,S.N. and Gupta,V. $(\pi\pi)$ and $(K\pi)$ resonances, 3=15015
Bither,T.A. See Jarrett,H.S., 3=1026
Bito,J. See Bito,I.
Bitoun,J. See Lebeau,A., 3=7003
Bittini,M. Subjective sharpness and contrast threshold, 3=1562
Bittini,M. A comparison between foveal and peripheral flicker sensitivity for colored lights, at photopic levels, 3=11640
Bittini,M. See Fiorentini,A., 3=9304
Bittini,M. See Ronchi,L., 3=16463
Bizzarri,R.,Di Capua,E.,Dore,U.,Gialanella,G.C.,Guidoni,P. and Laakso,I. A measurement of μ^- total capture rate in He^4, 3=6026
Bizzeti,P.G.,Bizzeti-Sona,A.M.,Bocciolini,M.,di Caporiacco,G. and Mandò,M. Cross-section fluctuations in the $^{28}Si(\gamma,p)$ reactions at 17.6 MeV, 3=8073
Bizzeti,P.G.,Cartacci,A.M.,Dagliana,M.G.,Della Corte,M., Tocci,L.,Böbel,G.,Tomasini,G. and Marzari-Chiesa,A. On the interactions of 25 GeV protons in nuclear emulsions. I, 3=7847
Bizzeti-Sona,A.M. See Bizzeti,P.G., 3=8073
Bizette,H. and Terrier,C. Principle magnetizations of chromic chloride and bromide, 3=3140
Bjärneard,B. $CaSO_4(Mn)$ thermoluminescence dosimeters for small doses of gamma radiation, 3=5978
Bjelland,B. See Barrington,R.E., 3=9084
Bjerregård, J., Elbek, B., Hansen, O. and Salling, P. Inelastic scattering from some rare-earth isotopes of low abundance, 3=17458
Bjørgum,O. Numerical determination of higher eigenvalues of Orr—Sommerfeld's equation for channel flow with an example of a remarkable effect due to round-off errors, 3=102
Bjorken,J.D. and Tai Tsun Wu. Perturbation theory of scattering amplitudes at high energies, 3=17209
Bjorklund,F.E.,Lippmann,B.A. and Moravcsik,M.J. Corri-
Bjørnholm,S.,Boehm,F.,Knutsen,A.B. and Nielsen,O.B. Levels in U^{232} excited in the β-decay of Pa^{232}, 3=12604
Bjørnholm,S.,Lederer,M.,Asaro,F. and Perlman,I. Alpha decay to vibrational states, 3=15129
Bjørnholm,S. and Nielsen,O.B. The decay of the 1·14 min isomer of Pa^{234} (UX_2), 3=15158
Bjørnholm,S. See Hansen,P.G., 3=22313
Blachnik,R. See Schneider,A., 3=22661
Black,J. and Banks,E. The preparation and properties of AgTlTe: A new semiconductor, 3=874
Black,J.,Lockwood,H. and Mayburg,S. Recombination radiation in GaAs, 3=10853
Black,J. See Mayburg,S., 3=13091
Blackadar,A.K. The vertical distribution of wind and turbulent exchange in a neutral atmosphere, 3=3459
Blackburn,D.A. and Brown,A.F. Diffusion and grain-boundary slide in copper bicrystals, 3=6533

Blackburn,D.A. See Brown,A.F., 3=25296

Blackburn,H. and Campbell,D.S. The development of stress and surface temperature during deposition of lithium fluoride films, 3=16142

Blackburn,H. See Campbell,D.S., 3=1375

Blackburn,W.S. The irradiation swelling of uranium under mechanical restraint, 3=12712

Blackburn,W.S. Creep of uranium at 550° C under a tensile stress of 350 psi, 3=25633

Blackett, P.M.S. On distinguishing self-reversed from field-reversed rocks, 3=3522

Blackham,E.D. See Fletcher,H., 3=9563

Blackman,M.,Haigh,G. and Lisgarten,N.D. On the magnetic transformation and the domain structure of magnetite, 3=9138

Blackman,M. and Kaye,G. The Curie point of hematite crystals, 3=1098

Blackwell,D.E. Future of optical astronomy, 3=5230

Blackwell,H.R. Neutral theories of simple visual discriminations, 3=5299

Bladier,B. New method for the study of the growth and decay transients of sound in rooms, 3=3857

Blaha,J.,Grasenick,F.,Reiter,O. and Ziegelbecker,R. Advances in the detection of very small amounts of substances, 3=21016

Blaine,L.R. A far infrared vacuum grating spectrometer, 3=24031

Blair,D.T.A., McNaull,J., Tedford,D.J. and Bruce,F.M. Avalanche pulses in nitrogen and air, 3=4085

Blair,J.M. and Hobbie,R.K. Differential cross-sections for the reactions $C^{12}(Li^6,p)O^{17}$ and $C^{12}(Li^6,d)O^{16}$ from 3.4 to 4.0 MeV, 3=6298

Blaise,J.,Fred,M.,Gerstenkorn,S. and Judd,B.R. Ground-state multiplet of the arc spectrum of plutonium, 3=6354

Blais,N.C.and Bunker,D.L. Monte Carlo calculations. II. The reactions of alkali atoms with methyl iodide, 3=5160

Blais,N.C. and Bunker,D.L. Monte Carlo calculations. III. A general study of bimolecular exchange reactions, 3=25811

Blaise,J. and Vetter,R. Determination of the ionization potential of the arc spectrum of thulium, 3=8193

Blake,A.R. and Redford,R.A. A technique for the safe handling and controlled opening of sealed glass bulbs containing gas at a pressure of 280 lb in^{-2}, 3=11648

Blake,C.,Bowles,L.W.,McCurley,E.P. and Nuttall,J.A. Helium cooled L-band parametric amplifier, 3=24462

Blake,C. and Chase,C.E. Liquid-helium temperature regulator, 3=24128

Blake,R.E. Technique for approximating the sine wave response of aerial film, 3=3898

Blake,R.L.,Chubb,T.A.,Friedman,H. and Unzicker,A.E. Interpretation of X-ray photograph of the sun, 3=9206

Blakely,J.M. Surface diffusion, 3=17780

Blakely,J.M. and Mykura,H. Studies of vacuum annealed iron surfaces, 3=13003

Blakey,J.P. See Pistorius,C.W.F.T., 3=9655

Blakney,R.M.,Murty,M.V.R.K.,Hochgraf,N. and Staudenmaier,W. A rocket-borne objective spectrometer for stellar measurements between 1300 A and 4000 A, 3=18584

Blamont,J.E. Turbulence in atmospheric motions between 90 and 130 km of altitude, 3=13698

Blamont,J.E. and de Jager,C. Upper atmospheric turbulence determined by means of rockets, 3=3479

Blănariu,D. The natural radioactivity of rainwater, 3=23590

Blănariu,D. Technique of scintillation gamma-spectrometry, 3=24682

Blanc,D. and Degeilh,A. Solution of the diffusion equation of electrons in an ion source with electrostatic high frequency excitation and inductive coupling, 3=5716

Blanc,D.,Mathieu,J. and Vermande,P. The response of hexane-filled ionization chambers to fast neutron beams, 3=19505

Blanc,D., Mathieu,J. and Vermande,P. Detection of fast neutrons using ionization chambers filled with liquid hexane, 3=19650

Blanc, D. See Benoit-Cattin, P., 3=4290

Blanc,D. See Degeilh,A., 3=19189

Blanc,D. See Fontan,J., 3=9052

Blanc,D. See Fontan,J., 3=21042

Blanc,D. See Laborie,P., 3=24544

Blanc,D. See Teyssier,J.L., 3=12372

Blanc,D.L. See Teyssier,J.L., 3=4296

Blanc,G., Berge,P., Dubois,M. and Benveniste,M. Effect of irradiation temperature on the electrical conductivity of lithium fluoride irradiated with neutrons, 3=2946

Blanc,G. See Perio,P., 3=22981

Blanc,J.,Bube,R.H. and Weisberg,L.R. Evidence for the existence of high concentrations of a lattice defects in GaAs, 3=791

Blanc,J. See Kessler,J.O., 3=20349

Blanc,J. See Weisberg,L.R., 3=13392

Blanc,J. See Weisberg,L.R., 3=20225

Blanc,M. An ultrasonic study of fusible salts at high temperatures, 3=5440

Blanc-Lapierre,A. and Picinbono,B. Statistical properties of noise, 3=11871

Blanchard, C.H. See Seyler, R.G., 3=17389

Blanchard,D.C. See Woodcock,A.H., 3=16218

Blanchard,M.L. and Monod-Herzen,G. Effect of copper activation on the fluorescent excitation spectra of zinc oxide in the visible region, 3=20524

Blanco,V.M. Late-type stars in young clusters, 3=11575

Bland,C.J. Fifth inter-American symposium on cosmic radiation, 3=4480

Blandamer,M.J.,Gough,T.E.,Griffiths,T.R. and Symons,M.C.R. Effect of added methanol on contact ion pairs in carbon tetrachloride, 3=13612

Blander,M., Braunstein,J. and Silverman,M.D. Heats of solution of solids in molten reciprocal salt systems, 3=14153

Blandin,A. and Deplanté,J.L. Size and chemical interaction effects, 3=8389

Blandin,A.,Déplanté,J.L. and Friedel,J. On the [impurity] electronic structure of metallic alloys with application to size effects, chemical interactions and compressibility, 3=22757

Blank,A.Ya. See Bass,F.G., 3=14614

Blank,H. and Amelinckx,S. Direct observation of ferroelectric domains in barium titanate by means of the electron microscope, 3=13113

Blank,H. and Amelinckx,S. Some preliminary results on defects in irradiated UO_2 single crystals as revealed by transmission electron microscopy, 3=22847

Blank,H., Delavignette,P. and Amelinckx,S. Dislocations and wide stacking faults in wurtzite type crystals: zinc sulfide and aluminium nitride, 3=4874

Blank,M. Monolayer permeability and the properties of natural membranes, 3=5461

Blankenbecler,R.,Cook,L.F.,Jr. and Goldberger,M.L. Regge poles in high-energy electron scattering, 3=5987

Blankenbecler,R. See Baker,M., 3=560

Blanks,R.F. and Prausnitz,J.M. Infrared studies of hydrogen bonding in isopropanol and in mixtures of isopropanol with poly(n-butyl methacrylate) and with poly (propylene oxide), 3=12853

Blann,M. and Merkel,G. Reactions induced in Ni^{58} with 0—24 MeV deuterons: statistical model analysis, 3=19876

Blaquière,A. Spectrum of a maser oscillator; relation with the theory of classical nonlinear self-oscillators, 3=5889

Blaquière,A. Solution of the Fokker-Planck equation using Campbell's theorems, 3=9373

Blaquière,A. The width of the line of a laser oscillator, considered analagous to a chain reaction, 3=9976

Blaquière,A. Relation between the Fokker–Planck method and the method of the characteristic function of probabilities, 3=16491

Blaquière,A. Study of the stability of a non-linear system in Riemannian space, 3=23729

Blaquière,A.,Castagné,R. and Cazemajou,J. Neutron fluctuations in a nuclear reactor with cellular structure, 3=10412

Blaquière,A. See Stern.T.E., 3=10428

Blaser,J.P. and Steimel,K. Proposal for a constant-frequency sector-focussed cyclotron for protons of 450 MeV, 3=5777

Blasse,G. and Schipper,D.J. Antiferromagnetism of $Co Rh_2 O_4$ and $Ni Rh_2O_4$, 3=23196

Blatt,F.J. On the possibility of thermoelectric refrigeration at very low temperatures, 3=359

Blatt,F.J. Transport properties in dilute alloys, 3=8382

Blatt,F.J. Field emission in a magnetic field, 3=16973

Blatt,F.J. See Garber,M., 3=15450

Blatt,J.M. and Thompson,C.J. Shape resonances in superconducting thin films, 3=19101

Blatt,J.M.,Lyness,J.N. and Larsen,S.Y. Three-body bound state in He^4, 3=25109
Blatt,S.L. See Wells,D.O., 3=15143
Blau,E.J.,Hochheimer,B.F.,Massey,J.T. and Schulz,A.G. Identification of lasing energy levels by spectroscopic techniques, 3=24518
Blau,M.,Carter,C.F. and Perlmutter,A. An example of hyperfragment decay in the π^+ mode and other interactions of K^- mesons and hyperons in emulsion, 3=8121
Blauer,J. and Farber,M. Heat of formation and entropy of (BOCl)$_3$, 3=23538
Blaugher,R.D. See Hein,R.A., 3=3959
Blaugher,R.D. See Hein,R.A., 3=21665
Blaugrund,A.E.,Dar,Y.,Goldring,G. and Skurnik,E.Z. The lifetimes of the first excited states of Re^{185} and Re^{187}, 3=19794
Blauth,E.,Meyer,E. and Schwirzke,F. Pumping effect of a high frequency discharge in deuterium, 3=4032
Blauth,E.W. Ultra-high-vacuum copper traps, 3=5475
Blauth,E.W. and Scherzer,B.M.U. Errors in pressure measurements in the vicinity of a gas discharge, 3=12092
Bleaney,B. Hyperfine structure in the rear earths, 3=1179
Bleaney,B. Hyperfine interactions in rare-earth metals, 3=15954
Bled,J. and Risbourg,A. A new type of lens for millimetric waves, 3=2122
Bleekrode,R.,Dieleman,J. and Vegter,H.J. Electron spin resonance of Mn in GaAs, 3=8713
Bleekrode,R.,Dieleman,J. and Vegter,H.J. Electron-spin resonance of Fe in GaAs, 3=11113
Bleil,C.E. Energy transport in electron bombarded cadmium sulfide single crystals, 3=13072
Bleil, C.E. See Sturner, H.W., 3=17873
Blet,G. Some considerations on epitaxial monocrystalline layers of germanium, 3=1256
Blet,G. Study of structures by the diffraction of polychromatic electrons, 3=6900
Bleuler,E.,Caldwell,D.O.,Elsner,B.,Harting,D.,Jones,L.W., Middelkoop,W.C.,Zacharov,B.,Perl,M.L. and Ting,C.C. The application of thin-plate spark chambers to high-energy π—p experiments, 3=24565
Blevin,H.A. and Haydon,S.C. The interpretation of breakdown characteristics of electrodeless discharges in transverse magnetic fields, 3=9743
Blevin,H.A. and Thonemann,P.C. Plasma confinement using an alternating magnetic field, 3=12146
Blevins,E.L. See Halperin,J., 3=22434
Blevis,B.C.,Day,J.W.B. and Roscoe,O.S. The occurrence and characteristics of radar auroral echoes at 488 and 944 Mc/s, 3=21068
Blewett,J.P. Linear accelerators for high energies, 3=7662
Blicharski,J.S. Proton spin—lattice relaxation in liquid benzene, 3=11809
Blicharski,J.S. Fluorine spin—lattice relaxation in liquid CF$_2$Cl$_2$, 3=21409
Blicharski,J.S. and Krynicki,K. Proton spin—lattice relaxation in liquid and gaseous hydrogen chloride, 3=11808
Blicharski,J.S. and Krynicki,K. Proton spin—lattice relaxation in liquid and gaseous hydrogen chloride, 3=21416
Blicher,A. See Kressel,H., 3=25376
Blichert-Toft,P. γ—γ coincidence measurements on Re^{189}, 3=6209
Blieden, H.R. Resonant behaviour in large-angle (p, α) & (α, p) data, 3=17459
Blieden,H.R. See Warsh,K.L., 3=17468
Blieden,H.R. See Warsh,K.L., 3=19849
Blieden,H.R. See Warsh,K.L., 3=22379
Bliman,S. "Two-beam" type instability in a cold-cathode reflex discharge, 3=24233
Blinc,R. and Ribarič,M. Proton—lattice interactions in hydrogen-bonded ferroelectric crystals, 3=15408
Blinc,R.,Schara,M. and Poberaj,S. Paramagnetic resonance of irradiated ferroelectric LiN$_2$H$_5$SO$_4$, 3=13302
Blinc,R.,Mali.M. and Zupančič,I. Second order quadrupole shifts of the Na^{23} magnetic resonance in Rochelle salt, 3=25594
Blinc, R, Marinković, V, Pirkmajer, E, Zupančič, I. and Maričič, S. Nuclear magnetic resonance in polycrystalline UF$_6$, 3=18153
Blinc,R.,Miller,S.R.,Brenman,M. and Waugh,J.S. Nuclear spin—lattice relaxation in some ferroelectric ammonium salts, 3=23251
Blinc,R.,Podnar,P.,Slivnik,J. and Volavšek,B. AF^{19} magnetic resonance study in xenon tetrafluoride, 3=12868
Blinc,R.,Pirkmajer,E.,Zupančič,I. and Maričič,S. Nuclear magnetic resonance in paramagnetic UF$_6$, 3=23256
Blinov,M. and Eismont,V.P. Nuclear shells and instantaneous fission neutrons, 3=6308
Blinov,M.V.,Kazarinov,N.M. and Protopopov,A.N. Study of the energy and angular distributions of neutrons emitted in the fission of U^{235} induced by thermal neutrons, 3=6311
Blinov,M.V., Kazarinov,N.M., Protopopov,A.N. and Shiryaev,B.M. Angular anisotropy of the γ-quanta accompanying U^{235} fission, 3=15242
Blinov,V.A.,Konstantinov,I.O.,Litvin,V.F. and Nemilov,Yu.A. Multiangular magnetic analyser-multispectrograph, 3=531
Blinov,V.A. See Baranov,A.I., 3=25773
Blinova,N.I.,Romanov,G.A.,Solntsev,V.M. and Tolmachev,Yu.M. On the magnetic properties of U$_2$O$_5$, 3=8642
Bliot,F. See Gabillard,R., 3=20374
Blitzer,L.,Kang,G. and McGuire,J.B. The perturbed motion of 24-hour satellites due to equatorial ellipticity, 3=18665
Bloch,A. and Pool,S.D. The transmission of hammer blow signals through coal-bearing strata, 3=14284
Bloch,C. Some recent developments in the quantum statistical mechanics of a system of interacting particles, 3=1627
Bloch, C.and Messiah, A. The canonical form of an antisymmetric tensor and its application to the theory of superconductivity, 3=3947
Bloch,F. and Rorschach,H.E. Energetic stability of persistent currents in a long hollow cylinder, 3=1891
Bloch,M. Magnon renormalization in ferromagnets near the Curie point, 3=5006
Bloch,M. Proton momentum spectrum in π^-—p collisions at 6 GeV/c, 3=15010
Bloch,M. Aspects of magnon renormalization near the transition temperature, 3=15751
Bloch,M. See Bellière,J., 3=24775
Bloch,M. See Bellini,G., 3=7899
Bloch,M. See Fretter,W.B., 3=2301
Bloch,M. See Veillet,J.J., 3=10163
Bloch,M. See Veillet,J.J., 3=17313
Bloch,R. See Pater,M., 3=16090
Bloch,R.J.K. See Balai,N., 3=11037
Bloch,S.C. and Desloge,E.A. The interaction of electromagnetic waves in a plasma, 3=5667
Block,B. and Feshbach,H. The neutron strength function and the shell model, 3=22259
Block,E. A property of the Ising model on the diamond lattice, 3=10198
Block,L. See Angerth,B., 3=12118
Block,M. See Shafer,J.B., 3=15028
Block,M.M. and Dalitz,R.H. Structure of the weak interaction $\Lambda + N \to N + N$, 3=22210
Block,M.M.,Gessaroli,R.,Ratti,S.,Grimellini,L.,Kikuchi,T., Lendinara,L.,Monari,L.,Harth,E.,Becker,W.,Bugg,W.M. and Cohn,H. Lifetime of the Λ^0 hyperon, 3=12508
Block,M.M.,Gessaroli,R.,Ratti,S.,Grimellini,L.,Kikuchi,T., Lendinara,L.,Monari,L. and Harth,E. The decay modes of the $^4He_\Lambda$ hypernucleus and the measurements of the $p_0^2/(p_0^2 + S_0^2)$ ratio for $\Lambda_0 \to n + \pi^0$, 3=12570
Block,M.M. See Gray, L., 3=15042
Block,S. See Piermarini,G.J., 3=13483
Blocker,T.G.,III. See Heeger,A.J., 3=15965
Blockhin,M.A., Gil'varg,A.B., Nikiforov,I.Ya. and Sachenko,V.P. Two-crystal X-ray spectrometer, 3=17012
Bloembergen,N. Nuclear magnetic resonance in alloys, 3=8729
Bloembergen,N. Electric shifts in magnetic resonance, 3=23199
Bloembergen,N. and Ducuing,J. Experimental verification of optical laws of non-linear reflection, 3=24017
Bloembergen,N. and Pershan,P.S. Light waves at the boundary of nonlinear media, 3=231
Bloembergen,N. See Ducuing,J., 3=18956
Bloembergen,N. See Feng,S.Y., 3=13306
Bloembergen,N. See Gill,D., 3=8735
Bloembergen,N. See Royce,E.B., 3=25568
Bloess,D.,Kruske,A.,Münnich,F. and Oetzmann,W. Time-interval measurement for the nanosecond region with the E80T cathode-ray-tube, 3=9406
Blok,J. See Blok,L., 3=654
Blok,J. See Born,P., 3=12624
Blok,J. See Born,P., 3=15146
Blok,J. See Born,P., 3=15147

Blok,J. See Born,P., 3=22305

Blok,J. See De Boer,Th.J., 3=19603

Blok,J. See De Boer,Th.J., 3=24871

Blok,J. See Verheul,H., 3=14963

Blok,J. See Verheul,H., 3=15155

Blok, L., Goedbloed, W., Mastenbroek, E. and Blok, J. On the decay of ^{153}Gd, 3=654

Blokh,O.G.,Zheludev,I.S. and Shamburov,V.A. The electro-optic effect in crystals of pentaerythritol [C(CH$_2$OH)$_4$], 3=23048

Blokhin,M.A.,Demekhin,V.F. and Shveitser,I.G. On the correction of X-ray emission spectra for self-absorption, 3=23094

Blokhin,M.A. and Shuvaev,A.T. Concerning the influence of the chemical bonds on the X-ray emission spectrum of titanium, 3=23092

Blokhin,M.A. See Nikiforov,I.Ya., 3=7324

Blokhintsev,D.I. Elastic scattering of high energy pions and nucleons, 3=6057

Blokhintsev,D.I. See Barashenkov,V.S., 3=6040

Blokhintsev,L.D. and Dolinskii,É.I. On the coupling constants in μ-capture, 3=4415

Blokhintsev,L.D.,Dolinsky,E.I. and Popov,V.S. Non-relativistic Feynman graphs and direct nuclear reactions, 3=8059

Blokhintsev,L.D.,Dolinskii,E.I. and Popov,V.S. Feynman amplitudes for nonrelativistic processes, 3=14867

Blokhintsev,L.D.,Dolinskii,É.I. and Popov,V.S. Complex singularities of the amplitudes for direct nuclear reactions, 3=15165

Blokhintseva,T.D.,Grebinnik,V.G.,Zhukov,V.A.,Libman,G., Nemenov,L.L.,Selivanov,G.I. and Yuan' Zhun-fan [Yüan Jung-fang]. (π^-,p)- total reaction cross-sections measurements at 340 MeV, 3=6044

Blokhintseva,T.D.,Grebinnik,V.G.,Zhukov,V.A.,Libman,G., Nemenov,L.L.,Selivanov,G.I. and Yuan' Zhun-Fan [Yüan Jun-Fang]. Interaction between 340 MeV π^--mesons and hydrogen, 3=22176

Blokhintseva,T.D.,Grebinnik,V.G.,Zhukov,V.A.,Libman,G., Nemenov,L.L.,Selivanov,G.I. and Yuan' Zhun-Fan [Yüan Jung-Fang]. Total cross-sections for the $\pi^- p$ reactions with 276 MeV π^- mesons, 3=22177

Blokhintseva,T.D.,Vasilenko,A.T.,Grebinnik,V.G.,Zhukov,V.A., Libman,G.,Nemenov,L.L.,Selivanov,G.I. and Yuan' Zhun-fan [Yüan Jung-fang]. An eight litre hydrogen—deuterium bubble chamber in a magnetic field, 3=24558

Blokhra,R.L. See Rastogi,R.P., 3=25829

Blokintsev,L.D.,Dolinskii,E.I. and Popov,V.S. Analytic properties of nonrelativistic diagrams, 3=5966

Blomberg,C. On quantum field theory methods in the theory of thermal properties of metals, 3=752

Blomgren,G.E. Extended hole theory of liquids. II. Approximate calculation of the partition function, 3=11782

Bloom,A.L. Observation of new visible gas laser transitions by removal of dominance, 3=17090

Bloom,A.L.,Bell,W.E. and Rempel,R.C. Laser operation at 3·39μ in a helium–neon mixture, 3=19495

Bloom,H. and Welch,B.J. Molten salt mixtures. VII. Activity coefficients in reciprocal molten salt systems PbBr$_2$ + NaCl and PbCl$_2$ + NaBr, 3=16155

Bloom,L.R. See Buhrer,C.F., 3=23050

Bloom,M. See Sawatzky,E., 3=1207

Bloom,S. and Vural,B. Noise on a drifting Maxwellian beam, 3=9853

Bloom,S. and Vural,B. Space-charge-wave decay along a signal-current-excited multivelocity beam, 3=16982

Bloor,D. Domain sizes in polycrystalline iron, 3=11074

Bloore,F.J.,Varshni,Y.P. and Pearson,J.M. A correction to the calculated energies of 2p-1s μ-mesonic X-rays, 3=8217

Bloore,F.J. See Varshni,Y.P., 3=4800

Bloss,W. A new gasfilled thermionic convertor, 3=3997

Blosser,H.G.,Gordon,M.M. and Arnette,T.I. Resonant extraction from three-sector low-spiral cyclotrons, 3=5786

Blosser,H.G. See Arnette,T.I., 3=5770

Blosser,H.G. See Gordon,M.M., 3=5774

Blotekjaer,K. and Malsnes,B. A δ-function analysis of transverse wave interaction in periodic static fields, 3=12243

Blott,B.H. and Hopkins,B.J. The work function of films evaporated from uranium carbide, 3=4179

Blottiau,F. Examination of the possibilities of calculating the trichromatic components of a normal real observer beginning with the normalized distribution functions, 3=21516

Blouin,F. and Lenoble,J. Experimental study of multiple scattering of light. Case of an absorbing medium, 3=11941

Blount,E.I. Extension of the Foldy–Wouthuysen transformation, 3=5362

Blount,E.I. Variational principles and entropy production, 3=23780

Blow,D.M. and Rossmann,M.G. The single isomorphous-replacement method: a correction, 3=3290

Blow,D.M. See Rossmann,M.G., 3=8831

Bludman,S.A. Two neutrinos or one? 3=7823

Bludman,S.A. and Klein,A. Broken symmetries and massless particles, 3=23787

Bludman,S.A. See Young,J.A., 3=24614

Blue,E.,Ingold,J.H. and Ozeroff,W.J. Diffusion of electrons in a scattering medium, 3=5820

Blue,G.D.,Green,J.W.,Bautista,R.G. and Margrave,J.L. The sublimation pressure of calcium (II) fluoride and the dissociation energy of calcium (I) fluoride, 3=21638

Blukis, U, Kasal, P.H. and Myers, R. J. Microwave spectra and structure of dimethyl ether, 3=17596

Blum,D.,Barreau,P. and Bellicard,J. Study of the first excited levels of Ca^{40}, 3=22300

Blum,H. Question of the paramagnetism of the M center in sodium fluoride, 3=819

Blum,L. The evolution equation of quantum gases, 3=9365

Blum,L. Formal sum of pairing diagrams, 3=11726

Blum,L. Evolution equation for homogeneous quantum fluids, 3=23792

Blum,R. See Heinmets,F., 3=22979

Blumberg,W.E.,Eisinger,J. and Geschwind,S. Cu^{3+} ion in corundum, 3=13300

Blume,M. Polarization effects in the magnetic elastic scattering of slow neutrons, 3=15861

Blume,M. Magnetic scattering of neutrons by noncollinear spin densities, 3=19643

Blume,M. and Watson,R.E. Theory of spin-orbit coupling in atoms. II. Comparison of theory with experiment, 3=6347

Blume,M. See Orbach,R., 3=3184

Blume,R.J. Demonstration of nuclear magnetic resonance in cobalt with a "grid dip" meter, 3=6766

Blume,R.J. u-mode balancing method for crossed-coil nuclear magnetic magnetic resonance r.f. heat, 3=9960

Blume,R.J. See Redfield,A.G., 3=8736

Blumle,L.J. Satellite observations of the equatorial ionosphere, 3=9078

Blumle,L.J. See Ross,W.J., 3=13710

Blüthner,K. Preparation for electron-microscope investigations of aerosols, 3=13624

Blüthner,K. Preparation of fibre surfaces, 3=16474

Blythe,P.A. Non-equilibrium flow of a polyatomic gas through a normal shock wave, 3=21424

Blyumenfel'd,L.A. Ferromagnetism of organic structures, 3=20566

Boag,J.W. See Hart,E.J., 3=6926

Boag,J.W. See Schulman,J.H., 3=8460

Boardman,A.D. See March,N.H., 3=22700

Boardman,G. and Whitmore,R.L. The behaviour of a Bingham fluid in the cone-and-plate viscometer, 3=14114

Boato,G. Isotope effects in phase equilibria, 3=21611

Boato,G.,Gallinaro,G. and Rizzuto,C. Superconductive transition of aluminium containing transition metal impurities, 3=19105

Boatwright,A., Merkl,W.A. and Mette,H. High p.m.e. sensitivities by optical polishing of germanium surfaces, 3=4956

Bobb,L.C. See Chopra,K.L., 3=15543

Böbel,G. See Bizzeti,P.G., 3=7847

Bobeldijk,C. See Born,P., 3=12624

Bobin,J.-L. Collisionless shock wave in a linear pinch experiment, 3=14586

Bobovich,Ya.S. Investigation of the catalysed crystallization process by the Raman spectrum method, 3=5086

Bobovich,Ya.S. Investigation of the structure of glassy phosphates using Raman spectra, 3=8602

Bobovich,Ya.S. Structure of beryllium halides in concentration aqueous solution, 3=9463

Bobovich,Ya.S. Spectroscopic study of the coordination state in certain glasses, 3=25459

Bobovich,Ya.S. See Tsenter,M.Ya., 3=11797

Bobroff,D.L.,Haus,H.A. and Klüver,J.W. On the small signal power theorem of electron beams, 3=433

Bobroff,D.L. See Paananen,R.A., 3=17089

Bobrov,M.S. Optics and geometry of the matter of Saturn's rings, 3=18615
Bobrowsky,A. Correction to the high-pressure scale, 3=9404
Bobrȳsheva,A.I. See Moskalenko,S.A., 3=15472
Bobrȳsheva,A.I. See Moskalenko,S.A., 3=20142
Bobyrev,N.A. and Fedyanin,O.I. Effect of an external, longitudinal magnetic field on the dynamic stabilization of a cylindrical gaseous conductor, 3=7513
Boccaletti,D.,de Sabbata,V. and Gualdi,C. Photoneutrino emission and neutron production in the $\gamma + p \rightarrow n + \nu + e^+$ process in stars, 3=23693
Boccaletti,D. See Alles,W., 3=10072
Boccara,N. Polarization of atomic vibrations in crystals, 3=8344
Boccara,N. A generalization of Earnshaw's theorem, 3=14504
Bocchieri, P.and Loinger, A. Equivalence between the $\hbar \rightarrow 0$ limit of the classical "Wellenbild" and the hydrodynamical theory of superconductivity, 3=1612
Bocciolini,M. See Bizzeti,P.G., 3=8073
Boček,M. and Rathausky,B.Z. The influence of microsegregations of the substructure on the critical shear stress and hardening coefficient of single crystals of zinc, 3=6792
Boček,V. See Vavrouch,D., 3=24103
Bochagov,B.A., Komar,A.P. and Solyakin,G.E. Energy distributions of photofission fragments from U^{238} nuclei for various peak γ-quantum bremsstrahlung energies, 3=15248
Bochagov,B.A. See Komar,A.P., 3=8143
Bochkova,O.P. See Frish,S.E., 3=8177
Bochvar,D.A.,Stankevich,I.V. and Chistyakov,A.L. An entropy expression of the uncertainty principle, 3=14036
Bochvar,I.A. and Keirim-Markus,I.B. Heating arrangement for study of thermoluminescence, 3=6685
Bochvarov,N. See Christov,V., 3=24546
Bock,I.E. A direct method of calculating the optimum operating conditions of isotope separation columns, 3=22512
Böck,R. An I.B.M. program for the kinematical analysis of complete track chamber events, 3=19517
Bock,R. and Rüdel,R. Excitation functions for the (d, p), (d, n) and (d, 2n) reactions on Ce^{142} up to 11·8 MeV, 3=19879
Bockasten,K.,Hallin,R. and Hughes,T.P. The spectra of highly ionized light elements in a high temperature plasma, 3=10448
Bockemuehl,R.R. Temperature dependence of free hole density in cadmium sulfide, 3=13137
Bockemuehl,R.R. and Eddy,D.S. Ion drift equilibrium in a semiconductor, 3=13052
Bockemuehl,R.R. and Wood,P.W. Unique two-channel tachometer uses radioisotopes, 3=4758
Bockris,J.O'M,Devanathan,M.A.V. and Müller,K. On the structure of charged interfaces, 3=21002
Böddeker,K.W. See Macwood,G.E., 3=20994
Boddy P.J. See Brattain,W.H., 3=10780
Boddy,P.J. See Brattain,W.H. 3=10788
Bode,K.H. Effect of radiation loss on measurements of thermal conductivity by the method of Kohlrausch, 3=19046
Bodenstedt,E. Magnetic moments of low-lying states of atomic nuclei. I, 3=15086
Bodenstedt,E. Magnetic moments of low-lying states of atomic nuclei. II, 3=19763
Bodenstedt,E. and Günther,C. Experimental confirmation of the "Dillenburg—Maris" phenomenon in statistically perturbed angular correlations [of Ho^{166}], 3=22343
Bodenstedt,E., Körner,H.J., Gerdau,E., Radeloff,J., Mayer,L., Auerbach,K., Braunsfurth,J. and Mielken,G. g_R factor of the 2^+ rotation level of Er^{166}, 3=2391
Bodenstedt, E. See Gerdau, E., 3=17419
Bodenstedt,E. See Körner,H.J., 3=8013
Bodenstedt,E. See Körner,H.J., 3=12560
Bodin,H.A.B.,Green,T.S.,Niblett,G.B.F.,Peacock,N.J., Quinn,J.M.P. and Reynolds,J.A. The influence of trapped field on the characteristics of a magnetically compressed plasma (thetatron), 3=12156
Bodin,H.A.B.,Green,T.S.,Niblett,G.B.F.,Peacock,N.J., Quinn,J.M.P.,Reynolds,J.A. and Taylor,J.B. Rapid axial contraction of a high density deuterium plasma in a thetatron discharge, 3=12155
Bodin,H.A.B. and Newton,A.A. Rotational instability in the theta pinch, 3=21799
Bodmer,A.R. and Ali,S.S. The density distribution of He^6, 3=7940
Bodner,S. See Frieman,E., 3=21827
Bodway,G.E. See Wang,S., 3=3157
Bödy,Z. and Berényi,D. Investigations of the vacuum need of β-spectroscopes, 3=10095
Boehm,F. and Rogers,J. Properties of some states in Dy^{160}, 3=12599
Boehm,F. and Rogers,J.D. Angular distribution of the circularly polarized gamma rays following the first-forbidden beta decays of Rb^8 and Rb^{86}, 3=22331
Boehm,F. See Alexander,P., 3=19791
Boehm,F. See Bjørnholm,S., 3=12604
Boehm,F. See Muir,A.H.,Jr., 3=19814
Boehm,F. See Seppi,E.J., 3=6164
Boehm,F. See Seppi,E.J., 3=14940
Boella,G.,Degli Antoni,G.,Dilworth,C.,Gainnelli,G.,Rocca,E., Scarsi,L. and Shapiro,D. Measurement of the cosmic-ray neutron flux in the atmosphere, 3=22222
Boella,M. and Einaudi,F. Didactic note on Sommerfeld's problem, 3=24464
Boelrijk,N.A.I.M. See Babeliowsky,T.P.J.H., 3=16156
Boelsterli,H.U. and Mooser,E. Growth spirals on GaS and GaSe single crystals, 3=11231
Boer,G. See Killeen,J., 3=12121
Boer,H. Design and construction of a universal programming unit, 3=9700
Böer,K.W. Inhomogeneous field and current distribution in semiconductors and insulators, 3=2905
Böer,K.W. Electric conductivity of semiconductors due to self-activation, 3=17842
Böer,K.W., Gutsche,E. and Jahne,E. The influence of hydrostatic pressure on electrical conductivity of CdS single crystals, 3=15588
Böer,K.W.,Weber,E.H. and Wojtowicz,B. The effect of X-ray damage on the spectral distribution of the photoelectric current of CdS single crystals, 3=20405
Boerboom,A.J.H. See Babeliowsky,T.P.J.H., 3=1875
Boer den,D.H.W.,Boer den,P.C. and Higgins-Longuet,H.C. The molecular symmetry of dibenzenechromium, 3=729
Boer den,P.C. See Boer den,D.H.W., 3=729
Boerdijk,A.H. A simple method for the measurement of small thicknesses and length variations, 3=16569
Boeri,E. Enzyme reactions, 3=3383
Boersch,H.,Forst,G. and Schweda,S. Energy losses of fast lithium and sodium ions in interaction with rare gases, 3=19186
Boersch,H.,Geiger,J. and Hellwig,H. Improving the resolution of electron energy analysis, 3=12444
Boersch,H.,Geiger,J. and Kluge,W. Application of the Sommerfeld cylindrical wave to one-dimensional sharp-edged amplitude and phase objects, 3=7354
Boersch,H.,Hamisch,H. and Ehrlich,W. Surface discharges over insulators under vacuum, 3=19226
Boersch,H.,Herziger,G.,Maslowski,S. and Weber,H. Reproducible wave shapes of low order in the ruby laser, 3=14804
Boersch,H.,Herziger,G. and Weber,H. Radiation intensity of the He/Ne laser as function of pressure and relative concentrations of the gases, 3=14805
Boersch,H. and Lambeck,M. The observation of magnetic domain structures by means of the Faraday-effect, 3=15806
Boeschoten,F. and Schwirzke,F. Investigation of a stationary plasma in a magnetic field, 3=12123
Boesman,E. See Schoemaker,D., 3=25573
Boettcher,A. and Cautius,W. The Jülich nuclear research installation, 3=8165
Boettner,E.A. and Miedler,L.J. Simulating the solar spectrum with a filtered high-pressure xenon lamp, 3=5523
Boettner,R.C. See McEvily,A.J.,Jr., 3=20743
Boffi,V.C.,Molinari,V.G. and Parks,D.E. On the decay of neutrons in a subcritical assembly, 3=12727
Bogachev,I.N. and Mel'nikova,V.I. Ordering kinetics in the alloy Ni_3Mn, 3=3329
Bogachev, I.N. and Mel'nikova, V.I. Effect of plastic deformation on the ordering process in the alloy nickel—manganese, 3=5133
Bogachev,I.N. See Yershova,L.S., 3=5128
Bogachev,N.P., Grigor'ev,E.L. and Merekov,Yu.P. The cross-section for formation of Li^8 in nuclear emulsions by 9 BeV protons, 3=15200
Bogachev,N.P, Grigor'ev, E.L. and Merekov, Yu.P. Inelastic interactions of protons with nucleons at an energy of 9 BeV, 3=17271

Bogachev,N.P.,Grigor'ev,E.L.,Merekov,Yu.P. and Mitin,N.A. Emission of Li^8 fragments from Ag and Br nuclei induced by 9 BeV proton bombardment, 3=22389
Boganov,G.F.,Golovin,I.N.,Kucheryaev,Yu.A. and Panov,D.A. Properties of a plasma formed by the injection into Orgra of a beam of fast molecular hydrogen ions, 3=12201
Bogatin,V.I., Novak,Z. and Ostroumov,V.I. Disintegration of the C^{12} nucleus into three α-particles as a result of inelastic scattering of 80 MeV π^+-mesons. 3=15219
Bogatskii, M.I., Voronel', A. V. and Gusak, V. G. Measurement of the heat capacity C_v of argon in the immediate vicinity of the critical point, 3=1729
Bogdankevich,L.S.,Rukhadze,A.A., and Silin,V.P. Cyclotron absorption of electromagnetic waves in plasma, 3=16940
Bogdankevich,O.V.,Gorychev,B.I. and Zapevalov,V.A. Splitting of the giant resonance in medium-heavy nuclei, 3=6230
Bogdanoff,J.L. See Soong,T.T., 3=21200
Bogdanov,A.A. See Vlasov,A.Ya., 3=18576
Bogdanov,A.A. See Vlasov,A.Ya , 3=20575
Bogdanov,G.B. The temperature of a ferrite sphere heated by v.h.f. power absorbed at ferromagnetic resonance, 3=11106
Bogdanov,G.B. Thermal effects in ferrites during ferromagnetic resonance absorption of u.h.f. power, 3=23213
Bogdanov,S.V. The problem of the electric strength of barium titanate, 3=15619
Bogdanov,S.V. The question of the effect of a mechanical load on the orientation of the domains in $BaTiO_3$ single crystals, 3=22995
Bogdanov,S.V. Nonlinearity od dielectric polarization and the ferroelectric properties of materials, 3=25389
Bogdanov,S.V. Experimental criterion for ferroelectricity, 3=25396
Bogdanov,S.V. See Kopÿlovskii,B.D., 3=20393
Bogdanov,V.G. See Batyrev,V.A., 3=4234
Bogdanov,V.G. See Borovskii,I.B., 3=4233
Bogdanovskii,G.A. See Vertsner,V.N., 3=2033
Bogdanowicz,J.,Ciok,P.,Galster,Z.,Saniewska,T. and Zieliński,P. Some features of the interactions of 24 GeV protons with heavy nuclei in emulsion, 3=8103
Bogen,P. and Hintz,E. Investigations on a pulsed electrodeless ring discharge with magnetic bias fields of different amplitudes, 3=7499
Bogen,P. and Hintz,E. Density distribution from radiation measurements during the fast magnetic compression of a plasma, 3=12166
Bogen,P. See Beerwald,H., 3=12164
Bogenschütz,A.F. and Schütze,H.J. Quality determination of semiconductor surfaces by means of infrared measurements, 3=13557
Bogert,B.P. Correction of seismograms for the transfer function of the seismometer, 3=1415
Boggs,J.E. See Porte,A.L., 3=3203
Bogle,G.S. See Symmons,H.F., 3=23228
Bogolyubov,G.V. and Rubtsov,V.K. A hydraulic device for the production of slow displacement, 3=5309
Bogolyubov,N.N.,Jr. and Sadovnikov,B.I. Green's function and distribution function in statistical mechanics of classical systems, 3=1620
Bogomalov,V.N. See Averkin,A.A., 3=7078
Bogomolov,Yu.V. Spin—lattice relaxation in ruby, 3=15952
Bogoroditskii, N.P, Mityereva, I.A. and Fridberg, I.D. Effect of covalent binding in titanium dioxide crystals on the magnitude of their permittivity, 3=17931
Bogoroditskii,N.P. and Smirnov,L.V. The anomalous polarization dioxide (rutile), 3=22999
Bogoroditskii,N.P. and Volokobinskiĭ,Yu.M. Theory of thermal breakdown of dipolar dielectrics, 3=13124
Bogorodskii,V.V. and Romanov,V. N. The relief-capacity method of measuring ultrasonic intensity, 3=16720
Bogoyavlenskii,I.V. See Bereznyak,N.G., 3=16854
Bogush,A.A. The wave-functions and evaluation of the matrix elements for longitudinally-polarized vector particles, 3=22154
Bogush,A.A. and Satsunkevich,I.S. Scattering of electrons on protons with account of dipole moments, 3=14956
Bogush,A.A. and Satsunkevich,I.S. Determination of the electron form factors, 3=22105
Boguslavskii,I.A. See Vitman,F.F., 3=3229
Boguslavskii,I.A. See Vitman,F.F., 3=16004
Boguth,W. and Habermalz,F. Determination of refraction increments with the Leitz interference microscope and a photoelectric indicator, 3=14323
Boháček,V. See Ďatlov,J., 3=9886
Bohachevsky,I.O. Simple waves and shocks in magnetohydrodynamics, 3=2108
Bohl,R.W. Uranium-fissium alloys containing technetium, 3=5130
Bohlin,D. See Newkirk,G., Jr, 3=9142
Bohm,D. See Aharonov,Y., 3=14854
Bohm,D. See de Broglie,L., 3=2226
Bohm,D. See de Broglie,L., 3=4324
Bohm,G. See Beine,H., 3=24415
Böhm,H. Effect of precipitation on the mechanical properties of a hardened Al—Si alloy, 3=13538
Böhm,H. The effect of magnesium on the ageing behaviour of aluminium–silicon alloys, 3=18355
Bohm,H.V.and Easterling,V.J. Magnetoacoustic measurements in the noble metals at 350 Mc/s, 3=2759
Bohm,H.V. See Horwitz,N.H., 3=3958
Bohm,H.V. See Schults,E.C., 3=9646
Böhm,K.H. Unstable modes in the solar hydrogen convection zone, 3=13882
Böhm,K.H. Forms of flow of various vertical wavelengths in the solar hydrogen convection zone, 3=21105
Bohm,S. See Beine,H., 3=24415
Böhm-Vitense,E. Interpretation of the phase relationship between velocity and light curves of δ cephei stars, 3=13910
Böhme,A.,Fanselau,G.,Mundt,W. and Wagner,Ch.U. A study of the relationship between solar events, propagation conditions in inter-planetary space and ionospheric-geomagnetic phenomena, 3=18527
Böhmer,H. and Lüscher,E. Photon emission by interaction of low energy helium and neon ions with tungsten surfaces, 3=21900
Bohn, H.V. See Kamm, G.N., 3=17682
Bohn,W.L. Ionization equation for plasmas of the intermediate temperature and density region, 3=16933
Bohn,W.L. See Fucks,W., 3=1752
Bohosievici,N. See Sanduloviciu,M., 3=19187
Bohr,N. See Bor,N.
Bohun,A. Thermostimulated exoemission and luminescence of MgO and CaO, 3=419
Bohun,A. Exo-electron emission from ionic crystals, 3=19295
Bohun,A., Dolejší,J., Huml,K., Kantůrek,J., Kunzlová,I., Lébel,M. and Trnka,J. Optical and electrical properties in copper-activated sodium chloride crystals, 3=18008
Bohun,A., Dolejši,J., Kaderka,M., Kantúrek,J., Kunzlová,I., Lébl,M. and Trnka,J. Photoluminescence and related properties of NaCl crystals containing cadmium and cobalt, 3=4985
Bohun,A.,Dolejší,J.,Kantůrek,J.,Kunzlová,I.,Lébl,M. and Trnka,J. Physical processes in coloured NaCl crystals with divalent additions, 3=813
Bohun,A. See Huml,K., 3=8598
Bohun,A. See Trutia,A., 3=10923
Boiangiu,D. See Stoenescu,A., 3=1544
Boichenko,B.L. Emission of non-equilibrium electrons from CdSe, 3=21853
Boiko,B.T.,Palatnik,L.S. and Rod'kina,N.I. Electron diffraction analysis of the structure of superheated and supercooled molten metals, 3=9440
Boiko,I.I. Combined resonance in semiconductors with an inversion centre, 3=15931
Boikov,G.P. Quick calculation of body heating by radiant heat, 3=24099
Boileau,É. Magnetic resonance in an anisotropic liquid with axial symmetry, 3=5452
Boillat,G. Discontinuities and shock waves. I, 3=21483
Boillat,G. Discontinuities and shock waves. II, 3=21484
Boillet,P. Infrared reflection spectrum of orthoclase between 10 and 30 μ, 3=18014
Boischot,A. Structure of the radio-source HB 21, 3=9275
Boischot,A.,Ginat,M. and Kazes,I. Radio emission from the Perseus cluster, 3=16431
Boischot,A.,Ginat,M. and Kazes,I. Observations of the 13 cm and 21 cm radiations from the planets Jupiter and Venus, 3=25983
Boissier,J. See Daire,M., 3=11337
Boistelle,R. See Bienfait,M., 3=16042
Boitsov, V.G. Determination of the force constants and calculation of the vibrational spectrum of crystalline selenium, 3=17630

Boivinet,P., Bros,J.P. and Calvet,E. Thermoelectric calibration of a microcalorimeter of the E.Calvet type, 3=3916
Boivinet,P.,Calvet,E. and Ozias,Y. Microcalorimetric determination of the characteristics of yttrium-90 and of the loss of energy due to β-deceleration, 3=12626
Bojarski,C. Intermolecular energy migation and concentrational depolarization of photoluminescence in rigid solutions, 3=140
Bok,B.J. Our expanding universe, 3=25966
Bok, J. and Nozieres, P. Instabilities of transverse waves in a drifted plasma, 3=17693
Bok,J. and Veilex,R. Avalanche studies in InSb; effect of a magnetic field; high-frequency oscillations, 3=6595
Bokhout, H. and van Lent, P.H. Electric properties of grey tin single crystals grown in tin–mercury alloys, 3=17896
Bokii,G.B. and Romanova,E.M. Polyhedra in the structures of sulphoarsenides, 3=18328
Bokov,V.A.,Mȳl'nikova,I.E. and Smolenski,G.A. Ferroelectric–antiferromagnetic crystals, 3=6615
Bokshtein,B.S.,Belashchenko,D.K. and Zhukhovitskii,A.A. Investigation of the surface diffusion in powders using the method of electrodiffusion potential, 3=6539
Bokshtein,S.Z.,Kishkin,S.T. and Svetlov,I.L. Tensile rupture tests on whiskers of copper, nickel and cobalt, 3=6801
Bokshteĭn,S.Z. and Svetlov,I.L. Effect of alloying on the strength of copper whiskers, 3=20727
Bokut',B.V. Propagation of light in absorbing magnetic, optically active, crystals belonging to the systems of medium symmetry, 3=13148
Bokut',B.V. and Sotskii,B.A. Passage of light through an optically active absorbing plate, 3=16788
Bokut',B.V. See Fedorov,F.I., 3=20447
Boland,P. See Fleming,J.D., 3=13548
Boldt,G. Normal intensity in vacuum-u.v. spectral region, 3=4076
Boldt,G. Two light sources for spectroscopy studies in the vacuum u.v. spectral region, 3=7349
Boldȳshev,V.F. Theory of internal conversion of gamma rays, 3=22318
Bolef,D.I. and de Klerk,J. Anomalies in the elastic constants and thermal expansion of chromium single crystals, 3=8753
Bolen,L.N. and Whitehead,W.D. Photoneutron cross section of oxygen and aluminium, 3=6223
Boley,B.A. Upper and lower bounds for the solution of a melting problem, 3=16835
Boley,B.A. See Weiner,J.H., 3=18764
Boley,F.I.,Wilcox,J.M.,DeSilva,A.W.,Forman,P.R.,Hamilton,G.W. and Watson-Munro,C.N. Hydromagnetic wave propagation near ion cyclotron resonance, 3=19291
Boley,F.I. See Wilcox,J.M., 3=1967
Bolf,J. See Karovič,K., 3=18973
Bolger,B.,van de Does de Bije,J.A.W.,Kalter,H. and Vegter,H.J. Laser action in GaAs junction, 3=9982
Bölger,B. See Diemer,G., 3=22021
Bolin,B. and Keeling,C.D. Large-scale atmospheric mixing as deduced from the seasonal and meridional variations of carbon dioxide, 3=25867
Boling,E.A. A vise-configuration β-counter. Determination of total exchangeable potassium using a low dose of isotope, 3=22037
Böling,G. See Agdur,B., 3=13159
Boll,R. Thin soft magnetic tapes in small high-frequency fields, 3=15854
Bolle, A., Coccia, F. and Tiberio, C.A. Results of ionospheric observations made in Rome during the solar eclipse of 15 February, 3=1458
Bolle,H.J. The 15-26 micron sky emission spectrum at Jungfraujoch (3570 M), 3=18548
Boller,H. and Parthé,E. On the possibility of forming 'pseudosilicides', 3=25725
Bollin,M. Lunar surface and subsurface magnetic susceptibility instrumentation, 3=13856
Bolling,G.F. See Otte,H.M., 3=12992
Bollinger,L.M.,Thomas,G.E. and Ginther,R.J. Neutron detection with glass scintillators, 3=2277
Bollini,C.G. Minimal interactions, 3=24609
Bollini,C.G. and Giambiagi,J.J. Regge trajectories for the square well potential, 3=2223
Bollini,C.G. and Giambiagi,J.J. Regge trajectories for the square well potential, 3=14907
Bollmann, W. Lattice defects introduced into graphite by neutron irradiation, 3=17703
Bologna,G. See Barbiellini,G., 3=5980
Bologna,G. See Barbiellini,G., 3=17234
Bolotin,G.A. and Sokolov,A.V. Optical properties of a gyroelectric medium II. Propagation of plane waves in a gyroelectric medium, 3=3896
Bolotin,G.A. and Sokolov,A.V. Optical properties of a gyroelectric medium. III. The problem of reflection for a gyroelectric medium, 3=11925
Bolotin, G.A, Voloshinskii, A.N, Kirillova, M.M. Noskov, M.M, Sokolov, A.V, and Charikov, B.A. Optical properties of titanium and vanadium in the infrared range of the spectrum, 3=17977
Bolotin,H.H. Double isomerism in As^{73}, 3=19781
Bolotin,H.H. and Chrien,R.E. Total radiation widths of levels in antimony, mercury, ruthenium and iridium, 3=15211
Bolotin, H.H. See Horen, D.J., 3=17416
Bolotin,I.B. Measurement of magnetic field intensity with a Hall transducer, 3=14716
Bolotin, L.I., Markin, P.S., Kulȳgin, Yu.F., Skoromnȳi, G.M. and Meleshkov, S.I. Spark type source of multiply charged ions, 3=2046
Bolotin,L.I., Markin,P.S. and Meleshkov,S.I. Pulsed source of multicharge ions with magnetic beam separation, 3=2045
Bolotin,L.I. See Berezin,A.K., 3=9780
Bolotin,L.I. See Berezin,A.K., 3=9858
Bolotin,L.I. See Berezin,A.K., 3=9859
Bolotin,L.I. See Berezin,A.K., 3=14649
Bolotov,I.Ye. Crystallization of the alloy Ni–C. III. Effect of impurities on the crystalaization of zones with spheroidal and lamellar graphite, 3=16115
Bolotov,V.N., Devishev,M.I., Filatov,V.V. and Shmeleva,A.P. Multichannel pulse-amplitude analyser for an ionization calorimeter, 3=14496
Bolotovskii,B.M. Theory of Cherenkov radiation. III. 3=14951
Bolotovskii,B.M. and Mergelyan,O.S. Theory of Vavilov–Cherenkov radiation in an isotropic optically active medium, 3=19607
Bol'shanina,M.A. See Panin,V.E., 3=23348
Bol'shov,V.G. and Panchenko,O.A. Energy distribution measurement of secondary electrons, 3=2023
Bol'shova,K.M. and Elkina,T.A. Low-temperature viscosity and hysteresis of manganese iron ferrites containing cobalt admixtures, 3=5023
Bol'shova,K.M. and Elkina,T.A. Viscosity and hystersis properties of ferrites due to electron diffusion, 3=6724
Bol'skahova,M.A. See Popov,L.E., 3=23317
Bolsterli,M. Invariant functions in nonrelativistic theory, 3=9363
Bolsterli,M. Treatment of exchange in scattering processes, 3=19566
Bolsterli,M. See Kromminga,A.J., 3=3768
Bolt,B.A. A seismic experiment using quarry blasts near Sydney, 3=3426
Boltaks,B.I. and Fedorovich,N.A. Rediffusion of the silver impurity from the solid solution Bi_2Te_3–Bi_2Se_3, 3=20219
Boltaks,B.I. and Sokolov,V.I. Investigation of the diffusion of cadmium in indium antimonide using the layer autoradiography method, 3=17784
Boltax,A. A metallographic study of swelling in alpha-particle irradiated aluminum and aluminum alloys, 3=4896
Boltneva,L.I.,Vasilenko,V.N.,Dmitriev,A.V.,Ionov,V.A., Nazarov,I.M.and Yagodovskii,I.V. Experience in detecting from aircraft radium, thorium and potassium deposits using a NaI : Tl crystal probe, 3=5185
Bolton, J.R. See Colpa, J.P., 3=17552
Bolton,R. See Stevenson,R., 3=20274
Bolwijn,P.T.,Alkemade,C.T.J. and Boschloo,G.A. Excess photon noise and spectral line shape of laser beam, 3=11908
Bolyunova,A.D. See Morozov,V.M., 3=1787
Bolze,E.M. and Ayer,F.,II. Versatile bubble-chamber track measuring stage, 3=4301
Bombolakis,E.G. See Brace,W.F., 3=23363
Bombré,F. and Gans,F. Cathodoluminescence of cadmium sulphide, 3=23118
Bömmel,H.E.,Darnell,A.J.,Libby,W.F. and Tittmann,B.R. Indium antimonide: superconductivity of the metallic form, 3=12031
Bon,M. See Lotte,B., 3=24249
Bonacalza, E.C.O. and Holm,G.B. Measurement of the g-factor of the 247 keV state in Cd^{111} with the differential method, 3=17411

Bonalumi,R. Neutron thermalization in a reactor lattice, 3=10410
Bonamico, M., Jeffrey, G.A. and McMullan, R.K. Polyhedral clathrate hydrates. III. Structure of the tetra n-butyl ammonium benzoate hydrate, 3=3308
Bonanomi,J. A thallium beam frequency standard, 3=13990
Bonar,L.G. and Kelly,A. Direct observation of dislocations interacting with precipitate particles in aged alloys, 3=20894
Bonazzola, S. Operative interpretation of the standard quantities in general relativity, 3=1598
Bonch-Bruevich, A.M. Pulse excitation of electroluminescent phosphors, 3=18047
Bonch-Bruevich,V.L. On the theory of degenerate semiconductors, 3=10739
Bonch-Bruevich,V.L. Theory of heavily doped semiconductors, 3=17831
Bonch-Bruevich,V.L. Spectral representation of mass and polarization operators at arbitrary temperatures, 3=23784
Bonch-Bruevich,V.L. and Glasko,V.B. Energy levels in a Debye field, 3=18732
Bonch-Bruevich,V.L. See Tyablikov,S.V., 3=7142
Bonch-Osmolovskaya,N.A.,Dzhelepov,B.S., Kraft,O.E. and Chzhou Yue-va[Chou Yüeh-wa] Positron spectra of neutron-deficient terbium and neodymium isotopes, 3=10303
Bonch-Osmolovskaya,N.A.,Gromov,K.Ya.,Dzhelepov,B.S., Kraft,O.E.,Malysheva,T.V.,Nikityuk,L.N.,Khotin,B.A., Chzhou Yue-Va [Chou Yüeh-wa] and Chumin,V.G. Ir^{186} isomer, 3=24912
Bonch-Osmolovskii,A.G. Cerenkov radiation produced by the motion of an electron beam through a dielectric tube, 3=24440
Bond,H.E. and Harvey,K.B. Decoration of dislocations in aluminum oxide, 3=12976
Bond, R.A. See Saxton, J.A., 3=1706
Bond,W.H.,Jr. See Anderson,M.E., 3=15159
Bond,W.L. Making crystal elements for optical masers, 3=9969
Bond,W.L. Frozen and reversible lattice distortions, 3=10653
Bond,W.L. "Bent axis" focusing mirrors, 3=24006
Bond,W.L.,Cohen,B.G.,Leite,R.C.C. and Yariv,A. Observation of the dielectric wave-guide mode of light propagation in p—n junctions, 3=10852
Bondàr,L.,Keppel,E.,Kraus,G.,Dodd,W.P.,Tallini,B.,Wolf,G., Butterworth,I.,Campayne,F.I.,Ibbotson,M.,Biswas,N.N., Derado,I.,Lüers,D. and Schmitz,N. Experimental results on the cross-section for $\pi^-\pi^0 \rightarrow \pi^-\omega^0$, 3=19678
Bondár,L. See Birkhoff,G., 3=19328
Bondar,M.M. See Movchan,Ye.O., 3=20308
Bondar',V.D. On the possibility of considering the deformed and stressed states of a medium as the initial state, 3=23817
Bondarenko,A.T. Study of the temperature dependence of the dielectric constant and of the tangent of the angle of dielectric loss of rocks at different frequencies, 3=23574
Bondarenko,I.I. See Kuz'minov,B.D., 3=6314
Bondarenko,I.I. See Smirenkin,G.N., 3=6309
Bondarenko,V.P. See Berezin,A.K., 3=14649
Bondarev,D.E. and Basikhin,Yu.V. Ferrites of the system $MgO-MnO_t-Fe_2O_3$ with the addition of Sc_2O_3, 3=20613
Bondarev,V.A. See Nazarov,N.I., 3=7622
Bondarev,V.I. The field of a disk electrode located in a bore-hole, 3=24203
Bondelid,R.O. and Butler,J.W. (p, γ) resonance-curve shapes and measurements of resonance energies with H_1^+ beams, 3=12672
Bondi,H. Physics and cosmology, 3=1
Bone,L.P. See Mahan,A.I., 3=12311
Bonera,G.,De Stefano,P.,Mascheretti,P. and Rigamonti,A. Correlation frequencies and activation energies for molecular motion of vinyl compounds during polymerization, 3=23545
Bonetti,A.,Bridge,H.S.,Lazarus,A.J.,Rossi,B. and Scherb,F. Explorer 10 plasma measurements, 3=25993
Bonfield,W. and Li,C.H. Dislocation configurations and the microstrain of polycrystalline beryllium, 3=20190
Bonfiglioli,A.F. Formation and reversion of Guinier—Preston zones, 3=11284
Bonfiglioli,G. and Brovetto,P. Improved optical spectroscopy technique, 3=21551
Bonfiglioli,G., Brovetto,P. and Cortese,C. Apparatus for thermoluminescence measurements, 3=3871
Bonfiglioli,G. and Malvano,R. Field effect in metallic films, 3=15541
Bonham,R.A. Background intensity of electrons scattered from solids, 3=4202
Bonham,R.A. and Peacher,J.L. Theory of the effect of temperature on the electron diffraction patterns of diatomic molecules, 3=17549
Bonham,R.A. See Strand,T.G., 3=23732
Bonis,L.J. See Dumais,M.W., 3=18422
Boniszewski,T. and Baker,R.G. Dislocations in manganese sulphide inclusions in steel, 3=25282
Boniszewski,T. and Smith,G.C. The influence of hydrogen on the plastic deformation ductility, and fracture of nickel in tension, 3=11153
Bonits,M.P. See Berlovich,É.E., 3=8008
Bonits,M.P. See Berlovich,É.E., 3=12597
Bonitz,M. Modern multi-channel time analyzers in the nanosecond range, 3=16574
Bonkowski,L. See Szarras,S., 3=8819
Bon Mardion,G.,Goodman,B.B. and Lacaze,A. Observation of quasi-reversible magnetic behaviour of a superconductor of the second kind, 3=3957
Bonnal,J.F. Production of a steady-state plasma, 3=7593
Bonneau,M. Comparison of time standards defined by means of the atomic frequency standards of the N.P.L. (Teddington) and of the L.S.R.H. (Neuchâtel), 3=4761
Bonneau,M. Comparison of time standards defined by means of the atomic frequency standards of the N.P.L. (Teddington) and of the L.S.R.H. (Neuchâtel) 3=9318
Bonneau,M. A study of radial velocities of early-type stars in the direction away from the galactic centre, 3=13901
Bonnefous,J. Method of measuring ferromagnetic rotational hysteresis, 3=4239
Bonnefous,J. Two ways of expressing the "rotational" coercivity of isotropic ferromagnetic bodies, 3=8667
Bonnefous,J. The direction of the Barkhausen effect in isotropic ferromagnets during rotation, 3=11067
Bonnelle,C. and Wuilleimier,F. Evidence of double excitations in the inner atomic levels under the action of X-rays, 3=25057
Bonnelle,C. See Cauchois,Y., 3=4230
Bonnelle,C. See Cauchois,Y., 3=8610
Bonnemay,M.,Lewartowicz,E.,Pilla,A.A. and Poirier d'Ange d'Orsay,E. Experimental compensation of the ohmic fall effect in the potentiostatic pulse method, 3=8969
Bonner,T.W. See Givens,W.W., 3=24862
Bonnet,G. New kinds of proton magnetometers. II, 3=2136
Bonnet,R.M. and Courtès,G. A filter for multiple and adjustable wavelength bands to study the u.v. solar continuum, 3=1502
Bonnet,R.M. and Courtès,G. Filter for multiple and adjustable frequency bands to be used for the study of the solar ultra-violet continuum, 3=3885
Bonnier,E., Desré,P. and Ansara,I. Determination of the activity of Cu in liquid Al—Cu alloys at 1100°C, 3=14152
Bonnier,E., Desré,P. and Petot-Ervas,G. Thermodynamic study of the system mercury—tin, 3=5116
Bonnin,B.,Geneste,J. and Goodman,B.B. Study the role of lattice defects in superconducting aluminium, 3=19104
Bonnor,W.B. Gravitational waves, 3=21211
Bonometto,S. On gauge invariance for a neutral massive vector field, 3=14888
Bonsignori,C.,Malotsi,D. and Pellegrini, U. Transistorized analog-to-digital converter for nuclear spectrometry, 3=19148
Bonte,F.J., Krohmer,J.S. and Romans,W.E. Magnetic tape recording of scintillation scan data, 3=21147
Bonvallet,D.J. Instrumentation and techniques for noise and vibration control, 3=14292
Boogaard,J. See Vos,J.J., 3=16459
Booker,G.R. and Benjamin,C.E. Measurement of thickness and refractive index of oxide films on silicon, 3=13149
Booker,G.R. and Stickler,R. Imperfections in epitaxially grown silicon, 3=805
Booker,G.R. and Stickler,R. Dislocations in mechanically deformed Ge, 3=6514
Booker,G.R. and Stickler,R. Domain formation in deformed and annealed Ge, 3=17772
Booker,G.R. See Stickler,R., 3=3353
Booker,G.R. See Stickler,R., 3=16010
Booker, G.R. See Stickler, R., 3=18219
Booker,H.G. Guidance of radio and hydromagnetic waves in the magnetosphere, 3=9942
Booker,H.G. See Crain,C.M., 3=18533
Booker,H.G. See Gopal Rao,M.S.V., 3=9941

Boom,R.E. and Roberts,L.D. Study of the transition of small niobium—zirconium superconducting solenoids to the normal state, 3=21670

Boom,R.W., Roberts,L.D. and Livingston,R.S. Developments in superconducting solenoids, 3=19409

Boom,R.W. See Sekula,S.T., 3=14454

Boon,C.R.,Holt,C. and Thompson,J.E. The effect of tension on the initial magnetization curve of a single crystal specimen of 3% silicon—iron, 3=25527

Boon, J.P. and Thomaes, G. The fluidity of binary mixtures, 3=1673

Boon,J.P. and Thomaes,G. The fluidity of argon—methane and krypton—methane mixtures, 3=7185

Boon,J.P. and Thomaes,G. The viscosity of liquefied gases, 3=9423

Boon,J.P. and Thomaes,G. The viscosity of liquid deutero-methane, 3=11762

Boone,D.H. and Wert,C.A. Interstitial—dislocation interaction in niobium, 3=23309

Boonstra, A.H., van Ruler, J. and Sparnaay, M.J. On the influence of various ambients on the surface conductivity of germanium surfaces, 3=17856

Boonstra, A.H, van Ruler, J. and Sparnaay, M.J. Surface states on cleaned and oxidised germanium surfaces, 3=17857

Boorstein,S. and Goodisman,J. Resolution of exact H_2^+ wave-function on one-center hydrogenic basis, 3=25094

Boos,E.G.,Botvin,V.A.,Pavlova,N.P.,Takibayev,Zh.S. and Chasnikov,I.Ya. Analysis of 9 BeV proton—nucleon interactions in a nuclear emulsion, 3=6002

Booss,H.J. and Seiffarth,W. Investigation of the properties of thoriated tungsten cathodes at high emission currents, 3=19307

Boot,H.A.H. and Clunie,D.M. Pulsed gaseous maser, 3=9987

Booth,R. See MacGregor,M.H., 3=12683

Booth,R. See Violet,C.E., 3=19785

Booy,H.M.W. See Verheul,H., 3=15155

Bopp,F. The quantum mechanics of a damped harmonic oscillator, 3=5363

Bor,J. and Pizybylski,J. Double beam photoelectric analysis of plane and elliptically polarized light, 3=9625

Bor,N.[Bohr]. On the unity of human knowledge, 3=21186

Borchardt,H.J. Rare-earth phosphors, 3=13206

Borchardt,H.J. Rare-earth tungstates and 1 : 1 oxytungstates, 3=23105

Borchardt,W. Photochemical reactions in cadmium sulphide, 3=3407

Borchers,H.J.,Haag,R. and Schroer,B. The vacuum state in quantum field theory, 3=22048

Borchers,R.R. and Poppe,C.H. Neutrons from proton bombardment of lithium, 3=10341

Borchers,R.R. See Lefevre,H.W., 3=2327

Borchers,R.R. See Lefevre,H.W., 3=4413

Borchers,R.R. See Poppe,C.H., 3=6290

Bordovskii,G.A. See Izvozchikov,V.A., 3=6635

Boreskov,G.K. See Kuchaev,V.L., 3=3397

Borets',O.M. See Tovstyuk,K.D., 3=23041

Borg,R.J. Comments on the article "Diffusion in cobalt—nickel alloys", 3=15514

Borg,R.J. and Lai,D.Y.F. The diffusion of gold, nickel, and cobalt in alpha iron: A study of the effect of ferromagnetism upon diffusion, 3=22810

Borg,R.J.,Lai,D.Y.F. and Krikorian,O.H. The diffusion of cobalt and iron in pure delta iron, 3=22811

Borg,S. See Uhler,J., 3=14678

Borg,S.F. A specialized nonlinear thin plate inextensional bending theory, 3=87

Borgest,V.A., and Shchepkin,D.N. Simple diffraction-grating infrared spectrometer based on the IKS-6 instrument, 3=16776

Borggreen,J.,Elbek,B. and Nielsen,L.P. A proposed spectrograph for heavy particles, 3=24383

Borghi,R.P. and Dunn,D.A. Paraxial solutions for accelerated and decelerated axially symmetric space-charge flow, 3=9856

Borghini,M. See Abragam,A., 3=2263

Borghini,M. See Abragam,A., 3=2365

Borgi,A.W. and Lönsjö,O. Resonance widths for proton capture—A graphical method, 3=2453

Borgman,V.A. and Chistoserdov,V.G. Colouring of photosensitive glasses by X-radiation, 3=8478

Borgstedt,H.-U., Eichkorn,G. and Heim,E. Interpretation of sonoluminescence spectra, 3=18819

Borie,B. See Yakel,H.L., 3=18298

Borie,J.C.,Durand,M. and Ors zag,A. Study of the light emission of a ruby laser by ultra-rapid cinematography, 3=14336

Borin,A.V. See Meiklyar,P.V., 3=9631

Borisevich,N.A. and Gruzinskii,V.V. Study of the excited states of the vapours of complex molecules on the basis of the universal relation between fluorescence and absorption spectra. I, 3=15320

Borishanskiĭ,V.M., Andreevskii,A.A. and Zhinkina,V.B. Heat transfer from molten sodium in staggered tube bank cross-flow, 3=16816

Borisoglebskii,L.A. Effect of the nuclear quadrupole moment on forbidden transitions in hydrogen-like atoms, 3=2556

Borison,S.L. Peripheral contributions to the difference of particle and antiparticle high-energy cross sections, 3=4396

Borisov,A.A., Dolgoshein,B.A. and Luchkov,B.I. Spark chamber with large interelectrode spacing, 3=17151

Borisov,A.V. See Amirkhonova,I.B., 3=15307

Borisov,B.S. See Bessonov,A.F., 3=3251

Borisov,G.K. See Devyatych,G.G., 3=25072

Borisov,N.C. and Nemoshkalenko,V.V. The electron configuration in metals of the iron group, 3=4833

Borisov,N.D. and Nemoshkalenko,V.V. Regarding the resolution of Johann mounting single-crystal spectrographs, 3=4236

Borisov,N.G. See Baladin,M.P., 3=17126

Borisov,V.L. Secondary electron emission of magnesium oxide, 3=14637

Borisov,V.L. Effect of the substrate material on the secondary emission of MgO films, 3=19322

Borisov,V.M. and Golger,Yu.Ya. Measuring the thermodynamic [electrode] and adsorption potentials of a dielectric mineral for the purpose of studying the flotation process, 3=8968

Borisov,V.T. Two-phase zone in crystallization of an alloy in unsteady-state conditions, 3=21623

Borisov,V.T. and Dukhin,A.I. Influence of thermal conditions on the structure of the crystallization front in one-component systems, 3=16035

Borisov,V.T.,Golikov,V.M. and Sh'cherbedinskiĭ,G.V. Statistical calculation of the self-diffusion coefficient in metals, 3=22801

Borisov,V.T. and Matveev,Yu.Ye. The temperature at the beginning of the two-phase zone in binary alloys, 3=13540

Borisov,Yu.Ya. and Gy̆nkina,N.M. On acoustic drying in a standing sound wave, 3=218

Borisova,L.A.,Efremova,M.V. and Vlasov,V.V. The phase diagram of the $Tl_2Te_3-Bi_2Te_3$ system and properties of the alloys obtained, 3=18343

Borisova,T.I. See Izidinov,S.O., 3=6923

Borisova,T.I. See Yakovleva,A.A., 3=16177

Bork,A.M. A 'Two cultures" physics course, 3=4

Bork,A.M. A physics independent study course with computer 3=11657

Borkan,H. See Cope,A.D., 3=19324

Borkowski,C.J. See Ferrari,A.M.R., 3=2149

Borkowski,R.P. and Ausloos,P.J. Gas-phase radiolysis of isobutane, 3=8978

Borkowski,R.P. and Ausloos,P.J. Gas-phase radiolysis of n-butane, 3=23550

Borland,R.E. The nature of the electronic states in disordered one-dimensional systems, 3=22673

Borleffs,J.J.W. See Hass,W.P.A., 3=23253

Bormann, H.J. and Porschen, W. Measurements of neutron flux on the FRJ-1 Merlin with the power of 0-40 watt, 3=4691

Bormann,M. Experimental investigation and theoretical consideration of the (n,α) and $(n,n\alpha)$ reactions in the scintillation crystals KI(Tl) and CsI(Tl) for neutron energies of 12·1 to 21·5 MeV, 3=2479

Bormann,M., Cierjacks,S., Fretwurst,E., Giesecke,K.J., Neuert,H. and Pollehn,H. Study of the energy dependence of nuclear reactions with neutrons in the energy range between 12 and 19 MeV. 3=15210

Born,M. Thoughts on colour theory, 3=11881

Born,P.,Bobeldijk,C.,Oost,W.A. and Blok,J. On the decay of ^{70}As, 3=12624

Born,P.,Elsenaar,W.H.,Veefkind,A. and Blok,J. Levels in ^{96}Mo, 3=22305

Born,P.,Van Der Kamo,H.A.J.,Elsenaar,W.H. and Blok,J. Angular correlations in ^{102}Ru, 3=15147
Born,P.,Veefkind,A.,Elsenaar,W.H. and Blok,J. An isomeric state in ^{102}Rh, 3=15146
Bornham,C.H. See Stoker,P.H., 3=6113
Bornman,C.H. See Stoker,P.H., 3=22113
Bornschein,H. Subjective distinction of temporal gradients of optical impulses, 3=9307
Bornschein,H. Temporally variable light stimuli and their influence on the electrical response of the retina, 3=11627
Borodich,V.D.,Golub',A.P.,Kombarov,A.K.,Kremlev,M.G., Moroz,N.K.,Samoĭlov,B.N. and Fil'kin,V.Ya. The critical currents of Nb—Zr alloys in an external magnetic fields, 3=21667
Borodin,A.V.,Kovan,I.A.,Rakhimbabayev,Ya.R.,Russanov,V.D., Smirnov,V.P. and Frank-Kamenetzky,D.A. Magneto-sonic resonance at high field amplitudes, 3=21831
Borodulya,V.A. and Tamarin,A.I. On the use of an instantaneous heat source for studying the mixing of particles in a pseudo-fluid layer, 3=14111
Borot,M. See Guyen-Long-Den,N., 3=19854
Borovik,E.S.,Busol,F.I. and Kovalenko,V.A. The use of a helium condensation pump for evacuation of magnetic traps, 3=21456
Borovik,E.S.,Lazarev,B.G. and Mikgailov,I.V. Large hydrogen condensation pumps for ultra high vacuum, 3=182
Borovik,E.S. and Limar',A.G. Production of pulse magnetic fields in coils cooled to low temperatures, 3=17026
Borovik,E.S. and Mamalui,Yu.A. Magnetic susceptibility of granular hexagonal ferrites, 3=23187
Borovik,E.S. and Usikova,N.E. Properties of mixed barium and strontium ferrites, 3=13279
Borovik,E.S. and Yakovleva,N.G. Effect of texture on the magnetic properties of mixed barium—strontium ferrites, 3=20615
Borovik-Romanov,A.S. and Kalinkina,I.N. Specific heat of spin waves in antiferromagnetic MnCO$_3$, 3=3145
Borovikov, V.A. Reduction of some three-dimensional problems in diffraction to the Dirichlet problem for Laplace's equation, 3=18
Borovikov,V.A. Two-dimensional problem of diffraction by a polygon, 3=1581
Borovikov,V.A. The three-dimensional problem of diffraction by a prism, 3=19017
Borovoi,A. See Mikaelyan,L., 3=24925
Borovoi,A.A. See Mikaelyan,L.A., 3=24924
Borovskii,I.B., Ditsman,S.A. and Bogdanov,V.G. Microfocus X-ray spectrograph, 3=4233
Borovskii,I.B. and Ronami,G.N. Influence of thermal vibrations of atoms on the process of "melting" of the fine structure of X-ray absorption spectra. I. Investigation of a copper-platinum solid solution, 3=10973
Borovskii,I.B. and Shmidt,V.V. Influence of tungsten impurities on the temperature dependence of the fine structure of the K absorption spectrum of iron, 3=8608
Borowicz,L. Use of interference in polarized light for measurement of the contrast transmission function, 3=21522
Borreani,G., See Bellière,J., 3=24775
Borreani,G. See Marzari-Chiesa,A., 3=19695
Borrelli,N.F.,McSwain,B.D. and Gouq-Jen Su. The infra-red spectra of vitreous boron oxide and sodium borate glasses, 3=13174
Borrelli,N.F. See McSwain,B.D., 3=13173
Borrelli,N.F. See Su,Gouq-Jen., 3=3019
Börsch-Supan,W. and Oser,H. Numerical computation of the temporal development of currents in a gas discharge tube, 3=14538
Bort,R.L. Comments on "Influence of shock-machine loading on shock spectra", 3=14247
Bortfeldt,J. Development of simple spectral cinematographic methods, 3=7327
Bortfeldt,J. See Bartels,H., 3=4102
Bortfield,D.P. See Geller,M., 3=24525
Borysowicz,J. and Dąbrowski,J. Diffraction scattering of deuterons on non-spherical nuclei. II. Deformation of arbitrary multipolarity, 3=4661
Borzyak,P.G. See Bibik,V.F., 3=16971
Bosch,H., Krmpotic,F. and Plastino,A. Beta spectroscopy with solid-state detectors, 3=19616
Bosch,H.E. and Caracoche,M.C. Backscattering effect on gamma-ray spectra recorded by scintillation spectrometers, 3=14941
Bosch,H.E. and Urstein,T. Nuclear studies by means of beta spectroscopy with scintillation counters, 3=24883
Bosch,M.C. See Gledhill,J.A., 3=9270
Bösch,R. See de Carvalho,H.G., 3=24991
Boschi,A. and Magistrelli,F. Effect of a r.f. signal on the characteristic of a Langmuir probe, 3=24300
Boschi,A. See Allen,J.E., 3=7487
Boschloo,G.A. See Bolwijn,P.T., 3=11908
Bosco,B.,Ciocchetti,G. and Molinari,A. On the electromagnetic interaction with the deuteron at threshold, 3=19710
Bosco,B. and DeBar,R.B. The rescattering correction to the deuteron electrodisintegration, 3=2326
Bose,A.,Chakravarty,A.S.,Chatterjee,R. and Datta-Roy,S.K. Paramagnetic behaviours of the hydrated salts of Ti^{3+}, V^{3+}, Fe^{2+} and Co^{2+}, 3=6691
Bose,A. and Chatterjee,R. Orthorhombic crystalline field theory of Ni^{2+}.6H$_2$O complex, 3=20053
Bose,A.N. and Benson,S.W. Kinetics of addition of HI to isobutene and vinyl chloride, 3=11338
Bose,A.N. See Benson,S.W., 3=6915
Bose,H.N. See Rao,K.V., 3=968
Bose,S.C. Stresses due to a nucleus of thermoelastic strain in an infinite elastic solid with a spherical elastic inclusion of a different material, 3=23809
Boser,O.,Kronmüller,H.,Seeger,A. and Träuble,H. Temperature and deformation dependence of the initial permeability and the coercive force in hexagonal cobalt single crystals, 3=20576
Boser, O. See Seeger, A., 3=18187
Bosio,L.,Defrain,A. and Epelboin,I. On the polymorphism of gallium at atmospheric pressure, 3=8836
Bosman,A.J. and Havinga,E.E. Temperature dependence of dielectric constants of cubic ionic compounds, 3=8546
Bossard,B.B. and Kurzrok,R.M. Comments on "Broad-band parametric amplifiers by simple experimental techniques", 3=1908
Bosselaar,C.A. Non-dispersive infra-red analysis of mixtures of water and heavy water, 3=23561
Bossolasco,M. and Elena,A. Absorption in the D layer and the temperature of the mesosphere, 3=25927
Bostick,W.H. Measurement of the properties of plasma eddies produced by shear in velocity in a magnetic field, 3=1965
Bostick,W.H. Plasma shreds in a magnetic field, 3=7524
Bostick,W.H. The role of Hall currents and plasma vortices in the planar current sheet in a coaxial plasma accelerator, 3=7599
Bostick,W.H., Byfield,H., Nakagawa,Y. and Wells,D. Interaction between plasma and a two dimensional magnetic dipole, 3=4125
Bostick,W.H. and Wells,D.R. Azimuthal magnetic field in the conical theta pinch, 3=21797
Bostrom,C.O. See Draper,J.E., 3=24948
Bostrom,C.O. See Pieper,G.F., 3=7952
Bostrom,C.O. See Zmuda,A.J., 3=22225
Boström,L. See Matthias,E., 3=10224
Boström,L. See Salomon,M., 3=20069
Bostwick,K.V., Engstrom,J.R. and Wise,R.E. Effect on fan-wheel construction on sound-pressure level, 3=14287
Bostwick,L.G. and Barmby,D.S. Morphological changes induced in platinum/alumina reforming catalyst by thermal treatment, 3=18367
Boswarva,I.M. Faraday effect in semiconductors, 3=23047
Boswarva,I.M. and Lidiard,A.B. Faraday rotation in germanium, 3=10772
Botham,J.H. Observations of the planet's Jupiter and Saturn in 1962, 3=13866
Bothe, H.K., Hilbig, H., Fischer, L. and Legler, I. Use of radionuclides for the investigation of flowing processes during the extruding of plastics, 3=3225
Bothorel,P. See Clément,C., 3=136
Boţilă,T. See Grigorovici,R., 3=4906
Botilă,T. See Grigorovici,R., 3=8494
Botley,C.M. and Dauvillier,A. Polar aurorae and lunar haloes, 3=23629
Bott,I.B. See Heritage,R.J., 3=18377
Bottai,G. See Ronchi,L., 3=11630
Bottai,G. See Ronchi,L., 3=13966
Böttcher,H., Malz,D. and Schubert,M. Construction and test of a spectrometer for the far infrared, 3=251

Böttger,H. and Koswig,H.D. Loss factor measurements on Ni-doped AgBr, 3=8554
Böttger,O. and Meister,W. Semiconducting properties of silver telluride (Ag$_2$Te), 3=20343
Böttger,O. and Pingel,H. Gas separation with the molecular pump. I. Separation factor and separation potential of a molecular pump of constant slit height, 3=22514
Bötticher,W. Quantitative spectroscopic measurement of a linear pinch discharge in helium, 3=7559
Bottiglioni,F.,Capet,M.,Fischhoff,E. and Prevot,F. High ionized plasma column in a magnetic field, 3=7528
Bottjer,M.C. and Haendler,H.M. Silver chloride cavity window for infrared liquid cells, 3=16779
Bottreau, A. A study of e.s.r. signals at 9000 Mc/s of single crystals of glycine irradiated with
Botty,M.C. See Rochow,T.G., 3=20961
Botvin,V.A.,Takibaev,Zh.S. and Usik,P.A. Inelastic p—n interactions at 9 GeV, 3=5997
Botvin,V.A. See Boos,E.G., 3=6002
Bouchard,F. and Thureau,P. On a new development of temperature measurements by photoluminescence, 3=8622
Bouchareine,P. and Connes,P. Interferometer with compensated field for Fourier transform spectroscopy, 3=21540
Boucher,G. Crossed-field thyratron, 3=7455
Bouchez,R., Duclos,J. and Perrin,P. Scattering of 14 MeV neutrons from ^{12}C and excitation of the 7·65 MeV level, 3=15206
Bouchiat,C.,Nuyts,J. and Prentki,J. A model for the violation of the $|\Delta I| = \frac{1}{2}$ rule in K$_{\pi 3}$ decays and its experimental implications, 3=6064
Bouchiat,M.A. Magnetic relaxation of Rb atoms on paraffin-covered walls, 3=25060
Boucicué,R. See Mortier,P., 3=7459
Boudreaux,E.A. Theoretical study of the magnetic moments of Cu(III) complexes. I. Symmetrical trigonal bipyramidal and square pyramidal co-ordination, 3=22560
Boudreaux,E.A., Dureau,L.D. and Jonassen,H.B. On the high-frequency paramagnetism and colour of post—transition metal compounds in ^{1}S states. I. The thallous halides, 3=20560
Bougon,M. See Poivilliers,J., 3=4300
Bouillon,F., Bouillon-Nyssen,Y. and Stevens,J. Selective oxidation of Cu—Ni alloys and nucleation of the oxides, 3=18432
Bouillon-Nyssen,Y. See Bouillon,F., 3=18432
Bouissou,H.and Cordier,H. Measurement of surface temperatures with thermocouples. Effect of radiation received by the thermocouple and of the method of attachment, 3=281
Boukema,J.I. See Kronig,R., 3=11940
Bouland,J.C. See Donnet,J.B., 3=25804
Boulassier,J.-C. and Cuvellier,J. Study of a strongly ionized plasma obtained in a hollow cathode discharge, 3=21773
Boulesteix,C. Influence of surface energy on the size of microcrystals in discontinuous thin metal films, 3=16134
Boulloud,A. Role of solid particles in the flow of predisruptive currents and the initiation of electric discharges in vacuum, 3=380
Boulton,J.S. See Bardsley,W., 3=13415
Bouman,M.A. Sensory phenomena, 3=3686
Bouman,M.A.,Vos,J.J. and Walraven,P.L. Fluctuation theory of luminance and chromaticity discrimination, 3=5303
Bourdillon,J. Increase of velocity of solutes in capillary and porous flow of solutions, 3=113
Bourdillon,J. The capillary flow of solutions. A re-evaluation of experimental evidence, 3=16597
Bourdy, C. Matrix calculation and Gaussian optics application to ophthalmic optics, 3=240
Bourelier,F. and Montuelle,J. Transmission electron microscopic examination of [dislocation] structure in rolled copper of different purities, 3=15493
Bourelier,F. and Montuelle,J. Transmission electron microscopic observation of the formation of the polygonal structure of copper, 3=15494
Bourg,M. Determination of the structure of transparent thin films by optical methods; theory of formation, 3=13560
Bourgarel,M.P. See Cabrespine,A., 3=5739
Bourgeot,J. See Manenc,J., 3=11200
Bourke,R.C. The rapid determination of the conductivity type of materials at 4° K, 3=16883
Bourlange,C. See Petit,G., 3=8967
Bourot,J.M.,Coutanceau,M. and Moreau,J.J. On the theoretical and experimental study of the phenomena of orientation shown by a laminar suspension in a Stokes' flow, 3=9429
Bourret, A. See Biquard,P., 3=10592
Bourrieau,J. High-temperature operating Geiger—Muller counters filled with pure mercury vapour, lined with glass and clad in graphite, 3=19502
Bousquet,C.,Lambert,M.,Quittet,A.M. and Guinier,A. Point by point study of the surface of a crystal by the Berg—Barrett method, 3=25660
Bousquet,P. Study of the reflection and transmission of light by a transparent grating of sinusoidal contour. Extension to the case of an irregular surface, 3=258
Bousquet,P. Diffraction of electromagnetic waves by a grating with plane facets, 3=17051
Bousquet,P. Diffraction of electromagnetic waves by a grating with triangular section rulings, 3=24472
Bousquet,P. See Casset,J., 3=14361
Bout,B.A. See Winch,D.E., 3=23645
Boutin,H. and Guillaume,J.R. Dielectric dispersion at very low frequency in heulandite, 3=8551
Boutin,H. See Brajovic,V., 3=15418
Boutin, H. See Safford, G., 3=17643
Boutry,G.A. Physics applied to vacuum and electronics industries [Physique appliquée aux industries du vide et de l'electronique]. Vol. I, 3=5596
Bouvier,P. On the escape of stars of different mass from a cluster, 3=16413
Bouvier,P. Structure of [stellar] globular clusters, 3=16416
Bouvier,P. and Martinet,L. Evolutionary variation of the luminosity function of galactic clusters, 3=16417
Bouville,A. See Fontan,J., 3=9052
Bouville,A. See Fontan,J., 3=21042
Bouwhuis,G. See De Lang,H., 3=24530
Bouyssou,J. See de Lafound,Y.G., 3=17103
Bouzyk,J.,Suwalski,W. and Topa,J. Pile oscillator measurements of neutron absorption cross-sections, 3=24946
Bovey,F.A.,Anderson,E.W.,Douglass,D.C. and Manson,J.A. Polymer n.m.r. spectroscopy. X. The use of H^1—H^1 spin decoupling in the elucidation of polymer structure, 3=25158
Bovey,F.A., See Tiers,G.V.D., 3=10546
Bovey,L. Meeting on spectroscopic aspects of lasers, Great Malvern, June 1963, 3=24039
Bovey,L., Davis,H.M., Lockwood,W.H. and Richards,E.W.T. The use of a photoelectric scanner and moiré fringes for wavelength measurement of atomic spectra, 3=698
Bow,Y.F. Nuclear properties of $_{25}$Mn^{55} (Semiatomic model), 3=15077
Bow,Y.F. Some regularities of the magnetic moment distribution of odd—A nuclei, 3=15078
Bowcock,J.E. and Stoddart,J.C. The effect of an S-wave pion—pion interaction on pion—nucleon scattering, 3=12489
Bowden,C. The craftsmanship competition of The Institute of Physics and the Physical Society, 3=9314
Bowden,F.P. and Cooper,R.E. Velocity of twin propagation in crystals. 3=4865
Bowden,P. and Brandon,D.G. A low energy ion gun for bombarding small specimens, 3=14666
Bowden, P. and Brandon, D.G. Interstitial damage in f.c.c. metals by low-energy argon ion bombardment, 3=17712
Bowden,P. and Brandon,D.G. The generation of dislocations in metals by low energy ion bombardment, 3=17723
Bowe,J.C. Residual gas concentrations in evacuated chambers, 3=14223
Bowen,D.E. See Keck,P.H., 3=22014
Bowen,D.H. and Clarke,F.J.P. Impurity precipitates in magnesium oxide, 3=20169
Bowen,E.G. A new radioheliograph for Australia, 3=5270
Bowen,E.G. A lunar effect on the incoming meteor rate, 3=13777
Bowen,E.G. See Adderley,E.E., 3=3462
Bowen,H.C. and Linnett,J.W. Wave functions for the hydrogen molecule and molecule ion, 3=19982
Bowen,P.H.,Cox,G.C.,Huxtable,G.B.,Langsford,A.,Scanlon,J.P., Stafford,G.H. and Thresher,J.J. A method of measuring the efficiencies for detecting high energy neutrons in organic scintillators, 3=2278
Bowen,P.H.,Cox,G.C.,Huxtable,G.B.,Scanlon,J.P.,Thresher,J.J., Langsford,A. and Appel,H. Small angle elastic scattering of neutrons by uranium at energies between 18 MeV and 120 MeV, 3=8105

Bowen,P.H.,Cox,G.C.,Huxtable,G.B.,Scanlon,J.P.,Thresher,J.J. Landsford,A. and Appel,H. Production cross-sections and neutron polarization in (p,n) reactions at 143 MeV, 3=10349

Bowen,P.H. See Scanlon,J.P., 3=10120

Bowen,P.J. See Willmore,A.P., 3=16235

Bowen,T. See Engels,E.,Jr, 3=7852

Bower,D.R. and Watt,P.A. The second-order errors of sea-surface gravity measurements, 3=11374

Bowers,R. See Taylor,M.T., 3=8409

Bowers,R. See Woods,A.D.B., 3=2709

Bowey,E.M. See Firk,F.W.K., 3=19655

Bowhill,S.A. Ion temperatures from the electron distribution above the F2-layer maximum, 3=13756

Bowlden,H.J. and Wilmshurst,J.K. Evaluation of the one-angle reflection technique for the determination of optical constants, 3=21517

Bowler,M., Duthie,J., Fowler,P., Kaddoura,A., Perkins,D., Pinkau,K. and Wolter,W. High-energy gamma-rays and jet showers, 3=4537

Bowler,M. and Ferguson,I.F. Tables for the correction of X-ray line breadths and peak height for $\alpha_1\ \alpha_2$ doubling effects, 3=11254

Bowler,M.G.,Duthie,J.G.,Fowler,P.H.,Kaddoura,A. and Perkins,D.H. Some features of nuclear interactions of energy between 10^{12} and 10^{15} eV, 3=4536

Bowler,M.G.,Fowler,P.H. and Perkins,D.H. A comparison of the production of pions and hyperons in nuclear interactions of very high energy, 3=6112

Bowles,B.F.,Scott,G.J. and Babb,S.E.,Jr. Melting and polymorphism in $SbCl_3$ and $SbBr_3$, 3=23371

Bowles,K.L. Measuring plasma density of the magnetosphere, 3=13741

Bowles,K.L. See Ochs,G.R., 3=16226

Bowles,L.W. See Blake,C., 3=24462

Bowles,R. and Sugarman,B. An automatic recording dilatometer, 3=9639

Bowling,K.M. and Watts,A. Determination of residence times of particles in multi-stage fluidized-bed systems, 3=16585

Bowlt,C. Space charge limited currents in amorphous arsenic trisulphide, 3=889

Bowman,A.L. See Giorgi,A.L., 3=7406

Bowman,C.D.,Auchampaugh,G.F. and Fultz,S.C. Fission cross section of U^{235}, 3=12709

Bowman,G.G. Some effects of nuclear explosions on the ionosphere, 3=3486

Bowman,H.R.,Milton,J.C.D.,Thompson,S.G. and Swiatecki,W.J. Further studies of the prompt neutrons from the spontaneous fission of Cf^{252}, 3=10393

Bowman,J.J. and Harris,J.D. Green's distribution and the Cauchy problem for the multi-mass Klein—Gordon operator, 3=5916

Bowman,J.J. and Harris,J.D. Green's distribution associated with the operator $[\quad^{m} -(-\mu^{2})^{m}]^{l}$, 3=5917

Bowman,M.G. See Krikorian,N.H., 3=25759

Bowman,R.L. and Shaw,J.H. The abundance of nitrous oxide, methane, and carbon monoxide in ground-level air, 3=13664

Box,H.C.,Freund,H.G. and Lilga,K.T. Paramagnetic resonance spectrum of irradiated glycylglycine HCl, 3=15942

Boy,F. See Marchand,A., 3=11023

Boyadzhyan,N.G. See Babayan,Kh.P., 3=19595

Boyadzhyan,N.G. See Babayan,Kh.P., 3=22237

Boyarkina,A.N. See Balashov,V.V., 3=2440

Boyarkina,A.N. See Balashov,V.V., 3=8086

Boyarkina,A.N. See Bednyakov,A.A., 3=6238

Boyarkina,A.N. See Bednyakov,A.A., 3=24718

Boyarskaya,Yu.S. and Val'kovskaya,M.I. Hardness rosettes and shapes of impressions on cubic crystals, 3=16009

Boyarski,A.M.,Loh,E.C.,Niemela,L.Q.,Ritson,D.M.,Weinstein,R. and Ozaki,S. Study of the K^+ decay, 3=6065

Boyd,A.H. See Bates,D.R., 3=1938

Boyd,E.L. Temperature dependence of nuclear magnetic resonance of Fe^{57} in magnetite, 3=8734

Boyd,E.L.,Moruzzi,V.L. and Smart,J.S. Sublattice magnetizations in rare-earth iron garnets, 3=25545

Boyd,F.R.,England,J.L. Effect of pressure on the melting of diopside, $CaMgSi_2O_6$, and albite, $NaAlSi_3O_8$, in the range up to 50 kilobars, 3=9657

Boyd,G.D. See Ashkin,A., 3=21507

Boyd,G.M. The conjugacy of magnetic disturbance variations, 3=13839

Boyd,R.G.,Larson,A.C. and Waber,J.T. Indirect relativistic effect on the 5f electrons in uranium, 3=8194

Boyd,R.H. Thermochemistry of cyanocarbons, 3=18439

Boyd,R.L.F. Plasma probes on space vehicles, 3=7571

Boyd,R.L.F. See Willmore,A.P., 3=16235

Boyd,R.L.F. See Wrenn,G.L. 3=5222

Boye,C.A. and Goodlett,V.W. Wide-line nuclear magnetic resonance studies of poly(ethylene terephthalate), 3=11124

Boyes,J. See Cornwall,J.B., 3=13943

Boyle,R.D. See Hexner,P.E., 3=8942

Boyle,W.S. See Kunzler,J.E., 3=2743

Boyle,W.S. See Nelson,D.F., 3=14800

Boylett,F.D.A. and Looms,J.S.T. Discharges in mixed gases, 3=4046

Boynton,R.M. Contributions of threshold measurements to color-discrimination theory, 3=5304

Boynton,R.M. Quantum- and energy-based visual sensitivity on a single plot, 3=13968

Boynton,R.M. and Onley,J.W. A critique of the special status assigned by Brindley to "psychophysical linking hypotheses" of "Class A", 3=9305

Bozek,E.,Hrynkiewicz,A.Z.,Walczak,T. and Zapalski,G. Fast—slow coincidence circuit with time-to-pulse-height converter for a nanosecond range, 3=12058

Bożek,E.,Lebedev,N.A.,Niewodniczański,H.,Ogaza,S.,Rybicka,M. and Styczeń,J. Gamma—gamma directional correlations in ^{146}Eu, 3=24905

Bozman,W.R. See Corliss,C.H., 3=19917

Bozóki,G.,Fenyves,E.,Frenkel,A. and Gombosi,E. Inelastic π^-—p interactions at 7 GeV, 3=7898

Bozoki,G. and Tikhani,E. A depth gauge for emulsion studies, 3=2181

Bozorth,R.M., Davis,D.D. and Wernick,J.H. Magnetism of dilute solutions of iron-group elements in platinum metals, 3=992

Bozorth,R.M. and Wakiyama,T. Magnetostriction of single crystals of gadolinium, 3=6714

Bozorth,R.M. and Wakiyama,T. The anomalous thermal expansion of single crystals of gadolium, 3=6715

Bozorth,R.M. and Wakiyama,T. Magnetostriction and anomalous thermal expansion of single crystals of gadolinium, 3=11092

Bozorth,R.M. and Wakiyama,T. Magnetostriction and anomalous thermal expansion of single crystals of gadolinium, 3=15851

Bozorth,R.M. See Clark,A.E., 3=20551

Bozowski,S. See Gittleman,J.I., 3=311

Brabbs,T.A., Belles,F.E. and Zlatarich,S.A. Shock-tube study of carbon dioxide dissociation rate, 3=15389

Brabec,V. See Kracík,B., 3=12635

Braben,D.W.,Riley,P.J. and Neilson,G.C. The 6·48 MeV level of C^{11}, 3=15100

Braben.D.W. See Riley.P.J., 3=24860

Brabets,V.,Kratsik,B.,Kratsikova,T.,Miligi,Z.,Veis,M., Mashtalka,A.,Vobetský,M. and Gnatovitsz,V. Investigation of the radiation from neutron-deficient hafnium isotopes, 3=8050

Braccesi,A. On the relation between the production of energy and the composition of matter in a steady universe, 3=25972

Braccini,P.L. See Bellettini,G., 3=6076

Brace,W.F. and Bombolakis,E.G. A note on brittle crack growth in compression, 3=23363

Bracewell,R.N. A corrected formula for the spectral sensitivity function in radio astronomy, 3=5269

Bracewell,R.N. Correction for grating response in radio astronomy, 3=9256

Bracewell,R.N.,Cooper,B.F.C. and Cousins,T.E. Polarization of the central component of Centaurus A, 3=7052

Brachet,C.M.F. and Vasseur,P.L. Support and confinement of an axial arc in a reflex discharge at very low pressure, 3=7481

Brack,K. Device for filtering electron interferences, 3=12250

Brackett,E.B. See Dawson,R., 3=25198

Brackett,T.E. See Dawson,R., 3=25198

Bradbury,A. See Andrew,E.R., 3=20683

Bradbury,B.T.,England,B.J. and Myles,J.W. An electron microscope study of the microstructural changes produced in uranium oxides during neutron irradiation at high heat ratings, 3=20958

Bradbury,R.A. See Stickley,C.M., 3=24512

Braden,C.H. See Dulaney,H., 3=4600

Braden,C.H. See Wyly,L.D., 3=4601

Braden,P.O. Van Allen belt demonstration, 3=16284

Braden,R.A. See Harvey,R.L., 3=9710
Bradfield,G. Ultrasonic vibration and the growth of crystals, 3=23392
Bradford,A.P. and Hass,G. Increasing the far-ultraviolet reflectance of silicon-oxide-protected aluminum mirrors by ultraviolet irradiation, 3=19004
Bradley,A. and Hammes,J.P. Photoconductivity in thin organic films, 3=25420
Bradley,A.A. See Talbot,J.H., 3=16128
Bradley, C.C. The experimental determination of the thermoelectric power in liquid metals and alloys, 3=145
Bradley,C.C. The resistivity and thermoelectric power of liquid gallium and mercury at constant volume, 3=23902
Bradley,C.C.,Faber,T.E.,Wilson,E.G. and Ziman,J.M. A theory of the electrical properties of liquid metals. II. Polyvalent metals, 3=143
Bradley,D.A., Woodbury,M.A. and Brier,G.W. Lunar synodical period and widespread precipitation, 3=3461
Bradley,D.F. See Tinoco,I. Jr., 3=10916
Bradley,D.J. Spherical aberration diffraction patterns of crossed cylinders, 3=3868
Bradley,D.J. Spectrophotometry with an oscillating Fabry–Perot interferometer, 3=16768
Bradley,D.J. Improved silver films for multiple-beam interferometry, 3=21560
Bradley,D.L. See Strakna,R.E., 3=13330
Bradley,R. and Ruedl,E. Positive ion emission from metal surfaces, 3=4203
Bradley,W.E. See Vonnegut,B., 3=9039
Bradner,H. See Amaldi,E., 3=14861
Bradsell,R.H. A high speed power switch for use with the National Physical Laboratory ultramicrowave harmonic generator, 3=14766
Bradshaw,P. and Johnson,R.F. Turbulence measurements with hot wire anemometers, 3=18840
Bradt,H.U. and Clark,G.W. The polarisation of cosmic ray mu-mesons, 3=4518
Brady,D.W. See Frisch,H.L., 3=52
Brady,F.P. and Warburton,E.K. $C^{14}(p, \alpha) B^{11}$ angular distributions at E_p = 18 MeV, 3=671
Brady, G.W. See Frisch, H.L., 3=52
Brady,J.J. See Skinner,J.G., 3=9516
Brady,J.J. See Skinner,J.G., 3=9723
Brady,L.E. See Hamilton,J.F., 3=11948
Brady,M.M. and Dedrick,K.G. High-voltage pulse measurement with a precision capacitive voltage divider, 3=5599
Bragg,L.E. and Coleman,B.D. On strain energy functions for isotropic elastic materials, 3=11736
Bragg,L.E. and Coleman,B.D. A thermodynamical limitation on compressibility, 3=21273
Bragg,R.H. and Packer,C.M. Orientation dependence of structure in pyrolytic graphite, 3=6820
Bragiński,A.,Marais,A. and Merceron,T. Magnetic aftereffect in solid solutions of Mn and Ni-ferrites with magnetite, 3=1036
Braginski,A. and Merceron,T. On the mechanism of disaccommodation in ferrites, 3=3128
Braginski,A. and Merceron,T. The influence of walls on decay phenomena, 4=8689
Braginskii,S.I. The structure of the F-layer and the causes of convection in the earth's core, 3=23571
Braginskii,V.B. The limits which determine the possibility of measuring gravitational effects, 3=25858
Braginskii,V.B.,Rudenko,V.N. and Rukman,G.I. An experimental investigation of the effect of an intermediate medium on gravitational interaction, 3=7100
Braham,R.R., Jr. See Brown,E.N., 3=9037
Brahmavar,S.M. and Ramaswamy,M.K. L-forbidden transitions near deformed region, 3=22316
Brahmavar,S.M. and Ramaswamy,M.K. Systematics of some beta-transitions, 3=22322
Braibanti,A. See Ferrari,A., 3=23436
Braid,T.H. See Broek,H.W., 3=2491
Brailsford,A.D. Abrupt–kink model of dislocation motion. II, 3=2799
Brailsford,A.D. The resistivity of interstitial atoms and vacancies in α-uranium, 3=25326
Brailsford,A.D. and Major,K.G. The effect of irradiation upon the electrical resistivity and thermal conductivity of α-uranium, 3=25325
Brainin,E.I. The problem of residual stresses after deformation in the yield plateau region, 3=20712
Braĭnin,É.I. See Davidenkov,N.N., 3=15987
Brainin,I.E. The role of stresses in the formation of hair-line cracks, 3=3241
Brajovic,V., Boutin,H., Safford,G.J. and Palevsky,H. A study of rotational freedom in several ammonium salts by slow neutron inelastic scattering, 3=15418
Brajovic, V. See Safford, G., 3=17643
Braley,J.E. See Alston,M.H., 3=7091
Bramblett,R.L.,Caldwell,J.T.,Auchampaugh,G.F. and Fultz,S.C. Photoneutron cross sections of Ta^{181} and Ho^{165}, 3=10329
Bramblett,R.L. See Fultz,S.C., 3=6221
Bramham,P. See Bell,M., 3=19379
Bramley,E.N. A note on the theory of moon echoes, 3=1513
Bramlitt,E.T. and Fink,R.W. Rare nuclear reactions induced by 14.7-MeV neutrons, 3=24952
Brand,F.A. See Jacobs,H., 3=22019
Brand, P. and Sackmann, H. Crystal structure of $SnBr_4$, 3=18317
Brandenberger,J.R. See Reitz,R.A., 3=4889
Brander,O. On angular momentum analyticity in hard-core potential scattering, 3=14905
Brander,O. A note on the transition operator for nucleon–nucleon scattering in the presence of a hard core, 3=22118
Brandmüller,J. See Behringer,J., 3=6650
Brandon,D.G. Image formation in the field ion microscope, 3=448
Brandon,D.G. The resolution of atomic structure: recent advances in the theory and development of the field ion microscope, 3=19370
Brandon,D.G., Ralph,B., Southon,M.J. and Wald,M. The application of field ion microscopy to some metallurgical problems, 3=17775
Brandon,D.G.,Wald,M.,Southon,M.J. and Ralph,B. The application of field ion microscopy to the study of lattice defects, 3=22706
Brandon,D.G. See Bowden,P., 3=14666
Brandon, D.G. See Bowden, P., 3=17712
Brandon,D.G. See Bowden,P., 3=17723
Brandon,D.G. See Ralph,B., 3=18340
Brandon,D.G. See Southon,M.J., 3=21899
Brandon,R.W., Closs,G.L. and Hutchison,C.A., Jr. Paramagnetic resonance in oriented ground-state triplet molecules, 3=4775
Brandow, B.H. Foundations of the nuclear shell model, 3=17387
Brandow,B.H. See Bethe,H.A., 3=4551
Brandshtetr,I. See Bzranova,G., 3=8140
Brandt,B.L. See Fowler,C.A.,Jr , 3=18103
Brandt,G. See van Itterbeek,A., 3=13041
Brandt,G.B. and Rayne,J.A. The electronic structure of chromium group metals from low field De Haas–Van Alphen studies, 3=6492
Brandt,J.C. The Lyman-α problem and the geocoma hypothesis, 3=13779
Brandt,J.C. Hydrogen and helium resonance radiation from the planets, 3=16343
Brandt,J.C. and Belton,M.J.S. On the distribution of mass in galaxies. III. Surface densities, 3=3604
Brandt,J.C. and Michie,R.W. Interplanetary gas. VII. A semiempirical model, 3=3538
Brandt,J.C. See Belton,M.J.S., 3=16420
Brandt,J.C. See Belton,M.J.S., 3=21103
Brandt,J.C. See Belton,M.J.S., 3=21118
Brandt,N.B. and Balla,D. Method for investigating the effect of high pressures on the galvanomagnetic properties of metals at low temperatures, 3=24158
Brandt,N.B. and Ginzburg,N.I. Critical fields of the crystalline modifications Bi II and Bi III, 3=21662
Brandt,N.B. and Ginzburg,N.I. Effect of antimony and lead impurities on phase transitions in bismuth, 3=25751
Brandt,N.B. and Ponomarev,Ya.G. Certain problems concerning the operation of magnetic torsion scales, 3=2079
Brandt,N.B., and Shchekochikhina,V.V. The influence of antimony impurities on the De Haas-Van Alphen effect in bismuth, 3=3083
Brandt,R.,Thompson,S.G.,Gatti,R.C. and Phillips,L. Mass and energy distribution in the spontaneous fission of some heavy isotopes, 3=24990

Brandt,R.C.,Adams,K.H. and Vreeland,T.Jr. Etching of high purity zinc, 3=10676

Brandt,R.C.,Adams,K.H. and Vreeland,T.Jr. Dislocations and etch figures in high purity zinc, 3=10677

Brandt,S., Cocconi,V.T., Morrison,D.R.O., Wroblewski,A., Flevry,P., Kayas,G., Muller,F. and Pelletier,C. Negative pion–proton elastic scattering at 10 GeV/c, 3=17324

Brandt,W. and Lundqvist,S. Possible new atomic resonances, 3=10470

Brănduş,I. Elastic scattering cross-section for collisions between particles of spin 3/2 and particles of spin 0, 3=19586

Brandus,L. and Popescu,I. On the positive charge conductivity of ionized dense gases, 3=24217

Braner,A.A. and Chen,R. Some optical properties of iodine single crystals, 3=6653

Brangaccio,D.J. See Rigrod,W.W., 3=7318

Branigan,C.K. See Allcock,G.M., 3=16229

Branner,G.R.,Friar,E.M. and Medicus,G. Automatic plotting device for the second derivative of Langmuir probe curves, 3=12185

Branscomb,L.M. The radiative formation and destruction of negative ions, 3=4003

Bransden,B.H. and Cheshire,I.M. Electron capture from helium by fast protons, 3=14518

Bransden,B.H., Gatland,I.R. and Moffat,J.W. Pion–pion scattering including inelastic intermediate states, 3=598

Brański,W. See Leibler,K., 3=13109

Branwood,A., Hurd,J.D. and Tredgold,R.H. Dielectric breakdown in barium titanate, 3=2962

Brar,S.S. See Gustafson,P.F., 3=5206

Brar,S.S. See Gustafson,P.F., 3=9058

Brasack,F. Measuring resistors with small phase error or A.C. correction for frequencies up to 50 kc/s, 3=350

Braslau,N. See Smith,A.W., 3=18955

Braslau,N. See Stevenson,M.J., 3=9588

Brasseur,H. An attempt to represent the double oxides $mX^{++}O.UO_3.nH_2O$ by a general formula, 3=3305

Bratashevskii,Yu.A., Galkin,A.A.and Ivanchenko,Yu.M. Resonance absorption by band carriers in InSb, 3=18133

Bratenahl,A. See Kunkel,W.B., 3=16934

Bratož,S. BI-orbital functions and their properties, 3=25088

Bratož,S. and Allavena,M. Electronic calculation on NH_3. Harmonic force constants, infrared and ultraviolet spectra, 3=2632

Bratoz,S. See Besnainou,S., 3=6405

Bratsberg,H.G., Foss,D. and Herbjørnsen,O.H. Zone refining of aluminum, 3=20803

Brattain,W.H. and Boddy,P.J. Surface states at a germanium–electrolyte interface, 3=10780

Brattain.W.H. and Boddy,P.J. The distribution of potential across the low-index crystal planes of germanium contacting an aqueous solution, 3=10788

Braude,A.A. Some special measurements of magnetic induction, 3=17018

Braude,S.Ya. See Sodin,L.G., 3=3619

Brauer,G. See Bärnighausen,H., 3=5104

Brauer,K.H. See Brümmer,O., 3=25786

Brauer,P. and Pelte,D. On the luminescence spectra of aqueous solutions of thallium salts with and without addition of alkali halides, 3=5446

Brauer,W. and Puff,H. Remarks on the work of A.J.Guba on the energy and angular distribution of secondary electrons, 3=7639

Brault,M. and Gazier,C. On some statistical properties of electron photomultipliers, 3=19317

Brault,M. and Gazier,C. Study of the amplitude fluctuations in photomultipliers, 3=21866

Braun,H. See Baumann,G., 3=10226

Braun,H. See Baumann,G., 3=15089

Braun,H. See Baumann,G., 3=19756

Braun,H. See Baumann,G., 3=19872

Braun,H. See Baumann,G., 3=22277

Braun,H. See Poubeau,P., 3=19536

Braun,H. See Samman,A., 3=24802

Braun,I. See Rindner,W., 3=10844

Braun,I. See Rinder,W., 3=17902

Braun,M.A. Analytical properties of the bound state wave functions for a superposition of Yukawa potentials, 3=6125

Braun,M.P.,Gusilyenko,Yu.A. and Chernyi,B.G. The fine crystal structure of a complex Ni-base cast alloy, 3=11281

Braun,P.B. and Goedkoop,J.A. An X-ray and neutron-diffraction investigation of the magnetic phase $Al_{0.89}Mn_{1.11}$, 3=25737

Braun,T. See Maxim,I., 3=13567

Braunbeck,J. Effect produced by transmission of monochromatic coherent light through opalescent media, 3=269

Braunbeck,J. and Muller,M.W. The scattering of monochromatic coherent light, 3=19025

Braunsfurth,J. See Bodenstedt,E., 3=2391

Braunsfurth,J. See Gerdau,E., 3=17419

Braunstein,J. See Blander,M., 3=14153

Braunstein,R. Lattice vibration spectra of germanium—silicon alloys, 3=12913

Braunstein,R. Valence band structure of germanium—silicon alloys, 3=12946

Braunstein,R. Radiative recombination in germanium as an indicator of radiation damage, 3=22862

Braunstein,R.and Kane,E.O. The valence band structure of the III-V compounds, 3=2753

Braunstein,R., Pankove,J.I. and Nelson,H. Effect of doping on the emission peak and the absorption edge of GaAs, 3=20476

Bray,A. and Valabrega,P. The strain sensitivity of nichrome films prepared by vacuum deposition, 3=23514

Bray,K.N.C. and Wilson,J.A. Electron—ion recombination in argon, 3=24218

Bray,M. Variations and equations with initial conditions for the problem of Cauchy (external case), 3=23756

Bray,P.J, Leventhal,M. and Hooper,H.O. Nuclear magnetic resonance investigations of the structure of lead borate glasses, 3=18148

Bray,P.J. and O'Keefe,J.G. Nuclear magnetic resonance investigations of the structure of alkali borate glasses, 3=18147

Bray,P.J. See Kaplan,R., 3=11114

Bray,R. See Appel,J., 3=10732

Bray,R.J. and Loughhead,R.E. Isophotal contour maps of sunspots, 3=13883

Brazhnik,M.I. See Krupnikov,K.K., 3=5487

Brearley,W.,Hastilow,P.A.P. and Holloway,D.G. On the breaking strengths of some commercial glasses, 3=11175

Breazeale,M.A. Sound velocity in the critical region of hydrogen chloride, 3=18859

Brebrick,R.F. and Strauss,A.J. Anomalous thermoelectric power as evidence for two-valence bands in SnTe, 3=17973

Brebner,J.L. and Fischer,G. The optical absorption edge of GaS, 3=10946

Brebner,J.L. and Fischer,G. Optical properties of the layer structures, GaTe, GaSe and GaS, 3=10950

Brebner,J.L.,Fischer,G.and Mooser,E. Optical absorption edge of GaTe, 3=3007

Brebner,J.L. See Fischer,G., 3=2913

Brebrick,R.F. Deviations from stoichiometry and electrical properties in SnTe, 3=6604

Brechna,H. Magnetic focusing lenses, 3=447

Brechot,S. and Van Regemorter,H. New method for calculating half-widths of lines broadened by electron impact, 3=8174

Breck,W.G. Initial thermoelectric powers in solutions of strong acids, 3=14181

Bredel',V.V., Mikheev,V.L. and Polikanov,S.M. Silicon detectors of charged heavy particles, 3=2166

Bredig,M.A. See Dworkin,A.S., 3=19065

Bredig,M.A. See Dworkin,A.S., 3=21404

Bree,A. and Thirunamachandran,T. The crystal spectrum of naphthalene in the region 3200 A to 2200 A, 3=934

Breedis,J.F. On the nucleation of martensite in thin foils of Fe—16 wt% Cr—12 wt% Ni, 3=23475

Breedis,J.F. and Robertson,W.D. Martensitic transformation and plastic deformation in iron alloy single crystals, 3=20883

Breene,R.G., Jr. Analytic wave functions. IV. Inclusion of correlation, 3=6345

Breene,R.G., Jr. Proton scattering by molecules. I. The two-state oxygen case and the multistate case, 3=25104

Breene,R.G., Jr. and Nardone,M.C. Radiant emission from high temperature equilibrium air, 3=1732

Breene,R.G.,Jr and Nardone,M.C. Free–free continuum of oxygen. II. Effect of polarization and exchange, 3=17531

Breese,S.S.,Jr,[Ed.]. Electron microscopy, Fifth International Congress, Philadelphia, 1962. Vol. I. Non-Biology, 3=11327

Brehme,R.W. A geometric representation of Lorentz frames for linearly accelerated motion, 3=21218
Breiner,S. Effect of nuclear detonation on the geomagnetic field at Palo Alto, California, 3=13843
Breit,G. The semiclassical treatment of some quantum problems, 3=1618
Breit,G. Aspects of nucleon—nucleon scattering theory, 3=5996
Breit,G., Hull,M.H., Jr, Lassila,K.E., Pyatt,K.D., Jr. and Ruppel,H.M. Phase parameter representation of proton—proton scattering from 9·7 to 345 MeV.II, 3=584
Breit,G. See Hull,M.H., Jr, 3=585
Breitling,G. and Richter,H. Structure of molten Au and of liquid Hg by the method of separating contributions to [the X-ray] scattering [pattern], 3=9438
Breitling, G. See Richter, H., 3=18253
Breitschwerdt,K.G. Direct and indirect tunneling in germanium at different temperatures, 3=22924
Breivik,F.O.,Jacobsen,T. and Sorensen,S.O. Emission of Li^8, Be, and B fragments from nuclei in photographic emulsion, 3=12380
Brémond,B. and Valatin,J.G. A method to describe pairing correlations of protons and neutrons, 3=12542
Brémond,M. See Pannetier,G., 3=12846
Brémond,M. See Pannetier,G., 3=12850
Brendel,K.D. Rotational vibrations of rigid bodies embedded in rubber-elastic media, 3=7264
Brenet,J. See Abraham,M., 3=14136
Brenig,W. Lattice vibrations as particle hole excitations, 3=2719
Brenig,W. and Parry,W.E. Momentum distribution and excitation spectrum of liquid helium, 3=21647
Brenig,W. and Wagner,H. A functional method for condensed systems, 3=14054
Brenman,M. See Blinc,R., 3=23251
Brennan,J.G. See Ruel,M., 3=6278
Brennan,M.H.,Lehane,J.A.,Millar,D.D. and Watson-Munro,C.N. The design and characteristics of highly ionized hydrogenous laboratory plasma sources, 3=24306
Brennan,P. and Williams,M. Contrast dispersion in magneto-optic apparatus for domain studies, 3=14712
Brenner,A. See Ueberreiter,K., 3=8920
Brenner,A.E. See Chrétien,M., 3=24787
Brenner,M.W. Proton groups from the $S^{33}(d,p)S^{34}$ reaction, 3=6291
Brenner,R. Revision of the formula for the specific bending of thermobimetallic strips, 3=11987
Brennert.G.F. See Reed.W.A., 3=12945
Brés,M. See Gorodetzky,M.S., 3=24344
Bresler,P.I. Approximate method of determining the integrated intensity and the line width in rotation—vibration absorption bands of gases, 3=7248
Bressan,A. Some consequences of postulates common to classical and relativistic kinematics, 3=16508
Breton,C. Study of the ionization on TA 2000, 3=7595
Breton,C.,Carpet,M. and Waelbroeck,F. Device for the study of the time evolution of spectral line profiles, 3=7326
Breton,C. See Bayle,A., 3=7341
Breton,C. See Schwob,J., 3=5680
Brett,D.A. See Hickey,J.R., 3=9606
Brett,J. and Seigle,L. Shrinkage of voids in copper, 3=13537
Breuer,W. and Jaumann,J. Dependence between the magneto-optical Kerr and Faraday effects and the optical constants of thick evaporated films of Fe, Co and Ni, 3=10918
Brevnov,N.N., Romanovskii,M.K. and Tomashchuk,Yu.F. Investigation of plasma in the adiabatic "ogrenok" trap, 3=14602
Brevnov,N.N. See Belyaev,V.A., 3=7651
Brevnov,N.N. See Belyaev,V.A., 3=21897
Brewer,D.F. and Edwards,D.O. Heat conduction by liquid helium II in capillary tubes. III. Mutual friction, 3=310
Brewer,E.G. See Sewell,P.B., 3=20928
Brewer,G.R. See Van Duzer,T., 3=14655
Brewer,L.,Berg,R.A. and Rosenblatt,G.M. Radiative lifetime of I_2 fluorescence, $B\,^3\Pi_0{}^+{}_u \rightarrow X\,^1\Sigma_0{}^+{}_g$, 3=11838
Brewer,L.,James,C.G.,Brewer,R.G.,Stafford,F.E.,Berg,R.A. and Rosenblatt,G.M. Phase fluorometer to measure radiative lifetimes of 10^{-5} to 10^{-9} sec, 3=5514
Brewer,L.E. and McGregor,W.K. Excitation of nitrogen by metastable argon atoms, 3=8263
Brewer,R.G. Rubidium spin relaxation induced by hydrogen, 3=4723
Brewer,R.G. Study of atom-wall collisions by optical pumping, 3=17537
Brewer,R.G. Comparison of atom spin relaxation in the gas phase and on a surface, 3=17538
Brewer,R.G. See Brewer,L., 3=5514
Breyer,J.E. See Hawley,S.A., 3=1862
Brezhnev,B.G. and Maksimov,J.S. The measurements of fast electron energies in powerful impulsive discharges, 3=7452
Brezhnev,V.S. One model of the universe in relativistic cosmology, 3=13854
Briat,B., Billardon,M. and Badoz,J. New spectropolarimeter designed for the measurement of the Faraday effect, 3=19026
Bricard,J.,Pradel,J. and Renoux,A. Ionic equilibrium and granulometric spectrum of natural aerosols, Application to radioactive ions, 3=11416
Brice,D.K. See Culvahouse,J.W., 3=8722
Brice,N. Discussion of paper by R.L.Dowden, "Doppler-shifted cyclotron radiation from electrons: A theory of very low frequency emissions from the exosphere", 3=13694
Brice,R.M. and Smith,R.L. Comments on a paper by H.Unz, "On the origin of 'very low frequency emissions' ", 3=13730
Bridenbaugh,P.M. See Peterson,G.E., 3=8620
Bridenbaugh,P.M. See Peterson,G.E., 3=13205
Bridenbaugh,P.M. See Peterson,G.E., 3=25176
Bridge,H. See Nettley,P.T., 3=25027
Bridge,H.S. See Bonetti,A., 3=25993
Bridge,N.J. and Buckingham,A.D. Pressure effects in infra-red spectra, 3=25078
Bridgeman,T. Inversion of the Munsell value equation, 3=13973
Bridges,W.B. High optical gain at 3.5 μ in pure xenon, 3=24516
Bridges,W.B. and Birdsall,C.K. Space-charge instabilities in electron diodes. II, 3=24348
Bridgwater,J. See Axtmann,R.C., 3=8976
Brier,G.W. See Bradley,D.A., 3=3461
Briffod,G.,Grégoire,M. and Manus,C. Abnormal diffusion of a plasma perpendicular to a magnetic field, 3=388
Brigevich,R.F. See Lur'e,B.G., 3=6535
Briggs,B.H. and Parkin,I.A. On the variation of radio star and satellite scintillations with zenith angle, 3=21124
Briggs,B.R. See Spreiter,J.R., 3=6998
Briggs,B.R. See Spreiter,J.R., 3=11411
Briggs,E.V. Stroboflash measurement of the velocity of a bullet, 3=21286
Briggs,J. and Roach,W.T. Aircraft observations near jet streams, 3=21035
Briggs,M.H. Meteorites and planetary organic matter, 3=9185
Briggs,M.H. Particulate matter in the atmospheres of the terrestrial planets, 3=16351
Briggs,R.E. Steady-state space distribution of meteoric particles under the operation of the Poynting—Robertson effect, 3=7023
Briggs-Smith,M. Visual monitoring during vacuum evaporations, 3=11845
Bright,R.C. See Papike,J.J., 3=8821
Bril,A. and Gelling,W.G. Conductivity induced by cathode rays in cadmium-selenide layers, 3=2910
Brill,D.R. and Lindquist,R.W. Interaction energy in geometrostatics, 3=16518
Brilliantov,N.A. See Grum-Grzhimailo,S.V., 3=3001
Brilliantov,N.A. See Grum-Grzhimailo,S.V., 3=13180
Brilliantov,N.A. See Grum-Grzhimailo,S.V., 3=15681
Brim,W.W. See Fraley,P.E., 3=6404
Brimberg,S. On the scattering of slow neutrons by hydrogen molecules, 3=4734
Brimberg,S. and Dahlström,J. The temperature coefficients of the resonance integral in uranium metal and oxide, 3=4687
Brin,A. See Aycoberry,C., 3=4139
Brinckmann,H.F. See Alexander,K.F., 3=15112
Brindley,G.W. See Schaefer,W.L., 3=20986
Brindley,K.W. See Smith,D.C.G., 3=2540
Brîndus,L. See Bányai,L., 3=23794
Brine,D.A. and Young,R.A. Common epitaxial feature of various thin film textures, 3=23506
Brink,D.M. The potential energy of light nuclei in the oscillator shell model, 3=10200
Brink,D.M. and Nash,G.F. Excited states in oxygen 16, 3=10253
Brink,D.M. and Stephen,R.O. Widths of fluctuations in nuclear cross sections, 3=22354
Brink,D.M. See Zuckermann,M.J., 3=16876

Brinkerhoff,J. See Zessoules,N., 3=16911
Brinkman,G.A, Aten,A.H.W, Jr. and Veenboer,J.Th. Absolute standardization with a NaI(Tl) crystal. I. Calibration by means of a single nuclide, 3=17111
Brinkman,H. See Ter Veld,L.K., 3=8090
Brinkman,J.A. Radiation production and radiation annealing of point defects in metals, 3=22723
Brinkmann,D. Magnetic moments of Xe^{129} and Xe^{131}, 3=24838
Brinkmann,D., Brun,E. and Staub,H.H. Nuclear resonance in gaseous xenon, 3=1734
Brinkmann,D.,Brun,E. and Staub,H.H. Nuclear resonance in gaseous xenon, 3=23944
Brinkworth,B.J. and Zakian,V. An inexpensive voltage stabilizer for photometric work, 3=16888
Brinson,G. and Argent,B.B. The creep of niobium, 3=13362
Brisbout,F.A.,Gauld,C.,McCusker,C.B.A.,Malos,J.,Nishikawa,K., Peak,L.S. and van Loon,L.G. A comparison of pion and nuclear interactions in emulsion at energies between 10^{11} and 10^{13} eV, 3=6109
Brisley,W. and Thornton,B.S. Electromagnetic levitation calculations for axially symmetric systems, 3=24434
Brissenden,P. and Erickson,W.C. A search for decametric radiation from several planets, 3=5272
Brissenden,P. See Erickson,W.C., 3=5277
Brisson,V. See Bertanza,L., 3=7935
Brisson,V. See Bertanza,L., 3=15037
Brissonneau,M.P. The magnetic diffusion after-effect in single crystals of Fe—Si, 3=8660
Brissonneau,P. and Moser,P. Study of magnetic diffusion after-effect in silicon-iron monocrystals, 3=1043
Brissonneau,P. See Aléonard,R., 3=15802
Bristow,J.R. and Rees,B.L. Thermal decomposition along dislocations, 3=17719
Britaev,A.S. See Yakovleva,A.V., 3=23581
Britt,H.C. and Wegner,H.E. Response of semiconductor detectors to fission fragments, 3=12376
Britt,H.C. and Wegner,H.E. Multiplication phenomenon for fission fragment response in semiconductor detectors, 3=19509
Britt,H.C.,Wegner,H.E. and Gursky,J.C. Energetics of charged particle-induced fission reactions, 3=10396
Britt,H.C.,Wegner,H.E. and Whetstone,S.L., Jr. A comparison of fission fragment measurements made by double-energy and double-velocity techniques, 3=24987
Brittain,J.O. See Carnahan,R.D., 3=25265
Brittain,J.O. See Dahlberg,P., 3=3214
Brittain,J.O. See Mura,T., 3=5140
Brittin,W.E. and Chappell,W.R. The Wigner distribution function and second quantization in phase space, 3=4316
Britton,D. The coordination of seven electron pairs, 3=25075
Britton,D. See Emerson,K., 3=8849
Britton,D. See Johnson,C.D., 3=13594
Britton,R.B.,Arnold,K.W. and Denholm,A.S. Ability of a voltage-graded surface to support a high voltage in vacuum and in a pressurised gas, 3=12097
Brixner,L.H. X-ray study anf thermoelectric properties of the $W_xTa_{1-x}Se_2$ system, 3=23029
Bro,P. See Andrellos,J.C., 3=20340
Broadbent,D.E. Attention and the perception of speech, 3=1552
Broadbent,T.E. and Shlash,A.H.A. The hot-wire triggered spark gap at very high voltages, 3=4050
Broadbent,T.E. and Shlash,A.H.A. The development of the discharge in the trigatron spark gap at very high voltages, 3=24248
Brocchieri,F.B., Caldirola,P., Federighi,U. and Maroli,C. The electric field in the vicinity of a satellite in motion in the ionosphere, 3=21137
Brocher,E.F. The elevation of electron temperature in m.p.d. generators and its effect on the gas conductivity, 3=24460
Brochet, C., Brossard, J., Manson, N., Pujol, Y. and Rouze, M. Comparison of the calculated and observed values of the speed of detonations: propane-oxygen-nitrogen mixtures, 3=3395
Brock,E.G.,Stirpe,D. and Hormats,E.I. Paramagnetic resonance spectrum of Fe^{3+} in guanidinium aluminum sulfate hexahydrate, 3=6747
Brock,G.E. See Fowler,A.B., 3=2988
Brock,J.C.F. See Berman,R., 3=8375
Brock,J.R. Investigation of a first-order slip-flow continuum analysis: the thermal force, 3=6935
Brock,J.R. Mass transfer between different phases, 3=3799
Brock,J.R. On the theory of thermal forces acting on aerosol particles, 3=7228
Brockelsby,C.F. Some applications of ultrasonics, 3=9565
Brockhouse,B.N. Interatomic forces in crystals from neutron scattering, 3=749
Brockhouse,B.N.,Arase,T.,Caglioti,G.,Rao,K.R. and Woods,A.D.B. Crystal dynamics of lead. I. Dispersion curves at 100°K, 3=2708
Brockhouse,B.N.,Becka,L.N.,Rao,K.R.,Sinclair,R.N. and Woods,A.D.B. Crystal field spectra in rare earth oxides, 3=743
Brockhouse,B.N.,Rao,K.R. and Woods,A.D.B. Image of the Fermi surface in the lattice vibrations of lead, 3=6467
Brockhouse,B.N. See Cowley,R.A., 3=20075
Brockhouse,B.N. See Dixon,A.E., 3=15422
Brockhouse,B.N. See Dolling,G., 3=2710
Brockhouse,B.N. See Sakamoto,M., 3=127
Brockhouse,B.N. See Woods,A.D.B., 3=2709
Brocklehurst,J.E. and Weeks,J.C. Dimensional changes in graphite: the relationship between those produced by absorption of bromine and those produced by irradiation, 3=25309
Brockman,K.W.,Jr. See Van Oers,W.T.H., 3=19713
Brockman,K.W.,Jr. See Van Oers,W.T.H., 3=24806
Brockway,L.O. and Marcus,R.B. Microstructure of thin single crystals of copper, 3=10681
Brodale,G.E. and Giauque,W.F. The freezing point-solubility curve of aqueous sodium hydroxide in the region near the anhydrous-monohydrate eutectic, 3=7387
Brodale,G.E. See Giauque,W.F., 3=6689
Broder,D.L.,Kayurin,Yu.P. and Kutuzov,A.A. Calculation of γ-ray build-up factors in heterogeneous media, 3=24675
Broder,D.L., Kutuzov,A.A., Levin,V.V. and Frolov,V.V. The use of the "removal cross-section" method for the design of hydrogen-free shielding, 3=17515
Brodie,I. and Niewold,A. Zero-field emission from thermionic hollow cathodes, 3=423
Brodin,M.S. and Krochuk,A.S. Optical absorption of CuCl single crystals, 3=15678
Brodin,M.S. and Krochuk,A.S. Optical properties of a phenanthrene single crystal in the region of the fundamental exciton absorption bands, 3=20494
Brodin,M.S. and Strashnikova,M.I. Investigation of the characteristics of the dispersion and shape of exciton absorption bands of a CdS monocrystal, 3=18000
Brodin,M.S. See Babenko,V.P., 3=3874
Brodin,M.S. See Babenko,V.P., 3=11902
Brodkey,R.S. Translation terms for non-Newtonian flow, 3=3788
Brodkey,R.S. See Lee,J., 3=116
Brodkin,É.B. See Aksenov,V.A., 3=4594
Brodovoi,V.A. Kinetics of photoconductivity of antimony sulphide monocrystals, 3=6627
Brodovoǐ,V.A. Some properties of the system $Sb_2S_3-Sb_2Te_3$, 3=15585
Brodovii,V.A. and Lyashenko,V.I. Temperature dependence of the kinetics of photoconductivity of Sb_2S_3 single crystals, 3=20398
Brodowsky,H. and Prager,S. Statistical mechanics of cross-link polymers: formation of the infinite network, 3=25159
Brodskaya,S.Yu. A study of the magnetic characteristics of single component specimens depending upon the ferromagnetic concentration during thermomagnetization, 3=13846
Brodskii,A.D. See Solov'ev,V.I., 3=14401
Brodskii,A.M. Conditions of formation of μ^+-mesic molecules, 3=25160
Brodskii,A.M.,Ivanenko,D. and Sokolik,G.A. A new interpretation of the gravitational field, 3=30
Brodskii,V.B.,Belitskii,B.M.,Voronchev,A.T.,Konyakhin,N.V. and Starostin,Yu.N. Microwave investigation of plasma moving against the electrodynamic acceleration in a coaxial accelerator, 3=24307
Brodskii,V.B.,Belitskii,B.M.,Zagik,S.E.,Lyutomskii,V.A. and Spiridonov,A.V. Microwave probing of plasmoids, 3=24302
Brodsky,M.B. Hall coefficient of alpha plutonium, 3=17824
Broek,H.W.,Braid,T.H.,Yntema,J.L. and Zeidman,B. Scattering of alpha particles by Zn^{64} and Zn^{68}, 3=2491
Broek,H.W. A possible three-phonon group from Ni^{62}, 3=6134
Broek,H.W. Collective excitations in $Ni^{58,60,62}$ and $Zn^{64,66,68}$, 3=15106

Broer,L.J.F. Exact solution of the reflection problem in non-linear optics, 3=14770
Broer,L.J.F. Note on approximate solutions of the wave equation, 3=21195
Broer,L.J.F. and Van Wijngaarden,L. Magnetohydrodynamic flow along wavy walls, 3=14749
Broer,L.J.F. and van Wijngaarden,L. The impulsive motion of a wavy plate in a conducting fluid, 3=21964
Broersma,S. Inductance potentiometer measuring piezo-susceptibility, 3=12288
Brogan,W.L. Comments on "Transient response of a thin elastic cylindrical shell to a moving shock wave", 3=18881
Brogen,G. The anomalous X-ray transparency of thick germanium crystals, 3=5099
Broglio, L. Italian research programme in the upper atmosphere, 3=1455
Brogren,G. Investigations into the widths of some X-ray emission lines, 3=3029
Brogren,G. The photo-electron emission of X-rays from copper in the region around the K-absorption edge of copper, 3=6351
Brogren,G. and Hörnström,E. The x-ray reflection properties of germanium single crystals, 3=1318
Brogren,G. and Hörnström,E. The anomalous X-ray transmission through silicon single crystals, 3=13185
Broida,H.P. and Carrington,T. Rotational, vibrational, and electronic energy transfer in the fluorescence of nitric oxide, 3=8265
Broida,H.P. See Barger,R.L., 3=6390
Broida,H.P. See Pollack,G.L., 3=11224
Broida,H.P. See Pollack,G.L., 3=15685
Broida,H.P. See Radford,H.E., 3=8253
Broida,H.P. See Schmeltekopf,A.L.,Jr, 3=24235
Brolley,J.E.,Jr. See Stewart,L., 3=611
Broman,L. See Dubois,J., 3=17471
Bromley,D.A. Structure of nuclei probed by new Van de Graaff, 3=22268
Bromley,D.A. See Almqvist,E., 3=12704
Bromley,D.A. See Goldfarb,L.J.B., 3=8062
Bromley,D.A. See Kuehner,J.A., 3=19891
Bronisz,S.E. The mechanical properties of alpha plutonium in compression, 3=25602
Bronisz,S.E. and Douglass,D.L. Absorption contrast effect in b.c.c. metals, 3=11331
Bronshtein,I.M. and Kovalenko,V.S. Energy distribution of electrons scattered inelastically by solids, 3=14659
Bronstein,H.R. See Dworkin,A.S., 3=21404
Brook,M. See Reynolds,S.E., 3=6957
Brook,M. See Williams,D.P., 3=23596
Brooke,C. and Schayes,R. Detection of very low energy beta rays. II, 3=5991
Brooks,E.H. See Bilinski,J.R., 3=25308
Brooks,G.W. A modified method for the determination of the total hemispherical emissivities of metals, 3=3919
Brooks,H. See Brown,A.R.G., 3=11132
Brooks,J.H.H. See Rider,J.G., 3=13373
Brooks,N.B. See Wittkower,A.B., 3=9870
Brooks,R.A., Anderson,C.H. and Ramsey,N.F. Rotational magnetic moments of diatomic alkalis, 3=19974
Broom,R.F. Room temperature operation of gallium arsenide lasers, 3=19492
Broom,R.F.,Gooch,C.H.,Hilsum,C. and Oliver,D.J. Onset of stimulated emission from gallium arsenide semiconductor optical masers, 3=19491
Brophy,J.J. Fluctuations in solids, 3=6446
Brophy,J.J. Fluctuations in hot tungsten filaments, 3=17821
Brophy,J.J. and Webb,S.L. Critical fluctuations in triglycene sulfate, 3=893
Brophy,V.A. See Peters,T., 3=23123
Bros,J.P. See Boivinet,P., 3=3916
Brosche,P. On the origin of "run-away" stars according to A.Blaauw, 3=7035
Brosche,P. Mass—angular momentum diagrams of spiral nebulae and other objects, 3=11585
Broser, I., Broser-Warminsky, R. and Schulz, H.J. Infrared effect and anti-Stokes luminescence in ZnS and CdS crystals, 3=3049
Broser,I. and Franke,K.H. Trace analysis of Cu in ZnS phosphors by neutron activation, 3=11371
Broser-Warminsky,R. See Broser,I., 3=3049
Bross,H. and Holz,A. Study of the temperature dependence of the electrical resistance in alkali metals, 3=17815
Bross, H, Seeger, A. and Haberkorn, R. Lattice thermal resistance of edge dislocations, 3=17673
Brossard,J. See Brochet,C., 3=3395
Brotas, A. An elementary solution in the theory of Mie, 3=4249
Brotas,A. Relativistic restrictions on Mie's Lagrangian, 3=14009
Brou,R.,Bermond,J. and Patou,C. Speed of drying of a nuclear emulsion deposited on a glass support and ionization parameters at high energies, 3=12381
Broude,C.,Clark,M.A. and Litherland,A.E. Lifetime of the 7.02 MeV level in Ne^{20}, 3=6165
Broude,C. and Gove,H.E. Spin assignments in even—even nuclei between O^{16} and Ca^{40}, 3=24852
Broude,V.L. Spectroscopic studies of benzene, 3=20493
Broude,V.L.,Mashkevich,V.S.,Prikot'ho,A.F.,Prokopyuk,N.F. and Soskin,M.S. Possibility of obtaining stimulated emission from systems with electron—vibration levels, 3=22001
Broudy,R.M. The electrical properties of dislocations in semiconductors, 3=25335
Broussaud,G. and Malner,L. The influence of hyper-frequency circuits on the performance of coupled-cavity masers, 3=9996
Brousseau,M. See Musson-Genon,R., 3=3846
Brout,R. Specific heat of the many-boson gas, 3=18751
Brout,R. Statistical study of alloys having transition-metal impurities, 3=8358
Brout,R. See Coopersmith,M., 3=16548
Brout,R. See Horwitz,G., 3=9370
Brout,R. See Schuch,A.F., 3=16853
Brout,R., See Stinchcombe,R.B., 3=11046
Brouw,W.N. and Berkhuijsen,E.M. A new method of determining the electron content of the ionosphere, 3=6980
Brouwer,D. The problem of the Kirkwood gaps in the asteroid belt, 3=13867
Brovchenko,V.G. and Molchanov,Yu.D. Time selector for pulse series analysis, 3=1918
Brovchenko,V.G. Linear capacitive accumulator, 3=1919
Brovetto,P. and Canuto,V. On the superfluid behaviour of nuclear matter, 3=6133
Brovetto,P. and Canuto,V. Statistical mechanics of a superfluid nuclear matter. I. Nuclear level density, 3=19742
Brovetto,P. and Vighetto,E. On the electron spin resonance spectrum of the triphenylmethyl radical, 3=20018
Brovetto,P. See Bonfiglioli,G., 3=3871
Brovetto.P. See Bonfiglioli,G., 3=21551
Brovman, E.G. See Chernoplekov, N.A., 3=17644
Brower,K. See Stuart,R.V., 3=14681
Brower,W.S. See Fang,P.H., 3=8548
Brower,W.S. See Fang,P.H., 3=13115
Browman,A. and Pine,J. Annihilation in flight of 200 and 800 MeV positrons, 3=7836
Brown, A. and Lewis, B. The systems bismuth—tellurium and antimony—tellurium and the synthesis of the minerals hedleyite and wehrlite, 3=3343
Brown,A.F. and Blackburn,D.A. Apparent enhancement of diffusion coefficients in plastically deformed metals, 3=25296
Brown,A.F. See Blackburn,D.A., 3=6533
Brown,A.R.G.,Brooks,H.,Jepson,K.S. and Lewis,G.I. High modulus titanium alloys containing boron and aluminium, 3=11132
Brown,B.S., Coleman,K.R. and Lee,H.W. New refracting systems for the ultra-violet spectrum, 3=16741
Brown,C.S. See Jones,C.K., 3=23302
Brown,D. See Nudelman,S., 3=10979
Brown,D.A. See Ford,R.A., 3=20072
Brown,D.L. See Weisz,R.S., 3=15875
Brown,D.P. See Androulakis,J.G., 3=17125
Brown,D.W. See Florin,R.E., 3=12874
Brown,E.N. and Braham,R.R.,Jr. Precipitation particle measurements in cumulus congestus, 3=9037
Brown,F. and Davies,J.A. The effect of energy and integrated flux on the retention and range of inert gas ions injected at KeV energies in metals, 3=19373
Brown,F.,James,R.H.,Perkin,J.L. and Barry,J. The cross section of the $^{7}Li(n,t)$ reaction for neutron energies between 3·5 and 15 MeV, 3=19858
Brown,F. See Bergström,I., 3=12608

Brown,F. See Davies,J.A., 3=19372
Brown,F. See Geiger,J.S., 3=652
Brown,F. See Graham,R.L., 3=4707
Brown,F. See McCargo,M., 3=22878
Brown,F. See McCargo,M., 3=24385
Brown,F. See Piercy,G.R., 3=15521
Brown,F. See Watt,D.E., 3=22351
Brown,F.C. Electronic properties and band structure of the silver halides, 3=12940
Brown,F.C. See Swank,R.K., 3=10695
Brown,F.C. See Tippins,H.H., 3=8529
Brown,G. See Aspinall,A., 3=19779
Brown,G.C.,Jr. Simplified system for the measurement of fluorescence lifetimes using the stroboscopic method, 3=13198
Brown,G.E.,Evans,J.A. and Thouless,D.J. Single particle strengths in nuclei. 3=19746
Brown,G.E. and Jacob,G. Zero-point vibrations and the nuclear surface, 3=12556
Brown,G.E. See Auerbach,E.H., 3=24725
Brown,G.M.,Beynon,W.J.G. and Morgan,A.D. Height distortion of the peak of the E-region, 3=13747
Brown,G.M.,Clark,A.F. and Pluta,P.R. Principles of P−N junction detectors, 3=4298
Brown,G.P. and Aftergut,S. Effect of purification on the semiconduction of imidazole, 3=10826
Brown,H. See Baltay,C., 3=16999
Brown,H.L. and Armstrong,P.E. Young's modulus measurements above 2000°C, 3=20693
Brown,H.W. and Jones,R.C. Erratum: E.P.R. spectrum of an azulene free-radical anion, 3=8310
Brown,J.B. See Turkington,R.R., 3=19083
Brown,J.F.,Jr. Inclusion compounds, 3=1250
Brown,J.L. Harmonic analysis of visual stimuli below fusion frequency, 3=1567
Brown,J.L.,Kadyk,J.A.,Trilling,G.H.,Roe,B.P.,Sinclair,D. and Vander Velde,J.C. New determination of the $K_1{}^0$ branching ratio, 3=12500
Brown,J.L.,Jr. Variation of array performance with respect to statistical phase fluctuations, 3=5491
Brown,J.T. See Calvert,W., 3=13775
Brown,K.T. Complete interocular transfer of an adaption process responsible for perceptual fluctuations with an ambigous visual figure, 3=9308
Brown,L.,Fivel,D.I.,Lee,B.W. and Sawyer,R.F. Fredholm method in potential scattering and applications to complex angular momentum, 3=24636
Brown,L.C. See Cho,B.-Y., 3=23021
Brown,L.C. See Weaver,C., 3=20226
Brown,L.M. and Pratt,P.L. Strain ageing in $CdCl_2$-doped rock salt, 3=16002
Brown,L.M. See Ashby,M.F., 3=20702
Brown,L.M. See Kang,I.-J, 3=4341
Brown,L.M. See Vidoz,A.E., 3=1233
Brown,L.S. Gauge invariance and mass in a two-dimensional model, 3=24584
Brown,M.A.C.S. Electric-field-induced radiation from germanium, 3=855
Brown,M.A.C.S.,Paige,E.G.S. and Simcox L.N. An experimental determination of the energy distribution function of hot holes in germanium, 3=10767
Brown,M.R. See Owen,J., 3=3176
Brown,N. See Dash,S., 3=25756
Brown,N. See Marcinkowski,M.J., 3=16102
Brown,N. See Roberts,J.M., 3=8776
Brown,P.E. See Alexander,L.E., 3=25694
Brown,P.J. and Frazer,B.C. Magnetic structure of β-$CoSO_4$, 3=8695
Brown,P.J. See Alperin,H.A., 3=15896
Brown,P.J. See Nathans,R., 3=15736
Brown,P.J. See Pickart,S.J., 3=15859
Brown,P.K. See Wald,G., 3=5288
Brown,R. See Kharadly,M.M.Z., 3=19230
Brown,R.D. and Koenig,S.H. The static dielectric constant of $CdAs_2$ and the donor ground state energy, 3=8549
Brown,R.D.,III. See Koenig,S.H., 3=2894
Brown,R.E. Energy levels in N^{14} pertaining to the ratio C^{12}/C^{13} produced in the CNO cycle, 3=11566
Brown,R.E.,Hubbard,W.M. and Haben,J.F. Low temperature thermometers from silicon carbide heating elements, 3=9666
Brown,R.G. Raman spectra of polyethylenes, 3=8321
Brown,R.G. Infrared spectra of polyethylene crystals. 3=23083
Brown,R.Hanbury. See Allen,L.R., 3=9279
Brown,R.J. and Haeberli,W. Polarization of protons from the $He^3(d,p)He^4$ reaction, 3=15049
Brown,R.I.,Haeberli,W. and Saladin,J.X. Polarization in the scattering of protons by α-particles, 3=24728
Brown,R.J.C.,Gutowsky,H.S. and Shimomura,K. Nuclear spin relaxation in liquid $CHFCl_2$, 3=7220
Brown,R.M. See aufm Kampe,H.J., 3=9033
Brown,R.M. See Hurley,J.P., 3=24899
Brown,R.N. and McLaren,A.C. The thermal transformations in solid rubidium nitrate, 3=1252
Brown,R.N. and McLaren,A.C. The thermal transformations in solid thallous nitrate, 3=1253
Brown,R.N.,Mavroides,J.G. and Lax,B. Magnetoreflection in bismuth, 3=8581
Brown,R.R. A comparison of auroral-zone X-ray observations from periods with different levels of solar activity, 3=1471
Brown,R.R.,Anderson,K.A.,Anger,C.D. and Evans,D.S. Simultaneous electron precipitation in the northern and southern auroral zones, 3=23630
Brown,R.R. See Anderson,K.A., 3=16237
Brown,R.R. See Anger,C.D., 3=13813
Brown,R.R. See Anger,C.D., 3=23631
Brown,R.R. See Barcus,J.R., 3=1473
Brown,R.R. See Ortner,J., 3=9135
Brown,R.S. Wave propagation through a turbulent wake, 3=23956
Brown,S.C.,Bekefi,G. and Whitney,R.E. Far infrared interferometer for the measurement of high electron densities, 3=9611
Brown,S.C. See Buchsbaum,S.J., 3=4112
Brown,S.C. See Fields,H., 3=4121
Brown,S.C. See Fields,H., 3=5657
Brown,S.C. See Gruber,S., 3=7470
Brown,S.L. Electroproduction of neutral pions from deuterium, 3=19671
Brown,T.H. and Karplus,M. Ion radicals of methyl-substituted benzenes: temperature dependence of spin and charge densities, 3=25151
Brown,T.H.,Karplus,M. and Schug,J.C. Spin resonance spectra of substituted aromatic ions: perturbation model, 3=12860
Brown,T.H., Whipple,E.B. and Verdier,P.H. Xenon tetrafluoride: fluorine-19 high-resolution magnetic resonance spectrum, 3=15387
Brown,T.H., Whipple,E.B. and Verdier,P.H. High-resolution F^{19} and Xe^{129} magnetic double resonance spectrum of $XeOF_4$, 3=20016
Brown,T.L. Infrared intensities of the C≡C and ≡C—H bands in phenylacetylenes, 3=10537
Brown,W.,Hanson,E. and Passell,L. Liquid-tin toepler pump for transfer of high purity helium, 3=7254
Brown,W.B. and Steiner,E. Molecular force fields in terms of coordinates under constraint, 3=19961
Brown,W.F.,Jr. Approximate calculation of magnetostatic energies, 3=1064
Brown,W.F.,Jr. Thermal fluctuations of a single-domain particle, 3=15762
Brown,W.F.,Jr. Erratum: Nucleation fields of an infinitely long square ferromagnetic prism, 3=15771
Brown,W.F.,Jr, Shtrikman,S. and Treves,D. Possibility of visual observation of anti-ferromagnetic domains, 3=14713
Brown,W.L. and Gabbe,J.D. The electron distribution in the earth's radiation belts during July 1962 as measured by Telstar, 3=13808
Brown,W.L., Hoffmann,W. and Laves,F. Continuous and reversible transformations of anorthite ($CaAl_2Si_2O_8$) between 25° and 350°C, 3=16019
Brown,W.M. See Callahan,L.G., 3=11894
Browne,C.P. See Dorenbusch,W.E., 3=19882
Browne,H.N. and Bauer,E. Scattering cross-sections for medium fast electrons including polarization, 3=22496
Browne,J.C. See Matsen,F.A., 3=12806
Browne,J.C. See Reagan,P.N., 3=723
Browne,J.D. See Sabine,T.M., 3=20820
Browne,J.D. See Sabine,T.M., 3=25708
Browne,L. See Swartz,J.M., 3=24751
Browne,M.E. and Dobrov,W.I. Magnetic resonance absorption of hypersonic waves in paramagnetic crystals, 3=1190
Browne,M.E. See Cowen,J.A., 3=1195

Browne,M.E. See Dobrov,W.I., 3=23242
Browne,M.T. The modification of longitudinal waves in a wire caused by the surrounding fluids, 3=9539
Browne,P.F. On the question of maser action in a gas plasma, 3=1983
Browning,K.A.,Ludlam,F.H. and Macklin,W.C. The density and structure of hailstones, 3=11400
Browning,K.A. and Mason,B.J. Production of ice crystals and electric charge by splintering of freezing droplets in thunderclouds, 3=11401
Brownsword,R. and Farr,J.P.G. Substructures in nickel grown from the melt, 3=1271
Broyles,A.A.,Chung,S.U. and Sahlin,H.L. Comparison of radial distribution functions from integral equations and Monte Carlo, 3=1656
Broyles,A.A., Sahlin,H.L. and Carley,D.D. Radial distribution functions for long-range forces, 3=14137
Bru,L. See Ramos,F., 3=25680
Bruce,C.E.R. Cosmic electrical discharges. VI. Stellar temperatures, 3=16405
Bruce,C.E.R. Stellar temperatures, 3=16406
Bruce,C.E.R. The planetary nebulae: stellar spiral and barred spiral nebulae, 3=18645
Bruce,C.F. See Hill,R.M., 3=16792
Bruce,F.M. See Blair,D.T.A., 3=4085
Bruce,J.H. and Balmer,J.R. Vacuum deposited dielectric films, 3=16898
Bruce,W.R. and Pearson,M.L. Spectral distribution of scattered radiation in a water phantom irradiated with caesium-137 gamma rays, 3=7063
Bruce,W.R.,Pearson,M.L. and Johns,H.E. Comparison of Monte Carlo calculations and experimental measurements of scattered radiation produced in a water phantom by primary radiations with half-value layers from 1.25 mm Cu to 11 mm Pb, 3=7062
Bruch,L.W. See Sawada,K., 3=18752
Brüche, E.[Ed.]. Vienna Physics Conference 1961 [Physikertagung Wien 1961], 3=2
Brückmann,H. and Engels,W. The temperature dependence of the dielectric constant of ferroelectric materials, 3=4945
Brueckner,K.A. and Masterson,K.S., Jr. Nuclear matter calculations and phenomenological potentials, 3=6127
Brueschke,E.E. Inclined-plane apparatus for friction studies at ultra-high vacuum, 3=9403
Brueschke,E.E. and Eckman,B. Device for the measurement of friction at ultrahigh vacuum, 3=25647
Bruge,G. See Barloutaud-Crut,M., 3=24864
Brugel,L. Irreversible magnetic effects of stresses in the Rayleigh region, 3=8690
Brugel,L., Morel,B. and Rimet,G. Apparatus for demagnetization using photoresistances, 3=19398
Brugger,H. See Alff,C., 3=4432
Brugger,H. See Alff,C., 3=4433
Brugger,H.R. See Colley,D., 3=2322
Brugger,R.M. and Strong,K.A. Phasing two choppers from a motor generator source, 3=4408
Brugger,R.M. See Schmunk,R.R., 3=747
Bruhat,Y. The problem of initial conditions on a characteristic conoid, 3=18715
Bruinsma,P. and Parkinson,W.C. The University of Michigan 83-inch cyclotron. III. The r.f. system, 3=5743
Brukhanov,V.A. See Delyagin,N.N., 3=2431
Brumage,W.H.,Quade,C.R. and Lin,C.C. Magnetic susceptibilities of transition elements in host crystals. I. V^{3+} in corundum, 3=20548
Brumfield,R.C. See Hellund,E.J., 3=14256
Brumley,F.B. See Bame,S.J., 3=15066
Brümmer,O.,Brauer,K.H. and Suwalski,G. An instrument for use as X-ray microanalyser, X-ray shadow microscope or for electron diffraction, with a description of experimental investigations with Al—Cu and Ge, 3=25786
Brun,E.,Loeliger,H. and Waldner,F. Electron paramagnetic resonance of Fe^{3+} in natural $MgAl_2O_3$ spinel, 3=25571
Brun,E.,Mahler,R.J.,Mahon,H. and Pierce,W.L. Electrically induced nuclear quadrupole spin transitions in a GaAs single crystal, 3=8747
Brun,E. See Brinkmann,D., 3=1734
Brun,E. See Brinkmann,D., 3=23944
Brun,E.A.,Facy,L. and Trotel,J. Study of the trailing of an array of thin filaments in a rareified current of gas, 3=5458
Brun,P. Absolute calibration of the condenser microphone by the thermophone method at the acoustics department of C.N.E.T. [Paris], 3=7296
Brun,R., Grellier,Y.M. and Chartier,C. Use of ionization probes in a shock tube, 3=1762
Brundin,C.L. See Talbot,L., 3=12184
Bruneau,A.A. and Pratt,P.L. The bending deformation of magnesium oxide, 3=5071
Brunelli,B. See Allen,J.E., 3=12169
Bruner,L.J. and Mecs,B.M. Modulus and damping of copper after plastic deformation at 4.2°K, 3=8757
Brunet,M.,Cantin,M.,Julliot,C. and Vasseur,J. Properties of metallic photocathodes and fluorescent layers in the far ultraviolet, 3=21865
Brunetière,F. Optical absorption spectrum of guanidine chromium sulphate hexahydrate, 3=13192
Brunetière,F. See Couture,L., 3=15702
Brünig,M. and Fleischmann,R. Investigations on thin alkali metal films. III. Phase difference by reflection from thin potassium films with vector-dependent absorption, 3=18387
Brunner,G. See Müller,D., 3=2074
Brunner,W. See Paul,H., 3=15132
Brunner,W. See Paul,H., 3=15133
Bruns,A.V. and Prokof'ev,V.K. Spectrometer for the measurement of solar radiation in the far ultraviolet, 3=23682
Bruns,A.V. and Prokof'ev,V.K. Measurement of the far ultraviolet solar helium emission, 3=23683
Bruns,W. See Ueberreiter,K., 3=8920
Brunton,J.H. Fracture propagation in diamond, 3=23362
Bruscato,D.R. See Sundquist,B.E., 3=13503
Brusentsev,F.A. Least-squares programme for refining crystal structures on a large computer, 3=23432
Brusentsev,F.A. See Dvoryankin,V.F., 3=23431
Brush,S.G. The effect of the interaction of ions on their equilibrium concentration, 3=9728
Brush,S.G. Theories of liquid viscosity, 3=14112
Brush,S.G.,De Witt,H.E. and Trulio,J.G. Equation of state of classical systems of charged particles, 3=21258
Brussard,P.J.,Griffy,T.A. and Biedenharn,L.C. On the derivation of asymptotic expansions of exponential integrals,with applications to Coulomb excitation functions, 3=12573
Brussard, P.J. and van de Hulst, H.C. Approximation formulas for nonrelativistic bremsstrahlung and average gaunt factors for a Maxwellian electron gas, 3=1969
Brussel,M.K.,Allen,J.S. and Ernest,L.E. Beam extraction from the University of Illinois sector-focussed cyclotron, 3=5787
Brussel,M.K. See Friedes,J.L., 3=19711
Brust,D., Cohn,M.L. and Phillips,J.C. Reflectance and photoemission from Si, 3=4960
Brust,D. See Bassani,F., 3=22682
Brust, D. See Phillips, J.C, 3=17865
Bruszak,A.E.,Burgess,D.S. and Litchfield,E.L. Pressure measurement within borosilicate glass systems by externally mounted strain gauges, 3=21290
Brutsaert,W. On pore size distribution and relative permeabilities of porous mediums, 3=18369
Brutti,C. A method for calculation of elastic tension in disks subject to thermal stress and having physical characteristics varying along the radius, 3=18763
Bryan,F.R. See Runge,E.F., 3=5522
Bryan,G.M.,Truchan,M. and Ewing,J.I. Long-range sofar studies in the south Atlantic Ocean, 3=11386
Bryan,R.A.,Dismukes,C.R. and Ramsay,W. Three-meson model for p—p scattering, 3=22122
Bryant,D.A.,Cline,T.L.,Desai,U.D. and McDonald,F.B. Explorer 12 observations of solar cosmic rays and energetic storm particles after the solar flare of September 28, 1961, 3=7953
Bryant,E.A.,Cochran,D.R.F. and Knight,J.D. Excitation functions of reactions of 7- to 24- MeV He^3 ions with Cu^{63} and Cu^{65}, 3=12702
Bryant,E.A.,Cowan,G.A.,Sattizahn,J.E. and Wolfsberg,K. Rates and mechanisms of the loss of fission products from uranium—graphite fuel materials, 3=12737
Bryant,G.H. and Franklin,R.N. Scattering from a bounded plasma, 3=9790
Bryant,G.H. and Franklin,R.N. The scattering of a plane wave by a bounded plasma, 3=9791
Bryant, G.W. See Mason, B.J., 3=18260
Bryant,H.C. Heat waves and Angström's method, 3=11964

Bryant,J. Anticoincidence counting method for standardizing radioactive materials, 3=643
Bryant,J. Coincidence counting corrections for dead-time loss and accidental coincidences, 3=16894
Bryant, J.I. Infrared vibrations of crystalline potassium azide, 3=18004
Bryden,J.G. See Krüger,J.E., 3=11367
Bryngdahl,O. Wavefront-shearing interferometer for direct recording of the refractive index gradient in Cartesian coordinates, 3=11936
Brysneva, L.A. See Zhdanov, V.A., 3=18159
Bryson,R.A. See Horn,L.H., 3=13665
Bryukhanov,V.A., Delyagin,N.N., Opalenko,A.A. and Shpinel',V.S. Some characteristics of the spectra of resonance absorption of 23·8 keV γ-rays by Sn^{119} nuclei, 3=2368
Bryukhanov,V.A.,Delyagin,N.N. and Shpinel',V.S. Magnetic moment of the 23.8 keV excited state of the Sn^{119} nucleus, 3=6141
Bryukhanov,V.A.,Gol'danskii,V.I.,Delyagin,N.N.,Korytko, L. A., Makarov,E.F.,Suzdalev,I.P. and Shpinel',V.S. Peculiarities of Mössbauer spectra of tin-organic compounds and the role of the nearest chemical bonds in the Mössbauer effect, 3=744
Bryukhanov,V.A.,Gol'danskii,V.I.,Delyagin,N.N.,Makarov,E.F. and Shpinel',V.S. Investigation of the Mössbauer effect in a tin-containing polymer, 3=6877
Bryukhanov,V.A. See Shipnel',V.S., 3=4571
Bryukhatov, N.L. and Grinchar, N.A. Investigation of rotational hysteresis in cold rolled and recrystallized nickel, 3=18076
Bryukman,A.,Mrovets,S. and T.Verber, Investigation of the mechanism of reaction diffusion in the nickel–Sulphur system, 3=1387
Brÿzgunov,V.A. Measuring specific activity of gases by means of gas-flow chambers, 3=4583
Brzhezina,B. and Fousek,Ya. Interaction of 90° and 180° domains in $BaTiO_3$, 3=2952
Brÿzhina,M.F. See Isupov,V.A., 3=25390
Brÿzhina,M.F. See Zaslavskii,A.I., 3=23459
Brzosko,J.,Decowski,P. and Wilhelmi,Z. The cross-sections of (n,p) reactions producing isomeric and ground states of indium and antimony isotopes, 3=22406
Brzozowski,W. Magnetohydrodynamic generators. II, 3=4001
Brzozowski,W.S. See Nowacki,P.J., 3=2117
Bubáková,R. Exact adjustment of monocrystals on many-crystal X-ray equipment, 3=2071
Bubáková,R., Drahokoupil,J. and Fingerland,A. The single crystal diffraction patterns of silocon, 3=5097
Bube,R.H., Lind,E.L. and Dreeben,A.B. Properties of cadmium sulfide crystals with high impurity concentrations, 3=906
Bube,R.H. and MacDonald,H.E. Temperature dependence of photo-Hall effects in high-resistivity gallium arsenide. I. One-carrier effects, 3=6632
Bube,R.H. and MacDonald,H.E. Temperature dependence of photo-Hall effects in high-resistivity gallium arsenide. II. Two-carrier effects, 3=6633
Bube,R.H. See Blanc,J., 3=791
Bube,R.H. See Lind,E.L., 3=6631
Buccilli,P.R. See Speros,D.M., 3=14617
Buch,T. See Wright,P.M., 3=8459
Buchanan,E.R. See Reed-Hill,R.E., 3=11214
Buchanan,J.G. See McGrath,J.T., 3=3244
Buchanan,R.A. and Caspers,H.H. Answer to "Comment on infrared absorption spectra of LiOH and LiOD", 3=13177
Buchdahl,H.A. Remark concerning the eigenvalues of orbital angular momentum, 3=45
Buchdahl,H.A. Optical aberration coefficients. X. Theory of concentric optical systems, 3=1794
Buchdahl,H.A. Optical aberration coefficients. XI. Theory of a concentric corrector, 3=1795
Buchdahl,H.A. Heuristic approximations to the equation of state and energy function of a perfect Fermi–Dirac gas for arbitrary temperature and degeneracy, 3=7143
Buchdahl,H.A. and Greve,W. Entropy concept and ordering of states. II, 3=5559
Bucher,E. See Bender,D., 3=22662
Buchet,G., Goldman,M., Goldman,A. and Reinhardt,J. Remarks on the aspect of the cathodic erosion phenomena in an undisturbed corona discharge with negative point, 3=4052
Buchhold,T.A. and Molenda,P.J. Surface electrical losses of superconductors in low frequency fields, 3=12033
Buchholz,E. See McDonald,W.J., 3=10323
Büchler,A. and Berkowitz-Mattuck,J.B. Gaseous metaborates. I. Mass-spectrometric study of the vaporization of lithium and sodium metaborates, 3=25807
Büchler,A. and Marram,E.P. Gaseous metaborates. II. Infrared spectra of alkali metaborate vapors, 3=25808
Buchsbaum,S.J. and Brown,S.C. The dielectric coefficient of a plasma, 3=4112
Buchsbaum, S.J. and Smith, G.E. Microwave-induced d.c. voltage in bismuth, 3=2856
Buchsbaum,S.J. Electron and ion resonance in a plasma, 3=7616
Buchsbaum,S.J. See Allis,W.P., 3=12213
Buchsbaum,S.J. See Baraff,G.A., 3=12072
Buchsbaum,S.J. See Cottingham,W.B., 3=12071
Buchsbaum,S.J. See Mower,L., 3=7553
Buchsbaum,S.J. See Platzman,P.M., 3=1984
Buchsbaum,S.J. See Smith,G.E., 3=4853
Buck,A.,Erickson,R. and Barnes,F. Design and operation of xenon flashtubes, 3=19217
Buck,B. Calculation of elastic and inelastic proton scattering with a generalized optical model, 3=12662
Bucka,H. and von Oppen,G. Hyperfine structure and lifetime of the $8\ {}^2P$ [illegible] term in the Cs I spectrum, 3=10451
Buckel,W. The influence of crystal bonds on film growth, 3=16132
Buckel,W.,Dummer,G. and Gey,W. Superconductivity and lattice structure of titanium-rhodium alloys, 3=7407
Buckel,W.,Dummer,G. and Gey,W. Study of the superconductivity of Zr–Rh alloy systems, 3=9688
Buckey,C.R. See Van Duzer,T., 3=14655
Buckingham,A.D. and Disch,R.L. The quadrupole moment of the carbon dioxide molecule, 3=12835
Buckingham,A.D. and Lovering,E.G. Effects of a strong electric field on n.m.r. spectra. The absolute sign of the spin coupling constant, 3=6419
Buckingham,A.D. See Bridge,N.J., 3=25078
Buckingham,A.D. See Schneider,W.G., 3=15378
Buckingham,J.H., Hulme,K.F. and Morgan,J.R. Impurity diffusion and drift in germanium tunnel-diode junctions, 3=20362
Buckingham,R.A. and Duparc,D.M. Remarks on W.A.Bingel's 'Comment on the use of united atom expansions', 3=12811
Buckland,N.M. and Ackland,R.G. A phototransistor galvanometer relay, 3=348
Buckle,E.R. and Hooker,C.N. Phase changes in salt vapours. II. 3=1402
Buckler,P.A.C. and Pull,I.C. Doppler broadening of cross-sections, 3=10418
Buckley,R.A. and Hume-Rothery,W. Liquidus ⇌ solidus relations in iron-rich alloys of the systems Fe-Tc, Fe–Os, Fe–Ir and Fe–Au, 3=11285
Buckley,R.A. and Hume-Rothery,W. The liquid ⇌ solid and $\delta \rightleftharpoons \gamma$ equilibria in iron rich alloys, 3=13526
Buckmaster,H.A. Tables of matrix elements for the operators $O_2^{\pm1}$, $O_4^{\pm1}$, $O_6^{\pm1}$, $O_6^{\pm5}$, 3=18691
Bucur,R.V. Anodic oxidation of A (Pd-H) solution in constant current, 3=5166
Budagov,Yu.A., Dzhelepov,V.P., Ivanov,V.G., Lomakin,Yu.F., Flyagin, V.B. and Shlyapnikov,P.V. Bubble chamber operation in the regime of auto-oscillations, 3=17131
Budagov,Yu.A., Ermolov,P.F., Kushnirenko,E.A. and Moskalev,V.I. Excitation of the He^4 nucleus by 150 MeV π^--mesons, 3=4474
Budagov,Yu.A.,Ermolov,P.F.,Kushnirenko,E.A. and Mosaalev,V.I. Interaction between 153 MeV negative π-mesons and helium, 3=6039
Budal,K. Proposals for some multiple detector systems for measurement of particle trajectories, 3=19515
Budd,H. Solution of the Boltzmann equation, 3=14069
Budd,H.F. The generalized path variable method, 3=21265
Budd,H.F. Galvanomagnetic phenomena in high electric fields, 3=22916
Budde,R. See d'Andlau,C., 3=17328
Budin,C., Denayrov,F., Lucasson,A. and Lucasson,P. Study of lattice defects in copper by quenching, 3=15481
Budini,P. Regge poles in renormalizable field theories, 3=17215
Budini,P. and Furlan,G. High-energy behaviour of electrodynamical cross-sections, 3=24583
Budke,J. Dumbbell-shaped single crystals of preselected orientation, 3=23391

Budnick,J.I.,La Force,R.C. and Day,G.F. Nuclear magnetic resonance determination of the internal field at Fe^{57} nuclei for small concentrations of iron in cobalt, 3=23258
Budó,A. and Ketskeméty,I. Energy transport phenomena in the case of molecular fluorescence, 3=3806
Budó, A. and Szalay,L. The true decay-time of fluorescence in solutions, 3=16633
Budo,Y. and Priest,J. Mechanical stress considerations in thin-film devices, 3=13566
Budo,Y. See Priest,J., 3=11146
Budzanowski,A. and Grotowski,K. Elastic scattering angular distributions and total reaction cross-sections for the interaction of 12.8 MeV deuterons with Ni^{58} and Ni^{60} nuclei, 3=6282
Budzinski,E.E. See McDiarmid,I.B., 3=23635
Bueche,F., Coven,C.J. and Kinzig,B.J. Entanglement effects in concentrated polymer solutions from viscosity measurements, 3=18809
Buechner,W.W. See Enge,H.A., 3=9871
Buechner,W.W. See Erskine,J.R., 3=681
Buehler,W.J.,Gilfrich,J.V. and Wiley,R.C. Effect of low-temperature phase changes on the mechanical properties of alloys near composition TiNi, 3=13519
Buerger,M.J. and Wuensch,B.J. Distribution of atoms in high chalcocite, Cu$_2$S, 3=23448
Buessem,W.R. See Butler,S.R., 3=3304
Buessem,W.R. See Butler,S.R., 3=15890
Buettner,K.,Businger,J. and Charlson,R. Discussion of paper by J.Kroening and E.P.Ney, "Atmospheric ozone", 3=13662
Buettner,K.J.K. The moon's first decimeter, 3=21090
Buff,F.P. and Wilson,D.J. Classical unimolecular rate theory. Rotating anharmonic diatomic molecules, 3=6907
Bugai,A.A. Passage effects in E.P.R. lines with inhomogeneous broadening when using high frequency modulation of the magnetic field, 3=15932
Bugenis,C. and Preuss,L.E. Some expressions and their application to shadow-cast film prediction, 3=18406
Bugg,W.M. See Block,M.M., 3=12508
Bugrienko,V.I. Kinetics of the formation of the photoelectret state in silver chloride, 3=15623
Bugrienko,V.I. and Belous,V.M. Photoelectret state in silver chloride, 3=2964
Bugrienko,V.I. and Demidov,K.K. Some features of the photoelectret state in HgI$_2$, 3=2963
Bühler,S.E., Lücke,K. and Rosenbaum,F.W. Stacking fault energy of silver in the temperature range 172° to 873° K determined by plasticity measurements, 3=15501
Buhrer,C.F.,Baird,D. and Conwell,E.M. Optical frequency shifting by electro-optic effect, 3=5536
Buhrer,C.F.,Bloom,L.R. and Baird,D.H. Electro-optic light modulation with cubic crystals, 3=23050
Buhrer,C.F. See Ho,L., 3=23051
Bühring,W. Beta decay theory using exact electron radial wave functions, 3=8029
Buhrow,J. Approximate formulae for concentration-dependent luminescence, 3=20502
Buhrow,J. Calculation of the activation energies from the tempera ture dependence of luminescence, 3=3031
Buhrow,J. Parameter for the generalized atomic configuration-coordinate model, 3=4981
Buhrow,J. Parameter calculation for concentration dependence of the fluorescence in non-photoconducting crystalline phosphors, 3=10980
Bui Ai. Generalization of the analogue method to the study of the phenomenon of ionization in insulating solids, 3=1939
Bui Dinh-Vuong and Guizonnier,R. Electrical conductivity of glass, 3=20372
Buinov,N.N. See Shashkov,O.D., 3=20865
Buishvili, L.L. Nuclear spin–lattice relaxation in ferromagnetics and antiferromagnetics, 3=18137
Buishvili,L.L. Excitation of Bloch wall oscillations by ultrasound and the nuclear acoustic paramagnetic resonance in ferromagnetics, 3=20592
Buishvili,L.L. Nuclear spin-lattice relaxation due to local electron centres, 3=20661
Buishvili,L.L. and Giorgadze,N.P. Spin—lattice relaxation of nuclei during nuclear resonance in ferromagnetic substances, 3=6754
Buja,Z.A. See Babayan,H.P., 3=6103
Bujok,J. and Sujak,B. Changes in absorption of γ-rays in graphitized coal as a consequence of applied pressure, 3=20703
Bukarev,V.A. Mössbauer effect on Sn^{119} nuclei and an attempt to detect the effect in Pr^{141}, 3=24845
Bukat,G.M. Energy level spectrum of Pb^{205}, 3=10276
Bukat,G.M.,Sliv,L.A. and Sogomonova,G.A. Residual pair forces in the light nuclei O^{18} and F^{18}, 3=22257
Bukat,G.M. See Berlovich,E.Ye., 3=4573
Bukhanov,V.M. See Yurasova,V.E., 3=15522
Bukhanova,A.A. See Petrov,D.A., 3=20786
Bukhvostov,A.P. and Frenkel',V.Ya. Temperature distribution in round and rectangular plates, cooled by radiation in vacuum and with a constant temperature along their edges, 3=19049
Bukhvostov, A.P., Frenkel, V.Ya. and Shekhter, V.M. Splitting of a photon into two photons in the Coulomb field of a nucleus, 3=2231
Bukhvostov,A.P. and Shmushkevich,I.M. Depolarization of μ^--mesons in the formation of μ-mesic atoms on spin $\frac{1}{2}$ nuclei, 3=4731
Bukina,L.A. Rate of growth of frazil ice crystals, 3=16039
Bukke,E.E. and Morgenshtern,Z.L. Luminescence yield of ruby, 3=25484
Bukowiecki,A. Present day corrosion protective methods for metallic materials, 3=6920
Bulabois,J.,Duffieux,P.M.and Viénot,J.C. Remarks on some distributions of light from a ruby laser, 3=2997
Bulabois,J. See Vienot,J.C., 3=12341
Bulaevskii,L.N. Theory of a linear antiferromagnetic chain, 3=3148
Bulaevskii,L.N. Theory of nonuniform antiferromagnetic spin chains, 3=25550
Bulakh,B.M. Some properties of supersonic conical gas flow, 3=159
Bulakh,B.M. Some questions concerning the theory of conical flow, 3=162
Bulakh,B.M. and Miétska,I.B. Introducing microscopic additives into CdS single-crystals during their growth and some properties of alloyed samples, 3=23395
Bulakh,E.G. Detection of an extra mass and the depth of a two-dimentional body from the anomaly Δg, 3=5180
Bulakh,E.G. Interpretation of gravitational anomalies obscured by a regional effect, 3=8999
Bulatov,A.S. See Kogan,V.S., 3=6482
Bulatova,R.F. See Kogan,V.S., 3=21612
Buldȳrev,V.S. and Yanson,Z.A. Propagation of SH interference waves in elastic spherical layers. I, 3=14239
Buldȳrev,V.S. and Yanson,Z.A. Propagation of SH interference waves in an elastic spherical layer. II, 3=18886
Bulgakov, Yu.V. Comments on the paper by N.V.Pleshivtsev. "Sputtering of copper by hydrogen ions with energy up to 50 keV", 3=4218
Bulkin,Y.M. See Feinberg,S.M., 3=10421
Bull,V.A. and Garbutt,D.A. Scattering of 19.2 GeV/c protons on free protons in nuclear emulsion, 3=12458
Bull,V.A. See Danysz,M., 3=22276
Bullen, F.P. and Hutchison, M.M. The temperature-dependence of strain-hardening in polycrystalline copper, 3=18201
Bullen,K.E. Earth's central density, 3=16193
Bullen,T.G. Apparatus for determining Brewster's angle, 3=11942
Bullis,W.M. Minority carrier thermoelectric cooling, 3=15638
Bullis,L.H. and Taylor,K. Conversion of a standard vacuum evaporator to the ultra-high vacuum range, 3=23954
Bullis,W.M. See Cunningham,R.W., 3=10824
Bullock,E.,Tuck,D.G. and Woodhouse,E.J. Unusual spin—spin couplings in n.m.r. spectra of alkyl ammonium salts, 3=21410
Bullock,E.W. See Ely,R.P., 3=19703
Bullock,F.W. See Jauneau,L., 3=12511
Bullock,J.W. See Vonnegut,B., 3=9039
Bullough,K. The radio aurora in high latitudes, 3=13806
Bullough,R. and Newman,R.C. Comments on a paper by Mura et al. entitled: "Segregation of solute atoms during strain aging", 3=5139
Bullough,R. and Newman,R.C. The distribution of vacancies and hard impurity atoms around an edge dislocation, 3=22742
Bullough,R.K. The scattering of light by freely flexible linear macromolecules in a hydrodynamic field. I. The two-particle correlation function, 3=14163

Bullough,R.K. and Davison,S.G. The scattering of light by freely flexible linear macromolecules in a hydrodynamic field. II. The interference factor, 3=14164
Bullough,R.K. The scattering of light by freely flexible linear macromolecules in a hydrodynamic field. III. The depolarisation, 3=14165
Bullough,R.K. Scattering of light by multi-component systems, 3=23882
Bulos,F., Lanou,R.E.,Jr., Pless,I.A. and Rosenson,L. Portable 5 cm freon bubble chamber for the investigation of particle beam profiles, 3=17130
Bulucea,C. See Drăgănescu,M., 3=22966
Bulyanitsa, D.S. and Svetlov, Yu.E. Some properties of Bloch-Wannier functions, 3=780
Bulyanitsa,D.S. See Gross,E.G., 3=3005
Bulÿga,A.V. and Abramenko,T.N. Effect of a temperature gradient in the body of a thermistor transducer on the accuracy of semiconductor instruments, 3=19132
Bumford,B.A. See Fellows,E.C., 3=16995
Bunakov,V.E. Cluster stripping reaction, 3=15167
Bund,G.W. and Wajntal,W. Fermi system of hard spheres, 3=11721
Bundel',A.A. Disporportionation in the solid phase as a factor determining the ability of zinc sulphide type crystals to luminesce, 3=25487
Bundel',A.A.,Glagoleva,A.A.,Guretskaya,Z.I.,Danilevskaya,O.A., Nai-khua,Dou.and Sokolova,L.N. Effect of the chemical nature of the flux on the luminescence properties of zinc sulphide and zinc-cadmium sulphide phosphors, 3=3051
Bundy,F.P. Melting point of graphite at high pressure: Heat of fusion, 3=6818
Bundy,F.P. Direct conversion of graphite to diamond in static pressure apparatus, 3=6819
Bundy,F.P. Direct conversion of graphite to diamond in static pressure apparatus, 3=8793
Bundy,F.P. Melting of graphite at very high pressure, 3=9656
Bundy,F.P. and Wentorf,R.H.,Jr. Direct transmission of hexagonal boron nitride to denser forms, 3=11203
Bunea,V. Selfcorrection of the saturation effects at particle accelerators, 3=24398
Buneman,O. Excitation of field aligned sound waves by electron streams, 3=18528
Bunge,G.I. The resolution of different methods of studying textures, 3=20777
Bunge,H.J. A specimen holder for the investigation of fibre structures, 3=13432
Bunge,H.J. The orientation distribution of crystallites in cold drawn aluminium wire, 3=25783
Bunker,D.L. See Blais,N.C., 3=5160
Bunker,D.L. See Blais,N.C., 3=25811
Bunkin,F.V. Contribution to the theory of electro-magnetic fluctuations in a non-steady state plasma, 3=4172
Bunting,L.S. and Kreith,F. Flow-visualization method for three-dimensional incompressible fluid flow, 3=14118
Bunyan,D.E. and Samara,H. The measurement of interfacial tension by the adherent drop method, 3=23852
Bunyan,P.J. The polarization by mercury of 1 to 2 keV electrons, 3=12780
Bunyatov,S.A. See Batusov,Yu.A., 3=4439
Bunyatov,S.A. See Batusov,Yu.A., 3=17318
Burak,I. and Treinin,A. Spectrum of N$_3^-$ in solution, 3=21377
Burbank,R.D. A redetermination of the orthorhombic IF$_7$ structure, 3=8843
Burbidge,E.M. Structure in the brightest component of NGC 6166, 3=5266
Burbidge,E.M. and Burbidge,G.R. The origin of ^{3}He on the surfaces of stars and in primary cosmic radiation, 3=6099
Burbidge,G. The detection of stars with neutron cores, 3=16402
Burbidge,G.R. and Hoyle,F. The galactic halo — a transient phenomenon, 3=23710
Burbidge,G.R. See Cameron,A.G.W., 3=9248
Burbridge,G.R. Lecture on astrophysics, 3=5283
Burcev,P. Non-gravitational force effect in general theory of relativity, 3=3730
Burcev,P. On Kantor's experiment, 3=18957
Burch,D.E.,France,W.L. and Williams,D. Total absorptance of water vapor in the near infrared, 3=23933
Burch,D.E., Gryvnak,D.A. and Williams,D. Total absorptance of carbon dioxide in the infrared, 3=14216
Burch,J.J. and Green.A.W.,Jr Magneto-telluric effects observed in Dallas, Texas, from the July 9, 1962, high-altitude nuclear event, 3=13841
Burch,J.M. Optical research and the solid state laser, 3=9964
Burch,J.M. Dynamic behaviour of maser oscillations, 3=17079
Burchuladze,A.A. See Kokochashvili,V.I., 3=24538
Burck,H. and Worm,M. Radial temperature behavior and mobility in a xenon high-pressure plasma, 3=19192
Burckel,J. See Nikitine,S., 3=2765
Burckel,J. See Nikitine,S., 3=10934
Burckhardt,C.B. and Strutt,M.J.O. Determination of the magnetic variation of resistance and of the Hall voltage by a resistance network, 3=13050
Burd,L.W. See Baker,E.B., 3=12332
Burd,L.W. See Baker,E.B., 3=12333
Burde, J, Catz, A. and Palti, S. Conversion-gamma angular correlation measurements in Gd^{152} populated by the beta decay of Eu^{152}, 3=17417
Burde,J.,Rakavy,M. and Rakavy,G. Lifetime determination of the $2+$ and $4+$ rotational levels in Gd^{154} and the effect of rotation-vibration interaction, 3=10266
Burden,H.S. See Bennett,F.D., 3=18900
Burden,J.P. See Anderson,J.S., 3=8475
Burdick,G.A. Energy band structure of copper, 3=4840
Burdin,Yu.B. See Utkin,V.I., 3=23577
Burdiyan, I.I. and Kolomiets, B.G. Investigation of the conductivity and the Hall effect in the AlSb—GaSb system, 3=25352
Burea, V., Iliescu, C., Haltrich, S. and Leibovici, I. Magnetic circuit technology for the betatron of the Institute of Atomic Physics. (Roumanian Academy), 3=17009
Bureau, A.J. See Anderson, D.W., 3=17453
Bürer,Th. Optical activity and absolute configuration of trigonal coordination compounds, 3=23046
Burge,E.J. Optimum design of experiments on exponential absorption with n observations, 3=5328
Burge,E.J.,Giles,R.A. and Hodgson,P.E. The optical model and proton total reaction cross sections, 3=12663
Burge,E.J. and Smith,D.A. Theoretical study of slit scattering, 3=5719
Burge,E.J. See Giles,R.A., 3=19635
Burge,R.E. and Smith,G.H. Electron microscopy at high beam accelerating voltages, 3=5155
Burge,R.E. See Smith,G.H., 3=9866
Burger,J.P. Magnetic interactions in palladium-rich alloys with some transition elements, 3=3078
Burgerjon,J.J. See Standing,K.G., 3=5745
Burgers,J.M. Application of the two-particle distribution functior to estimate the collisional damping of plasma oscillations, 3=16290
Burgers,J.M. The measuring process in quantum theory, 3=16534
Burgers,W.G. See den Broeder,F.J.A., 3=20245
Burgers,W.G. See Geudeke,M., 3=15518
Burgess,A. The determination of phases and amplitudes of wave functions, 3=9346
Burgess,A. and Rudge,M.R.H. The ionization of hydrogenic positive ions by electron impact, 3=14519
Burgess,D.S. See Bruszak,A.E., 3=21290
Burgess,R.E. Low noise possibilities of certain semiconductor amplifying systems, 3=5841
Burgess,R.E. See Horita,R.E., 3=20348
Burgess,R.E. See Nyberg,D.W., 3=342
Burget,J.,Odehnal,M.,Petřiček,V. and Sacha,J. Dynamical polarization of protons in some polymers using the solid effect method, 3=10114
Burget,J.,Odehnal,M.,Petříček,V. and Sácha,J. Dynamic polarization of protons and fluorine nuclei, 3=25580
Burgov,N.A.,Danilyan,G.V.,Dolbilkin,B.S.,Lazareva,L.E. and Nikolaev,F.A. Cross-section for γ-quantum absorption by O^{16} nuclei in the giant resonance region, 3=8077
Burgov,N.A.,Davÿdov,A.V. and Kartashov,G.R. Comparative measurements of the β-spectra of Au^{198} and Zn^{65}, 3=2418
Burgov,N.A. See Kartashov,G.R., 3=6202
Burgtorf,W. The subjective effect of sound fields in auditoria (backward masking, phantom sound sources), 3=18950
Burhop,E.H.S. The new unstable objects of fundamental particle physics, 3=4364
Burhop,E.H.S.,Common,A.K. and Higgins,K. The non-mesic interactions of K$^-$ mesons in deuterium, 3=6068

Burk,M. Determination of the thermal conductivity of beryllia rod by measuring axial temperature distribution, 3=12932
Burkalov,A.V. Negative photodielectric effect, 3=10889
Burkard,O. Photoionization in the F region, 3=13768
Burkard,O. Ionospheric observations at the solar eclipse of 15th February, 1961, 3=25929
Burkard,O.M. The earth's outer atmosphere, 3=25916
Burke,D.G.,Law,M.E. and Johns,M.W. The decay of Pm^{151}, 3=8042
Burke,E.A. Variational calculation of the ground state of the lithium atom, 3=15284
Burke,J. and Dixon,P.H. The $\alpha \rightleftarrows \beta$ phase transition in pure uranium, 3=5129
Burke,J.J. See Kapany,N.S., 3=1800
Burke,J.J. See Kapany,N.S., 3=17060
Burke,P.G. The convergence of the close-coupling expansion, 3=22501
Burke,P.G.,Schey,H.M. and Smith,K. Collisions of slow electrons and positrons with atomic hydrogen, 3=8211
Burke,P.G. See Ahmadzadeh,A., 3=19568
Burlage, S.R. See Sliker, T.R., 3=17943
Burlakov, A.V. See Tolstoi, N.A., 3=3050
Burlatskaya, S.P. The ancient magnetic field of the earth, 3=3521
Burleigh,R.J. See Haughian,J.M., 3=5789
Burleson,G.R., Deshong,J.A., Hoang,T.F., Kalmus,P.I.P., Kuskowski,R.L., Niemela,L.Q., Roberts,A., Romanowski,T.A., Warshaw,S.D. and Yurka,C.E. Optical system and data processing for a large spark chamber system in magnetic field, 3=17149
Burleson,G.R., Hoang,T.F., Kalmus,P.I.P., Kuskowski,R.L., Niemela,L.Q., Roberts,A., Romanowski,T.A., Warshaw,S.D. and Yurka,G.E. Design and construction of a large magnetic-field spark chamber system, 3=17145
Burleson,G.R., Hoang,T.F., Kalmus,P.I.P., Kuskowski,R.L., Niemela,L.Q., Roberts,A., Romanowski,T.A., Warshaw,S.D. and Yurka,G.E. Initial operation and performance of a large magnetic-field spark chamber system, 3=17146
Burley, G. Structure of hexagonal silver iodide, 3=18310
Burling,R.L. Electromagnetic induction—some pedagogic comments, 3=14737
Burling,R.W. See Pond,S., 3=25880
Burmeister,R.,Graber,H.,Schintlmeister,J. and Weibrecht,R. Determination of the K-conversion coefficients of the 279-keV transitions in Tl^{203}, 3=12629
Burmeister,R.A. and Stevenson,D.A. Concerning an intermediate phase in the Ag−Sb−Te system, 3=18345
Burnelle,L. Study of the distribution of electron density in the molecules C_2, C_3 and C_4, 3=22540
Burnham,J.U., Rogers,I.W., Thompson,M.G. and Wolfendale,A.W. An analysis of the characteristics of a neon—alcohol spark chamber, 3=14837
Burns,C.L. See Taylor,D.F., 3=13504
Burns,E.A. and Lyon,R.J. Errors in the measurement of the temperature of the moon, 3=5240
Burns,E.A. See Muraca,R.F., 3=14130
Burns,F. See Duce,R.A., 3=25868
Burns,G. Shielding and crystal fields at rare-earth ions, 3=6453
Burns,G. and Nathan,M.I. Line shape in GaAs injection lasers, 3=14808
Burns,G. and Nathan,M.I. Quantum efficiency of ruby, 3=24519
Burns,G. and Nicholson,W.J. Crystal field comparisons, 3=22623
Burns,G. See Nathan,M.I., 3=4921
Burns,G. See Nathan,M.I., 3=7735
Burns,G. See Nathan,M.I., 3=8617
Burns,G. See Nathan,M.I., 3=24523
Burns,G. See Nicholson,W.J., 3=8336
Burns,G. See Wikner,E.G., 3=742
Burns,J.H.,Agron,P.A. and Levy,H.A. Xenon tetrafluoride molecule and its thermal motion: a neutron diffraction study, 3=12844
Burns,J.H. A second crystalline phase of xenon tetrafluoride, 3=23452
Burns,K.W. See Pickering,F.B., 3=18359
Burns,M.J. See Toxen,A.M., 3=14448
Burns,R.P.,Demaria,G.,Drowart,J. and Inghram,M.G. Mass spectrometric investigation of the vaporization of In_2O_3, 3=12010
Burnstein,R.A.,Day,T.B.,Martin,F.,Sakitt,M.,Glasser,R.G., Seeman,N. and Herz,A.J. Example of $\Sigma^+ \rightarrow p + \gamma$ in a hydrogen bubble chamber, 3=22214
Burnstein,R.A. See Courant,H., 3=17346
Burov,V.A., Krasil'nikov,V.A. and Sukharevskaya,O.Yu. Ultrasonic splitting of the Mössbauer absorption line in $Sn^{119}O_2$, 3=15426
Burova,N.N. See Estulin,G.V., 3=11287
Burq,J.P. See Walker,J.K., 3=14688
Burr,D.J.and Thompson,N. Dislocations and cracks in zinc, 3=2797
Burr, J.G. See Scarborough, J.M., 3=3411
Burren,J.W. and Woodley,W.A. The use of a flying line for automatic scanning of bubble chamber photographs, 3=19523
Burrill,E.A. Recent advances in d.c. methods of particle acceleration, 3=24400
Burris,H.T. An approach for quiet neighborhood planning, 3=14291
Burrows,J.R. See McDiarmid,I.B., 3=23635
Burrus,C.A. Indium phosphide esaki diodes, 3=884
Burshtein,A.I. External relaxation, 3=20070
Burshtein,A.I. Nonuniform photoconductivity in organic semiconductors, 3=20396
Burshtein,A.I. See Kazanskii,V.B., 3=3419
Burshtein,A.I. See Naberukhin,Yu.I., 3=1178
Burshtein,E.L.,Vasil'ev,A.A.,Mintz,A.L.,Petukhov,V.A. and Rubchinskii,S.M. Application of the magnetic field self-correction principle to cyclic accelerators for ultra-high energies, 3=7666
Burshtein,É.L. and Voskresenskii,G.V. The radiation of a single charge in a semi-infinite waveguide filled with a dielectric, 3=22102
Burshteĭn, L.L. See Mikhaĭlov, G.P., 3=17925
Bursian,É. and Smirnova,N.P. Monocrystalline $BaTiO_3$ films grown from melt in an atmosphere of oxygen, 3=2954
Bursian,É.V. An 1800° C furnace with an oxygen atmosphere for growing crystals of oxides and salts, 3=24094
Burstein,E.,Stiles,P.J.,Langenberg,D.N. and Wallis,R.F. Azbel'-Kaner cyclotron resonance in semi-conductors and semimetals, 3=785
Burstein,E.,Stiles,P.J.,Langenberg,D.N. and Wallis,R.F. Free carrier magneto-optical phenomena: Azbel'—Kaner type cyclotron resonance, 3=10638
Burstein,E. See Stiles,P.J., 3=784
Burstein,E. See Stiles,P.J., 3=10831
Burstein,E. See Taylor,B.N., 3=7408
Burstein,E. See Testardi,L.R., 3=25240
Bursuc,I.D. See Tutovan,V., 3=3109
Burt,P. and Watson,W.K.R. Additional solutions to the Dirac equation with Yukawa potential, 3=7768
Burtnyk,N.,McLeish,C.W.and Wolfe,J. Ionosphere layer tilts at Ottawa, Canada, 3=5215
Burton,M. See Kropp,J.L., 3=1699
Burton,M. See Kropp,J.L., 3=1700
Burton,M. See Yguerabide,J., 3=1701
Burtt,R.B. and Jolliffe,S.A.W. Starfield recognition using television techniques, 3=25965
Buryak,E.M. See Karchevsky,A.I., 3=6692
Buryak,E.M. See Karshevskii,A.I., 3=8673
Buryak, E.V, Kaufman, S.A. and Kulikov, K.M. Cross-section for capture of holes by singly charged gold ions in germanium, 3=17852
Busch,G. and Fischer,T. Field emission from silicon, 3=12231
Busch,G.,Junod,P.,Risi,M. and Vogt,O. Ferromagnetic properties in rare earth compounds, 3=11038
Busch,G. and Madjid,A.H. Field emission distribution measurements on tungsten and silicon, 3=12232
Busch,G.,Menth,A. and Natterer,B. Magnetic susceptibility of InAs, 3=11027
Busch,G. and Moldovanova,M. Semiconducting properties of Mg, Pb, 3=10834
Busch,G. and Schade,H. Symmetrical silicon—silicon contacts, 3=10796
Busch,G. and Tièche,Y. Electrical conductivity and Hall effect of tellurium in the liquid state, 3=9474
Busch,G. and Tièche,Y. Electrical resistivity and Hall effect of molten metals and semiconductors, 3=9475
Busch,G. and Yuan,S. Magnetic susceptibilities of liquid B-elements, 3=9480
Busch,G. See Baer,Y., 3=2926
Busch,H.F. See Banks,P.M., 3=19464

Buschmann,H.W. and Groth,W. The reaction between hydrogen atoms and $1-C^{13}-$ propene, 3=20989
Buser,R.G.,Kainz,J. and Sullivan,J. Influence of magnetic fields upon gas discharge lasers, 3=24510
Bush,E.T. General applicability of the channels ratio method of measuring liquid scintillation counting efficiencies, 3=22036
Bush,W.B. The hypersonic approximation for the shock structure of a perfect gas with the Sutherland viscosity law, 3=11854
Bushuev,A.V. See Aksenov,V.A., 3=4594
Businger,J. See Buettner,K., 3=13662
Buslaev,V.S. A short-wave asymptote in the problem of diffraction from a convex body, 3=495
Buslaev,Y.A. See Kharitonov,Y.Y., 3=22575
Busol,F.I. See Borovik,E.S., 3=21456
Buss,W, Waffler, H. and Ziegler,B. Radiative capture of deuterons by H^3, 3=17356
Busse,J. Paramagnetic resonance measurements on Ni-doped silver halides, 3=13307
Bussey,H.E. and Gray,J.E. Measurement and standardization of dielectric samples, 3=13103
Bussière,P. See Renouf,J.P., 3=20215
Busuoli,G.,Melandri,C.,Rimondi,O. and Righini,B. Compton rejection gamma-rays spectrometer; utilization of the a.c. shield as a well-type counter, 3=17236
But,Z.P. Photoelectron emission of germanium subjected to electron bombardment, 3=19314
Butcher,B.R. See Barwood,I.F., 3=25652
Butcher,B.R. See Minty,D.C., 3=3322
Butcher,J.C. See Messel,H., 3=4486
Butcher,P.N.,Hulme,K.F. and Morgan,J.R. Dependence of peak current density on acceptor concentration in germanium tunnel diodes, 3=8537
Butcher,P.N. and McLean,T.P. The non-linear constitutive relation in solids at optical frequencies, 3=8484
Butcher,S.S. Microwave spectrum of propylene sulphide, 3=20009
Butera,R.A. and Kofstad,P. Internal friction in the vanadium–hydrogen system, 3=23286
Butera, R.A. See Kofstad, P., 3=18168
Buthala,D.A. See Mathews,J., 3=16137
Buti,B. Relativistic effects on plasma oscillations and two-stream instability. I, 3=7620
Buti,B. Relativistic effects on plasma oscillations and two-stream instability. II, 3=7621
Buti,B. Coherence effects on brehmsstrahlung losses from plasmas, 3=21789
Butler,C.P. See Jenkins,R.J., 3=11526
Butler,D. The scattering of slow neutrons by heavy water. I. Intramolecular scattering, 3=9445
Butler,D. The scattering of slow neutrons by heavy water II. Intermolecular scattering, 3=9446
Butler,H.S. and Kino,G.S. Plasma sheath formation by radio-frequency fields, 3=21800
Butler,J.,Chollet,P. and Crussard,C. Provision of evidence, by measurement of internal friction, for the formation of two types of carbide during ageing, after α-tempering, of iron–carbon alloys, 3=13539
Butler,J.F. Lüders front propagation in low carbon steels, 3=1225
Butler,J.P. and Santry,D.C. Excitation curves for the reactions $Al^{27}(n,\alpha)Na^{24}$ and $Mg^{24}(n,p)Na^{24}$, 3=8109
Butler,J.P. See Santry,D.C., 3=12687
Butler,J.W. See Bondelid,R.O., 3=12672
Butler, R. See Fernández, C., 3=3684
Butler,R.A. and Honrubia,V. Responses of cochlear potentials to changes in hydrostatic pressure, 3=21168
Butler,S.R. and Buessem,W.R. Variations of the lattice constant and line width of X-ray reflections from manganese ferrite, 3=3304
Butler,S.R. and Buessem,W.R. Magnetization of manganese ferrite, 3=15890
Butler,S.T. and Pearson,C.A. Deuterons from high-energy proton bombardment of matter, 3=6253
Butler,S.T. and Small,K.A. The excitation of atmospheric oscillations, 3=21037
Butler,S.T. See Olley,J.W., 3=6019
Butler,W.A. See Reitz,R.A., 3=4889
Butslov,M.M, Medvedev,M.N, Chuvilo,I.V. and Sheshunov,M.V. The detection of Vavilov–Cherenkov radiation cone from high-energy single particles, 3=17108
Butslov,M.M., Medvedev,M.N. and Sheshunov,V.M. A method for measurement of charged particle elastic scattering at small angles, 3=17157
Butt,D.K. and Dutta,B.C. Electron–gamma angular correlation studies with the radiations from the de-excitation of Pt^{193}, 3=6181
Butt,E.P. and Pease,R.S. The time constants of the sustained diffuse pinch, 3=24293
Butterworth,I. See Bondàr,L., 3=19678
Butterworth,J. Nuclear magnetic relaxation and shift in platinum, 3=3201
Buttet,J.and Chatelain,A. Paramagnetic resonance in sublimated sulphur, 3=1191
Buttet,J. See Châtelain,A., 3=20655
Buttino,G. and Cecchetti,A. Role of magnetic hysteresis in the demagnetization of ferrites, operated by decreasing alternating fields, 3=8692
Button,K.J. See Mavroides,J.G., 3=8402
Buya, Z.A. See Babayan,Kh.P., 3=19595
Buya, Z.A. See Babetski,S.Yu., 3=4487
Buyanov,N.V.,Komarovskii,A.G. and Sukhenko,K.A. Photo-electric methods of spectrochemical analysis and their use in industry, 3=25848
Buyers,A.G. Calculation of work functions for surfaces composed of ionic crystals. 3=12227
Buyle-Bodin,M. and Le Dang Khoi. Nuclear magnetic resonance of Fe^{57} in local fields for rare-earth iron garnets, 3=3196
Buyle-Bodin,M. and Pissanetzky,S. The influence of transitions $\Delta m = \pm 1$ and $\Delta m = \pm 2$ on relaxation time in pure quadrupole resonance, 3=25597
Buyle-Bodin,M. See Le Dang Khoi, 3=23260
Buyle-Bodin,M. See Uchida,T., 3=24484
Buyst,L. See Verboven,E., 3=18743
Byakov,V.M. Possible role of intergalactic matter in the maintenance of gas motions in the halo, 3=16327
Bȳchkov, Yu.A.and Gor'kov, L.P. Quantum oscillations of the thermodynamic quantities of a metal in a magnetic field according to the Fermi fluid model, 3=2761
Bychkov,Yu.A., Von Vi Chun,Frolov,A.M., Katz,E., Pacuraru,T., Petukhov,V.A., Tsislyak,O.M. and Volkov,V.Ya. A method and device for automatic scanning of nuclear emulsions, 3=17160
Bȳchkova,T.I. See Mishin,D.D., 3=20584
Byckling,E. The equation of state of A one-dimensional system with attractive potential, 3=65
Byerly,P.E. See Unterberger,R.R., 3=23649
Byers,H.R. Comments on a paper by B.Vonnegut et al., "Effect of atmospheric space charge on initial electrification of cumulus clouds", 3=25884
Byers,N. and Fenster,S. Determination of spin and decay parameters of fermion states, 3=22204
Byers,V.W. Two methods of measuring recovery following short-duration fatigue, 3=16447
Byfield,H. See Bostick,W.H., 3=4125
Bȳkhovskii,D.N. Some rules of coprecipitation during the formation of anomalous mixed crystals, 3=1275
Bykov,G.A. Effect of crystalline fields on the shape of the spectrum of resonance absorption of gamma rays, 3=22626
Bykov,G.A. and Fam Zui Khien. Calculation of the parameters of the experimental γ-quantum resonance absorption spectrum in crystals, 3=2701
Bykov,N.S. and Shneider,Yu.G. Burnishing of the surface of an acoustic line and its effect on surface wave attenuation, 3=21498
Bȳkov,P.N. See Fomin,V.G., 3=25693
Bȳkov,V.P. Investigation of electron packets in a microtron, 3=4229
Bykov,V.P. Intramolecular energy transfer and masers, 3=17072
Bȳkov,V.P. Electron bunches of a microtron, 3=24413
Bȳkov,V.P. Effect of an inhomogeneous magnetic field on particle motion in the microtron, 3=24414
Bȳkova,T.T. See Berlaga,R.Ya., 3=20414
Bylander,E.G. Kinetics of silicon crystal growth from $SiCl_4$ decomposition, 3=13423
Byrne,J. Statistics of the electron-multiplication process in proportional counters, 3=2148

Byrne,J.G. Plastic deformation of Mg—Mn alloy single crystals, 3=25624

Bystrov,N.F. The precision of determination of the position of the centre of the moon's mass from photographic observations, 3=3545

Bzranova,G.,Brandshtetr,I.,Druin,V.,Ermakov,V.,Zvarova,T., Krzhivanek,M.,Malỹ,Ya.,Polikanov,S. and Su Khun-gui [Su Hung-kuei]. Production of Md^{256} during irradiation of U^{238} by Ne^{22} ions and study of some of its chemical properties, 3=8140

Cabala,R. See Potier,R., 3=7636

Cabala,R. See Potier,R., 3=16129

Cabane,G.,Mouturant,P.,Pépin,P.,Petit,J.,Sainfort,G. and Salenne,M. Contribution to the study of fragility of the solid solution Fe—Al, 3=6798

Cabannes,F. See Piriou, B., 3=6641

Cabannes, F. See Skowronek,M., 3=4124

Cabannes, H. Pressure and temperature gradients at the nose of a body of revolution, 3=197

Cabaud,B. See Déjardin,G., 3=4204

Cabibbo,N. Unitary symmetry and leptonic decays, 3=22062

Cabibbo,N.,Da Prato,G.,De Franceschi,G. and Mosco,U. New method for producing and analysing linearly polarized gamma-ray beams, 3=572

Cabibbo,N.,Da Prato,G.,De Franceschi,G. and Mosco,U. Absorption of γ-rays in crystals and the production and analysis of linearly polarized γ-rays, 3=7819

Cabibbo,N., Da Prato,G., De Franceschi,G. and Mosco,U. Circular polarization of high-energy γ-rays by birefringence in crystals, 3=14937

Cabibbo,N. and Doniach,S. Qualitative mechanism for supercurrent destruction by α-particles, 3=12026

Cabibbo,N. and Franzini,P. Test of the conserved vector current hypothesis in $\Sigma^{\pm} \rightarrow \Lambda^0$ leptonic decays, 3=7932

Cabicar,J. and Einhorn,F. The regeneration of scintillators, 3=23119

Cable,J.W., Wollan,E.O. and Koehler,W.C. Atomic magnetic moments in dilute iron—palladium alloys, 3=15737

Cable,J.W.,Wollan,E.O.,Koehler,W.C. and Child,H.R. Antiferromagnetism of the antiphase domain structure of Pd_3Mn, 3=6729

Cable,J.W. See Child,H.R., 3=20609

Cable,J.W. See Koehler,W.C., 3=1108

Cable,J.W. See Koehler,W.C., 3=15742

Cable,J.W. See Wilkinson,M.K., 3=1107

Cable,J.W. See Wollan,E.O., 3=1110

Cable,J.W. See Wollan,E.O., 3=25709

Cabrespine,A. and Bourgarel,M.P. Shimming of a variable energy, sector-focused isochronous cyclotron by means of different permeability metals, 3=5739

Cachon,A. On a change of structure in Auger showers at very high energies, 3=15060

Caciotti,M. and Sacerdote,G. Measurement of the reverberation time by interrupted and impact sound, 3=18948

Cade,R. Surface tension as a double-layer phenomenon, 3=23854

Cadeville,M.C. and Meyer,A.J.P. Curie points and moments of ferromagnetic borides of the iron group of the type M_2B, MB, $(M_1M_2)_2B$ $(M_1M_2)B$, 3=8637

Cadeville,M.C. See Meyer,A.J.P., 3=1018

Cadle,R.D. Rates of chemical reactions in the subionospheric atmosphere, 3=25872

Cady,W.G. Piezoelectricity and ultrasonics, 3=14253

Cafasso,F.A.,Feder,H.M. and Gruen,D.M. Electronic configuration and valency of UCd_{11}, a magnetically dilute alloy, 3=13237

Caffyn,J.E. and Goodfellow,T.L. Electrical effects produced by plastic deformation in sodium chloride crystals, 3=900

Cagan, V. Relations between permittivity and Faraday effect at microwave frequencies and in a weak field in Ni-Zn chromite ferrites, 3=1050

Cagan,V. Measurement of the weak-field permeability tensor and dielectric constant of ferrites as a function of temperature; application to the study of losses by the Faraday effect, 3=21679

Caglioti, G. and Farfaletti Casali, F. Rubber Soller slit collimators for neutron spectrometry, 3=2281

Caglioti,G. and Ricci,F.P. Resolution and luminosity of crystal spectrometers for neutron diffraction, 3=1279

Caglioti, G., Ricci, F.P., Santoro, A. and Scatturin, V. Neutron diffraction work at the Ispra Center, 3=126

Caglioti,G. See Brockhouse,B.N., 3=2708

Caglioti,V., Sartori,G. and Furlani,C. On the G matrix elements of $M(XY)_6$ molecules, 3=4741

Cagnet,M., Françon,M. and Thrierr,J.C. Atlas of optical phenomena, 3=257

Cahill,L.J., Jr. A study of the outer geomagnetic field, 3=25937

Cahill,L.J. and Amazeen,P.G. The boundary of the geomagnetic field, 3=18570

Cahill,L.J. See Freeman,J.W., 3=18573

Cahn,J.H. See Rostas,F., 3=5668

Cahn,J.W. Coherent fluctuations and nucleation in isotropic solids, 3=1251

Cahn,J.W. Stability of electrically charged conducting droplets, 3=9432

Cahn,R.W. See Foley,J.H., 3=12986

Cahn,R.W. See Vidoz,A.E., 3=8775

Cahn,R.W. See Vidoz,A.E., 3=23352

Caianiello,E.R. Asymptotic convergence of renormalized perturbative expansions, 3=5967

Caianiello,E.R. and Marinaro,M. Renormalization group and completeness of field theories. Nucleon—pion couplings, 3=10012

Caillat,R. See Salesse,M., 3=15268

Caille,F. See Wertheimer,R., 3=19465

Cain,J.C.,Shapiro,I.R.,Stolarik,J.D. and Heppner,J.P. Vanguard 3 magnetic-field observations, 3=9125

Cain,J.C. See Akasofu,S., 3=1492

Cain,J.C. See Akasofu,S.-I., 3=16293

Caine,C.A. and Jones,P.S.H. μ^- capture in He^4, 3=17360

Cairns,R.B. Measurements of resonance rectification using a plasma probe, 3=21805

Cairo,L. and Kahan,T. Application of the general variational method for calculation of the constant of propagation of a rectangular waveguide partially filled with a gyromagnetic and gyro-electric medium, 3=5849

Calamai,G. A relativistic effect in light scattering by electrons captured in the Van Allen radiation belts, 3=6996

Calamai,G. Scattering of electromagnetic radiation by high energy electrons. I, 3=17057

Calamai,G. Scattering of electromagnetic radiation by high energy electrons. II, 3=17058

Calame,G.P. A comment on the treatment of asymmetric thin regions, 3=4683

Calaora,A. See Gavreau,V., 3=16901

Calawa,A.R. Injection electroluminescence in gallium antimonide, 3=15721

Calboreanu,A. See Mînzatu,I., 3=8089

Calboreanu, A. See Minzatu, I., 3=17462

Calboreanu,A. See Mînzatu,I., 3=19646

Calcote,H.F. and Reuter,J.L. Mass-spectrometric study of ion profiles in low-pressure flames 3=7435

Caldecourt,V.J. An appearance potential recorder, 3=2056

Calder,R.S. and Forsyth,J.B. An X-ray tube current stabilizer, 3=9701

Calderwood,J.H. See Bennett,R.G., 3=21398

Caldirola,P. See Brocchieri,F.B., 3=21137

Caldirola,P.[Ed.]. Ergodic theories, 3=55

Caldwell,B.A. and Klemperer,D.F. Large ultra-high vacuum valve, 3=7255

Caldwell,D.O. See Bleuler,E., 3=24565

Caldwell,J.T. See Bramblett,R.L., 3=10329

Caldwell,J.T. See Fultz,S.C., 3=6221

Calhoun,B.A. and Freiser,M.J. Anisotropy of gadolinium iron garnet, 3=15787

Califano,S. Application of a modified Urey—Bradley force field to the in-plane vibrations of anthracene and anthracene-D_{10}, 3=22580

Califano,S. and Abbondanza,G. Infrared spectra in polarized light and vibrational assignment of the infrared-active modes of pyrene and pyrene-d_{10}, 3=25468

Callahan,L.G. and Brown,W.M. One- and two-dimensional processing in line scanning systems, 3=11894

Callahan,W.R. Spectrum of doubly ionized gadolinium, 3=12761

Callan,J.M. See Bardsley,W., 3=13414

Callaway,J. Indirect exchange ferromagnetism in insulators, 3=5003

Callaway J. Metal to insulator transition in antiferromagnets, 3=10729
Callaway,J. Optical absorption in an electric field, 3=13160
Callaway,J. and McCollum,D.C. Second-neighbor exchange integral in EuS, 3=15781
Callaway,J. See McCollum,D.C.,Jr., 3=2729
Callaway,J. See Wolfram,T., 3=11102
Callaway,J. See Wolfram,T., 3=15764
Callear,A.B. Vibrational relaxation of nitric oxide, 3=6394
Callear,A.B. and Smith,I.W.M. Fluorescence of nitric oxide. I. Determination of the mean lifetime of the $A^2\Sigma^+$ state, 3=23936
Callear,A.B. and Smith,I.W.M. Fluorescence of nitric oxide. II. Vibrational energy transfer between no $A^2\Sigma^+$ (v = 3, 2 and 1) and $N_2X^1\Sigma_g^+$ (v = 0), 3=23937
Callebaut,D.K. Secondary electron resonance discharge. I. Steady state by debunching, 3=19203
Callebaut,D.K. See Voslamber,D., 3=5825
Callen,E.R. and Callen,H.B. Static magnetoelastic coupling in cubic crystals, 3=6701
Callen,E.R.,Clark,A.E.,DeSavage,B.,Coleman,W. and Callen,H.B. Magnetostriction in cubic Neel ferrimagnets, with application to YIG, 3=15901
Callen,E.R. See Clark,A.E., 3=15888
Callen,E.R. See Stern,E.A., 3=20570
Callen,H.B. A note on Green functions and the Ising model. 3=13241
Callen,H.B. Green function theory of ferromagnetism, 3=13242
Callen,H.B. and Horwitz,G. Diagrammatic expansion for the Heisenberg ferromagnet with arbitrary spin and range of interaction, 3=982
Callen,H.B. See Callen,E.R., 3=6701
Callen,H.B. See Callen,E.R., 3=15901
Callen,H.B. See Clark,A.E., 3=15888
Callen,H.B. See Strieb,B., 3=15763
Callomon,J.H. and Davy,A.B. Rotational analysis of the 3000 A absorption system of cyanogen, C_2N_2, 3=22582
Callomon,J.H. and Gilby,A.C. New observations on the Swan bands of C_2, 3=19975
Callomon,J.H. and Innes,K.K. Magnetic dipole transition in the electronic spectrum of formaldehyde, 3=12852
Calogero,F. A novel approach to elementary scattering theory, 3=7124
Calogero,F. The scattering of a Dirac particle on a central scalar potential, 3=7770
Calogero,F. A variational principle for scattering phase shifts, 3=7800
Calogero,F. A note on the Riccati equation, 3=11662
Calogero,F. Analytic continuation and asymptotic behavior in angular momentum of the scattering matrix in potential scattering, 3=12418
Calogero,F. Maximum and minimum principle in potential scattering, 3=14904
Calogero,F. Asymptotic behavior of the S-matrix in potential scattering for large imaginary values of angular momentum, 3=14909
Calogero,F. See Barut,A.O., 3=2213
Calucci,G. See Andreassi,G., 3=2251
Căluşaru,A.,Rîpeanu,S. and Beneş,L. Structure and magnetic properties of electrolytic cobalt layers used for neutron polarization, 3=23509
Calvert,J.B. Identification of molecular symmetry groups, 3=22535
Calvert,J.M. See Gale,N.H., 3=2383
Calvert,J.M. See Read,F.H., 3=10392
Calvert, L.D. and Draper, P.H.G. A proposed structure for annealed anodic oxide films of tantalum, 3=3355
Calvert,L.D. See Bertie,J.E., 3=11202
Calvert,L.D. See Wilkinson,J.D., 3=16054
Calvert,W.,Davies,K.,Stiltner,E. and Brown,J.T. Equatorial spread-F motions, 3=13775
Calvert,W.,Vanzandt,T.E.,Knecht,R.W. and Goe,G.B. Evidence for field-aligned ionization irregularities between 400 and 1000 km above the earth's surface, 3=16246
Calvet,E. See Boivinet,P., 3=3916
Calvet,E. See Boivinet,P., 3=12626
Calvi,G.,Potenza,R.,Ricamo,R. and Vinciguerra,D. Neutron reactions in Al from 2.5 to 5 MeV, 3=6269
Calvi,G.,Rubbino,A. and Zubke,D. O^{16}(d,p) and (d,α) reactions in the energy range 0·8-2·0 MeV, 3=2485
Calvo,C. The crystal structure and luminescence of γ-zinc orthophosphate, 3=6849
Camac,M.,Kantrowitz,A.R.,Litvak,M.M.,Patrick,R.M. and Petschek,H.E. Shock waves in collision-free plasmas, 3=12216
Cambel,A.B.,Duclos,D.P. and Anderson,T.P. Real gases, 3=11816
Cambel,A.B. See Drellishak,K.S., 3=21819
Cambel,A.B. See Knopp,C.F., 3=7502
Cambel,A.B. See Liu,C.S., 3=19431
Cambel,A.B. See Thornton,J.A., 3=1758
Cambey,L.A. See Barber,R.C., 3=714
Cambey,L.A. See Smith,A.J., 3=24389
Camerini,U. See Birge,R., 3=22192
Cameron,A.G.W. Missions for nuclear instruments, 3=19718
Cameron,A.G.W. and Burbidge,G.R. Role of turbulence in star formation in elliptical galaxies, 3=9248
Cameron,A.G.W. See Jastrow,E., 3=23668
Cameron,C. See Matthews,G.G., 3=7163
Cameron, J.A, Lines, R.A.G, Turrell, B.G. and P.J.Wilson. Nuclear polarisation of Mn^{54} in iron, 3=17636
Cameron, J.A. and Summers-Gill, R.G. The spin of indium-117, 3=17391
Cameron,J.F. See Berry,P.F., 3=5310
Cameron,J.R. See Kenney,G.N., 3=19511
Cameron,W.S.,Glenn,J.H.,Carpenter,M.S. and O'Keefe,J.A. Effect of refraction on the setting sun as seen from space in theory and observation, 3=23591
Camesini,W.,Fry,W.F. and Gaidos,J. Sign of the K_1^0-K_2^0 mass difference, 3=22194
Camia, F.M. Study of the conduction of heat in a discontinuous wall. Solution of the problems of the heterogeneous solid in a stable thermal field by the thermograms of the discontinuous wall, 3=16823
Camm,J.C. and Rose,P.H. Electric arc-driven shock tube, 3=16702
Camona,G. See Bassi,A., 3=3240
Camp,D.C. and Langer,L.M. Shape of the $0^+ \rightarrow 0^+$ positron spectrum in Ga^{66}, 3=8046
Campayne,F.J. See Bondâr,L., 3=19678
Campbell,A.J. A new method of measuring the gas gain of a flow proportional counter, 3=12366
Campbell,A.J. K X-ray yields from elements of low atomic number, 3=23089
Campbell,C.K. and Walmsley,D.G. Joule heat effects in superconducting electromagnets, 3=12037
Campbell,D.A. Aluminium films, 3=23039
Campbell,D.A. and Shepherd,W.G. Temperature transients in oxide-coated cathodes during pulsed operation, 3=21858
Campbell,D.A. See Schwabe,E.A., 3=15876
Campbell,D.S. Some observations on switched single crystal barium titanate, 3=897
Campbell,D.S., Stirland,D.J. and Blackburn,H. A study of the structure of evaporated lithium fluoride, 3=1375
Campbell,D.S. See Bickley,W.P., 3=2050
Campbell,D.S. See Blackburn,H., 3=16142
Campbell,D.S. See Nunn,F.A., 3=13982
Campbell,E.S. Existence of a "well defined" specific energy for an ionic crystal; justification of Ewald's formulae and of their use to deduce equations for multipole lattices, 3=10568
Campbell,J.D. and Marsh,K.J. The effect of grain size on the delayed yielding of mild steel, 3=1227
Campbell, M.J, Murdoch, H.S, Ogilvie, K.W. and Rathgeber, H.D. On the energy loss of muons and their momentum spectrum, 3=17372
Campbell,P.M. Stellar dynamics of spherical galaxies, 3=11580
Campbell,R.A. Low-frequency DL's: effect of a high-frequency noise, 3=18671
Campbell,R.A. Frequency discrimination of pulsed tones, 3=21160
Campbell,W.B. and Young,R.A. Oriented mounting of crystalline spheres, 3=25686
Campbell-Allen, D. and Thorne, C.P. The thermal conductivity of concrete, 3=17672
Canac,F. and Merle,M. Relation between the wavelength of oscillation of a jet of air, and the wavelength of the sound emitted, 3=1769
Canavan,F.L. See Ouseph,P.J., 3=6454

Candela,G.A. and Mundy,R.E. Absolute magnetic susceptibilities by the Gouy and the Thorpe—Senftle methods, 3=12286
Canel,E. Contribution to the theory of the quasi-particle approximation of the many-body problem, 3=1638
Caner,B. and Perry-Whittingham,A. Record of observations at Victoria Magnetic Observatory for 1959, 3=13822
Caner,B. and Whitham.K. A semiautomatic magnetogram reader, 3=11463
Caner,B. and Whitham,K. A geomagnetic observation of a high-altitude nuclear detonation, 3=23616
Canfield,L.R. See Jacobus,G.F., 3=19005
Canfield,L.R. See Madden,R.P., 3=11883
Cannon,J.R. See Nettleton,L.L., 3=9000
Canobbio,E. and Croci,R. On the radiation from linear modulated beams in a plasma with a magnetic field, 3=7521
Cano Corona,O. and Pastrana de Rivera,L. Absolute intensity method for X-ray fluorescence in the quantitative analysis of heavy elements, 3=8989
Cantieni,E. and Schneider,H. Magnetoacoustic resonance in a cylindrical plasma, 3=397
Cantin,M. See Brunet,M., 3=21865
Cantrell,R.H.,McClure,F.T. and Hart,R.W. Acoustic damping in cavities with mean velocity and thermal boundary layers, 3=11864
Cantrell,R.H. See Hart,R.W., 3=7287
Canut,M.L.,Valdés,L.M. and Amorós,J.L. The use of optical analogues in diffuse X-ray diffraction studies of crystals, 3=25698
Canut,M.L. See Amoros,J.L., 3=11245
Canuto,V. Nuclear level density for an interacting Fermi system, 3=15091
Canuto,V. See Brovetto,P., 3=6133
Canuto,V. See Brovetto,P., 3=19742
Cape,J.A. and Lehman,G.W. Temperature and finite pulse-time effects in the flash method for measuring thermal diffusivity, 3=16819
Capella,A. On the energy—momentum tensor of the gravitational field, 3=14012
Capenos,J.M. See Banerjee,B.R., 3=16007
Capet,M. See Bayle,A., 3=7341
Capet,M. See Bottiglioni,F., 3=7528
Caplan,P.J. See Theissing,H.H., 3=19476
Caplinger,E. See Marino,L.L., 3=5629
Cappellani,F. See Bassi,P., 3=17480
Cappelletti,R.,Dalla Croce,L. and Fieschi,R. Growth and bleaching of the Z$_1$ band in KCl doped with divalent impurities, 3=22846
Capps,R.H. Coupling constants and unsubtracted dispersion relations, 3=4342
Capps,R.H. The evidence for odd $K\Sigma N$ parity, 3=6066
Capps,R.H. Heavy pseudoscalar mesons and the P$_{3/2}$ resonances 3=10168
Capps,R.H. Prediction of an interaction symmetry from dispersion relations, 3=17219
Capps,R.H Dynamical model of the K* resonance, 3=19577
Capptuller,H. Fully automatic magnetic material testing device with analogue digital converters, 3=9907
Caprasse,H. Mathematical aspects of the Lippman—Schwinger equations in non-relativistic quantum mechanics, 3=21243
Capron,P.C. See Gilly,L.J., 3=22423
Caputo,M. A new upper limit to the coefficient of absorption of gravitation, 3=6944
Caputo,M. Free modes of layered oblate planets, 3=11495
Caracoche,M.C. See Bosch,H.E., 3=14941
Carapancea,M. Natural functional bio-architectonic structure of the cornea: the constitutional determinism of the corneal tissue realized by six arrays organized in a bio-mechanical system of corneal layers and a Bio-optical system of corneal lenses, 3=16455
Carazzolo,G. See Mammi,M., 3=25696
Carazzolo,G. See Mammi,M., 3=25697
Carbonell,A. See Amoros,J.L., 3=11245
Carder,B.,Hefferman,J. and Barnes,D. Technical photography of surface motion, 3=9004
Cardin,L. See Barloutaud,R., 3=7904
Cardinell,R.L. See Ostergaard,P.B., 3=18951
Cardon,F. Relation between polarization phenomenon and space-charge-limited currents in rutile single crystals (TiO$_2$), 3=895
Cardon,F. Impact ionization of centers in solids by electrons accelerated by an electric field, 3=8502
Cardon, F. Photoconductivity, polarization phenomena, and space-charge-limited currents in rutile single crystals (TiO$_2$), 3=17963
Cardon,F. On the electrical properties of nearly stoichiometric rutile single crystals (TiO$_2$), 3=22954
Cardona,M. Optical properties of the silver and cuprous halides, 3=4975
Cardona,M. Reflectivity of semiconductors with wurtzite structure, 3=8583
Cardona, M. and Greenaway, D.L. Fundamental reflectivity and band structure of ZnTe, CdTe, and HgTe, 3=17979
Cardona,M. and Harbeke,G. Absorption spectrum of germanium and zinc-blende-type materials at energies higher than the fundamental absorption edge, 3=10954
Cardona,M. and Rosenblum,B. Resonances of a small plasma sphere in a magnetic field, 3=7537
Cardona,M. See Greenaway,D.L., 3=10910
Cardus,J.O. Note on the solar, geomagnetic and ionospheric activity, April-June, 1961, 3=13886
Care,J.M. and Swan,D.W. Some transient phenomena in heat transfer resulting from electric stress, 3=11965
Caren,R.P. Measurement of electron mobilities in argon gas in a pure vapor cloud chamber, 3=23941
Careri,G.,Giura,M. and Santini,M. Nuclear magnetic properties of adsorbed He^3, 3=12020
Careri,G., Giura,M. and Santini,M. Further measurements on the nuclear magnetic properties of adsorbed He^3, 3=19091
Carey,R. The origin of the band structure domain pattern in cube-textured silicon-iron, 3=1147
Carey,R. and Isaac,E.D. The magnetic structure of cobalt ferrite, 3=11098
Carey,R. and Isaac,E.D. The observation of ferromagnetic domains, 3=23161
Carhart,R. See Dallos,P.J., 3=18672
Caris,J.C. See Kepler,R.G., 3=18041
Carles,C. Cross-section measurements for (n,2n) reactions induced by neutrons of 14 MeV, 3=24951
Carles,P. See Julg,A., 3=4774
Carleton,N.P. The relation of the recent atmospheric dust measurements of Volz and Goody to the problem of meteoric influx, 3=3469
Carley,D.D. Computations of radial distribution functions for a classical electron gas, 3=21261
Carley,D.D. See Broyles,A.A., 3=14137
Carlier,J. See Wertheimer,R., 3=19465
Carlough,W. See Donath,E., 3=9613
Carlos,P. See Beil,H., 3=20821
Carlos,P. See Beil,H., 3=24741
Carlos,P. See Genin,R., 3=12467
Carlson,B.C. and Morley,G.L. Multipole expansion of Coulomb energy, 3=12059
Carlson,F.F. Paramagnetic resonance of nitrogen atoms in X-ray-irradiated sodium azide, 3=25574
Carlson,F.F. See McMillan, R.C., 3=3418
Carlson,H.L. See Parzen,G., 3=5769
Carlson,K.D., Gilles,P.W. and Thorn,R.J. Analysis of molecular flow in an isothermal enclosure, 3=14201
Carlson,K.D, Gilles,P.W. and Thorn,R.J. Molecular and hydrodynamical effusion of mercury vapor from Knudsen cells, 3=16642
Carlson,R.O. See Hall,R.N., 3=4966
Carlson,R.O. See Silverman,S.J., 3=10819
Carlson,R.R. and Norbeck,E. Two-parameter analysis of Be^{10}, B^{11}, B^{12}, and B^{13} spectra, 3=19767
Carlson,R.R. See Berkowitz,E., 3=685
Carlson,R.R. See Norbeck,E., 3=15238
Carlson, R.W., Okuda, T. and Oskam, H.J. Dynamic Langmuir probe studies, 3=1993
Carlson,T.A. Electron shake-off following the Beta decay of Ne^{23}, 3=15141
Carlson,T.A. Electron shakeoff following the β^- decay of Ar^{41}, 3=19954
Carlson,T.A.,Pleasonton,F. and Johnson,C.H. Electron shake off following the β^- decay of He^6, 3=10182
Carlson,T.A. and White,R.M. Mass spectrometric analyses of the ions resulting from the nuclear decay of CH$_3$I^{130} and C$_2$H$_5$I^{131}. Study of xenon—hydrocarbon ions. II, 3=16183

Carlson,T.A. and White,R.M. Formation of fragment ions from CH_3Te^{125} and $C_2H_5Te^{125}$ following the nuclear decays of CH_3I^{125} and $C_2H_5I^{125}$, 3=18459
Carlsson,A.J. On the mechanicm of brittle fracture propagation. Branching, fracture surface appearance, and influence of stresswaves, 3=13381
Carlsson,A.J. Method for continuous measurement of instantaneous crack propagation velocities, 3=13382
Carlsson,A.J. and Gilman,J.J. Method for measuring sonic dislocation velocities, 3=22778
Carlston,C.E. See Magnuson,G.D., 3=9843
Carlston,C.E. See Magnuson,G.D., 3=9844
Carman,E.H.,Gibson-Wilde,B.C. and Conway,R.J. Anomalous v.h.f. trans-equatorial ionospheric propagation recorded at Townsville, 3=14781
Carmichael,C.H. Observation of mixing at optical frequencies in a p—n junction, 3=9981
Carmichael, C.M. The magnetisation of solid solutions of ilmenite in hematite, 3=3523
Carmony,D.D. See Schlein,P.E., 3=24804
Carnahan,C.W. Light and gravitation, 3=38
Carnahan,C.W. A proposed first-order relativity test using lasers, 3=5343
Carnahan,C.W. See Kroll,N.M., 3=12357
Carnahan,R.D. and Brittain,J.O. Point-defect relaxation in rutile single crystals, 3=25265
Carnahan,R.D. See Dahlberg,P., 3=3214
Carnall,W.T. The near-infrared transitions of the trivalent lanthanides in solution. II. Tb^{+3}, Dy^{+3}, Ho^{+3}, Er^{+3}, Tm^{+3}, and Yb^{+3}, 3=23885
Carnall,W.T.,Gruen,D.M. and McBeth,R.L. The near infrared transitions on the trivalent lanthanides in solution. I. Praseodymium (III), neodymium (III), samarium (III) and europium (III) ions, 3=9462
Carniglia,S.C. A propos of "X-ray diffraction studies of irradiated BeO" (By B.S.Hickman, T.M.Sabine and R.A.Coyle); an estimation of internal stresses in irradiated BeO, 3=6550
Carnuth,W. Diffusion and solubility of hydrogen in cold-worked copper, 3=20220
Caro,R. Neutron slowing down in the themral column of an exponential experiment, 3=15253
Caroli,B. Infrared absorption in normal alloys, 3=8569
Caroli,C.,De Gennes,P.G. and Matricon,J. Properties of superconducting non-magnetic alloys, 3=9674
Caroli,C.,de Gennes,P.G. and Matricon,J. Coherence length and penetration depth of dirty superconductors, 3=12028
Caroline,D. and Schirber,J.E. Pressure effect on the Fermi surfaces of Ag and Cu, 3=8398
Carome,E.F. and Lastovka,J.B. Theoretical and experimental studies of pressure profiles in ultrasonic waveguides, 3=14263
Carome,E.F. See Lastovka,J.B., 3=18925
Carpenter,A. See Morton,J., 3=13950
Carpenter,D.L. Whistler evidence of a "knee" in the magnetospheric ionization density profile, 3=13728
Carpenter,D.L. See Mlodnosky,R.F., 3=16346
Carpenter,F.G. See Little,R.C., 3=3907
Carpenter,L. See Musen,P., 3=23669
Carpenter,M.S.,O'Keefe,J.A. III and Dunkelman,L. Visual observations of nightglow from manned spacecraft, 3=11445
Carpenter,M.S. See Cameron,W.S., 3=23591
Carpenter,R.L. See Goldstein,R.M., 3=18620
Carpenter,R.O'B. Comparison of a.m. and f.m. reticle systems, 3=18965
Carpet,M. See Breton,C., 3=7326
Carr,A.D. See Kropholler,H.W., 3=5411
Carr,D.T. See Muller,N., 3=12867
Carr,E.F. Influence of electric and magnetic fields on the dielectric constant and loss of the liquid crystal anisaldazine, 3=11803
Carr,H.Y. See Hunt,E.R., 3=16666
Carr,J.M. See Sallo,J.S., 3=11052
Carr,J.M. See Sallo,J.S., 3=16097
Carr,L. See Ballinger,E.R., 3=21151
Carr,T.D. See Smith,A.G., 3=18654
Carr,W.J.,Jr. Direct exchange, 3=980
Carr,W.J.,Jr. Many-electron perturbation theory for nonmetallic low-density systems, 3=25239
Carrara,M. Tracking of artificial satellites, 3=21141
Carrara,R. See Bartke,J., 3=22206
Carrassi,M. and Passatore,G. On the relativistic effects in low-energy pion—nucleon scattering, 3=6046
Carrassi,M. and Passatore,G. Contribution of the pion—pion interaction to low energy pion—nucleon scattering, 3=10155
Carrelli,A.,Grossetti,E. and Marinaro,M. On the intensity and shape of nuclear quadrupolar signals, 3=6769
Carrelli,A. and Pauciulo,L. The formation of the mechanical moment in dipolar liquids in a rotating electric field, 3=18826
Carrer,A. Mechanical stresses caused by currents present in magnetizable matter, 3=24433
Carrigan,R.A.,Jr. See Swanson,W.P., 3=14819
Carriker,A.W. See Levin,G.V., 3=21102
Carrington,A. See Golding,R.M., 3=725
Carrington,R.A.G. See Long,D.A., 3=6407
Carrington,T. Interpretation of rate experiments with resolved quantum levels, 3=6379
Carrington,T. See Broida,H.P., 3=8265
Carroll,B. See Rouy,A.L., 3=16807
Carroll,J.E. A single-velocity analysis of a multi-velocity electron stream, 3=14651
Carroll,K.G. Metallurgical applications of the electron microprobe, 3=3377
Carroll,P.K. The structure of the Goldstein—Kaplan bands of N_2, 3=8262
Carroll,P.K. The spectrum of N_2 in the far ultraviolet, 3=10513
Carroll,P.K. and Mahon-Smith,D. Isotopic shifts in some ultraviolet systems of N_2, 3=25102
Carron,G.J. The crystal structure and powder data for arsenic telluride, 3=13456
Carruthers,J.A. Conductivity of electrons in gases weakly ionized by X-rays, 3=3839
Carruthers,J.A. See Young,B.G., 3=14598
Carruthers,P. Resource letter QSL-1 on quantum and statistical aspects of light, 3=11877
Carruthers,P. Resonance structure of the pion—nucleon system, 3=22169
Carruthers,P. Dynamical basis for Regge trajectories in the pion—nucleon system, 3=22170
Carruthers,P. and Wong,H.-s. Photoproduction of pion pairs near threshold, 3=6035
Carson,D.L. Diagnosis and cure of erratic velocity distributions in sonar projector arrays, 3=219
Carson,R.S. and Hendricks,C.D.,Jr. Thermocouple vacuum-gauge indicator, 3=5473
Carson,R.S. and Hendricks,C.D.,Jr. Vacuum seals, 3=9520
Carstensen,H.R. See Kuttruff,H., 3=1776
Carswell,A.I. Gas flow visualization using low-density plasma streams, 3=157
Carswell,A.I. Radio-frequency excited plasma tunnel for laboratory studies of supersonic plasma flow fields, 3=24305
Carswell,A.I. and Stryland,J.C. The principle of corresponding states applied to binary diffusion coefficients, 3=16650
Carswell,A.I. See Cloutier,G.G., 3=19237
Cartacci,A.M. See Bizzeti,P.G., 3=7847
Cartacci,A.M. See Marzari-Chiesa,A., 3=7848
Carter,A.W.L. See Twiss,R.Q., 3=3626
Carter,C.F. See Blau,M., 3=8121
Carter,E.B. and Davis,R.H. He^-, H_2^-, and other negative ion beams available from a duoplasmatron ion source with gas charge exchange, 3=7650
Carter,E.B. See Nelson,J.W., 3=8131
Carter,F.L. and Venturino,A.S. A conversion of the Philips powder camera for single crystal use, 3=13431
Carter,G. Thermal resolution of desorption energy spectra, 3=3368
Carter,G. Thermal resolution of multiple order desorption energy spectra, 3=13575
Carter,G. Conference on sorption of evaporated metal films, Liverpool, April 1963, 3=25778
Carter,G. See Cobie,B., 3=23946
Carter,G. See James,L.H., 3=9518
Carter,J.G, Nelson, D.R. and Augenstein, L.G. Dependence of thermoluminescence upon sample surface area and environmental gas pressure, 3=18052
Carter,R.E. See Motz,H.T., 3=16290
Carter,W.S. Magnetic interactions in thin films induced by strip line fields, 3=15820
Carter,W.S. See Green,A., 3=24010
Cartron,S. See Lepechinsky,D., 3=5873

Cartwright,J. See Talbot,J.H., 3=16128

Caruso,A. and Cavaliere,A. The structure of the collisionless plasma-sheath transition, 3=5644

Carver,J.H. See Waugh,J.B.S., 3=12265

Cary,J.W. Onsager's relation and the non-isothermal diffusion of water vapor, 3=11820

Cary,K.H. See White,D.R., 3=18895

Casacci,S. Calculation of axially symmetrically loaded shells of revolution supported on an elastic solid, 3=9387

Casassa,E.F. Statistical thermodynamics of polymer solutions. III. The second virial coefficient for branched star molecules, 3=1686

Casaverde,M.,Giesecke,A. and Cohen,R. Effects of the nuclear explosion over Johnston Island observed in Peru on July 9, 1962, 3=25960

Case,K.M. See Aamodt,R.E., 3=9375

Case,W.E. and Larsen,N.T. Klystron protection circuit, 3=24172

Casella,R.C. On the possibility of observing a Bose—Einstein condensation of excitons in CdS and CdSe, 3=6498

Casella,R.C. A criterion for exciton binding in dense electron—hole systems —application to line narrowing observed in GaAs, 3=15659

Cash,R.F. See North,R.J., 3=271

Cashion,K. A method for calculating vibrational transition probabilities, 3=12803

Cashmore,D.J. Integrable transformations between moving observers, 3=3726

Casimir, H. B. G. Statistical basis of the Nernst heat theorem, 3=1626

Casini,G.,Foggi,C. and Toselli,F. Critical experiments on natural uranium oxide, organic cooled, heavy water moderated lattices, 3=2519

Caspari,M.E. See Abramson,E., 3=6545

Caspari,M.E. See Schneider,I., 3=6543

Casper,K.J. See Shera,E.B., 3=4372

Casper,K.J. See Stautberg,M.M., 3=15122

Caspers,H.H. See Buchanan,R.A., 3=13177

Cassandro,M. Pion production at threshold with strip approximation, 3=2295

Cassandro,M.,Cini,M.,Jona-Lasinio,G. and Sertorio,L. Perturbative expansions of Regge-pole trajectories for Yukawa potential, 3=19570

Casselman,T.N. and Markham,J.J. Some effects of a perturbation in a lattice on the normal modes, 3=15421

Casset,J. and Bousquet,P. Measurement, with the help of a Michelson interferometer, of transmission phase-shifts introduced by unsupported thin films, 3=14361

Cassidy,E.C. and Tsai,D.H. New fast-opening, large-aperture shutter for high-speed photography, 3=14384

Cassidy,E.P. See Curry,J., 3=6593

Cassidy,M.E. and Graveson,R.T. A low level beta scintillation counter, 3=24553

Cassidy,M.E. See Latner,N., 3=24199

Cassie,A.M. Some theoretical aspects of arcs in nozzles under forced convection, 3=7485

Cassignol,C. and Lennuier,R. Measurement of the isotopic displacement of mercury^{196}, 3=22484

Cassignol,Ch. Production of an intense molecular beam of mercury. I, 3=20034

Cassignol,E. and Almeida,O.G. The cut-off frequencies of a transistor, 3=2941

Casswell,C. See Bergman,I., 3=3352

Casswell,C. See Talbot,J.H., 3=16128

Castagnoli,C, De Marco, A. and Lamborizio, C. Angular information on nucleon—nucleon scattering at ultra-relativistic energies. II. Determination of the primary energy, 3=17262

Castaing,R. and Slodzian,G. First attempts at microanalysis by secondary ionic emission, 3=3422

Castangé,R. See Blaquière,A., 3=10412

Castell,L. On the Λ—Σ parity in the non-linear spinor theory, 3=19704

Castellano,S. and Waugh,J.S. Proton magnetic resonance spectra of tetravinylsilicon, methyl- and ethyl-vinylketone, 3=2657

Castelli,J. See Basu,S., 3=13936

Castelli,J.P. See Aarons,J., 3=13712

Castillo-Jimenes,F. Photographs of the center of mass, 3=11739

Castle,J.G.,Jr,Feldman,D.W.,Klemens,P.G. and Weeks,R.A. Electron spin—lattice relaxation at defect sites; E′ centers in synthetic quartz at 3 kilo-oersteds, 3=13009

Castles,M.P. See Sherrill,W.M., 3=25980

Castner,T.G.Jr. Raman spin—lattice relaxation of shallow donors in silicon, 3=11119

Castro,M.B. See Savirón,E.A., 3=22030

Castro,P.L. See Hollander,L.E.,Jr., 3=2955

Caswell,H.L. Effect of residual gases on the superconducting characteristics of tin, indium and lead films, 3=16878

Caswell,H.L. See Priest,J., 3=11144

Caswell,H.L. See Priest,J., 3=11146

Caswell,R.S. Nuclear optical model analysis of neutron elastic scattering for calcium, 3=672

Caswell,R.S. A Fortran code for calculation of eigenvalues and eigenfunctions in real potential wells, 3=2352

Catalá,J.,García,A. and de la Rubia,J. Interactions of a beam of He^3 particles of 28.5 MeV with S_2C, 3=8129

Catalá,J.,García,A. and Díez,R. Study of the elastic scattering O^{16}(d,d)O^{16} for six energies between 8.0 and 10.5 MeV, 3=24962

Catalá,J. and García,A. and Pérez,J.M. Polarization of a group of 29 MeV He^3 particles scattered by a gold target, 3=24976

Catalá,J.,Villar,E.,Lleó,A.,Pardo,G.,Llosá,R.,Gómez,J.L. and Pérez,R. Interactions of 12.8 GeV protons in nuclear emulsions, 3=24716

Catalan,L.A. Observation of transparent isotropic objects, 3=3872

Catalán,L.A. Dielectric beam splitters between glass media, 3=7321

Catalan,L.A. Light beam dividers with transparent coatings, 3=21559

Catalano,E., Sanborn,R.H. and Frazer,J.W. On the infrared spectrum of hydrazine matrix-isolation studies of the system $NH_2NH_2:N_2$. I, 3=15346

Catesby,C,G.C. The crystal structure of urea ammonium bromide, 3=13487

Caticha Ellis, S. Anomalous diffraction of X-rays. I. Its use in the determination of atomic structure, 3=3291

Caticha Ellis,S. Anomalous diffraction of X-rays. II. The case of a centred structure, 3=3292

Catillon,P. See Abragam,A., 3=2263

Catron,H.C. See Ashby,V.J., 3=8112

Cattaneo,C. On the relative equation of motion of a particle in a gravitational field, 3=18709

Cattaneo,C. The validity of Mach's principle in general relativity, 3=23753

Cattaneo,F. and Germagnoli,E. Recovery of quenched-in resistivity in doped gold, 3=17818

Cattaneo,F., Germagnoli,E. and Schiavini,G. Activation analysis of zone-refined gold, 3=3345

Catterall,J.A. and Trotter,J. The soft X-ray L_{23} emission spectrum from liquid aluminium, 3=16628

Catterall,J.A. and Trotter,J. Soft X-ray M_{23} emission spectra from Fe—Co alloys, 3=25476

Catterall,R.,Corset,J. and Symons,M.C.R. Effect of added electrolyte on the electron spin resonance spectra of solutions of metals in ammonia, 3=11811

Catz, A. See Burde, J., 3=17417

Catz,P. See Agrinier,B., 3=19525

Caubarrere,J.L. See Joffrin-Graffouillere,C., 3=11916

Cauchois,Y.,Bonnelle,C. and de Bersuder,L. The M absorption spectrum of plutonium, 3=8610

Cauchois,Y., Bonnelle,C. and Orcel,J. The use of natural silicates with a large lattice constant for spectrographs and monochromators for soft X-rays, 3=4230

Caughlan,G.R. and Fowler,W.A. The mean lifetimes of carbon, nitrogen, and oxygen nuclei in the CNO bi-cycle, 3=3588

Cauquais,C. Study of the excited levels of Ir^{188}, 3=8016

Cautius,W. See Boettcher,A., 3=8165

Cavalier,G. Measurement of the viscosity of [liquid] iron, cobalt and nickel, 3=14115

Cavaliere,A. See Caruso,A., 3=5644

Cavalleri,C., Gatti,E. and Redaelli,G. Light chamber of gas amplified scintillation chamber, 3=17156

Cavalleri,G.,Fabri,G.,Gatti,E. and Svelto,V. On the induced charge in semiconductor detectors, 3=12374

Cavalleri,G. See Arecchi,F.T., 3=17152

Cavanaugh,W.J. The school auditorium, 3=14299
Cave,K.J.S. A comment on the calculation of variation of drift transistor cut-off frequency with collector voltage, 3=13100
Cavellaro,S. and Rubbino,A. $Ca^{40}(n,\alpha_0)$ reaction energy spectra and differential cross sections, 3=22408
Caw,W.A. See Wylie,R.G., 3=3927
Cawley,S. and Danyluk,S.S. Anomalous ring proton shifts in triphenyl derivatives of group IV elements, 3=16637
Cayless,M.A. Theory of low pressure mercury rare-gas discharges, 3=9751
Cazemajou,J. See Blaquière,A., 3=10412
Cazzola,P. Pion—kaon resonance, 3=7907
Cazzola,P. See Andreassi,G., 3=2251
Ceaușu,V. See Stoenescu,A., 3=1544
Cebulla,T.J. See Prosen,R.J., 3=1074
Ceccaldi,M.,Goujon,P.,Leicknam,J.P. and Nief,G. Light source for isotopic dosimetry of uranium by emission spectrometry, 3=18999
Cecchetti,A. See Buttino,G., 3=8692
Cecchi,P. The calculation of the force constants of molecular models on high-speed digital computers. I. A program for the electronic computer of the University of Pisa (c.e.p.), 3=8234
Celeghini,E. and Gatto,R. The decay modes $\eta^0 \rightarrow \gamma + e^+ + e^-$, $\eta^0 \rightarrow \gamma + \mu^+ + \mu^-$ and $\eta^0 \rightarrow 2\pi + e^+ + e^-$, 3=22189
Celeghini,E. See Fujii,A., 3=12499
Celiński,Z. See Nowacki,P.J., 3=2117
Celitans,G.J. See Tao,S.J., 3=24706
Celli,V.,Kabler,M. and Nimomiya,T. Mobility of dislocations in germanium, 3=23288
Celli,V., Kabler,M., Ninomiya,T. and Thomson,R. Theory of dislocation mobility in semiconductors, 3=17730
Celmer,P.R. See Weisberg,L.R., 3=11225
Cence,R.J.,Lind,D.L.,Mead,G.D. and Moyer,B.J. Neutral-pion production from proton—proton collisions at 735 MeV, 3=24724
Cence,R.J. and Waddell,C.N. Search for H^5, 3=2330
Cenja,M. See Maratalogu,N., 3=22371
Center,R.E. Reflected shock interaction with shock tube boundary layers, 3=18903
Cerceo,M. and Childers,H.M. Thermal diffusivity by electron bombardment heating, 3=14396
Cercignani,C. Elementary solutions of the linearized gas-dynamics Boltzmann equation and their application to the slip-flow problem, 3=3826
Cercignani,C. Shear flow for gas molecules interacting with an arbitrary central force, 3=9498
Cercignani,C. See Albertoni,S., 3=18841
Ceresara,S. See Federighi,T., 3=20896
Cerf,R. The variable path length ultrasonic interferometer, 3=18939
Čermák,J. A contribution to the theory of X-ray monochromators, 3=2069
Cermák,J. Choice of parameters of an X-ray monochromating unit, 3=2070
Cermak,J.E. See Binder,G.J., 3=23849
Cermak,J.E. See Malhotra,R.C., 3=18500
Cernigoi,C., Gabrielli,I., Iernetti,G. and Villi,C. A measurement of the forward charge exchange cross-section of 170 MeV negative pions in hydrogen, 3=4435
Cernogora,J. See Benoit a la Guillaume,C., 3=13133
Cerny,J., Kirshenbaum,M.S. and Nichols,R.C. Range-energy relations for protons and alpha-particles in various explosives, 3=17279
Cerny,J. See Harvey,B.G., 3=4566
Cerri,C. See Bellettini,G., 3=9839
Certier,M. See Nikitine,S., 3=10935
Certier,M. See Nikitine,S., 3=10936
Certier,M. See Nikitine,S., 3=23068
Cerutti,M.,Théobald,J.G. and Uebersfeld,J. Paramagnetic electron resonance of a pyrocarbon, 3=13305
Cervellati,A.,Melandri,C. and Rimondi,O. Regression in the concentration of fission products in the air owing to precipitations, 3=9054
Cervellati,A.,Melandri,C. and Rimondi,O. Studies of the general behaviour of the atmospheric radioactivity in Italy in relation to the nuclear explosions of Autumn 1958, 3=9059
Cesco,R.P. On the exact solutions of the problem of three bodies, 3=21276
Cester,R. See Marzari-Chiesa,A., 3=19695
Cetiner,E. See Belrose,J.S., 3=1462
Cetlin,B.N. and Abrahams,S.C. Automatic-diffractometer programs, 3=25684
Ceulemans,H.,Neve de Mevergnies,M. and Poortmans,F. Apparatus and methods used in a slow neutron resonance scattering experiment, 3=6012
Cevolani,M. and Petralia,S. Cross-section measurement of (n,2n) reactions on 14.1 MeV neutrons, 3=6260
Cha,M H. and Simons,D.G. Geometrical method for relativistic particle kinematics 3=9323
Chaban,I.A. The scattering of sound in a liquid by bodies of low shear modulus, 3=18931
Chabbal,R.,Clement,M. and Geller,R. Measurement of the temperature of a P.I.G. reflex pulse discharge using a Fabry—Perot interferometer, 3=24229
Chabbal,R. See Mack,J.E., 3=24020
Chace,W.G. and Fish,C.V. Exploding wire blast shutter, 3=11957
Chacko,O. See Mani,A., 3=9042
Chadan,K.,and Renard,F.M. Some remarks on $K^{\pm}_{2\pi}$ and K^{+}_{e4} decays, 3=7917
Chadda,M.M. and Sinha,A.P.B. Theory of thermoelectric power in low-mobility semiconductors, 3=25425
Chadderton,L.T. Experimental evidence for the concept of the displacement spike, 3=4866
Chadderton,L.T. Optical properties of the phthalocyanines, 3=18013
Chadderton,L.T. The radiation damage of crystal lattices: fission fragments, 3=20253
Chadderton,L.T.,Fitzgerald,A.G. and Yoffe,A.D. Stacking faults in zinc sulphide, 3=8444
Chadderton,L.T., Fitzgerald,A.G. and Yoffe,A.D. Stacking faults in cadmium sulphide, 3=17769
Chadderton,L.T., Fitzgerald,A.G. and Yoffe,A.D. Pressure induced stacking faults in zinc sulphide crystals, 3=20207
Chadderton,L.T. and Montagu-Pollock,H.M. Fission fragment damage to crystal lattices: heat-sensitive crystals, 3=22857
Chadderton,L.T.,Montagu-Pollock,H.M. and Torrens,I.McC. Tracks in fission-fragment-bombarded lead iodide, 3=25306
Chadderton,L.T.,Parsons,R.B.,Wardzynski,W. and Yoffe,A.D. Exciton lines, lattice defects and strain in single crystals of CdSe, 3=6652
Chadwick,G.A. Solidification of $CuAl_2$—Al eutectic alloys, 3=11283
Chadwick,G.A. Modification of lamellar eutectic structures, 3=13509
Chadwick,G.B.,Collins,G.B.,Duke,P.J.,Fujii,T.,Hien,N.C., Kemp,M.A.R. and Turkot,F. Inelastic proton—proton scattering at 1·35, 2·1, and 2·9 BeV, 3=2261
Chadwick,G.B.,Davies,W.T.,Derrick,M.,Hawkins,C.J.B., Mulvey,J.H.,Radojičić,D.,Wilkinson,C.A.,Cresti,M., Limentani,S. and Santangelo,R. Study of the annihilation of stopped antiprotons in hydrogen: The reaction, $\bar{p} + p \rightarrow \pi^+ + \pi^- + \pi^0$ 3=10117
Chadwick,G.B. See Fujii,T., 3=2262
Chadwick,W.B. Effective sunspot numbers, January 1961 through July 1962, 3=9205
Chagnon,P.R. and Treado,P.A. Gamma-ray transitions in ^{32}S following proton capture by ^{31}P, 3=7989
Chahine,M.T. See Liepmann,H.W., 3=1754
Chahoud,J.N. See Bergia,S., 3=6047
Chai Ok Chang. See Crowell,A.D., 3=20030
Chaigneau,M.,Dayan,E. and Widenlocher,G. Study of the position and width of the nuclear magnetic resonance line of $H_{,}$, 3=10539
Chaika,G.V. See Tolpygo,K.B., 3=2982
Chaika,M.P. Measurement of the reflection coefficient of partially reflecting layers, 3=21518
Chaika,M.P. See Fradkin,E.E., 3=19479
Chaika,M.P. See Kaliteevskii,N.I., 3=12562
Chaiken,R.F., Sibbett,D.J., Sutherland,J.E., van de Mark,D.K. and Wheeler,A, 3=1874
Chaing Tung-chen. See Sun Chia-chung, 3=25600
Chaklader,A.C.D. Deformation of quartz crystals at the transformation temperature, 3=15990
Chakraborti,P.K. An exact analytic solution for a cylindrical blast wave propagating in still air, 3=3851
Chakraborti,P.K. Potential energy curve for the interaction of two xenon atoms, 3=8212

Chakraborti,P.K. Thermal conductivity of dissociating phosphorous pentachloride, 3=9503
Chakraborty,B.B. Flow of a conducting fluid past a rotating magnetized sphere, 3=14570
Chakravarty,A.S. Zero-field splitting in $3d^5$ ions, 3=25164
Chakravarty,A.S. See Bose,A., 3=6691
Chakravortty,K.C. Some interesting features of microseisms associated with cyclonic storms, 3=6947
Challande,R., Hantel,L. and Montgomery,D. On the origin of the charges acquired by crystals by rubbing them with metals, 3=2966
Challifour,J. and Eden,R.J. Regge surfaces and singularities in a relativistic theory, 3=10044
Challifour,J.L. and Eden,R.J. Holomorphy domains and asymptotic forms of scattering amplitudes and partial wave amplitudes, 3=10050
Challifour,J. and Eden,R.J. Regge poles and branch cuts for potential scattering, 3=12412
Challis,L.J. and Cheeke,J.D.N. The thermal conductance of copper—lead—copper sandwiches at liquid helium temperatures, 3=24150
Challis,L.J.,Cheeke,J.D.N. and Harness,J.B. The thermal conductivity of indium antimonide between 1·2 and 4·0°K, 3=4830
Chalmers,B. The origin of substructures formed during the growth of crystals from the melt, 3=22699
Chalmers,B. See Li,J.C.M., 3=10656
Chalmers,B. See Nakada,Y., 3=1232
Chalmers,J.A. Point-discharge currents through a living tree during a thunderstorm, 3=9035
Chamalaun,F.H. and Creer,K.M. A revised Devonian pole for Britain, 3=16309
Chamberlain,G.E. and Zorn,J.C. Alkali polarizabilities by the atomic beam electrostatic deflection method, 3=6357
Chamberlain,G.E. See Zorn,J.C., 3=10091
Chamberlain,J. See Kench,J.R., 3=8908
Chamberlain,J.E. See Pery-Thorne,A., 3=19943
Chamberlain,J.W. Upper atmospheres of the planets, 3=3548
Chamberlain,J.W. Theory of auroral bombardment: supplementary remarks, 3=6994
Chamberlain,J.W. Upper atmosphere of Mars, 3=18604
Chamberlain,O. See Elioff,T., 3=586
Chamberlain,O. See Frankel,S., 3=7876
Chamberlain,O. See Frankel,S., 3=10134
Chamberlain,P.J. See Walker,P.M.B., 3=9595
Chambers,B.,Hofstadter,R.,Marcum,A. and Yearian,M. Retractable low temperature targets for high energy physics experiments, 3=24531
Chambers,F.W. See Cole,H., 3=23425
Chambers,L.G. A lorentz-invariant universe with charge excess, 3=18589
Chambers,Ll.G. Space time in the Hund gravitational theory, 3=7098
Chambers,R.D. See Wright,J.K., 3=7530
Chambers, R.G. and Jones, B.K. Measurement of the high-field Hall effect by an inductive method, 3=840
Chambers, R.H. Thermally activated dislocation motion in f.c.c. and refractory b.c.c. metals, 3=18167
Chambers,W.G. A note on the mathematical properties of the Boltzmann equation, 3=13996
Chambré,P.L. and Grossman,L.M. On the time-dependent flux distribution of a fixed-fuel thermal nuclear reactor, 3=24998
Chambron,W., Dautreppe,D., Néel,L. and Paulevé,J. Irradiation with 1 MeV electrons of a Fe—Ni alloy (50—50%), 3=3119
Chaminade,R. See Beurtey,R., 3=10374
Champier,G.,Scherrer,S. and Toussaint,G. The vibration frequency spectrum of the beryllium lattice and of the magnesium lattice, 3=10578
Champion,F.C. See Prior,J.R., 3=964
Champion,J.V. and Suddaby,A. A liquid friction constant form flow anisotropy, 3=21316
Champion,K.S.W. and Minzner,R.A. Revision of United States standard atmosphere 90 to 700 kilometers, 3=16234
Champion,K.S.W. See Zimmerman,S.P., 3=21048
Champlin, K.S. Microwave free carrier Faraday effect in semiconductors—perturbation theory for guided waves, 3=2875
Champlin,K.S. Frequency dependence of high-frequency transport properties of cubic crystals, 3=12937
Champness, C.H. High pulsed field magnetoresistance in indium antimonide and indium arsenide, 3=17887
Chan,C.H. On the non-shrinking π—p diffraction peak near 10 GeV, 3=22185
Chan Hong-mo. Real unitary representation of the many-channel S matrix for complex l and E, 3=21245
Chan Shan-fou,Chen Shih-kang and Chiang Yu-min. Analytical atomic wave functions of In and Sb, 3=25051
Chan,S.I. and Stelman,D. Some energy levels and matrix elements of the quartic oscillator, 3=14030
Chan,S.I. and Stelman,D. Oscillators perturbed by Gaussian barriers, 3=22523
Chan,S.I. See Pitts,J.N.,Jr, 3=25833
Chanaud,R.C. Experiments concerning the vortex whistle, 3=18916
Chance,D.A. and Nobe,K. Effect of illumination on the electrode potential of copper single crystals in water, 3=18451
Chand,R. K^--deuterium interactions, 3=19696
Chand,R. and Dalitz,R.H. Charge independence in K^-—deuterium capture reactions, 3=608
Chandler,H.W. See Odian,G., 3=8959
Chandra,A.K. Theoretical study of ammonia and phosphine, 3=25112
Chandra,G. and Pandharipande,V.R. Energy levels of Te^{125}, 3=19784
Chandra,K. See Gavin,M.R., 3=9876
Chandra,K. See Gavin,M.R., 3=12253
Chandra,R. and Nanda,V.S. Thermodynamics of He^3 and He^4 solutions above the λ temperature of pure He^4, 3=19089
Chandra,S. Electron density distribution in the upper F region, 3=18542
Chandra,S. See Krishnaji, 3=8279
Chandra,S. See Krishnaji, 3=12841
Chandra, S. See Krishnaji, 3=17621
Chandrakar,K.R. See Jatar,D.P., 3=12084
Chandramouli,V.V. and Laddha,G.S. Viscosity of ternary liquid mixtures, 3=23841
Chandrasekar,S. Hydrodynamic and hydromagnetic stability, 3=9417
Chandrasekhar,B.S. A note of the maximum critical field of high-field superconductors, 3=1890
Chandrasekhar,B.S. and Flinn,P.A. Electron cloud annealing furnace, 3=5136
Chandrasekhar,B.S. and Hulm,J.K. Current-carrying capacity of high field superconducting solenoids, 3=16881
Chandrasekhar,B.S.,Hulm,J.K. and Jones,C.K. The temperature dependence of the upper critical field in some niobium solid solution alloys, 3=19119
Chandrasekhar,B.S. See Gallo,C.F., 3=10808
Chandrasekhar,B.S. See Riemersma,H., 3=3971
Chandrasekhar,S. On the point of bifurcation along the sequence of the Jacobi ellipsoids, 3=1594
Chandrasekhar,S. The points of bifurcation along the Maclaurin, the Jacobi, and the Jeans sequences, 3=16684
Chandrasekhar,S. and Contopoulos,G. The virial theorem in general relativity in the post-Newtonian approximation, 3=18720
Chandrasekhar,S. and Lebovitz,N.R. On superpotentials in the theory of Newtonian gravitation. II. Tensors of higher rank, 3=1592
Chandrasekhar,S. and Lebovitz,N.R. The potentials and the superpotentials of homogeneous ellipsoids, 3=1593
Chandrasekhar,S. and Lebovitz,N.R. On the oscillations and the stability of rotating gaseous masses. II. The homogeneous, compressible model, 3=3591
Chandrasekhar,S. and Lebovitz,N.R. On the oscillations and the stability of rotating gaseous masses. III. The distorted polytropes, 3=3592
Chandrasekhar, S. and Lebovitz, N.R. On the occurrence of multiple frequencies and beats in the β Canis Majoris stars, 3=3593
Chandrasekhar,S. and Lebovitz,N.R. On the stability of the Jacobi ellipsoids, 3=16681
Chandrasekhar,S. and Lebovitz,N.R. On the oscillations of the Maclaurin spheroid belonging to the third harmonics, 3=16682

Chandrasekhar,S. and Lebovitz,N.R. The equilibrium and the stability of the Jeans spheroids, 3=16683

Chandrasekhar,S. and Lebovitz,N.R. Non-radial oscillations and convective instability of gaseous masses, 3=25968

Chandrasekharan,V. Scattering matrix for Raman effect in cubic crystals, 3=23059

Chandrashekhar Aiya,S.V. A lattice model analysis of the Esaki junction characteristics, 3=2938

Chandross,R.J. and Shoemaker,D.P., Atomic magnetic moments in B2 transition alloys I. Alloy VFe, 3=1105

Chang,C.C. and Lundgren,T.S. Reply to comments by W.S.Lewellen, 3=7688

Chang,C.C. and Whang,Y.C. Structures of magnetohydrodynamic detonation waves, 3=4254

Chang Ching-yeh. See Tuan I-shih, 3=23751

Chang, D.B. and Davis, L., Jr. Synchrotron radiation as the source of Jupiter's polarized decimeter radiation, 3= 3620

Chang,D.B. Bremsstrahlung from a plasma, 3=5682

Chang,D.B. Plasma correction to single-particle cyclotron radiation, 3=7607

Chang,G.K.,Kinsel,T. and Serin,B. Magnetic transition of a superconducting film in a transverse field, 3=19124

Chang,H.,Yelon,A. and Voegeli,O. Internal field, dispersion, creeping, and switching speed of coupled films, 3=15844

Chang Huang-Ch'üch. See Ang Wang-Shou, 3=20819

Chang,K.K.N. Tunnel diodes for low-noise microwave amplification and frequency conversion, 3=6610

Chang,K.K.N. and Hughes,R.D. High-field study of a Hall-effect microwave converter, 3=10864

Chang Kuang-yin. See Chzhan Guan-in'

Chang Li-ning,An In,Chen Ting-gin and Dai Yuan-beng. Four body decay of Σ in a composite model, 3=24799

Chang Li-Ning and Dai Yuan-Beng. The radiative capture of μ-meson by nucleus, 3=17487

Chang,N.P. Radiative corrections to $K \rightarrow e\nu$ and $K \rightarrow \mu\nu$ decays, 3=4453

Chang,R. The dilational strain field associated with edge dislocations and edge dislocation walls based on anisotropic elasticity, 3=792

Chang, R. Electrical resistivity changes of Al_2O_3 crystals during creep, 3=17868

Chang,R. See Graham,L.J., 3=25599

Chang,S.S. See Pugh,H.Ll.D., 3=15991

Chang Tsung. See Smolenskii,G.A., 3=6723

Chang,T.S. Integral representations of commutators, 3=16535

Chang,T.S. Analyticity of perturbation expansions, 3=17185

Chang,T.S. Analyticity of perturbation expansions, 3=24665

Chang,T.T. and Tanttila,W.H. Paramagnetic resonance of Mn^{2+} in LiF, 3=13303

Chang, W.Y. Jets induced in emulsions and cloud chambers by cosmic-ray particles of energy $10^{11}-10^{14}$eV, 3=17365

Chang, Y.F. Switch-on transients in p–n junctions, 3=17903

Chang Yi-shang. See Chen Shih-kang, 3=25230

Chanin,L.M., Phelps,A.V. and Biondi,M.A. Measurements of the attachment of low-energy electrons to oxygen molecules, 3=362

Chanter,J.B. See Farnell,G.C., 3=14383

Chantret,F. Use of a monochromator in a particular case of optical orientation, 3=3897

Chantry,G.W.,Horsfield,A.,Morton,J.R. and Whiffen,D.H. The structure, electron resonance and optical spectra of trapped CO_3^- and NO_3, 3=6418

Chantry,P.J., Wharmby,J.S. and Hasted,J.B. Attachment in oxygen and oxygen-nitrogen mixtures, 3=4009

Chao,B.T. See Min,K., 3=16184

Chao,C.C.,Luo,H.L. and Duwez,P. CsC1-type compounds in binary alloys of rare-earth metals with gold and silver, 3=18336

Chao-Ortega,F. A study of the mechanical properties of the dropping mercury electrode, 3=1393

Chapellier,M. See Abragam,A., 3=2365

Chapin,D.S. Packless all-metal ultra-high vacuum valve for temperatures from −196°C or below to 450°C, 3=7257

Chaplik,A.V. Nonadiabatic transitions upon intersection of molecular terms of identical symmetry, 3=741

Chaplik,A.V. Quasi-classical wave-function of a system with many degrees of freedom, 3=7118

Chaplik,A.V. See Dȳkhne,A.M., 3=2574

Chaplik,A.V. See Dykhne,A.M., 3=3750

Chaplina,A.I. Experimental investigation of the heat transfer along a streamlined plate, 3=19033

Chaplina,A.I. Application of the method of controlled conditions to the investigation of heat transfer from a plate in a forced turbulent [air] flow, 3=19036

Chapman,D. and Waddington,T.C. Free-electron molecular-orbital calculations for inorganic systems.I. An "electron on a sphere" model for tetrasulphur tetranitride and for tetra-arsenic tetrasulphide, 3=727

Chapman,J.A. See Wilson,D.V., 3=25628

Chapman,P.W. See Tufte,O.N., 3=887

Chapman,R.P. and Harris,J.H. Surface backscattering strengths measured with explosive sound sources, 3=1423

Chapman,S. Auroral phenomena, 3=3512

Chapman,S. Comment on Kepler's third law without calculus, 3=13850

Chapman,S. Geomagnetic nomenclature, 3=16294

Chapman,S. and Kendall,P.C. Liquid instability and energy transformation near a magnetic neutral line: a soluble non-linear hydromagnetic problem, 3=5826

Chapman,S. See Akasofu,S., 3=1492

Chapman, S. See Akasofu, S.I., 3=3520

Chapman,S. See Akasofu,S.I., 3=6995

Chapman,S. See Akasofu,S.I., 3=11469

Chapman,S. See Akasofu,S.-I., 3=21076

Chapman,S. See Akasofu,S.-I., 3=25947

Chapnin,V.A. See Smirnova,I.V., 3=22849

Chapnin,V.A. See Vavilov,V.S., 3=22704

Chaporova,I.N. See Baskin,M.L., 3=25295

Chaporova,I.N. See Gabrilyuk,M.I., 3=11183

Chappelear,J.E. Shallow-water waves, 3=7188

Chappell,W.R. See Brittin,W.E., 3=4316

Chappert, V. The examination of photographic negatives. The Enetra 110 of the Society of Optics and High Precision Mechanics, 3=4305

Chapyzhnikov,B.A. See Chepel',L.V., 3=14701

Charakhch'yan,T.N. See Chrakhch'yan,A.N., 3=4492

Charap,J.M.,Lubkin,E. and Scotti,A. Theory of nucleon—nucleon scattering in the strip approximation to the Mandelstam representation, 3=7842

Charap,J.M. and Squires,E.J. On complex angular momentum in many-channel potential-scattering problems. I., 3=558

Charap,J.M. and Squires,E.J. On complex angular momentum in many-channel potential-scattering problems. II, 3=7789

Charatis,G. and Wilkerson,T.D. Further studies of Cr I emission from the shock tube, 3=8182

Charette,J.J. Absorption spectra of Type I and Type II synthetic diamonds, 3=8595

Charig,J.M., Joyce,B.A., Stirland,D.J. and Bicknell,R.W. Growth mechanism and defect structures in epitaxial silicon, 3=5091

Charikov, B.A. See Bolotin, G.A., 3=17977

Charikov,B.A. See Kirillova,M.M., 3=13146

Charles,D. and Vastel,J. Vacuum technique in mass spectrometry. Employment of titanium pumps, 3=16994

Charles,R.J. and Harrison,W.A. Size effect in nuclear magnetic resonance, 3=20681

Charles,S.W. See Milligan,D.E., 3=3402

Charlesby,A. and Partridge,R.H. The thermoluminescence of irradiated polyethylene and other polymers, 3=4994

Charlesby,A. and Partridge,R.H. The effect of oxygen on the thermoluminescence of irradiated polyethylene, 3=4995

Charlson,R. See Buettner,K., 3=13662

Charman,H.B,, and Dell,R.M. Fast neutron damage at the surface of metal oxides, 3=3366

Charman,H.B.,Dell,R.M. and Teale,S.S. Chemisorption on metal oxides. I. Nickel oxide, 3=13603

Charman,H.B. and Dell,R.M. Chemisorption on metal oxides. II. Neutron-irradiated nickel oxide and magnesium oxide, 3=13604

Charman,W.N. Visual factors in size measurement by microscopy, 3=23719

Charnaya,F.A. See Gurevich,I.M., 3=18978

Charpak,G. A triggered liquid track chamber with short resolving time, 3=19537

Charpak,G. and Massonet,L. Some developments of the discharge chamber, 3=19532

Charman,W.N. Some experimental measurements of diffraction images in low-resolution microscopy, 3=9617

Charman,W.N. Diffraction images of circular objects in high-resolution microscopy, 3=9618

Charsley,P. and Thompson,N. The behaviour of slip lines on aluminium crystals under reversed stresses in tension and compression, 3=8441

Chartier,C. See Brun,R., 3=1762

Charvin,P. The new photoelectric coronameter used at the Paris Observatory, 3=9216

Charvin,P. Measurement and study of intensity gradients of the coronal line λ 5303 at meudon, 3=13892

Charwat,A. See Allègre,J., 3=7229

Chase,C.E. Thermal conduction in liquid Helium II. II. Effects of channel geometry, 3=24130

Chase,C.E. See Blake,C., 3=24128

Chase,C.E. See Fineman,J.C., 3=3938

Chase,C.E. See Whitney,W.M., 3=319

Chase,J.D. and Weinberg,F.J. The acetylene decomposition flame and the deduction of reaction mechanism from "global" flame kinetics, 3=25827

Chase,S.C.,Kaplan,L.D. and Neugebaur,G. Mariner II: Preliminary reports on measurements of Venus: infrared radiometer, 3=18617

Chasman,C. See Wiener,R., 3=12603

Chasman,R.R. Nuclear magnetic moments of W^{183}, Os^{187}, and Fe^{57}, 3=10225

Chasnikov,I.Ya. See Boos,E.G., 3=6002

Chateau,H., de Cugnac,A., Moncet,M.C. and Pouradier,J. The crystal parameters of hexagonal silver iodide, 3=5102

Châtelain,A. and Buttet,J. Study of annealing in purple sulphur by electron paramagnetic resonance, 3=20655

Chatelain,A. See Buttet,J., 3=1191

Chatelain,J.E. and Havas,P. The classical limit of the quantum theory of radiation damping, 3=7806

Chatterjee,A. See Hargrove,A., 3=10294

Chatterjee,A. See Majumdar,N.K., 3=10358

Chatterjee,B.K.,Murthy,G.T.,Naranan,S.,Rangaswamy,T.N., Sreekantan,B.V. and Srinovasa Rao,M.V. Fluctuations and correlations in the fluctuations of various components of

Chatterjee,B.K., Murthy,G.T., Naranan,S., Rangaswamy,T.N., Sreekantan,B.V. and Srinivasa Rao,M.V. The effect of finite thickness of scintillators on the determination of the densities of charged particles in air shower experiments, 3=4510

Chatterjee,J.S. Some comments on the paper by A.T.Price, "Magnetic disturbance and the earth's main field", 3=13826

Chatterjee,M.L. See Sen,B., 3=14845

Chatterjee,R. A short note on the nature of the crystalline electric field in trivalent vanadium alum, 3=20049

Chatterjee,R. and Ghosh,U.S. A short note on the magnetic anisotropy and susceptibility of the Cu^{3+} ion, 3=13224

Chatterjee,R. See Bose,A., 3=6691

Chatterjee,R. See Bose,A., 3=20053

Chatterjee, S. Lattice energy of alkali halides, 3=17627

Chaturvedi,R.P. See Mann,K.C., 3=19820

Chau,J.Y.H. See Long,D.A., 3=6376

Chau,J.Y.H. See Long,D.A., 3=6402

Chaudhari,K.R. and Trivedi,G.K. Study of viscosity of highly viscous liquids. II. Determination of viscosity employing the double cone, sphere and cylinder shapes of rotating solids, 3=1663

Chaudhri,M.M. See Chaudhri,R.M., 3=5899

Chaudhri,R.M. and Chaudhri,M.M. Photoelectrons and their back diffusion in self-quenching Geiger-Müller counters, 3=5899

Chaudhri,R.M. and Khan,Y. Emission of ultra violet and visible radiation from metals by the impact of high energy protons and positive ions, 3=7657

Chaudhry,R. See Bate,G.L., 3=19898

Chaudhuri,A.R.,Patel,J.R. and Rubin,L.G. Erratum: Velocities and densities of dislocations in germanium and other semiconductor crystals, 3=10660

Chaudhuri,A.R. and Phaneuf,L.E. Grown-in dislocations in calcium tungstate crystals pulled from the melt, 3=22770

Chaudhuri,A.R. See Patel,J.R., 3=23322

Chaudhuri,K.D. Thermal conductivity of superconductors, 3=1904

Chaudhuri,K.D. Thermal conductivity of superconductors, 3=21650

Chaudhury, M.L. Effect of nonlocal potential on the barrier penetrability in alpha decay, 3=17424

Chaudhury,N. See Dutta,A.K., 3=10202

Chaudron,G. See Galtier,F., 3=7590

Chavanel,H. See Bessouat,R., 3=19072

Chavasse,P. The physical definition of the artificial ear of the C.N.E.T., 3=1553

Chavet,I. High detectivity microcalorimeters, 3=19057

Chavet,I. and Levanone,I. Absorption of evaporated ZnS in the ultraviolet, 3=926

Chawla,V.K. See Chiplonkar,V.T., 3=14548

Che Jen Chen and Emrich,R.J. Investigation of the shock-tube boundary layer by a tracer method, 3=7285

Che-Yu Li. See Knight,R.J., 3=16107

Cheban,A.G. Theory of photoionization of F-centres, 3=20243

Cheban,A.G. See Perlin,Yu.E., 3=2838

Cheban,A.G. See Perlin,Yu.E., 3=15453

Chebotarev,N.T. The connexion between the structure and the anisotropic thermal expansion of uranium, neptunium and plutonium, 3=10606

Chebotarev,V.E. See Gorbenko-Germanov.D.S., 3=24033

Chebotareva,T.E. See Vlasov,A.G., 3=11303

Chechernikov,V.I. Temperature dependence of the paramagnetic susceptibility of mixed ferrites, 6722

Chechernikov,V.I. Antiferromagnetism of iron—nickel alloys, 3=6734

Chechernikov,V.I. Magnetic susceptibility of rare earth metals Ho, Dy, Tb and Gd, 3=11033

Chechernikov, V.I. and Afonina, L.N. Antiferromagnetic properties of the γ-phase of Fe—Pt and Fe—Co alloys, 3=3146

Chechernikov, V.I.,Pop,I.,Naumkin,O.P. and Terekhova,V.F. The magnetic properties of scandium, 3=25508

Chechkov,A.A. and Shirokov,Yu.M. Invariant parametrization of the relativistic scattering matrix, 3=5963

Checinska,H. See Garlick,G.F.J., 3=20515

Chedzey,H.A. See Bardsley,W., 3=13414

Cheeke,J.D.N. See Challis,L.J., 3=4830

Cheeke,J.D.N. See Challis,L.J., 3=24150

Cheetham,F.C. See Hunt,S.E., 3=9885

Chekanov,V.N. See Akkerman,A.F., 3=15149

Chekanov,V.N. See Batalin,S.S., 3=24200

Chekhovskoi,V.Ya. Heat capacity and enthalpy of molybdenum in the temperature range 0-2400° C, 3=20102

Chekhovskoi,V.Ya. Heat capacity and enthalpy of corundum in the temperature range 500-2000° C, 3=20103

Chekhovskoi,V.Ya. and Sheindlin,A.E. Laboratory furnace with a graphite heater for experiments at temperatures up to 3100° C, 3=24093

Chełkowski,A. On dielectric saturation and intermolecular rotation, 3=21393

Chekhovskoi,V.Ya.,Shumyatskii,B.Ya. and Yakimovich,K.A. Experimental study of tungsten enthalpy in the temperature range 350° to 2000° C, 3=8361

Chekmarev,I.B. Resonance effects in induced oscillations of a layer of incompressible conducting fluid in a transverse magnetic field, 3=24455

Chelovskii,A.V. See Vereshchagin,L.F., 3=1728

Chen,C.H. See Arns,R.G., 3=7996

Chen,C.L. Atomic processes in helium—krypton and helium—xenon mixtures, 3=24220

Chen,C.L. and Raether,M. Collision cross section of slow electrons and ions with cesium atoms, 3=4724

Chen,C.W. Saturation moments and residual resistivities of iron—cobalt ternary alloys, 3=3103

Chen,C.W. Electronic structures of manganese-substituted iron—cobalt alloys, 3=4839

Chen,C.W. Magnetic moments and electronic properties of manganese-substituted iron—cobalt alloys, 3=15784

Chen,C.W. See Shirane,G., 3=15733

Chen, C.W. See Shirane, G., 3=17632

Chen Chi. Influence of working conditions of the X-ray diffractometer on the position of the centre of gravity, the mean-square width and the profile of interference lines, 3=20816

Chen Chien-Pou. Image-forming characteristics of periodic field lenses, 3=24382

Chĕn' Chun'-Hsien,Chĕn' Shih-Kang and Hê Yü-Ping. Some questions in the theory of super-conductivity, 3=21651

Chen' Chun'–Syan' and Chen' Shi–Gan'. Method of models in statistical physics, 3=18737
Chen Er-Chih. See Wang Ao., 3=17255
Chen, F.F. Electrostatic stability of a collisionless plane discharge, 3=1943
Chen, F.F. and Cooper, A.W. Electrostatic turbulence in a reflex discharge, 3=4040
Ch'en feng-ch'i See Chen' Fyn-Tsi 3=11369
Chen' Fyn-Tsi. See Sikov, A.A., 3=11369
Chen, J.C.Y. Theory of electron capture by molecules: dissociative attachment, 3=4785
Chen, J.C.Y. General relation of fundamental molecular constants between two electronic states, 3=10499
Chen, J.C.Y. Differentiated Schrödinger equation, 3=11698
Chen, J.H. See O'Connor, J.R., 3=15516
Chen, K.W. See Dunning, J.R., Jr., 3=19613
Chen' Ké-min. See Chuenkov, V.A., 3=15561
Ch'ên K'o-ming. See Chen' Ké-min, 3=15561
Chen Lin-Yan'. See Belyakov, V.A., 3=24798
Chen Lin-Yan. See Veksler, V.I., 3=22211
Chen Ling-Yen. See Wang Kang-Ch'ang, 3=19702
Chen Ling-Yen. See Wang Kang-Ch'ang, 3=22208
Chen, M.M., Berkowitz-Mattuck, J.B. and Glaser, P.E. The use of a kaleidoscope to obtain uniform flux over a large area in a solar or arc imaging furnace, 3=19056
Chen, R. See Braner, A.A., 3=6653
Chen, S.N.C. The transient phenomenon in an isotropic plasma without collision loss, 3=24301
Chen' Shi–Gan'. See Chen' Chun'–Syan', 3=18737
Chen Shi-Lang. Dynamical theory of heat transport process, 3=24079
Chen Shih and Dai Yuan-ben. High-energy nucleon—nucleon scattering in the strip approximation, 3=24712
Ch'ên Shih-Kan. See Hao Pai-Lin, 3=20035
Chen Shih-kang, Chang Yi-shang and Liou De-sen. Influence of the chemical bond on the energy bands of the zinc blende structure, 3=25230
Chen Shih-kang. See Chan Shan-fou, 3=25051
Chến Shih-Kang. See Chến' Chun'-Hsien, 3=21651
Chen Sih-yuan. See Tang Au-chin, 3=25082
Chen Ting-gin. See Chang Li-ning, 3=24799
Chen' Tsun-Mo. See Demina, N.V., 3=22162
Chến' Tsun-mo. See Solov'ev, L.D., 3=6041
Ch'en Tsung-Mo. See Chen' Tsun-Mo, 3=22162
Chen Vei-Tszin' [Ch'êng Wei Chin]. An investigation of the operation of the experimental heavy water reactor of the Chinese Academy of the Sciences (Peking), 3=25025
Chenette, E.R. See Huang, C.H., 3=21725
Cheney, G.T. See Cutler, M., 3=14395
Cheney, G.T. See Cutler, M., 3=16818
Cheng, C.H. See Gupta, K.P., 3=8367
Cheng, C.H. See Lounasmaa, O.V., 3=6479
Cheng Chin-chi. See Pu Fu-cho, 3=25499
Cheng Chin-chi. See Pu Fu-cho, 3=25555
Cheng, G.C.H. and Zussman, J. The crystal structure of anhydrite ($CaSO_4$), 3=25717
Cheng, H. Dispersion relation for the Regge parameters, 3=12426
Cheng, H. and Sharp, D. On the dynamical determination of the Regge pole parameters, 3=19569
Chêng Lin'-Shêng. See Chzhen Lin'-Shen.
Cheng lin-Sheng. See Hsieh Kuang-Chun, 3=22340
Ch'eng Ling-Yang. See Chen Lin-Yan.
Ch'eng Ling-Yen. See Chen Lin-Yan'.
Cheng, P. See Fand, R.M., 3=21582
Ch'êng Shên. See Anan'ev, L.M., 3=19388
Ch'êng Ts'ung-mo. See Solov'ev, L.D., 3=6041
Ch'êng Wei Chin. See Chen Vei-Tszin'.
Chenon, M.T. See Raoult, G., 3=23232
Chentsov, Yu.V. See Vertsner, V.N., 3=2033
Chepel', L.V., Viting, B.I. and Chapyzhnikov, B.A. Irradiation inside the accelerating chamber of a betatron, 3=14701
Chepurnov, V. See Nemirovskii, P.E., 3=15095
Cher, M. Rate of dissociation of N_2O_4 by ultrasonic absorption measurements, 3=4784
Cheremisinov, V.P. See Obukhov-Denisov, V.V., 3=15695
Cheremnykh, P.A. See Afonin, I.P., 3=19283
Cherenkov, P.A. Radiation from charged particles moving faster than light and its utilization in the physics of high-energy particles, 3=10080
Cherenkov, P.A. See Gorbunov, A.N., 3=6227
Cherepanov, G.P. A nonlinear boundary value problem of the theory of analytic functions encountered in some elasto-plastic problems, 3=7154
Cherepanov, G.P. See Barenblatt, G.I., 3=5395
Cherepanov, G.P. See Barenblatt, G.I., 3=18215
Cherepanov, V.I. See Men', A.N., 3=20130
Cherkas, K.V. See Fistul', V.I., 3=15631
Cherkashin, V.S. See Drokin, A.I., 3=11061
Cherkashin, V.S. See Laptie, D.A., 3=11069
Cherkasov, A.S. Relaxation of the solvent during the excited lifetime of the solute molecules and fluorescence spectra, 3=9468
Cherkasova, K.P. See Polovin, R.V., 3=21783
Chernavskii, D.S. Non-linear quantization of a spinor equation, 3=3749
Chernavskii, D.S. See Dremin, I.M., 3=2256
Chernavskii, D.S. See Dremin, I.M., 3=4385
Chernavskii, D.S. See Roisen, I.I., 3=6021
Chernavsky, D.S., Dremin, I.M., Feinberg, E.L. and Royzen, I.I. Regge pole method and one-meson approximation, 3=19571
Chernavsky, D.S., Dremin, I.M., Maximenko, V.M. and Slavatinsky, S.A. Application of diagram method to the calculation of characteristics for nucleon—nucleon interaction at the energy of 300 BeV and their comparison with experimental data, 3=12541
Chernavsky, D.S., Dremin, I.M. and Roizen, I.I. Interaction of high energy nucleons according to diagram method view point and double dispersion relations, 3=12540
Chernenko, A.A. See Grafov, B.M., 3=18448
Chernets, A.N. See Ganapol'skii, E.M., 3=5492
Chernets, A.N. See Ganapol'skii, E.M., 3=18913
Chernev, Kh.M. See Zlateva, A.I., 3=24726
Chernick, C.L, Johnson, C.E, Malm, J.G, Perlow, G. J. and Perlow, M.R. The Mössbauer effect in chemical compounds of Xe^{129}, 3=17634
Chernick, C.L. See Weinstock, B., 3=12839
Chernikov, N.A. The current vector and mass tensor of a relativistic ideal gas, 3=70
Chernikov, N.A. The current vector and mass tensor of a relativistic ideal gas, 3=1630
Chernikov, N.A. Derivation of the equations of relativistic hydrodynamics from the relativistic transport equation, 3=18758
Chernikov, N.A. The relativistic gas in the gravitational field, 3=21215
Chernikov, N.A. See Logunov, A.A., 3=5958
Chernikova, L.A. See Galkina, O.S., 3=4905
Chernikova, L.A. See Kondorsky, E.I., 3=832
Chernin, S.M. and Mal'tsev, A.A. A high temperature furnace for the investigation of the spectra of low-volatile compounds, 3=1817
Chernoplekov, N.A, Zemlyanov, M.G, Brovman, E.G. and Chicherin, A.G. Investigation of inelastic scattering of neutrons in the alloy Ti–Zr, 3=17644
Chernoplekov, N.A., Zemlyanov, M.G. and Chicherin, A.G. Investigation of the phonon spectrum of vanadium, 3=17641
Chernoplekov, N.A., Zemlyanov, M.G., Chicherin, A.G. and Lyashchenko, B.G. Investigation of the phonon spectrum of nickel, 3=25185
Chernous'ko, F.L. Motions of an ideal fluid with a pressure discontinuity along its boundaries, 3=16582
Chernov, A.A. The kinetics of the growth forms of crystals, 3=20789
Chernov, A.A. Crystal growth forms and their kinetic stability, 3=23388
Chernov, G.M. See Malȳsheva, T.V., 3=8051
Chernov, V.M. See Balashov, V.V., 3=8078
Chernyavskaya, I.A. Broadening of the lines of anisotropic scattering and the structure of alcohols, 3=21366
Chernyavskaya, I.A. See Vuks, M.F., 3=7207
Chernyavskii, B.G. See Strakhov, L.P., 3=23014
Chernyavskii, K.K. See Valter, A.K., 3=4673
Chernyi, B.G. See Braun, M.P., 3=11281
Chernyi, B.M. See Ferorchenko, V.D., 3=9823
Chernyi, V.G. and Gusliyenko, Yu.A. Problem of crystal structure changes in Nimonik type alloys on ageing, 3=16113
Chernȳshov, A.A. See Zhezherun, I.F., 3=2280
Chernȳshov, A.A. See Zhezherun, I.F., 3=4403
Chernȳshov, A.A. See Zhezherun, I.F., 3=4404
Cheroff, G., Stern, F. and Triebwasser, S. Quantum efficiency of GaAs injection lasers, 3=19490
Cherpakov, P.V. The thermal inertia of thermocouples, 3=11985

Cherry,R.D. Thorium and uranium contents of australites, 3=7025
Cherry,R.J. Three phonon combination bands in GaP, 3=20085
Cherry,R.J. and Allen,J.W. Excited states of copper in semiconductors, 3=10810
Chertoprud,V.E. On the nature of P_1 type peaks, 3=11544
Chertoprud,V.E. and Gudzenko,L.I. An analysis of periodic solar activity, 3=5258
Chervonko,E. Green's thermodynamic functions of an isotropic ferromagnetic with arbitrary spin, 3=8648
Cheshire,I.M. Electron capture by fast protons in hydrogen, 3=19952
Cheshire,I.M. See Bransden,B.H., 3=14518
Chesi,E. See Amato,G., 3=19141
Chesnut,D.A. and Salsburg,Z.W. Monte Carlo procedure for statistical mechanical calculations in a grand canonical ensemble of lattice systems, 3=16545
Chesnut,D.B. and Suna,A. Fermion behavior of one-dimensional excitons, 3=20143
Chesnut,D.B. See Jones,M.T., 3=11109
Chessick,J.J. See Srinivasan,G., 3=6890
Chessin,H.,Arajs,S.,Colvin,R.V. and Miller,D.S. Paramagnetism and lattice parameters of iron-rich ion-germanium alloys, 3=11030
Chessin,H. See Arajs,S., 3=15757
Chester,G.V. The Boltzmann equation for inhomogeneous electric fields, 3=13030
Chester,G.V. The theory of irreversible processes, 3=21251
Chester,G.V. and Howie,A. Solid-state theory, 3=2686
Chester,M. Second sound in solids, 3=25193
Chesterfield,C.M. and Spicer,B.M. Application of a rotational model to Li^7, 3=12549
Cheston,W.B. See Kobe,D.H., 3=3767
Chetaev,D.N. A method of solving axisymmetric problems of gyrotropic medium electrodynamics, 3=12296
Chetaev,D.N. Field of a low-frequency electric dipole situated on the surface of a uniform anisotropic conducting half-space, 3=14740
Chetham-Strode,A. See Schmitt,H.W., 3=6313
Chetkarov,M.L. Superposition of the high-voltage polarization e.m.f. in dielectrics, 3=15607
Chetkin,M.V. See Krinchik,G.S., 3=918
Chetkina,L.A. See Gol'der,G.A., 3=23462
Chevallier,A. See Gorodetzky,M.S., 3=24344
Chevallier,P. See Gorodetzky,S., 3=19810
Cheverev,N.S. See Arsen'ev,Yu.I., 3=12136
Chevillon,J. See Pons,L., 3=5075
Chevillot,J.P. See Abraham,M., 3=14136
Chevreton,M. and Bertaut,F., Study of the selenides of titanium and vanadium and the telluride of titanium, 3=1346
Chevreton,M., Bertaut,E.F. and Jellinek,F. Some remarks on the system Cr–Te, 3=16095
Chevychelov,A.D. Refinement of the Bueche fracture criterion for a glassy polymer under an external load in the dynamic theory of strength, 3=20731
Chevȳchelov,A.D. See Gubanov,A.I., 3=20038
Chew,G.F. S-Matrix theory of strong interactions without elementary particles, 3=567
Chew,G.F. Reciprocal bootstrap relationship of the nucleon and the (3,3) resonance, 3=7841
Chew,G.F. Self-consistent S-matrix with Regge asymptotic behavior, 3=10047
Chew,G.F. Artificial singularity in the N/D equations of the new strip approximation, 3=12425
Chew,H. Final state interaction and CP invariance in radiative $K_{\pi 2}$ decay, 3=6063
Chi, B.E. and Davidson, J.P. Asymmetric core collective model for odd-A nuclei with applications to the 2s–1d shell, 3=17386
Chi,S.W. See Spalding,D.B., 3=18787
Chi,Sen-yeng See Tang,Son-yei, 3=18157
Chia Hwa Chan. The $\overline{K}N$ resonance at the $\overline{K}^*N$ threshold, 3=6067
Chia-Shun Yih. Stability of liquid flow down an inclined plane, 3=11765
Chiang Ti-chieng. Studies of the boundary layer of non-Newtonian fluids, 3=23832
Chiang Yu-min. See Chan Shan-fou, 3=25051
Chiarotti,G.,del Signore,G.,Frova,A.and Samoggia,G. Optical study of surface levels in Ge, 3=2989
Chiarotti,G. See Balzarotti,A., 3=6584
Chiba,S. See Hirone,T., 3=1025
Chiba,S. See Hori,S., 3=22201
Chiba,S. See Oneda,S., 3=6069
Chiba,S. See Takasu,S., 3=1085
Chiba,T. Deuteron magnetic resonance study of barium chlorate monohydrate, 3=25589
Chibisov,M.I. See Martȳnenko,Yu.V., 3=22507
Chicherin, A.G. See Chernoplekov, N.A., 3=17641
Chicherin, A.G. See Chernoplekov, N.A., 3=17644
Chicherin,A.G. See Chernoplekov,N.A., 3=25185
Chichinadze,V.K. See Murusidze,G.Ya., 3=14241
Chick,B. See Hikata,A., 3=23320
Chick,B.B. See Hikata,A., 3=17762
Chidambaram,R. and Raghavendra Rao,C. Proton magnetic resonance study of the structure of two Tutton's salts, 3=8740
Chidley,B.G.,Turner,R.B. and Bigham,C.B. Neutron temperatures in a CANDU-type power reactor, 3=25030
Chidley,B.G. See Bigham,C.B., 3=25001
Chidley,B.G. See Bigham,C.B., 3=25031
Chidley,B.G. See Tunnicliffe,P.R., 3=12710
Chien Tsu-Wien. Theory of sound absorption and the relaxation mechanisms of $MgSO_4$ in water solution, 3=23879
Chiesa,A.M. See Ferrero,M.I., 3=10150
Chihara,H. and Shinoda,T. Librational motion in diatomic molecular crystals, 3=745
Chik, K.-P, Seeger, A. and Rühle, M. Vacancy clusters in quenched copper, 3=17707
Chikawa,J. X-ray observation of stacking faults in CdS single crystals, 3=15500
Chikazumi,S. and Wakiyama,T. Magnetic annealing effect in iron-aluminium single crystals, 3=1040
Chikazumi,S. See Ishikawa,Y., 3=2085
Chikhachev,B.M. See Basov,N.G., 3=21214
Chikhladze,B.Ya. See Shvangiradze,R.R., 3=1953
Chikhladze,B.Ya. See Shvangiradze,R.R., 3=16922
Chikhladze,V.L., Khulelidze,D.E. and Ryukhin,Yu.A. β- and γ-spectra of Rh^{97}, 3=2408
Chikhladze,V.L. See Khulelidze,D.E., 3=24902
Chikhladze,V.L. See Selinov,I.P., 3=10291
Chikil'dina,L.D. See Romanova,T.A., 3=24570
Chikin,A.I. Measurement of the spectral line width of a molecular generator, 3=5897
Chikvashvili, Ya.M. Theory of absorption of sound in semi-conductors, 3=17649
Child,H.R.,Wilkinson,M.K.,Cable,J.W.,Koehler,W.C. and Wollan,E.O. Neutron diffraction investigation of the magnetic properties of compounds of rare-earth metals with group V anions, 3=20609
Child,H.R. See Cable,J.W., 3=6729
Child,H.R. See Koehler,W.C., 3=15742
Child,H.R. See Wilkinson,M.K., 3=1107
Child,M.S. Studies of the Jahn–Teller effect. IV. The vibrational spectra of spin-degenerate molecules, 3=717
Child,M.S. The rotational levels of electronically degenerate dihedral molecules, 3=718
Child,M.S. Anomalous spectroscopic properties accompanying a weak dynamical Jahn–Teller effect, 3=19957
Childers,H.M. See Cerceo,M., 3=14396
Childress,S. An unsteady problem in magnetohydrodynamics, 3=19436
Childs, B.G, Gardner, W.E. and Penfold, J. The magnetic susceptibilities of vanadium-based solid solutions containing titanium, manganese, iron, cobalt and nickel, 3=18062
Childs,C.B. Low-pressure mercury arc for ultraviolet calibration, 3=14329
Childs,C.B. and Slifkin,L. Detection of nuclear disintegrations produced by 1.55 BeV protons in silver chloride single crystals, 3=5906
Childs,C.B. and Slifkin,L.M. Delineation of tracks of heavy cosmic rays and nuclear processes within large crystals of silver chloride, 3=7754
Childs, W.J. and Goodman, L.S. Nuclear spin and magnetic hyperfine interaction of 12-day Ge^{71}, 3=17390
Childs,W.J. See Glicksman,M.E., 3=1270
Chilosi,G.,Cuzzocrea,P.,Vingiani,G.B.,Ricci,R.A. and Morinaga,H. Lower excited states of ${}^{50}_{22}Ti_{28}$, 3=7992
Chilosi, G., Monaro, S. and Ricci, R.A. Excited levels in ${}^{57}Co$ from the decay of ${}^{57}Ni$, 3=2386

Chilton,F. An empirical regularity of the weak interactions, 3=2201
Chilton,J.P. See Hunt,J.D., 3=25758
Chiltz,G.,Eckling,R.,Goldfinger,P.,Huybrechts,G.,Johnston,H.S. Meyers,L. and Verbeke,G. Kinetic isotope effect in photochlorination of H_2, CH_4, $CHCl_3$, and C_2H_6, 3=11356
Ch'ing Ch'êng Jui. See Tsin Chén-Zhui.
Ching-Kung Woo and Lardner,R.W. Remarks on Low's model of elementary and composite particles, 3=17170
Chinowsky,W., Goldhaber,G., Goldhaber,S., Lee,W. and O'Halloran,T. On the spin of the K^* resonance, 3=4457
Chinowsky,W. See Goldhaber,G., 3=24791
Chiou,C.,Connell,R.A. and Seraphim,D.P. Alloy concentration limitations for ideal superconductivity transitions, 3=7403
Chipak,N.I. See Alpat'ev,Yu.S., 3=4414
Chiplonkar,M.W. and Karekar,R.N. A study of sudden enhancement of atmospherics on 27 kc/s band, 3=9046
Chiplonkar,M.W. and Karekar,R.N. The sunrise and sunset effects on the level of atmospherics activity on the 27 kc/s band, 3=9048
Chiplonkar,V.T. and Chawla,V.K. Impedance of a D.C. abnormal glow discharge, 3=14548
Chipman,D.R. and Batterman,B.W. Contribution of thermal diffuse scattering to integrated Bragg reflections from perfect crystals, 3=11252
Chirkin, G.K. See Arkhangel'skaya, E.D., 3=18130
Chirkin,G.K. See Vinokurov,V.M., 3=15943
Chirkin,G.K. See Vinokurov,V.M., 3=20855
Chirlian,P.M. Observation of crossed-film cryotron transition phenomena, 3=21671
Chisholm,A. See Allaby,J.V., 3=7855
Chisholm,G.E. See Debarder,J.P., 3=13714
Chisholm,R.C. See Stout,J.W., 3=1061
Chistoserdov,V.G. See Borgman,V.A., 3=8478
Chistyakov,A.L. See Bochvar,D.A., 3=14036
Chistyakov,I.G. Investigation of the growth processes of smectic texture, 3=21313
Chistyakov,I.G. Study of the transparency of liquid crystals, 3=21370
Chistyakov,V.F. The observed depths of sunspots, 3=3570
Chistyakov,Yu.D. See Indenbaum,G.V., 3=3335
Chistyakov,Yu.D. See Indenbaum,G.V., 3=15497
Chiu,H.-Y. Neutrino processes and red giants, 3=13902
Chivers,H.J.A. The location of the irregularities responsible for ionospheric scintillation of a radio source, 3=13713
Chizhevskaya,S.N. See Glazov,V.M., 3=5448
Chizhikova,Z.A. See Galanin,M.D., 3=7739
Chizhikova,Z.A. See Galanin,M.D., 3=8626
Chizhikova,Z.A. See Galanin,M.D., 3=19487
Chizhov,V.P. See Komar,A.P., 3=15178
Chizhov,V.P. See Volkov,Yu.M., 3=6224
Chkhartishvili,Yu.V. See Tsertsvadze,A.A., 3=6451
Chkuaseli,Z.D. See Vartanov,N.A., 3=2247
Chládek,J. See Heller,B., 3=4104
Chládek,J. See Heller,B., 3=7472
Chmielewski,J. One channel amplitude analyser, 3=12054
Cho,B.-Y.,Nelson,R.C. and Brown,L.C. Electron spin resonance study of some organic photoconductors, 3=23021
Chodura,R. and Keilhacker,M. Energy gain of electrons and the hard X-rays produced thereby in a theta pinch discharge before breakdown, 3=12179
Choi,S.I. and Rice,S.A. Exciton-exciton interactions and photoconductivity in crystalline anthracene, 3=8568
Chojnacki,S. See J[illegible]sinski,[illegible]., 3=10310
Chojnacki,S. See Żylicz,J., 3=12639
Chollet,L. and Jan,J.P. Structural hardening of copper–Beryllium alloys, 3=1349
Chollet, L. and Rossel, J. Experimental study of the polaron, 3=2768
Chollet,P. and Crussard,C. Study of the kinetics of precipitation of carbon in iron–carbon alloys after α–tempering, by measurement of internal friction, 3=6867
Chollet,P. See Butler,J., 3=13539
Choo,S.C. and Heasell,E.L. Technique for the measurement of short carrier lifetimes, 3=6579
Choong Chao-Wu. Collective gyromagnetic factor of the nucleus $_{62}Sm^{152}$, 3=19741
Choppin,G.R. and Klingen,T.J. Excitation functions for nuclear reactions between complex nuclei. I. Neutron emission, 3=15233
Choppin,G.R.,Meriwether,J.R. and Fox,J.D. Low-energy charged-particle-induced fission, 3=24992
Choppin,G.R. See Feldl,E.J., 3=17095
Choppin,G.R. See Klingen,T.J., 3=15234
Chopra,K.L., Bobb,L.C. and Francombe,M.H. Electrical resistivity of thin single-crystal gold films, 3=15543
Choquard,P. Note on the effect of steric hindrance of the atomic motions on the amplitudes of the crystal vibrations, 3=2712
Choquard,P. Lattice energy current in solids and lattice thermal conductivity. I, 3=25186
Chorney,P. See Allen,M.A., 3=21735
Chornȳi,Z.P. See Vȳshnevs'kȳi,V.N., 3=20519
Chornȳi,Z.P. See Vishnevs'kȳi,V.N., 3=23107
Chou Ching-liang and Pinsker,Z.G. An electron diffraction study of the Ag–Se system in thin films, 3=13563
Chou-Hsiao-P'ing. See Chzhou-Syao-Pin., 3=3463
Chou Hsiao-Tsien. See Shen Hong-Chin, 3=17404
Chou Mo-yi. See Sun Chia-chung, 3=25600
Chou,Y.T. Characteristics of dislocation stress fields due to elastic anisotropy, 3=10661
Chou,Y.T. The energy of circular dislocation loops in thin plates, 3=23274
Chou,Y.T. and Louat,N. Linear dislocations in non-uniform stress fields, 3=795
Chou Yüeh-Hua. See Chzhou Yue-Hua.
Chou Yüeh-wa. See Chzhou Yue-Va.
Choudhury,A. Inclusion of copper atoms in a crystal of sodium chloride by high pressure, 3=10651
Choudhury,A. Investigation of self activated and copper activated zinc sulphide, 3=11028
Choudhury,D.C. Effects of configuration mixing on the 3^- state of Pb^{208} and the (p,p') reaction in the distorted-wave approximation, 3=8020
Choudhury,P. Thermal stress around a crack in a semi-infinite solid of transversely isotropic material, 3=9382
Choung Van Phan. See Simon,R., 3=427
Chow,C.K. Effect of insulating-film-thickness nonuniformity on tunnel characteristics, 3=23011
Chow,C.K. On tunneling equations of Holm and Stratton, 3=24205
Chow Chiu,L.Y. See Faust,W.L., 3=8186
Chow,J.G.Y.,McRickard,S.B. and Gurinsky,D.H. Effect of fast-neutron irradiation on the mechanical properties of pure iron, 3=8759
Chow Tai,J. See Gutowsky,H.S., 3=21411
Chow,Y.L. See Yen,J.L., 3=7708
Chowdhury,D.K. and Dehlinger,P. Elastic wave propagation along layers in two-dimensional models, 3=16686
Chowdhury, M. and Goodman, L. Nature of s-tetrazine emission spectra, 3=18044
Choy,L. See Ammar,R.G., 3=10229
Chovke.W.J. See Hamilton.D.R., 3=18034
Chrakhch'yan,A.N. and Charakhch'yan,T.N. Energy spectrum and total number of low-energy cosmic-ray photons in the stratosphere, 3=4492
Chretien,M., Firth,D.R., Yamanoto,R.K., Pless,I.A. and Rosenson,L. The use of an internal liquid hydrogen target with a methyl-iodide bubble chamber, 3=17129
Chrétien,M.,Fischer,V.K.,Crouch,H.R.,Jr,Lanou,R.E.,Jr, Massimo,J.T.,Shapiro,A.M.,Averell,J.P.,Brenner,A.E., Firth,D.R.,Hyman,L.G.,Law,M.E.,Milburn,R.H.,Ronat,E.E., Strauch,K.,Street,J.C.,Szymanski,J.J.,Guerriero,L., Pless,I.A.,Rosenson,L. and Salandin,G.A. Improved determination of the neutral decay branching ratios of the K_1^0 meson and the Λ^0 hyperon, 3=24787
Chrien,R.E. See Bolotin,H.H., 3=15211
Chrien,R.E. See Palevsky,H., 3=17285
Christ,H.A. and Diehl,P. Solvent effects and spin couplings in the nuclear magnetic resonance of O^{17}, 3=11810
Christ,H.A. and Diehl,P. Quadrupole relaxation in O^{17} nuclear magnetic resonance spectroscopy, 3=22599
Christenhusz,R. See Reimer,L., 3=6904
Christensen,D. See Bak,B., 3=2640
Christensen,D.A. See Fletcher,H., 3=9563
Christensen,L.J. See Bauer,R.W., 3=10258
Christensen,L.J. See Bauer,R.W., 3=24945
Christensen,P.R. Lifetime of the 74.6 keV level in Np^{239}, 3=10277
Christensen, P.R, Nielsen, O.B. and Nordby, H. The β-branch from Tl^{207} to the $p_{3/2}$-level in Pb^{207}, 3=17445
Christensen,P.R., See Vandenbosck,S.E., 3=10315

Christenson,E.L. Effects of transition metal solutes on the thermoelectric power of copper and gold, 3=13139
Christian,J.E.,Kessler,W.V. and Ziemer,P.L. A 2π liquid scintillation counter for determining the radioactivity of large samples including man and animals, 3=6186
Christie,D.G. Diffraction of an ultrasonic beam by artificial defects, 3=14274
Christie,M.I. The recombination of halogen atoms, 3=6427
Christman,R.J. and Williams,W.E. Influence of the time interval on experimentally induced shifts of pitch, 3=21158
Christmas,P. and Taylor,A.E. Proton—poroton polarization between 27 MeV and 100 MeV, 3=10111
Christodouleas,N. See McGlynn,S.P., 3=2608
Christofilos,N.C. Energy balance in the Astron device, 3=12200
Christophe-Glaume,J. Intensification of the oxygen green ray in association with sudden commencements of magnetic storms, 3=11453
Christophe-Glaume,J. Emission of the green oxygen line along a meridian in October 1962, 3=25930
Christophorou,L.G. See Birks,J.B., 3=7215
Christophorou,L.G. See Birks,J.B., 3=21383
Christov,S.G. Theory of the symmetry factor in electrode kinetics, 3=13607
Christov,V.,Damyanov,D. and Bochvarov,N. Some results in the study of the operation of corona counters and their use in reactor measurements, 3=24546
Christy,R.F. Energy transport in the hydrogen ionization zone of giant stars, 3=3596
Christy,R.W.,Hseuh,Y.W. and Mueller,R.C. Thermoelectric power of NaCl containing $CdCl_2$, 3=13143
Chu,B.T. Stress waves in isotropic linear viscoelastic materials. I, 3=11852
Chu,B.T. and Parlange,J.Y. On the stability of laminar
Chu,E.L. and Ballam,J. Calculations of a magnetic field momentum-defining slit, 3=19377
Chu,H.N. High-frequency extensional vibrations of sandwich plates, 3=189
Ch'u Liang-yüan. See Chu Lyan-yuan.
Chu Lyan-yuan. See Lyu Yuan', 3=6156
Chu Shang'Ken. See Hsieh Kuang-Chun, 3=22340
Chu,T.L. and Gavaler,J.R. Stacking faults in vapor grown silicon, 3=22794
Chuang,L.S. and Lu,M.T. $\bar{\nu}$: Mean number of neutrons emitted per fission of U-238 induced by 14 MeV neutrons, 3=22433
Chuang,Y.H. See Kê,T.S., 3=20796
Chubarov,R.P. A decatron counter with a transistorized control circuit, 3=24182
Chubb,T.A. Problems of the upper atmosphere, 3=5210
Chubb,T.A. See Blake,R.L., 3=9206
Chubinsky,O.V. See Cohen,B.L., 3=24866
Chuburkov,Yu.T. See Donets,E.D., 3=8138
Chuburkov,Yu.T. See Perelygin,V.P., 3=6316
Chudáček,I. and Sodomka,L. The influence of pressure on luminescence of zinc sulphide single crystals, 3=18035
Chudakov,A.E. See Pontecorvo,B., 3=14953
Chudakov,A.E. See Zatsepin,V.I., 3=6119
Chudakov,V.M. See Rechitskii,I.V., 3=2341
Chudinov,A.A. Temperature dependence of the velocity of untrasound in PbS single crystals in the range 80–640°K, 3=20090
Chudnovskii,A.F. See Mogilevskii,B.M., 3=19064
Chuen-Yen Chow. See Uberoi,M.S., 3=21950
Chuenkov,V.A. and Chen' Ké-min [Ch'ên K'o-ming]. Time behaviour of the breakdown process in semi-conductors, 3=15561
Chueva,S.A. See Barkov,L.M., 3=6080
Chufarov,G.I. See Men',A.N., 3=20616
Chuikov,B.A. See Ptushinskii,Yu.G., 3=23541
Chuistov,K.V. See Nesterenko,E.G., 3=5126
Chûjô,R. Dynamical degree of crystallinity of partially crystalline polymers, 3=11308
Chukreev,F.E. See Karadzhev,K.V., 3=24932
Chulkov, P.M. See Lavrenchuk, V.N., 3=1454
Chulli,S. Behaviour of the partial wave amplitude for the reaction $\pi\pi \to \pi\pi$ at threshold, 3=19679
Chultem,D. See Ignatenko,A.E., 3=6373
Chumakova,G.G. See Vernidub,I.I., 3=8987
Chumin,V.G. See Bonch-Osmolovskaya,N,A., 3=24912
Chung,Dae-Hyun. Elastic moduli of single crystal and poly-crystalline MgO, 3=15971
Chung,H.S. and Dahler,J.S. "Improved" free volume theory of liquids. III. Approximate theory of molecular correlations in liquids, 3=1676
Chung,K.T. and Parker,P.M. Asymmetric-top vibration—rotation Hamiltonians, 3=8229
Chung Kyung Tae. See Kyung Tae Chung, 3=9340
Chung,M.F. See Haneman,D., 3=24386
Chung,P.M. Chemically frozen boundary layer with surface reactions behind a strong moving shock, 3=11857
Chung,S.U. See Broyles,A.A., 3=1656
Chung,T.I. Design theory and experiment for silicon computer diodes, 3=20354
Chung,V.K. See Barrett,A.H., 3=9020
Chupis,I.E. See Kaganov,M.I., 3=25551
Chuprov, K.S. See Emelin, V.L., 3=3427
Churaev,V.A. See Azovskii,Yu.S., 3=14567
Church,C.H.,Haun,R.D.,Jr,Osial,T.A. and Somers,E.V. Optical pumping of lasers using exploding wires, 3=22011
Churcher,B.G. Calculation of loudness levels for musical sounds, 3=1558
Churchill,R.J. High current spark gap recovery, 3=4049
Churchill,R.J. Reignition of freely recovering spark channels in hydrogen, 3=14544
Churchill,R.J. and Gallaher,D.F. An analogue computer study of the Townsend gas discharge, 3=19201
Churchill,R.J. See Curzon,F.L., 3=9762
Churchill,R.J. See Curzon,F.L., 3=19031
Churchill, R.J. See Poole, D.E., 3=21739
Chursin,G.P.,Gonchar,V.Yu.,Zalyubovskiĭ,I.I. and Klyucharev,A.P. Cross-sections for (n,p) reactions on tin isotopes for 14.5 MeV neutrons, 3=22410
Chutov,Yu.I. See Morhulis,N.D., 3=19166
Chuvilo,I.V. Resonant interactions of π-mesons with strange particles (experimental data), 3=22174
Chuvilo,I.V. See Almazov,V.Ya., 3=17120
Chuvilo,I.V. See Baladin,M.P., 3=17126
Chuvilo,I.V. See Belonogov,A.V., 3=17127
Chuvilo,I.V. See Butslov,M.M., 3=17108
Chuvilo,I.V. See Ivanovskaya,I.A., 3=2484
Chuvilo,I.V. See Ivanovskaya,I.A., 3=24796
Chuvilo,I.V. See Ozhdyani,L., 3=6004
Chwaszczewski,S. See Khvashchevski,S.
Chyliński,Z. Bremsstrahlung mechanism of the multiple production process in nucleon-nucleon collisions, 3=19670
Chynoweth,A.G. See Logan,R.A., 3=6574
Chynoweth, A.G. See Logan, R.A., 3=17679
Chynoweth,A.G. See Rowell,J.M., 3=326
Chzhan Guan-in'. [Chang Kuang-yin] Possible shapes of the reflection band and their variation as a function of the angle of incidence and state of polarization; the dispersion effect of reflection bands, 3=9600
Chzhan Guan-in'. Observation of the dispersion effect of reflection bands in CdS crystals, 3=15652
Chzhan Guan-in' [Chuang Kuang-yin]. See Gross,E.F., 3=4971
Chzhan Kai-da [Chang K'ai-ta]. See Galkina,O.S., 3=4905
Chzhao-yuén,Lyu. See Zherebtsova,K.I., 3=4667
Chzhen Lin'-Shen. See Chzhou Yue-Hua, 3=24701
Chzhou Guan-'chzhao[Chou Kuang-chao]. See Lapidus,L.I., 3=607
Chzhou Guan-chzhao [Chou Kuang-chao]. See Lapidus,L.I., 3=2240
Chzhou-Syao-Pin [Chou-Hsiao-P'ing]. Development of cumulus clouds, 3=3463
Chzhou Tsein-Lyan [Chou Ching-Liang],Imamov,R.M. and Pinsker,Z.G. An electron-diffraction study of thin films of Ag–Te, 3=18383
Chzhou Yue-Hua [Chou Yüeh-Hua], Vun Peĭ-Kun' [Wung P'ei-Kun'] Chzhen Lin'-Shen [Chêng Lin'-Shêng]. A β-spectrometer with an intermediate image, 3=24701
Chzhou Yue-va See Bonch-Osmolovskaya,N.A., 3=10303
Chzhou Yue-Va. See Bonch-Osmolovskaya,N.A., 3=24912
Chzyan' Yu-tai. See Sitenko,A.G., 3=14576
Ciafaloni,M. Levinson's theorem and Regge poles, 3=24663
Cialdea,R., Cimino,M. and Fea,G. Photographs taken from high altitudes by means of balloons during the total solar eclipse of 15 February, 1961, 3=1518
Ciang-Shuen-U. Experimental investigation of the effect of silica on the structure of sintered molybdenum, 3=20921
Cibois,E. See Lemaire,J., 3=11170
Cibois,E. See Lemaire,J., 3=11182
Cierjacks,S. See Bormann,M., 3=15210

Cieślak,E. and Marquit,E. Proton—proton scattering at 24 GeV/c, 3=7856
Ciftan,M. See Koozekanani,S., 3=4283
Ciftan,M. See Koozekanani,S., 3=5896
Cimino, M. Astronomical observations from great heights, 3=1500
Cimino,M.,Giannone,P.,Giannuzzi,M.A.,Masani,A. and Virgopia,N. Massive homogeneous helium-star models, 3=16398
Cimino,M. See Cialdea,R., 3=1518
Cimpl,Z. The dependence of the rectangular hysteresis loop on the external stress in manganese—magnesium and manganese ferrites, 3=23189
Cindro,N. See Delaunay-Olkowsky,J., 3=24931
Cindro,N. See Olkowsky,J., 3=22382
Cini,M. See Amati,D., 3=17222
Cini,M. See Cassandro,M., 3=19570
Ciobanu,G. and Croitoru,N. Electrical conductivity in thin semiconductor slices, 3=851
Ciobotaru,D. See Badareu,E., 3=19219
Cioca,V. Technique for growth and processing of large Pb and Zn single crystals for monochromatizing neutron beams, 3=23403
Ciocchetti,G. See Bosco,B., 3=19710
Ciok,P. Ionization measurements on very steep tracks of singly charged fast particles in nuclear emulsion, 3=22047
Ciok,P.,Saniewska,T.,Zieliński,P.,Haskin,D. and Lohrmann,E. Emission of slow particles in high energy interactions of nucleons with heavy nuclei in emulsion, 3=8084
Ciok,P. See Bogdanowicz,J., 3=8103
Ciudin,T. See Andreesco,I., 3=17311
Ciuffolotti,L. and Demichelis,F. Disintegration of ^{27}Mg, 3=6199
Ciurlo,S.,Picasso,E.,Tomasini,G.,Gainotti,A.,Lamborizio,C. and Mora,S. π^--meson inelastic interactions at 16.2 GeV/c in emulsions, 3=8120
Ciurlo,S. See Marzari-Chiesa,A., 3=7848
Čížek,J. A new method of approximative calculation of polycentric integrals used in the quantum mechanical study of molecular structure, 3=8221
Cízek,J. See Koutecký,J., 3=1614
Claassen,H.H. See Weinstock,B., 3=12839
Cladis,J.B. and Walt,M. Behavior of geomagnetically trapped electrons injected by high-altitude nuclear detonations, 3=9114
Claesson,A. Velocity dependent neutron transport theory with high energy sources, 3=10126
Claiborne, L.T. See Einspruch, N.G., 3=18160
Claiborne,L.T. and Einspruch,N.G. Oscillatory behaviour of ultrasonic attenuation in superconducting Nb—Zr alloys, 3=12035
Clapham,P.B. The production and properties of thin films of lead monoxide, 3=8927
Clapier,R. See Devienne,F.M., 3=24223
Clarenburg,L.A. See Princen,L.H., 3=21008
Claridge,R.F.C. and Maddock,A.G. Chemical effects of radiative thermal neutron capture. XI. Thermal and radiation annealing in neutron irradiated phosphates, 3=22872
Clark,A.E., Bozorth,R.M. and Desavage,B.F. Anomalous thermal expansion and magnetostriction of single crystals of dysprosium, 3=20551
Clark,A.E.,DeSavage,B.,Coleman,W.,Callen,E.R. and Callen,H.B. Saturation magnetostriction of single-crystal YIG, 3=15888
Clark,A.E. and Strakna,R.E. The low-temperature excess specific heat of SiO$_2$ glass, 3=767
Clark,A.E. See Callen,E.R., 3=15901
Clark,A.E. See Strakna,R.E., 3=13330
Clark, A.F. See Brown, G.M., 3=4298
Clark,B.G. A new method of directly measuring the galactic magnetic field, 3=9282
Clark,C.B. See Hendricks,J.B., 3=12914
Clark,C.D. See Kaufman,J.V.R., 3=10694
Clark,C.D. See Kaufman,J.V.R., 3=22836
Clark,D.,Jepson,K.S. and Lewis,G.I. A study of the titanium—aluminium system up to 40 At.-% aluminium, 3=13502
Clark,D.J. International conference on sector-focused cyclotrons, 3=2062
Clark,D.J.,Richardson,J.R. and Wright,B.T. Design and operation of the U.C.L.A. 50 MeV spiral-ridge cyclotron, 3=5730
Clark,G. See Hersil,J., 3=4507
Clark,G.L. An action principle in general relativity, 3=1599
Clark,G.L. and Wuerker,R.F. Plasmoid dipole rotation in a theta pinch, 3=5675
Clark,G.L. See Ridgway,S.L., 3=14335
Clark,G.W. Extensive air showers at their maximum development, 3=4514
Clark,G.W. See Bradt,H.U., 3=4518
Clark,G.W. See Kraushaar,W.L., 3=617
Clark,H.K. Interaction of fissionable units, 3=8142
Clark,K.C. See Fairchild,C.E., 3=22485
Clark,K.C. See Prag,A.B., 3=22486
Clark,M.,Jr. See Hansen,K.F., 3=11666
Clark,M., Jr. See Pomraning,G.C., 3=18755
Clark,M., Jr. See Pomraning,G.C., 3=18756
Clark,M.A. See Broude,C., 3=6165
Clark,M.A. See Gove,H.E., 3=10255
Clark,R.B.,Swift-Hook,D.T. and Wright,J.K. The prospects for alternating current magnetohydrodynamic power generation, 3=7693
Clark,S.P.Jr.[Appendix] Effect of pressure on the melting of diopside, CaMgSi$_2$O$_6$, and albite, NaAlSi$_3$O$_8$ in the range up to 50 kilobars, 3=9657
Clark,W.T.,Connolly,A. and Hirst,W. The friction and wear of electrographite, 3=8787
Clark,W.T.and Powell,R.W. Measurement of thermal conduction by the thermal comparator, 3=276
Clarke,B.H.,Pearson,R.F.,Teale,R.W. and Tweedale,K. Rare-earth ion relaxation in ferrimagnetic resonance, 3=15925
Clarke,B.H. See Teale,R.W., 3=15924
Clarke,F.J.P. See Bowen,D.H., 3=20169
Clarke,F.J.P. See Tattersall,H.G., 3=6802
Clarke,G.R. See London,H., 3=5565
Clarke,H.C.and Hogg,B.G. Positron annihilation in solid cyclohexane as a function of temperature, 3=2774
Clarke,J.F. Radiation-resisted shock waves, 3=1761
Clarke,R.W.,Scott,P.F. and Smith,F.G. On Hanbury Brown's interpretation of the radio source counts, 3=11605
Claro,C.J. Thermodynamics of the thermoelectricity in the change of phase, 3=25423
Clarricoats,P.J.B. See Courtney,W.E., 3=15883
Claudel,J. See Hadni,A., 3=3006
Claus,A. Onset of fragility of tantalum caused by hydrogen, at the ambient temperature: influence of nitrogen in solid solution and of the rate of deformation, 3=6804
Claus,H. and Ulmer,K. Proof of the band structure of some transition metals in the X-ray bremsstrahlung spectrum, 3=4979
Claus,H. and Ulmer,K. Study of the energy band structure of Ta, Nb, W and Mo by isochromat measurements, 3=15468
Clauser,F.H. Concept of field modes and the behavior of the magnetohydrodynamic field, 3=9922
Clausnitzer,G. A source of polarized protons, 3=24732
Clausnitzer,G. See Hwang,C.F., 3=24731
Clauss,J. Are fast reactors with small fuel concentrations possible?, 3=2523
Clawson,A.R. See Wieder,H.H., 3=20383
Claxton,T.A. See Benson,G.C., 3=22632
Clayton,C.G. and Whittaker,J.B. Bulk photoconductivity detectors suitable for gamma radiation, 3=24677
Clayton,C.G. See Snyman,G.C., 3=22109
Clayton,D.B. The analysis of aluminium intermetallic compounds by the electron-probe microanalyser, 3=11366
Clayton,D.D. Energy levels of N^{14} from N^{15}(He^3,α)N^{14*}, 3=6162
Clayton,D.D. A calculation of the abundances of uranium and thorium from the primordial Pb^{206}/Pb^{207} ratio, 3=25971
Clayton,G.T. See Kruh,R.F., 3=7198
Clearfield,A. The synthesis and crystal structure of some alkaline earth titanium and zirconium sulfides, 3=8850
Cleary,J. Breakdown phenomena in thermionic gas-filled diodes, 3=2024
Cleary,J.G. See Johansen,H.A., 3=10882
Cleek,G.W. See Malitson,I.H., 3=20439
Clegg,A.B. Energy levels of B^{11} in the unified model, 3=2382
Clegg,A.B. See Fisher,P.S., 3=19846
Clegg,A.B. See Measday,D.F., 3=19838
Clegg,A.B. See Rowe,D.J., 3=2451
Clegg,A.B. See Rowe,D.J., 3=10342
Clegg,A.B. See Salmon,G.L., 3=10350
Cleland,J.W., Bass,R.F. and Crawford,J.H.,Jr. The effect of dislocations and disordered regions on Co^{60} photon—induced defects in Ge, 3=20173

Clemens,K.H. and Jaumann,J. Magneto-optical and optical properties of ferromagnetic films in the infrared, 3=10919
Clément, C. and Bothorel, P. Molecular optical anisotropy of normal paraffins in dilute solution, 3=136
Clement,C.F. Electric polarizability of the deuteron, 3=4472
Clement,C.F. Effect of the nuclear electric field on the elastic scattering of deuterons, 3=4663
Clément,G. Photoproduction and electron production of muons of very high energy, 3=24756
Clement,M. See Chabbal,R., 3=24229
Clementi,E. Correlation energy for atomic systems, 3=15275
Clementi,E. Dissociation energy computations in diatomic molecules: an example, 3=20025
Clementi,E. Correlation energy for atomic systems. II. Isoelectronic series with 11 to 18 electrons, 3=22466
Clementi,E. and McLean,A.D. Self-consistent-field wavefunctions for the N_3^- and NO_2^+ molecules, 3=25110
Clementi,E. and Raimondi,D.L. Atomic screening constants from s.c.f. functions, 3=17521
Clements,T.C. and Müller,E.W. Occurrence of H_3^+ in the field ionization of hydrogen, 3=4019
Clemmow,P.C. Wave amplification in a plasma stream in a medium of high refractive index, 3=1985
Clemmow,P.C. The mathematics of wave propagation through the ionosphere, 3=16247
Clemmow,P.C. Summary: The mathematics of wave propagation through the ionosphere, 3=16248
Clendenin,W. Note on spectrum hardening for non 1/V cross-sections, 3=22460
Clendenin,W.W. Fresnel diffraction of the plane phase grating, 3=5529
Clendenin,W.W. Effect of zero gradient boundary conditions on cell calculations in cylindrical geometry, 3=6322
Clerc,F. See Villers,G., 3=3124
Clerc,G. See Aubert,M., 3=1478
Cleva,H.V. See Kofoid,M.J., 3=4190
Clifft,R.W. See Andrews,P.T., 3=4665
Clift,J.,Curry,C. and Thompson,B.J. Soft X'ray emission spectra of nickel—copper alloys, 3=23087
Clift,J.,Curry,C. and Thompson,B.J. Soft X-ray emission spectra of zinc and a copper—zinc alloy, 3=23088
Clifton,D.G. Measurements of the viscosity of krypton, 3=9494
Clifton, T.E. See Kennedy, A.J., 3=18188
Climer,B.J. Electron current densities and transverse velocities in Pierce emission systems, 3=4186
Cline,C.F. See Smith,D.K., 3=1320
Cline,H.E.,Rose,R.M. and Wulff,J. Niobium—thorium eutectic alloy as a high-field, high-current superconductor, 3=14457
Cline, J.E. and Heath, R.L. Study of the radiations emitted in the decay of Ni^{65}, 3=17434
Cline,J.E. and Reich,C.W. Investigation of high-spin states in Er^{166}, 3=10269
Cline,T.L. See Bryant,D.A., 3=7953
Clinton,W.L. Volume dependence of the energy of an enclosed quantum mechanical system, 3=3764
Clinton, W.L. Forces in molecules. II. A differential equation for the potential-energy function, 3=17550
Clogston,A.M. Upper limit for the critical field in hard superconductors, 3=337
Clogston, A.M., Gossard, A.C., Jaccarino, V. and Yafet, Y. Orbital paramagnetism and the Knight shift of d-band super-conductors, 3=336
Clogston,A.M., Matthias,B.T., Peter,M., Williams,H.J., Corenzwit,E. and Sherwood,R.C. The local magnetic moment associated with an iron atom dissolved in various transition metal alloys, 3=993
Clogston,A.M. See White,J.A., 3=15725
Closs,G.L. See Brandon,R.W., 3=4775
Cloud,W.H. See Austin,A.E., 3=23197
Cloud,W.H. See Darnell,F.J., 3=13282
Cloud,W.H. See Jarrett,H.S., 3=1026
Clough,S. Spin relaxation of a rotating pair of nuclei, 3=15951
Clough,S. and Gray,K.W. Spin diffusion and nuclear magnetic resonance in rotating solids, 3=6762
Clough,S.,Gray,K.W. and McDonald,I.R. The width of nuclear magnetic resonance rotary saturation lines, 3=20674
Clough,S.A. See Schurin,B., 3=15339
Clough,S.A. See Schurin,B., 3=16773
Clougherty,E.V. and Kaufman,L. The thermodynamic properties of α, f.c.c., nickel—zinc alloys, 3=25746
Clougherty,E.V. See Kaufman,L., 3=13523
Cloupeau,M. Interpretation of luminous phenomena observed in electromagnetic shock tubes, 3=16701
Cloutier,G.G. and Carswell,A.I. Plasma quenching by electronegative gas seeding, 3=19237
Cloutier,J.A.R, See Bhatnagar,V.M., 3=1406
Clunie,D.M. See Boot,H.A.H., 3=9987
Clusius,K. Simple experiment for the demonstration of a shock wave, 3=9546
Clusius,K., Schleich,K., Endtinger,F., Bernstein,R. and Vogelmann,M. Relation between the vapour pressures in the systems $C^{12}H_4/C^{13}H_4$-$C^{12}H_3D$; $N^{14}{}_2O/N^{15}N^{14}O$; $SO^{16}{}_2/SO^{18}{}_2$ and Ar^{36}/Ar^{40}, 3=19073
Clynne,M.A.A. and Thrush,B.A. Isotopic exchange in the $O + NO_2$ reaction, 3=18436
Coates,D.G. Lead selenide evaporated layer photoconductive detectors for room temperature operation, 3=15633
Coates,D.W. and Nash,W.F. Sea-level momentum spectra of muons, 3=2346
Coates,R.V. Spectral contamination of sealed-off X-ray tubes, 3=17011
Coats,G.T. See Saxton,J.A., 3=1706
Cobb, T.B. See Memory, J.D., 3=17614
Cobb,W.C. Apparatus for the measurement of $\alpha-\gamma$ angular correlations, 3=24882
Čobić,B. See Perović,B., 3=7655
Cobie,B. and Carter,G. Concerning the ion pumping mechanism in argon and nitrogen, 3=23946
Coble,R.L. A model for boundary diffusion controlled creep in polycrystalline materials, 3=15997
Coble,R.L. See Kingery,W.D., 3=23357
Coburn,N. Intrinsic characteristic equations for relativistic compressible hydromagnetic flows, 3=9915
Cocca,U. See Bilinski,J.R., 3=25308
Coccia,F. See Bolle,A., 3=1458
Cocco,A. and Barbariol,I. Studies on the electrical conductivity of oxides at high temperatures, 3=8550
Cocconi,G. See Baker,W.F., 3=7854
Cocconi,V.T. See Baker,W.F., 3=7654
Cocconi,V.T. See Brandt,S., 3=17324
Coceva,C. Pulse-shape discrimination with a glass scintillator, 3=10132
Cochardt,A. Modified strontium ferrite, a new permanent magnet material, 3=15881
Coche,A. See Henck,R., 3=21447
Coche,A. See Laustriat,G., 3=9470
Coche,A. See Pfeffer,G., 3=18979
Coche,A. See Siffert,P., 3=14830
Coche,A. See Walter,G., 3=20532
Cocho Gil, G. Resonance model in nucleon—antinucleon annihilation, 3=17268
Cochran,D.R.F. and Knight,J.D. Excitation functions of some reactions of 6 to 24 MeV He^3 ions with carbon and aluminum, 3=2497
Cochran,D.R.F. See Bryant,E.A., 3=12702
Cochran,J.F. and Yaqub,M. The mean free path of electrons in very pure gallium, 3=22892
Cochran,J.F. See Yaqub,M., 3=17817
Cochran,W. Review paper on lattice vibrations, 3=10576
Cochran,W. Lattice vibrations, 3=22634
Cochran,W. See Cowley,R.A., 3=20075
Cochran,W. See Johnson,F.A., 3=10927
Cockayne,B. See Bardsley,W., 3=25665
Cockett,G.H. and Davis,C.D. The effect of volume changes on the high pressure $\alpha \rightleftharpoons \gamma$ transformation in Fe—Si alloys, 3=5124
Cockett,G.H. and Davis,C.D. The lattice expansion of Fe—Si alloys and the volume change at the A_3 point, 3=10602
Cocking,S.J. and Turberfield,K.C. The dynamics of liquid sodium by neutron scattering, 3=1675
Cockroft,H.S.,Malein,A. and Shatford,P.A. Stabilized pinch experiment, 3=21801
Codegone,C. Characteristic parameters of the phenomenon of diffusion, 3=16649
Codina,S. Some astronomical applications of the virial theorem, 3=18591
Codling,K. See Madden,R.P., 3=19927
Cody,G.D. See Beers,D.S., 3=10611
Coekelbergs,R.,Frennet,A.,Lienard,G. and Resibois,P. On the kinetics of chemisorption, 3=23544

Coelho,R. See Fallah,E., 3=10866
Coensgen,F.H.,Cummins,W.F.,Nexsen,W.E.,Jr and Sherman,A.E. Production and containment of hot deuterium plasmas in multistage magnetic compression experiments, 3=12150
Coester,F. Particles with zero mass and particles with "small" mass, 3=10027
Coffin,C.T., Curtis,L.J., Meyer,D.I. and Terwilliger,K.M. Use of relative ionization for particle identification in multitrack spark chamber pictures, 3=17140
Coffin,L.F.,Jr. Low cycle fatigue: a review, 3=13376
Coffin,L.F.,Jr. See Raymond,M.H., 3=20752
Coffman,M.L. Source equation for magnetic flux density, 3=12282
Coffou,E. The charge asymmetry of the deuteron and nuclear stripping reactions, 3=10380
Cofta,H. Superstructural anisotropy of the spin wave dispersion in antiferromagnetics. II. Application to the existence problem of superstructures, 3=15902
Cofta,H. Spin wave spectrum in antiferromagnetics with ferromagnetic double planes, 3=23194
Cogan,V.S. See Ozerov,R.P., 3=1319
Coggeshall,N.D. Studies of metastable ion transitions with a 180° mass spectrometer, 3=2665
Cohan,N.V., Pugh,D. and Tredgold,R.H. Band structure of diamond, 3=20135
Cohen,B.G. See Bond,W.L., 3=10852
Cohen,B.G. See Logan,R.A., 3=6574
Cohen,B.L. Observations on the energies of single-particle neutron states, 3=10247
Cohen,B.L. and Chubinsky,O.V. Nuclear structure studies in the zirconium isotopes with (d,p) and (d,t) reactions, 3=24866
Cohen,B.L.,Fulmer,R.H.,McCarthy,A.L. and Mukherjee,P. Location of neutron single-particle levels from stripping reactions, 3=19762
Cohen,B.L. See Baron,N., 3=10382
Cohen,B.L. See Fulmer,R.H., 3=2390
Cohen,B.L. See Jolly,R.K., 3=6281
Cohen,B.L. See Jolly,R.K., 3=15220
Cohen,D., Moyer,B.J., Shaw,H.C. and Waddell,C.N. Bremsstrahlung from proton bombardment of nuclei, 3=14947
Cohen,E.G.D. On the generalization of the Boltzmann equation to general order in the density, 3=56
Cohen,E.G.D. Cluster expansions and the hierarchy. I. Non-equilibrium distribution functions, 3=57
Cohen,E.G.D. Cluster expansions and the hierarchy. II. Equilibrium distribution functions, 3=58
Cohen,E,G.D. On the kinetic theory of dense gases, 3=11828
Cohen,E.G.D. and Ernst,M.H.J.J. On the validity of the Kubo formulae for transport coefficients, 3=18850
Cohen,E.R. and Reiss,H. Kinetics of reactant isolation. I. One-dimensional problems, 3=8946
Cohen,J. Tunnel emission into vacuum. II, 3=5692
Cohen,J. and Cooper,P. A subjective value of a "bit" of information, 3=7060
Cohen,J., Creer,K.M., Pauthenet,R. and Srivastava,K. Magnetic properties of fine-grained antiferromagnetic substances, 3=1094
Cohen,J., Pauthenet,R. and Srivastava,K.G. Magnetic properties of fine particles of NiO, Cr_2O_3 and $\alpha-Fe_2O_3$, 3=3137
Cohen,J.,Pauthenet,R. and Srivastava,K.G. The magnetic properties of fine particle antiferromagnetics, 3=8697
Cohen,J. See Weil,L., 3=15758
Cohen,J.B. and Fine,M.E. Some aspects of short-range order, 3=8905
Cohen,J.B. and Weertman,J. A dislocation model for twinning in f.c.c. metals, 3=25656
Cohen,J.B. See Herman,H., 3=8881
Cohen,J.P. See Albouy,G., 3=4642
Cohen,J.P. See Albouy,G., 3=19852
Cohen,L. and Dickinson,R.W., The measurement of the resistivity of power station flue dust, 3=9693
Cohen,L. See Slater,C., 3=8981
Cohen,M. and Dalgarno,A. Correlation effects in atomic systems, 3=19920
Cohen,M. and Dalgarno,A. An expansion method for calculating atomic properties. III. The ^2S and $^2P^0$ states of the lithium sequence, 3=25052
Cohen,M. See Duhl,D., 3=8449
Cohen,M. See Hirano,K., 3=13006
Cohen,M. See Radcliffe,S.V., 3=5122
Cohen,M. See Sewell,P.B., 3=20928
Cohen,M.H. Scattering and conversion cross sections in inhomogeneous plasma, 3=499
Cohen,M.H. Interatomic interactions in metals, 3=8329
Cohen,M.H. Generalized self-consistent field theory and the dielectric formulation of the many-body problem, 3=14050
Cohen,M.S. Spiral and concentric-circle walls observed by Lorentz microscopy, 3=15846
Cohen, M.S. Influence of anisotropy dispersion on magnetic properties of Ni-Fe films, 3=18083
Cohen,M.S. A Lorentz attachment for the R.C.A. E.M.U.-3 microscope, 3=18415
Cohen,M.V. See Falicov,L.M., 3=10626
Cohen,R. See Casaverde,M., 3=25960
Cohen,R.L. Mössbauer effect in Tm^{169} in thulium iron garnet, 3=20061
Cohen,R.L.,McMullin,P.G. and Wertheim,G.K. High velocity drive for Mössbauer experiments, 3=19514
Cohen,R.W. and Abeles,B. Efficiency calculations of thermoelectric generators with temperature varying parameters, 3=14510
Cohen,S. and Swiatecki,W.J. The deformation energy of a charged drop. V. Results of electronic computer studies, 3=19899
Cohen,S.G. and Gilat,G. Hyperfine interactions of the 2^+ state in Dy^{160}, 3=1155
Cohen,S.G. See Bauminger,R., 3=994
Cohen-Ganouna,J.,Lambert,M. and Schmouker,J. Spin and parity of some levels of S^{32} by analysis of $P^{31}(p,p)P^{31}$ scattering, 3=7988
Cohen-Ganouna,J.,Lambert,M. and Schmouker,J. $A^{40}(p,pA^{40})$ and $A^{40}(p,\gamma)K^{41}$ reactions, determination and study of some excited levels of K^{41}, 3=7991
Cohen-Ganouna,J.,Lambert,M. and Schmouker,J. Spin and parity of 8.926 and 8.988 MeV excited levels of O^{15}, 3=12582
Cohen-Solal,L. The infrared photographic reversal [Herschel] effect in the presence of an electric field, 3=3901
Cohen-Tannoudji,C. Quantum theory of the optical pumping cycle, experimental verification of new predicted effects. I. 3=10464
Cohen-Tannoudji,C. Quantum theory of the optical pumping cycle. Experimental verification of new predicted effects. II. 3=10465
Cohen-Tannoudji,C. See Manuel,J., 3=23943
Cohn,H. See Block,M.M., 3=12508
Cohn,J. Theory of electrolytes, 3=8966
Cohn,M.L. See Brust,D., 3=4960
Coiley,J.E. See Simms,D.L., 3=11991
Coing-Boyat,J.and Bassi,G. Structure of monohydrated sulphates of divalent metals in the "magnesian series", MSO$_4$H$_2$O (M = Mg, Mn, Fe, Co, Ni, Cu, Zn), 3=18327
Cojocaru,L. See Nachman,M., 3=2909
Cojocaru,V. See Kozhokaru,V.
Colbert,H.M. and Zankel,K.L. Light diffraction by ultrasonic waves—Fresnel region, 3=9616
Colbert,H.M. and Zankel,K.L. Light diffraction by ultrasonic-wave visualization, 3=14366
Colbow,K. and Barrie,R. Half-width of infrared absorption lines in boron-doped silicon, 3=23080
Colburn,D.S. and Kino,G.S. First-order space-charge correction, 3=21872
Colburn,P.J. and Hannaford,J. The design and testing of a low frequency spectrum analyser, 3=24161
Coldwell-Horsfall, R.A. Relation between elastic constants and second- and third-order force constants for face-centered and body-centered cubic lattices, 3=4804
Coldwell-Horsfall,R.A. and Maradudin,A.A. Erratum: Zero-point energy of an electron lattice, 3=12941
Cole,A.R.H. Some aspects of infrared spectroscopy and molecular structure, 3=15316
Cole,B.G. See Dove,D.B., 3=574
Cole,C.F., Jr. The dielectric constant of a semiconductor as related to the intrinsic activation energy, 3=847
Cole,G.H.A. Fourth virial coefficient for a square-mound-potential gas, 3=1721
Cole,G.H.A. Scattering of small-wavelength neutrons by a square-mound-potential gas, 3=7864
Cole,H.,Okaya,Y. and Chambers,F.W. Computer-controlled diffractometer, 3=23425
Cole,J.D. Analytic methods and approximation of m.h.d. problems, 3=21954
Cole,J.D. See Greifinger,C., 3=7542

Cole,J.N.,Powell,R.G.,Oestreicher,H.L. and von Gerke,H.E. Acoustic siren for generating wide band noise, 3=9569
Cole,K.D. A note on partial criticisms of dynamo theory of magnetic disturbance, 3=3490
Cole,K.D. On Chamberlain's theory of auroral bombardment, 3=6993
Cole,K.D. The directions of auroral rays, 3=11448
Cole,K.D. Damping of magnetospheric motions by the ionosphere, 3=25959
Cole,P.H. and Vaughan,R. A general purpose precision magnet supply, 3=19136
Cole,R.H. Theory of electric dipole relaxation, 3=22539
Cole, T, Kushida, T. and Heller, H.C. Zero-field electron magnetic resonance in some inorganic and organic radicals, 3=17609
Cole,T.T. and Oppenheimer, F. Polarization by reflection and some optical constants in the extreme ultraviolet, 3=14375
Cole,W.F. Moisture expansion of a ceramic body and its internal surface area, 3=6878
Colebourne,N. and Wolfgang,R. Some gas phase reactions of hot and thermal atomic fluorine, 3=21005
Colegrove, F.D. See Phillips,G.C., 3=15050
Colegrove,F.D. See Shearer,L.D., 3=12523
Coleman,B.D. and Fox,T.G. Multistate mechanism for homogeneous ionic polymerization. I. the diastereosequence distribution, 3=11343
Coleman,B.D. See Bragg,L.E., 3=11736
Coleman,B.D. See Bragg,L.E., 3=21273
Coleman,J.J. Methods of estimating fatigue-curve parameters with a limited number of specimens, 3=20733
Coleman,J.W. A freezing technique in the microscope giving self-supporting specimens, 3=20968
Coleman,K.R. Ultra-high-speed photography, 3=21579
Coleman,K.R. See Brown,B.S., 3=16741
Coleman,P.J., Jr,Davis,L., Jr,Smith,E.J. and Sonett,C.P. Interplanetary magnetic fields, 3=7020
Coleman,P.J., Jr. See Judge,D.L., 3=9127
Coleman,P.J.Jr. See Smith,E.J., 3=18619
Coleman,R.V. See Funes,A.J., 3=25329
Coleman,W. See Callen,E.R., 3=15901
Coleman,W. See Clark,A.E., 3=15888
Coles,B.A. See Owen,J., 3=3176
Coles,B.R. Low-temperature resistivity behaviour of molybdenum—iron, niobium—iron and palladium—iron alloys, 3=13035
Coles,B.R. See Bellau,R.V., 3=20554
Coles,B.R. See Griffiths,D., 3=20555
Coles,B.R. See Merriam,M.F., 3=14453
Coles,J.A.,Phillips,T.J. and Ichikawa,Y. Hot carbon replica technique for thermistors, 3=18409
Coles,R.E. The permeability of silver to oxygen, 3=13549
Colin,Y. and Tufeu,R. Semiconducting properties of cadmium oxide powders, 3=22940
Collard,H.,Hofstadter,R.,Johansson,A.,Parks,R.,Ryneveld,M., Walker,A.,Yearian,M.R.,Day,R.B. and Wagner,R.T. Electron scattering in tritium and He^3, 3=25065
Colleau,J. Infinitesimal stability of solutions of Einstein's equations, 3=9339
Colley,D., Gelfand,N., Nauenberg,U., Steinberger,J., Wolf,S., Brugger,H.R., Kramer,P.R. and Plano,R.J. Resonances in strange-particle production, 3=2322
Colley,D. See Alff,C., 3=4432
Colley,D. See Alff,C., 3=4433
Colley,D. See Berley,D., 3=12497
Colley,D.C. and Ratau,J.T. Experimental study of double-charged pion production in (π,p) collisions at 900 MeV, 3=10149
Colli,L., Cristofori, F., Frigorio,G.E. and Sona,P.G. Measurement of the cross-section for the production of hydrogen atoms in the metastable excited 2S state, 3=4717
Colli,L.,Facchini,U.,Iori,I.,Marcazzan,M.G.,Milazzo,M. Menichella,E.S. and Tonolini,F. Study of the Si^{28} (n, α) reaction and experimental evidence of the Ericson fluctuations, 3=2473
Colli,L.,Gadioli,E.,Micheletti,S. and Lucioni,D. The (n, d) pick-up reaction on $f_{\frac{7}{2}}$ proton shell nuclei, 3=19865
Colli,L., Iori,I., Marcazzan,M.G. and Milazzo,M. Properties of compound nucleus from experimental measurement of the $Si^{28}(n, \alpha)Mg^{25}$ reaction, 3=15212
Colli,L. and Tonolini,F. Ericson effect in (d,p) reactions, 3=8127
Colli,L. See Bassani,G., 3=2584
Collier,R.S. See Harden,J.L., 3=16863
Collin,J.E. Ionization potential of NO_2, 3=4014
Collin,J.E. The Franck-Condon principle and the ionization of molecules, 3=8228
Collin,J.E. Ionization by charge transfer of adsorbed gases in mass spectrometers, 3=24212
Collin,W.,Daniel,H.,Margulies,S.,Mehling,O.,Schmidlin,P., Schmitt,H. and Subudhi,K.S. The spins of Pr 144 from β—γ correlation measurements, 3=22308
Collingbourne,R.H. The measurement of the vertical electric current in the atmosphere, 3=6964
Collins,C. See Jelly,D.H., 3=5876
Collins,D.A. See Wieder,H.H., 3=13156
Collins,G.B. See Chadwick,G.B., 3=2261
Collins,G.B. See Fujii,T., 3=2262
Collins,G.B. See Purcell,E.M., 3=10069
Collins,J.D. A rotator to study the dimensions of non-circular filaments, 3=11647
Collins,J.G. On the calculation of the temperature variation of the coefficient of thermal expansion for materials of cubic structure, 3=10607
Collins,J.H. and Daly,P. Calculations for guided electromagnetic waves using finite-difference methods, 3=14773
Collins, K.E. and Willard, J.E. Szilard—Chalmers chemistry and radiation chemistry of solid hexabromoethane. Thermal annealing and radiation annealing effects, 3=3412
Collins,M. and Schowalter,W.R. Laminar flow in the inlet region of a straight channel, 3=106
Collins, M.F. and Forsyth, J.B. The magnetic moment distribution in some transition metal alloys, 3=18098
Collins,M.F.,Jones,R.V. and Lowde,R.D. On the magnetic moments and the degree of order in iron-nickel alloys, 3=1106
Collins,M.F. and Wheeler,D.A. Magnetic moments and the degree of order in cobalt—nickel alloys, 3=25539
Collins,M.F. See Low,G.G.E., 3=15858
Collins,R. See Lasek,A., 3=9808
Collins,R.E. and Davies,L.W. Energy distribution of hot electrons in aluminum, 3=19301
Collins,R.J. High order cavity modes in optical masers, 3=22009
Collins,R.J. and Nelson,D.F. The pulsed ruby optical maser, 3=17077
Collins,S.A. and White,G.R. Interferometer laser mode selector, 3=17085
Collins,T. See Wade,W., 3=16141
Collinson,A.J.L. and Hill,R. The fluorescent response of NaI(Tl) and CsI(Tl) to X-rays and γ-rays, 3=13215
Collinson,D.W.,Molyneux,L. and Stone,D.B. A total and anisotropic magnetic susceptibility meter, 3=14718
Collomby,J. See Maleval,C., 3=4037
Collongues,R. See Galtier,F., 3=7590
Collot,C. and Faivre,R. Effect of cooling rate on the γ—β transformation of U—Nb alloys cooled from the γ-phase, 3=8888
Collot,C. and Faivre,R. Metallographic study of the structure of uranium—niobium alloys with 2.5 and 5 at.% Nb quenched from the γ-phase, 3=8894
Collot,C. and Faivre,R. Kinetic study of the transformation of the β-phase retained by quenching from the $\beta + \gamma_1$-phase in the alloy uranium—2·5 at.% niobium, 3=16100
Colombani, A. and Daridon,H. Conductivity and perpendicular hall effect of thin films of cobalt, 3=17822
Colombani,A. and Huet,P. Hall effect in thin films of bismuth, 3=6564
Colombani,A. and Huet,P. Thermal evolution of the magnetoresistance of thin films of bismuth, 3=8517
Colombani,A. and Huet,P. The magnetoresistance of thin plates of bismuth, 3=22904
Colombie,N. See Simon,R., 3=427
Colombino,P.,Fiscella,B. and Trossi,L. Point slits versus linear slits in the angular correlation of positron annihilation radiation, 3=7835
Colombo,G.,Lautman,D. and Munford,C. On the libration orbits of a particle near the triangular point in the semirestricted three-body problem, 3=11743
Colonnetti,G. Properties of the "coactive" state, 3=20714
Colonnettie,G. A new instrument for the generation of constraints, 3=84

Colpa, J.P. and Bolton, J.R. Hyperfine coupling constants and their dependence on charge densities, 3=17552
Colpa,J.P. and de Boer,E. Spin polarisation versus hyperconjugation in electron spin resonance spectra of substituted aromatic systems, 3=22591
Coltman,R.R. Reactor irradiation studies at $4^{\circ}K$, 3=10698
Coltman, R.R.Jr., Klabunde, C.E., McDonald, D.L. and Redman, J.K. Reactor damage in pure metals, 3=2847
Colton,R. The construction and calibration of a variable temperature Gouy magnetic susceptibility apparatus, 3=14717
Columbani,A. See Vaumoron,J., 3=16143
Colvin,C.I.,Keenan,A.G. and Hunt,J.B. Isotopic tracer study of the chloride-catalyzed thermal decomposition of ammonium nitrate, 3=20988
Colvin,R.V. and Arajs,S. Electrical resistivity of scandium, 3=10722
Colvin,R.V. See Arajs,S., 3=15757
Colvin,R.V. See Chessin,H., 3=11030
Colwell,J.H.,Gill,E.K. and Morrison,J.A. Thermodynamic properties of CH_4 and CD_4. Interpretation of the properties of the solids, 3=22658
Colwell,J.H. and Halsey,G.D.,Jr. Vapor pressure studies of sulfur trioxide and the water-sulfur trioxide system, 3=9663
Comănescu,V.,Oncescu,M.,Şandru,P. and Ţopa,A. Development and testing of an electrode for neutron–neutron and neutron–gamma radioactive logging, 3=21028
Combourieu,J. See Hajal,I., 3=3850
Combs,J.F. See Albert,M.P., 3=1650
Comeaux,A.R. See Mahadevan,P., 3=22511
Comeford,J.J.,Mann,D.E.,Schoen,L.J. and Lide,D.R., Jr. Infrared spectrum of difluoramine, 3=8275
Comes, F.J. Mechanism of He_2^+ formation, 3=14523
Comisar,G.G. Structure of strong plasma shock waves in a transverse magnetic field, 3=7541
Comisar,G.G. Collisional damping of plasma oscillations, 3=7619
Comisar,G.G. Bimodal distributions and plasma shock wave structure, 3=21489
Comly,J.B.,Penney,T. and Jones,R.V. Spin-wave instabilities in magnetic thin films, 3=15922
Commerford,G.E. See Nevill,G.E.,Jr., 3=19048
Commins, E.D. and Dobson, D.A. Beta-decay asymmetry and nuclear magnetic moment of neon 19, 3=17427
Commins,E.D. and Feldman,H.R. Spin, hyperfine structure, and nuclear magnetic dipole moment of O^{15}, 3=19945
Common,A.K. See Burhop,E.H.S., 3=6068
Common,A.K. See Jauneau,L., 3=12511
Common,A.K. See Jauneau,L., 3=19708
Comolet,R. Forced flow of a gas between a surface and a rotating disk, study of the viscous couple exerted on the disk, 3=9485
Companion,A.L. The diffuse reflectance spectra of zinc oxide and zinc peroxide, 3=13190
Companion,A.L. and Wyatt,R.E. The diffuse reflectance spectra of some titanium oxides, 3=23040
Compton,V.B. See Geballe,T.H., 3=3962
Compton,V.B. See Matthias,B.T., 3=1900
Compton,V.B. See Matthias,B.T., 3=14438
Comşa,G. and Iosifescu,B. Adsorption and desorption phenomena in partial and ultra vacua, 3=18862
Comstock,R.L. Parametric coupling of the magnetization and strain in a ferrimagnet. II. Parametric excitation of magnetic and elastic plane waves, 3=13294
Comstock,R.L. and Auld,B.A. Parametric coupling of the magnetization and strain in a ferrimagnet. I. Parametric excitation of magnetostatic and elastic modes, 3=13293
Comstock,R.L. and Dean,W.A. Extension of coincidence limiting frequency range in ferrimagnets, 3=15882
Comstock, R.L. and LeCraw, R.C. Instability of elastic waves by time-varying elastic modulus in ferromagnets, 3=18096
Comstock,R.L. and LeCraw,R.C. Generation of microwave elastic vibrations in a disk by ferromagnetic resonance, 3=23958
Condas,G.A. See Wooten,F., 3=20328
Condé,H. See Asplund-Nilsson,I., 3=12707
Condé,H. See Asplund-Nilsson,I., 3=24988
Condell,W.J. and Mandelberg,H.I. Absorption and emission frequencies in lasers, 3=17086
Condit,R.E. See Aler,G.A., 3=3212
Condo,G.T. and Hill,R.D. Evidence of nuclear structures from K^--meson absorption, 3=4660
Condon,E.U. 60 years of quantum physics, 3=3740
Condrate,R.A. See Nakamoto,K., 3=25120
Conforto,G.,Focardi,S.,Rubbia,C. and Zavattini,E. Direct measurement of μ^- mesonic molecule formation rates in liquid hydrogen, 3=4795
Conforto,G., Rubbia,C. and Zavattini,E. Nuclear capture of negative muons from neon, 3=15216
Conger,R.L. and Moore,G.H. Direct observations of high-speed magnetization reversal in films, 3=14711
Conklin,G.E. and Friauf,R.J. Electron spin resonance of the Z_1 band in KCl with $SrCl_2$, 3=25304
Connell,R.A. Characteristics of the penetration depth of superconducting indium alloys, 3=9783
Connell,R.S. See Chiou,C., 3=7403
Conner,J.P. See Bame,S.J., 3=11457
Conner,J.P. See Bame,S.J., 3=15066
Connes,P. See Bouchareine,P., 3=21540
Connolly,A. See Clark,W.T., 3=8787
Connolly,D.E. The crystal structure of alpha uranium, and tables of crystallographic functions, 3=8837
Connolly,D.E. See Slattery,G.F., 3=8480
Connolly,P.L., Hart,E.L., Lai,K.W., London,G., Moneti,G.C., Rau,R.R., Samios,N.P., Skillicorn,I.O., Yamanoto,S.S., Goldberg,M., Gundzig,M., Leitner,J. and Lichtman,S. Existence and properties of the φ meson, 3=17330
Connolly,P.L. See Bertanza,L., 3=7935
Connolly,P.L. See Bertanza,L., 3=15037
Connor,R.D. Concentration of natural and artificial airborne activities near ground level at Winnipeg, 3=21041
Connor,R.D. See Konopasek,F., 3=24703
Connor,T.M. Cryostat and sample coil assembly for a spin-echo nuclear resonance spectrometer, 3=14793
Connor,T.M. See Allen,G., 3=22592
Conrad,H. Effect of grain size on the lower yield and flow stress of iron and steel, 3=11149
Conrads,H. A sliding spark with low inductance as a light source for the vacuum ultraviolet, 3=11921
Conrath,B.J. See Hanel,R.A., 3=16435
Considine,J.P. and Bauman,R.P. Screening parameters for two-, three-, and four-electron systems, 3=10438
Consoli,T. and Dagai,M. Measurement of the [plasma] electron density by the Faraday effect, 3=4150
Consoli,T., Dagai,M. and Lepechinski,D. Application of the propagation of right circularly polarized waves to u.h.f. diagnosis, 3=4145
Consoli,T., Geller,R. and Le Gardeur,R. Pulsed reflex discharge of P.I.G. type at high density, 3=4042
Consoli,T.,Geller,R. and Le Gardeur,R. Influence of the initial conditions on the adiabatic compression of a column of plasma, 3=21795
Consoli,T.,Ichtchenko,G. and Weill,M. Heating of a plasma by trapping of right-handed circularly polarized waves, 3=9783
Consoli,T.,Ichtchenko,G. and Weill,M. Heating and thermal effects in the propagation of right circularly polarized waves, classification of observable effects, 3=9784
Consoli,T., Ichtchenko,G. and Weill,M. Experimental verification of plasma heating by the propagation of circularly polarized waves, 3=16951
Consoli,T.,Ichtchenko,G. and Weill,M. Experimental verification of phenomena connected with the propagation of right-handed circularly polarized waves in a hot plasma, 3=19252
Consoli,T., le Gardeur,R., Mourier,G., Vial,P. and Roux,R. Interpretation of experimentally observed results on the confinement of plasmas by high frequency electromagnetic and static magnetic fields under resonant conditions, 3=14589
Consoli,T., le Gardeur,R., Mourier,G., Vial,P. and Roux,R. Contribution of confinement by h.f. fields to the analysis of the mechanism of formation of "quasi relativistic" layers of electrons observed in orthogonal pinches, 3=14590
Consoli,T.,Le Gardeur,R. and Slama,L. Confinement of a dense plasma by a static magnetic and stationary electromagnetic fields, 3=21794
Constabaris,G., Sams,J.R., Jr. and Halsey,G.D., Jr. Adsorption isotherms of neon, argon, krypton, xenon, hydrogen, deuterium methane, and tetradeuteromethane on the highly graphitized carbon black P33 (2700°), 3=1377
Constabaris,G. See Sams,J.R.Jr., 3=11324

Constant,E. and De Wavrechin,R. Molecular associations of acetic acid in very dilute solutions, 3=21394
Constant,E. See Raczy,L., 3=21396
Constantinesco,A. See Andreesco,I., 3=17311
Constantinesco,C.,Constantinesco,L. and Ivan,E. A study of the recombination at the third Cu level in n-type Ge, 3=13057
Constantinesco,L. See Constantinesco,C., 3=13057
Constantinescu,F. See Gherman,O., 3=14772
Constantinescu,M.,Constantinescu,O., Gîrd,E.,Rusi,A.,Sabău,C., Spiridon,S. and Ionescu,S. Contribution to a study of the use of organic solvents in cationic exchange, 3=18453
Constantinescu,M.,Constantinescu,O. and Parcaru,I. Contribution to the study of ions absorbed by ion-exchange sorbants by e.p.r. i.e.p.r. spectrum of Cr ions adsorbed by ion-exchange sorbants, 3=8707
Constantinescu, O. Expressions for chemical bonds from electron paramagnetic resonance spectra, 3=17611
Constantinescu,O. See Constantinescu.M., 3=8707
Constantinescu,O. See Constantinescu,M., 3=18453
Conte,R.,Dreyfus,B. and Weil,L. Torsional plasticity of iron whiskers, 3=8763
Conticelli,M. Memory for brightness: Stimuli of small size, surrounded by dark, 3=11629
Conticelli,M. Studies of the fluctuation of apparent brightness, 3=11636
Contogouris,A.P.,Frautschi,S.C. and Wong,H.-S. Regge poles and inelastic scattering at high energies, 3=5952
Contogouris,A.P.,Hadjioannou,F. and Kinoshita,T. Regge poles and the production of high-energy particles by γ-rays, 3=22088
Contogouris,A.P. and Wong,H-S. Weak radiative decays of hyperons, 3=7934
Contopoulos,G. On the existence of a third integral of motion, 3=11492
Contopoulos,G. See Chandrasekhar,S., 3=18720
Conversi,M., Massam,T., Muller,Th. and Zichichi,A. Search for time-like structure of the proton, 3=19629
Convington,A.E. See Saito,K., 3=23706
Conway,J.G. and Wybourne,B.G. Low-lying energy levels of lanthanide atoms and intermediate coupling, 3=15283
Conway,J.G. See Lämmermann,H., 3=8601
Conway,J.G. See McLaughlin,R.D., 3=13181
Conway,J.G. See Worden,E.F., 3=18998
Conway,J.M.,Greenwood,D.A.,Krumhansl,J.A. and Martienssen,W. Oscillator strength for optical absorption by silver ions in alkali halide crystals, 3=10965
Conway,R.G. See Allen,L.R., 3=7051
Conway,R.J. See Carman,E.H., 3=14781
Conwell,E.M. and Levinger,B.W. Band structure of heavily doped semiconductors, 3=10741
Conwell,E.M. See Buhrer,C.F., 3=5536
Conwell,E.M. See Zucker,J., 3=2891
Conwell,E.M. See Zucker,J., 3=10784
Conzemius,R.J. and Svec,H.J. Improvement of the ion transmission in a typical mass spectrometer ion source, 3=24374
Cook, B.C. See Anderson, D.W., 3=17453
Cook,B.D. Interference patterns of ultrasonic optical gratings, 3=9610
Cook,B.M. and Stokes,R.H. The conductance of hydrochloric acid at 50°, 3=23547
Cook,C.F.,Jr. and Kerecman,A.J. Preparation and investigation of Boron as a substrate material, 3=18411
Cook,C.J. The asymptotic form of the electron capture cross-sections, 3=9726
Cook,C.J. See Fredericks,W.J., 3=22694
Cook,C.S. See Bisgard,K.M., 3=10271
Cook,G.E. and King-Hele,D.G. The contraction of satellite orbits under the influence of air drag. IV. With scale height dependent on altitude, 3=25992
Cook,G.E. See King-Hele,D.G., 3=13639
Cook,J.C. and Kenyon,K.E. Fast-response thermistor probes for temperature microstructure studies at sea, 3=14402
Cook,K.G. See Baker,B.O., 3=4082
Cook,L.F., Jr. See Blankenbecler,R., 3=5987
Cook,M.A., Keyes,R.T. and Ursenbach,W.O. Measurements of detonation pressure, 3=1751
Cook,M.A. and Rogers,L.A. Compressibility of solids and liquids at high pressures, 3=23311
Cook,R.K. and Young,J.M. Strange sounds in the atmosphere. II, 3=16233
Cook,V.,Cork,B.,Holley,R.W. and Perl,M.L. Elastic-differential cross section of $\pi^+ + p$ at 1.5, 2.0 and 2.5 BeV/c, 3=12490
Cook,V.,Keefe,D.,Kerth,L.T.,Murphy,P.G.,Wenzel,W.A., and Zipf,T.F. Elastic K^+—proton scattering at 970, 1170, and 1970 MeV/c. 3=10171
Cook,W.R., Jr,Berlincourt,D.A. and Scholz,F.J. Thermal expansion and pyroelectricity in lead titanate zirconate and barium titanate, 3=12929
Cook,W.R.,Jr. See Berlincourt,D., 3=10881
Cook,W.R. Jr. See Krueger,H.H.A., 3=10883
Cooke,A.H.,Edmonds,D.T.,Finn,C.B.P. and Wolf,W.P. Demagnetization experiments on substances with large magnetic dipole interactions, 3=1056
Cooke,A.H.,Finn,C.B.P.,Mangum,B.W. and Orbach,R.L. Spin-lattice relaxation in dysprosium ethyl sulphate, 3=1194
Cooke,D.J. See Rohan,P., 3=12324
Cooke,D.J. See Rohan,P., 3=14780
Cooke,I. Ohmic contact to zinc sulfide single crystals, 3=8530
Cooke,J.C. Three-dimensional turbulent boundary layers, 3=21299
Cooksey,M.M. See Edwards,H.D., 3=21045
Cool,R.L. See Baker,W.F., 3=10169
Coombe, R.A. Measuring temperature and Mach number in a high-temperature gas flow, 3=1718
Coombe,R.A. and Walker,J. Neutrons emitted in the ^{9}Be (d,n) ^{10}B reaction at a deuteron energy of 80 keV, 3=2488
Coon,S.A. See Berkowitz,E., 3=685
Coon,S.A. See Norbeck,E., 3=15238
Cooney,G.H. The New South Wales earthquake of May 22, 1961, 3=13641
Cooper,A.R., Jr. The effect of the moving boundary on molecular diffusion controlled dissolution or growth kinetics, 3=5436
Cooper,A.R., Jr. Modification of Noyes—Nernst equation, 3=11787
Cooper,A.W. and Oleson,N.L. Critical currents for moving striations in the inert gases, 3=4062
Cooper,A.W. See Chen,F.F., 3=4040
Cooper, B.F.C. and Price,R.M. Faraday rotation effects associated with the radio source Centaurus A, 3=5281
Cooper,B.F.C. See Bracewell,R.N., 3=7052
Cooper,B.F.C. See Sciama,D.W., 3=11604
Cooper,B.R. Theory of the spin wave contribution to the specific heat of dysprosium, 3=3095
Cooper,B.R. and Elliott,R.J. Spin-wave theory of magnetic resonance in spiral spin structures: effect of an applied field, 3=20635
Cooper, J. and Greig, J.R. An ultra-rapid scanning Fabry-Perot interferometer, 3=261
Cooper,J. and Greig,J.R. Rapid scanning of spectral line profiles using an oscillating Fabry—Perot interferometer, 3=21541
Cooper, J.R. and Hansler, R.L. Variation of electrical resistivity of cubic tantalum carbide with composition, 3=25368
Cooper,J.R.A. See Albasiny,E.L., 3=22554
Cooper,J.W. Photoionization from outer atomic subshells. A model study, 3=708
Cooper,J.W.,Fano,U. and Prats,F. Classification of two-electron excitation levels of helium, 3=19928
Cooper,J.W. and Martin,J.B. Correlation effects in two- and three-electron systems, 3=19922
Cooper,M.J. The electron distribution in chromium, 3=6840
Cooper,M.J. The electron distribution in the phases CoAl and NiAl, 3=16092
Cooper,M.J. An investigation of the ordering of the phases CoAl and NiAl, 3=16104
Cooper,P. See Cohen,J., 3=7060
Cooper,P.F., Jr. See Stairs,D.G., 3=7850
Cooper,R.,Rowson,C.H. and Watson,D.B. Intrinsic electric strength of polythene, 3=13125
Cooper,R.E. Kinetics of elastic twinning in calcite, 3=3260
Cooper,R.E. See Bowden,F.P. 3=4865
Cooper,R.W. See Pearson,R.F., 3=1049
Cooper,W.A. See Amato,G., 3=17135
Cooper,W.A. See Bartke,J., 3=22206
Cooper,W.S., III. See Spillman,G.R., 3=7346
Cooper,W.S.,III, See Wilcox,J.M., 3=1967
Cooperman,P. Dust space charge in electrical precipitation, 3=24202

Coopersmith,B. and Curzon,A.E. A simple automatic pumping system, 3=21455
Coopersmith,M. and Brout,R. Statistical mechanical theory of condensation, 3=16548
Copan,T.P. See Gulbransen,E.A., 3=18433
Cope,A.D. and Borkan,H. Isocon scan—a low-noise, wide-dynamic-range camera tube scanning technique, 3=19324
Copeland,C.S. See Benson,S.W., 3=23873
Copeland,C.S. See Pearson,D., 3=18449
Copeland,C.S. See Pearson,D., 3=18450
Copeland,J. See Barath,F.T., 3=18618
Copeland,J.A. and Humphrey,F.B. Flux reversal by Néel wall motion, 3=15845
Cŏpič,M. Streaming birefringence of polymer solutions: Asymptotic behaviour, 3=16618
Coppi,B. See Johnson,J.L., 3=21949
Coppinger,G.M. and Jungnickel,J.L. Molecular asymmetry, 3=20003
Cops,A. See Van Itterbeek,A., 3=23880
Corazza,G.F. See Amman,F., 3=12267
Corazza,G.F. See Bernardini,C., 3=17005
Corazza,M.L.,Ladu,M.,Pelliccioni,M. and Rotondi,E. The response of ionization chambers to pulsed gamma radiation, 3=12368
Corbeau,J. Frequencies of acoustic and optical oscillations travelling along a threefold axis of symmetry in silicon crystals at 293°K, 3=15419
Corbeau,J. Frequency of lattice vibrations in silicon at 239° and 580° K, 3=25181
Corben,H. A new approach to the theory of baryons, 3=24602
Corben,H.C. Relativistic quantum theory of particles with variable mass. I, 3=4326
Corben,H.C. Relativistic quantum theory of particles with variable mass. II, 3=4327
Corben,H.C. Boson eigenstates in generalized field theory, 3=19545
Corben,H.C. Application of generalized field theory of baryons, 3=24603
Corbett,H.H. See Grant,C.R., 3=11592
Corbett,J.D. See Dworkin,A.S., 3=21404
Corbett,J.W. Response of anisotropic defects in solids to stress, 3=22695
Corciovei,A. Spin-wave theory of ferromagnetic thin films, 3=15827
Corciovei,A. Spontaneous magnetization of ferromagnetic thin films, 3=25533
Corciovei,A. and Berinde,A. Thermal vibrations in thin films, 3=4810
Corciovei,A. and Moţoc,C. The specific heat of thin films, 3=12923
Corciovei,P.A. and Berinde,A. Mössbauer effect in thin films, 3=20060
Corcoran,V.J. and Pao,Y.H. Detection of laser radiation, 3=1810
Corcos,G.M. Resolution of pressure in turbulence, 3=9484
Corcuff,Y. Whistler dispersion during magnetic storms — nocturnal, annual and semi-annual variations in quiet periods, 3=11410
Cordes,H. and Döge,G. The self-diffusion of molten potassium, 3=16611
Cordier,H. See Bouissou,H., 3=281
Coren,R.L. See Francombe,M.H., 3=15655
Corenzwit,E. See Alexander,S., 3=8737
Corenzwit,E. See Clogston,A.M., 3=993
Corenzwit,E. See Geballe,T.H., 3=3962
Corenzwit,E. See Matthias,B.T., 3=1900
Corenzwit,E. See Matthias,B.T., 3=7404
Corge,C. See Julien,J. 3=4645
Corge,C.R. See Bianchi,G., 3=12469
Coriell,S.R. See Jackson,J.L., 3=9447
Corinaldesi,E. Outline of a perturbation theory of the hydrogen molecule, 3=2615
Corinaldesi,E. Perturbation theory of scattering of a particle by an identical bound particle. II, 3=9353
Corinaldesi,E. and Lin,H.E. Outline of a perturbation theory of the hydrogen molecule - II, 3=15336
Corinaldesi, E. and Lin, H.E. On a Born approximation for electron-hydrogen scattering, 3=17540
Corio,P.L. Operator techniques in the phenomenological treatment of magnetic resonance, 3=11120
Cork,B. See Beall,E.F., 3=6083
Cork,B. See Cook,V., 3=12490
Corkill,J.M.,Goodman,J.F.,Ogden,C.P. and Tate,J.R. The structure and stability of black foam films, 3=9433
Corless,G.K.and March,N.H. Saddle-point configuration in impurity diffusion in face-centred cubic metals, 3=2789
Corliss,C.H. Experimental gf-values for seventy elements, 3=2551
Corliss,C.H. Spectral-line intensities and gf-values in the first spectrum of copper, 3=6352
Corliss,C.H. and Bozman,W.R. Experimental transition probabilities for spectral lines of seventy elements. Derived from the NBS tables of spectral-line intensities, 3=19917
Corliss,C.H. See Allen,C.W., 3=22470
Corliss,L.M. and Hastings,J.M. Magnetic structure [transition] of $MnSn_2$, 3=15754
Corliss,L.M. See Hastings,J.M., 3=1112
Corliss,L.M. See Hastings,J.M., 3=11101
Corliss,W.R. Power sources for nuclear space instruments, 3=21144
Cormack,A.M. Representation of a function by its line integrals, with some radiological applications, 3=21198
Cormack,A.M. Diffraction by atoms distributed at random at lattice sites, 3=25689
Corman,E.G.,Sherwood,J.E. and John,W. The energy of the first excited state of Be^9, 3=22291
Cormany,D.D. and Pjerrou,G.M. Leptonic decay of the Ξ^- hyperon, 3=17347
Cormia,R.L.,Mackenzie,J.D. and Turnbull,D. Viscous flow and melt allotropy of phosphorus pentoxide, 3=21311
Cormia,R.L.,Mackenzie,J.D. and Turnbull,D. Kinetics of melting and crystallization of phosphorus pentoxide, 3=23420
Cormia,R.L. See Mackenzie,J.D., 3=24109
Corneliussen,R.,Rice,S.A. and Yamakawa,H. On the thermodynamic properties of solutions of polar polymers. A comparison of experiment and theory, 3=11790
Corneliussen,R. See Yamakawa,H., 3=14158
Corner,W.D. and Mason,J.J. The effect of stress on the domain structure of cube-textured silicon iron, 3=13263
Corner,W.D.,Roe,W.C.and Taylor,K.N.R. The magnetocrystalline anisotropy of gadolinium, 3=1143
Cornet,G. See Raoult,G., 3=24473
Corngold,N.,Michael,P. and Wollman,W. The time decay constants in neutron thermalization, 3=8167
Cornille,M. See Tavard,C., 3=8220
Cornish,D.C. and Watt,I.M. An investigation of the mechanism of glass polishing, 3=18373
Cornish,E.H. Ionization distribution in water irradiated with fast electrons, 3=14532
Cornish,E.H. Ionization distribution in cylinders irradiated with monoenergetic electrons, 3=20256
Cornish,F.H.J. A unified field theory of gravitation and electromagnetism, 3=1603
Cornwall,J.B.,Marshall,D.C. and Boyes,J. A Cuvette oximeter and an extension to the theory of oximetry, 3=13943
Cornwall,J.M. Total cross sections and slope of Regge trajectories, 3=19573
Cornwall,J.M.,Mahanthappa,K.T. and Singh,V. Regge poles and complex singularities, 3=22090
Cornwall, J.M. and Ruderman, M.A. Mandelstam representation and Regge poles with absorptive energy-dependent potentials, 3=2215
Cornwall,J.M. and Singh,V. Leptonic hyperon decays and unitary symmetry, 3=22205
Cornwell,C.D. See Alexakos,L.G., 3=19474
Correll,M. Francis Lee Friedman: Oersted Medalist for 1962, 3=21182
Corriez,P. Effect of circularly polarized light on water saturated with carbon dioxide, 3=1688
Corrsin,S. Turbulent dissipation fluctuations, 3=3789
Corrsin,S. Estimates of the relations between Eulerian and Lagrangian scales in large Reynolds number turbulence, 3=14107
Corset,J. See Catterall,R., 3=11811
Corson,E.M. A unified variational formulation of classical and quantum dynamics, 3=7112
Corson,E.M. Unified variational formulation of classical and quantum dynamics. II, 3=14027
Cortellessa,G. and Reale,A. Photoproduction of π^0 mesons from hydrogen in the energy range 600–850 MeV, 3=15003
Cortese,C. See Bonfiglioli,G., 3=3871
Cortini,G. See de Carvalho,H.G., 3=8146
Cortois,J. and Deboudt,M. Momentum distribution of Λ in the reaction $\Sigma^- + d \rightarrow \Lambda + 2n$, 3=24803

Cova,S. See Bertolaccini,M., 3=24339
Corvin,I. See Azároff,L.V., 3=16071
Corwin,R.E. See Pence,E.A., 3=5504
Corv,H. See Altman,C., 3=12328
Cossee,P. See Van Reijen,L.L., 3=13311
Cost,J.R. and Wert,C.A. Metal—gas equilibrium in the niobium—nitrogen terminal solid solution, 3=11298
Costa,G. Asymptotic behaviour of the nucleon—nucleon scattering amplitudes according to the multiperipheral model, 3=19556
Costa,M. Influence of absorbed layer on the reflection spectra of powders. I. Study of the spectra of phthalic acid, 3=23062
Costa, M. Influence of absorbed layer on the reflection spectra of powders. II. Study of the spectra of the double nitrate of neodymium and magnesium, 3=23063
Costa,N.L.,Danon,J. and Moreira Xavier,R. Measurement of nuclear quadrupole interaction in iron complexes using the Mössbauer effect, 3=12905
Costa,S. A method to measure photoneutron multiplicity, 3=10330
Costa,S. and Ferroni,S. Measurement of (γ, Tn) reactions induced by means of a 100 MeV synchrotron, 3=4623
Costa de Beauregard,O. The graviton of spins 2, 1, 0—A particle associated with the skew symmetric gravitational field with spin effects, 3=28
Costa de Beauregard, O. Translational inertial spin effect, 3=3711
Costa de Beauregard,O. On the "55" term in five-dimensional unified (field) theory, 3=9341
Costa de Beauregard,O. The gravitational effect of spin deduced from the Dirac-type wave equation, 3=16499
Costa de Beauregard,O. and Goillot,C. The inertial effect of spin as a test of gauge invariance in the theory of the photon, 3=19599
Costa de Beauregard,O. and Lenoir,M. Extension of the Franz-Kofink formulae to the Dirac_Lichnerowicz theory, 3=36
Costa De Beauregard,O.C. Matter waves of spin 0 and spin 1 coupled to the gravitational field, 3=14025
Costain,C.C. Anomalies in the pure rotation spectrum of fluoroform in excited vibrational states, 3=2646
Coste, J. Longitudinal dielectric constant of a plasma allowing for correlations, 3=14564
Coste,J. and Dagens,L. A purely statistical theory of the magnetron, 3=14647
Coste,M. A study of the angular distribution of α-particles from the bombardmebt if Li^6 nucleai by nuclei of Li^6, 3=6299
Costea,T. See Mantescu,C., 3=23552
Costello,D.G. See Palmer,D.W., 3=12673
Costigan,P. See Jones,P.R. 3=4725
Cotner,J. and Weertman,J. Moving edge dislocations in various body centred cubic crystals, 3=10654
Cotsaftis,M. A condition of stability of motion, 3=3776
Cotsaftis,M. Lagrangian formulation of the magnetohydrodynamic equations applied to stability studies, 3=12303
Cotsaftis,M.,Mercier,M. and Rebut,P.H. Near-by equilibria and stabilities of cylindrical plasmas, 3=12131
Cotterill, R.M.J. and Segall, R.L. The influence of impurities on the clustering of vacancies in quenched metals, 3=17708
Cotterill,R.M.J. and Segall,R.L. The effect of quenching history, quenching temperature and trace impurities on vacancy clusters in aluminium and gold, 3=20162
Cotterill,R.M.J. See Hirsch,P.B., 3=17770
Cotti,P. A new size effect, 3=13039
Cotti,P.,Quattropani,A. and Wyder,P. Helicons in metals, 3=1072
Cottingham,W.B. and Buchsbaum,S.J. Electron ionization frequency in hydrogen, 3=12071
Cottingham,W.N. and Vinh Mau,R. Theoretical nucleon-nucleon potential, 3=12450
Cotton,F.A. and Kraihanzel,C.S. Vibrational spectra and bonding in metal carbonyls. I. Infrared spectra of phosphine-substituted group VI carbonyls in the CO stretching region, 3=6397
Cotton,J.D. and Fensham,P.J. Depletive absorption of hydrogen and carbon monoxide on nickel oxide, 3=25781
Cottrell,A.H. Metallography at the atomic level, 3=3311
Cottrell,T.L. and Matheson,A.J. Transition probability in molecular encounters. V. Vibrational—rotational energy transfer, 3=6414
Cottrell,T.L. and Read,A.W. Temperature dependence of relaxation time in nitrogen, 3=8313
Cotts,R.M. See Holcomb,D.F., 3=3775
Cotts,R.M. See Schreiber,D.S., 3=20671
Cotts,R.M. See Wayne,R.C., 3=25501
Couderc,J.J. See Baux,M., 3=16136
Coufová,P. See Arend,H., 3=11196
Coulareau,E. and Fiehrer,M. Electronic circuits. 3=3975
Couling,C.W. and Young,M.R. A constant deviation ultraviolet microscope illuminator, 3=245
Coulson,C.A.,Herraez,M.A.,Leal,M.,Santos,E. and Senent,S. Formation energy of vacancies in graphite crystals, 3=22753
Coulson,C.A.,Rêdei,L.B. and Stocker,D. The electronic properties of tetrahedral intermetallic compounds. I. Charge distribution, 3=776
Coulson,C.A. and Sharma,C.S. A reconsideration of the split-p-orbital (s.p-o.) method in molecular-orbital theory, 3=8238
Coulson,C.A. and Zauli,C. The Kα transition in compounds of sulphur, 3=19997
Coulson,C.A. See Crossley,R.J.S., 3=8214
Coulter,L.V.,Stepakoff,G.L. and Roper,G.C. The nature of the motion of N_2, CO and CH_4 in their β-quinol clathrates at low temperatures, 3=8284
Coumes,A. Superficial and deep layers of a thin metallic film, 3=23206
Coumes,A. Local study of thin films by ferromagnetic resonance, 3=25556
Coumes,A. See Bern,J.P., 3=11105
Coupland,J.H. and Howard,K.J. Some model magnet measurements and their application to the design of a 70 inch spiral ridge cyclotron, 3=5751
Coupland,M.J.,Hilsum,C. and Sherwell,R.J. An improved construction for tunnel diodes, 3=13094
Courant,H., Filthuth,H., Franzini,P., Glasser,R.G., Minguzzi-Ranzi,A., Segar,A., Willis,W., Burnstein,R.A., Day,T.B., Kehoe,B., Herz,A.J., Sakitt,M., Sechi-Zorn,B., Seeman,N. and Snow,G. Determination of the relative $\Sigma-\Lambda$ parity, 3=17346
Courant,H. See Amato,G., 3=17001
Courant,H. See Aubert,B., 3=17333
Courrier,G. See Marfaing,Y., 3=879
Courtel,R. and Guyonnet,J. On a particular mode of wear of sintered tungsten carbide, 3=3247
Courtel,R. See Lagarde,F., 3=9422
Courtès,G. See Bonnet,R.M., 3=1502
Courtès,G. See Bonnet,R.M., 3=3885
Courtney,H.O. See Androulakis,J.G., 3=17125
Courtney,W.E. and Clarricoats,P.J.B. Absorption phenomena in parallel-pump experiments, 3=15883
Courtney,W.G. Kinetics of condensation of water vapor. Experimental, 3=14425
Courtois,L. and Lemaire,B. Measurement of the susceptibility tensor of ferrites, 3=20612
Courtoy,C.P. and Triaille,E.A. Rotational perturbations in the infrared spectra of $C^{13}O_2$, 3=6399
Courville,G.E. See Walsh,P.J., 3=25059
Courvoisier,J.C.,Haidinger,W.,Jochems,P.J.W. and Tummers,L.J. Evaporation—condensation method for making germanium layers for transistor purposes, 3=23511
Courvoisier,J.C. See Haidinger,W., 3=23399
Cousins,J.E., Dupree,R. and Havill,R.L. An electronic sweep unit for current stabilized electromagnets, 3=19405
Cousins,J.E. and Nash,W.F. Rate of energy loss of relativistic μ-mesons, 3=7882
Cousins,T.E. See Bracewell,R.N., 3=7052
Cousland,S.M. See Wood,W.A., 3=13337
Cousland,S.McK. See Wood,W.A., 3=20735
Coustham,J. See Abragam,A., 3=2263
Coutanceau,M. See Bourot,J.M., 3=9429
Coutant,J. and Prevot,F. Crossed-field circular ion source, 3=7647
Coutrez,R. See Delys,C., 3=9238
Coutts,M.C. See Merl,W., 3=20172
Coutts,M.D. and Pinch,H.L. Surface decoration and domains in very thin magnetic films, 3=20931
Coutts,P.W. and Fitch,R.K. Total emission of a diode, 3=21867
Couture,L., Brunetière,F., Forrat,F. and Trévoux,P. Fluorescence of single crystals of the Perovskite structured $AlLaO_3$ doped with chromium, 3=15702

Cottrell,T.L. and Matheson,A.J. Transition probability in molecular encounters. VI. Vibrational relaxation in NH_3, ND_3, PH_3 and PD_3, 3=22567
Covell,D.F. Quality control for the gamma-ray scintillation spectrometer, 3=14942
Covello,A. and Varcaccio,G. Energy-level corrections and transition probabilities in deformed even-even nuclei, 3=15094
Coven,C.J. See Beuche,F., 3=18809
Coville,C. See Allen,J.E., 3=4067
Covington,A.E. See Gaizauskas,V., 3=10191
Covington,A.E. See Swarup,G., 3=16424
Covington,A.K., Baird,J.D. and Woolf,A.A. Isothermal mass transfer of aluminium onto molybdenum in liquid metals, 3=3344
Cowan,G.A.,Bayhurst,B.P. and Prestwood,R.J. Symmetry of neutron-induced U^{235} fission at individual resonances. II, 3=15243
Cowan,G.A. See Bryant,E.A., 3=12737
Cowan,G.R. and Holtzman, A.H. Flow configurations in colliding plates: explosive bonding, 3=11195
Cowan,J.P.,Macintyre,W.M. and Werkema,G.J. Cascade: an automatic single-crystal X-ray diffractometer, 3=11244
Cowan,R.D. Pulse method of measuring thermal diffusivity at high temperatures, 3=9634
Coward,D.H.,Gittelman,B.,Lynch,H.L. and Ritson,D.M. Search for charged particles with rest mass between that of the electron and muon, 3=22094
Cowell,R.D., Urry,G. and Weissman,S.I. Electronic interactions between noncoplanar aromatic systems, 3=15362
Cowen,J.A.,Kaplan,D.E. and Browne,M.E. Electron spin echo studies of paramagnetic systems, 3=1195
Cowlard,F.C. See Lewis,J.C., 3=21181
Cowley,J.M. and Moodie,A.F. The scattering of electrons by thin crystals, 3=1303
Cowley,J.M. See Aragon de la Cruz,F., 3=5107
Cowley,J.M. See Aragon de la cruz,F., 3=18331
Cowley,R.A., Cochran,W., Brockhouse,B.N. and Woods,A.D.B. Lattice dynamics of alkali halide crystals. III. Theoretical, 3=20075
Cowling,T.G. Magnetohydrodynamics, 3=12297
Cownie,A.R. Formation of transmissionlike reflection fringes, 3=9609
Cox,A. Analysis of present geomagnetic field for comparison with paleomagnetic results, 3=1482
Cox,A. and Doell,R.R. Magnetic properties of the basalt in hole EM 7, Mohole project, 3=9137
Cox,A.J.,Kidd,D.E.,Powell,W.B.,Reece,B.L. and Waterton,P.J. Operation of a 40-inch radial ridge cyclotron, 3=5731
Cox,A.P. and Esbitt,A.S. Fundamental vibrational frequencies in ketene and the deuterketenes, 3=12854
Cox,C.D. and Edwards,W.D. Ice point maintained thermoelectrically and regulated by change of state, 3=19050
Cox,C.P. Statistical principles for the line of best fit, 3=21202
Cox,D.E.,Shirane,G.,Takei,W.J. and Wallace,W.E. Magnetic structures of TbD_2 and HoD_2, 3=15911
Cox,D.E.,Takei,W.J. and Shirane,G. A magnetic and neutron diffraction study of the $Cr_2O_3-Fe_2O_3$ system, 3=13267
Cox,D.E. See Shirane,G., 3=3133
Cox,D.E. See Takei,W.J., 3=8698
Cox,G.A. and Tredgold,R.H. Double space charge injection in solids, 3=13128
Cox,G.C. See Bowen,P.H., 3=2278
Cox,G.C. See Bowen,P.H., 3=8105
Cox,G.C. See Bowen,P.H., 3=10349
Cox,J.E. High vacuum thermocouple, 3=24092
Cox,J.H. and Pidgeon,L.M. The X-ray diffraction patterns of aluminum carbide Al_4C_3 and aluminum oxycarbide Al_4O_4C, 3=23445
Cox,L.C. See Goldsmith,P., 3=11417
Cox,M. See Dubois,J.T., 3=16631
Coxell,H., Fairchild,W.W. and Pomerantz,M.A. Scintillator meson telescope for studies of cosmic ray intensities, 3=19717
Coxell,H.,Scull,P.S.,Wolfendale,A.W. The size spectrum and zenith angle distribution of air showers containing 10^5-10^6 particles, 3=10195
Coyne,G.V. Comparative spectrophotometry of selected areas on the lunar surface, 3=11511
Coyne,J. See Spencer,L.V., 3=5711
Cozens,J.R. See Von Engel,A., 3=19184
Cracco,F., Arvia,A.J. and Dole,M. E.S.R. studies of free radical decay in irradiated polyethylene, 3=2671
Craddock,M.K.,Hanna,R.C.,Robertson,L.P. and Davies,B.W. Polarisation in proton—He^4 scattering at intermediate energies, 3=22131
Craggs,J.D. See Bhalla,M.S., 3=4029
Craggs,J.W. On axially symmetric waves. I. Linearized compressible flow with axial boundary conditions, 3=18701
Craggs,J.W. On axially symmetric waves. II. The treatment of a plane boundary, 3=18702
Craggs,J.W. Dislocations as sources of fracture, 3=23355
Craig,B.G. See Phelps,C.G., 3=23721
Craig,D.P. and Thirunamachandran,T. The electronic spectra of mixed crystals, 3=4841
Craig,N.C. See Flynn,G.W., 3=15385
Craig,P.P.,Keller,W.E. and Hammel,E.F.,Jr. Flow of liquid He II under large temperature and pressure gradients, 3=7398
Craig,R.A. Auger electron ejection from superconducting metals, 3=9826
Craig,R.A. A note on the transmissivity of an Elsasser band, 3=15322
Craig,R.M.,Dore,J.C.,Greenlees,G.W.,Lilley,J.S. and Rowe,P.C. Polarisation in proton—carbon scattering at 28 MeV, 3=8085
Craig,R.R.,Jr. Rotating beam with tip mass analyzed by a variational method, 3=18878
Craig,R.S. See Kamath,G.S., 3=16103
Craig,R.S. See Piegger,E., 3=20880
Craig,R.S. See Weinstein,S., 3=15745
Craik,D.J. See Bates,L.F., 3=1063
Craik,R.L. See Hawley,R., 3=12236
Crain,C.M. Decays of ionization impulses in the D and E regions of the ionosphere, 3=18534
Crain,C.M. and Booker,H.G. The effects of nuclear bursts in space on the propagation of high-frequency radio waves between separated earth terminals, 3=18533
Cramariuc,R., Croitoru,M., Croitoru,P., Ionescu,D. and Semenescu,G. Investigation on the charging and discharging of the belt in Van De Graaff generators, 3=19384
Cramer,J.G., Jr. and Farmer,B.J. A scintillation spectrometer for high energy beta decays, 3=580
Cramer,J.G.,Jr. See Eidson,W.W., 3=15229
Cramer,R.M.R. See Yager,W.A., 3=1186
Cranberg,L.,Jacquot,A. and Liskien,H. Excitation of the ground and first excited states in the $Li^6(d,n)Be^7$ reaction, 3=15225
Crandall,R.S. Formation of hydroxyl ion and U centres in additively coloured potassium, 3=13013
Crandall,S.H. Relation between strain and velocity in resonant vibration, 3=9528
Crane,H.R. See Wilkinson,D.T., 3=12441
Crane,L.T. See Mercereau,J.E., 3=3965
Crane-Robinson,C. and Thompson,H.W. Pressure broadening studies on vibration-rotation bands. III. Experimental methods for determining line widths, 3=9510
Crane-Robinson,C. and Thompson,H.W. Pressure broadening studies on vibration—rotation bands. IV. Optical collision diameters for foreign-gas broadening of CO and DCl bands, 3=9511
Crangle,J. and Hallam,G.C. The magnetization of face-centred cubic and body-centred cubic iron + nickel alloys, 3=8670
Crangle,J. See Bacon,G.E., 3=8696
Cranshaw,T.E. See Johnson,C.E., 3=25521
Crary,J.H. See Jean,A.G., 3=16264
Crasemann,B. See Pengra,J.G., 3=24895
Crausse,E., Crausse,R. and Poirier,Y. An experimental study of the starting up of turbulent flow of a conducting liquid in a rectangular tube in the presence of a magnetic field, 3=2098
Crausse,E.,Poirier,Y. and Vives,C. Theoretical study of the free oscillations between two-infinite, parallel vertical, planes of a column of dense, viscous, conducting fluids, in the presence of a magnetic field, 3=9916
Crausse,E.,Poirier,Y. and Vives,C. Experimental study of free oscillations in a U-tube with rectangular cross-section by a conducting liquid in a magnetic field, 3=12298
Crausse,R. See Crausse,E., 3=2098
Craven,J.D. See Frank,L.A., 3=13816
Crawford,B.,Jr. See St.Louis,R.V., 3=3010
Crawford,B.,Jr. See Zerbi,G., 3=8292
Crawford,B.,Jr. See Zerbi,G., 3=8293
Crawford,B.H. Physical photometry, 3=3862

Crawford,B.H. The colour rendering properties of illuminants: The application of psychophysical measurements to their evaluation, 3=13972

Crawford,B.H. Colour-rendering tolerances and the colour-rendering properties of light sources, 3=24002

Crawford,D.F. and Messel,H. Energy distribution in low-energy electron-photon showers in lead absorbers, 3=6105

Crawford,D.F. See Messel,H., 3=4486

Crawford,D.L. U. B. V. and $H\beta$ photometry for the bright B8- and B9-type stars, 3=11561

Crawford,F.S. See Shafer,J.B., 3=15028

Crawford,F.S., Jr, Lloyd,L.J. and Fowler,E.C. Experimental determination of the neutral branching ratios of the η meson, 3=19691

Crawford,F.S.,Jr. See Fowler,E.C., 3=12496

Crawford,F.W. Low-frequency fluctuations in a plasma, 3=4166

Crawford,F.W. Collision damping of electrostatic sound waves, 3=16929

Crawford,F.W. Modulated Langmuir probe characteristics, 3=16953

Crawford,F.W. The mechanism of Tonks—Dattner plasma resonances, 3=19286

Crawford,F.W. Electrostatic resonances of hollow plasmas, 3=21764

Crawford,F.W. and Harp,R.S. Circuit for the rapid determination of Langmuir probe data, 3=5678

Crawford,F.W. and Kino,G.S. Plasma dipole resonance in the presence of a magnetic field, 3=21839

Crawford,F.W.,Kino,G.S.,Self,S.A. and Spalter,J. A microwave method for the study of steady and fluctuating plasma number densities, 3=21803

Crawford,F.W.,Kino,G.S.,Self,S.A. and Spalter,J. Some measurements of steady and fluctuating plasma number densities, 3=21804

Crawford,F.W. and Pagels,H.R. Light output observations on low-pressure mercury-vapor discharges, 3=14536

Crawford,J.H.,Jr. Investigations of color centers in alkali halides at Oak Ridge National Laboratory: structure sensitivity of color center production in γ-irradiated KCl, 3=22842

Crawford,J.H.,Jr. See Cleland,J.W., 3=20173

Crawford,L. and Lemlich,R. Natural convection in horizontal concentric cylindrical annuli, 3=11978

Crawford,V.A., Rhee,K.H. and Wilson,M.K. Vibrational spectrum of digermane, 3=2627

Crawley,J.C.W. A cooled microscope stage using semiconductor thermoelectric cooling, 3=14327

Crayton,N. See Ammar,R.G., 3=10229

Creagh,D.C.,Fletcher,N.H. and Somerville,J.M. The decay of a spark channel which has ceased to carry current, 3=9748

Creamer,R.H. See Harrop,P.J., 3=15610

Crecraft,D.I. Ultrasonic wave velocities in stressed nickel steel, 3=6471

Creelman,C.D. Detection, discrimination, and the loudness of short tones, 3=21161

Creer,K.M. An analysis of the geomagnetic field using palaeomagnetic methods, 3=1483

Creer,K.M. The dispersion of the geomagnetic field due to secular variation and its determination for remote times from paleomagnetic data, 3=1484

Creer,K.M. Geomagnetic and paleomagnetic evidence of fossile axes of the rotation of the earth, 3=11465

Creer,K.M. See Chamalaun,F.H., 3=16309

Creer,K.M. See Cohen,J., 3=1094

Crees, D.E. and Hogarth, C.A. Current gain in p—n—p—n silicon controlled rectifiers, 3=17921

Creeth,J.M. Studies of the transport properties of the system thallous sulfate-water. II. Sedimentation coefficients at 25°; a test of the "Svedberg equation" at finite concentration, 3=5172

Cremer,L.,Nutsch,J. and Zemke,H.J. Acoustic considerations in the reconstruction of the Deutsche Oper, Berlin, 3=7299

Crespo,V.P.,Alexander,J.M. and Hyde,E.K. Ejection of large fragments in high-energy nuclear reactions, 3=22387

Cressman,P.J. New type of thermoplastic deformation, 3=23493

Cresti,M. See Chadwick,G.B., 3=10117

Creuzburg,M. Asymmetry in the intensity distribution of characteristic energy losses, 3=14661

Creuzburg,M. Angular dependence and its asymmetry for energy losses in Si and Ge, 3=20154

Creuzburg,M. and Dimigen,H. Energy analysis on the electron diffraction pattern of silicon single crystals, 3=16058

Creuzburg,M. and Raether,H. Characteristic energy losses in electron scattering at Si cleavage surfaces, 3=4857

Crews,A.A. and Erath,R.L. Instrument to measure water-wave height, 3=14084

Crews,J.C. Scattering of helium and argon from the cleavage plane of lithium fluoride, 3=2680

Cribier, D., Jacrot, B. and Parette, G. Critical scattering of neutrons by nickel, 3=1117

Cribier,D. See Jacrot,B., 3=3120

Crichlow,W.Q. See Spaulding,A.D., 3=5858

Criegee,L. See Robinson,C.W., 3=4421

Crimmins,D.H. Transient heat transfer from ceramic fuel pins, 3=17514

Crissman,J.M. and McCammon,R.D. Apparatus for measuring the dynamic mechanical properties of polymeric materials between 4° and 300°K, 3=3211

Cristescu,G.D. and Giurgea,M. Lasers and ether drift, 3=18711

Cristofori,F. See Bassani,G., 3=2584

Cristofori,F. See Colli,L., 3=4717

Critchley,J.K. Ternary system copper-zinc-cadmium, 3=8898

Critchlow,P.R. See Bhagat,S.M., 3=21642

Crocco,L. See Dobbins,R.A., 3=9575

Croce,P. Notes on the dynamic theory of electron diffraction, 3=13439

Croci,R. See Canobbio,E., 3=7521

Crocker,A.G. Double twinning, 3=5079

Crocker,A.G. Orientation of dislocation loops in alpha-uranium, 3=20181

Crocker,A.G. $\{11\bar{2}1\}$ twinning, 3=20779

Crocker,A.G. See Woods,J.D.L.H., 3=9868

Croitoru,E. See Mangeron,D., 3=18771

Croitoru,M. Interaction of fast electrons with free and bound atomic electrons, 3=22505

Croitoru,M. See Cramariuc,R., 3=19384

Croitoru,N. See Ciobanu,G., 3=851

Croitoru,N. See Grigorovici,R., 3=8507

Croitoru,P. On the simple charging of Van De Graaff generators, 3=19383

Croitoru,P. Simple transport in electrostatic belt generators, 3=21910

Croitoru,P. See Cramariuc,R., 3=19384

Croitoru,Z. Electrical conductivity of a weakly-ionized gas in the presence of a magnetic field, 3=7251

Cromer,A.H. Theory of inelastic proton—deuteron scattering, 3=7851

Cromer,A.H. and Thorndike,E.H. Interpretation of quasifree proton—deuteron scattering, 3=22128

Cromer,D.T. See Larson,A.C., 3=8844

Crompton,R.W. and Jory,R.L. On the swarm method for determining the ratio of electron drift velocity to diffusion coefficient, 3=12251

Cron,B.F. and Sherman,C.H. Spatial-correlation functions for various noise models, 3=3445

Cronin,J.W. Present status of spark chambers, 3=17138

Cronin,J.W. and Overseth,O.E. Measurement of the decay parameters of the Λ^0 particle, 3=7929

Cronin,J.W. See Engels,E.,Jr, 3=7852

Crook,G.M.,Greenstadt,E.W. and Inouye,G.T. Distant electromagnetic observations of the high-altitude nuclear detonation of July 9, 1962, 3=16306

Cropper,W.H. Radiation effects on the reactivity of solid surfaces, 3=6896

Crosby,P. and Koerber,B.W. Scattering of light in the lower atmosphere, 3=6963

Cross,J.L. Reduction of data for piston gage pressure measurements, 3=21289

Cross,N.L. and Picknett,R.G. The liquid layer between a sphere and a plane surface, 3=23860

Cross,P.D. See Wilson,R.B., 3=10004

Crossland,A.D. See Fowler,G.N., 3=12697

Crossley,R.J.S. and Coulson,C.A. Glockler's equation for ionization potentials and electron affinities, 3=8214

Crossman,L.D.,Olsen,D.P. and Duffey,G.H. Bonding in the $Ta_6Cl_{12}^{2+}$ and $Mo_6Cl_8^{4+}$ structures, 3=8281

Crosswhite,H.M. See Dieke,G.H., 3=19947

Crouch,H.R.,Jr. See Chrétien,M., 3=24787

Crouch,W.H.,Jr. See Kuroda,P.K., 3=9166

Crouchley,J. and Duff,K.J. A study of whistling atmospherics. III. Observations at closely spaced stations, 3=13681
Crowder,B.L. and Sienko,M.J. Some solid-state studies of tungsten trioxide and their significance to tungsten bronze theory, 3=13083
Crowe,A. A revised calculation of the velocity of sound in liquid helium, 3=9670
Crowell,A.D. and Chai Ok Chang. Constants for A (6-exp) potential between simple molecules and graphite, 3=20030
Crowell,C.R.,Spitzer,W.G. and White,H.G. Range of photoexcited holes in Au, 3=908
Crowther,D.L. See Lodi,E.A., 3=14508
Crowther,T.J. Automatic range switching of instrumentation in space vehicles for increased accuracy, 3=13940
Crowther,T.S. Angular and magnitude dispersion of the anisotropy in magnetic films, 3=11083
Crowther,T.S. See Anderson,A.H., 3=14730
Crowther,T.S. See Wolf,I.W., 3=15842
Crozier,W.D. Electrode effect during nighttime low-wind periods, 3=23593
Crozon,M.,Leray,T. and Tocqueville,J. Angular distribution of 960 MeV/c π^- mesons scattered by nuclei, 3=24960
Cruickshank,D.W.J. and Jones,D.W. A refinement of the crystal structure of potassium imidodisulphate, 3=25723
Crumeyrolle,A. On differential varieties whose coordinates belong to a quadratic extension of the real field, and application to the Einstein–Schrödinger unified theory, 3=14018
Crump,J.C., III and Mitchell,J.W. Hexagonal networks of linear imperfections in single crystals of cadmium, 3=8436
Crump,J.C., III and Mitchell,J.W. Hexagonal networks of linear imperfections in single crystals of cadmium, 3=22774
Cruse,K. See Bertram,R., 3=14466
Crussard,C. See Chollet,P., 3=6867
Crussard,C. See Butler,J., 3=13539
Csanady,G.T. Turbulent diffusion of heavy particles in the atmosphere, 3=18496
Csanady,G.T.,Ellenton,H.K. and Deane,R.E. Slicks on Lake Huron, 3=7187
Csavinszky,P. Corrections to the ground state energies of shallow donors in silicon and germanium, 3=22681
Csavinszky,P. Treatment of ionized impurity scattering in degenerate semiconductors. Combination of the variational and perturbational technique in the partial-wave method, 3=25338
Csavinszky, P. See Einspruch, N.G., 3=18162
Cserveny,I. See Pimsner,V., 3=7252
Csikai,J.,Bacsó,J. and Daróczy,A. Investigation of the cross-section of neutron reactions in the nucleus Rh^{103}, 3=10360
Csikai,J.,Gyarmati,B. and Hunyadi,I. Activation cross-sections for Na^{23} and Al^{27} with 14 MeV neutrons, 3=22407
Csikai,J.,Gyarmati,B.,Munyadi,I. and Németh,J. The forward—backward asymmetry of recoil nuclei in the reaction Al^{127}(n,α)Na^{24}, 3=10367
Csikai,J. and Petö,G. N^{14}(d,n)O^{15} reaction, 3=15228
Cucančić,L. A multiple pulse display system, 3=9707
Cucka, P. See Barrett, C.S., 3=18308
Cucurezeanu,I. Quantum generators and amplifiers in the optical region (lasers), 3=22006
Cüer,P. See Baumann,G., 3=10226
Cüer,P. See Baumann,G., 3=15089
Cüer,P. See Baumann,G., 3=19756
Cüer,P. See Baumann,G., 3=19872
Cüer,P. See Baumann,G., 3=22277
Cuevas,J.E. and Barkow,A.G. Auger electrons associated with stopped π^- interactions in nuclear emulsions, 3=6038
Cueves,M. See Fritzsche,H., 3=10765
Cuff,K.F.,Ellett,M.R. and Kuglin,C.D. Band structure and transport properties of PbTe, 3=10830
Cuff,K.F.,Horst,R.B.,Weaver,J.L.,Hawkins,S.R.,Kooi,C.F. and Enslow,G.M. The thermomagnetic figure of merit and Ettinghausen cooling in Bi—Sb alloys, 3=22938
Cuff,K.F. See Kooi,C.F., 3=14408
Čujec,B. Investigation of d—s shell nuclei with (d,He^3) reactions, 3=6128
Čujec,B. Nuclear structure studies in the palladium isotopes with (d, p) and (d,t) reactions, 3=19783
Cullen,A.L. and Dobson,J. The corona breakdown of aerials in air at low pressures, 3=5854
Cullen,G.V., Hensler,J.H. and Skewes,H.R. Intergranular brittleness of electrodeposited copper containing molybdenum, 3=3237
Cullen,T.L. See Roser,F.X., 3=2170
Culler,G.J. See Fried,B.D., 3=21826
Culot,J.P.,Piret,P. and Van Meerssche,M. Structure of NaBr.2H$_2$O, 3=6851
Culshaw,W., Kannelaud,J. and Lopez,F. Zeeman effects in the helium–neon planar laser, 3=2145
Culvahouse,J.W. Erratum: Paramagnetic resonance of nickel ions in double—nitrate crystals, 3=6749
Culvahouse,J.W.,Unruh,W.P. and Brice,D.K. Direct spin—lattice relaxation processes, 3=8722
Culvahouse,J.W. See Unruh,W.P., 3=8723
Culver,W.H.,Satten,R.A. and Viswanathan,C.R. Measurement of the spin-lattice relaxation time of the $\bar{E}(^2E)$ state of Cr^{3+} in Al$_2$O$_3$ by paramagnetic resonance at X band frequency, 3=13298
Culver,W.H. See Duntley,S.Q., 3=6962
Culwick,B. See Baltay,C., 3=22209
Culwick,B.B. See Androulakis,J.G., 3=17125
Culwick,B.B. See Baltay,C., 3=24805
Culwick,B.B. See Bertanza,L., 3=12507
Cummerow,R.L. High-temperature steady-state creep rate in
Cumming,J. and Hendry,A.W. Calculations in the ladder approximation for high energy scattering, 3=2315
Cumming,J.B.,Hudis,J.,Poskanzer,A.M. and Kaufman,S. Al^{27}(p,3pn)Na^{24}/C^{12}(p,pn)C^{11} cross-section ratio in the GeV region, 3=6252
Cumming,J.B. See Poskanzer,A.M., 3=4639
Cummings, F.W. Long-time transition probabilities for a two-level system interacting with a stochastic electromagnetic field, 3=3744
Cummings,U.K. See Wigen,P.E., 3=15839
Cummings,W.V. X-ray diffraction studies of defect structures in irradiated metals, 3=22766
Cummins,H.,Knable,N.,Gampel,L. and Yeh,Y. Frequency shifts in light diffracted by ultrasonic waves in liquid media, 3=7210
Cummins,H.Z. On the spectral line shape of a laser beam, 3=19480
Cummins,H.Z.,Knable,N. and Yeh,Y. Spurious harmonic generation in optical heterodynamic, 3=21508
Cummins,J.D. Statistical estimation of nuclear reactor dynamic parameters, 3=693
Cummins,J.D. A transfer function model of the BEPO reactor for control studies, 3=12729
Cummins,J.D. Period meter output during startup transients, 3=12741
Cummins,J.D. Pulse counting period meter output during start-up transients, 3=12742
Cummins,W.F. See Coensgen,F.H., 3=12150
Cundy,D.C. See Jauneau,L., 3=12511
Cundy,D.C. See Jauneau,L., 3=19708
Cuniberti,C. See Bianchi,U., 3=18811
Cuninghame,J.G.,Edwards,M.P.,Kitt,G.P. and Lokan,K.H. Charge distribution in photofission of U^{238} and Th^{232}, 3=19895
Cunningham,G.W. and Spretnak,J.W. Interfacial voids in pressure bonded copper, 3=16114
Cunningham,J.R.Jr. See Anderson,E.E., 3=1048
Cunningham,R.L.,Gow,K.V. and Ng-Yelim,J. Ion bombardment of single crystals of aluminum, 3=10706
Cunningham,R.W. Apparatus for the measurement of the photomagnetoelectric effect, 3=7411
Cunningham.R.W.,Harp,E.E., and Bullis,W.M. Deep acceptor levels in indium antimonide, 3=10824
Cuperman,S.,Engelmann,F. and Oxenius,J. Nonthermal impurity radiation from a spherical plasma, 3=7605
Cupp,C.R. The effect of neutron irradiation on the mechanical properties of zirconium-2·5% niobium alloy, 3=1234
Cupp,R.E. See Lichtenstein,M., 3=21984
Curie,D. Luminescence in crystals, 3=6664
Curie,M.D. Calculation of thermal extinction energies of luminescence, 3=25477
Curien,H.,Petiau,J.,Fructus-Ricquebourg,J. and Petitjean,C. Study of the lattice defects in normal and neutron irradiated lithium fluoride by dielectric relaxation measurements, 3=22702
Curl,R.F.,Jr. See Krishna Pillai,M.G., 3=6398
Curl,R.L. See Finnie,I., 3=9638

Curran,D.R. Nonhydrodynamic attenuation of shock waves in aluminum, 3=21490
Curran,R.K. Formation of SF_6^- by inelastically scattered electrons, 3=12068
Curran,R.K. Mass-spectrometer investigation of electron-impact processes at pressures to 1 mm Hg, 3=16992
Current,J.H. and Rabinovitch,B.S. Decomposition of chemically activated ethyl-d_3 radicals. Primary intramolecular kinetic isotope effect in a non-equilibrium system, 3=11347
Current,J.H. and Rabinovitch,B.S. Large statistical secondary isotope effects in nonequilibrium reaction systems. Unimolecular decomposition of chemically activated ethyl-d_1 and ethyl-d_3 radicals, 3=16154
Currie,D. See Nudelman,S., 3=10979
Currie,R.G.,Grommé,C.S. and Verhoogen,J. Remanent magnetization of some upper cretaceous granitic plutons in the Sierra Nevada, California, 3=18577
Curry,C. See Clift,J., 3=23087
Curry,C. See Clift,J., 3=23088
Curry,J. and Cassidy,E.P. Effect of halogens on the resistance of single crystals of copper phthalocyanine, 3=6593
Curtain,C.C. A photoelectric scanning microscope, 3=16753
Curtet,R. and Grosjean,C. Measurement of small local velocities in liquids with a hot wire anemometer using a constant current, 3=14090
Curtis,A.R. See Sherry,N.P.R., 3=11661
Curtis,G.D. E.L.F. electromagnetic radiation from small explosive charges in air and water, 3=4265
Curtis,L.J. See Coffin,C.T., 3=17140
Curtis,S.B. See Neddermeyer,S.H., 3=19735
Curtis,W.D. Production of strange particles in proton—neutron collisions, 3=7927
Curtiss,C.F. and Dahler,J.S. Kinetic theory of nonspherical molecules. V, 3=16653
Curtiss,C.F. See Gioumousis,G., 3=6436
Curtius,P. On perturbation expansions in axiomatic quantum field theory, 3=24578
Curzon,A.E. A study of the orientation of thin films of tin on single crystal substrates, 3=13562
Curzon,A.E. See Coopersmith,B., 3=21455
Curzon,F.L. and Churchill,R.J. Image-smearing errors in framing camera photographs, 3=19031
Curzon,F.L.,Churchill,R.J. and Howard,R. Pressure dependent characteristics of the Z pinch in argon and nitrogen, 3=9762
Curzon,F.L. See Greig,J.R., 3=7584
Curzon,F.L. See Howard,R., 3=19441
Cusachs, L.C. Induction energies: the spherical term, 3=17568
Cusack,N.E. The electronic properties of liquid metals, 3=21401
Cusack,N.E. and Kendall,P.W. The Hall effect in a liquid alloy, 3=9476
Cusack,N.E., Kendall,P.W. and Marwaha,A.S. Electron transport properties in liquid gallium, 3=1710
Cusano,D.A. CdTe solar cells and photovoltaic heterojunctions in II–VI compounds, 3=20420
Cushing,J.T. A double dispersion relation for a class of nonlocal potentials, 3=14911
Cuthbert,J. See Barber,M., 3=21902
Cuthbert,J.D. and Petch,H.E. N.M.R. studies of hydrated sodium tetraborate minerals. I. Boron-oxygen polyion in borax and tincalconite, 3=15963
Cuthbert,J.D. and Petch,H.E. N.M.R. studies of hydrated sodium tetraborate minerals. II. Na^{23} sites in borax and tincalconite, 3=25591
Cutkosky,R.E. A mechanism for the induction of symmetries among the strong interactions, 3=22071
Cutler,D. and Powles,J.G. Electron spin relaxation in metal–ammonia solutions, 3=18834
Cutler,D. and Powles,J.G. Electron spin relaxation and diffusion in metalammonia solutions by microwave spin echoes, 3=21414
Cutler,M. and Cheney,G.T. Measurement of thermal conductivity of electrical conductors at high temperatures, 3=14395
Cutler,M. and Cheney,G.T. Heat-wave methods for the measurement of thermal diffusivity, 3=16818
Cutler,M.,Fitzpatrick,R.L. and Leavy,J.F. The conduction band of cerium sulfide $Ce_{3-x}S_4$, 3=10628
Cutler,M. and Mallon,C.E. Thermoelectric study of liquid semiconductor solutions of tellurium and selenium, 3=3813
Cutler,P.H., Davis,J.C. and Gibbons,J.J. Numerical calculations of reflection coefficients for different surface potential barrier models, 3=15471
Cutler,S. See Senitzky,B., 3=14767
Cutteridge,O.P.D. Orbits of natural satellites, 3=5245
Cuvellier,J. See Boulassier,J.-C., 3=21773
Cuzzocrea,P. See Chilosi,G., 3=7992
Cvelbar,F.,Hudoklin,A.,Mihailovic,M.V.,Najzer,M. and Ramsak,V. Gamma-ray spectrum from the radiative capture of 14 MeV neutrons in Al^{27}, 3=10366
Cvetanović,R.J. See Falconer,W.E., 3=20993
Cyrot,M. and Thuillier,J.M. P.M.E. effect in bismuth—antimony alloys, 3=8572
Cyvin,S.J. Elementary treatment of secular equations with special reference to some problems in the theory of molecular vibrations, 3=10485
Czaja,W. See Baldinger,E., 3=10859
Czaja,W. See Bilger,H., 3=25307
Czajkowski,M. See Baczyński,A., 3=904
Czan Czum Da, Rauluszkiewicz,J. and Wardzuński,W. Some optical properties of heavily doped cadmium selenide single crystals, 3=915
Czapp,B. See Bartke,J., 3=22206
Czech,J. See Fucks,W., 3=7276
Czekalla,J.,Liptay,W. and Meyer,K.-O. Effect on the fluorescence of molecules of an external electric field. II. Determination of the dipole moments of excited molecules, 3=22528
Czepa,O. On harmonic analysis of observed sequences, 3=21199
Czerlinski,G. Versatile temperature jump apparatus for following chemical relaxations, 3=5158
Czerlinsky,E.R.,Johnson,A.D. and Schwuttke,G.H. New studies on insulating and semiconducting diamonds, 3=22944
Czerwonko,J. Quantum statistical mechanics of antiferromagnetics. I, 3=5027
Czerwonko,J. Quantum statistical mechanics of antiferromagnetics. II, 3=8693
Czerwonko,J. On thermodynamic Green's functions of the isotropic ferromagnetic with an arbitrary maximal spin, 3=18064
Czirr,J.B. Determination of π-meson masses by neutron time of flight, 3=10144
Czubek,J.A. Neutron—neutron well logging theory. I. Ephithermal neutron distribution in the cylindrical geometry. 3=10118
Czyż,P. See Kawski,A., 3=21378
Czyz,W. Inelastic electron scattering from nuclei and single-particle excitations, 3=24858
Czyz,W. and Gottfried,K. Inelastic electron scattering from fluctuations in the nuclear charge distribution, 3=8080
Czyzak,S.J. and Krueger,T.K. Forbidden transition probabilities for some P, S, Cl, and A ions, 3=25055
Czyzak,S.J. See Bieniewski,T.M., 3=13152
Czyżewski,O. Multiple meson production in 7 GeV π^-—carbon nucleus collisions, 3=4659
Czyżewski,O. and Łoskiewicz,J. Production of neutral pions in the interactions of 8·4 GeV/c π^- mesons with Xe nuclei, 3=2483
Czyzewski,O. and Łoskiewicz,J. π^0—meson production in 8.4 GeV/c π^-—xenon nucleus collision, 3=7892

Daane,A.H. See Johnson,R.W., 3=8330
Daane,A.H. See Miller,A.F., 3=18685
Daane,A.H. See Smidt,F.A.,Jr, 3=13033
Dabrowski,J. On the role of one-pion exchange in nuclear structure problems, 3=622
Dąbrowski,J. and Rohoziński,G. On the complex effective mass in the calculation of the optical model potential, 3=6231
Dabrowski,J. and Sobiczewski,A. The isotopic spin dependence of the nuclear optical model potential, 3=19749
Dąbrowski,J. See Borysowicz,J., 3=4661
Dachille,F. Axis changes in the earth from large meteorite collisions, 3=21022
Dachille,F. See Myers,M.B., 3=16469
Dachs,H. Determination of hydrogen positions in manganite, MnOOH, by neutron diffraction, 3=1335

Da Cruz,M.T. See Lattes,C.M.G., 3=15058

Daddi,L. and D'Angelo,V. On the identification of β-emitters by absorption measurements, 3=12607

Dadić,Z. On the application of the supposition of the uniform velocity in a straight line at determination of the orbits of comets, 3=18586

Dafler,J.R. A note on specific impulse and rocket performance, 3=1545

Dagai,M. Techniques and apparatus for the measurement of plasma densities of the order of 10^{14} electrons/cm^3, 3=4149

Dagai,M. See Consoli,T., 3=4145

Dagai,M. See Consoli,T., 3=4150

Dagens,L. See Coste,J., 3=14647

Dagg,I.R. and Reesor,G.E. A wave-guide method of measurement of the dielectric constant of low-loss liquids, 3=21676

Dagliana,M.G. See Bizzeti,P.G., 3=7847

Dagonnier,R. See Résibois,P., 3=22885

Dahake,S.L. See Jain,S.C., 3=12962

Dahanayake,C., Fernando,P.C.B. and Kannangara,M.L.T. The flux of primary cosmic ray α-particles, 3=19722

Dahl,L.F. and Rundle,R.E. The crystal structure of dimanganese decacarbonyl, $Mn_2(CO)_{10}$, 3=13489

Dahl,O.,Miller,D.,Murray,J.J. and Horwitz,N. K^- interactions in deuterium: π^-p Y final states, 3=7921

Dahl,O.I. See Alexander,G., 3=7924

Dahl,O.I. See Kalbfleisch,G.R., 3=17349

Dahl,O.J. See Miller,D.H., 3=19698

Dahl,P. See Bisgard,K.M., 3=10318

Dahlberg,E. On radial flow of a conducting gas in crossed fields, 3=12306

Dahlberg,E. Quasi-one-dimensional analyses of magnetohydrodynamic channel flows, 3=14752

Dahlberg,E. An attempt at a one-dimensional treatment of the flow in a Hall-effect MHD-generator channel, 3=14760

Dahlberg,E. An attempt at a one-dimensional treatment of the flow in a Hall-effect m.h.d.-generator channel, 3=17045

Dahlberg, E.P. Characteristics of twinning on fracture surfaces of single and polycrystalline tungsten, 3=18210

Dahlberg,P., Carnahan,R.D. and Brittain,J.O. Dislocation damping in magnesium oxide crystals at low frequencies, 3=3214

Dahler,J.S. Angular momentum transport in quantum statistical mechanics, 3=7139

Dahler,J.S. and Sather,N.F. Kinetic theory of loaded spheres. I, 3=16654

Dahler,J.S. and Scriven,L.E. Theory of structured continua. I. General consideration of angular momentum and polarization, 3=23781

Dahler,J.S. See Becker,P.M., 3=19951

Dahler,J.S. See Chung,H.S., 3=1676

Dahler,J.S. See Curtiss,C.F., 3=16653

Dahler,J.S. See Sather,N.F., 3=1724

Dahlquist,J.A. Back diffusion of electrons in nitrogen, hydrogen, and argon, 3=5693

Dahlquist,J.A. Drift velocities of ions in nitrogen, 3=24221

Dahlström,J. See Brimberg,S., 3=4687

Dai Yuan-ben. See Chen Shih, 3=24712

Dai Yuan-beng. Effects of the weak interaction on the electromagnetic properties of leptons, 3=24600

Dai Yuan-beng. See Chang Li-ning, 3=24799

Dailey,B.P. See Martin,J., 3=4779

Dailey,B.P. See Neikam,W.C., 3=8297

Dailler,M. See Déjardin,G., 3=2978

Dailler,M. See Déjardin,G., 3=25837

Dainoff,M.J. See Onley,J.W., 3=11642

Dairaku,J. See Takagi,T., 3=291

Daire,M. and Boissier,J. Reactivity anomalies in alloys of Fe—Al and Co—Al at the Curie point of the magnetic component, 3=11337

Daire,M. and Forestier,H. Anomaly in reactivity in the system cobalt—palladium at the Curie point for cobalt, 3=20982

Dais,C.F. See Shine,H.J., 3=20013

Daiyasu,K., Kobayakawa,K., Murota,T. and Nakano,T. Comments on standpoint for analyses of hard showers by μ-mesons, 3=4531

Daiyasu,K.,Kobayakawa,K.,Yajima,N.,Yokomi,H.,Kobayashi,T., Mori,K. and Yomeyama,T. A semi-phenomenological approach to multiple meson production, 3=12530

Daiyasu, K. See Kobayakawa, K., 3=17366

Dakhno,L.G. See Anisovich,V.V., 3=22096

Dakshinamurty,P. See Krishnamurty,V.V.G., 3=11788

Dale,J.R. Metallographic examination of the phase diagram of the gallium—tellurium system, 3=11277

Dalfes,A. A study of stochastic kinetics of nuclear reactors, 3=2529

Dalgarno,A. Atomic polarizabilities and shielding factors, 3=8173

Dalgarno,A. Vibrationally excited molecules in atmospheric reactions, 3=13786

Dalgarno,A. and McElroy,M.B. Fluorescence of solar ionizing radiation, 3=25931

Dalgarno,A.,McElroy,M.B. and Moffett,R.J. Electron temperatures in the ionosphere, 3=25920

Dalgarno,A. and Moffett,R.J. Electron cooling in the D region, 3=3499

Dalgarno,A. and Williams,D.A. Rayleigh scattering by molecular hydrogen, 3=3587

Dalgarno,A. See Allison,D.C.S., 3=4718

Dalgarno,A. See Bernstein,R.B., 3=22611

Dalgarno,A. See Cohen,M., 3=19920

Dalgarno,A. See Cohen,M., 3=25052

Dalinenko,N.K. See Vil-dgrube,G.S., 3=9837

Dalitz, R.H. Some topics in strange particle physics, 3=4462

Dalitz,R.H. See Block,M.M., 3=22210

Dalitz,R.H. See Chand,R., 3=608

Dalkhsuren,B.,Levenberg,I.Yu.,Norseev,Yu.V.,Pokrovskii,V.N. and Khainatskii,S.S. The neutron-deficient isotope ^{155}Ho, 3=8048

Dalla Croce,L. See Cappelletti,R., 3=22846

Dall'Olmo,U. Observations of Jupiter around the 1959 and 1960 oppositions, 3=18597

Dallos,P.J. and Carhart,R. Cumulation of DL's for intensity change at low sensation levels, 3=18672

Dalseide,H. See Gjellestad,G., 3=11468

Dalseide,H. See Gjellestad,G., 3=18571

D'Alte da Veiga,L.M. The aluminium—rhenium and aluminium—technetium systems: the new phases $ReAl_6$ and $TcAl_6$, 3=5115

d'Alte da Veiga,L.M. The phase diagrams of the aluminium—rhenium and aluminium—technetium systems, 3=20882

d'Alte da Veiga,L.M. and Walford,L.K. The aluminium—technetium system. The new phases $TcAl_{12}$, $TcAl_4$ and Tc_2Al_3, 3=13520

d'Alte da Veiga,L.M. See Forsyth,J.B., 3=18333

Daly,N.R. See Wilson,H.W., 3=14685

Daly,P. See Collins,J.H., 3=14773

Damany,H. Experimental study of the electrical conductivity of complex gold—silicon deposits obtained by evaporation in vacuum, 3=20331

Damany-Astoin,N. See Roncin,J.Y., 3=17528

Damany-Astoin,N. See Schwob,J., 3=5680

Damaschun,G. and Unangst,D. A new structure for silicone rubber, 3=3349

Damasius,G. and Thodos,G. Reduced state correlation for the Enskog modulus of substances of simple molecular structure, 3=14096

Damask,A.C. Effects of neutron irradiation on non-fissionable alloys, 3=10702

Damask,A.C. and Dienes,G.J. Theory of point defect annealing in metals, 3=22727

Damask,A.C. See Dienes,G.J., 3=6510

Damask,A.C. See Fujita,F.F., 3=22866

Damaskin,B.B. and Grigor'ev,N.B. Effect of potential on the mutual attraction between adsorbed organic molecules, 3=20938

Damašková,S. Absorption in zinc sulphide, 3=10970

Damašková,S. and Pátek,K. A shift of the absorption edge of ZnS single crystals in an electric field, 3=6655

Damburg,R. and Peterkop,R. Excitation of hydrogen by electron collision allowing for exchange and 1s-2s-2p strong coupling, 3=15297

Damburg,R. See Gailitis,M., 3=22502

Damburg,R. See Gailitis,M., 3=25044

Damburg, R.Ya. Excitation of the 2s and 2p levels of the hydrogen atom by electron impact, 3=17541

Damburg,R.Ya. and Iolin,E.M. Calculation of the diamagnetic susceptibility of helium, 3=6348

Damburg,R.Ya. and Karule,E.M. Scattering of positrons by atomic hydrogen, 3=17542

Damburg,R.Ya. and Peterkop,R.K. On the role of the scattered wave with momentum L−1 for 1s−2p transitions, 3=2555

Damburg,R.Ya. and Peterkop,R.K. Strong bond and exchange taken into account in the collisions of electrons with hydrogen atoms, 3=10472
Damburg,R.Ya. and Peterkop,R.K. Excitation of the 2s and 2p levels of the hydrogen atom by slow electrons, 3=15298
Damburg,R.Ya. and Peterkop,R.K. Resonances in the scattering of electrons on hydrogen atoms, 3=22508
Damiani,A., De Santis,P., Giglio,E. and Ripamonti,A. Crystallographic programmes for the I.B.M. 1620 card read-punch unit. I. Correction of intensities and calculation of structural parameters, 3=3295
Damiani,A.,De Santis,P.,Giglio,E. and Ripamonti,A. Crystallographic programmes for the IBM 1620 read-punch unit. II. Statistical methods of analysis of the crystal symmetry centre and calculation of the structure factors, 3=18300
Damiano,V.V. Direct observations of etch pits at dislocations in beryllium, 3=17755
Damle,V.N. and Desai,A.G. Simple exercise to verify the Debye—Huckel limiting law for the activity coefficient of strong electrolytes, 3=16167
Damm,C.C., Foote,J.H., Futch,A.H. and Post,R.F. Cooperative oscillations in a high-temperature plasma formed by neutral atom injection, 3=16969
Damm,C.C. See Futch,A.H.,Jr., 3=1964
Damm,C.C. See Gordon,F.J., 3=25070
Damon,D.H.,Martin,C.R. and Miller,R.F. Evidence for the existence of overlapping valence and conduction bands in SnTe, 3=25233
Damon,E.K. and Flynn,J.T., A liquid calorimeter for high energy lasers, 3=9984
Damon,E.K. and Tomlinson,R.G. Observation of ionization of gases by a ruby laser, 3=19170
Damon,P.E. See Titley,S.R., 3=8458
Damyanov,D. See Christov,V., 3=24546
Danby,G., Gaillard,J.-M., Goulianos,K., Lederman,L.M., Lee,T.D., Mistry,N., Schwartz,M. and Steinberger,J. Remarks concerning the recent high-energy neutrino experiment, 3=14952
Dandl,R.A. See Ard,W.B., 3=19913
Dandl,R.A. See Becker,M.C., 3=12209
Dandl,R.A. See Dunlap,J.L., 3=12196
d'Andlau,C., Astier,A., Ghesquière,C., Grégory,B., Rahm,D., Rivet,P., Solmitz,F., Armenteros,R., Budde,R., Montanet,L., Morrison,D.R.O., Nilsson,S., Shapira,A. and Vandermeulen,J. A new determination of the branching ratio (neutral modes/all modes) of the decay of the ω^0 meson, 3=17328
Dandurand,L. See Simon,R., 3=427
Danelian,L.S. See Pevzner,M.I., 3=24956
Danford,M.D. and Levy,H.A. The structure of water at room temperature, 3=9444
Danforth,W.E. See Anderson,J., 3=21856
Dang-Vu-Huyen. The derivation of the Moller energy-momentum tensor by the application of the Schrodinger affine theory to general relativity, 3=9338
D'Angelo,N. Ion waves in an inhomogeneous plasma, 3=16964
D'Angelo,N. and Motley,R.W. Low-frequency oscillations in a potassium plasma, 3=9820
D'Angelo,N. See Motley,R.W., 3=9819
D'Angelo,N. See Wong,A.Y., 3=4128
D'Angelo,V. See Daddi,L., 3=12607
Dangle,R.L. See Hardie,G., 3=4631
Daniel,E. Electronic structure of dilute alloys, 3=8388
Daniel,E.D. On the dependence of absorption coefficients upon the area of the absorbent material, 3=11865
Daniel,E.D. and Wohlfarth,E.P. Fine particle magnetic recording media, 3=1091
Daniel',E.V. See Andreev,S.I., 3=14547
Daniel,H.,Mehling,O.,Müller,O.,Schmidlin,P.,Schmitt,H., Subudhi,K.S. and Neuburger,E. β—γ circular=polarization correlation of Sc^{46} and the chemical form of the source, 3=22328
Daniel,H.,Mehling,O. and Schotte,D. Decay scheme and metrix elements for the β-transition $Ag^{110m} \rightarrow Cd^{110}$, 3=8038
Daniel,H. See Collin,W., 3=22308
Daniel,J.L.,Jr. Reflection microscopy of irradiated UO_2 crystals, 3=20959
Daniel,M.R. and Mackinnon,L. The magnetoacoustic effect and the Fermi surface of cadmium, 3=22686
Daniel,R.R. See Badhwar,G.D., 3=619
Daniel-Szabó,J. and Gengnagel,H. Reptation and bascule effect in Fe-Al simple crystals, 3=1229
Daniel-Szabó,J. See Gengnagel,H., 3=13248
Daniel-Szabó,J. See Hajko,V., 3=23158
Danielian,A. On interpreting high temperature magnetic susceptibility data, 3=990
Danielian,A. The ordering of a face-centred cubic lattice, 3=8649
Danielmeyer,H.C. and Kneser,H.O. Sound absorption in liquid and solid bromine, 3=9458
Daniels,F.B. Radar determination of the root mean square slope of the lunar surface, 3=11597
Daniels,W.B. The anomalous thermal expansion of germanium, silicon and compounds crystallizing in the zinc blende structure, 3=10603
Danielson,G.C. See Shanks,H.R., 3=15449
Danielson,R.E. Plans for planetary observations with stratoscope II, 3=16350
Danielsson,L. See Lindberg,L., 3=16966
Danilenko,V.M. and Smirnov,A.A. Theory of ordering ferromagnetic alloys. I., 3=25518
Danilenko,V.M. See Geichenko,V.V., 3=8904
Danilevskaya,O.A. See Bundel',A.A., 3=3051
Danilov,A.D. Molecular nitrogen in the upper atmosphere, 3=9067
Danilov,G.S. The three-body problem for short-range forces in the linear approximation in the force range, 3=14919
Danilov,G.S. The role of short-range three-particle forces in processes with the generation of three particles near threshold, 3=14920
Danilov,G.S. and Lebedev,V.I. Calculation of the doublet neutron—deuteron scattering length in the theory of zero-range forces, 3=24737
Danilov,G.S. See Gribov,V.N., 3=569
Danilov,I.B. See Kapitsa,P.L., 3=5560
Danilov, V.N. Investigation of the conditions of the formation of hillocks, etch pits and unstable faces in silver at high temperature, 3=17714
Danilov,Yu.I. and Galitseiskii,B.M. Solution of the equation of motion of a gas in a uniform channel with friction and heat transfer, 3=14194
Danilova,A.V. See Garif'yanov,N.S., 3=1712
Danilova,T.V., Denisov,E.V., Nikolsky,S.I. and Pomansky,A.A. Nuclear—active particles in showers with different number of particles, 3=4497
Danilyan,G.V. See Burgov,N.A., 3=8077
Danilycheva,M.N. See Strukov,B.A., 3=20101
Dannhauser,W. and Flueckinger,A.F. Dielectric constant of hydrogen-bonded liquids. I. Cyanoacetylene, 3=7216
Danno,A. See Yahagi,K., 3=10874
Danon,J. Nuclear isomer shift and covalency in iron complexes, 3=25125
Danon,J. See Costa,N.L., 3=12905
Danovich,J.F. and Smith,J. Microscopy of structural changes of coated titanium alloy under high-load wear conditions, 3=20890
Dansercoer,W. See Mortier,P., 3=7459
Danyluk,S.S. See Cawley,S., 3=16637
Danysz,J.A. Emission of the heavy particles in the interactions at energies greater than 10^9eV, 3=4658
Danysz,M.,Garbowska,K.,Pniewski,J.,Pniewski,T.,Zakrzewski,J., Fletcher,E.R.,Lemonne,J.,Renard,P.,Sacton,J.,Toner,W.T., O'Sullivan,D.,Shah,T.P.,Thompson,A.,Allen,P.,Sr,Heeran,M., Montwill,A.,Allen,J.E.,Beniston,M.J.,Davis,D.H.,Garbutt,D.A., Bull,V.A.,Kumar,R.C. and March,P.V. Observation of a double hyperfragment, 3=22276
Danysz,M.,Garbowska,K., Saniewska,T. and Skrzypczak,E. On the determination of the particle momenta in the nuclear emulsion exposed in a strong magnetic field, 3=24572
Da Prato,G. See Cabibbo,N., 3=7819
Da Prato,G. See Cabibbo,N., 3=14937
Da Providência, J. Intrinsic symmetries of nuclear rotational states, 3=2374
Da Providência,J. Perturbation theory in nuclear matter with regular but velocity dependent interactions, 3=7967
Da Providência,J. Linked graph expansion for the logarithm of the norm of many-body wave functions, 3=18747
Da Providência,J. Cluster expansion of operator averages for systems of many particles, 3=23790
Dar,A.,de-Shalit,A. and Reiner,A.S. Contribution to the theory of Coulomb stripping, 3=22424
Dar,Y. See Blaugrund,A.E., 3=19794

Darby,J.B.,Jr,Jugle,D.B, and Kleppa,O.J. The rate of solution of some transition elements in liquid aluminum, 3=16614
Darby,J.B.,Jr. and Zegler,S.T. Comments on superconducting phases in the Mo−Tc system, 3=19113
Darby,W. See Galasso,F., 3=3306
Darden,S.E. See Behof,A.F., 3=19637
Darden,S.E. See Kelsey,C.A., 3=6243
Darewych,G. and Neamtan,S.M. On the mean life of H^- ions in accelerating devices, 3=12083
Dargent,R.,Lacaze,J. and Marty,C. Relations between jet currents and centres of depressions, 3=11387
Daridon,H. See Colombani,A., 3=17822
Darken.L.S. See Turkdogan.E.T., 3=24120
Darling,W.R. Biprism method of determining the equivalent focal length of flat field lenses, 3=3866
Darling,W.R. See Washer,F.E., 3=237
Darmon,J.,Rousset,A. and Six,J. Direct measurement of the mean-life of the K_2^0 meson, 3=4456
Darnell,A.J. and Libby,W.F. Indium antimonide: The metallic form at atmospheric pressure, 3=13517
Darnell,A.J., See Bömmel,H.E., 3=12031
Darnell,F.J. Temperature dependence of lattice parameters for Gd, Dy, and Ho, 3=15444
Darnell,F.J.,Cloud,W.H. and Jarrett,H.S. X-ray and magnetization studies of Cr-modified Mn_2Sb, 3=13282
Darnell,F.J. and Moore,E.P. Crystal structure of dysprosium at low temperatures, 3=15755
Darnell,F.J. See Flippen,R.B., 3=15750
Darnell,F.J. See Jarrett,H.S., 3=1026
Darner,C.L. Velocity of cavitation bursts, 3=5421
Daróczy,A. See Csikai,J., 3=10360
Darvas,J. Alpha-spectrum from the decay of Li^8, 3=24890
Darwent,B.deB. See Jackson,W.M., 3=3384
Darwent,B. deB. See Jackson,W.M., 3=3390
Darwish,D.A.E. See Antoufiev,Y.P., 3=19811
Daryusina,S.A. See Distler,G.I., 3=13564
Daryusina,S.A. See Distler,G.I., 3=16050
Das,A. Complex scalar field in general relativity, 3=7104
Das,A. On the unification of matter fields, 3=10024
Das,A.K. Note on twisting of non-homogeneous truncated cone, 3=90
Das,B.R. Note on thermoelastic stresses in a thin semi-infinite rod due to some time dependent temperature applied to its free end, 3=14082
Das,B.R. Two-dimensional problems of steady-state thermal stresses in aeolotropic solids, 3=23808
Das,C.D. See Rao,R.V.G., 3=8365
Das,K.B. and Gerritsen,A.N. Electrical resistivity of dilute alloys of magnesium and neodymium, 3=829
Das,M.R. and Venkataraman,B. C^{13} hyperfine interactions in semiquinones, 3=22589
Das,P. Influence of wind shear on the growth of hail, 3=1437
Das,P. Effect of surface recombination velocity on carrier lifetime for cylindrical geometry, 3=2868
Das P. See Nag.B.R., 3=10760
Das,P. See Nag,B.R., 3=13048
Das,P. See Nag,B.R., 3=19454
Das,R.K. See Mahanta,P.C., 3=8370
Das,T.P. See Bersohn,R., 3=10575
Das.Y.C. Bucking of rectangular orthotropic plates, 3=85
Dasannacharya,B.A. Iyengar,P.K., 3=1111
D'Asaro,L.A. See Nelson,D.F., 3=20514
Dascola,G. Observation methods of electron cyclotron resonance in diodes, 3=9851
Das Gupta,A. See Bagai,S.K., 3=14088
Das Gupta,A. See Dutta,A.K., 3=10202
Das Gupta,A.K. Unipolar machines. Association of the magnetic field with the field-producing magnet, 3=14741
Das Gupta,K. Characteristic modified X-ray scattering, 3=5982
Das Gupta,M.K. and Basu,D. Slowly varying component of solar radio emission, 3=9262
Das Gupta,M.K. and Basu,D. Solar radio bursts in relation to flare importances, 3=16377
Das Gupta, M.K. and Sen, A.K. Sudden enhancement of atmospherics associated with high altitude nuclear explosions, 3=1450
Das Gupta,M.K. and Sen,A.K. Integrated field intensity of atmospherics in relation to local thunderstorms, 3=23597
Dasgupta,P. Regge trajectory and resonant partial wave amplitude, 3=10046
Dash,H.H. Constant energy differences in atomic structure, 3=22472
Dash,J. and Otte,H.M. Thin film transmission observations of a thermal transformation in stainless steel, 3=23474
Dash,S. and Brown,N. An investigation of the origin and growth of annealing twins, 3=25756
Dashen,R.F. New approach to low-energy potential scattering, 3=11700
Dashen,R.F. Some extensions of the born approximation for phase shifts, 3=14906
Dashevskii,M.Ya. See Voronov,B.K., 3=25671
Dashkovskii,A.I. and Savitskii,E.M. The damping capacity of strontium, 3=1216
da Silveira,R. A contribution to the study of nuclear spallation reactions, 3=19851
Dassù,G. See Bassi,A., 3=3240
Datars,W.R. Cyclotron resonance in antimony at 35 Gc/sec and 70 Gc/sec, 3=4851
Datars,W.R. Cyclotron resonance in KCl, 3=20149
Datars,W.R.,Fischer,G. and Eastman,P.C. Paramagnetic resonance in tellurium, 3=13308
Datars,W.R. See Eastman,P.C., 3=8512
Datars,W.R. See Eastman,P.C., 3=21643
Date,M. Antiferromagnetic resonance and anisotropic exchange interactions in $CoCl_26H_2O$, 3=1176
Date,M. and Nagata,K. Antiferromagnetic resonance in hydrated copper salts, 3=15929
Ďatlov,J.,Boháček,V.,Jakubka,K.,Klima,R and Váňa,J. Circular electron accelerator with toroidal waveguide, 3=9886
Datsȳshȳn,A.M. See Vȳshnevs'kȳi,V.N., 3=20520
Datta,R.L. See Krishnamurti,S., 3=9435
Datta, S.K. Slow steady rotation of a sphere in a non-Newtonian inelastic viscous fluid, 3=111
Datta,S.K. Laminar flow of non-Newtonian fluid in channels with porous walls, 3=7182
Datta-Roy,S.K. See Bose,A., 3=6691
Dattner,A. A study of plasma resonance, 3=7611
Dattner,A. Experiments on plasma resonance, 3=19251
Dattner,A. Resonance densities in a cylindrical plasma column, 3=21835
Dattner,J. and Fischler,J. Calculations of oxygen isotope abundance ratios in a mass spectrometer, 3=25071
Dattner,J. See Pelah,I., 3=21904
Daub,C.T. The Zanstra mechanism for nebular condensations, 3=9345
D'Aubigné,Y.M. and Srivastava,K.G. Resonance of fine antiferromagnetic grains, 3=15905
d'Aubigné,Y.M. and Winter,J.H. Magnetic resonance in fine antiferromagnetic grains, 3=23218
Daubin,S.C. A geometrical introduction to special relativity, 3=34
Daubin,S.C. Geometrical demonstration of velocity transformation in special relativity, 3=23747
Dauenbaugh,C.E. See Palmer,D.R., 3=6497
Daujat,P. See Bergere,R., 3=5728
Daum,A. See Régnier,J.F., 3=3838
Daum,C. The $^{23}Na(d,p)^{24}Na$ reaction and the nuclear structure of ^{24}Na, 3=19875
Daume,É.Ya. and Freidman,G.I. Doppler effect when an electromagnetic wave is reflected by a magnetization wave in a ferrite, 3=4269
Daumezon,P.,Moriamez,M. and Arnoult,R. Use of a graphic analogue method for analysing the results of dielectric relaxation phenomena; application to solutions of chlorobenzene-nitrobenzene, 3=21392
Daune,M. See Jacob,M., 3=9454
Däunert,U. See Sizmann,R., 3=8457
Daunt,J.G. See Edwards,D.O., 3=323
Dautcourt,G.,Papapetrou,A. and Treder,H. One-dimensional gravitational fields, 3=5333
Dautreppe,D.,Langier,J.,Paulevé,J. and Néel,L. The effect of neutron irradiation on 50-50 Fe−Ni alloy, 3=11056
Dautreppe,D. See Chambron,W., 3=3119
Dautreppe,D. See Minier-Cassayre,C., 3=13034
Dautreppe,D. See Moser,P., 3=8469
Dautreppe,D. See Paulevé,J., 3=8900
Dauvillier,A. Lunar magnetism, 3=5237
Dauvillier,A. Cosmic cybernetics and stellar evolution, 3=5267
Dauvillier,A. Paleogeomagnetism and evolution of the earth-moon system, 3=9136

Dauvillier,A. Planetary albedoes and glacial periods. The glaciation of Venus, 3=9180
Dauvillier,A. Cosmoslogical hypotheses and the theory of cosmic cycles, 3=25970
Dauvillier,A. See Botley,C.M., 3=23629
Dave,S.M. See Saxena,S.C., 3=3821
Dave,S.M. See Saxena,S.C., 3=7233
Dave,S.M. See Saxena,S.C., 3=16651
Davey,J.E.,Tiernan,R.J.,Pankey,T. and Montgomery,M.D. The effect of vacuum-evaporation parameters on the structural, electrical and optical properties of thin germanium films, 3=20926
Davey,J.E. See Grant,H.L., 3=16668
David,F. See Paris,P., 3=24908
David,H.G. and Hamann,S.D. Lennard-Jones and Devonshire equation of state at low temperatures, 3=20117
David, J.P, Martinuzzi, S. and Japavaire, R. Electrical properties of thin films of Ga in relation to their method of preparation and structure, 3=17875
David,R.,van der Laan,H.R. and Poulis,N.J. Attenuation of ultrasonic shear waves in superconducting aluminium, 3=14446
Davidenko,N.I. Anisotropy of even effects in crystals with orthorhombic and rhombohedral lattices, 3=23166
Davidenko,N.I. and Fakidov,I.G. "Anomaly" in the longitudinal Nernst—Ettingshausen thermomagnetic effect, 3=25532
Davidenkov,N.N. Correction to the article of N.N.Davidenkov "On measurement of residual stresses in electrolytic coatings", 3=15983
Davidenkov,N.N. More about the kinetics of abrupt deformation [reply to the paper by L.E.Popov, M.A.Bol'shakova and N.A.Aleksandrov], 3=23318
Davidenkov,N.N. and Braĭnin,E.I. The question of the mechanism of plastic deformation of metals, 3=15987
Davidge,R.W. The sign of charged dislocations in NaCl, 3=25278
Davidge,R.W. and Pratt,P.L. Formation of colour centres in undeformed and deformed NaCl, 3=13011
Davidovich,M.,Popesku,I.M. and Vais,A.M. Apparatus for the detection of magneto-optical double resonance, 3=5533
Davids,N. See Huang,Y.K., 3=21486
Davidson,D. Nuclear burst effects on long-distance high-frequency circuits, 3=14782
Davidson,D.W. Some dielectric properties of carbonyl chloride, 3=177
Davidson,E.R. Natural expansions of exact wavefunctions. III. The helium-atom ground state, 3=25045
Davidson,E.R. and Jones,L.L. Direct-product representation of wavefunctions, 3=1610
Davidson,E.R. and Jones,L.L. Correlation splitting in the hydrogen molecule, 3=2616
Davidson,E.R. and Jones,L.L. Natural expansion of exact wave functions. II. The hydrogen-molecule ground state, 3=6392
Davidson,F.D. and Wyckoff,R.W.G. X-ray fluorescent yields from several light elements, 3=3033
Davidson,F.D. See Wyckoff,R.W.G., 3=14703
Davidson, J.P. See Chi, B.E., 3=17386
Davidson,N. See Stewart,R.F., 3=13978
Davidson,N. See Stewart,R.F., 3=25131
Davidson,R.M. Spectral variation of index of refraction, 3=20432
Davidson,T.E. and Homan,C.G. Some observations on the effects of hydrostatic pressures to 20 000 atm on the structure of polycrystalline bismuth, 3=16017
Davidson,W. Radio background as a criterion for cosmological models, 3=9157
Davidson,W. Re-entrant motion in special relativity, 3=9336
Davies,B. and Delves,L.M. An exactly soluble two-body problem with non-central forces, 3=24664
Davies,B.F. Photometric considerations in observing Venus, 3=18622
Davies,B.W. See Craddock,M.K., 3=22131
Davies,C.N. Measurement of particles, 3=1651
Davies,D. and Long,G. Abnormal kinetics in the release of inert gases from uranium dioxide, 3=22441
Davies,D.,Long,G. and Stanaway,W.P. The emission of volatile fission products from uranium dioxide, 3=22440
Davies,D.E., Dawson,G.A. and Gozna,C.F. The influence of cathodic surface layers on Townsend discharge parameters in hydrogen, 3=4033
Davies,D.E., Smith,D. and Myatt,J. Townsend ionization coefficients and the breakdown of Paschen's law in hydrogen, deuterium, and mercury vapour, 3=4010
Davies,D.E. See Dawson,G.A., 3=9736
Davies,D.K. The incipient condensation of water vapour on a gold surface, 3=21635
Davies,D.K. and Jones,E. Note on ionization coefficients in methane, 3=24214
Davies,D.K.,Llewellyn Jones,F. and Morgan,C.G. Ionization growth times and secondary processes in helium, 3=9725
Davies,D.K. See Wylie,R.G., 3=3927
Davies, D.R. and Oakes, M.B. On the problem of formulating a realistic model of the general atmospheric circulation, 3=3456
Davies,D.W. Quantum-mechanical theories of the electronic structure of molecules, 3=22533
Davies,D.W. Some remarks on the diamagnetic anisotropy of C—C and C—H bonds in saturated hydrocarbons, 3=22585
Davies,E.A. and Gosling,D.S. Mains-operated cold trap filler, 3=18867
Davies,E.A. See Banbury,P.C., 3=10782
Davies,G.J. See Titchener,A.L., 3=8814
Davies,H. Hamiltonian approach to the method of summation over Feynman histories, 3=3747
Davies,J.A.,Brown,F. and McCargo,M. Range of Xe^{133} and Ar^{41} ions of kiloelectron volt energies in aluminium, 3=19372
Davies,J.A.,Domeij,B. and Uhler,J. The range of Kr^{85} ions in aluminum and tungsten in the energy interval 2-600 keV, 3=14675
Davies,J.A. See Bergström,I., 3=12608
Davies,J.A. See Bergström,I., 3=14676
Davies,J.A. See Brown,F., 3=19373
Davies,J.A. See Domeij,B., 3=14677
Davies,J.A. See McCargo,M., 3=22878
Davies,J.A. See McCargo,M., 3=24385
Davies,J.A. See Piercy,G.R., 3=15521
Davies,J.H. and Yaffe,L. Nuclear charge dispersion in the high-energy fission of uranium, 3=15249
Davies,J.H. and Yaffe,L. The ratio of the independent formation cross-sections of the isomeric states of Cs^{134} in the proton-induced fission of uranium, 3=24995
Davies, J.T. and Vaughan, J.M. A new tabulation of the Voigt profile, 3=16764
Davies,K. A study of 2 Mc/s ionospheric absorption measurements at high latitudes, 3=5871
Davies,K. Doppler studies of the ionospheric effects of solar flares, 3=13704
Davies,K. The measurement of ionospheric drifts by means of a Doppler shift technique, 3=13729
Davies,K. See Agy,V., 3=5875
Davies,K. See Calvert,W., 3=13775
Davies,K.T.R. and Baranger,M. Symmetry properties of the S-Matrix with application to resonance reactions, 3=557
Davies,K.T.R.,Satchler,G.R.,Drisko,R.M. and Bassel,R.H. Scattering from oriented deformed nuclei, 3=19828
Davies,L.W. See Collins,R.E., 3=19301
Davies,M.G. and Oldfield,D.E.S. Tones from a choked axisymmetric jet. I. Cell structure, eddy velocity and source locations, 3=1767
Davies,M.G. and Oldfield,D.E.S. Tones from a choked axisymmetric jet. II. The self excited loop and mode of oscillation, 3=1768
Davies,M.O. Transport phenomena in pure and doped magnesium oxide, 3=15611
Davies,P.G.,Dutton,J. and Llewellyn-Jones,F. Mobilities of positive ions in gases, 3=7437
Davies,P.W.,Finniear,T.C. and Wilshire,B. The effect of compressive prestrain on the creep and fracture properties of pure nickel at 500° C, 3=13361
Davies,P.W. and Wilshire,B. An experiment on void nucleation during creep, 3=3227
Davies, P.W. and Wilshire, B. Incidence of grain boundary cracking in creep failure, 3=18195
Davies,R.D. and Verschuur,G.L. Polarization and classification of radio sources, 3=9259
Davies,R.D.,Verschuur,G.L. and Wild,P.A.T. Measurement of magnetic fields in interstellar clouds, 3=5282
Davies,R.G. Steady state creep in iron–15 to 20 at.% aluminum alloys, 3=15995
Davies,R.G. Steady state creep in a Ni,Fe alloy, 3=23336

Davies,R.G. An X-ray and dilatometric study of order and the "K-state" in iron—aluminum alloys, 3=23467
Davies,R.W. and Langer,J.S. Self-consistent field approximation for the frequency spectrum of a disordered chain, 3=17638
Davies,S.M. Simulating Sizewell reactor transients with an analog computer, 3=22455
Davies,T.J. See Evans,P.E., 3=8812
Davies,T.V. The magneto-hydrodynamic boundary layer in the two-dimensional steady flow past a semi-infinite flat plate. I. Uniform conditions at infinity, 3=14753
Davies,T.V. The magneto-hydrodynamic boundary layer in the two-dimensional steady flow past a semi-infinite flat plate. III. The influence of an adverse magneto-dynamic pressure gradient, 3=14755
Davies,W.T. See Chadwick,G.B., 3=10117
Davis,B.L. and Adams,L.H. Transition rates of KNO_3 high-pressure polymorphs, 3=20772
Davis,C.D. See Cockett,G.H., 3=5124
Davis,C.D. See Cockett,G.H., 3=10602
Davis,D.D. See Bozorth,R.M., 3=992
Davis,D.D. See Slichter,W.P., 3=11125
Davis,D.G.,Ghani,A.,Hanna,R.C.,Heymann,F.F.,Heymann,G. and Read,A.L. The polarization of protons recoiling from $\pi^+ + p$ collisions at 265 MeV, 3=24730
Davis,D.H.,Levi Setti,R. and Raymund,M. A determination of the spin of Li^8, 3=10230
Davis,D.H., Levi Setti,R.,Raymund,M.,Skjeggestad,O.,Tomasini,G., Lemonne,J.,Renard,P. and Sacton,J. Binding energy of Λ^0 hyperons in heavy hypernuclei $(60 < A < 100)$, 3=6147
Davis,D.H. See Ammar,R.G., 3=10229
Davis,D.H. See Beniston,M.J., 3=7975
Davis,D.H. See Danysz,M., 3=22276
Davis,D.H. See Lagnaux,J.P., 3=17489
Davis,D.H. See Zakrzewski,J., 3=10227
Davis,D.T.M.,Jr. See Macel,W.M., 3=9401
Davis, E.C.Jr. See Thomas, H.C., 3=17431
Davis,G.,Jr. and Grannemann,W.W. Point contact diodes utilizing single-crystal reduced rutile titanium dioxide, 3=10854
Davis,G.L. Hot resistivity of tungsten wires, 3=10723
Davis,G.T. See Taft,R.W., 3=8300
Davis,H. Advances in the neutrophysiology and neuroanatomy of the cochlea, 3=3660
Davis,H. See Teas,D.C., 3=3662
Davis,H.F.,Ewart,T.E.,Masek,G.E.,Platner,E.D.,Toutonghi,J.P. and Williams,R.W. Elastic scattering of 1.2 BeV/c muons from hydrogen, 3=24757
Davis,H.L. A note on the antiferromagnetic spin-wave theory of the BCC lattice, 3=1156
Davis,H.L. Application of configuration interaction to the 2^3S state of helium. II, 3=25046
Davis,H.M. See Bovey,L., 3=698
Davis,H.T.,Rice,S.A. and Meyer,L. Theory of electronic and ionic mobility in liquid He^4I and liquid He^3, 3=317
Davis,H.T.,Rice,S.A. and Meyer,L. Kinetic theory of dense fluids. XII. Electronic and ionic motion in liquid He^4I and liquid He^3, 3=1677
Davis,H.T.,Rice,S.A. and Meyer,L. On the kinetic theory of dense fluids. XIII. The mobility of negative ions in liquid Ar, Kr, Xe, 3=1678
Davis,J. The design and performance of three meniscus Schmidt meteor cameras, 3=16319
Davis,J. and Hall,J.E. Meteor luminosity and ionization, 3=5252
Davis,J.A. and Keffer,F. Effect of surface pinning on the magnetization of thin films, 3=15838
Davis,J.C. See Cutler,P.H., 3=15471
Davis,K.G. Strain rate dependence of the flow stress in cadmium crystals, 3=23338
Davis,K.G. and Teghtsoonian,E. Deformation twins in cobalt, 3=8800
Davis,L.,Jr. and Beard,D.B. A correction to the approximate condition for locating the boundary between a magnetic field and a plasma, 3=16307
Davis,L., Jr. See Chang,D.B., 3=3620
Davis,L., Jr. See Coleman,P.J., Jr, 3=7020
Davis,L.Jr. See Smith,E.J., 3=18619
Davis,L.R. See Hoffman,R.A., 3=7955
Davis,P.A. An analysis of the atmospheric heat budget, 3=9024
Davis,P.H.,Jr. Recent trends in the design of school sound systems, 3=13994
Davis,R.H. and Hosack,H.H. Double barrier in thin-film triodes, 3=10861
Davis,R.H. See Carter,E.B., 3=7650
Davis,R.H. See Nelson,J.W., 3=8131
Davis,R.H. See Seaborn,J.B., 3=10391
Davis,R.J. Parasitic radiations in X-ray tubes, 3=9896
Davis,R.S. See Doherty,P.E., 3=11335
Davis,S.P. Selection of multilayer dielectric coatings for Fabry—Perot interferometry, 3=19003
Davis,S.P. See Kleiman,H., 3=17529
Davis,S.P. See Porter,T.L., 3=6393
Davis,S.P. See Reader,J., 3=10463
Davis,S.P. See Reader,J., 3=24026
Davis,W.D., and Vanderslice,T.A. Ion energies at the cathode of a glow discharge, 3=16916
Davis,W.R. and Katzin,G.H. Mechanical conservation laws and the physical properties of groups of motions in flat and curved space-times, 3=19
Davis,W.R. and Moss,M.K. On the conservation laws in the theory of general relativity, 3=11684
Davis,W.W. See Hook,L., 3=7356
Davison,M.,Hopkins,H.W.K.,Lyons,L. and Shaw,D.F. Proton—deuteron interactions at 77 MeV, 3=12516
Davison,M.,Hopkins,H.W.K.,Lyons,L. and Shaw,D.F. Proton—deuteron scattering at 77 MeV, 3=22129
Davison,S.G. See Bullough,R.K., 3=14164
Davison,W.D. Rotational energy transfer in molecular collisions: transitions in parahydrogen, 3=6435
Davy,A.B. See Callomon,J.H., 3=22582
Davy,D.R. and Green,R.M. Detection of fresh fission products in Sydney from the 1962 Christmas Island nuclear test series, 3=15128
Davydov,A.S. New results in the theory of nonaxial nuclei, 3=10204
Davȳdov,A.S. Dispersion relations for the refractive index and absorption coefficient in media with exciton absorption, 3=15643
Davȳdov,A.S. and Sardaryan,R.A. Rotational states of odd nuclei with small non-axiality, 3=4560
Davȳdov,A.V. See Burgov,N.A., 3=2418
Davȳdov,A.V. See Kartashov,G.R., 3=6202
Davydov,B.É. See Airapetyants,A.V., 3=20341
Davydov,B.S. Two interference methods of measuring the amplitude of oscillation of mechanical systems, 3=23957
Davydov,V.Ya.,Kiselev,A.V. and Lȳgin,V.I. Variation of the spectrum of surface hydroxyl groups, and the heat of adsorption on the surface of silica, 3=8922
Davydova,I.V. See Vul,B.M., 3=10768
Davydova,I.V. See Vul,B.M., 3=20311
Davȳdovskii,V.Ya. The possibility of accelerating charged particles by electromagnetic waves in a constant magnetic field, 3=2091
Daw,H.A. Investigation of laser modulation by modifying the internal reflection barrier, 3=16763
Daw,N.W. Why after-images are not seen in normal circumstances, 3=9310
Daw,N.W. See Land,E.H., 3=3691
Daw,N.W. See Land,E.H., 3=7075
Dawber,P.G. and Elliott,R.J. Theory of optical absorption by vibrations of defects in silicon, 3=10581
Dawber,P.G. and Elliott,R.J. The vibrations of an atom of different mass in a cubic crystal, 3=12916
Dawe,J.A. See Garstang,R.H., 3=9200
Dawood,R.I. and Forty,A.J. The electrical conductivity and photodecomposition of small crystals of lead iodide. I. The measurement of electrical conductivity, 3=2921
Dawood, R.I. and Forty, A.J. The formation of photographic images in single crystals of lead iodide, 3=17960
Dawson,C. Complementary techniques for the study and measurement of strain, 3=7170
Dawson,G.A. and Davies,D.E. Short formative time lags (3-100 nsec) in hydrogen at low pressures (5-50 mmHg), 3=9736
Dawson,G.A. See Davies,D.E., 3=4033
Dawson,I.M. and Follett,E.A.C. Observations on structural aspects of graphite oxidation, 3=20985
Dawson,J. See Oberman,C., 3=7606

Dawson,J. and Oberman,C. Effect of ion correlations of high-frequency plasma conductivity, 3=9769

Dawson,J.F. and Walecka,J.D. Level spectra of A = 6 nuclei from the free nucleon—nucleon interaction, 3=12579

Dawson,P.H. and Robertson,A.J.B. Catalytic reaction of propylene on incandescent niobium, 3=13605

Dawson,P.H. See Knewstubb,P.F., 3=14552

Dawson,R.,Brackett,E.B. and Brackett,T.E. A high temperature calorimeter; the enthalpies of α-aluminum oxide and sodium chloride, 3=25198

Dawton,R.H.V.M. A negative ion source using a mercury pool cathode, 3=4207

Day,D.H.,Fox,W.N. and Hyder,H.R. Measurement and calculation of fast neutron flux in a zero-energy reactor, 3=22149

Day,G.,Gauld,C.F.,McCusker,C.B.A. and Peak,L.S. The interaction mean free path of protons at 3 TeV, 3=7849

Day,G.F. See Budnick,J.I., 3=23258

Day,G.F. See Force,R.C.La., 3=1200

Day,G.F. See Streever,R.L., 3=3199

Day,G.F. See Streever,R.L., 3=15967

Day,J.W.B. See Blevis,B.C., 3=21068

Day,P., Scregg,G. and Williams,R.J.P. Reply to Fielding and MacKay's paper, 'Spectra and photoconduction of phthalocyanine complexes", 3=20496

Day,R.B. See Collard,H., 3=25065

Day,R.B. See Wagner,R.T., 3=15208

Day,T.B. See Burnstein,R.A., 3=22214

Day,T.B. See Courant,H., 3=17346

Dayal,B. and Singh,S.P. Thermal expansion of silicon at high temperatures by X-rays, 3=4824

Dayal,B.and Srivastava,R.S. Vibration spectrum of silver based on metallic interaction, 3=2716

Dayal,B. and Tripathi,B.B. A new approach to lattice dynamics of metals, 3=2706

Dayal,B. See Dutta,B.N., 3=10605

Dayal,B. See Dutta,B.N., 3=12963

Dayal,B. See Verma,M.P., 3=15447

Dayal,Y. See Primak,W., 3=10708

Dayan,E. See Chaigneau,M., 3=10539

Dayan,E. See Widenlocher,G., 3=21451

De,M. and Som,S.C. Diffraction images of circular phase objects in partially coherent light, 3=14317

De,M.L. On an analytical expression for the axial field of electromagnetic lenses, 3=4197

de-Shalit,A. and Talmi,I. Nuclear shell theory, 3=12545

de-Shalit,A. See Dar,A., 3=22424

Deacle,R.E. See Kronstein,M., 3=11882

De Alfaro,V.,Regge,T. and Rossetti,C. Dynamical equations and angular momentum, 3=5365

Deall,L. and Badar,L. Preparatory curriculum of P.S.S.C. and other physics programs, 3=11652

Dealy,J.M. and Pehlke,R.D. Interaction parameters in dilute molten alloys, 3=16603

Deam,A.P. See Straiton,A.W., 3=7716

Dean,P. The vibrations of three two-dimensional lattices, 3=12915

Dean,P. A new Monte Carlo method for percolation problems on a lattice, 3=13997

Dean,P. and Bacon,M.D. The nature of vibrational modes in disordered systems, 3=10582

Dean,P. and Bacon,M.D. Vibrational modes of disordered linear chains, 3=22638

Dean,W.A. See Comstock,R.L., 3=15882

Deane,R.E. See Csanady,G.T., 3=7187

de Angelis, A. See Ascoli-Bartoli, U., 3=4146

De Angelis,R.J. and Schwartz,L.H. Computer programs for analysis of broadening of diffraction peaks, 3=23435

Dear,D.J.A.,Eley,D.D. and Johnson,B.C. Heat of wetting of aluminium powder, 3=16131

Deaton,B.C. and Gavenda,J.D. Electron relaxation time anisotropy in copper, 3=8383

Deaton,B.C. and Graf,R.B. Pressure distribution and hysteresis effects in a tetrahedral anvil device, 3=7168

Deb,S.K. Exciton absorption in cuprous iodide, 3=20473

Deb,S.K. Photoelectric properties of the alkali metal azides, 3=25415

Deb,S.K. Optical and photoelectric properties of barium and strontium azides, 3=25450

Debaix,A. See Vigroux,E;, 3=16207

De Bar,R.B. Evaluation of the Van Hove correlation functions for certain physical systems, 3=11703

DeBar,R.B. See Bosco,B., 3=2326

Debarbat,S. and Kovalevsky,J. Discussion of observations of Mars made by the automatic astrolabe a danjon, 3=13863

Debarber,J.P.,Chisholm,G.E. and Ross,W.J. The nature of the irregularities in ionization density causing scintillations in satellite signals, 3=13714

De Batist,P. On the deformation induced internal friction peaks in niobium, 3=23303

De Batist,R. See Strumane,R., 3=22777

Debeau,M. Determination of optical constants of sodium chlorate and bromate crystals by infrared reflection spectra, 3=20438

Debeauvais-Wack,M. Microdosage of radium in solution using a nuclear photographic emulsion, 3=4582

Debeauvais-Wack,M. A study of the sensitivity of nuclear emulsion as a function of temperature, and application to particle physics, 3=14839

de Beer, J.F. An experiment to determine the heights of origin of mu-mesons in extensive air showers, 3=4501

Debenedetti,A. See Foster,F., 3=19721

Debenedetti,A. See Marzari-Chiesa,A., 3=19695

DeBenedetti,S. See Lang, L.G., 3=996

De Bergevin,F. See Bertaut,E.F., 3=3320

de Bergevin,F. See Bertaut,F., 3=15856

de Bersuder,L. See Cauchois,Y., 3=8610

Debever,J.M. See Tric,C., 3=6639

Debiesse,J.,Klein,S. and Taillet,J. Test of a physical interpretation of a phenomena of the conversion of energy, 3=7449

Debiesse,J. See Bacconnet,E., 3=19181

De Blois,R.W. and Rodbell,D.S. Magnetic first-order phase transition in single-crystal MnAs, 3=13226

De Blois,R.W. and Rodbell,D.S. Magnetic first-order phase transition and anisotropy in single-crystal MnAs, 3=15753

de Boer,E. and Mackor,E.L. Sign of C^{13} coupling constants in aromatic free radicals, 3=15384

de Boer,E. and Mackor,E.L. Second-order splitting, anomalous relaxation and sign of the coupling constant in e.s.r. spectra of radical ions, 3=22590

de Boer,E. See Colpa,J.P., 3=22591

De Boer,J. and Rogers,J.D. Concerning the magnetic properties of deformed nuclei in the region $153 \leq A \leq 187$, 3=7970

de Boer,J.L. See Elema,R.J., 3=13476

De Boer,P.C.T. Curvature of shock fronts in shock tubes, 3=18904

De Boer,Th.J., Klein,S.S., Napel,E.W.T. and Blok,J. A new gamma detector for fast coincidence measurements with a good energy resolution, 3=19603

De Boer,Th.J.,Ten Napel,E.W. and Blok,J. Half-lives of the first excited states of ^{102}Ru, ^{126}Xe, ^{196}Hg, ^{160}Dy, ^{164}Er, ^{166}Er and ^{180}W. 3=24871

de Bortoli,M. See Malvicini,A., 3=12612

Deboudt,M. See Cortois,J., 3=24803

de Broglie,L. A new way of presenting the thermodynamics of an isolated particle, 3=9354

de Broglie,L. Remarks on the interpretation of the wave-particle duality, 3=16520

de Broglie, L., Bohm, D., Hillion, P., Halbwachs, F., Takabayasi, T.and Vigier, J.P. Rotator model of elementary particles considered as relativistic extended structures in Minkowski space, 3=4324

de Broglie,L.,Bohm,D.,Malbwachs,F.,Million,P.,Takabayasi,T. and Vigier,J.P. New isobaric spin group, 3=2226

de Broglie, L., Halbwachs, F., Hillion, P., Takabayasi, T. and Vigier, J.P. Space—time model of relativistic extended particles in Minkowski space. II. Free particle and interaction theory, 3=4325

de Broglie,L. See Vigier,J.P., 3=17174

Debrunner,P. See Margulies,S., 3=12566

de Bruyn, P.L. See Devereux, O.F., 3=2090

de Bruyne,N.A. The action of adhesives, 3=124

De Bruyne,P. See De Jager,E.M., 3=11737

de Bruyn Ouboter, R. See Van Beelen, H., 3=17027

de Camargo,W.G.R. and Valarelli,J.V. Preliminary X-ray study on the dioxane addition compounds of hydrated rare earth perchlorates, 3=20861

Décamps,E. See Hadni,A., 3=3006

de Carvalho,H.G.,Cortini,G.,Muchnik,M.,Potenza,G., Rinzivillo,R. and Lock,W.O. Fission of uranium, thorium and bismuth by 20 GeV protons, 3=8146 de Carvalho,H.G.,Manfredini,A.,Muchnik,M.,Severi,M.,Bösch,R. and Wölfli,W. ^{232}Th and ^{238}U fission induced by low-energy monochromatic gamma-rays. II. Angular distributions at 6.61 MeV, 3=24991

Decaux,B.,Francès,A. and Gabry,A. Seasonal evolution of the diurnal variation of the phase of myriametric waves on the path Panama-Bagneux, 3=9945

Decaux,B.,Francès,A. and Gabry,A. Rapid changes with season in the diurnal variation of the time of travel of v.l.f. waves passing within the Arctic circle, 3=24481

Decaux,B.,Frances,A.,Gabry,A. and Reyssat,M. Perturbations produced by the high altitude thermonuclear explosions (in particular that of 9th July 1962) on the path length and amplitude of v.l.f. waves, 3=9951

Decell,R.F. See McEvoy,J.P.,Jr, 3=21923

Dechant,J. See Ruscher,Ch., 3=16127

Decius,J.C. Compliance matrix and molecular vibrations, 3=8230

Decius,J.C.,Malan,O.G. and Thompson,H.W. The effect of intermolecular forces upon the vibrations of molecules in the crystalline state. I. The out-of-plane bending of the carbonate ion in aragonite minerals, 3=25189

Deck,J.C. See Schug,J.C., 3=4781

Deck,R.T. See Leisi,H.J., 3=10245

Deck,R.T. See Weber,T.A., 3=14955

Decker,U. Well-contrasted images free from disturbances by surface charges of highly insulating surfaces using secondary electrons, 3=9845

Decker,U. Contrast improvement in the secondary electron emission microscope through removal of object contamination by means of ion bombardment, 3=9864

Decker,U. Contrast reversal in the electron emission microscope, 3=20973

Deckers,J. and Fenn,J.B. High intensity molecular beam apparatus, 3=8316

Decomps,B.,Dumont,M. and Durand,G. Polarization of the signal emitted from a He—Ne laser, 3=22017

Decomps,B. and Kastler,A. Distribution of N particles among G cells. Fluctuation law, 3=9359

Deconninck,G. See Demortier,G., 3=22427

de Coster,M.,Pollak,H. and Amelinckx,S. A study of Mössbauer absorption in iron silicates, 3=8341

de Coster,M. See Pollak,H., 3=4802

Decowski,P. See Brzosko,J., 3=22406

De Croutte,E. See Granier,R., 3=22488

de Csernatony,L. The elimination of resistive films in hot cathode ionization gauges, 3=23949

de Cugnac,A. See Chateau,H., 3=5102

Dedenko,L.G. See Gorjunov,N., 3=6098

Dedenko,L.G. See Goryunov,N.N., 3=19720

Dederichs,P.H. and Leibfried,G. Focusing collisions in face-centred cubic crystals, 3=2844

De Dominicis,C. Variational formulations of equilibrium statistical mechanics, 3=62

De Dominicis,C. Variation statistical mechanics in terms of "observables" for normal and superfluid systems, 3=11719

Dedrick,K.G. Kinematics of high-energy particles, 3=2224

Dedrick,K.G. See Brady,M.M., 3=5599

Deeg,E.W. A general method for calculating temperature or concentration in laminated systems, 3=7368

Deem,H.W. and Wood,W.D. Flash thermal-diffusivity measurements, 3=3910

Defares,J.G. Cybernetic analysis of the respiratory "chemostat", 3=3636

Defares,J.G. On the theory of pulmonary carbon dioxide diffusion and its application to the measurement of cardiac output in man, 3=3637

Defares,J.G. and Wise,M.E. Unequal ventilation, 3=3635

Defay,R. and Defour,L. Volumetric hindrance to nucleation, 3=1272

De Feo,P. and Sacerdoti,G. Decay of trapped-flux in a superconducting ring subjected to irradiation by α-particles from a Po^{210} source, 3=3955

DeFord,J.W. See Bauer,W., 3=2846

de Fouquet,J. See Mazot,P., 3=16111

Defrain,A. See Bosio,L., 3=8836

Defrain,A. See Delcroix,S., 3=13527

Defrance,R. See Gaume,F., 3=21514

De Franceschi,G. See Cabibbo,N., 3=7819

De Franceschi,G. See Cabibbo,N., 3=14937

Defranould,P. See Piquendar,J.E., 3=9714

de Freitas Mourão,R.R. A search for periodicity in the thickness of Jupiter's north equatorial belt, 3=23677

DeGeeter,D.J. Photographic observations of a prebreakdown discharge transition between metal electrodes in vacuum, 3=9758

Degeilh,A. and Blanc,D. Induction discharge in positive-ion sources with high-frequency excitation, 3=19189

Degeilh,A. See Blanc,D., 3=5716

De Gennes, P.G. Indirect interactions between 4f shells in rare earth metals, 3=3076

De Gennes,P.G. Charge (or spin) polarization in the vicinity of an impurity in an alloy, 3=8380

de Gennes,P.G. Certain dynamic effects in the nuclear resonance of magnetic materials, 3=23246

De Gennes,P.G. and Guyon,E. Superconductivity in "normal" metals, 3=5583

de Gennes,P.G.,Pincus,P.A.,Hartmann-Boutron,F. and Winter,J.M. Nuclear magnetic resonance modes in magnetic material. I. Theory, 3=8726

De Gennes,P.G. and Saint-James,D. Elementary excitations in the vicinity of a normal metal—superconducting metal contact, 3=12027

de Gennes,P.G. and Sarma,G. Some relations between superconducting and magnetic properties, 3=14442

de Gennes, P—G. See Benoit, H., 3=18155

De Gennes,P.G. See Caroli,C., 3=9674

de Gennes,P.G. See Caroli,C., 3=12028

De Geus,A. See Sleeswyk,A.W., 3=13403

Degit,R.H. and Archer,D.H. Thermoelectric effects in fused ionic materials, 3=9477

Degli Antoni,G. See Boella,G., 3=22222

Degois,M. and Faivre,R. Determination by isothermal dilatometry of the transformation curves of uranium—chromium alloys quenched from the β-phase, 3=6858

de Gottal,P. See Prigogine,I., 3=21767

de Graaf,A.M. On the diamagnetism of the conduction electrons in the alkali metals, 3=8638

De Graaf,A.M. and Strässler,S. Superexchange band model, 3=11032

De Graaff,W. See Michels,A., 3=23930

Degras,D. See Schram,A., 3=23947

Degras,D.A. See Petermann,L.A., 3=16147

de Groot,M.S. and van der Waals,J.H. Paramagnetic resonance in phosphorescent benzene and some of its derivatives, 3=21417

de Groot,S.R. Reactions due to high-energy neutrinos and the existence of two kinds of neutrino, 3=10084

De Groot,S.R. On the development of nonequilibrium thermodynamics, 3=11711

de Groot,S.R. Experimental confirmation of the "conservative vector current" theory of weak interactions, 3=12403

de Groot,W. The formulae $\frac{1}{3}nmv^2$ and $\frac{1}{4}nv$ in kinetic gas theory, 3=9499

de Groot,W. Some remarks on Maxwell's velocity distribution, 3=16540

de Groot,W. A rainbow in a fountain, 3=21521

Degtiarev,V.G. On the stability of motion in the generalized problem of two immovable centers, 3=21084

Degtyarev,I.F. See Ignatchenko,V.A., 3=25531

de Haas,N. See Westenberg,A.A., 3=16655

De Halas,D.R. and Horn,G.R. Evolution of uranium dioxide structure during irradiation of fuel rods, 3=25650

De Heer, F.J. See Van Eck, J., 3=2560

de Heer,F.J. See van Eck,J., 3=4005

de Heer,F.J. See van Eck,J., 3=12770

de Heer,J. Studies on the alternant molecular orbital method. III. A many-parameter energy expression for systems with closed-shell structure, 3=2602

de Heer,J. A refined alternant molecular orbital treatment of the ground state of benzene, 3=12848

de Hemptinne,M., Greindl, F. and van Riet,R. Rotation spectrum of SO_2, 3=4763

Dehlinger,P. and Yungul,S.H. Experimental determination of the reliability of the LaCoste and Romberg surface-ship gravity meter S-9, 3=8997

Dehlinger,P. See Allan,T.D., 3=8995

Dehlinger,P. See Chowdhury,D.K., 3=16686

Dehn,J.T. Varying orbital exponents in molecular orbital theory, 3=4738

Dehne,H.C. See Escoubès,B., 3=19630

Dehnen,H. and Hönl,H. Finite universe and Mach's principle, 3=5348

Dehnen,H. See Hönl,H., 3=3736

Dehnhard,D.,Kamke,D. and Kramer,P. Generalized Dalitz-diagrams in low-energy nuclear physics, 3=8061

Dehoust,O. Measurement of photovoltaic potentials in CdS crystals, 3=907

Dehoust,O. Effect of the contact on the current impulses induced by α-particles in cadmium sulphide crystals, 3=6594

Dehoust, O. The production of pure CdS single crystals, 3=18258

Deicha, G. and Sella, C. Crystallization holes and mosaic structure in sodium chloride studied by electron microscopy, 3=1263

Deicha,G. See Sella,C., 3=17776

Deichsel,H. Investigations on thin alkali metal films. V. Optical and electrical properties of thin potassium films. Influence of temperature and surface of substrate, 3=18389

Deigen,M.F. and Korobko,G.V. Theory of paramagnetic relaxation of F-centres in magnetic fields of arbitrary magnitude, 3=17797

Deigen,M.F. See Glinchuk,M.D., 3=18145

Deimel,E. Iterative computations on high-perveance electron guns using digital computers, 3=5700

Deineko,A.S. See Andreev,G.B., 3=5147

Deiss,J.L., Grun,J.B. and Nikitine,S. Observation of two new feeble lines in the spectrum of cuprous oxide at 4·2°K interpretation, 3=20474

Deiss,J.L. See Nikitine,S., 3=8405

Deiss,J.L. See Nikitine,S., 3=10932

Deiss,D.L. See Nikitine,S., 3=10936

Deiss,W.J. Evaporation of uranium in vacuum, 3=8925

Deissler,R.G. Pressure fluctuations in a weak turbulent field with a uniform transverse velocity gradient, 3=156

Deissler,R.G. Turbulent heat transfer and temperature fluctuations in a field with uniform velocity and temperature gradients, 3=11969

Deissler,R.G. Magneto-fluid dynamic turbulence with a uniform imposed magnetic field, 3=21951

Deitz,V.R. See Little,R.C., 3=3907

de Jager,C. The temperature fluctuations in the solar photosphere, 3=16370

de Jager,C. See Blamont,J.E., 3=3479

De Jager,E.M.,Van Den Tempel,M. and De Bruyne,P. Permeability of plastic disperse systems, 3=11737

de Jager,J.T. Parametric amplifiers for radio astronomy, 3=7044

Déjardin,G., Janin,J. and Dailler,M. Study of the growth of photoconductivity of magnesium fluorogermanate under irradiation, 3=2978

Déjardin,G.,Janin,J. and Dailler,M. Origin of the photocoloration of magnesium fluorogermanate and the growth, under the action of ultraviolet radiation, of the photoconductivity of this substance, 3=25837

Déjardin,G., Mesnard,G., Uzan,R. and Cabaud,B. Contribution to the study of the evolution of emissive materials from oxide cathodes of alkaline-earths, 3=4204

Déjardin, G. See Janin, J., 3=18053

de Jong,A.N. A novel prism for total reflection, 3=21527

de Jong,M. and Koeler,J.S. Diffusion of single vacancies and divacancies in quenched gold, 3=4863

de Jong,M. and Koehler,J.S. Annealing of pure gold quenched from above 800°C, 3=4864

de Jong,M. and Rathenau,G.W. Comment on "Irreversible plastic deformation of pure iron during phase changes", 3=23472

de Jonge,J. See Steketee,J.W., 3=2970

de Jonge,J. See Streketee,J.W., 3=13129

Deka,G.C. and Pathak,K.M. Observation of "hammer" stars caused by Li^8 decay, 3=22325

Dékány,S. Two new methods to produce colour vision and an investigation of the possibility of using them in film technology and TV, 3=3693

Dekeyser,W. See Rueda,F., 3=8435

Dekhtyar,I.Ya. and Levina,D.A. The effect of [hydrostatic] pressure on the atomic magnetic moment and on the exchange interaction parameter in some iron alloys, 3=3097

Dekhtyar,I.Ya. and Levina,D.A. The effect of [hydrostatic] pressure on the atomic magnetic moment and on the exchange interaction parameter in some iron alloys, 3=6699

Dekhtyar,I.Ya.,Levina,D.A. and Mikhalenkov,V.S. Saturation magnetization of alloys of iron and nickel under volumetric compression, 3=8668

Dekhtyar, I.Ya, Litovchenko, S.G. and Mikhalenkov, V.S. A study of electron–positron annihilation in ordered alloys, 3=17694

Dekhtyar,I.Ya. and Madatova,E.G. Change in coercive force as a result of annealing of quenched nickel, 3=11059

Dekhtyar,I.Ya. and Polotnyuk,V.V. Change in the coercive force after the annealing of deformed nickel alloys with cerium, praseodymium and gadolinium, 3=23159

Dekhtyar,M.V. Anomalous temperature dependence of the magnetization of the ordered alloy Ni_3Mn, 3=20583

Dekhtyar,M.V. Atomic and magnetic ordering of quenched Ni_3Mn alloys, 3=20623

Dekhyar,I.Ya. and Shalaev,A.M. Influence of lattice defects on the velocity of domain wall motion, 3=11068

DeKinder,R.E.,Jr. See Keck,P.H., 3=21534

Dekker,A.J. Resistivity due to exchange scattering in dilute magnetic alloys, 3=8487

Dekker,A.J. Electrical resistance and spin disorder in metals, 3=10715

Dekker,A.J. The Mössbauer effect in the study of matter in bulk, 3=20057

Dekker,A.J. See van Peski-Tinbergen,T., 3=25319

Dekkers,D. See Von Dardel,G., 3=12481

De Klerk,D. See Goedemoed,S.H., 3=11066

de Klerk,J. Stub-tuner impedance matching in a helium cryostat, 3=12015

de Klerk,J. See Bolef,D.I., 3=8753

de Kowalewski,D.G. See Kowalewski,V.J., 3=4780

Delacote,G. and Schott,M. Hall effect and mobility of charge carriers in a molecular crystal (copper phthalocyanine), 3=2911

De La Cuesta S,H. and Ames,W.F. Techniques for the determination of heat transfer in fluids and nonhomogeneous bodies, 3=14393

Delafield,H.J. See Goldsmith,P., 3=11417

de Lafound,Y.G. and Bouyssou,J. Difference in the form of pulses from organic scintillators due to electrons and alpha-particles, 3=17103

de la Garanderie,H.P. The relation between the lifetime and the intensity of fluorescence in the region of thermal extinction, 3=8613

Delahay,P. and Mohilner,D.M. Rate equation for adsorption of a neutral substance at a metal—electrolyte interface, 3=6889

Delaney,J.A. See Beeler,J.R.,Jr, 3=13530

de Lang,H. Ferromagnetic domain structure as a microscopic object, 3=20589

De Lang,H. and Bouwhuis,G. A gas laser with a non-degenerate configuration of three plane mirrors, 3=24530

De Lang,H. See Haisma,J., 3=9977

De Lang,H. See Van Bueren,H.G., 3=5888

Delapalme,A. See Bertaut,E.F., 3=3139

Delapalme,A. See Bertaut,E.F., 3=3320

de la Peña,V.C. See Vázquez,M., 3=22294

de la Perrelle E.Y., Moss, T.S. and Herbert, H. The measurements of absorptivity and reflectivity, 3=16789

de la Rubia,J. See Catalá,J., 3=8129

Delaunay-Olkowsky,J.,Strohal,P. and Cindro,N. Total reaction cross-sections of proton induced reactions, 3=24931

Delavignette,P. Determination of some instrumental constants of the electron microscope Phillips EM 200, 3=21882

Delavignette,P. and Amelinckx,S. Electron microscopic observation of antiferromagnetic domain walls in nickel oxide, 3=20622

Delavignette,P. and Vook,R.W. A method for measuring the thickness of thin bent foils in transmission electron microscopy, 3=13583

Delavignette,P. See Aerts,E., 3=17764

Delavignette,P. See Art,A., 3=17765

Delavignette,P. See Blank,H., 3=4874

Delavignette,P. See Heerschap,M., 3=20175

Delavignette,P. See Ruedl,E., 3=8437

Delavignette, P. See Ruedl, E., 3=17701

Delavignette,P. See Siems,R., 3=16060

Delavignette,P. See Siems,R., 3=17734

Delbecq,C.J. A study of M center formation in additively colored KCl, 3=4892

Delbecq,C.J., Hayes,W., O'Brien,M.C.M. and Yuster,P.H. Paramagnetic resonance and optical absorption of trapped holes and electrons in irradiated KCl : Ag, 3=5044

Delbourgo,R. Final state scattering, 3=2196

Delbourgo,R. Calculation of the Yukawa coupling constant, 3=10051

Delchar,T., Eberhagen,A. and Tompkins,F.C. A static capacitor method for the measurement of the surface potential of gases on evaporated metal films, 3=9824

Delcroix,C. See Fer,F., 3=24406

Delcroix,C. See Fer,F., 3=24407

Delcroix,J.L., Denisse,J.F. and Quemada,D. The theory of adiabatic waves associated with non-diagonal terms for the pressure tensor in plasmas, 3=12215

Delcroix,J.L. See Legentil,M., 3=7648

Delcroix,S., Defrain,A. and Epelboin,I. Diagrams of alloys of Ga I or II with tin, zinc or indium, 3=13527

De Leener,M. and Bellemans,A. Ground state energy of an electron gas in a lattice of positive ions, 3=25260

Delf,B.W. The practical determination of lattice parameters using the centroid method, 3=16064

Delhaès,P. See Marchand,A., 3=15759

de Lhery,G. See Theissing,H.H., 3=19476

de Libanati,N.N.A. and de Tanis,S.V. Increase in the ductility of uranium by partial annealing after work-hardening, 3=6795

Delie,A. See Deprit,A., 3=14070

Delimarskii,Yu.K., Grishchenko,V.F. and Gorodyskii,A.V. The capacity of the double layer in a PbCl$_2$—KCl binary melt, 3=3400

Delimarskii,Yu.K. and Shapoval,V.I. The study of fused electrolytes by oscillopolarography at a given sinusoidal potential, 3=16173

Delimarskii,Yu.K. See Gorodyskii,A.V., 3=16168

Delisle,C. See Lansraux,G., 3=266

Dell,G.F., Jr. See Humes,R.M., 3=12675

Dell,R.M. and Allbutt,M.A. The nitrides and sulphides of uranium, thorium and plutonium: a review of present knowledge, 3=16473

Dell,R.M. See Charman,H.B., 3=3366

Dell,R.M. See Charman,H.B., 3=13603

Dell,R.M. See Charman,H.B., 3=13604

Della Corte,M. See Bizzeti,P.G., 3=7847

Della Porta,C. Ultra-high vacua, 3=5474

Della Riccia,G. Calculation of the band structure of complex crystals by the free-electron network model, 3=12939

Dellepiane,G. See Bianchi,U., 3=18811

Deller,R. High frequency and impulse characteristics of thin weakly magnetic tapes, 3=15794

Delobeau,F. See Aycoberry,C., 3=4139

Deloff,A. The field theoretical $\Lambda-\Lambda$ potential, 3=19707

Deloff,A. The $\Lambda-\Lambda$ interaction in the ${}_{\Lambda\Lambda}\mathrm{Be}^{10}$ hypernucleus, 3=24847

Deloff,A. and Wrzeclonko,J. A note on the fermion Regge poles and high-energy backward scattering, 3=19681

Deloncle,M. Photoelectric study of volatile aerosols, 3=21009

Delone,N.B. See Aleksandrov,Yu.A., 3=2177

Delone,N.B. See Aleksandrov,Yu.A., 3=24560

de Long,M. See Koehler,J.S., 3=22719

de Loor,G.P. Some dielectric measurements on Portland cement paste, 3=22982

Delorme,J. Note on the competition between the emission of γ-rays and protons in the decay of the compound nucleus, 3=15230

Delorme,J. Influence of the hyperfine structure of mesic atoms on the capture of μ mesons by lithium 6, 3=17548

Delorme,P. and Lorenzelli,V. Specimen preparation techniques in the far infrared, 3=3879

del Signore,G. See Chiarotti,G., 3=2989

Deltenre,R.W. See McDonald,R.K., 3=16219

Deltour,R. See Philippot,J., 3=23254

Delves,L.M. A variation principle for arbitrary operators, 3=10066

Delves,L.M. Upper and lower bounds on scattering matrix elements for complex systems, 3=22083

Delves,L.M. Variation principles for an arbitrary operator. II. Off-diagonal elements and scattering states, 3=22093

Delves,L.M. and Derrick,G.H. Two-body methods for three-body problems, 3=21240

Delves,L.M. and Lyness,J.N. Upper bound on the neutron-deuteron doublet scattering length. I. Matrix elements of the Hamiltonian, 3=19638

Delves,L.M. See Davies,B., 3=24664

Delves,R.T. HgTe—MnTe alloys. II. Electrical properties, 3=20335

Delves,R.T. and Lewis,B. Zinc blende type HgTe—MnTe solid solutions. I, 3=13543

Delyagin,N.N., Shpinel',V.S. and Brukhanov,V.A. Resonance absorption of 23·8 keV γ-quanta by Sn^{119} nuclei in crystals, 3=2431

Delyagin,N.N. See Aleksandrov,A.Yu., 3=15415

Delyagin, N.N. See Aleksandrov, A.-Yu., 3=17633

Delyagin,N.N. See Bryukhanov,V.A., 3=744

Delyagin,N.N. See Bryukhanov,V.A., 3=2368

Delyagin,N.N. See Bryukhanov,V.A., 3=6141

Delyagin,N.N. See Bryukhanow,V.A., 3=6877

Delyagin,N.N. See Shpinel',V.S., 3=4571

Delys,C., Coutrez,R. and Schatzman,E. Dissymmetry of cepheid spectral lines, 3=9238

Dema, I. See Kostya, T., 3=17700

De Marco,A. See Castagnoli,C., 3=17262

De Marco,J.J. and Weiss,R.J. Experimental determination of excitation in crystals, 3=1291

DeMarcus,W.C. and Reynolds,R.T. The constitution of Uranus and Neptune, 3=16338

DeMaria,A.J. Ultrasonic-diffraction shutters for optical maser oscillators, 3=24016

DeMaria,A.J. and Barnard,G. Visual observation of piezoelectric modes, 3=21469

DeMaria,A.J. and Gagosz,R. Hole-burning model of oscillation of ruby laser, 3=22013

DeMaria,A.J., Gagosz,R. and Barnard,G. Ultrasonic-refraction shutter for optical maser oscillators, 3=12348

Demaria,G. See Burns,R.P., 3=12010

Demarque,P. and Geisler,J.E. Models for red giant stars. I., 3=16395

de Mars,G. See Tang,C.L., 3=19489

de Mars,G. See Tang,C.L., 3=23054

DeMars,G.A. See Statz,H., 3=3167

Demartiny,F., See Longequeue,J.P., 3=11319

Demau,C. See Servant,R., 3=25391

de Meester,P., Raghavan,K.S. and Kuhlmann-Wilsdorf,D. A method of preparing thin gold and silver foils of uniform thickness by electrolyse, 3=1367

Demeis,M. See Paul,W., 3=10833

Demekhin,V.F. See Blokhin,M.A., 3=23094

Demekhin,V.F. See Shuvaev,A.T., 3=8273

Demekhin,V.F. See Shuvaev,A.T., 3=8862

de Mendonça,F. and Garriott,O.K. The effect of the earth's magnetic field on measurements of the Doppler shift of satellite radio transmissions, 3=6997

Dement'eva,A.V. See Kirsanova,T.S., 3=19296

Dementii,V.S. See V'yugov,P.N., 3=4411

Demer,L.J. See Riggs,B.A., 3=25634

Demeshina,A.I. and Murzin,V.N. Absorption and reflection spectra of BaTiO$_3$ in the long-wavelength infrared region, 3=23064

Demeur,M. Anomalous vibrational spectra of even-even spherical nuclei, 3=2370

Demiański,M. and Infeld,E. The field method of obtaining the conservation laws and the Langrangian, 3=3739

de Micheli,R., Giulotto,L. and Nardelli,G.F. A model for nuclear spin relaxation [in a crystal lattice] by diffusion or by hindered rotations, 3=23248

De Micheli,R., Giulotto,L. and Nardelli,G.F. Nuclear magnetic relaxation by hindered rotations, 3=23269

Demichelis,F. The decay scheme of Mg^{27}, 3=2405

Demichelis,F. New metrological problems in the calculation of quantities, 3=16486

Demichelis,F. See Ciuffolotti,L., 3=6199

Demichev,V.F. See Bazilevskaya,O.A., 3=7561

Demidenko,N.I. See Votinov,M.P., 3=15935

Demidenko,N.I. See Votinov,M.P., 3=15949

Demidenko,Z.A. Spectrum of natural frequencies and amplitudes of lattice vibrations in LiF crystals calculated for the symmetrical directions of the wave vector, 3=6466

Demidenko,Z.A. Calculation of structure factors for the inelastic scattering of slow neutrons in NaCl-type crystals, 3=22643

Demidov,A.M. Modern methods of gamma-spectroscopy, 3=24683
Demidov,A.M. See Groshev,L.V., 3=15118
Demidov,A.M. See Groshev,L.V., 3=24959
Demidov,B.A.,Skachkov,Yu.F. and Fanchenko,C.D. Comment on a remark by S.I.Andreev and M.P.Vanyukov about the article "Channel broadening of high power miniature sparks", 3=16913
Demidov,K.K. See Bugrienko, V.I., 3=2963
Demidov,V.D., Frank-Kemenetskii,D.A. and Yakimenko,V.L. Magnetic sound in a hot plasma. I. Propagation across the magnetic field and dissipation due to collisions, 3=14612
Demidov,V.P. The excitation of a waveguide with plasma by means of specified currents, 3=7712
Demidov,V.P. Wave structure in the cross-section of a plasma-filled waveguide, 3=24476
Demidov,V.P.,Frank-Kamenetskii,D.A. and Yakimenko,V.L. Magnetic sound in a thermal plasma. II. Absorption of magnetoacoustic waves, 3=24327
Demidov,V.S.,Kirillov-Ugryumov,V.G.,Ponosov,A.K., Protasov,V.P. and Sergeev,F.M. Elastic scattering of π^--mesons by carbon at 5 to 15 MeV, 3=6059
Demidov,V.S.,Kirillov-Ugriumov,V.G.,Ponosov,A.K.,Protasov,V.P. and Sergeev,F.M. Absorption of stopped π-mesons in carbon, 3=24781
Demin,V.G. See Aksenov,E.P., 3=16437
Demina,N.V.,Evteev,V.L.,Kovalenko,V.A.,Solov'ev,L.D., Khrenova,R.A. and Chen' Tsun-Mo [Ch'en Tsung-Mo]. Derivation of the photoproduction amplitude from dispersion relations, 3=22162
de Miranda,A.F. and Preston,M.A. The effect of pairing correlations on nuclear transition rates, 3=19802
Demirkhanov,R.A.,Alikhanov,S.G.,Komin,A.V.,Podlesny,G.G. and Khorassanov,G.L. Diffusion of plasma in a magnetic field, 3=7522
Demirkhanov,R.A., Dorokhov,V.V. and Dzkuya,M.I. Masses of Lu, Yb and Tm isotopes, 3=4727
Demirkhanov,R.A., Dorokhov,V.V. and Dzkuya,M.I. Isotope masses and binding energy of nuclei in the region from strontium to ruthenium, 3=4728
Demirkhanov,R.A.,Gutkin,T.I.,Samadashvili,O.A. and Karpenko,I.K. Atomic masses of tin and antimony isotopes, 3=8215
Demirkhanov,R.A., Khodyrev,Yu.S., Leont'ev,N.I. and Gutkin,T.I. Interaction of high frequency electro-magnetic fields with plasma, 3=14579
Demirkhanov,R.A.,Leont'ev,N.I.,Kosyi,A.I. and Filatova,T.M. Instability of plasma in a toroidal discharge excited by a travelling electro-magnetic field, 3=5670
Demirkhanov,R.A., Leont'ev,N.I., Logvinov,V.V. and Udovichenko,Yu.K. Penetration of high-frequency travelling magnetic field in a plasma, 3=14585
Demkin,N.B. See Shlykov,Y.P., 3=16821
Demkin,Yu.I. Nucleation of brittle transcrystalline cracks on twin and grain boundaries in molybdenum, 3=6803
Demkin,Yu.J. Structure of subgrain boundaries in monocrystalline molybdenum, 3=20212
Demny,J. Multiple contrast and dislocations in mica, 3=20189
de Moraes, R.J. See Murphy, P.V., 3=17947
De More, W. and Raper, O. F. Reaction of O (^{1}D) with nitrogen, 3=3408
Demortier,G.,Dossin,J.B.,Savariraj,G.A. and Deconninck,G. Angular distribution of deuterons from the reaction $Li^6(\alpha,d_0)Be^8$ in the region of 24 MeV, 3=22427
de Morton,M.E. Nonelastuc transitions in chromium, 3=25615
de Morton,M.E., Lott,S.A. and Stainsby,D.F. Measurement of internal friction by velocity observations of torsional oscillations, 3=20697
Demos,P.T. See Bertozzi,W., 3=12513
Dempsey,E. Bonding in the refractory hard-metals, 3=10567
Dempsey,E. See Benson,G.C., 3=25768
Demshina,A.I. See Murzin,V.N., 3=14351
Demus,D. See Arnold,H., 3=24107
Demutskii,V.P. Detonation and combustion in magneto-hydrodynamics, 3=2116
Demutskii,V.P. See Polovin,R.V., 3=4262
Demuynck,J. See Dorikens-Vanpraet,L., 3=24868
Demuynck,J.L. and Segaert,O.J. Stabilizing the sum coincidence spectrometer, 3=5979
Demuynck,J.K. See Segaert,O.J., 3=15114
Dem'yanov,A.V. See Afanas'ev,N.G., 3=14650
Demyashkevich,B.P. See Ryabinin,Yu.N., 3=1215
Den,N. See Matuzawa,T., 3=18478
Denayer, M. See Nagels, P., 3=25372
Denayrov, F. See Budin,C., 3=15481
Denbigh,J.S. and Lomer,W.M. Induced orbital paramagnetism in metallic chromium, 3=20561
Denbigh,P.N. See Grigson,C.W.B., 3=18404
den Broeder,F.J.A. and Burgers,W.G. F-bands in binary mixed crystals of KCl, RbCl and KBr, 3=20245
Dench,W.A. Adiabatic high-temperature calorimeter for the measurement of heats of alloying, 3=24097
Dench,W.A. and Kubaschewski,O. Heat capacity of iron at 800° to 1420°C., 3=10598
Denenstein, A. See Everitt, C.W.F., 3=318
Denes,P.B. On the statistics of spoken English, 3=18670
Dengel,O. and Riehl,N. Diffusion of protons (tritons) in ice crystals, 3=22816
Denholm,A.S. See Britton,R.B., 3=12097
Denison,D.R. See Winters,H.F., 3=14680
Denison,J.S. See Norton,R.B., 3=13746
Denisov,E. See Mikaelyan,L., 3=24925
Denisov,E.I. See Mikaelyan,L.A., 3=24924
Denisov,E.P. See Shchemelev,V.N., 3=19323
Denisov,E.V. See Danilova,T.V., 3=4497
Denisov,F.P. Activation method for the determination of the thickness of thin films and foils, 3=23828
Denisov,S.P. See Agafonov,V.P., 3=24678
Denisov,S.P. See Govorkov,B.B., 3=6036
Denisov,S.P. See Govorkov,B.B., 3=24762
Denisov,S.P. See Govorkov,B.B., 3=24763
Denisov,Yu.I. See Bakhrakh,L.E., 3=21875
Denisov,Yu.N.,Dmitrievsky,V.P.,Dzhelepov,V.P.,Glasov,A.A. Problems of theory and modelling of a ring shaped phasotron with spiral field distributions, 3=9880
Denisse,J.F. See Delcroix,J.L., 3=12215
Denisyuk,Yu.N. Representation of optical properties of an objective by means of wave pattern of light scattered by it, 3=1799
Denisyuk,Yu.N. Manifestation of the optical properties of an object in the wave field of light scattered by it, 3=7304
Denisyuk,Yu.N. and Protas,I.R. Improved Lippman photographic plates for recording stationary light waves, 3=24068
Dennery,P. and Primakoff,H. Three-body leptonic decays of the K mesons, 3=19694
Denney,D.J. and Ring,J.W. Dielectric relaxation in the 1-propanol-2-methylpentane system, 3=23898
Denney,J.M. See Simon,G.W., 3=8474
Dennis,J.A. Measuring neutron dose rates, 3=17292
Dennis,J.A. See Basson,J.K., 3=690
Dennison,J.P. and Wilshire,B. Observations on the influence of impurities on the creep and fracture behaviour of nickel at at 500 and 600° C, 3=25631
de Nobel,J. See van den Berg,G.J., 3=8496
DeNoyer,J. and Pollack,H. Measurements of the velocity of crack propagation in glass plates, 3=13380
Den Pkhen Su. See Alekseeva,K.I., 3=19596
Denton,E.H.,Lucero,S.C. and Roellig,L.O. Apparatus for measuring the solubility of a gas in a low-temperature liquid, 3=9453
Denton,R.T. and Spencer,E.G. Elastic measurements on magnetic materials, 3=16572
Denton,R.T. See Spencer,E.G., 3=25601
Deodhar,G.B. X-ray satellites and their origin—a general survey, 3=10442
Deodhar,G.B. and Padalia,B.D. Forbidden transitions in the L-spectrum of iridium, 3=2566
Deodhar,G.B. and Padalia,B.D. New nonquadrupole transition in the L-spectrum of gold, 3=8183
Deodhar,G.B. and Padalia,B.D. A new non-quadrupole transition in the L-spectrum of thorium 90, 3=8192
Deodhar,G.B. and Padalia,B.D. Screening doublet law and X-ray satellite spectra, 3=10443
de Oliveira,C.G. See Ferreira,E.M., 3=6070
De Oliveira E Souza,J.B. See Rodrigues,E., 3=19469
Deoryashin,A.S., Levitsskii,L.S. and Pankratov,A.K. A study of flares in the X-ray spectral region, 3=3579
de Oyarzabal,G.S. See Prieto,F.E., 3=22670
dePackh,D.C. The water-bag model of a sheet electron beam, 3=4189
De Pasquali,G. See De Waard,H., 3=19786

de Pinho,A. Electromagnetic transitions in deformed odd—odd nuclei, 3=6150
de Pinho,A. See Foucher,R., 3=2395
de Pinho,A. See Foucher,R., 3=22312
Deplanté,J.L. See Blandin,A., 3=8389
Deplante,J.L. See Blandin,A., 3=22757
Depommier,P., Heintze,J., Mukhin,A., Rubbia,C., Soergel,V. and Winter,K. Determination of the $\pi^+ \to \pi^0 + e^+ + \nu$ decay rate, 3=594
Depommier,P.,Heintze,J.,Rubbia,C. and Soergel,V. Further measurements of the $\pi^+ \to \pi^0 + e^+ + \nu$ decay rate, 3=22161
De Poorter,G.L. and Searcy,A.W. Energy exchange between a hot tungsten surface and cold gases, 3=24078
Depraz,J.,Duborgel,B.,Grenier,G. and Salin,R. The use of silicon junction detectors for the measurement of neutron outputs from the DD and DT reactions, 3=2276
Depraz,J.,Duborgel,B.,Grenier,G. and Salin,R. A search for a level at 1·33 MeV in the Mg^{26} nucleus, 3=7987
De Pretis,M. See Alberigi-Quaranta,A., 3=7879
De Prins,J. N^{15}H$_3$ double-beam maser as a primary frequency standard, 3=12346
Deprit,A. and Delie,A. Curvature of the riemannian metric of the plane problem of three bodies, 3=14070
Deprit,A. and Roels,J. A canonical reduction of the coplanar three-body problem, 3=5231
Depuydt,H. and Neve de Mevergnies,M. Average cross section of the ^{32}S(n,p)^{32}P and ^{27}Al(n,α)^{24}Na reactions for fission neutrons, 3=8116
Der-Shvarts,G.V. and Belen'kii,S.A. A study of aberration of electrostatic lens filters, 3=19345
Der-Shvarts,G.V., Kushnir,Yu.M., Rozenfel'd,L.B., Zaitsev,P.V. and Bezlepkin,S.V. Modernization of the UÉM-100 electron microscope, 3=2038
Der-Shvarts,G.V. and Rachkov,V.P. Design of magnets for the lenses of magnetostatic electron microscopes, 3=2032
De Raad,B. See Bellière,J., 3=24775
de Raad,B. See Bellini,G., 3=7899
de Raad,B. See Fretter,W.B., 3=2301
de Raad,B. See Giesch,M., 3=17243
De Raad,B. See Jones,L.W., 3=17003
Derado,I. See Biswas,N.N., 3=4434
Derado,I. See Biswas,N.N., 3=17133
Derado,I. See Bondár,L., 3=19678
de Rafael,E. Σ^0—Λ^0 relative parity from $\Lambda^0 \to \Sigma^0$ conversion induced by the Coulomb field of a nucleus, 3=6088
Der Agobian,R. See Waelbroeck,F., 3=12207
Derblom,H. See Stoffregen,W., 3=3514
Derblom,H. See Stoffregen,W., 3=13782
Derby,S.E. See Henschke,E.B., 3=22875
Derbyshire,W. See Poulis,J.A., 3=14155
d'Erceville, I. andKunetz, G. The effect of a fault on the earth's natural electromagnetic field, 3=5184
d'Erceville,I. See Kunetz,G., 3=9537
Derem,A. See Barloutaud,R., 3=7904
Dereppe,J.M. See Van Meerssche,M., 3=6852
Dereppe,J.M. See Van Meerssche,M., 3=8848
Dereppe,J.M. See Van Meersche,M., 3=8859
Dereppe,J.M. See Van Tiggelen,P., 3=20853
Deresiewicz,H. On the transmission of thermoelastic plane waves across a plane boundary, 3=7156
De Rezende Chaves,A.A. Optical magnification beyond Rayleigh's limits, 3=14315
De Rezende Chaves,A.A. Optical magnification beyond Rayleigh's limits, 3=14316
Derfler,H. Theory of r.f. probe measurements in a fully ionized plasma, 3=7575
Deribas,A.A. and Pokhozhaev,S.I. On the formulation of the proble of a strong explosion at the surface of a liquid, 3=118
Deribas,A.A. and Pokhozhaev,S.I. On the formulation of the problem of a strong explosion at the surface of a liquid, 3=5422
Derjaguin,B.V.and Bakanov,S.P. Thermophoresis of aerosol particles, 3=5173
Derjaguin,B.V., Vlasenko,G.Ja., Storozhilova,A.I. and Kudrjavtseva,N.M. Flow-ultramicroscopic method of determining the number concentration and particle size analysis of aerosols and hydrosols, 3=3415
der Mateosian,E. and Sehgal,M.L. Note on the decay of Sb Sb^{122}m, 3=10264
Dermit,G. See Weinreich,A.O., 3=11317
Derner,P. Electron microscopic studies of the surfaces of polycrystalline copper after plastic deformation, 3=18199
De Rocco,A.G. and Hoover,W.G. Some remarks on the equation of state for hard-sphere repulsive potentials, 3=11825
DeRoo,A.M. See Hirayama,C., 3=21637
De Rossi,M. Mass telespectrometry, 3=21906
Derr,V.E. See Wharton,L., 3=10510
Derrick,G.H. Representation of annihilation operators in the space of periodic functions, 3=14858
Derrick,G.H. See Delves,L.M., 3=21240
Derrick,M. The extraction and processing of data from bubble chamber photographs, 3=532
Derrick,M. See Chadwick,G.B., 3=10117
Derrick,M. See Loken,J.G., 3=10110
Derrick,M. See Pewitt,E.G., 3=22179
Derrien,H. See Michaudon,A., 3=6259
Deruvtter,A.J. See Prosdocimi,A., 3=12694
Deryagin,B.V.[Ed.]. Research in surface forces, 3=23498
Deryagin,B.V. and Al'tshuler,M.A. Extraction by diffusion from porous materials in the process of capillary impregnation, 3=6906
Deryagin,B.V.and Bakanov,S.P. Theory of the thermomolecular pressure drops and the thermoosmosis of gases in wide capillaries, 3=152
Deryagin,B.V. and Bakanov,S.P. Theory of the thermomolecular pressure drops and the thermoosmosis of gases in wide capillaries, 3=5453
Deryagin,B.V. and Bakanov,S.P. Theory of thermophoresis of large solid aerosol particles, 3=7230
Deryagin,B.V. and Fedyakin,N.N. Peculiar properties and viscosity of liquids condensed in capillaries, 3=7195
Deryagin,B.V. and Martÿnov,G.A. "Wedge" pressure of a gas film, 3=1723
Deryagin,B.V.,Talaev,M.V. and Zakhavaeva,N.N. An experimental investigation of the filtration of rarified airfied air through porous media under free molecular and mixed flow conditions, 3=9483
Deryagin,B.V. and Toporov,Yu.P. Applicability of the two-term friction law to the frictional properties of polymers, 3=13387
Deryugin,I.A. and Lyashenko,N.I. Noise in a magnetized ferrite, 3=20631
Derzhanski,D. A new autodyne method for high resolution nuclear resonance spectroscopy, 3=24495
de Sa,S. and Molyneux,L. A spinner magnetometer, 3=9905
De Sabbata,V. On the triple angular correlation and time reversal invariance in strong interaction, 3=10033
de Sabbata,V. and Gualdi,C. Neutrino-induced reaction in ^{9}Be, 3=19886
de Sabbata,V. See Boccaletti,D., 3=23693
Desai,A.G. See Damle,V.N., 3=16167
Desai,B.R. Shrinkage of the diffraction pattern and short-range forces, 3=19582
Desai,B.R. and Newton,R.G. Angular momentum poles of the non-relativistic S matrix for spin $\frac{1}{2}$ particles, 3=7803
Desai,B.R. and Newton,R.G. Representations of the S matrix in terms of its angular momentum poles, 3=7804
Desai,B.R. and Newton,R.G. Threshold motion of Regge poles, 3=14915
Desai,U.D. See Bryant,D.A., 3=7953
de Salaberry,H. See Olsen,J.L., 3=14461
De Santis,P.,Giglio,E.,Liquori,A.M. and Ripamonti,A. Conformational analysis of some linear polymers in the solid state, 3=3351
De Santis,P. See Damiani,A., 3=3295
de Santis,P. See Damiani,A., 3=18300
DeSanto,G. See Ohring,G., 3=7022
de Saussure,G. See Macklin,R.L., 3=2504
DeSavage,B. See Callen,E.R., 3=15901
DeSavage,B. See Clark,A.E., 3=15888
Desavage,B.F. See Clark,A.E., 3=20551
Deschamps,P. Electron microscope observation of Guinier—Preston zones, 3=8876
Deschamps,P. See Pannetier,G., 3=20990
des Cloizeaux,J. Orthogonal orbitals and generalized Wannier functions, 3=6452
des Cloizeaux,J. and Pearson,J.J. Spin-wave spectrum of the antiferromagnetic linear chain, 3=6730
Deser,S.,Furlan,G. and Mahoux,G. Renormalization group and Regge behaviour, 3=22091
Deser,S. See Arnowitt,R., 3=14028

Deser,S. See Arnowitt,R., 3=23750
DeShazer,L.G. and Dieke,G.H. Spectra and energy levels of Eu^{3+} in LaCl$_3$, 3=15683
Deshong,J.A. See Burleson,G.R., 3=17149
Deshpande,D.D. Vibration relaxation times of gaseous halogen molecules, 3=9405
Deshpande,M.D. See Lingappa,N., 3=639
Deshpande,V.K. The reaction mechanism of the C^{13}(d,n) and C^{13}(d,p) reactions between 3.2 and 4.1 MeV, 3=24970
Deshpande,V.K. See Bilaniuk,O.M.P., 3=33
Deshpande,V.T. and Khan,A.A. X-ray determination of the thermal expansion of ammonium and dihydrogen phosphate, 3=25202
Deshpande,V.T. and Pawar,R. X-ray determination of the thermal expansion of tungsten, 3=15441
Dési,S.,Graff,G.,Lajtai,A. and Nagy,L. The angular distribution of γ-rays from the fission of U^{235}, 3=12711
Dési,S.,Lajtai,A. and Nagy,L. The time distribution of the gamma radiation emitted in the fission of U^{235}, 3=6307
DeSilva,A.W. See Boley,F.I., 3=19291
DeSilva,A.W. See Wilcox,J.M., 3=1967
Deslattes,R.D. Lifetime of d-band holes in InSb, 2=8525
Deslattes,R.D.,Peterson,T.J., Jr and Tomboulian,D.H. Penning discharge as a source in the extreme ultraviolet, 3=7348
Desloge,E.A. Exchange of energy between gases at different temperatures, 3=1725
Desloge,E.A. Coefficients of diffusion, viscosity, and thermal conductivity of a gas, 3=3825
Desloge,E.A. Fokker-Planck equation, 3=9574
Desloge,E.A. See Bloch,S.C., 3=5667
Desmarescaux,P. and Lacombe,P. Effect of the passage of an electric current through a layer of ferrous oxide, 3=25831
Desmedt,J.E. Auditory-evoked potentials from cochlea to cortex as influenced by activation of the efferent olivo–cochlear bundle, 3=3664
de Sobrino, R. See Olson, H. F., 3=1551
DeSorbo,W. Magnetization studies on some superconducting transition metal solutions, 3=15747
DeSorbo,W. Size factor and superconducting properties of some transition metal solutions, 3=16871
Desportes,H. See Tsai,B., 3=4246
Desré,P. See Bonnier,É., 3=5116
Desré,P. See Bonnier,E., 3=14152
Dessaux,O. See Pannetier,G., 3=12876
Dessens,H. and Vaillant,J. The formation of clouds and rain by controlled convection, 3=25886
Dessler,A.J. Further comments on stability of interface between solar wind and geomagnetic field, 3=21071
Dessler,A.J. and Fejer,J.A. Interpretation of K$_p$ index and M-region geomagnetic storms, 3=23651
Dessler,A.J. See Axford,W.I., 3=16368
DeSteese,J.G. Thermionic emission characteristics of rhenium with low cesium coverage, 3=14624
De Stefano,P. See Bonera,G., 3=23545
Destouches,J.L. The functional theory of corpuscules, 3=17175
de Swaan Arons,J. and Diepen,G.A.M. Thermodynamic study of melting equilibria under pressure of a supercritical gas, 3=21616
de Swart,J.J. and Iddings,C.K. Λ-nucleon scattering and the pion–hyperon coupling constants, 3=4468
de Swart,J.J. and Iddings,C.K. Low-energy Σ^-p and Σ^-d interactions and the pion–hyperon coupling constants, 3=10176
de Tanis,S.V. See de Libanati,N.N.A., 3=6795
Detert,K. See Aurich,D., 3=16098
Detoeuf,J.F. Nucleon isobars and resonant states of systems of several π-mesons, 3=4430
Detweiler,R.M. See Kulp,B.A., 3=8476
Detweilers,R.M. See Kulp,B.A., 3=25480
Detwiler,D.P. See Tallan,N.M., 3=15612
Deubner,F.L. Application of wide spectrograph slits in photoelectric polarization measurements on Fraunhofer lines, 3=270
Deuchars,W.,Perkin,J.L. and Batchelor,R. The ^{1}H(t,n)^{3}He reaction as a neutron source, 3=24742
de Unamuno,S. See Escoubes,B., 3=19630
Deutch,B.I. The shape of the Doppler-broadened nuclear resonance fluorescence line, 3=629
Deutsch,E.W. See Barrow,R.F., 3=4758
Deutsch,E.W. See Barrow,R.F., 3=25105
Deutsch,F. and Avivi,P. Time lag of the gas breakdown in crossed electric and magnetic fields, 3=5646
Deutsch,M. See Bauer,R.W., 3=628
Deutsch,M. See Stiening,R.F., 3=19601
Deutsch,R.V. See Doich,R.V.
Deutsch,T. Lattice absorption in zinc sulphide, 3=10967
Deutsch,J.P.,Grenacs,L. and Lipnik,P. Note on the character of the 2+ first excited levels of Yb^{170}, Os^{186} and Os^{188}, 3=22309
Deutsch, T., Ellis, R.C., Jr. and Warschauer, D.M. Radiative recombination effects in GASb diodes at high current densities, 3=17913
Deutschmann,M. See Lengeler,H., 3=22242
Deutschmann,M. See Lengeler,H., 3=22369
De Valois,R.L.,Jacobs,G.H. and Jones,A.E. Responses of single cells in primate red–green color vision system, 3=11643
Devanthan,C. Flow of finitely conducting fluid between torsionally oscillating parallel infinite plane discs in the presence of uniform magnetic field perpendicular to the discs, 3=4257
Devanathan,C. On gravitational instability, 3=9154
Devanathan,M.A.V. See Bockris,J.O'M., 3=21002
Devanathan,V. Elastic scattering of charged pions by deuterons at 300 MeV, 3=17322
Devanathan,V. and Ramachandran,G. Photo-production of charged pions from nuclei, 3=2430
De Vany,A.S. Optical design for two telescopes, 3=11487
Devare,H.G. and Tandon,P.N. Effect of the non-linear response of NaI(Tl) on the single crystal summing spectra, 3=14944
Devare,H.G. See Devare,S.H., 3=22334
Devare, H.G. See Sharma, R.P., 3=17438
Devare,S.H.,Tandon,P.N. and Devare,H.G. Decay of the 25-min activity of Te^{131}, 3=22334
de Vaucouleurs,G. Precision mapping of Mars, 3=23675
de Vaucouleurs,G. and de Vaucouleurs,A. Search for systematic errors in galaxy redshift measurements, 3=11576
de Veer,J.D. See van Heel,A.C.S., 3=16566
De Veer,S.M. and Meyer,H.J.G. Infra-red absorption by free electrons in germanium, 3=10925
Dévényi,A. See Grigorovici,R., 3=4906
Dévényi,A. See Grigorovici,R., 3=8494
Devereaux,H.L. See Odencrantz,F.K., 3=9096
Devereux, O.F. and de Bruyn, P.L. Numerical evaluation of the van der Waals forces of interaction between two macroscopic bodies, 3=2090
Devienne,F.M.,Souquet,J. and Clapier,R. Study of the efficiency of charge exchange between a jet of neutral gas molecules and a beam of ions, 3=24223
Deville-Cavellin,J. See Lajzerowicz,J. 3=10880
de Villepin,J. An experimental study of the magnetic anisotropy of localized bonds. I. General outline of the method. Application to the study of iodine, 3=8640
Deviot,B. and Barriol,M. Abnormal permittivity of casein hydrate at hyperfrequencies, 3=22988
Devishev,M.I. See Bolotov,V.N., 3=14496
Devlin,T.J. See Helland,J.A., 3=10161
Devons,S. Some developments in elementary particle physics, 3=4365
Devons,S. The properties of the muon, 3=17297
Devooght,J. See Mockel,A., 3=2527
Devor,D.P. Extension of the laser-pumped ruby maser to millimeter wavelengths, 3=22003
de Vore,R.V. See Narahari Rao,K., 3=24019
de Vos,K.J., Velge,W.A.J.J., Steeg,M.G.v.d. and Zijlstra,H. The use of intermetallic compounds as materials for permanent magnets, 3=15786
Devreese, J. See Nagels, P., 3=25372
de Vries,A.E. See Slieker,C.J.G., 3=21430
de Vries,A.E. See van der Valk,F., 3=14203
de Vries,A.J. See Benoît,H., 3=5531
De Vries, K.J. and Van Santen, J.H. Note on the Koch and Wagner effect in lead chloride single crystals, 3=17926
DeVries,K.L.,Baker,G.S. and Gibbs,P. Pressure dependence of the creep of lead, 3=23333
DeVries,K.L.,Baker,G.S. and Gibbs,P. Effect of pressure on creep in tin, 3=23334
DeVries,K.L. and Gibbs,P. Pressure dependence of creep in Zn and Cd, 3=25630
De Vuyst,A. Results of observations of the terrestrial magnetic field in 1962 (made at) the geophysical centre, Dourbes, 3=16299

Devyatkova,E.D.,Kornfel'd,M.I.,Lemanov,V.V. and Smirnov,I.A. Phonon scattering by impurities in crystals, 3=10584
Devyatkova,E.D.,Kornfel'd,M.I. and Smirnov,I.A. Scattering of phonons by impurity ions in a crystal of sodium chloride, 3=6473
Devyatkova,E.D.,Kornfel'd,M.I. and Smirnov,I.A. Scattering of phonons by the impurity ions Ag, Br, K, Li, I and Rb in crystals of sodium chloride, 3=22644
Devyatkova,E.D.and Smirnov,I.A. Thermal conductivity of P- and N-type germanium, 3=2741
Devyatkova,E.D. and Smirnov,I.A. NaCl and KCl monocrystals as standard materials for measurement of thermal conductivity in the 80-460°K range, 3=5548
Devyatkova, E.D. and Smirnov, I.A. Temperature dependence of the thermal resistance of some crystals near the Debye temperature, 3=17670
Devyatov,A.M. SeeDzhumakuliev,R., 3=1947
Devyatych,G.G. and Borisov,G.K. Separation of the isotopes of silicon by the thermal diffusion of monosilane, 3=25072
Dew-Hughes,D. The dynamical behaviour of dislocations in germanium, 3=6519
De Waard,C. and Henning,J.C.M. Spin densities in di-methyl substituted naphthalene mononegative ions, 3=12857
De Waard,C. See Henning,J.C.M., 3=8295
De Waard,H.,De Pasquali,G. and Hafemeister,D. Mössbauer determinations of isomeric shift and quadrupole splitting in some I^{129} compounds, 3=19786
De Waard,H.,Garrell,M.H. and Hafemeister,D. Lifetime of the 26.8 keV state of I^{129}, 3=12594
de Waard,H. and van der Woude,F. E2/M1 mixing ratio of the 123-keV transition in Fe^{57} determined from a Mössbauer coincidence experiment, 3=7995
DeWames,R.E., Wolfram,T. and Lehman,G.W. Temperature dependence of the Debye–Waller factor for copper and aluminium, 3=20082
DeWames,R.E., Wolfram,T. and Lehman,G.W. Temperature dependence and anisotropy in the Debye–Waller factor for white tin, 3=20083
De Wames,R.E. See Lehman,G.W., 3=2711
De Wames,R.E. See Lehman,G.W., 3=4806
DeWames,R.E. See Lehman,G.W., 3=20063
De Wames,R.E. See Wolfram,T., 3=8346
Dewan,E.M. Stress effects due to Lorentz contraction, 3=11681
Dewar,M.J.S. and Talati,A.M. A new organometallic semi-conductor, 3=22950
De Wavrechin,R. See Constant,E., 3=21394
Dewdney, J.W. Isobaric analysis of total beta decay energies, 3=17426
Dewdney,J.W. and Dewdney,S.H. Least squares fitting by a pair of parallel straight lines, 3=18695
Dewdney,S.H. See Dewdney,J.W., 3=18695
de Wette,F.W. Lattice defects and the self-diffusion and anomalous specific heat in solid α-He^3, 3=8422
Dewey,M.A.P. and Lewis,T.G. A holder for the rapid electrolytic preparation of thin metal foils for transmission electron microscopy, 3=20933
de Wijn,H.W. The refractive index of $^{14}NH_3$ in the microwave inversion spectrum, 3=21362
DeWire,J. See Mozley,R.F., 3=14949
de Wit,R. Theory of dislocations: an elementary introduction, 3=22775
DeWitt,B.S. Quantization of fields with infinite-dimensional invariance groups. III. Generalized Schwinger–Feynman theory, 3=5357
Dewitt,C.M. Green's functions in Riemann space: Method of calculation for weak fields: Explicit expression, to order G, for a static spherically symmetric field, 3=16510
DeWitt,C.M. Motion of an electron in a stationary gravitational field of given spherical symmetry. Energy loss by gravitational drag, 3=18708
DeWitt,H.E. Analytic properties of the quantum corrections to the second virial coefficient, 3=68
deWitt,H.E. Evaluation of the quantum-mechanical ring sum with Boltzmann statistics, 3=5374
De Witt,H.E. See Brush,S.G., 3=21258
Dewitz,W. and Jahne,E. Magnetic susceptibility of CdS single crystals, 3=4998
de Wolff,P.M. See Engmann,R., 3=25713
de Wolff,P.M. Laudy,J.H.A., 3=23376
Dexter,D.L. Cooperative optical absorption in solids, 3=23058
Dexter,D.L. See Fowler,W.B., 3=6666
Dexter,R.N. See Zook,J.D., 3=8523
Dexter,W.L. and Smith,B.H. Application of silicon diodes to cyclotron oscillator and magnet power supplies, 3=5796
Dey,B.N. and Quader,M.A. An X-ray study of the ϵ-$CuCd_3$ phase, 3=25735
Dézsi,I. See Berkes,I., 3=6242
Dézsi,I. See Berkes,I., 3=15193
D'Haenens,I.J. and Asawa,C.K. Stimulated and fluorescent optical emission in ruby from 4·2° to 300°K: zero-field splitting and mode structure, 3=2143
Dhari Pandey,J. See Prakash,S., 3=7395
Dharmatti,S.S.,Govil,G.,Kanekar,C.R. and Virmani,Y.P. N.M.R. spectra of five spin systems. I. The N.M.R. spectrum of nitrobenzene, 3=738
Dharmatti,S.S.,Iyer,S.A. and Vijayaraghavan,R. Nuclear magnetic resonance in hydrates of sodium tetraborates, 3=8739
Dharmatti,S.S.,Radhakrishna Setty,D.L. and Ramakrishna Rao,U. Nuclear magnetic resonance in intermetallic compound $Na_{15}Pb_4$, 3=20676
Dharmatti,S.S., Shankar Rao,V.U. and Vijayaraghavan,R. Knight shifts in the intermetallic compound $PtSn_2$, 3=5051
Dharmayya,S.S. and Rao Rama,K. Apparatus for testing deflection due to thin prisms, 3=235
D'Heurle,F.M.,Feder,R. and Nowick,A.S. Equilibrium concentration of lattice vacancies in lead and lead alloys, 3=22739
d'Heurle,F.N. See Seraphim,D.P., 3=9682
Dia,Yuan-Beng. See Chang,Li-Ning, 3=17487
Diago,M.C. See Velasco,R., 3=19948
Diamandescu,E. See Armeanu,V., 3=9640
Diambrini,G. See Barbiellini,G., 3=5980
Diambrini,G. See Barbiellini,G., 3=17234
Diambrini-Palazzi,G. Interaction of high-energy photons and electrons in crystals, 3=10101
Diamond,M. Sound channels in the atmosphere, 3=23588
Diamond, R. Fourth and higher order inequalities, 3=18286
Diamond,R.M.,Eibek,B. and Stephens,F.S. Coulomb excitation of Tb^{159}, Ho^{165} and Tm^{169} with O^{16} ions, 3=15120
Diamond,R.M. and Stephens,F.S. Isomeric levels in the light thallium isotopes, 3=22310
Dianov-Klokov,V.I. Form of absorption bands in condensed oxygen, (6300-4773 A), 3=1692
Dianov-Klokov,V.I. Absorption spectrum of α-oxygen in the region 6300-3000 A, 3=6395
Diaz,F.A. A weak telluric band of carbon dioxide, 3=9045
Diaz,J.A.,Kaplan,S.N. and Pyle,R.V. Nuclear fission induced by radiationless transitions in the mu-mesonic atoms Th^{232}, U^{235} and U^{238}, 3=8145
Dibbern,U. Investigation of electron avalanche component by photomultiplier, 3=4086
Dibble,D. See Sekera,Z., 3=19028
Dibeler,V.H. and Rosenstock,H.M. Metastable transitions in mass spectra of methane and the deuteromethanes, 3=25148
di Caporiacco,G. See Bizzeti,P.G., 3=8073
Di Capua,E. See Bizzarri,R., 3=6026
Di Cianni,N. See Pierce,L., 3=8278
DiCianni,N. See Pierce,L., 3=19995
Dick,B.G. Exchange charge contributions to the failure of the Cauchy relations in alkali halide crystals, 3=8750
Dick,L.,Feuvrais,L.,Madansky,L. and Telegdi,V.L. A novel efficient method for measuring the polarisation of positrons, 3=10100
Dicke,R.H. The earth and cosmology, 3=5234
Dicke,R.H. Cosmology, Mach's principle and relativity, 3=23660
Dicke,R.H. See Peebles,P.J., 3=7017
Dicke,R.H. See Peebles,J., 3=11523
Dickel,G. What is thermal diffusion? 3=9493
Dickel,G. Does a pressure dependence of thermal diffusion exist? 3=21429
Dickel,G. and Schildknecht,D. The transformation principle of separatory tube cascades, 3=15308
Dickens,B. and Lipscomb,W.N. Molecular and valence structures of complexes of cyclo-octatetraene with iron tricarbonyl, 3=2643
Dickens,J.K.,Haner,D.A. and Waddell,C.N. Elastic and inelastic scattering of 31.1-MeV protons by carbon-12, 3=6236

Dickens,P.G.,Linnett,J.W. and Sovers,O. Collisional energy transfer between electronic and vibrational degrees of freedom, 3=6433

Dickerman,P.J. and Alpiner,B.P. Spectral line shapes and transition probabilities for argon, 3=8180

Dickey,D.H. See Strauss,A.J., 3=10936

Dickinson,R.M. See Saxton,J.A., 3=1706

Dickinson,R.W. See Cohen,L., 3=9693

Dickson, E.W. and Pashley, D.W. Double positioning in silver and gold layers deposited on mica, 3=1376

Dickson,G.O. The origin of small, randomly directed magnetic moments in demagnetized rocks, 3=13848

Di Corato,M. See Belliere,J., 3=24775

di Corato,M. See Veillet,J.J., 3=10163

di Corato,M. See Veillet,J.J., 3=17313

Didchenko,R. and Gortsema,F.P. Some electric and magnetic properties of rare earth monosulfides and nitrides, 3=20342

Diddens,A.N.,Jenkins,E.W.,Kycia,T.K. and Riley,K.F. Structure in the pion—proton total cross-section between 2 and 3 BeV, 3=22183

Didenko,A.N. and Kovalenko,E.S. The problem of choosing the frequency of the accelerating field for a high-energy cyclic electron accelerator, 3=21911

Didenko,A.N. and Serdyutskii,V.A. Comparison of the Kramers method and the hypergeometric-series technique for computing particle loss in cyclical accelerators, 3=12270

Didier,D.,Fort,É. and Thouvenin,P. (n,α) reactions for nuclei of silicon 28 and 29 for neutrons of energy 13.4 and 13.8 MeV, 3=8108

DiDomenico,M.,Jr.,Pantell,R.H.,Svelto,O. and Weaver,J.N. Optical frequency mixing in bulk semi-conductors, 3=9970

DiDomenico,M.,Jr. See Auld,B.A., 3=4277

Di Domenico,M.,Jr. See Svelto,O., 3=11906

Diebold,R. Photoproduction of single neutral pions from hydrogen at energies 0·6 to 1·2 BeV, 3=15004

Dieckvoss,W. Systematic errors in the AGK2 and final reductions in the "AGK3"-program, 3=7005

Diehl,H. Theory of p—n junction with consideration of recombination in the transition region, 3=2934

Diehl,J. The influence of neutron irradiation on the mechnaical properties of face-centred cubic metal crystals, 3=8467

Diehl,J.,Leitz,C. and Schilling,W. Hardening of copper single crystals by neutron irradiation at low temperatures, 3=23340

Diehl,P. See Christ,H.A., 3=11810

Diehl,P. See Christ,H.A., 3=22599

Dieke,G.H. and Crosswhite,H.M. The spectra of the doubly and triply ionized rare earths, 3=19947

Dieke,G.H. and Dorman,E. Ion pair absorption in PrCl$_3$, 3=23075

Dieke,G.H. See Axe,J.D., 3=2692

Dieke,G.H. See DeShazer,L.G., 3=15683

Dieke,G.H. See Magno,M.S., 3=3016

Dieke,G.H. See Thomas,K.S., 3=15689

Dieleman,J. Paramagnetic resonance of a photosensitive centre in CdS : Cu, Ga, 3=23224

Dieleman,J., Title,R.S. and Smith, W.V. Paramagnetic resonance studies of Cr$^+$ in cubic and hexagonal ZnS, 3=3170

Dieleman,J. See Bleekrode,R., 3=8713

Dieleman,J. See Bleekrode,R., 3=11113

Diemer,G. and Bölger,B. Proposal for reduction of diffraction losses in p—n lasers, 3=22021

Dieminger,W., Oksman,J. and Rose,G. Ionospheric D-region phenomena associated with auroral disturbances at Sodankyla, 3=1461

Diener,J.J. See Androulakis,J.G., 3=17125

Dienes,G.J. and Damask,A.C. Kinetics of vacancy-interstitial annihilation. III. Interstitial migration to sinks, 3=6510

Dienes,G.J. See Damask,A.C., 3=22727

Diepen,G.A.M. See de Swaan Arons,J., 3=21616

Diercks,K.J.,Goldsberry,T.G. and Horton,C.W. Circumferential waves in thin-walled air-filled cylinders in water, 3=7271

Diercks,K.J.,McCormack,K. and James,D.B. Phase velocity of plane longitudinal waves in infinite plates, 3=5483

Diercks,K.J. See Horton,C.W., 3=5500

Dietrich,I. and Kerps,D. Switching time measurements for the determination of the critical current in thin superconducting films, 3=5587

Dietrich,I., Pfisterer,H., Richter,H., Weyl,R. and Zwicker,U. Measurements on wires of hard superconductors of the niobium—zirconium system, 3=14460

Dietrich,M.W. and Wahl,A.C. Nuclear magnetic resonance studies of electron transfer between tris (2,2'-dipyridyl) osmium (II) and (III) ions, between bis (cyclopentadienyl) iron (II) and (III) ions, and between tris (2,10-phenanthroline) iron (II) and (III) ions, 3=12866

Diettrich,M. See Leistner,M., 3=24535

Dietz,J.H. See Wolf,A.A., 3=11671

Dietz,K. Effect of the pion–pion interaction on pion–nucleon scattering phases, 3=599

Dietz,K. The effect of a pion—pion interaction on low-energy pion—nucleon scattering, 3=7905

Dietz,L.A.,Pachucki,C.F. and Land,G.A. Half lives of cesium-137 and cesium-134 as measured by mass spectrometry, 3=22337

Dietz,R.E. See Gershenzon,M., 3=10949

Dietz,R.E. See Lynch,R.T., 3=16049

Dietz,R.S. Meteorite impacts, lunar maria, lopoliths and ocean basins, 3=11384

Dietze,H.D. Statistical theory of coercive field, 3=1089

Dietze,H.D. and Balthesen,E. Magnetic relaxation in silicon iron under irradiation by neutrons, 3=1042

Dietzmann,G., Krötzsch,M. and Wolf,S. Electric conductivity and porosity of Ni—Zn ferrites, 3=4939

Dietzsch,W. Measurement sensitivity and error in thickness and density measurement with radioactive isotopes by the transmission method, 3=9396

Dieulesaint,E. See Piquendar,J.E., 3=9714

Díez,R. See Catalá,J., 3=24962

DiFranco,J.V. See Rubin,W.L., 3=14761

Di Guigno,G. See Bernardini,C., 3=17005

Dijkerman,H.A. and Dymanus,A. The σ-stark effect of rotational transitions. II. The microwave spectrum of methyl alcohol, 3=734

Dijkgraaf,C. Influence of enhanced singlet—triplet transition probabilities on rotatory dispersion, 3=19971

Dikarev,V.S. See Mostovoi,V.I., 3=25029

Dikii,G.P. and Tarapov,I.E. Some "self-reproducing" magnetohydrodynamic problems with axial symmetry, 3=14757

Dikii,G.P. and Tarapov,I.E. Some problems of steady-state magnetohydrodynamics with axial symmetry, 3=14758

Dill,F.H.,Jr. See Nathan,M.I., 3=7735

Dillenburg,D. and Maris,Th.A.J. On the mechanism of nuclear spin relaxation, 3=22273

Diller,D.E. See Goodwin,R.D., 3=14146

Diller,D.E. See Roder,H.M., 3=14424

Diller,D.E. See Younglove,B.A., 3=11784

Dillinger,J.R. See Barnes,L.J., 3=19108

Dillman,L.T.,Kraushaar,J.J. and McCullen,J.D. The decay of Sc^{44}— Sc^{44} and Sc^{44}m, 3=12623

Dillon,G. and Armington,A. Purification of ammonium alum, 3=1265

Dillon,J.F.,Jr. Ferrimagnetic resonance line width in rare earth doped yttrium iron garnet, 3=1174

Dillon,J.F., Jr, Kamimura,H. and Remeika,J.P. Magnetic rotation of visible light by ferromagnetic CrBr$_3$, 3=919

Dillon,J.F., Jr., Kamimura,H. and Remeika,J.P. Magneto-optical studies of chromium tribromide, 3=15656

Dillon,J.F.Jr. and Remeika,J.P. Diffraction of light by domain structure in ferromagnetic CrBr$_3$, 3=11072

Dillon,J.F.,Jr and Remeika,J.P. Visual observation of magnetostatic modes, 3=23200

Dillon,J.F.,Jr and Remeika,J.P. Ferromagnetic and paramagnetic resonance line widths in CrCl$_3$ and CrBr$_3$, 3=23204

Dillon,J.F.,Jr. See Wood,D.L., 3=25454

Dillon,J.H. See Shibukawa,T., 3=13326

Dillon,O.W.Jr. Coupled thermoplasticity, 3=9380

Dil'man,V.V. A one-dimensional problem of unsteady convective diffusion, 3=11786

Dils,R.R.,Martin,G.W. and Huggins,R.A. Chromium distribution in synthetic ruby crystals, 3=8808

Dilworth,C. See Boella,G., 3=22222

DiMaggio,F.L. See Shiraishi,N., 3=1744

Dimick,R.C. and Trezek,G.J. Photodiode as a sensitive temperature probe, 3=24088

Dimigen,H. See Creuzburg,M., 3=16058

Dimitriades,B. See Keenan,A.G., 3=3398

Dimitriev,A.V. See Kuznetsov,V.G., 3=25734

Dimmock,J.O. Use of symmetry in the determination of magnetic structures, 3=13233

d'Incan,J. See Janin,J., 3=22547

Din Da-tsao [Ting Ta-ts'ao]. See Van Gan-chan [Wang Kang-ch'ang], 3=2302
Din Da-Tsao. See Van Gan-Chan, 3=19709
Dingle,H. On inertial reference frames, 3=1587
Dingle,H. Special theory of relativity, 3=16506
Dingus,R.S. See Lu,D.C., 3=4586
Dinh-Hoï, Pham Mass spectrometry of hydrogen diffusing through palladium, 3=2829
Dinh-Vuong,B. Evidence for the conductivity of the support in the study of the conductivity of very thin metallic films (thickness less than 100 A), 3=22901
Dinhofer,A.D. Localized mode detection by means of the Mössbauer effect, 3=20056
Dinkelacker,A. Measurements and observations on flow noise in water-filled plastic tubes, 3=5505
Dinklage,J. and Frerichs,R. X-ray diffraction and diffusion in metal film layered structures, 3=23437
Dintzis,F.R. See Gill,S.J., 3=5441
Di Pasquantonio,F. Calculation of first-collision probabilities for heterogeneous lattice cells composed of n media, 3=15260
Di Porto,P. See Bietti,A., 3=14997
Di Prima,R.C. See Krueger,E.R., 3=1714
Dirac,P.A.M. Particles of finite size in the gravitation field, 3=3720
Dirac,P.A.M. The conditions for a quantum field theory to be relativistic, 3=4315
Dirac,P.A.M. A remarkable representation of the 3 + 2 de Sitter group, 3=18693
Disch,R.L. See Buckingham,A.D., 3=12835
Dismukes,C.R. See Bryan,R.A., 3=22122
Distler,G.I. and Daryusina,S.A. An electron microscope study of the formation of layers of lead sulphide, 3=13564
Distler,G.I. and Daryusina,S.A. A new method of decorating a crystal surface, 3=16050
Ditchburn,R.W. Absorption cross-section for photo-ionization, 3=9722
Ditchfield,C.R. Noise limits of a maser system, 3=5891
Ditkovsky,H. See Aharoni,A., 3=20979
Ditsman,A.S. Investigation of the region of a microfocus source in an X-ray microanalyser, 3=5801
Ditsman,S.A. Reflection of hard X-radiation by bent crystals, 3=6835
Ditsman,S.A. See Borovskii,I.B., 3=4233
Dittmer,D.C. See Anderson,J.M., 3=12864
Diu, B. Elementary and composite particles in the Lee model, 3=17171
Diu,B. Mass relations and simple lie groups of rank 2, 3=19549
Diu,B., Gervais,J.L. and Rubinstein,H.R. K^* generation by ρ exchange, 3=15025
Divakaran,P.P. Equivalence theorems and point transformations in field theory, 3=12421
Dix,C.H. Cagniard's method and associated numerical techniques, 3=23570
Dixon,A.E., Woods,A.D.B. and Brockhouse,B.N. Frequency distribution of the lattice vibrations in sodium, 3=15422
Dixon,J.A. See Moniz,W.B., 3=16638
Dixon,J.M., LaGrange,L.D., Merten,U., Miller,C.F. and Porter,J.T.,II. Electrical resistivity of stabilized zirconia at elevated temperatures, 3=20376
Dixon,J.R. and Riedl,H.R. The optical properties of p-type lead telluride in the infra-red region, 3=10907
Dixon,M.E. Astrometry with a Schmidt camera. I, 3=9149
Dixon,M.E. Astrometry with a Schmidt Camera. II, 3=21081
Dixon,M.E. Astrometry with a Schmidt camera. III, 3=21082
Dixon,P.H. See Burke,J., 3=5129
Dixon,R.N. The carbon monoxide flame bands, 3=25091
Dixon,R.N. and Kroto,H.W. High-resolution study of the spectrum of the CBr radical, 3=25092
Dixon,T.E. and Kane,R.A. Growth of manganous oxide whiskers, 3=23413
Dixon,W.B. See Bak,B., 3=2640
Dixon,W.R. The (n, p), (n, d) and (n, α) reactions induced by 14.6 MeV neutrons in CsI(Tl) scintillation crystals, 3=12689
Dixon,W.R. and Storey,R.S. The forward–backward asymmetry of recoil nuclei in the reaction Al^{27} (n, α)Na^{24}, 3=19868
Dixon,W.R. See Jarvis,C.J.D., 3=19863
Dixon-Lewis,G.,Sutton,M.M. and Williams,A. The kinetics of hydrogen atom recombination, 3=6426
Dizer,M. Sudden disappearance of filaments and geomagnetic activity, 3=11467
Dizer,M. Long-lived filaments and geomagnetic storms, 3=16305
Dizer,M. Influence of sunspot activity on the geomagnetic activity in the northern and southern solar hemispheres, 3=18575
Djurić,J. On gravitational waves and non-linear electromagnetic theory—author's reply, 3=5352
Dlouhy,Z. A measurement of the neutron age in graphite by the pulsed source method, 3=2285
Dlouhy,Z. and Kvitek,J. Measurements of the temperature dependence of thermal neutron diffusion parameters in water and ice, 3=6017
Dlutzik,H. Derivatives of the Seidel aberrations, 3=3867
Dlutzik,H. Spherical aberrations of concentric systems, 3=14313
Dlutzik,H. Roof prism without ray splitting, 3=21526
Dmitriev,A.A. The distribution of radiant intensity measured with a wide-angle receiver, 3=24105
Dmitriev,A.V. See Boltneva,L.I., 3=5185
Dmitriev,I.S. and Nikolaev,V.S. Calculation of the cross-sections for electron loss by fast ions in light media, 3=21706
Dmitriev,I.S., Nikolaev,V.S., Fateeva,L.N. and Teplova,Ya.T. Investigation of the loss of several electrons by fast multi-charged ions, 3=712
Dmitriev,I.S.,Nikolayev,V.S.,Fateeva,L.N. and Teplova,Ya.A. Experimental investigation of electron loss by multicharged ions in gases, 3=7448
Dmitriev,I.S. See Teplov,I.B., 3=6245
Dmitriev,I.S. See Teplova,Ya.A., 3=5722
Dmitriev,L.M. See Kapustin,A.P., 3=18798
Dmitriev,N.A. The equation of state of a crystal at zero temperature, 3=6449
Dmitriev,V.A. and Khristiansen,G.B. Investigation of the energy spectrum of high energy muons at a depth of 40 meters water equivalent underground, 3=22243
Dmitriev,V.A. See Khristiansen,G.B., 3=4513
Dmitriev,V.A. See Vedeneev,O.V., 3=22240
Dmitriev,V.A. See Vernon,S.N., 3=4525
Dmitriev,V.A. See Vernov,S.N., 3=19719
Dmitriev,V.A. See Vernov,S.N., 3=19738
Dmitriev,V.G. See Akhmanov,S.A., 3=21979
Dmitriev,V.I. Diffraction of electromagnetic waves at a conducting plate in a conducting medium, 3=2125
Dmitrieva,T.G. See Vitman,F.F., 3=15984
Dmitrievsky,V.P. See Denisov,Yu.N., 3=9887
Dneprovskaya,I.A., Iofe,V.K. and Levitas,F.I. Attenuation of sound as it propagates through the atmosphere, 3=16232
Dneprovskii,I.S. See Gromov,K.Ya., 3=10308
Dnestrovskii,Yu.N. and Kostomarov,D.P. The dispersion equation for an extraordinary wave moving in a plasma across an external magnetic field, 3=2008
Dnestrovskii,Yu.N. and Kostomarov,D.P. The dispersion equation for an ordinary wave moving in a plasma perpendicular to an external magnetic field, 3=4138
Dnestrovskii,Yu.N. and Kostomarov,D.P. Stability of plane electron beams in bounded systems with a decelerating electric field, 3=7642
Dnestrovskii,Yu.N. and Kostomarov,D.P. Cyclotron instability of a plasma, 3=21830
Dobbins,R.A.,Crocco,L. and Glassman,I. Wide-range photographic photometry, 3=9575
Dobbs,H.E. Quenching and adsorption in liquid scintillation counting, 3=2160
Dobbs,H.E. Effect of naphthalene on the quenching of liquid scintillation solutions, 3=11801
Dobierzewska-Mozrzymasowa,E. See Wesołowska,C., 3=25434
Dobin,C. See Goldstein,B., 3=20227
Dobrego,V.P. See Rÿvkin,S.M., 3=6583
Dobrego,V.P. See Rÿvkin,S.M., 3=10769
Dobresku,K. See Iftode,I., 3=25022
Dobrikov,V.N. See Gofman,Yu.V., 3=7744
Dobrokhotova,V.K. See Naboikin,Yu.V., 3=963
Dobrotin,N.A. See Güseva,V.U., 3=6100
Dobrotin,N.A. See Guseva,V.V., 3=19618
Dobrott,R.D. and Lipscomb,W.N. Structure of $Cu_2B_{10}H_{10}$, 3=3303
Dobrov,W.I. and Browne,M.E. Microwave ultrasonic spin—phonon interaction experiments, 3=23242
Dobrov,W.I. See Browne,M.E., 3=1190
Dobrov,Yu.V. See Korotkov,K.A., 3=22327

Dobrova,O.N. See Feigel'son,E.M., 3=9043
Dobrovol'skii,G.V. See Pelykh,N.A., 3=14094
Dobrovol'skii,V.N. Investigation of the conductivity, due to excess carriers, in a magnetic field, 3=20299
Dobrovol'skii, V.N. and Gritsenko, Yu.I. Use of the Hall current to study scattering of carriers in semiconductors, 3=17845
Dobry-Duclaux,A. and Ulinska,A. On the intermicellar liquid and the volume restricted in colloidal solutions, 3=18464
Dobrynin,Yu.P. See Apalin,V.F., 3=12713
Dobrzhanskii,G.F. See Grum-Grzhimailo,S.V., 3=13180
Dobrzhanskii,G.F. See Shaskol'skaya,M.P., 3=12970
Dobson, D.A. See Commins, E.D., 3=17427
Dobson,G.M.B. and Normand,C.W.B. Comments on paper by H.C.Willett, "The relationship of total atmospheric ozone to the sunspot cycle", 3=13660
Dobson,J. See Cullen,A.L., 3=5854
Dobson,P.S. and Wilman,H. The friction and wear, and their interrelationship, in abrasion of a single crystal of brittle nature, 3=11188
Doclo,R.J. See Robbrecht,G.G., 3=5029
Dodd,J.N.,Series,G.W. and Taylor,M.J. The modulation of light in a double resonance experiment, 3=10471
Dodd,W.P. See Bondàr,L., 3=19678
Dodgen,H.W. See Klanberg,F., 3=13316
Dodo,T. See Kihara,T., 3=12436
Dodson,M.H. A theoretical study of the use of internal standards for precise isotopic analysis by the surface ionization technique. I. General first-order algebraic solutions, 3=14686
Doede,J.H.,Hildebrand,R.H.,Israel,M.H. and Pyka,M.R. Moderation and absorption times of negative pions in liquid hydrogen, 3=10162
Doell,R.R. See Cox,A., 3=9137
Doering,J.P. and Mahan,B.H. Erratum: Photoionization of nitric oxide, 3=5622
Dofe,T.,Ichimiya,T. and Tamaki,F. Some experiments on probe characteristics in drifting plasma, 3=19280
Dogadkin,B.A. See Gul',V.E., 3=20388
Döge,G. See Cordes,H., 3=16611
Dogniaux,R. Solar radiation at the King Boudouin base, 3=11404
Doherty,J.T. See Kooi,C.F., 3=1168
Doherty,P.E. and Davis,R.S. Direct observation of the oxidation of aluminium single-crystal surfaces, 3=11335
Doherty,R.D. and Martin,J.W. The effect of a dispersed second phase on the recrystallization of aluminium—copper alloys, 3=25757
Doherty,R.H. Experimental observations and theoretical calculations leading to a model for the lower ionosphere, 3=16254
Dohi,S. The (110) [001] primary recrystallization texture in cold-rolled iron sheets, 3=18353
Doich,R.V. The structure of weak shock waves in a plasma, 3=1980
Doich,R.V.[Deutsch,R.V.]. Attenuation of magnetoacoustic waves and the width of shock waves in anisotropic relativistic magnetohydrodynamics, 3=24453
Do In Seb. Remark on the range-energy relationship, 3=7818
Do In Seb [To ying sên],Kirillova,L.F.,Korbel,Z.F. and Shafranova,M.G. Some properties of emulsion chambers impregnated with water or ethylene glycol, 3=24571
Do In Seb, Kirillova,L.F., Markov,P.K., Popova,L.G., Silin,N.I., Tsÿganov,E.N., Shafranova,M.G., Shakhbazyan,B.A. and Yuldashev,A.A. Scattering of 8·5 BeV protons on protons, 3=4393
Do In Seb,Kirillova,L.F. and Shafranova,M.G. Elastic scattering of 8.35 BeV protons on protons, 3=24727
Do In Seb. See Azimov,S.A., 3=6007
Dokuchaev,V.P. Contribution to the theory of emission of sound waves by small bodies moving in gases, 3=1719
Dokuchaev,V.P. Magnetohydrodynamic instability of solar corpuscular streams, 3=9213
Dokuchaeva,O.D. and Kraush,L.Ya. Increasing the sensitivity of astronomical photographic plates, 3=7361
Dokunikhin,N.S. See Shigorin,D.N., 3=25086
Dolan,E. E.S.R. signals observed in ultraviolet irradiated glasses of organic solutions, 3=5041
Dolan,E. and Albrecht,A.C. Stimulated emission in a photo-sensitized rigid-glass solution, 3=959
Dolan,E. and Albrecht,A.C. On the litefime of infrared stimulated emission in photo-sensitized rigid glass solutions, 3=10989

Dolbilkin,B.S.,Zapevalov,V.A.,Korin,V.I. and Nikolaev,F.A. Shape of the bremsstrahlung spectrum near the upper limit, 3=24684
Dolbilkin,B.S. See Burgov,N.A., 3=8077
Dolby,R.M. X-ray microanalysis of the light elements, 3=18467
Dold,B. and Keussler,V.v. Determination of refractive index in the infrared with the aid of a recording spectrophotometer. Refractive index of silicon, 3=20433
Dolder,K.T.,Harrison,M.F.A. and Thonemann,P.C. A measurement of the ionization cross-section of Ne^+ to Ne^{2+} by electron impact, 3=21703
Dolder,K.T. See Harrison,M.F., 3=7425
Dolder,K.T. See Harrison,M.F.A., 3=21702
Doldon,R. The fatigue behaviour of magnesium—zirconium and magnesium—aluminum canning materials, 3=25762
Dole,M. and Inokuti,M. Conditions for first- or second-order kinetics during multiple zone reactions, 3=25810
Dole,M. See Cracco,F., 3=2671
Dole, M. See Inokuti, M., 3=17626
Dolecek,R.L. See Alers,P.B., 3=10992
Dolega,U. Theory of the p—n contact between semi-conductors and various crystal lattices, 3=25375
Dolejší,J. See Bohun,A., 3=813
Dolejši,J. See Bohun,A., 3=4985
Dolejší,J. See Bohun,A., 3=18008
Dolgikh,V.A. Relay manometer, 3=1653
Dolgopolov,D.L. Diffusion coefficient in polycrystals, 3=4882
Dolgoshein,B., Lochkob,B. and Ushakob,V. The polarization of cosmic ray muons of different energies, 3=4521
Dolgoshein,B.,Luchkov,B. and Ushakov,V. Polarization of low energy cosmic-ray muons at sea level, 3=6116
Dolgoshein,B. See Berezinskii,V., 3=6117
Dolgoshein,B.A.,Luchkov,B.I. and Ushakov,V.I. Polarization of cosmic muons of different energies, 3=24823
Dolgoshein,B.A. See Borisov,A.A., 3=17151
Dolgov-Savel'ev,G.G. See Vasilev,A.P., 3=12137
Dolinskii,É.I. See Blokhintsev,L.D., 3=4415
Dolinskii,E.I. See Blokintsev,L.D., 3=5966
Dolinskii,E.J. See Blokhintsev,L.D., 3=14867
Dolinskii,É.I. See Blokhintsev,L.D., 3=15165
Dolinsky,E.I. See Blokhintsev,L.D., 3=8059
Dolique,J.M. A theoretical study of the neutralization of a beam of ions by injection of electrons, 3=12128
Dolique,J.M. Penetration of a neutralized beam of ions and electrons into a magnetic barrier. Conditions relating to the height of the barrier, 3=19423
Doll,R. Method for the determination of the quantization of the magnetic flux in a superconducting hollow cyclinder, 3=16860
Doll,R. and Näbauer,M. Experimental evidence of the frozen-in magnetic flux in a superconducting hollow cylinder, 3=12022
Dollezhal',N.A. See Feinberg,S.M., 3=10421
Dollfus,A. Measurement of the global dimensions of the planet Mars, 3=3550
Dollfus,A. Characteristics of monochromatic emission from the solar corona, 3=9215
Dollfus,A. A measurement of the quantity of water vapour contained in the atmosphere of the planet Mars, 3=13864
Dollfus,A. A modulator of polarized light for a photo-electric polarimeter, 3=14378
Dollfus,A. Discussion of F. Link's paper (see preceding abstract), 3=18606
Dollfus,A. Observation of water vapour on the planet Venus, 3=21098
Dollimore,D.,Dollimore,J. and Nowell,D.V. The pore structure of coal briquettes prepared at various compacting pressures, 3=13550
Dollimore,J. See Dollimore,D., 3=13550
Dolling,G.and Brockhouse,B.N. Lattice vibrations in pyrolitic graphite, 3=2710
Dol'nikov,A.E. Determination of forces due to vortices, 3=14120
Dologopolov,V.V. and Stepanov,K.N. Heating plasma under conditions of magnetosonic resonance, 3=7613
Dolph,C.L. The extant nonlinear mathematical theory of plasma oscillations, 3=19287
Dols,C.G. Measurement of beam phase of the Berkeley 88-inch cyclotron, 3=5792
Doman, B.G.S. An exact result for the ising ferromagnet, 3=18068
Doman,B.G.S. See Tahir-Kheli,R.A., 3=11047

Domashevskaya,E.P. Use of silicon as the analyzer crystal in a high-resolution X-ray spectrograph, 3=21920
Domb,C. Excluded-volume effect for two- and three-dimensional lattice models, 3=16544
Dombi,J. See Ketskeméty,I., 3=1695
Dombrovskaya, I.G. See Averkin, A.A., 3=17889
Dombrovskii,R.V. and Kalust'yan,R.T. An anechoic chamber with sound absorbers composed of stable fibreglass wedges, 3=16716
Domeij,B.,Bergström,I.,Davies,J.A. and Uhler,J. A method of determining heavy ion ranges by analysis of α-line shapes, 3=14677
Domeij,B. See Bergström,I., 3=14676
Domeij,B. See Davies,J.A., 3=14675
Domeij,B. See Uhler,J., 3=14678
Domen,H. Piezo-remanent magnetism in rock and its field evidence, 3=1498
Domen,S.R. See Pruitt,J.S., 3=2151
Domich,E.G. See Hanson,A.R., 3=23859
Dominici,P. Sporadic-E ionization observed by the back-scatter technique, 3=23620
Domokos,G. Regge poles and elastic scattering at high energies, 3=5945
Domokos,G. Asymptotic behaviour of the vertex part in pseudo-scalar meson theory, 3=12479
Domokos,G. On algebraic problems in the theory of complex angular momentum, 3=24660
Domokos,G. Diagram technique and Regge poles, 3=24661
Domokos,G. and Wolf,J. Regge-poles and form factors, 3=566
Domokosh,D. Behavior of the amplitude for elastic high energy pion—pion scattering, 3=6055
Domokosh,G. The analytic behaviour of the amplitude for the elastic π—π scattering in the *l*-plane, 3=2309
Domokosh,G. See Vol'f,Yu., 3=6043
Donahue,D.J. Neutron inelastic scattering from some collective nuclear states, 3=2465
Donahue,T.M. and Thomas,G. Distribution of hydrogen in the outer atmosphere, 3=13788
Donald,D.K. Experiments on mercury—silicon surface barriers, 3=15598
Donald,D.K. See Jaklevic,R.C., 3=15719
Donaldson.E.E. and Rabinowitz,M. Effects of glass contamination and electrode curvature on electrical breakdown in vacuum, 3=9759
Donaldson,E.E. See Haque,C.A., 3=14668
Donaldson,E.E. See Winters,H.F., 3=14680
Donaldson,I.G. Computed errors for a square guarded hot plate for the measurement of thermal conductivities of insulating materials, 3=3911
Donath,E. and Carlough,W. Radial shearing interferometer, 3=9613
Donath,E. See Potter,R.J., 3=5513
Donath,W.E. See Mattis,D., 3=3094
Donato,L. See Mannelli,I., 3=7414
Dönau,F. See Alexander,K.F.,. 3=15112
Donets,E.D.,Karnaukhov,V.A.,Kumpf,G.,Gvozdev,B.A. and Chuburkov,Yu.T. Investigation of the nuclear reaction $Th^{232}(Ne^{22},4n)Fm^{250}$, 3=8138
Donets,E.D. See Kumpf,H., 3=24983
Doniach,S. Many-electron contribution to the cohesive energy in Van der Waals crystals, 3=8328
Doniach,S. See Cabibbo,N., 3=12026
Donn,B. The characteristics of distant comets, 3=5247
Donnachie,A. Dispersion relations for the photo-disintegration of the deuteron, 3=612
Donnally,B.L. Coincidence circuit, 3=9705
Donnally,B.L. and Bernal G.,E. Some experiments on nuclear magnetic resonance, 3=25583
Donnay,G. See Belov,N.V., 3=1100
Donnay,G. See Donnay,J.D.H., 3=13471
Donnay,J.D.H. and Donnay,G. Centres of charges inferred from barite morphology, 3=13471
Donnay,J.D.H. See Belov,N.V., 3=1100
Donneaux,E. Beets,C., 3=12695
Donnelly,R.J. Experimental confirmation of the Landau law in Couette flow, 3=23835
Donnelly,R.J.,Reif,F. and Suhl,H. Enhancement of hydrodynamic stability by modulation, 3=1664
Donnet,J.B.,Bouland,J.C. and Jaeger,J. On the internal structure of carbon black particles, 3=25804
Donnet,J.B., Filosof,G. and Jaeger,J. Alteration of TiO_2 in the course of examination in an electron microscope, 3=3925
Donohue, J. The relationship between atomic radii in close-packed and body-centered cubic structures, 3=18305
Donohue,J. See Sharma,B.D., 3=25712
Donovan,B. and Webster,J. The theory of the Faraday effect in anisotropic semiconductors. II. Application to n-type germanium, 3=4964
Donovan,B. and Webster,J. The anisotropic Faraday effect in n-type germanium, 3=10778
Donovan,B. See Webster,J., 3=6643
Donovan,P.F. See Wilkinson,D.H., 3=15138
Donovan,T.M. and Seraphin,B.O. Undamaged germanium surfaces of high optical quality, 3=6880
Donskoi,K.V.,Dunaev,Yu.A. and Prokof'ev,I.A. Measurement of electrical conductivity in gas streams, 3=24156
Doolen,R.B. See Plunkett,R., 3=23964
Doplicher,S. On Borchers' second theorem, 3=24645
Dorain,P.B. and Locker,D. Angular modulation of the magnetic field in electron paramagnetic resonance experiments, 3=13295
Doran,D.G. Hugoniot equation of state of pyrolytic graphite to 300 kbars, 3=10608
Doran,D.G. and Goettelman,R. Variation of sound velocity at Fe_1-Fe_2 transition in $PbZr_{.95}Ti_{.05}O_3$. 3=15618
Dorda,G. The influence of different forms of surface oxide on the fast states of germanium, 3=20138
Dorda,G. Internal field emission on germanium surface at a.c. field effect, 3=21854
Dore,J.C. See Craig,R.M., 3=8085
Dore,U. See Bizzarri,R., 3=6026
Doremus,R.H. Structural information from transport measurements in glass, 3=1362
Dorenbusch,W.E. and Browne,C.P. Heavy-particle stripping in the $Be^9(He^3, \alpha)Be^8$ reaction and energy levels of Be^8, 3=19882
Dorikens.M. See Dorikens-Vanpraet,L., 3=24868
Dorikens,M. See Segaert,O.J., 3=15114
Dorikens-Vanpraet,L.,Segaert,O.,Dorikens,M. and Demuynck,J. Gamma-gamma angular correlations in ^{140}Ce, 3=24868
Dorikens-Vanpraet,L.V. See Segaert,O.J., 3=15114
Döring,W. and Simon,G. Correction and addition to the papers "Directional dependence of the crystal energy" and "Directional dependence of magnetostriction", 3=13261
Dorman,E. See Dieke,G.H., 3=23075
Dorman,L.I. and Mikhailov,Yu.M. Investigation of electromagnetic phenomena involved in the motion of bodies in a conducting fluid in a magnetic field, 3=2115
Dormann,J.L. Propagation of electromagnetic waves in a rectangular guide containing transversely magnetized ferrite slabs. Application to nonreciprocal resonant channels, 3=9939
Dorn,D. See Bieger,W., 3=7591
Dorn,J.E. Thermodynamics of stacking faults in binary alloys, 3=12989
Dornberger-Shiff, K. The symmetry and structure of strontium germanate, $Sr(GeO_3)$, as a structure model for α-wollastonite, $Ca(SiO_3)$, 3=18316
Dorokhov,V.V. See Demirkhanov,R.A., 3=4727
Dorokhov,V.V. See Demirkhanov,R.A., 3=4728
Doroshenko,A.V., Klyushin,V.V., Loshmanov,A.A. and Goman'kov,V.I. Neutron diffraction analysis of manganese telluride, 3=5019
Doroshkevich,A.G. Storage of cold neutrons, 3=7870
Dorozhkin,A.A. and Petrov,N.N. Ion—electron emission of some metals in the presence of hydrogen, 3=24347
Dorst,J.H. Full-scale magnetic measurements on the Berkeley 88-inch cyclotron, 3=5750
Dosch,H.G, Kosiek,R, Maier,K, Schechter,M. and Zimmerer,J. Pulse-shape discrimination at high gamma background, 3=16892
Dosch,P. Reactor power oscillations in the prompt critical region for a ramp reactivity perturbation, 3=8160
Dossin,F. and Rousseau,C. Spectroscopic and photographic observations of the Comet Humason (1961e), 3=13871
Dossin,J.B. See Demortier,G., 3=22427
Dosso,H.W. The magnetic field at the surface of a stratified flat conductor in the field of plane waves with application to geophysics, 3=4243

Dosso,H.W. and Vidal,R.H. Magnetic field demonstrations, 3=5813
Dosso,H.W. and Vidal,R.H. Large demonstration electroscope, 3=12062
Dostrovsky,I. and Stoenner,R.W. The half-life and radiations of Kr^{76}, 3=15144
Dostrovsky,I. See Hudis,J., 3=4641
Dote,T.,Ichimiya,T. and Tamaki,F. Some experiments on probe characteristics in drifting plasma, 3=12180
Dote,T. and Sugiura,M. Negative characteristics of a probe in a magnetic field, 3=5634
Dothan,Y., Goldberg,H., Harari,H. and Ne'eman,Y. Protonium two-mesons annihilation, 3=583
Dothan,Y.,Harari,H. and Nussinow,S. Discussion of a $\frac{1}{2}^-$ octet, 3=10173
Dotsenko,B.B. Influence of collective excitations of the superfluid phase in nuclei on the nuclear moments of inertia, 3=10222
Doucet,Y. and Vallier,J. On the splitting of Raman frequencies in fused nitrates, 3=4761
Dougherty,J.E. See Johnson,V.J., 3=6616
Dougherty,P.H. See LuValle,J.E., 3=11950
Doughty,D.D. See Skorinko,G., 3=14643
Douglas,A.C. Double Coulomb excitation in even nuclei, 3=12577
Douglas,A.E., Møller,C.K. and Stoicheff,B.P. The absorption spectrum of $^{35}Cl_2$ from 4780 to 6000 A, 3=19976
Douglas,A.E. and Potter,J.G. A ten-meter grating spectrograph for the vacuum ultraviolet, 3=14348
Douglas,J.Jr. and Gunn,J.E. Two high-order correct difference analogues for the equation of multi-dimensional heat flow, 3=14392
Douglas,J.N. and Smith,H.J. Decametric radiation from Jupiter. I. Synoptic observations 1957-1961, 3=13922
Douglas,J.N. and Smith,H.J. Observations bearing on the mechanism of Jovian decametric emission, 3=18655
Douglas,R.W. Some observations of the anelasticity of glasses, 3=15979
Douglas, T.B. Modification of the Born– Mayer potential function as applied to the crystalline alkali halides, 3=17628
Douglas,T.B. See Victor,A.C., 3=25196
Douglass,D.C. See Bovey,F.A., 3=25158
Douglass,D.C. See McCall,D.W., 3=16606
Douglass,D.C. See McCall,D.W., 3=24499
Douglass,D.H.,Jr and Strandberg,M.W.P. Stages in the education of a physicist: An attempted solution of a pedagogical problem, 3=23726
Douglass,D.L. See Bronisz,S.E., 3=11331
Douglass,R.L. Heat transport by spin waves in yttrium iron garnet, 3=8374
Douglass,R.M. See Johnson,V.J., 3=6616
Dou Nai-khua. See Bundel'A.A., 3=3051
Dousmanis,G.C.,Faughnan,B.W. and Josephs,R.M. Further aspects of negative mass cyclotron resonance work, 3=10773
Dousmanis,G.C. See Alexandrakis,G.C., 3=25348
Dove, D. B. Photography of magnetic domains using the transverse Kerr effect, 3=17023
Dove,D.B. and Cole,B.G. The absolute calibration of gamma radiation dosimeters by calorimetry, 3=574
Dove,D.B. See Basinski,Z.S., 3=10662
Dove,D.B. See Stilwell,G.R., 3=18375
Dovnorovich,V.I. The state of stress in an elastic body with a plane crack (cut), 3=18216
Dovnorovich,V.I. A stationary problem in heat conduction theory, 3=19040
Dow,D.G. See Muller,M.W., 3=15327
Dow,R.G. Electron-beam probing of a Penning discharge, 3=21731
Dowden,R.L. "Scale frequency" of the exosphere, 3=5211
Dowden,R.L. Cyclotron theory of very-low-frequency discrete emissions, 3=5214
Dowden,R.L. Author's reply to the preceding discussion, 3=13695
Dowden,R.L. Method of measurement of electron energies and other data from spectrograms of v.l.f. emissions, 3=13700
Dowden,R.L. Doppler shifted cyclotron generation of exospheric very-low-frequency noise ("hiss"), 3=23606
Dowden,R.L. Polarization measurements of Jupiter radio bursts at 10.1 Mc/s, 3=25982
Dowell,J.D, Duteil,P, Leontic,B, Lundby,A, Meunier,R, Stroot,J.P. and Szeptycka,M. Effect of Cherenkov light polarisation on total reflection counter, 3=17110
Dowell,J.D. See Barbier,M., 3=17002
Dowell,W.C.T. The observation of crystal lattices with small spacings in the electron microscope, 3=1286
Dowell,W.C.T. The use of tilted illumination for the observation of crystal lattices, 3=18289
Dowley,M.W. High field gaussmeter for use at liquid helium tempertures, 3=5805
Dowling, P.H. See Poleshuk, M., 3=25383
Downing,R.G. See Simon,G.W., 3=8474
Downs,B.W. Remarks on the bound states of a central potential in quantum mechanics, 3=9347
Downs,B.W.,Smith,D.R. and Truong,T.N. Analysis of the hypertriton in terms of hard-core potentials, 3=10179
Downs, B.W. See Schenter,R.E., 3=10335
Downs,B.W. See Schrils,R., 3=17344
Dows,D.A. See Hollenberg,J.L., 3=23081
Dows,D.A. See Wieder,G.M., 3=6656
Dowson,D.C. Criticality of interacting arrays of fissile material. I. General theory, 3=12705
Dowson,D.C. and Abbey,F. Criticality of interacting arrays of fissile material. II. Unreflected air-spaced arrays of spheres, 3=12706
Doyle,M.V. See Bean,C.P., 3=14464
Doyle,V. See Bean,C.P., 3=338
Doyle,W.D. and Prutton,M. Anisotropy distributions and unidirectional hysteresis in thin permalloy films, 3=15837
Doyle,W.D.,Rudisill,J.E. and Shtrikman,S. Angular dependence of torque in anisotropic permalloy films, 3=1071
Doyle,W.D. See Flanders,P.J., 3=15836
Doyle,W.M. and Marrus,R. Hyperfine structure of erbium-169, 3=22479
Doyle,W.T. Structure of the F center in NaF, 3=20241
Drabble,J.R. Summary of Conference on the Physics of Semiconductors, Exeter, 1962, 3=6567
Drabble J,R. Review of transport theory 3=10731
Drabkin,G.M. The analysis of the energy spectrum of polarized neutrons with the help of a magnetic field, 3=2269
Drachman,R.J. Hard-sphere boson gas with weak attraction or repulsion, 3=21264
Drăgănescu,M. The dependence of the small signal a.c. parameters of a junction transistor on the injection level. A theoretical approach, 3=2939
Drăgănescu,M.,Samachisa,Gh. and Bulucea,C. On the operating regime of the inductive transistor, 2=22966
Draganić,I. Oxalic acid: the only aqueous dosimeter for in-pile use, 3=22453
Drăghicescu,P. Shape of the paramagnetic electronic resonance curve in polycrystalline, 3=23223
Dragnev,T.N. and Konstantinov,B.P. The energy and angular distributions of protons from the Ca^{40} (γ,p) K^{39} reaction with $E\gamma_{max} = 22$ MeV, 3=6226
Drago,R.S. See Matwiyoff,N.A., 3=20022
Drago-Chiuderi,F. See Rigutti,M., 3=21107
Dragos,L. The theory of magnetohydrodynamic flow past a thin foil, 3=2096
Dragos,L. The theory of magnetohydrodynamic flow past a thin foil, 3=2097
Dragos,L. On the movement of a viscous fluid in an elastic tube, 3=5404
Dragos,L. Thin aerofoil theory in magnetoaerodynamics, 3=12300
Dragos,L. Three dimensional flow of a perfectly conducting compressible fluid, 3=14750
Dragos,L. Flow of a conducting gas in the presence of thin profiles, 3=19426
Dragt,A.J. See Karplus,R., 3=9074
Drahokoupil,J. Monochromator unit with high resolving power, 3=4231
Drahokoupil,J. See Bubáková,R., 3=5097
Drain,L.E. The broadening of magnetic resonance lines due to field inhomogeneities in powdered samples, 3=5048
Drain,L.E. Nuclear magnetic resonance in chromium-vanadium alloys, 3=8741
Drain,L.E. Nuclear magnetic resonance in platinum, 3=13315
Drake,F.D. Microwave spectrum of Saturn, 3=5274
Drake,F.D. 10 cm observations of Venus near superior conjunction, 3=5275
Drake,J.E. and Jolly,W.L. Proton magnetic resonance spectra of silylphosphine, silylarsine, germylphosphine, and germylarsine, 3=12863

Drangeid,K.E, Gutzwiller,M.C, Sommerhalder,R. and Thomas,H. On the sign reversal of a magnetic field penetrating a superconducting layer, 3=16862
Drapak,I.T. See Verescagin,I.K., 3=18048
Draper,J. Semigraphical solution of focusing and transmission of quadrupole lens systems, 3=19369
Draper,J.E. and Bostrom,C.O. Transition intensities from thermal (n,γ) in Be, Al, Cl, Sc and Ti, 3=24948
Draper,P.H.G. A radio-tracer study of the composition of anodic films, 3=25830
Draper,P.H.G. and Harvey,J. The structure of anodic films. I. An electron diffraction examination of the products of anodic oxidation on tantalum, niobium and zirconium, 3=23507
Draper, P.H.G. See Calvert, L.D., 3=3355
Drawin,H.W. Spectroscopic measurements on a titanium plasma gun with hydrogenated electrodes, 3=7519
Drawin,H.W. Spectroscopic temperature and density measurement of plasmas in the absence of thermodynamic equilibrium, 3=9806
Drawin,H.-W. "Slant line effect" in axial gas discharges with superposed axial magnetic fields, 3=19200
Drazin,M.P. and Otte,H.M. The systematic determination of crystallographic orientations from three octahedral traces on a plane surface, 3=16023
Drazin,P.G. On one-dimensional propagation of long waves, 3=14023
Drechsel,L. Sheet polarizers especially for the ultraviolet spectral region, 3=5532
Drecin,G. See Zăgănescu,M., 3=4256
Dreeben,A.B. See Bube,R.H., 3=906
Dreeskamp,H. and Sackmann,E. Indirect spin—spin coupling between protons and C^{13}, 3=12862
Dregichesku,M.,Yankulovich,B.,Ivanov,T. and Todiryanu,D. Glass propertional counters for thermal neutron detection, 3=24746
Dreicer,H.,Karr,H.J.,Knapp,E.A.,Phillips,J.A.,Stovall,E.J.,Jr and Tuck,J.L. Cyclotron resonance in the static magnetic field of a helix, 3=12122
Dreicer,H. and Mjolsness,R. Formation of drift instabilities by collisional relaxation of high-energy particles, 3=5651
Dreicer,H. and Mjolsness,R. Drift instabilities due to collisional relaxation of high-energy particles, 3=7526
Dreizler,H. and Rudolph,H.D. Torsional fine structure in the rotational spectrum of dimethyl sulphide and the internal barrier potential, 3=2644
Drell,S.D. High-energy physics above 10 GeV, 3=4361
Drell,S.D. and Ruderman,M.A. Infrared radiation from the atmosphere resulting from high altitude explosion X-rays, 3=11418
Drellishak,K.S.Knopp,C.F. and Cambel,A.B. Partition functions and thermodynamic properties of argon plasma, 3=21819
Dremin,A.N. Critical diameter for detonation of liquid explosives, 3=9548
Dremin,I.M. and Chernavskii,D.S. Interaction cross-sections for virtual particles, 3=2256
Dremin,I.M. and Chernavskii,D.S. Nucleon—nucleon interactions at an energy of E $\cong 10^{11}$ eV, 3=4385
Dremin.I.M. See Chernavskv.D.S., 3=12540
Dremin,I.M. See Chernavsky,D.S., 3=12541
Dremin,I.M. See Chernavsky,D.S., 3=19571
Drescher,K.,Garte,D. and Suhle,A. A dual purpose n.m.r. spectrometer, 3=24494
Dresden,M. and Kahn,P.B. Field theories with persistent one particle states. I. General formalism, 3=535
Dresner,J. and Shallcross,F.V. Crystallinity and electronic
Dresner,L. and Weinberg,A.M. Recent developments in the theory and technology of chain reactors, 3=6320
Dressel,R.W. Electron current pulse monitor for linear accelerators, 3=24401
Dresselhaus,M.S. See Strauss,A.J., 3=10936
Dressler,K. Absorption spectroscopy of condensed gases at low temperatures, 3=10929
Dresvin,S.V. See Bamberg,E.A., 3=21727
Dresvin,S.V. See Bamberg,E.A., 3=21728
Drew,B. and Pye,J.J. Measurements of surface diffusion coefficients on silver single crystals, 3=17792
Drewes,G.W.J. See Swanenburg,T.J.B., 3=20672
Drexhage,K.H.,Zwick,M.M. and Kuhn,H. Sensitized fluorescence with radiationless energy transition through thin films, 3=13195
Drexler,O. Ceramic dielectric materials, 3=20370
Dreyfus,B. Vacancies and interstitials in antiferromagnets, 3=15483
Dreyfus,B. Imperfections in antiferromagnetics, 3=15904
Dreyfus,B.,Lacaze,A.,Thomas,P. and Weil,L. Thermal conduction of gold—cobalt alloys at low temperatures, 3=10614
Dreyfus,B.,Mercier,J. and Weil,L. Nature and production of certain active forms of hydrogen at very low temperatures, 3=10550
Dreyfus,B., Verdone-Thuillier,J. and Veyssié-Counillon,M. Absorption spectrum of erbium ferrite with garnet structure in the near infrared, 3=20475
Dreyfus,B.and Zadworny,F. Thermal conduction of crystals doped with magnetic impurities at low temperatures and under a magnetic field, 3=2742
Dreyfus,B. See Conte,R., 3=8763
Drichko,I.L., Mochan,I.V. and Obraztsov,Yu.N. Investigation of the anisotropy of the electrical conductivity of tellurium, 3=17820
Drickamer,H.G. See Aust,R.B., 3=18229
Drickamer,H.G. See Minomura,S., 3=859
Drickamer,H.G. See Minomura,S., 3=25370
Drickamer,H.G. See Riggleman,B.M., 3=17812
Drickamer,H.G. See Stager,A.A., 3=13038
Drickamer,H.G. See Stager,R.A., 3=25323
Drickey,D.J. and Hand,L.N. Precise neutron and proton form factors at low momentum transfers, 3=14971
Drijand,D. See Fretter,W.B., 3=2301
Drijard,D. See Bellière,J., 3=24775
Drijard,D. See Bellini,G., 3=7899
Drijard,D. See Veillet,J.J., 3=17313
Drimer,D.,Ţăranu,P.,Hafner,A.,Vescan,L. and Nemoda,L. Contribution to the study of the diffusion of antimony in silica monocrystals, 3=25294
Drinkard,W.C. See Holmes,J.R. 3=9449
Drisco,R.M.,Bassel,R.H. and Satchler,G.R. Distorted-waves analysis of quasi-elastic (p,n) and (He^3,t) reactions, 3=2455
Drisko,R.M.,Satchler,G.R. and Bassel,R.H. Ambiguities in the optical potential for strongly absorbed projectiles, 3=22361
Drisko,R.M. See Austern,N., 3=661
Drisko,R.M. See Bassel,R.H., 3=6294
Drisko,R.M. See Davies,K.T.R., 3=19828
Drisko,R.M. See Satchler,G.R., 3=19764
Drits,V.A. The quantitative X-ray phase analysis of clay minerals, 3=13480
Driver,M.C. and Wright,G.T. Thermal release of trapped space charge in solids, 3=4949
Driver,R.D. A two-body problem of classical electrodynamics: The one-dimensional case, 3=7680
Drokin,A.I.,Cherkashin,V.S.,Smolin,R.P. and Ershov,R.E. Concerning anhysteretic magnetization curves of ferromagnetic metals and alloys, 3=11061
Drokin, A.I, Dȳlgerov, V.D, Sudakov, N.I. and Starostin, I.I. Temperature dependence of the rotational hysteresis losses in magnesium—manganese ferrites, 3=18101
Drokin,A.,Dȳlgerov,V.D.,Sudakov,N.I. and Zagirova,K. Rotational hysteresis and the dynamics of domain structure in rotational fields in single crystals of ferrocobalt ferrites, 3=13269
Drokin,A.I. See Kirenskii,L.V., 3=13273
Dronov,A.P., Sviridov,A.G. and Sobolev,N.N. The continuous emission spectra of krypton and xenon behind a shock wave, 3=14218
Dronyuk,M.I. See Sandulova,A.V., 3=20180
Droppleman,L.K. See Megill,L.R., 3=23633
Drost,H., Timm,U. and Pupke,H. Extraction of negative ions from a stratified oxygen discharge, 3=4063
Drouard,É. Study of the vibrational spectra of single crystals containing OH groups, 3=4968
Droulers,Y. See Nikitine,S., 3=17998
Drowart,J. See Burns,R.P., 3=12010
Drowart,J. See Verhaegen,G., 3=305
Droz-Vincent,P. Coupling equations for certain types of theories based on a linear Lagrangian, 3=3710
Drozdov,S.I. Pairing and quadrupole interactions in configurations j^n, 3=620
Drozdov,S.I. Excitation of collective states of nuclei in the scattering of charged particles, 3=22290
Drozdova,L.N. See Kuzin,N.N., 3=8524
Druin,V. See Bzranova,G., 3=8140
Druin,V.A. Cross-section of Md$^{256}_{101}$ production in irradiation of U$^{238}_{92}$ as a function of Ne$^{22}_{10}$ ion energy, 3=8135

Druin,V.A., Mikheev,V.L. and Skobelev,N.K. Spontaneous fission of Am^{241}, 3=4675
Druin,V.A., Perelygin,V.P. and Khlebnikov,G.I. Spontaneous fission periods of Np^{237}, Pu^{238} and Pu^{242}, 3=4676
Druin,V.A. See Polikanov,S.M., 3=6315
Drumheller,J.E. Electron spin resonance of s-state ions in barium fluoride, 3=11111
Drummond,A.J. See Hickey,J.R., 3=9606
Drummond,I.T. Regge cuts and three-particle states in a non-relativistic model, 3=23770
Drummond,I.T. Singularities of Feynman amplitudes, 3=24610
Drummond,J.E. High frequency propagation across an ion plasma wave, 3=4163
Drummond,J.E. See Ancker-Johnson,B., 3=25261
Drummond,W.E. Microwave scattering from unstable plasma waves, 3=4168
Drummond,W.E. Theory of plasma wave probes in a collisionless plasma, 3=19281
Drummond,W.E. and Rosenbluth,M.N. Anomalous diffusion arising from micro-instabilities in a plasma, 3=5652
Drummond,W.E. and Rosenbluth,M.N. Cyclotron radiation from a hot plasma, 3=9786
Druschel,R.E. See Halperin,J., 3=22434
Druyvesteyn,M.J. Diffusion in solid metals, 3=15507
Druyvesteyn,W.F. and Van Ooijen,D.J. Influence of cold-rolling at 78°K on the superconducting transition of lead, 3=5588
Druyvesteyn,W.F. and van Ooijen,D.J. Influence of neutron-irradiation at 78° K on the critical field of superconducting lead, 3=14451
Druyvesteyn,W.F. See Van Ooijen,D.J., 3=5592
Druyvesteyn,W.F. See Van Ooijen,D.J., 3=24147
Druzhinin,A.V. Procedure for determining the work function of surface microregions on thermionic cathodes, 3=2010
Druzhinin,V.V. and Prasova,T.I. Effect of magnetic structure on the eddy current loss in electrical steel, 3=10727
Dryden,J.S. The aggregation of divalent impurities and their associated cation vacancies in alkali halides, 3=22760
Dryden,J.S. See Weir,K.G., 3=14477
Du Yan'-tsai See Belyakov,V.A., 3=24798
Du Yuan'-tsai. See Belyakov,V.A., 3=24764
Du Yuan'-tsai [Tu Yuan-tsai]. See Van Yun-chan [Wang Yung-chang], 3=2305
Dubé,A. See Van Neste,A., 3=3209
Dubé,A. See Van Neste,A., 3=6779
Dubeck,L.,Lindenfeld,P.,Lynton,E.A. and Rohrer,H. Thermal conductivity of superconductors of the second kind, 3=12032
Dubin,M. See Sissenwine,N., 3=5187
Dubinin,É.L., Esin,V.A. and Vatolin,N.A. Magnetic susceptibility of liquid metal alloys, 3=3816
Dubinin,É.L.,Esin,O.A. and Vatolin,N.A. Effect of electromagnetic forces on the removal of nonmetallic occlusions from liquid iron, 3=20912
Dubinin,É.L.,Esin,O.A. and Vatolin,N.A. Concentration dependence of the magnetic susceptibility of some molten alloys, 3=23905
Dubois, B. and Waché, A.M. Variation of the recrystallization temperature of nickel with degree of purity, 3=18263
DuBois,D.F.,Gilinsky,V. and Kivelson,M.G. Propagation of electromagnetic waves in plasmas, 3=9780
Dubois, J. Low energy excited levels in some vanadium isotopes, 3=17406
Dubois,J. An investigation of the $S^{34}(p,\gamma)Cl^{35}$ reaction, 3=17469
Dubois,J. The ion beam energy stabilization system of the Van De Graaff generator at Gothenburg, 3=19378
Dubois,J. and Albinsson,H. Radiative proton capture in Ca^{44}, 3=17470
Dubois,J. and Broman,L. The $Ca^{42}(p,\gamma)Sc^{43}$ reaction and the decay of Sc^{43}, 3=17471
Dubois,J. and Maripuu,S. Radiative proton capture in Sc^{45}, 3=12665
Dubois,J.T. and Cox,M. Singlet–singlet energy transfer in fluid solutions, 3=16631
Dubois,J.T. and Wilkinson,F. Triplet state of benzene, 3=16630
Dubois,J.T. and Wilkinson,F. Radiative lifetime of triplet biacetyl, 3=25489
Dubois,J.T. See Wilkinson,F., 3=23890
Dubois,M. See Blanc,G., 3=2946
Dubois,M. See Perio,P., 3=22981
DuBois,R.L. Magnetic characteristics of a massive hematitic body, 3=1494
DuBois,R.L. Remanent, induced, and total magnetism of a suite of serpentine specimens from the Sierra Nevada, California, 3=11476
Duborgel,B. See Depraz,J., 3=2276
Duborgel,B. See Depraz,J., 3=7987
Dubose,C.K.H. See Stiegler,J.O., 3=22780
Dubovik,M.F. See Pines,B.Ya., 3=23510
Dubovits'ka,N.V.,Zasymchuk,O.E.,Larikov,L.N. and Petrov,Yu.M. X-ray investigation of the growth kinetics of recrystallization centres [in Ni], 3=20794
Dubovoi,L.V.,Ponomarenko,A.G. and Kornilov,V.A. Plasma resonance of electrons in a magnetic field, 3=7614
Dubrovin,V.M. See Kotel'nikov,V.A., 3=9272
Dubrovina,V.A. See Gorbunov,A.N., 3=6227
Dubrovskaya,I.N. See Vinogradova,M.N., 3=20426
Dubrovskiĭ,G.B. and Subashiev,V.K. Effect of heavy doping on the intrinsic absorption edge of silicon, 3=15688
Dubrovskii, G.B. and Subashiev, V.K. Effect of strong doping on the ultraviolet reflection spectrum of silicon, 3=18007
Dubrovskii,I.M. The theory of condensation, the critical point and the metastable state, 3=21634
Ducasse,M.,Goethals,R. and Lemonnier,P.É. Determination of the initial conditions for the outflow of a compressible fluid leading to the given conditions of exit, 3=7224
Duce,R.A.,Wasson,J.T.,Winchester,J.W. and Burns,F. Atmospheric iodine, bromine, and chlorine, 3=25868
Düchs,D. Numerical calculations and comparison with measurements investigating the influence of the neutral gas in θ-pinch discharges, 3=19271
Duck,I. On the vector form factor in pion beta decay, 3=19666
Duck,M.J. See Wait,E., 3=10699
Duckworth,H.E. See Barber,R.C., 3=714
Duckworth,H.E. See Barber,R.C., 3=12627
Duckworth,H.E. See Ormrod,J.H., 3=22510
Duckworth,H.E. See Van Wijngaarden,A., 3=4394
Duckworth,H.E. See Venkatasubramanian,V.S., 3=7659
Duclaux,A.M. See Raoult,G., 3=23232
Duclaux,A.M. See Raoult,G., 3=25567
Duclaux,J. Theory of gases. XXVII. Equation of state at high temperatures, 3=11824
Duclaux,J. Theory of gases. XXVIII. The law of corresponding states, 3=21433
Duclos,D.P. See Cambel,A.B., 3=11816
Duclos,J. See Bouchez,R., 3=15206
Ducot,C. A comparison between thermal and quantum noise in radio reception, 3=2119
Ducros,P. and Dupont,M. Study of the water in clays by nuclear magnetic resonance, 3=23261
Ducross,P. See Lajzerowicz,J. 3=10880
Ducuing,J. and Bloembergen,N. Observation of reflected light harmonics at the boundary of piezoelectric crystals, 3=18956
Ducuing,J. See Blomebergen,N., 3=24017
Duda,L. See Kryukova,L.N., 3=8053
Dudarev,E.F. See Fadin,V.P., 3=20868
Dudarev,E.F. See Panin,V.E., 3=18349
Dudarev,V.Ya., Zhdanov,G.S. and Alekseev,B.A. X-ray investigation of deposits obtained by bombarding metals with ions of other metals, 3=4219
Dudelzak,B. and Lehmann,P. Measurement of electric and magnetic form factors of the proton for a square of four-momentum transfer of 0.60 f^{-2}, 3=12455
Dudelzak,B.,Sauvage,G. and Lehmann,P. Elastic electron–proton scattering in weak transfers, 3=2243
Dudelzak,B., Sauvage,G. and Lehmann,P. Measurements of the form factors of the proton at momentum transfers $q^2 \geqslant 2$ fermi^{-2}, 3=14980
Dudnik,E.F. See Sinyakov,E.V., 3=23003
Duelli,B. See White,W.H.,Jr, 3=5793
Dufault,R.A. See Aargard,R.L., 3=16757
Dufav,J. and Baranne,A. Spectrum of the comet Wilson–Hubbard (1961 d), 3=5246
Dufay,J. and Weill,G. Spectrum of the night sky in the visible region observed in Antarctica, 3=6990
Dufay,M. and Bilquey,M. Variation of the rotation temperature of OH bands in the spectrum of the night sky with respect to the latitude of the place of observation, 3=13783
Duff,B.G. and Heymann,F.F. The quenching of ortho-positronium in helium, 3=2252

Duff,B.G. and Heymann,F.F. An attempt to detect the positronium Lyman alpha spectral line, 3=7839
Duff,K.J. See Crouchley,J., 3=13681
Duffey,G.H. See Crossman,L.D., 3=8281
Duffieux,P.M. The composition of a photon, 3=14933
Duffieux,P.M. See Bulabois,J., 3=2997
Dufour,J. See Gourdin,M., 3=22203
Dufour,L. See Defay,R., 3=1272
Dugdale,D.S. Effect of internal stress on elastic stiffness, 3=7157
Dugdale,J.S. and Gugan,D. The effect of pressure on the electrical resistance of lithium, sodium and potassium at low temperatures, 3=828
Dugdale,J.S. and Gugan,D. The effect of capillary constraints on the electrical resistivity of sodium and potassium 3=7410
Dugdale,R.A. See Maskrey,J.T., 3=9756
Dugstad,I. A hypothesis about the energy transfer in isotropic turbulence, 3=5413
Duhl,D.,Hirano,K. and Cohen,M. Diffusion of iron, cobalt and nickel in gold, 3=8449
Dühmke,M. Interference surface tester as device for film thickness measurement, 3=11746
Duk-Joo Kim. See Izuyama,T., 3=25540
Dukarevich,Yu.V. and Dyumin,A.N. Elastic low-angle scattering of fast neutrons, 3=22398
Dukarevich,Yu.V., Dyumin,A.N. and Kaminker,D.M. Total cross-sections for interaction between fast neutrons and tin isotopes, 3=17483
Duke,C.B. Optical-model analysis of elastic scattering of protons on oxygen at intermediate energies, 3=6235
Duke,F.R. and Victor,G. Transport numbers of some pure fused nitrates and nitrites, 3=16172
Duke,P.J. See Chadwick,G.B., 3=2261
Duke,P.J. See Fujii,T., 3=2262
Düker,H. and Illenberger,A. Electrostatic immersion objective of high field strength, 3=5710
Düker,H. and Illenberger,A. A new immersion objective lens for the emission electron microscope, 3=19354
Dukhin,A.I. See Borisov,V.T., 3=16035
Dulac,J. Spinel germanates with hexacoordinated germanium, 3=13479
Dulaney,H.,Braden,C.H.,Patronis,E.T.,Jr and Wyly,L.D. Beta–gamma directional correlations in Re^{186} and Tm^{170}, 3=4600
Dulaney,H. See Wyly,L.D., 3=4601
Dulieu,P.,Lanore,J.C.,Rahmouni,O. and Schuttler,R. Measurement of the influence of neutron energy on the efficiency of primary collisions, 3=10423
Dulin,V.A.,Kazanskii,Yu.A.,Mashkovich,V.P.,Panov,E.A. and Tsypin,S.G. Attenuation functions in water for neutrons from isotropic and uni-directional fission sources, 3=2274
Dulin,V.A.,Mashkovich,V.P.,Panov,E.A. and Tsypin,S.G. The energy distribution of fast fission neutrons in water, 3=7865
Dullemond,C.,MacFarlane,A.J. and Sudarshan,E.C.G. Relative weights of the decays of certain resonances in theories with broken symmetry, 3=22073
Dullemond,C. and Schnitzer,H.J. Applications of polology to stripping reactions, 3=6214
Dullien,F.A.L. New relationship between viscosity and the diffusion coefficients based on Lamm's theory of diffusion, 3=21326
Dumais,M.W. and Bonis,L.J. A rapid improved method of extraction replication, 3=18422
Dumas,J.C.,Aubret,C. and Benoit,P. Rapid transistorized coincidence [circuits], 3=12057
Dumazert,M. See Leroy,J.L., 3=19654
Dümbgen,G. See Haul,R., 3=2831
Dumin,D.J. Highly sensitive static magnetic field detector, 3=468
Dumin,D.J. and Gibbons,J.F. Application of quantized trapped flux in a superconducting memory, 3=24149
Dumitrescu,R. See Ivanov,E., 3=8098
Dumitrescu, R. See Minzatu, I., 3=17462
Dumke,W.P. See Nathan,M.I., 3=7735
Dummer,G. See Buckel,W., 3=7407
Dummer,G. See Buckel,W., 3=9688
DuMond,J.W.M. See Seppi,E.J., 3=14940
Dumont,B. Separation of extraterrestrial and atmospheric components of the light of the night sky at the pole and in different regions of the sky, 3=16279
Dumont,M. See Decomps,B., 3=22017
Dunaev,F.N. Magnetic texture of ferromagnets subjected to external stresses, 3=8663
Dunaev,F.N. and Kalinin,V.M. Longitudinal and transverse shape effect of ellipsoidal specimens of ferro–silicon alloy, 3=3116
Dunaev,F.N. and Kalinin,V.M. The effect of shape in linear magnetostriction, 3=6712
Dunaev,F.N. and Kuznetsova,M.K. Temperature dependence of magnetostriction in electrical engineering steels, 3=3114
Dunaev,F.N. and Yakovlev,G.P. Internal friction in ordering an iron–nickel alloy, 3=11137
Dunaev,N.M. See Pil'shchikov,A.I., 3=3131
Dunaev,Yu.A. See Donskoi,K.V., 3=24156
Dunaevskaya,N.D. See Vil'dgrube,G.S., 3=9837
Dunaevskaya, N. V. See Vil'dgrube, G. S., 3=2020
Dunaiski [Dunajský],L. The phase shift of the p-component of reflected light, 3=16784
Dunaitsev,A.F.,Pantuev,V.S.,Prokoshkin,Yu.D.,Tang Syao-Wei and Khachaturyan,M.N. Measurement of the Panofsky ratio by the method of gamma–gamma coincidences, 3=24769
Dunaitsev,A.F.,Petrukhin,V.I.,Prokoshkin,Yu.D. and Rykalin,V.I. Probability of the decays $\pi^+ \to \pi^0 + e^+ + \nu$ and $\pi^+ \to \gamma^- + e^+ + \nu$, 3=6030
Dunaitsev,A.F.,Petrukhin,V.I.,Prokoshkin,Yu.D. and Rykalin,V.I. Experimental estimate of the probability of β-decay of the π^+-meson, 3=6031
Dunaitsev,A.F.,Petrukhin,V.I.,Prokoshkin,Yu.D. and Rykalin,V.I. Discovery of charge transfer from π^--mesons stopped on nuclei of bound hydrogen, 3=7884
Dunaitzev,A.F.,Petrukhin,V.I.,Prokoshkin,Yu.D. and Rykalin,V.I. Meson stop detector, 3=12495
Dunaitsev,A.F.,Petrukhin,V.I.,Prokoshkin,Yu.D. and Rykalin,V.I. Detector of stopping mesons, 3=24754
Dunajský, L. Amplitude and energy coefficients of reflected and refracted light, 3=1789
Dunajský,L. Problem of the phase shifts of reflected light, 3=3865
Dunajský,L. How do particles pass through the potential barrier in the tunnel effect? 3=17837
Dunand,R. See Janin,J., 3=18020
Duncan,J. See Wolfe,W.L., 3=16736
Duncan,R.A. See Roach,F.E., 3=114[illegible]4
Duncan,R.C.,Jr and Kiss,Z.J. Continuously operating CaF$_2$: Tm^{2+} optical maser, 3=22016
Duncan,R.C,Jr. See Kiss,Z.J., 3=17088
Duncan, T.R. See Hamilton,J.H., 3=2411
Duncumb,P. Enhanced X-ray emission from extinction contours in a single-crystal gold film, 3=6903
Duncumb,P. An electron-optical bench for microscopy, diffraction and X-ray microanalysis, 3=21886
Duncumb,P. and Shields,P.K. The present state of quantitative X-ray microanalysis. I. Physical basis, 3=25855
Dunfee,B.L. Method for calibrating a standard volt box, 3=14472
Dunford,H.B. The half-life of $A^3\Sigma_u^+$ nitrogen, 3=19940
Dungey,J.W. Hydromagnetic waves and the ionosphere, 3=13742
Dungey,J.W. Interactions of solar plasma with the geomagnetic field, 3=13819
Dungan,R.H. See Golding,R.D., 3=892
Dunitz,J.D. The nature of orientational defects in ice, 3=12996
Dunkelman,L. Ultraviolet photodetectors, 3=7337
Dunkelman,L.,Fowler,W.B. and Hennes,J. Spectrally selective photodetectors for the middle and vacuum ultraviolet, 3=14306
Dunkelman,L. See Carpenter,M.S., 3=11445
Dunkin,J.W. A study of two-dimensional head waves in fluid and solid systems, 3=23961
Dunlap,J.L.,Barnett,C.F.,Dandl,R.A. and Postma,H. Radiation and ion energy distributions of the DCX-1 plasma, 3=12196
Dunmyre,G.R. See Arajs,S., 3=15757
Dunn,A.F. A note on the capacitance between loops of wire, 3=19159
Dunn,D.A. and Holaday,R.E. A high area- convergence hollow-beam gun, 3=5701
Dunn,D.A. See Borghi,R.P., 3=9856
Dunn,F. Temperature and amplitude dependence of acoustic absorption in tissue, 3=1549
Dunn,F. See Hawley,S.A., 3=1862
Dunn,F. See Hawley,S.A., 3=20036

Dunn,G.H.,Geballe,R. and Pretzer,D. Production of Lyman alpha radiation in ion—atom collisions, 3=6366
Dunn,J.W. See Kay,H.F., 3=6619
Dunn, M.G., Wark, K., Jr. and Agnew, J.T. Determination of the equilibrium constant for the gas-phase dissociation of nitrogen tetroxide by infrared absorption techniques, 3=2666
Dunn,M.H. and Maitland,A. Energy obtainable from a Carnot engine with a thermally ionized gas as the working fluid, 3=5558
Dunn,M.H. See Maitland,A., 3=12075
Dunn,W. See Ammar,R.G., 3=4558
Dunn,W. See Ammar,R.G., 3=10229
Dunning,J.R., Jr., Chen,K.W., Ramsey,N.F., Rees,J.R., Schlaer,W., Walker,J.K. and Wilson,R. Electron—proton elastic scattering at 1 and 4 BeV, 3=19613
Dunsbee,J. A slide rule for decibel addition, 3=11672
Dunsmore,H.S. and Speakman,J.C. The crystallography of the hydrates of sodium carbonate and of sodium sulphite, 3=20854
Dunstan,W. Absorption bands associated with anionic impurities in potassium bromide containing stoichiometric excess of metal, 3=25464
Duntley,S.Q. Light in the sea, 3=6952
Duntley,S.Q.,Culver,W.H.,Richey,F. and Preisendorfer,R.W. Reduction of contrast by atmospheric boil, 3=6962
Duong Hong Tuan. See Jackson,D.A., 3=22477
Duorah,H.L. Helium burning reactions in stars, 3=1531
Duorah,H.L. and Kushwaha,R.S. Neutron-capturing processes in stars, 3=1532
Duorah,H.L. and Kushwaha,R.S. Helium-burning reaction products and the rate of energy generation, 3=11563
Duorah,H.L. and Kushwaha,R.S. An astrophysical application of the 7.20 (4+) MeV state of ^{20}Ne, 3=11568
Duparc,D.M. See Buckingham,R.A., 3=12811
Dupeyrat,R. See Riviore,G., 3=12769
Dupeyrat,R. See Rivoire,G., 3=14373
du Plooy,N.F.,Kühn,G.J.,Maree,J.P.,Stoker,P.H. and van der Walt,A.J. Cosmic-ray intensity distributions at 640 grams per square centimeter atmospheric depth around Cape Town, 3=22251
DuPont,K.C. and Rosen,P. Solution of the Stokes flow of a sphere by minimization of the dissipation of energy, 3=9424
Dupont,M. See Ducros,P., 3=23261
Dupont,P. The Lagrangian procedure for the integration of systems of linear differential equations in the theory of vibrations in the light of the criticism of L.F.Menabrea, 3=18697
Dupouy,G. and Perrier,F. Electron microscope working under a voltage of 1 million volts, 3=19348
Dupouy,G. and Perrier,F. Principal results obtained with an electron microscope working under a million volts, 3=20953
Dupouy,G., Perrier,F. and Durrieu,L. Electron diffraction at voltages reaching 1200 kV, 3=3372
Dupouy,G.,Perrier,F. and Durrieu,L. Diffraction of electrons under voltages attaining 1200 kilovolts, 3=20951
Dupouy,G.,Perrier,F. and Takahashi,N. Study of the precipitates in Al—Ag (25%) alloy using a very high voltage electron microscope, 3=16110
Dupouy,G., Perrier,F. and Trinquier,J. An automatic curve tracer for the magnetic induction and its derivatives on the axis of symmetry of an electromagnetic lens, 3=19343
Dupré,A. See van Itterbeek,A., 3=13041
Dupré,M.,Elston,J. and Sicard,L. Calorimetry at high temperatures, 3=9648
Dupré,M- F. See Bellier,M., 3=18612
Dupree,R. See Cousins,J.E., 3=19405
Dupuis,T. and Viltange,M. Study of the infrared absorption spectra of sodium pyrovanadate, pyromolybdate and pyrotungstate containing the X_2O_7 group, 3=4974
Dupuy,C. Observations of the deformation of crystals of lithium fluoride in media of various electrical resistivities, 3=6773
Duquesne,M. See Adamson,A.M., 3=7998
Durand,E. Potential and flux of a charge distribution along a semi-infinite straight line, 3=1923
Durand, E. Series development of the potential near an infinite line change distribution, 3=3989
Durand,E. Potential of a uniform distribution of charge on an infinite cone, 3=16896
Durand,G. See Decomps,B., 3=22017
Durand,L.III. Remarks on the electromagnetic interactions of massless particles, 3=551
Durand,L.,III,Landovitz,L.F. and Marr,R.B. Electromagnetic corrections to weak interactions. The beta decays of the muon, neutron, and O^{14}, 3=12404
Durand,M. See Borie,J.C., 3=14336
Durasova,Yu.A. and Rȳbak,E.N. Apparatus for the determination of the thickness of thin films, 3=23826
Durbin, L. and Kobayashi, R. Diffusion of krypton-85 in dense
Duré,A. See Van Neste,A., 3=15970
Dureau,L.D. See Boudreaux,E.A., 3=20560
Düren,R. and Pauly,H. Numerical calculations of the resonance behaviour of the scattering cross-section in atomic collisions. I, 3=22612
Durif,A. and Joubert,J.C. The study of two germanate spinels, 3=5112
Durif-Varambon,A. and Joubert,J.C. A study of certain compounds of the types FeO_2Na and FeO_2Cu, 3=8856
Durisch,J.,Gleyvod,R.,Huber,P. and Baumgartner,E. Measurement of polarization power of copper and zirconium for 3.4 MeV neutrons, 3=22392
Durisch,J. See Gleyvod,R., 3=22393
Durivault,J.,Garrigues,C.,Lazarre,F.,Salvinien,J. and Viallet,P. Apparatus for the measurement of resistivity of concentrated saline solutions under conditions of variable temperature and pressure, 3=11352
Durlach,N.I. Equalization and cancellation theory of binaural masking-level differences, 3=21162
Durney,A.C.,Elliot,H.,Hynds,R.J. and Quenby,J.J. Satellite observations of the energetic particle flux produced by the high-altitude nuclear explosion of July 9, 1962, 3=6967
Durney,B. Momentum transfer between charged and neutral particles in a weakly ionized gas, 3=21718
Dürr,H.P. and Geheniau,J. A spurion model of the Ξ-particle, 3=12510
Durrieu,L. See Dupouy,G., 3=3372
Durrieu,L. See Dupouy,G., 3=20951
Duteil,P. See Dowell,J.D., 3=17110
Duteil,P. See Meunier,R., 3=2164
Dutescu,N. See Iliescu,C.C., 3=24429
Duthie,J. See Bowler,M., 3=4537
Duthie,J.G, Hafner, E.M, Kaplon, M.F. and Fazio, G.G. Gamma rays at high altitudes, 3=17363
Duthie,J.G. See Bowler,M.G., 3=4536
Dutov,G.G. Electron optics of probe systems, 3=2030
Dutova,K.P. See Kas'yankov,P.P., 3=2029
Dutt,T.L. and Nicholls,M.J. Experimental investigation of the dielectric constant of an afterglow plasma, 3=7550
Dutta,A.K.,Pal,B.,Das Gupta,A. and Chaudhury,N. Periodicity and structural development in nuclei, 3=10202
Dutta,B.C. See Butt,D.K., 3=6181
Dutta,B.N. and Dayal,B. Lattice constants and thermal expansion space of gold up to 878°C by X-ray method, 3=10605
Dutta,B.N. and Dayal,B. The presence of anti-Schottky defects in silicon, 3=12963
Dutta,S. Love waves in a nonhomogeneous internal stratum lying between two semi-infinite isotropic media, 3=16688
Dutta,S. Rayleigh waves in a two-layer heterogenous medium, 3=18471
Dutta,S. Note on the vibration of a thin transversely isotropic circular plate with a central hole, 3=21467
Dutta,S.K. and Sil,N.C. Elastic scattering of fast protons by deformed nucleus, 3=2441
Dutta,S.K. and Sil,N.C. Elastic scattering of fast protons by spheroidal nuclear potential with diffuse boundary, 3=12660
Dutta Roy,S.C. Some exact steady-state sine wave solutions of non-uniform RC lines, 3=14487
Dutton,H.M. See Keys,J.D., 3=12998
Dutton.H.M. See Keys,J.D., 3=17781
Dutton,J. and Harris,F.M. The spatial growth of ionization in air at high pressure, 3=7428
Dutton,J., Harris, F.M. and Llewellyn Jones, F. The determination of attachment and ionization coefficients in air, 3=4017
Dutton,J.,Harris,F.M. and Llewellyn Jones,F. The influence of the three-body process of electron attachment on the growth of ionization in air at high pressure, 3=24215
Dutton,J.,Llewellyn-Jones,F. and Morgan,G.B. Electron attachment in oxygen, 3=19174
Dutton,J. See Davies,P.G., 3=7437

Dutton,J.A. An addition to the paper "Albedo variations measured from an airplane over several types of surface", 3=11383
Dutton,J.A. The rate of change of the kinetic energy spectrum of flow in a compressible fluid, 3=14106
Duval,E. See Béné,G., 3=20021
DuVall,B.W. See Jenkins,A.W.,Jr., 3=13844
Duvall,G.E. Concepts of shock wave propagation, 3=200
Duwell,E.J. Erratum: friction and wear of single-crystal sapphire sliding on steel, 3=11191
Duwez,P. See Chao,C.C., 3=18336
Duwez,P. See Huey-Lin Luo, 3=16121
Duwez,P. See Luo,H.L., 3=20877
Dvořák,V. See Muzikář,Č., 3=8559
Dvoretski,A.S., Kazakov,V.A., Kolesov,I.V., Oravets,Yu., Skril,I.I., Sikolenko,V.F., Silvestrov,L.V., Frolov,N.S. and Khvastunov,M.S. System for the registration of particle entrance coordinates for an emulsion chamber, 3=17159
Dvoryankin,V.F. and Brusentsev,F.A. Corrections to the normal equations in the least-squares method of refining crystal structures, 3=23431
Dvoryankin,V.F. and Vainshtein,B.K. An electron-diffraction study of the low-temperature ferroelectric form of thiourea, 3=18330
Dvorzhetskaya,L.A.,Khlebnikova,L.Ya. and Shvaneva,M.K. Spectroscopic analysis of some luminescence-pure materials and luminophors, 3=941
Dwarakadasa,E.S. and Krishnan,A.A. Interface energy studies in some copper alloys containing a liquid phase, 3=13499
Dwiggins, C.,Jr. See Willett, R.D., 3=18314
Dwight,K. See Lyons,D.H., 3=11100
Dworkin,A.S. and Bredig,M.A. The heats of fusion and transition of alkaline earth and rare earth metal halides, 3=19065
Dworkin,A.S.,Sallach,R.A.,Bronstein,H.R.,Bredig,M.A. and Corbett,J.D. The electrical conductivity of solutions of metals in their molten halides. VI. Lanthanum, cerium, praseodymium, and neodymium in their molten iodides, 3=21404
Dwyer,O.E. Equations for bilateral heat transfer to a fluid flowing in a cencentric annulus, 3=7365
Dwyer,O.E. and Tu,P.S. Unilateral heat transfer to liquid metals flowing in annuli, 3=7366
D'yachkov,B.A. and Oparin,E.M. Low-voltage generator of monochromatic neutrons, 3=24743
Dyachkov,E.I. See Belonogov,A.V., 3=17127
D'yackov, I.G. See Aleksandrov, B.N., 3=2852
D'yakonov,Yu.S. The use of Fourier analysis techniques in the interpretation of X-ray photographs of layered minerals with a mixed-layer structure, 3=20832
D'yakonov,Yu.S. Layer sequences in mixed-layer vermiculite-biotite structures, 3=20858
D'yakov,B.B. and Rogachev,I.M. Intensities of the K Auger electron groups from rare-earth elements, 3=10468
D'yakov,I.G. See Aleksandrov,B.N., 3=23487
Dyatlov,I.T. See Anisovich,V.V., 3=2199
Dyatlov,I.T. See Gribov,V.N., 3=569
Dyatlov,I.T. See Gribov,V.N., 3=5969
Dyatlov,I.T. See Gribov,V.N., 3=5970
Dyce,R.B. and Horowitz,S. Measurements of synchrotron radiation at Central Pacific sites, 3=16227
Dyce,R.B. See Basler,R.P., 3=16267
Dyce,R.B. See Fredriksen,A., 3=5869
Dye,J.L. See Vos,K.D., 3=16640
Dyer,A.J. The adjustment of profiles and eddy fluxes, 3=21031
Dyer,G.L. See Love,H.M., 3=7626
Dyer,I. See Watters,B.G., 3=16722
Dyer,J.N. See Barkas,W.H., 3=24800
Dȳkhne,A.M. Adiabatic perturbation of discrete spectrum states, 3=43
Dȳkhne,A.M. Quasiclassical particles in a one-dimensional periodic potential field, 3=4331
Dȳkhne,A.M. and Chaplik,A.V. Theory of inelastic atomic collisions, 3=2574
Dȳkhne,A.M. and Chaplik,A.V. Normalization of the wave-functions of quasistationary states, 3=3750
Dȳkhne,A.M. and Rumer,Yu.B. Thermodynamics of a plane Ising—Onsager dipole lattice, 3=21252
Dȳkman,I.M. and Tomchuk,P.M. Electrical conductivity of polar semiconductors with electron interactions taken into account, 3=22912
Dȳkman,I.M., Zingerman,Ya.P., Ishchuk,V.A. and Morozovskii,V.A. Nonequilibrium electron emission from a p–n junction in silicon, 3=14621
Dȳlgerov,V.D. See Drokin,A.I., 3=13269
Dȳlgerov, V.D. See Drokin, A.I., 3=18101
Dȳlerov,V.D. See Kirenskii,L.V., 3=13273
Dymanus,A. See Dijkerman,H.A., 3=734
Dyment,A. and Gontier,G. Influence of viscosity and capillarity on experiments on the analogy between flow with a free surface and the flow of a gas, 3=9431
Dymnikov,A.D.,Ovsyannikova,L.P. and Yavor,S.Ya. Systems of quadrupole lenses, 3=24363
Dyson,D.J. See Birks,J.B., 3=23892
Dyson,D.J. See Jackets,B.P., 3=2737
Dyson,F.J. The threefold way. Algebraic structure of symmetry groups and ensembles in quantum mechanics, 3=5359
Dyson,F.J. A Brownian-motion model for the eigenvalues of a random matrix, 3=5368
Dyson,F.J. and Mehta,L.L. Statistical theory of the energy levels of complex systems. IV, 3=14046
Dyson,F.J. See Mehta,M.L., 3=14047
Dyson,J. The rapid measurement of photographic records of interference fringes, 3=14362
Dyson,J. Very stable common-path interferometers and applications, 3=14364
Dyson,J. Very precise thickness measurement of thin films, 3=18772
Dyson,J. Image position measurement by polarimetry, 3=21572
Dyson,J.,Williams,R.V. and Young,K.M. Interferometric measurement of electron density of Sceptre IV, 3=5679
Dyumin,A.N. See Dukarevich,Yu.V., 3=17483
Dyumin,A.N. See Dukarevich,Yu.V., 3=22398
Dyurovich,S. A statistical model for the crystal structure of mullite, 3=20857
Dželepov,B.S. See Vitman,V.D., 3=12602
Dzhaparidze,K.G. See Kokochashvili,V.I., 3=24538
Dzhavakhishvili,L.Ya. See Almanov,G.A., 3=20657
Dzhavrishvili,A.K. See Andronikashvili,É.L., 3=19731
Dzhelepov,B. See Abdumalikov,A., 3=22345
Dzhelepov,B. See Van Fu-tszyun', 3=8045
Dzhelepov,B, See Vizi,I., 3=10298
Dzhelepov,B.D. See Gromov,K.Ya., 3=10304
Dzhelepov, B.S, Ivanov, R.B. and Moskvin, L.N. α-decay of Ac^{225}, 3=17446
Dzhelepov,B.S., Ivanov,R.B. and Nedovesov,V.G. α-decay of Pu^{239}, 3=4606
Dzhelepov,B.S.,Katykhin,G.S.,Maidanyuk,V.K. and Feoktistov,A.I. Internal conversion electrons and positrons emitted in the decay of Re^{184}, 3=24910
Dzhelepov,B.S.,Medvedev,A.I.,Uchevatkin,I.F. and Shestapalova,S.A. Conversion electron spectrum of the lutetium fraction from proton-bombarded tantalum in the energy region above 1000 keV, 3=12641
Dzhelepov,B.S., VoĭkhanskiĭM.E.,Medvedev,A.I. and Uchevatkin,I.F. Nature of the 531·8 keV level in Er^{167}, 3=4578
Dzhelepov,B.S.,Zvol'skii,I.,Nikitin,M.K. and Sergienko,V.A. Coincidences between conversion electrons of the dysprosium fraction from proton bombarded tantalum, 3=8047
Dzhelepov, B.S, Zvol'skii, I, Nikitin, M.K. and Sergienko, V.A. Coincidences between conversion electrons emitted in decay of Dy^{153} to Tb^{153}, 3=17443
Dzhepelov, B.S., Zvol'skii,I. and Sergienko,V.A. Coincidences between conversion electrons emitted in the decay of Ho^{160} to Dy^{160}, 3=15154
Dzhelepov,B.S. See Abdurazakov,A.A., 3=10307
Dzhelepov,B.S. See Anton'eva,N.M., 3=8007
Dzhelepov, B.S. See Balalaev, V.A., 3=17415
Dzhelepov,B.S. See Basina,A.S., 3=6208
Dzhelepov,B.S. See Bonch-Osmolovskaya,N.A, 3=10303
Dzhelepov,B.S. See Bonch-Osmolovskaya,N.A., 3=24912
Dzhelepov,B.S. See Gan Men-khua, 3=10309
Dzhelepov,B.S. See Grigor'ev,E.P., 3=8049
Dzhelepov,B.S. See Grigor'ev,E.P., 3=8052
Dzhelepov,B.S. See Vitman,V.D., 3=8012
Dzhelepov,B.S. See Vitman,V.D., 3=8054
Dzhelepov,B.S. See Voinova,N.A., 3=12601

Dzhelepov,V.P.,Ermolov,P.F.,Kushnirenko,E.A.,Moskalev,V.I. and Gershtein,S.S. Experimental investigation of μ^--mesic atom processes in gaseous hydrogen, 3=6371
Dzhelepov,V.P. See Budagov,Yu.A., 3=17131
Dzhelepov,V.P. See Denisov,Yu.N., 3=9887
Dzhelepov,V.P. See Golovin,B.M., 3=22124
Dzhelepova, N.B. See Arsen'eva-Geil', A.N., 3=18176
Dzheordzhesku,P. See Purika,I., 3=25011
Dzhibuti,R.I. See Kopaleshvili,T.I., 3=6093
Dzhibuti,R.I. See Mamasakhlisov,V.I., 3=2435
Dzhmukhadze,D.F. See Fedulov,S.A., 3=20767
Dzhmukhadze,D.F. See Fedulov,S.A., 3=20852
Dzhrbashyan,V.A. Excitation of nuclei by slow charged particles, 3=22288
Dzhumakuliev,R. and Devyatov,A.M. Temperature of the high-frequency corona and brush discharges in the region of their transition, 3=1947
Dziedzic,J.N. See Ashkin,A., 3=21507
Dziesiaty, J., Gutsche, E. and Rohde, H.J. Some characteristics of plasma-type space-charge oscillations in CdS single crystals, 3=783
Dzkuya,M.I. See Demirkhanov,R.A., 3=4727
Dzkuya,M.I. See Demirkhanov,R.A., 3=4728
Dzoanh,Nguyen-Trinh. Initiation of the bipolar self-maintained discharge in an ionization chamber by α-particles, 3=4038
Dzyaloshinskii,I.E. Diagram technique for calculating transport coefficients in statistical physics at finite temperatures, 3=5391
Dzyaloshinskii,I.E. See Gor'kov,L.P., 3=25262
Dzyub,I.P. Sum rules in the theory of exciton absorption of light, 3=20461
Dzyub,I.P. and Lubchenko,A.F. Emission, absorption and reabsorption of gamma-rays by impurity nuclei in solid solutions, 3=8337
Dzyub,I.P. and Lubchenko,A.F. Resonance scattering of gamma-rays by nuclei in a solid, 3=8338
Dzyub,I.P. and Lubchenko,A.F. The Mössbauer effect of impurity nuclei at low temperatures, 3=8339
Dzyub,I.P. and Lubchenko,A.F. Emission and scattering of γ-quanta by nuclei in solids in the presence of a time-dependent external perturbation, 3=15414
Dzyub,I.P. and Lubchenko,A.F. Method of temperature Green functions and the theory of the Mössbauer effect on impurity nuclei, 3=25173
Dzyuba,A.S. See Geguzin,Ya.E., 3=25767

Eades,J. See Allaby,J.V., 3=7855
Eades,R.G. See Andrew,E.R., 3=14791
Eades,R.G. See Andrew,E.R., 3=20683
Eagles,D.M. Optical absorption in ionic crystals involving small polarons, 3=13162
Eaglesfield,C.C. The angular dependence of scattering by nearly polished surfaces. II, 3=21568
Eanes,E.D. and Ondik,H.M. The structure of lithium dipotassium trimetaphosphate monohydrate, 3=8858
Earl,J.A. Spark chamber for cosmic-ray demonstrations, 3=22221
Earley,K. See Wiggins,C.S., 3=1863
Earnshaw,K.B. and Benedict,C.M. An ultra-high speed image dissecting camera for photographing strong shock waves, 3=3904
Earwaker,L.G.,Jenkin,J.G. and Titterton,E.W. The B^{10}(p,n)C^{10} excitation function from threshold to 10.6 MeV, 3=12671
Earwaker, L.G. See Jenkin, J.G., 3=17463
Earwaker,L.G. See Jenkin,J.G., 3=17466
Eason,H.O. See Ard,W.B., 3=19913
Eason,H.O.,Jr. See Becker,M.C., 3=12209
Easterling,K.E. High temperature resistance strain gauges, 3=6771
Easterling,K.E. Alloys for high temperature strain gauges, 3=11747
Easterling,V.J. See Bohm,H.V., 3=2759
Eastman,D.P. See Rank,D.H., 3=7244
Eastman,P.C. and Datars,W.R. Thermal origin of nonohmic magnetoresistance effects in semimetals, 3=8512
Eastman,P.C. and Datars,W.R. Film boiling in liquid helium, 3=21643
Eastman,P.C. See Datars,W.R., 3=13308
Eastwood,T.A. and Werner,R.D. The cobalt resonance capture integral, 3=22400
Eather,R.H. The cold cathode arc, 3=4081
Eather,R.H. The silent and hissing d.c. electric arc, 3=16918
Eaton,G.H. See McFarlane,W.K., 3=17276
Eaton,G.K.,King,R.E.J.,Morten,F.D.,Partridge,A.T. and Smith,J.G. Surface conductance on p-type InSb at 77°K, 3=2917
Ebara,Y. See Terada, J., 3=529
Ebata,T. See Itabashi,K., 3=7895
Ebben,G.J. and Lawson,G.J. Electron microscopy of tin plate alloy layers, 3=18426
Ebdon,R.A. Evidence of the permanency of the tropical stratospheric wind fluctuation, 3=13666
Ebel,G. See Hohler,G., 3=2306
Ebel,H. Effect of sample eccentricity in the measurement of X-ray reflections with a counter-tube goniometer, 3=25692
Ebel,H., Heinrich,J. and Wilfert,H. Ordering phenomena in iron-rich Al -Fe alloys, 3=20888
Ebel,H. and Jax,J. Influence of recorder inertia in X-ray interference measurements with a recording counter goniometer, 3=19394
Eberhagen,A. See Delchar,T., 3=9824
Eberhard,P. and Pripstein,M. Technique for eliminating interference effects and biases from overlapping resonances, 3=14931
Eberhard,P. See Lynch,G.R., 3=19634
Ebert,G. Dielectric relaxation and resonance phenomena of water molecules sorbed on γ-Al$_2$O$_3$, 3=22975
Ebert,W. Demonstration and effects of the electron pressure in the positive column of a low pressure discharge, 3=21748
Ebina,Y. Temperature dependence of the spontaneous magnetization in holmium nitride, 3=13245
Ebina,Y. and Tsuya,N. Electronic structures of rare-earth ions in both cubical crystalline field and external magnetic field. II. Dy^{+3} and Er^{+3}, 3=8377
Ebina,Y. and Tsuya,N. Electronic structures of rare-earth ions in both cubical crystalline field and external magnetic field. III. Ho^{+3}, 3=8378
Ebina,Y. and Tsuya,N. Electronic structures of rare-earth ions in both cubical crystalline field and external magnetic field. IV. Yb^{+3}, 3=8379
Ebina,Y. See Tsuya,N., 3=13292
Ebisuzaki,Y. See O'Keeffe,M., 3=22735
Ebsworth,E.A.V. and Turner,J.J. N.M.R. spectra of silicon hydride derivatives. II. Chemical shifts in some simple derivatives, 3=22603
Eby,R.K. Empirical relations of thermodynamic "constants" to the activation parameters of polymer relaxations, 3=6780
Eby,R.K. First-order transition temperatures in crystalline polymers, 3=23495
Eccleshall, D. See Litherland, A.E., 3=17402
Eck,T.G., Foldy,L.L. and Weider,H. Observation of "anti-crossings" in optical resonance fluorescence, 3=17526
Eckardt,A. and Kashchlik,K. Measurements with halogen-quenched counter tubes, 3=24536
Eckart,C. Some transformations of the hydrodynamic equations, 3=21293
Eckart,C. Extension of Howard's circle theorem to adiabatic jets, 3=21294
Eckart,D.W. See Kohn,J.A., 3=23458
Eckart, F. The influence of oxygen upon the conductivity ratio of polycrystalline selenium, 3=17893
Eckart,F. and Henrion,W. Etch studies on hexagonal selenium single crystals, 3=23385
Eckart,F. and Lemke,H. On the crucible-free preparation of silicon single crystals, 3=18275
Eckelmann,W.R. See Nier,A.O., 3=1407
Ecker,G. Theory of a column without self-propagation power in a magnetic field, 3=4035
Ecker,G. Theory of the fully ionized plasma column with external particle production, 3=9768
Ecker,G. and Hölling,J. Limits of collective description and their consequences for Landau damping, 3=7618
Ecker,G. and Kröll,W. Lowering of the ionization energy for a plasma in thermodynamical equilibrium, 3=7604
Ecker,G.,Masterson,K.S. and McClure,J.J. The influence of diffusion loss on probe measurements in plasma, 3=7573
Ecker,G. See Albrecht,G., 3=1951
Ecker,G. See Albrecht,G., 3=1971
Ecker,G. See Albrecht,G., 3=7495

Ecker,V.G.,Kröll,W. and Zöller,O. Error evaluation for measurements with a magnetic probe, 3=9804
Eckert,C.A. and Prausnitz,J.M. On the vapor—liquid equilibrium for the helium—hydrogen system, 3=24112
Eckert,E.R.G.,Irvine,T.F.Jr.,Sparrow,E.M. and Ibele,W.E. Heat transfer, a review of current literature, 3=275
Eckert,E.R.G.,Sparrow,E.M.,Ibele,W.E. and Goldstein,R.J. Heat transfer bibliography, 3=7364
Eckert,E.R.G.,Sparrow,E.M.,Ibele,W.E. and Goldstein,R.J. Heat transfer bibliography, 3=11971
Eckert,E.R.G.,Sparrow,E.M.,Ibele,W.E. and Goldstein,R.J. Heat transfer: A review of current literature, 3=24071
Eckert,E.R.G. See Schoeck,P., 3=7483
Eckert,E.R.G. See Simon,H.A., 3=21589
Eckert,E.R.G. See Sparrow,E.M., 3=273
Eckert,H.U. Transition from free to ambipolar diffusion in an electrodeless discharge, 3=5636
Eckhardt,G.,Hellwarth,R.W.,McChung,F.J.,Schwarz,S.E., Weiner,D. and Woodbury,E.J. Stimulated Raman scattering from organic liquids, 3=5445
Eckhaus,W. Non linear problems of stability in a space of two dimensions. I. Periodic solutions, 3=23834
Eckling,R. See Chiltz,G., 3=11356
Eckman,B. See Brueschke,E.E., 3=25647
Eckstein, J, Kuhn, A, Jindra, J. and Holas, M. Some physical properties of large CdS single crystals, 3=17704
Eckstein,M.C. An investigation of the discrepancy of values of the astronomical unit, 3=16312
Eckstein,S.G. Negative pion capture in helium, 3=4476
Eckstein,S.G. Resonant amplification of sound by conduction electrons, 3=20093
Eckstein, Y. Ultrasonic attenuation in antimony. I. Geometric resonance, 3=4817
Ecollan,J. and Rocard,Y. Electromagnetic signal of subterranean explosions, 3=11380
Edagawa, H., Ishikawa, H., Motria, Y. and Inuishi, Y. γ-ray irradiation effect on thermally oxidized Si p—n junction, 3=4930
Edagawa,H.,Morita,Y. and Inuishi,Y. Optical absorption of thermally oxidized silicon oxide film, 3=13189
Edagawa, H, Morita, Y. and Inuishi, Y. Al redistribution in thermally oxidized Si surface, 3=17866
Eddy,C.R. Computation of the spatial locations of atoms of a chain molecule undergoing intramolecular rotations, 3=12885
Eddy,D.S. See Bockemuehl,R.R., 3=13052
Edeleanu,C. and Gibson,J.G. Influence of crystal structure on corrosion, 3=6919
Edelman,G.M. See Eisenberg,L., 3=5605
Edel'man, V.S. See Khaikin, M.S., 3=17697
Edels,H., Shaw,A.B. and Whittaker,D. Arc reignition with gas flow, 3=4080
Edelson,D. See McAfee,K.B.Jr, 3=16905
Edelstein,L.A. On the one centre expansion of scattered distorted spherical and hyperspherical waves, 3=3758
Eden,R.J. See Challifour,J., 3=10044
Eden,R.J. See Challifour,J.L., 3=10050
Eden,R.J. See Challifour,J., 3=12412
Eder,G. Pion—Lambda scattering, 3=17320
Edge,P.M.,Jr. See Modlin,C.T.,Jr., 3=14286
Edge,P.M.,Jr. See Regier,A.A., 3=16438
Edge,R.D. The period of standing axisymmetric gravity waves on water, 3=11376
Edge,R.D. and Peterson,G.A. Nuclear excitation by 180° electron scattering, 3=4625
Edgell,W.F.,Helm,C.C. and Anacreon,R.E. Low-frequency infrared spectrum of $Fe(CO)_5$, 3=23883
Edgell,W.F. See Bayer,R.W., 3=4770
Edgerton,R. and Teegarden,K. Emission spectra of KCl : Tl, KBr : Tl and KI : Tl at 300, 80, and 12°K, 3=4984
Edgeworth,K.E. On the origin of the solar nebula, 3=9250
Edington,J.W. See Beagley,B., 3=25683
Edlén,B. Wavelength measurements in the vacuum ultraviolet, 3=21538
Edlén,B. See Toresson,Y.G., 3=2569
Edmond,J.T.,Anderson,A. and Gebbie,H.A. Far infra-red study of As_2Se_3-type glasses, 3=10930
Edmond,J.T. and Redfearn,M.W. Infra-red study of As_2Se_3-type glasses in the wavelength range 1.25 to 25μm , 3=10931
Edmonds,D.T. See Cooke,A.H., 3=1056
Edmonds,F.N.Jr. A coherence analysis of Fraunhofer line fine structure and continuum brightness fluctuations near the center of the solar disk, 3=3567
Edmonds,F.N.,Jr. On the calculation of equivalent widths from spectral-line profiles, 3=11482
Edmonds,G.D. See Bishop,A.E., 3=349
Edmonds,P.D.,Pearce,V.F. and Andreae,J.H. 1.5 to 28.5 Mc/s pulse apparatus for automatic measurement of sound absorption in liquids and some results for aqueous and other solutions, 3=230
Edmonds,T. See Hobson,J.P., 3=16669
Edmonds,T. See Hobson,J.P., 3=18844
Edmund,C.E. See Barkow,A.G., 3=17312
Edse,R.,Narahari Rao,K.,Strauss,W A. and Mickelson,M.E. Emission spectra excited in metal powder—oxygen flames, 3=10504
Edvi-Illes,C.A. The role of virtual excitations in the scattering of nucleons by nuclei, 3=12685
Edwards,A.J. See Lambert,J.D., 3=6434
Edwards,A.R. The thermoelectric anomaly at 35°C in chromium, 3=10897
Edwards,B.D. Confirmation of the origin of the luminosity behind the shock wave in an electromagnetically driven shock tube, 3=7282
Edwards,C. A transistor probe unit for nuclear counters, 3=4287
Edwards,D.H.,Job,E.M. and Lawrence,T.R. Observations on gaseous detonation waves using a microwave interferometer, 3=198
Edwards,D.N. See Bird,L., 3=12456
Edwards,D.O.,McWilliams,A.S. and Daunt,J.G. Phase separation in solid He^3—He^4 mixtures as shown by specific heat measurements, 3=323
Edwards,D.O. See Brewer,D.F., 3=310
Edwards,E. See Primak,W., 3=4899
Edwards,E. See Primak,W., 3=10708
Edwards,G.R.,Evans,L.F. and La Mer,V.K. Ice nucleation by monodisperse silver iodide particles, 3=8806
Edwards,H.D.,Cooksey,M.M.,Justus,C.G.,Fuller,R.N. Albritton,D.L. and Rosenberg,N.W. Upper-atmosphere wind measurements determined from twelve rocket experiments, 3=21045
Edwards,M.H. and Woodbury,W.C. Saturated He^4 near its critica temperature, 3=9669
Edwards,M.P. See Cuninghame,J.G., 3=19895
Edwards,P.J.,Fenton,A.G.,Fenton,K.B.,Greenhill,J.G. and Parsons,N.R. Radiation enhancement following Johnston Island thermonuclear explosion, 3=6191
Edwards,S.F. The concept of a wave function of a disordered system, 3=9349
Edwards,S.F. and Sanderson,J.J. A new approach to transport problems in fully ionized plasmas. II, 3=7510
Edwards,S.F. See Beeby,J.L., 3=21384
Edwards,T.H. See Hill,R.A., 3=6380
Edwards,W.D. See Cox,C.D., 3=19050
Edwards,W.F. Special relativity in anisotropic space, 3=21216
Eeles,W.T. and Sutton,A.L. X-ray determination of the atomic positions in α-uranium at 22° C and 600° C, 3=25705
Eeles,W.T. See Ashbee,K.H.G., 3=11241
Efendiev,G.A. and Shafi-zade,R.B. Kinematic electron-diffraction measurements, 3=25788
Efimchik,M.K. See Izokh,V.V., 3=3985
Efimov,B.V. See Pevzner,M.I., 3=24956
Efimov,G.V. The Kemmer scalar symmetric model. 3=5936
Efimov,G.V. On local quantum field theory without ultraviolet divergences, 3=19583
Efimov,G.V. See Barbashov,B.M., 3=2184
Efimov,G.V. See Barbashov,B.M., 3=5964
Efimov,N.N., Krasilnikov,D.D., Nifontov,M.A. and Shamsutdinova,F.K. Number spectrum of extensive air showers at sea-level, 3=4503
Efimov,N.N. See Krasilnikov,D.D., 3=4502
Efimov,O.N. Integral characteristics of anomalous transmissio of X-rays in germanium crystals containing dislocations, 3=20947
Efimov,O.N. and Elistratov,A.M. Effect of dislocation density on the anomalous transmission of X-rays through germanium, 3=20196
Efimov,O.N. See Efremov,A.I., 3=9151
Efimov,O.N. See Efremov,A.I., 3=9189

Efimov, O.N. See Elistratov, A.M., 3=18307
Efimov, Yu.V. See Alekseevskii, N.E., 3=335
Efimov, Yu.V. See Savitskii, E.M., 3=5137
Efimova, A.M. The fast component of the magnetic viscosity of rare-earth ferrite garnets as a function of the magnetic field intensity and temperature, 3=18102
Efimova, B.A., Novikov, V.I. and Ostroumov, A.G. Anisotropy of galvanomagnetic properties in Bi_2Te_3, 3=10804
Efremov, A.I., Podmoshenskii, A.L., Efimov, O.N. and Lebedev, A.A. Study of short-wave solar radiation, 3=9189
Efremov, A.I., Podmoshenskii, A.L., Ivanov, M.A., Nikiforov, V.N. and Efimov, O.N. Filter apparatus for studying short-wave solar radiation, 3=9151
Efremov, A.V. and Shirkov, D.V. Higher partial waves in low energy $\pi-\pi$ scattering, 3=6052
Efremova, M.V. See Borisova, L.A., 3=18343
Éfros, A.L. See Gurevich, L.E., 3=844
Éfros, A.L. See Gurevich, L.E., 3=4901
Éfros, A.L. See Gurevich, V.L., 3=6569
Éfros, A.L. See Natadze, A.L., 3=20290
Egardt, L. Angular correlations in $\Lambda\beta$-decay, 3=7928
Egardt, L. On the Λ_{e3} decay, 3=7930
Egardt, L. Λ_{e3} decay as a test of V−A theory, 3=19701
Egeland, A. Studies of auroral reflections in the v.h.f. band. I. Experimental investigations, with special regard to time variations, fading rate, azimuthal distributions, and polarization characteristics, 3=13803
Egeland, A. Studies of auroral reflections in the v.h.f. band. II. Comparison of experimental results with theoretical models, 3=13804
Egeland, A. Studies of auroral reflections in the v.h.f. band. I. Experimental investigations, with special regard to time variations, fading rate, azimuthal distributions, and polarization characteristics, 3=25934
Egeland, A. Studies of auroral reflections in the v.h.f. band. II. Comparison of experimental results with theoretical models, 3=25935
Egelstaff, P.A. The scattering of cold neutrons by metals, 3=4823
Egelstaff, P.A. Symposium on inelastic scattering of neutrons in solids and liquids, Chalk River, Canada, September 1962, 3=6456
Egelstaff, P.A. and Wraight, L.A. Summary of the creep properties of a magnesium cadmium alloy used for neutron chopper rotors, 3=8772
Egelstaff, P.A. See Beckurts, K.H., 3=24744
Egerov, V.I. See Sobolev, N.D., 3=8779
Eggen, O.J. The astrophysics of visual binaries, 3=16409
Eggen, O.J., Lynden-Bell, D. and Sandage, A.R. Evidence from the motions of old stars that the galaxy collapsed, 3=3607
Eggers, F.G. and Strauss, W. A u.h.f. delay line using single-crystal yttrium iron garnet, 3=14778
Eggert, J. Photographic layers with unusual reciprocity failures, 3=5543
Eggert, J. Mysterious crystallites, 3=14386
Egiazarov, M.B. See Mostovoi, V.I., 3=25029
Egiyan, K.Sh. See Khrimyan, A.V., 3=2158
Egiyan, K.Sh. See Khrimyan, A.V., 3=6097
Egorov, E.V. See Gol'danskii, V.I., 3=10920
Egorov, L.B., Ignatenko, A.E., Kuptsov, A.V. and Petrashku, M.G. Search for anomalies of μ^--meson decay in paramagnetic metals, 3=2593
Egorov, L.B., Ignatenko, A.E., Kuptsov, A.V. and Petrashku, M.G. Anomaly in the decay of μ^--mesons in mesic atoms of iron-group transition metals, 3=15312
Egorov, V.S. See Alekseevskii, N.E., 3=4909
Egorov, Yu.M. On registering variations of the geomagnetic field on the range 0.1-10 c/s, 3=18572
Egorov, Yu.S. See Sergienko, V.A., 3=24679
Egorova, T.M. Observations of the radio source Sgr A at 21 cm, 3=16430
Egorow, W.D. See Thiessen, K., 3=8571
Egorshina, T.V. See Estulin, G.V., 3=11287
Eguchi, I. See Sakaki, Y., 3=20969
Ehara, S. and Tomono, Y. Hyperfine structure in paramagnetic resonance on Mn in Pd metal, 3=15945
Ehhalt, D., Israel, G., Roether, W. and Stich, W. Tritium and deuterium content of atmospheric hydrogen, 3=25892
Ehhalt, D., Knott, K., Nagel, J.F. and Vogel, J.C. Deuterium and oxygen 18 in rain water, 3=25897
Ehhalt, D., Münnich, K.O., Roether, W., Schölch, J. and Stich, W. Articially produced radioactive noble gases in the atmosphere, 3=25901
Ehhalt, D. See Gonsior, B., 3=25893
Ehlers, H.H. and Kolesar, D.F. Method for fabricating strain-free gallium surfaces, 3=25772
Ehlers, K.W. Design and development of the ion source for the Berkeley 88-inch cyclotron, 3=5790
Ehlers, K.W., Gavin, B.F. and Hubbard, E.L. High-intensity negative ion sources, 3=14667
Ehmann, W.D. and Setser, J.L. Zirconium and hafnium in stone meteorites, 3=11527
Ehmert, A. See Keppler, E., 3=11471
Ehrenberg, W. and King, D.E.N. The penetration of electrons into luminescent materials, 3=10701
Ehrenborg, J. and Sigdell, J. Magnetic eddy current fields calculated by complex successive overrelaxation, 3=20277
Ehrenreich, H. and Philipp, H.R. Optical properties of Ag and Cu, 3=2986
Ehrenreich, H. and Philipp, H.R. Optical properties of semiconductors in the ultra-violet, 3=10908
Ehrenreich, H., Philipp, H.R. and Olechna, D.J. Optical properties and Fermi surface of nickel, 3=25331
Ehrenreich, H. See Olechna, D.J., 3=2871
Ehrenreich, H. See Philipp, H.R., 3=8584
Ehrenrich, H. See Philipp, H.R., 3=25433
Ehrenreich, H. See Silverman, S.J., 3=10819
Ehrenstein, G. Hyperfine structure in $O^{17}H$ and the OH dipole moment, 3=12828
Ehret, G. The determination of epithermal neutron spectra by means of resonance probes (sandwich method), 3=12476
Ehrhardt, H. and Erbse, U. Scattering of low energy electrons by molecules. I, 3=15397
Ehrhardt, H. See Stebbings, R.F., 3=24224
Ehrlich, G. See McCarroll, B., 3=8923
Ehrlich, W. See Boersch, H., 3=19226
Eiben, K. See Schulte-Frohlinde, D., 3=23233
Eiber, H. Negative and positive ions in pure oxygen, 3=7438
Eiber, H. The behaviour of positive and negative ions in pure oxygen and oxygen—water vapour mixtures, 3=12080
Eiber, H. Determination of ion mass at gas pressures up to a few torr using a high-frequency fed filter, 3=19183
Eicher, H. The electric quadrupole moment of the 14.4 keV level of Fe^{57}, 3=6142
Eicher, H. See Hüfner, S., 3=24841
Eicher, H. See Kalvius, M., 3=2416
Eicher, H. See Kalvius, M., 3=8006
Eichhorn, E.L. Refinements of least-squares and differential synthesis algorithms, 3=8833
Eichhorn, E.L. See Holm, M.W., 3=8197
Eichhorn, H. The relations between standard coordinates of stars and the measured coordinates of their images, 3=7011
Eichhorn, H. On the use of panoramic cylindrical projection in photographic astrometry, 3=13849
Eichhorn, J.L. See Sackmann, L., 3=9318
Eichhorn, R. Measurement of low speed gas flows by particle trajectories: A new determination of free convection velocity profiles, 3=153
Eichkorn, G. See Borgstedt, H.-U., 3=18819
Eichler, E. See Wolke, R.L., 3=10180
Eichler, J. Extension of the Siegert theorem for
Eichler, J. and Wahlborn, S. Analysis of the data for the beta decays $Rb^{86} \rightarrow Sr^{86}$ and $Rb^{84} \rightarrow Kr^{84}$, 3=17435
Eichmann, U. Photoeffect on nuclei of mass 3, 3=22365
Eichorn, H. and Williams, C.A. On the systematic accuracy of photographic astrometric data, 3=16311
Eidel'berg, M.I. Luminescence in castor oil under the action of an alternating voltage, 3=16634
Eidman, V.Ya. Radiation of a plasma wave by a charge moving in a magnetoactive plasma, 3=4173
Eĭdman, V.Ya. Attenuation of electromagnetic waves in an inhomogeneous medium related to transient radiation, 3=14769
Eidman, V.Ya. See Ginzburg, V.L., 3=14033
Eidson, J.C. See Auld, B.A., 3=9935
Eidson, W.W. and Bent, R.D. Study of the reaction $Ne^{20}(\alpha,\alpha'\gamma)Ne^{20}$, 3=2498
Eidson, W.W. and Cramer, J.G., Jr. Production of unnatural-parity states by inelastic alpha-particle scattering, 3=15229

Eidukas,D.Yu. and Barshauskas,K.I. Measurement-type pulse generators for the investigation of the transient characteristics of semiconductor diodes, 3=24194
Eidule,O.N. See Ivensen,V.A., 3=6775
Eigenson,M.S. Similarity of structure of the solar system, the galaxy and other spirals, 3=11509
Eikum,A. and Thomas,G. Effect of solute atoms upon vacancy climb of prismatic dislocations in Al—5% Mg alloy, 3=22748
Eilenberger,G. Choice of phases in the Wannier functions and simple derivation of the substitute operator for lattice electrons in a magnetic field, 3=25224
Eimer,M. See Taurel,L., 3=8563
Einaudi,F. See Boella,M., 3=24464
Einhorn,F. See Cabicar,J., 3=23119
Einhorn,H.D. and Naudé,D.E.H. Stray light in a monochromator (analysis and prediction based on measurements by means of discharge lamps and filters), 3=14354
Einspruch,N.G. Effects of a magnetic field on the surface conductance of germanium, 3=13059
Einspruch, N.G. and Claiborne, L.T. Elastic constants of silicon carbide, 3=18160
Einspruch, N.G. and Csavinszky, P. Electronic effect in the elastic constant C' of silicon, 3=18162
Einspruch,N.G. and Manning,R.J. Elastic constants of compound semiconductors—ZnS, PbTe, GaSb, 3=8751
Einspruch,N.G. See Claiborne,L.T., 3=12035
Einspruch,N.G. See Hasty,T.E., 3=15826
Eisberg,R.,Mayo,S. and Schimmerling,W. Nuclear interaction correction for deuteron scintillation counting, 3=12518
Eisberg,R. See Nonaka,I., 3=8100
Eisenberg,A. The multi-dimensional glass transition, 3=25766
Eisenberg,J.M. and Rose,M.E. Isospin selection rules for high-energy electron scattering, 3=19837
Eisenberg,L.,Rosen,P. and Edelman,G.M. A.G.C. amplifier to correct for effects of light source variations in spectrofluorometric measurements, 3=5605
Eisenberg,Y. Annihilation of antibaryons, 3=10067
Eisenberg,Y. and Kessler,D. Remarks on the present status of the problem of the X-ray deficiency in μ-mesonic atoms, 3=15310
Eisenberg,Y. and Kessler,D. K^--mesonic atoms, 3=17547
Eisenhart,C. Realistic evaulation of the precision and accuracy of instrument calibration systems, 3=21187
Eisenman,W.L.,Bates,R.L. and Merriam,J.D. Black radiation detector, 3=14414
Eisenschitz,R. and Wilford,M.J. Force correlations and collective movement in classical liquids, 3=129
Eisenstadt,M. See Harris,C.M., 3=23988
Eisenthal,K.B. See Siegel,S., 3=22595
Eisfeld,D. See Meyer,E., 3=12310
Eisinger,J. See Blumberg,W.E., 3=13300
Eisler,J.D. See Beardsley,G.F., Jr., 3=14126
Eismont,V.P. Symmetry of nuclear fission, 3=6305
Eismont,V.P. Two types of fission and the nuclear charge distribution, 3=22432
Eismont,V.P. See Blinov,M.V., 3=6308
Eismont,V.P. See Marov,G.I., 3=24993
Eismont,V.P. See Selitskii,Yu.A., 3=2503
Eisner,E. Brighter spectrographic images by the use of anamorphic optics, 3=18985
Eisner,E. Design of sonic amplitude transformers for high magnification, 3=23980
Eisner,M. See Henson,R.M., 3=16950
Eissa,N. See Plajner,Z., 3=10312
Ejiri,A. See Onaka,R., 3=18993
Eklund,K.E. See Kellogg,E.M., 3=5717
Ekspong,A.G. See Frisk,Å., 3=6089
Ekstig,B. See Noreland,E., 3=25472
Elagin, Yu.P. Polarization of inelastically scattered nucleons, 3=17267
Elagin,Yu.P. Comparison of the strength functions and polarization of neutrons in various optical models, 3=22260
Elagin,Yu.P. See Nemirovskii,P.É., 3=24647
Elagina,E.I. Investigation of the $PbSe—Sb_2Se_3$ system, 3=25741
Elagina,E.I. Investigation of the $PbSe—Bi_2Se_3$ system, 3=25742
Elagina,L.G. Optical device for measuring the turbulent pulsations of humidity, 3=7253
El-Bakkal,J.M. See Loeb,L.B., 3=4092
Elbaum,C. Vacancy precipitation and the origin of dislocations, 3=22743
Elbaum,C. See Hikata,A., 3=17762
Elbaum,C. See Hikata,A., 3=23320
El-Bayoumi,M.A. See Kearns,D.R., 3=12804
El-Baz,E. Angular distribution of stripping reactions on Si^{29} and O^{17}, 3=22420
Elbaz,E. and Lafoucrière,J. The result of calculations without distorted wave effects on the angular distribution from Si^{29}, 3=6286
Elbeck, B. See Bjerregård, J., 3=17458
Elbek,B. See Borggreen,J., 3=24383
Elbek,B. See Diamond,R.M., 3=15120
Elberg,S. See Bessouat,R., 3=19072
El Bialy,A. See Barakat,N., 3=9395
Elder,T. and Barte,W. Dynamic magnetic measurements by use of damped oscillatory fields, 3=5804
Elder,T. and Barte,W. Eddy-current effects with rapidly varied high magnetic fields, 3=15790
Eldering,H.G. Criteria for background discrimination, 3=16832
Eldredge,D.H. See Teas,D.C., 3=3662
Eldridge,D.C.,Skinner,E.M. and Tsepas,J. Strobe photography with the general radio 1531-A strobotac, 3=3905
Eldridge,O. and Feix,M. Fokker—Planck coefficients for a one dimensional plasma, 3=4115
Eldridge,O.C. and Feix,M. Numerical experiments with a plasma model, 3=9770
Eldridge,O.C. See Harrison,H., 3=10090
Elema,R.J.,de Boer,J.L. and Vos,A. The refinement of the crystal structure of $KICl_4.H_2O$, 3=13476
Elena,A. See Bossolasco,M., 3=25927
Elenevskaya,N.B. The region of convergence of series expansions of the coordinates of unperturbed motion, 3=23658
Eleonskii,V.M.,Zy̆ryanov,P.S. and Silin,V.P. Collision integral of charged particles in a magnetic field, 3=5654
Eleonskii,V.M.,Zyryanov,P.S. and Silin,V.P. Collision integral for charged particles in a magnetic field, 3=5829
Eley,D.D. See Dear,D.J.A., 3=16131
Elfant,R.F. Direct observation of rotational switching in polycrystalline ferrite materials, 3=15865
Elfant,R.F. and Friedlaender,F.J. Flux reversal in square loop ferrite cores, 3=1084
Elford,W.G. See Roper,R.G., 3=13693
Elgaroy,O, Morris,D. and Rowson,B. A radio interferometer for use with very long baselines, 3=3616
El Gazzy, E.M. See Meligy, A.S., 3=3757
Elias,L. Reinvestigation of some absolute rate measurements of O-atom reactions with olefins, 3=11341
Eliashberg, G.M. Kinetic equation for a degenerate system of fermi particles, 3=80
Eliashberg,G.M. Low temperature heat capacities of metals, 3=3950
Éliashberg,G.M. A microscopic theory of damping of zero sound in a Fermi liquid, 3=5438
Eliashberg,G.M. See Ipatova,I.P., 3=14435
Eliashberg,G.M. See Perel',V.I., 3=405
Eliassen,E. Investigation of the dynamic properties of an electronic manometer and pressure transducer used in blood pressure measurements, 3=1548
Elie,G. See Pikor,A., 3=20359
Elinson,M.I. See Zhdan,A.G., 3=21851
Elioff,T., Agnew,L., Chamberlain,O., Steiner,H.M., Wiegand,C. and Ypsilantis,T. Antiproton—nucleon cross sections from 0·5 to 1·0 BeV, 3=586
Elioff,T. See Bacastow,R., 3=17307
Elion,H.A. Electron diffraction camera for use with a variable convergence electron microanalyzer beam, 3=23530
Eliseev,A.A. See Kuznetsov,V.G., 3=25734
Eliseev,G.A. See Arsen'ev,Yu.I., 3=12136
Eliseev, P.G. and Kalashnikov, S.G. Recombination properties of nickel in germanium, 3=17847
Eliseev,P.G., Kan Chan—Khé [K'ang Ch'ang—ho] and Nakhodnova "Inborn" dislocations and recombination in p—type germanium, 3=20179
Eliseev,S.A. See Livshits,B.G., 3=6812
Elistratov, A.M. and Efimov, O.N. Effect of departures from periodicity on the anomalous transmission of x-rays integral characteristics of anomalous x-ray transmission, 3=18307
Elistratov,A.M. and Kamadzhiev,P.R. X-ray investigation of th decomposition of the supersaturated solid solution of Ni in Ge, 3=23486
Elistratov,A.M. and Zvinchuk,R.A. Calculations of the transforms for the forms of a crystal polyhedron, 3=16053

Elistratov,A.M. See Efimov,O.N., 3=20196

Elizarov,L.I. and Zharinov,A.V. Transverse motion of a plasma in magnetic fields, 3=12127

El-Khalafawy,T. See Beerwald,H., 3=12164

Elkholy,H. Relaxation of the long-range order parameter in the domains of order of the alloy Cu$_3$Au, 3=20889

Elkholy,H. and Nagy,E. Ordering in alloy Cu$_3$Au. II. 3=3331

Elkholy,H. and Zsoldos,L. X-ray investigations of the kinetics of ordering in the alloy Cu$_3$Au, 3=13529

Elkina,T.A. See Bol'shova,K.M., 3=5023

Elkina,T.A. See Bol'shova,K.M., 3=6724

Elkins,P.G. See Straka,R.M., 3=7721

Elkishen,M. Absorption of neutrinos in the Coulomb field of the nuclei, 3=10086

ElKomoss,S.G. See Lorquet,J.C., 3=2664

Elleman,D.D. and Manatt,S.L. N.M.R. double resonance techniques for the determination of relative signs of spin spin coupling constants, 3=21995

Ellenton,H.K. See Csanady,G.T., 3=7187

Ellett,M.R. See Cuff,K.F., 3=10830

Ellinger,F.H. See Zachariasen,W.H., 3=13448

Ellinger,F.H. See Zachariasen,W.H., 3=25706

Elliot,F. and Pearson,G.W. Gamma monitor to rapidly assay plutonium in process wastes, 3=21021

Elliot,H. The Van Allen particles, 3=23642

Elliot,H. See Durney,A.C., 3=6967

Elliot,R.C. See Gschneidner,K.A.,Jr, 3=22669

Elliot,R.J. Phenomenological discussion of magnetic ordering in the heavy rare earth metals, 3=973

Elliott,B.J. See Shaw,H.J., 3=24463

Elliott,D.D. See Mozer,F.S., 3=16288

Elliott,D.N. See Riach,W., 3=3681

Elliott,G.E.P. and Riddiford,A.C. Dynamic contact angles and rates of adsorption, 3=1672

Elliott,J.P. and Harvey,M. Collective motion in the nuclear shell model. III. the calculation of spectra, 3=10212

Elliott,L.L. Tonal thresholds for short-duration stimuli as related to subject hearing level, 3=13952

Elliott,N. X-ray scattering factor of nitrogen in Fe$_4$N, 3=8846

Elliott,R.J. Theory of the exciton spectra in Cu$_2$O, 3=3004

Elliott,R.J. Summary — Theoretical aspects, 3=13047

Elliott,R.J. and Loudon,R. The possible observation of electronic Raman transitions in crystals, 3=8588

Elliott,R.J. and Wedgwood,F.A. Theory of the resistance of

Elliott,R.J. See Cooper,B.R., 3=20635

Elliott,R.J. See Dawber,P.G., 3=10581

Elliott,R.J. See Dawber,P.G., 3=12916

Elliott,S.D.,Jr. See Moore,J.G., 3=16726

Ellis,B. See Moss,T.S., 3=10816

Ellis,C.E. The effect of helium on recrystallization and grain boundary movement in aluminium, 3=11222

Ellis,D.M. See Bader,C.J., 3=6709

Ellis,G.R.A. Use of Z-mode propagation for observing cosmic radio noise from earth satellites, 3=1537

Ellis,G.R.A. The radio emissions from Jupiter and the density of Jovian exosphere, 3=11593

Ellis, G.R.A. Cyclotron radiation from Jupiter, 3=3621

Ellis,G.R.A. The F$_2$ component of cosmic radio noise absorption, 3=25988

Ellis,G.R.A. and Green,R.J. High resolution observations of the galactic radiation at 4.7 Mc/s, 3=9283

Ellis,G.R.A. and McCulloch,P.M. Decametric radio emissions of Jupiter, 3=18658

Ellis,G.R.A. and McCulloch,P.M. The decametric radio emissions of Jupiter, 3=25981

Ellis,G.R.A.,Waterworth,M.D. and Bessell,M. Spectrum of the galactic radio emission between 10 Mc/s and 1.5 Mc/s, 3=9281

Ellis,G.R.A. See Hoyle,F., 3=11601

Ellis,R.A.,Jr. See Stodiek,W., 3=12153

Ellis, R.C.,Jr. See Deutsch, T., 3=17913

Ellis,S.C. and Barrett,J.H. A proportional counter for examining the longitudinal distribution of radioactivity on threads or wires, 3=7742

Ellis,W.P. Immersion spectrophotometry of interference films: refractive indices of fluoride films on uranium dioxide and anodic oxide films on uranium metal, 3=11917

Ellis,W.P. Fluoride interference films on uranium dioxide. I. The kinetically derived optical equation, 3=24042

Ellis,W.P. and Roberts,B.W. Fluoride interference films on uranium dioxide. II. Kinetics of the hydrofluorination reaction, 3=24043

Ellison,F.O. Some applications of semi-empirical valence bond theory to small molecules, 3=12805

Ellison, F.O. and Huff, N.T. New method for determining semiempirical one-center Coulomb repulsion integrals, 3=17560

Ellison,M.A. Energy release in solar flares, 3=16381

Ellyett,C. and Keay,C.S.L. Southern hemisphere meteor rates, 3=13873

El'messov,A.M. On the problem of viscosity of a snow cover, 3=3440

Elmgren,J.A. and Hudson,D.E. Imperfection photoconductivity in diamond, 3=2975

El Naby,H.M. See Mayer,H., 3=22897

El Naby,M.H. Optical constants of potassium in the wavelength region 3650 to 20 000 A, 3=17974

El Naby, M.H. See Mayer, H., 3=17975

El Naby, M.H. See Mayer, H., 3=17976

El-Nadi,L.M. See Antoufiev,Y.P., 3=19811

El Nadi,M.,Fahmy,H. and Abou-Hadid,L. Direct inelastic scattering of nucleons, 3=12659

El-Nady,L. See Mahmoud,K.A., 3=10077

El Nesr, M.S. and Bashandy, E. The half life of the 57 keV first excited state in Pr^{143}, 3=4575

El-nesr,M.S. and Bashandy,E. Internal conversion coefficients of the $2^+ \rightarrow 0^+$ pure E2 transitions in ^{166}Er, ^{170}Yb and ^{186}Os, 3=4598

El-Nesr,M.S., Gabrowski,Z. and Bashandy,E. Gamma-gamma directional correlation in W^{182}, 3=4599

El-Nesr,M.S. See Bashandy,E., 3=657

El-nesr,M.S. See Bashandy,E., 3=10272

Eloranta,J. and Linschitz,H. Photo-ionization and electron-capture processes in solution: the flash photolysis of ether solutions of potassium metal and of naphthacene dianion, 3=16180

Elpidinskii,A.V. and Fetisov,I.N. Photoneutron yield and problems in the shielding of cyclic high-energy electron accelerators, 3=455

Elrick,D.E. Source functions for diffusion in uniform shear flow, 3=3797

El-Sabeh,S.H.M. The relation between dipole orientation and viscous flow, 3=21399

El-Saden,M.R. Irreversible thermodynamics and the theoretical bound on the thermomagnetic figure of merit, 3=358

Elsas,A. See Sedlatschek,K., 3=17014

Elsässer,H. See Schmidt,T., 3=1509

Elsasser,W.M. Max Born's analysis of mechanical predictability and theoretical biology, 3=3650

El-Sayed, M.A. Proposed effect of high pressures on the radiationless processes, 3=3059

El-Sayed,M.A. Polarization of molecular luminescence in plastic media by the method of photoselection, 3=15370

El-Sayed, M.A. Spin–orbit coupling and the radiationless processes in nitrogen heterocyclics, 3=17604

El-Sayed,M.A. Comments on contaminating the ground state with triplet character, 3=22588

El-Sayed,M.A. and Pavlopoulos,T. Polarization of the triplet–triplet absorption spectrum of some polyacenes by the method of photoselection, 3=23082

Elsenaar,W.H. See Born,P., 3=15146

Elsenaar,W.H. See Born,P., 3=15147

Elsenaar,W.H. See Born,P., 3=22305

Elsmore,B. See Long,R.J., 3=13931

Elsner,B. See Bleuler,E., 3=24565

Elston,J. See Dupré,M., 3=9648

Elsworth,L. and Holland,L. Sorption of nitrogen by titanium films evaporated in ultra-high vacuum, 3=23520

El'tekov,V.A. and Ryabukhin,Yu.S. Absorption of neutrons from a source of fast neutrons by cadmium and indium plates set in an aqueous medium, 3=4405

Elton,L.R.B. An isomeric state of the $_\Lambda$He^7 hyperfragment, 3=630

Elton,L.R B. Erratum: An isomeric state of the $_\Lambda$He^7 hyperfragment, Physics Letters 2 (1962) p.41, 3=22278

Elton,L.R.B. See Jackson,D.F., 3=15183

Elwert,G. Comparison between theory and measurements of the X-ray emission of the sun, 3=13895

Elwyn,A.J., Lane,R.O. and Langsdorf,A.,Jr. Polarization and differential cross sections in n–d scattering, 3=587

Ely,R.P.,Gidal,G.,Kalmus,G.E.,Oswald,L.O.,Powell,W.M., Singleton,W.J.,Bullock,F.W.,Henderson,C.,Miller,D.J. and Stannard,F.R. Beta-decay branching ratio of the lambda hyperon, 3=19703
Ely,R.P. See Birge,R., 3=22192
Ely,R.V. See Nixon,W.C., 3=19330
Elyan,V.V. See Ado,Yu.M., 3=14948
Elyutin,V.P.,Mozzhukin,E.I.,Panov,A.V. and Khalil,R.V. Investigation of internal friction of copper samples prepared by powder-metallurgy techniques, 3=25612
Eman,B. and Tadić,D. Some theoretical aspects of the anomalous shape in the allowed beta decay spectra, 3=2400
Eman,B. and Tadić,D. Is the beta decay of Pr^{144} a $1^- \rightarrow 0^+$ transition ? 3=12632
Eman, B. and Tadić,D. G-nonconserving terms in the beta decay interaction, 3=17425
Embleton,T.F.W. Mutual interaction between two spheres in a plane sound field, 3=1766
Embleton,T.F.W. Helium-tracing as a tool for aerodynamic studies, 3=14198
Embleton,T.F.W. Experimental study of noise reduction in centrifugal blowers, 3=14288
Embleton,T.F.W. Sound propagation in homogeneous deciduous and evergreen woods, 3=18926
Embury,J.D. and Nicholson,R.B. Heterogeneous nucleation of precipitates in an aluminium-magnesium alloy, 3=10666
Embury,J.D. and Nicholson,R.B. Dislocation sources in an aluminium alloy, 3=12974
Embury,J.D. and Nicholson,R.B. Dislocation sources in an aluminium–magnesium alloy, 3=17742
Embury,J.D.,Sargent,C.M. and Nicholson,R.B. The effect of quench deformation on the defect structure of quenched metals and alloys, 3=6515
Emch,G. and Piron,C. Note on symmetries in quantum theory, 3=9344
Emch,G. and Piron,C. Symmetry in quantum theory, 3=11687
Emch,G. See Lacroix,R., 3=8705
Emeleus,K.G. and Garscadden,A. Notes on plasma-electron oscillations, 3=14608
Emeleus,K.G. See Armstrong,N.H.K., 3=7479
Emeleus,K.G. See Garscadden,A., 3=7609
Emel'ianov,I.Y. See Feinberg,S.M., 3=10421
Emelin,V.I. and Chuprov,K.S. The ultrasonic method for determining the dynamic elastic parameters of rocks under field conditions, 3=3427
Emel'yanenko,O.V. See Nasledov,D.N., 3=10814
Emel'yanenko, O.V. See Nasledov, D.N., 3=17970
Emel'yanov,A.A. On the theory of heavy nuclei–nucleon collisions, 3=2439
Emel'yanov,A.A. Interpretation of the two-centre model of cosmic-ray showers within the framework of the hydrodynamic theory, 3=6107
Emelyanov,A.A. and Rosental,I.L. Interpretation of the two-centre model within the hydrodynamical theory, 3=4544
Emel'yanova,E.N.,Karlov,N.V.,Manenkov,A.A.,Milyaev,V.A., Prokhorov,A.M.,Smirnov,S.P. and Shirokov,A.V. EPR spectrum and spin–lattice relaxation of chromium [Cr^{3+}] and iron [Fe^{3+}] ions in single crystal zinc tungstate, 3=25569
Emerson,K. and Britton,D. The crystal and molecular structure of arsenic tricyanide, 3=8849
Emerson,L.C. See Arakawa,E.T., 3=20536
Emery,G.T.,Kane,W.R.,McKeown,M.,Perlman,M.L. and Scharff-Goldhaber,G. Studies of decay schemes in the osmium-iridium region. III. Decay of 15.8 hour Ir^{186}, 3=10313
Emery,V.J.,Gammel,J.L. and Hopgood,F.R.A. Ground-state energy and sound velocity of a system of interacting bosons, 3=23802
Eminzade,T.A. The cause of novae outbursts, 3=3586
Emma,V.,Milone,C.,Jannelli,S. and Mezzanares,F. Energy spectrum of photoneutrons from phosphorus, 3=6220
Emmerson,J.McL. and Middlemas,N. Symmetry properties in beam transport systems, 3=24381
Emmett,J.L. and Schawlow,A.L. Enhanced ultraviolet output from double-pulsed flash lamps, 3=24013
Emmons,H.W. and Land,R.I. Poiseuille plasma experiment, 3=7587
Emoto,S. Dynamical investigation of stellar motion perpendicular to the galactic plane, 3=9251
Emoto,S. Galactic rotation of weak stars in higher galactic latitudes. II, 3=11582
Empleton,T.R.W. and Dagg,I.R. Statistical detection of errors in microphone calibrations, 3=9568
Emrich,R.J. and Gion,E.J. Comments on "transition in shock-tube boundary layers", 3=7283
Emrich,R.J. See Che Jen Chen, 3=7285
Emschwiller,G.,Henry,L.,Rabot,R. and Mounier,M. On the infra-red spectra of hydrated calcium aluminates, 3=13165
En Kuo-kuan. See Sung Yung-chün., 3=17418
Enatsu,H. Relativistic Hamiltonian formalism in quantum field theory and micro-noncausality, 3=24580
Enderby,J.E. The Hall effect in liquid metals, 3=16636
Enderby,J.E. See Titman,J.M., 3=5450
Enderlein,R. Quantum mechanical transport theory, 3=12938
Endo,H. The temperature dependence of the resistivity of liquid alkali metals at constant volume, 3=18828
Endo,H. and Suekane,S. The effect of the electron correlation on the electrical resistivity of liquid metals, 3=23903
Endt,P.M. See Glaudemans,P.W.M., 3=12670
Endt,P.M. See Leenhouts,H.P., 3=19776
Endt,P.M. See Smulders,P.J.M., 3=2499
Endt,P.M. See van der Kooi,J.B., 3=7999
Endt,P.M. See van der Leun,C., 3=24933
Endtinger,F. See Clusius,K., 3=19073
Endzheets,G.,Molchanov,V.A.,Tel'kovskii,V.G. and Faruk,M.A. Angular distributions of particles scattered as a result of irradiation of monocrystals with ionic beams, 3=13020
Enge,H.A. Achromatic magnetic mirror for ion beams, 3=14672
Enge,H.A. and Buechner,W.W. Multiple-gap magnetic spectrograph for charged-particle studies, 3=9871
Enge, H.A. See Erskine,J.R., 3=681
Engel,A.,Koppen,G. and Wolff,O. Experiments to improve the high-voltage measuring technique in electron microscopy, 3=20957
Engelbrecht,C.A. The excited states of Nb^{93}, 3=15110
Engeler,W.E. Magnetoabsorption and the band gap of Bi, 3=8592
Engeler,W.E. and Garfinkel,M. Temperature effects in coherent GaAs diodes, 3=22962
Engelhardt,A.G. and Phelps,A.V. Elastic and inelastic collision cross sections in hydrogen and deuterium from transport coefficients, 3=23942
Engelhardt,E.H. See Pohl,H.A., 3=10837
Engelke,C.E.,Benenson,R.E.,Melkonian,E. and Lebowitz,J.M. Precision measurements of the n–p total cross section at 0·4926 and 3·205 MeV, 3=4399
Engelmann, F. Quantum mechanical treatment of electric microfield problems in plasmas, 3=394
Engelmann,F.,Feix,M.,Minardi,E. and Oxenius,J. Nonlinear effects from Vlasov's equation, 3=9817
Engelmann,F. See Cuperman,S., 3=7605
Engelmann,F. See Fick,E., 3=21242
Engels,E., Jr,Bowen,T.,Cronin,J.W.,McIlwain,R.L. and Pondrom,L.G. Measurement of spin correlation in proton–proton scattering at 400 and 450 MeV, 3=7852
Engels,W. See Brückmann,H., 3=4945
Engelsberg,S. and Schrieffer,J.R. Coupled electron–phonon system, 3=20084
Engel'sht,V.S. and Spektorov,L.A. Transport processes in a d.c. arc, 3=24256
Engel'sht,V.S. See Spektorov,L.A., 3=24261
Engfer,R. and v.Buttlar,H. Experiments on the response efficiency of continuous-flow methane counters, 3=7741
England,A.C. See Ard,W.B., 3=19913
England,A.C. See Becker,M.C., 3=12209
England,B.J. See Bradbury,B.T., 3=20958
England,J.B.A. See Aguilar,J., 3=12699
England,J.B.A. See García,A., 3=2493
England, J. B. A. See Sen Gupta, H.M., 3=2492
England, J.L. See Boyd,F.R., 3=9657
Englander,P. See Perel,J., 3=2582
Engler,A. See Shafer,J.B., 3=15028
Englert,F. Linked cluster expansions in the statistical theory of ferromagnetism, 3=6698
Englert,F. See Horwitz,G., 3=9370
Englert,F. See Stinchcombe,R.B., 3=11046
Englman,R. Adiabatic approximations and superconductivity theories, 3=5580
Englman,R. Intensity ratios of some complexes, 3=15333
Englman,R. Charge-transfer states and optical absorption. III. Some 4d and 5d hexahalide complexes, 3=19972

Englman,R. and Levi,P. The line shape in a harmonic lattice, 3=8345
Engmann,R. and de Wolff,P.M. The crystal structure of γ-UO_3, 3=25713
Engström,H., Ades,H.W. and Hawkins,J.E.,Jr. Structure and functions of the sensory hairs of the inner ear, 3=3657
Engstrom,J.R. See Bostwick,K.V., 3=14287
Enig,J.W. A complete E, P, V, T, S thermodynamic description of metals based on the (P, u) mirror-image approximation, 3=9547
Enikeeva,K.Sh. See Vergunas,F.I., 3=15614
Enikolopov,N.S. See Barkalov,I.M., 3=6925
Enjōji,H. and Okamoto,K. Helical instability of a linear discharge plasma produced by a large capacity condenser bank, 3=12088
Enjōji,H.,Okamoto,K.,Ishibe,Y.,Sakamoto,Y.,Furuichi,A., Mori,K. and Andou,K. A hot plasma produced by a linear discharge device with a large capacity condenser bank, 3=5656
Enjōji,H. See Tsuge,K., 3=6781
Ennos,A.E. A simple variable retardation plate for polarized light, 3=14379
Ennos,A.E. High-precision tunable retardation plate for use with visible and ultra-violet polarized light, 3=21571
Enoch,J. See Sampson,D.H., 3=7441
Enoch,J.M. Optical properties of the retinal receptors, 3=5292
Enokiya,H. See Nakamura,S., 3=12336
Enomoto,S. and Mori,C. X-ray spectroscopic analysis using radioisotopes, 3=16186
Enomoto,S. and Mori,C. Nondispersive X-ray spectrochemical analysis using nuclear beta ray source, 3=21017
Enslow,G.M. See Cuff,K.F., 3=22938
Éntin,R.I. See Sarrak,V.I., 3=5065
Entwisle,F. Thermal expansion of pyrolytic graphite, 3=774
Entwistle,K.M.,Fell,J.H. and Kang Il Koo. The effect of vacancy/impurity interaction on the rate of quench-age-hardening in aluminium—copper alloys, 3=6796
Enz,U. Discrete mass, elementary length, and a topological invariant as a consequence of a relativistic invariant variational principle, 3=18767
Enz,U.,Fast,J.F.,van Houten,S. and Smit,J. Magnetism of EuS EuSe and EuTe, 3=11050
Epelboin,I. See Bosio,L., 3=8836
Epelboin,I. See Delcroix,S., 3=13527
Epelboin,I. See Lestrade,J.C., 3=23201
Epherre,M. See Gardsztajn,E., 3=15199
Epifanov,M.V. See Tolstoi,N.A., 3=1808
Epifanov,M.V. See Tolstoi,N.A., 3=3050
Epshtein,E.M. Scattering of high energy electrons on electrons and the dipole structure of the electron, 3=5989
Epshtein,M.I. See Kirsanov,V.P., 3=16760
Epstein,D.J. See Lovell,B.W., 3=15868
Epstein,E.S. See Young,C., 3=9018
Epstein,H. On the Borchers class of a free field, 3=7757
Epstein,L.M. See Zito,R., 3=24681
Epstein,M. Reply to comments of M.S. Sodha and C.J. Palumbo, 3=9793
Epstein,N. and Young,M.J. Random loose packing of binary mixtures of spheres, 3=11781
Epstein,S. A simple technique for seeding and growing oriented, relatively unstrained, single crystal antimony, square-sectioned rods, 3=3264
Epstein,S. and Juretschke,H.J. Galvanomagnetic effects and band structure of pure and tin-doped single-crystal antimony, 3=8513
Epstein,S. See Taylor,H.P.,Jr, 3=9014
Epstein,S.T. and Robinson,P.D. Hypervirial theorems for variational wave functions in scattering theory, 3=7128
Era,K. See Shionoya,S., 3=22705
Erämetsä,O. The principles of visual measurements, 3=5296
Eramzhyan,R.A. See Gershtein,S.S., 3=17244
Erath,E.H. Erratum: Crystal field parameters for erbium in $Er(C_2H_5SO_4)_3.9H_2O$, 3=12900
Erba,E.,Facchini,U. and Menichella,E.S. Statistical models in nuclear reactions and nuclear level density, 3=2426
Erber,T. The classical theories of radiation reaction, 3=17163
Erbighausen,E.G. An instrument for measuring broad-line spectrograms, 3=16315
Erbs,H. Experimental investigations of the heating of the wall in a toroidal discharge, 3=19202
Erbse,U. See Ehrhardt,H., 3=15397
Erchenkov,V.V. See Panchenkov,G.M., 3=21329
Ercoles,A.M. Red and Blue electroretinograms at various luminances, 3=11641
Ercoles,A.M. and Fiorentini,A. Visibility of a steadily fixated or stabilized test object as a function of eccentricity, 3=11631
Ercoles,A.M. and Masci,E. On the variability of the rates of rise and decay of the scotopic B-wave, 3=3688
Erdas,F. and v.Gehlen,G. Spin correlation in muon-pair production, 3=10137
Erdélyi,I. The Gibbs' theorem and paradox, 3=21442
Erdman,K.L. See White,B.L., 3=4208
Erdmann,J.C. and Jahoda,J.A. Apparatus for low-temperature tensile deformation and simultaneous measurements of thermal properties of metals, 3=9667
Erdökürti,Z. and Kántor,K. On the order of interference in Michelson interferometers in case of circular light sources centred on the optical axis, 3=19009
Erdökürti,Z. and Kántor,K. Visibility and order of interference in Michelson interferometers in the case of rectangular light sources centred on the optical axis, 3=19010
Erdökürti,Z. and Kántor,K. Visibility and order of interference in Michelson interferometers in the case of excentric light sources, 3=21562
Erdös,P. Ultrasonic absorption in dielectric ferromagnetics, 3=13278
Eremenko,V.V. See Belyaeva,A.I., 3=25461
Erezhepov,M.E. and Pekar,S.I. Theory of the electrical conductivity of semiconductors with an allowance for the field of charged impurity centres, 3=20288
Ergakov,V.A. See Vladimirskii,V.V., 3=7861
Ergun,S. and Alexander,L.E. Crystalline forms of carbon: A possible hexagonal polymorph of diamond, 3=3298
Erhard,K. The unsymmetrical broadening of the lead resonance line, 3=2568
Erhardt,P.F. See LeGrand,D.G., 3=10914
Erickson,C.E. See Riebling,E.F., 3=18827
Erickson,R. See Buck,A., 3=19217
Erickson,W.C. High-resolution studies of type III solar emission at 11·4-meter wavelength, 3=21125
Erickson,W.C. and Brissenden,P. A search for decametric radiation from the Comet Wilson 1961D, 3=5277
Erickson,W.C. See Brissenden,P., 3=5272
Ericson,T. Pion capture as a tool for shell model studies, 3=4657
Ericson,T. On probability distributions of nuclear cross sections, 3=24916
Ericson,W.B. See Radlow,J., 3=2105
Ericsson,U. See Wägner,H., 3=13667
Eriksen,E. A sum formula for Gegenbauer polynomials, 3=1576
Eriksson,B.J. Swedish heavy-water process, 3=4688
Eriksson,E. Possible fluctuations in atmospheric carbon dioxide due to changes in the properties of the sea, 3=25866
Eriksson,H.A.S. On an attempt to reduce the number of basic constants in elementary particle physics by introducing pseudoscalar parameters. I. The mass spectrum of fermions, 3=17167
Eriksson,K.B.S. and Isberg,H.B.S. The spectrum of atomic aluminium, Al I, 3=8179
Eriksson,K.B.S. and Isberg,H.B.S. O I quintet and triplet terms below the ionization limit, 3=22487
Eriksson,K.E. Partial summation of the perturbation expansion in high-energy quantum electrodynamics, 3=7764
Eriksson,K.-E. and Yngström,S. A simple approach to the Schwarzschild solution, 3=18718
Eriksson,K.E. and Yngström,S.A. Possible test of the vector nature of strong interactions, 3=24627
Eriksson,L. See Astner,G., 3=19798
Eriksson,T.A. and Rinander,G.A. A comparison of the semi-classical approximation and the exact solution of the optical model scattering problem, 3=12658
Erlandsson,B. and Valli,K. An investigation of the gamma-ray decay from five resonances in the reaction $Sc^{45}(p,\gamma)Ti^{46}$, 3=10344
Erlbach,E. and Gunn,J.B. Noise of hot electrons in germanium, 3=10770

Ermakov,A.I. See Nazarov,N.I., 3=7622
Ermakov,D.S. See Maleev,E.M., 3=9644
Ermakov,V. See Bzranova,G., 3=8140
Ermakov,V.S.,Kondrashov,N.G.,Perel'man,T.L.,Romashko,E.A. and Ryvkin,V.B. Temperature field in cylindrical heat-producing elements of a reactor, cooled by a turbulent flow of liquid, 3=10411
Ermakova,N.E. See Nekrashevich,I.G., 3=25845
Ermolaev,A.M., Minkov,I.M. and Vlasov,A.G. Method of calculation of a multi-layer coating with the given reflectivity, 3=1827
Ermolaev,M.A. See Morozov,V.M., 3=1787
Ermolaev,V.L. See Terenin,A.N., 3=11799
Ermolaev,V.N. See Lybchenko,A.P., 3=22813
Ermolenko,A.S. and Shur,Ya.S. Mechanism of thermomagnetic treatment of high-coercivity alloys of Alni and Alnico types, 3=25524
Ermolenko,V.D. A new method for determining the moisture diffusion coefficient of moist materials, 3=8448
Ermolina,T.D. See Kotel'nikov,N.V., 3=5013
Ermolov,P.F. See Budagov,Yu.A., 3=4474
Ermolov,P.F. See Budagov,Yu.A., 3=6039
Ermolov,P.F. See Dzhelepov,V.P., 3=6371
Ernest,L.E. See Brussel,M.K., 3=5787
Érnst,B.M. See Lend'el,V.I., 3=2265
Ernst,B.M. See Lendyel,V.I., 3=19625
Ernst,F.,Preining,O.and Sedlacek,M. Sizing of the fall-out at Vienna, 3=5207
Ernst,F. See Sedlacek,M., 3=25913
Ernst,M.H.J.J. See Cohen,E.G.D., 3=18850
Ernst,R. and Primas,H. High resolution n.m.r.-instrumentation: recent advances and prospects, 3=14789
Ernst,R.R. and Primas,H. Current state and development trends in the instrumentation of high-resolution nuclear resonance spectrometers, 3=24498
Erofeev,V.S. and Sanochkin,Yu.V. Certain questions in the magnetohydrodynamics of quasi-one-dimensional plasma flow. II, 3=21791
Erofeev,V.S. See Sanochkin,Yu.V., 3=7514
Erokhina,K.I. and Lemberg,I.Kh. Coulomb excitation of nuclear levels in copper, germanium, molybdenum and palladium nuclides, 3=10260
Erokina,K.I. See Andreev,D.S., 3=10237
Erpenbeck,J.J. Stability of step shocks, 3=1760
Ershkovich,A.I. On the possibility of heating the upper atmosphere by hydromagnetic waves, 3=25919
Ershkovich,A.I. and Pletnev,V.D. Angular anisotropy of radiation in the earth's radiation belts, 3=9110
Ershler,B.V.,Torlin,B.Z. and Suvorov,L.Ya. On the stability of homogeneous boiling nuclear reactors, 3=10429
Ershov,A.G. Determination of the amplitudes of betatron and synchrotron oscillations of electrons by rapid moving picture photography, 3=5798
Ershov,A.G. See Korolev,F.A., 3=4193
Ershov,R.E. See Drokin,A.I., 3=11061
Ershova,N.N. See Kochenov,I.S., 3=2513
Erskine,J.R., Beuchner,W.W. and Enge,H.A. $Bi^{209}(d, p)Bi^{210}$ reaction at low bombarding energies and with high resolution, 3=681
Ertel,D. See Zimen,K.E., 3=6270
Ertel,H. A proposition in the theory of two-dimensional potential flow fields, 3=16580
Ertel,H. A system of identities and its application to the transformation of vorticity equations in hydrodynamics, 3=16592
Ertl,M.E.,Hazelden,D.W. and Goldsmid,H.J. Thermomagnetic effects in bismuth—antimony alloys, 3=10806
Ertl,M.E.,Pfister,G.R. and Goldsmid,H.J. Size dependence of the magneto-Seebeck effect in bismuth—antimony alloys, 3=10896
Erwin,A.R., Hoyer,G.A., March,R.H., Walker,W.D. and Wangler,T.P. Erratum: Experimental cross section for $\pi\pi \rightarrow K\bar{K}$, 3=17317
Erwin,A.R. See March,R.H., 3=6087
Esakadze,D.S. Determination of the coefficient of mutual friction between the superfluid and normal components along vortex lines, 3=5571
Esaki,L. and Heer,J. Non-linear magnetoresistance due to electron—phonon interaction in Bi and Bi—Sb alloys at low temperature, 3=10803
Esaki,L. and Heer,J. Direct determination of the scattering time in bismuth and antimony—bismuth crystals at low temperatures, 3=10809
Esbitt,A.S. and Wilson,E.B., Jr. Relative intensity measurements in microwave spectroscopy, 3=22000
Esbitt,A.S. See Cox,A.P., 3=12854
Escaig,B. Emission and absorption of point defects by extended dislocations, 3=20158
Esch,L.J. Temperature dependence of the neutron transport cross section in polyethylene and paraffin, 3=19648
Eschbach,E.A. and Goldsmith,S. Using plutonium in thermal reactors, 3=22459
Escobar,I. See Hersil,J., 3=4507
Escoubès,B., Fedrighini,A., Goldschmidt-Clermont,Y., Guinea-Moorehead,M., Hofmokl,T., Lewisch,R., Morrison,D.R.O., Schneeberger,M., de Unamuno,S., Dehne,H.C., Lohrmann,E., Raubold,E., Söding,P., Teucher,M.W. and Wolf,G. Elastic scattering and polarization in 3·0 and 3·6 GeV/c antiproton—proton collisions, 3=19630
Esel'son,B.N.,Ivantsov,V.G. and Shvets,A.D. λ-point of concentrated He^3—He^4 solutions, 3=5567
Esel'son,B.N.,Ivantsov,V.G. and Shvets,A.D. Surface tension of He^3—He^4 solutions, 3=24131
Esel'son,B.N., Lazarev,B.G. and Shvets,A.D. A simple cryostat with He^3, 3=3936
Esel'son,B.N.,Shvets,A.D. and Bereznyak,N.G. An apparatus for obtaining the temperatures down to 0·3°K by means of He^3, 3=1879
Esel'son,B.N.,Shvets,A.D. and Bereznyak,N.G. An apparatus for obtaining temperatures down to 0.3°K using helium-3, 3=12012
Esel'son,B.N. See Bereznyak,N.G., 3=16854
Esenski,B. and Khartmann,Ė. Growth and mechanical properties of NaCl whiskers, 3=20804
Eshbach,J.R. Spin-wave propagation and the magneto-elastic interaction in yttrium iron garnet, 3=15889
Esin,O.A. See Dubinin,É.L., 3=20912
Esin,O.A. See Dubinin,E.L., 3=23905
Esin,O.A. See Mysikhin,V.I., 3=5431
Esin,V.A. See Dubinin,É.L., 3=3816
Esin,V.O. and Kralina,A.A. X-ray diffraction analysis of the influence of crystallite growth rate and orientation on the degree of perfection of aluminium bicrystals, 3=11223
Eskin,L.D. See Valiev,K.A., 3=15329
Éskin,V.E. See Tsvetkow,V.N., 3=21353
Eskind,N.A. and Mark,H. Mesh size effects in alpha-particle backscattering, 3=8991
Espenscheid,W.F. See Matijevic,E., 3=13626
Espiard,J. See Bayle,A., 3=7341
Espinosa,A.F.,Sutton,G.H. and Miller,H.J. A transient technique for seismograph calibration, 3=1414
Espinosa,G.P. Crystal chemical study of the rare-earth iron garnets, 3=3282
Espinosa,G.P. See Geller,S., 3=3129
Espinosa,G.P. See Geller,S., 3=20620
Espinosa,G.P. See Geller,S., 3=23191
Essam,J.W. and Fisher,M.E. Pade approximant studies of the lattice gas and Ising ferromagnet below the critical point, 3=11041
Essam,J.W. and Sykes,M.F. The crystal statistics of the diamond lattice, 3=12898
Essam,J.W. See Sykes,M.F., 3=11734
Essen,L. See Hill,J.J., 3=9689
Essmann,U. Dislocation array in plastically deformed copper single crystals, 3=15496
Essmann,U. and Kronmüller,H. Statistical determination of "dislocation arrangement from surface relicas of slip lines" as applied to work hardening theories, 3=20720
Esten,M.J. See Jauneau,L., 3=12511
Esten,M.J. See Jauneau,L., 3=19708
Esterling,R.J. See Auerbach,L.B., 3=22160
Esterling,R.J. See Rose,D.J., 3=406
Esterowitz,L. Rotational transitions and centrifugal distortion in the u.h.f. spectrum of formaldehyde, 3=25124
Estin,A.J. See Barger,R.L., 3=6290
Estoque,M.A. Vertical and radial motions in a tropical cyclone, 3=6956
Estoque,M.A. A numerical model of the atmospheric boundary layer, 3=13655

Estrada,L. and Feshbach,H. Resonance and direct gamma ray interactions, 3=22362
Estulin,G.V.,Egorshina,T.V. and Burova,N.N. Phase composition of oxides niobium-base alloys, 3=11287
Estulin,G.V. See Maslenkov,S.B., 3=18351
Estulin,I.V., Kalinkin,L.F. and Melioranskii,A.S. Measurement of $\gamma-\gamma$ coincidences in the reaction Ag^{107} (n, γ)Ag^{108}, 3=15215
Estulin,I.V. See Kalinkin,L.F., 3=6272
Estulin,I.V. See Kalinkin,L.F., 3=12600
Estulin,I.V. See Petushkov,A.A., 3=6207
Étiévant,C. and Perulli,M. Presenting evidence of an interaction between two interpenetrating beams in a magnetic field, 3=7641
Ettinger,K.W. and Mościcki,W. Observation of thermoelectrons by means of Geiger—Müller counters, 3=2015
Ettinger, R. Infrared spectrum of chlorodifluoramine, $ClNF_2$, 3=17585
Ettinger,R. See Paulett,G.S., 3=24216
Ettinger,S.Y. and Venezia,A.C. High voltage pulse measuring system based on Kerr effect, 3=12044
Etzion,M. See Rozen,S., 3=5614
Eubank,H.P. and Wilkerson,T.D. Ion energy analyzer for plasma measurements, 3=7588
Eubank,H.P. and Wilkerson,T.D. Further studies of plasma motion in a curved magnetic field, 3=19267
Eulitz,G.W. Sensitive tritium counting with a propane proportional counting system, 3=25857
Euwema,R.N. See Royce,B.S.H., 3=22730
Evans,D. See Fisher,C.M., 3=8060
Evans,D.A. and Landsberg,P.T. Recombination statistics for Auger effects with applications to p—n junctions, 3=13090
Evans,D.E. The energy distribution below 1 GeV/nucleon of the multiply charged particles of the cosmic rays, 3=7957
Evans,D.F. Relative signs of fluorine n.m.r. spin coupling constants by double irradiation, 3=15377
Evans,D.S. A pulsating auroral-zone x-ray event in the 100-second period range, 3=11455
Evans,D.S. See Anderson,K.A., 3=16237
Evans,D.S. See Anger,C.D., 3=13813
Evans,D.S. See Anger,C.D., 3=23631
Evans,D.S. See Atkins,G.R., 3=3564
Evans,D.S. See Brown,R.R., 3=23630
Evans,E.H. See Swanson,H.E., 3=18324
Evans,F. and Smith,W. Cross-current transfer processes in the non-steady state, 3=7367
Evans,G.R. and Watson,A.A. Production of hypersensitive condensation nuclei, 3=3933
Evans,H.C. Photoproduction of negative pions in deuterium, 3=4424
Evans,J.A. See Brown,G.E., 3=19746
Evans,J.E. Proton polarization in the reaction $O^{16}(d,p)O^{17*}$ (0.87 MeV), 3=22421
Evans,J.E.,Kuehner,J.A. and Almqvist,E. Study of the $C^{12}(d,p)C^{13}$ reaction mechanism: polarization and (d,pγ) correlations, 3=22422
Evans, J.E.,Kuehner,J.A.,Litherland,A.E. and Almqvist,E. Spin—parity combinations for levels in Mg^{24} and Si^{28}, 3=19771
Evans,J.H. and Venables,J.H. Remote metallography in the metallurgy division at A.E.R.E., 3=1360
Evans,J.V. "A lunar theory reasserted"—a rebuttal, 3=9263
Evans,J.V. Diurnal variation of the temperature of the F region, 3=11443
Evans,J.V. and Pettengill,G.H. The scattering behavior of the Moon at wavelengths of 3.6 and 784 centimeters, 3=11598
Evans,J.W. A birefringent monochromator for isolating high orders in grating spectra, 3=7345
Evans,J.W.,Main,P.,Michard,R. and Servajean,R. Correlations in the time variations of macroscopic inhomogeneities in the solar atmosphere, 3=11532
Evans, J.W. and Michard, R. Observational study of macroscopic inhomogeneities in the solar atmosphere. II. Brightness fluctuations in Fraunhofer lines and the continuum, 3=3565
Evans, J.W. and Michard, R. Observational study of macroscopic inhomogeneities in the solar atmosphere. III. Vertical oscillatory motions in the solar photosphere, 3=3566
Evans,J.W. See Aly,M.K., 3=3577
Evans,J.W. See Aly,M.K., 3=18638
Evans,L.F. See Edwards,G.R., 3=8806
Evans,M.D. See Gabrysh,A.F., 3=3072
Evans,M.W. See Goettelman,R.C., 3=20091
Evans,P.E. Electrical resistance measurements in inhomogeneous lamellae, 3=22900
Evans,P.E. and Davies,T.J. Aluminium nitride whiskers, 3=8812
Evans,P.P.V.,Weinberg,A.F. and Van Thyne,R.J. Irradiation hardening in columbium niobium ,3=11169
Evans,R.B, III, Watson,G.M. and Truitt,J. Interdiffusion of gases in a low-permeability graphite. II. Influence of pressure gradients, 3=16652
Evans,R.B., III. See Mason,E.A., 3=14200
Evans,T. Decomposition of calcium fluoride and strontium fluoride in the electron microscope, 3=21004
Evans,T.and Phaal,C. Imperfections in type I and type II diamonds, 3=2783
Evans,T. and Phaal,C. Transmission electron microscopy of diamond, 3=17731
Evans,W.W. See Hunt,S.E., 3=9885
Evdokimenko,V.I. See Kripyakevich,P.I., 3=20837
Evdokimova,V.V. and Vereshchagin,L.G. A polymorphic transition in NaCl, 3=6811
Evdokimova,V.V. and Vereshchagin,L.F. Polymorphic transition in sodium chloride under pressure, 3=16015
Everett,A.E. One-pion exchange model and evidence that the spin of the ζ is even, 3=605
Everett,A.E. Erratum: One-pion-exchange model and evidence that the spin of the ζ is even, 3=7915
Everett,G.E. Cyclotron resonance measurements in bismuth, 3=4852
Everhart,E. See Morgan,G.H., 3=709
Everhart,T.E. See Bevc,V., 3=2129
Everitt,C.W.F.,Atkins,K.R.and Denenstein,A. Detection of third sound in liquid helium films, 3=318
Everling,F. Relationships between states of nuclei with constant neutron excess, 3=10242
Evett,A.A. Relativistic rigid-body translations, 3=14005
Evett,A.A. Examples of relativistic rigid-body translations, 3=14006
Evrard,P. See Waelbroeck,F., 3=12207
Evseev,A.M. See Voronin,G.F., 3=15399
Evseev,Z.Ya. and Tolpygo,K.B. Wave function and energy of a NaCl crystal with an excess electron, 3=22679
Evstrop'ev,K.K. and Tsekhomskii,V.A. Effect of an alkali oxide on the electronic conductivity of glasses containing iron, 3=22936
Evteev,V.L. See Demina,N.V., 3=22162
Evtuhov,V. Landau levels in the valence bands of diamond-type semiconductors, 3=10761
Evtushenko,L.A. and Levitin,R.Z. Anomalies in the modulus of elasticity in shear of the antiferromagnetic materials MnO, CoO and Cr_2O_3, 3=6774
Ewald,A.H. and Hamann,S.D. Double refraction of water and some other liquids in strong shock waves, 3=7205
Ewald,A.W. See Lindquist,R.E., 3=6640
Ewald,P.P. The origin of the dynamical theory of X-ray diffraction, 3=3287
Ewald,P.P. See Bienenstock,A., 3=8816
Ewald,P.P. See Bienenstock,A., 3=13426
Ewan,G.T. See Baba,C.V.K., 3=8043
Ewan,G.T. See Baba,C.V.K., 3=15116
Ewan,G.T. See Baba,C.V.K., 3=15117
Ewanizky,T. See Theissing,H.H., 3=19476
Ewart,T.E. See Davis,H.F., 3=24757
Ewart,T.E. See Masek,G.E., 3=10140
Ewbank,W.B. and Shugart,H.A. Hyperfine-structure measurements on silver-105, 3=8191
Ewertz, H. Obtaining the radiation-dose-level at the water surface in the tank of the research-reactor Merlin, 3=4690
Ewing,B. See Pierce,C., 3=6888
Ewing,C.T. See Walker,B.E., 3=1861
Ewing,G.E. Infrared spectra of liquid and solid carbon monoxide, 3=1693
Ewing,J.I. See Bryan,G.M., 3=11386
Ewing,V.C. and Sutton,L.E. Investigation by electron diffraction of the molecular structures of sulphur hexafluoride, sulphur tetrafluoride, selenium hexafluoride and selenium tetrafluoride, 3=25113
Exton,R.J. See Jefimenko,O., 3=22478

Eycott,A.J. See Howlett,B.W., 3=25764
Eyfrig,R. Non-seasonal variation in the E-layer ionization, 3=6984
Eyfrig,R.W. The effect of the magnetic declination on the F2 layer, 3=23622
Eyfrig,R.W. The effect of the magnetic declination on the F_2 layer, 3=23623
Eyges,L. New method for calculating molecular orbitals with application to cyclic systems, 3=2601
Eyges,L. Exchange energy fo an electron gas in a periodic potential, 3=15474
Eyraud,L.,Malécot,G.,Richard,M. and Goutte,R. Elastic energy and ferroparaelectric transition, 3=6816
Eyraud,L., Malecot,G., Richard,M. and Goutte,R. Elastic energy in a sintered material undergoing a phase transformation, 3=20769
Eyraud,L. See Richard,M., 3=8792
Eyre,B.L. Observations of slip bands in irradiated pure iron, 3=809
Eyre,B.L. Direct observations of neutron irradiation damage in α-iron, 3=8477
Eyre, B.L. and Williamson, G.K. Neutron irradiation damage in pure iron, 3=17702
Eyring,H. The transmission coefficient in reaction rate theory, 3=6909
Eyring,H. See Gabrysh,A.F., 3=3072
Eyring,H. See Gabrysh,A.F., 3=11362
Eyring,H. See Gabrysh,A.F., 3=23129
Eyring,H. See Henderson,D., 3=11783
Eysel,W. See Hahn,T., 3=23373
Ezawa,H.,Muta,T. and Umezawa,H. An approach to the elementarity of particles, 3=19544
Ezoe,H., Hayashi,T. and Nagai,K. Industrial mass spectrometer, 3=2054
Ezoe,H.,Hayashi,T. and Nagai,K. Industrial mass spectrometer, 3=12260
Ezoe,H. and Nakagawa,S. A method to measure or control magnetic field intensity by means of a cathode-ray tube. II, 3=2077

Fa Yueh Wu and Feenberg,E. Theory of the Fermion liquid, 3=77
Fa Yueh Wu. See Yueh Wu,Fa.
Fabelinskiĭ,I.L. Some results of the experimental study of the fine structure of Rayleigh scattering lines in liquids of various viscosities, 3=18814
Faber,T.E. Nuclear quadrupole interaction in liquid gallium, 3=23915
Faber,T.E. See Bradley,C.C., 3=143
Fabian,B.N., Place,R.L., Riley,W.A., Sims,W.H. and Kenney,V.P. Density of particle tracks in the hydrogen bubble chamber, 3=14836
Fabre,E. and Herman,L. Measurement of the temperature and the conductivity in the column of a spark, 3=1948
Fabri,E. and Fiorio,G. Charge superselection arising from random electromagnetic interactions, 3=12399
Fabri,E. See Barsella,B., 3=72
Fabri, G, Gatti, E. and Svelto, V. Energy for electron–hole pair generation in silicon by α-particles, 3=17677
Fabri,G.,Germagnoli,E.,Poletti,G. and Randone,G. A simple method for measuring the probability of three-quantum annihilation, 3=24709
Fabri,G.,Germagnoli,E. and Randone,G. Decay of positronium in teflon, 3=4380
Fabri,G.,Germagnoli,E. and Randone,G. Positronium decay in teflon. Influence of lattice transitions, 3=10636
Fabri,G. See Cavalleri,G., 3=12374
Fabrikant,W.A. Regarding Bouguer's law, 3=9597
Fabrikov,V.A.,Gushchina,Z.M. and Kudryavtsev,V.D. Ferrites with high saturation magnetization and a narrow resonance absorption line at microwave frequencies, 3=8687
Fabrikov,V.A.,Kozlov,V.I.,Kadeev,V.T. and Kudryavtsev,V.D. Experimental investigation of the effects in yttrium ferrite single crystals associated with nutational oscillations of the magnetization of the material under conditions of ferromagnetic resonance, 3=6738
Facchini,U. Recent results on nuclear reactions, 3=12647
Facchini,U. Nuclear evaporation, 3=12652
Facchini,U.,Saetta-Menichella,E.,Tonolini,F. and Tonolini,L. Statistical model calculations of (n,α) cross-sections induced by 14 MeV neutrons, 3=10365
Facchini,U. See Colli,L., 3=2473
Facchini,U. See Erba,E., 3=2426
Fache,J. Emission spectrum of HeNe, 3=12822
Facy,L.,Merlivat,L.,Nief,G. and Roth,E. The study of the formation of a hailstone by means of isotopic analysis, 3=25885
Facy,L. See Brun,E.A., 3=5458
Faddeev,L.D. See Minlos,R.A., 3=3751
Faddeyev,L.D. The inverse problem in the quantum theory of scattering, 3=7123
Faddeev,L.D. The construction of the resolvent of the Schrödinger operator for a three-particle system, and the scattering problem, 3=21244
Fadeev,V.I. See Komar,A.P., 3=8143
Fadin,V.P., Panin,V.E. and Dudarev,E.F. Nature of the change in the constitution of Cu–Al solid solutions as a result of heat treatment, 3=20868
Fadin,V.P. See Panin,V.E., 3=5132
Fadin,V.P. See Panin,V.E., 3=18349
Faelens,P.A. and Tavernier,B.H. On the mechanism of the antifogging and sensitizing action of noble metal salts on photographic emulsion, 3=11952
Faessler, A. The bond character of silicon carbide and the isoelectronic compounds with semiconductor properties, 3=2688
Fafiotte,M. See Barbier,D., 3=5223
Fägerquist,U. See Astner,G., 3=19798
Faget,J., Fagot,M., Ferré,J. and Fert,C. Phase contrast in the electron microscope, 3=19349
Faget,J. See Fert,C., 3=440
Fagot,J. See Nifenecker,H., 3=19892
Fagot,M. See Faget,J., 3=19349
Fagot,M. See Fert,C., 3=440
Fahleson,U. See Angerth,B., 3=12118
Fahlman, A., Hörnfeldt, O. and Nordling, C. Photo electron measurements of L levels in the elements strontium (Z=38) to palladium (Z=46), 3=2590
Fahlman,A. See Hörnfeldt,O., 3=2592
Fahmy,H. See El Nadi,M., 3=12659
Fahrig,R.H. Growth of cadmium oxide crystals, 3=11227
Fährmann,K. See Albert,D., 3=25018
Faidysh,A.N. See Zima,V.L., 3=20533
Failovszky,L. Application of a differential method and of compensation calculations to the fine correction of optical systems, 3=14318
Fain,V.M. Quantum theory of relaxation processes, 3=5372
Fain,V.M. Susceptibility of ferro- and antiferromagnetic chains, 3=11040
Fain,V.M. and Khanin,Ya.I. Self-excitation conditions of a laser, 3=2141
Fain,V.M. See Genkin,V.N., 3=3161
Fain,V.M. See Ginzburg,V.L., 3=6445
Fainberg,V.Ya. The causality conditions in quantum theory, 3=4314
Fainberg,Ya.B. The interaction of charged particle beams with plasma, 3=9779
Fainberg,Ya.B. See Berezin,A.K., 3=9780
Fainzil'ber,A.M. New similarity integrals in heat and mass transfer processes, 3=1847
Fairbairn,W.M. The Coulomb energies of the lower excited levels in the light mirror nuclei, 3=22284
Fairbairn,W.M. See Bell,G.M., 3=6450
Fairbank,H.A. Properties of He^3 at pressure near the minimum in the melting curve, 3=314
Fairbank,H.A. See Strongin,M., 3=5564
Fairbanks,H.V. Effect of insonation during the precipitation-
Fairchild,C.E.,Prag,A.B. and Clark,K.C. Ultraviolet spectra of the nitrogen pink afterglow, 3=22485
Fairchild,W.W. See Coxell,H., 3=19717
Fairhall,A.W. See Hower,C.O., 3=2048
Fairhall,A.W. See Neuzil,E.F., 3=10398
Fairlie,D.B. An inequality in Feynman integrands, 3=4343
Fairlie,D.B. Acnodes on unphysical sheets, 3=17205
Fairlie,D.B.,Landshoff,P.V.,Nuttall,J. and Polkinghorne,J.C. Physical sheet properties of second type singularities, 3=4351
Fairstein,E. Noise and discriminator bias, 3=16891

Faissner,H.,Ferrero,F.,Ghani,A.,Heer,E.,Krienen,F., Muratori,G.,Novey,T.B.,Reinharz,M. and Salmeron,R.A. The CERN neutrino spark chamber, 3=24690

Faissner,H., Ferrero,F., Ghani, A., Krienen,F., Novey,T.B. and Reinharz,M. Spark chamber efficiency for electron shower detection, 3=17141

Faissner,H, Ferrero,F, Ghani,A. and Reinharz,M. Performance of large liquid scintillation counters, 3=17100

Faissner,H.,Ferrero,F.,Ghani,A. and Reinharz,M. New scintillation liquids, 3=21380

Faissner,H. and Wildermuth,K. Some predictions of the cluster model of nuclear fission, 3=687

Faivilevich,G.A. See Ravdel',M.P., 3=3315

Faivre,J.C. See Barloutaud-Crut,M., 3=24864

Faivre,R. See Bigot,R., 3=7371

Faivre,R. See Collot,C., 3=8888

Faivre,R. See Collot,C., 3=8894

Faivre,R. See Collot,C., 3=16100

Faivre,R. See Degois,M., 3=6858

Faizullov,F.S. See Krindach,N.I., 3=19987

Fajans,J. See Neidhardt,W.J., 3=312

Fakidov,I.G. and Znamenskii,B.V. Magnetic properties of the polycrystalline alloy Cu + 22·8 at.% Mn, 3=4997

Fakidov,I.G. See Davidenko,N.I., 3=25532

Fakidov,I.G. See Levina,S.S., 3=13028

Fakidov,I.G. See Levina,S.S., 3=15775

Fakidov,I.G. See Rustamov,A.G., 3=20336

Fakidov,I.G. See Zavadskii,É.A., 3=2887

Fakidov,I.G. See Zavadskii,É.A., 3=3136

Fakidov,I.G. See Zavadskii,É.A., 3=6581

Fakidov, I.G. See Zavadskii, É.A., 3=17958

Fakidov,I.G. See Znamenskii,B.V., 3=8694

Fakidov,I.G. See Znamenskii,B.V., 3=13031

Fakidov,I.G. See Znamenskii,B.V., 3=25506

Falaleev,G.A. See Zaikova,V.A., 3=11077

Falckenberg,H.R. and Schumacher,B.W. The possibilities for gas density gauging by single scattering of electrons, 3=3820

Falconer,W.E.,Rabinovitch,B.S. and Cvetanović,R.J. Unimolecular decomposition of chemically activated propyl radicals. Normal intermolecular secondary kinetic isotope effect, 3=20993

Falconer,W.E. See Morton,J.R., 3=25136

Falcoz,A. See Beurtey,R., 3=10374

Faler,K.T. and Tromp,R.L. Variation in U^{235} mass yields at neutron energies below 0.5 eV, 3=22437

Falicov, L.M. The band structure and Fermi surface of magnesium, 3=781

Falicov,L.M. and Cohen,M.H. Spin-orbit coupling in the band structure of magnesium and other hexagonal-close-packed metals, 3=10626

Falicov, L.M. See Gibbons,D.F., 3=10623

Falicov, L.M. See Pascual,P., 3=14051

Falicov, L.M. See Priestley,M.G., 3=20155

Falk,D.S. Equivalence of the Brysk approximation and the determinantal method, 3=11702

Falk,T.J. and Turcotte,D.L. Current-layer diffusion in a one-dimensional pinch, 3=1989

Falk,T.J. and Turcotte,D.L. Reply to comments by Probstein and Fay, 3=14588

Fal'kovich,S.V. Plane transonic gas flows with singularities on

Falkovskii,L.A. See Abrikosov,A.A., 3=2746

Falkowski,K. See Gajewski,W., 3=19853

Fallah,E. and Coelho,R. Contribution to the study of the electrical properties of irradiated polythene, 3=10866

Falnes,J. See Bakken,J.A., 3=19238

Falomkin,I.V.,Filippov,A.I.,Kulyukin,M.M.,Pontekorvo,B., Scherbakov,Yu.A.,Sulyaev,R.M.,Tsupko-Sitnikov,V.M. and Zaimidoroga,O.A. Measurement of the $\mu^- + He^3 \to H^3 + \nu$ reaction rate: Final results, 3=7881

Falomkin,I.V. See Lyapidevskii,V.K., 3=16044

Falomkin,I.V. See Zaimidoroga,O.A., 3=7883

Falomkin,I.V. See Zaimidoroga,O.A., 3=24770

Falta,W. Some new developments in instrument accessories for molecular spectroscopy, 3=18990

Fälthammar,C.G. See Alfven,H., 3=12198

Fam Zui Khien [Pham Zuy Hien],Shapiro,V.G. and Shpinel,V.S. Resonance scattering of γ-quanta in Te^{125}, 3=6145

Fam Zui Khien [Pham Zuy Hien] and Shpinel',V.S. Dependence of the γ-quantum resonance absorption spectrum on crystal temperature, 3=22628

Fam Zui Khien. See Alekseevskii,N.E., 3=2700

Fam Zui Khien. See Bykov,G.A., 3=2701

Fan,H.Y. See Johnson,E.H., 3=10948

Fan,H.Y. See Kravchenko,A.F., 3=10817

Fan,H.Y. See Nisenoff,M., 3=2849

Fan,H.Y. See Ramdas,A.K., 3=23076

Fanaki,F.H. See Hay,D.R., 3=13687

Fanchenko,C.D. See Demidov,B.A., 3=16913

Fand,R.M. Mechanism of interaction between vibrations and heat transfer, 3=5545

Fand,R.M. and Cheng,P. The influence of sound on heat transfer from a cylinder in crossflow, 3=21582

Fane,R.W. and Goss,A.J. The diffusion of tin and selenium in gallium arsenide, 3=22809

Fang,P. See Bertaut,F., 3=13119

Fang,P.H. Size-dependent spin relaxation time, 3=8720

Fang,P.H. The spin lattice relaxation time of some paramagnetic dispersions, 3=23241

Fang,P.H. and Brower,W.S. Dielectric constant of Cr$_2$O$_3$ crystals, 3=8548

Fang,P.H. and Brower,W.S. A note on domain conversions of BaTiO$_3$, 3=13115

Fang,P.H. and Stegun,I.A. Ferroelectric switching and the Sievert integral, 3=10875

Fang,S.H. See Givens,W.W., 3=24862

Fanguin,R. See Raoult,G., 3=24473

Fankuchen,I. See Yakel,H.L., 3=3285

Fano,G. and Sawicki,J. A note on the second random-phase approximation for the superconducting state. I, 3=12024

Fano,G.,Sawicki,J. and Tomasini,A. Pairing energies in spherical and deformed nuclei, 3=22263

Fano,U. Pressure broadening as a prototype of relaxation, 3=16663

Fano,U.,Prats,F. and Goldschmidt,Z. Interaction matrix element in a shell model, 3=10210

Fano,U. See Cooper,J.W., 3=19928

Fanselau,G. See Böhme,A., 3=18527

Fanucci,J.B. See Ness,N., 3=21776

Faracci,H. See Barloutaud-Crut,M., 3=24864

Farago,P.S.,Gardiner,R.B.,Muir,J. and Rae,A.G.A. Direct measurement of the g-factor anomaly of free electrons, 3=24691

Farago,P.S. See Bay,Z., 3=21512

Farber,M. See Blauer,J., 3=23538

Farbshtein,I.I. See Parfen'ev,R.V., 3=22953

Farfaletti Casali, F. See Caglioti, G., 3=2281

Farhan,F.M. See Flood,E.A., 3=20937

Farhat,N.H. Electron temperature dependence of the recombination coefficient in neon, 3=24222

Farkas,I.F. Relativistic equation of motion for a charged particle with spin and magnetic moment. I. Translational equation of motion, 3=5913

Farkas,I.F. Relativistic equation of motion for a charged particle with spin and magnetic moment. II. Equation of motion of spin, 3=5914

Farley,D.T.,Jr. Artificial heating of the electrons in the F-region of the ionosphere, 3=11442

Farley D.T.,Jr. Two-stream plasma instability as a source of irregularities in the ionosphere, 3=23608

Farley,D.T.,Jr. See Ochs,G.R., 3=16226

Farley,F.J.M.[Ed.]. Instrumentation for high-energy physics, 3=12363

Farley,T.A. The growth of our knowledge of the earth's outer radiation belt, 3=16283

Farmer,B.J. See Cramer,J.G.,Jr., 3=580

Farnell,G.C. and Chanter,J.B. Latent-image distribution and development rate in the solarization and re-reversal regions, 3=14383

Farnell,G.C. and Flint,R.B. Structural disorder in photolytic silver, 3=20199

Farnell,G.C. and Powell,P.G. The factors determining photographic response, 3=11944

Farnell,G.C. See Powell,P.G., 3=9630

Farnsworth,H.E. The formation of Ni$_3$O in single crystals, 3=18264

Farnsworth,H.E.,Marsh,J.B. and Toots,J. Surface structures of atomically clean diamond and cleaved (111) germanium, 3=11312

Farone,W.A. See Kerker,M., 3=19447
Farr,J.P.G. See Brownsword,R., 3=1271
Farrar,R. A comparison of different methods of particle size analysis, 3=23825
Farren,J. See Barber,M., 3=21441
Farren,J. See Barber,M., 3=21902
Farrow,E.,Gauld,C.F.,McCusker,C.B.A.,Malos,J.,Nishikawa,K., Peak,L.S. and van Loon,L.G. Nuclear interactions of the secondary particles of high-energy cosmic-ray "jets", 3=19724
Faruk,M.A. See Endzsheets,G., 3=13020
Farztdinov,M.M. Effect of g-factor anisotropy on the properties of ferromagnetics, 3=8659
Fasana,A. See Bisi,A., 3=22101
Fast,G. and Hagedorn,R. Large-angle elastic scattering at high energies treated by a statistical model, 3=7794
Fast,G.,Hagedorn,R. and Jones,L.W. A statistical interpretation of large-angle elastic scattering, 3=7909
Fast J.D. See van Ooijen D.J. 3=10721
Fast,J.F. See Enz,U., 3=11050
Fastov,N.S. Thermodynamics of the irreversible processes of elastic deformation, 3=3207
Fastrup,B. An experimental method for determining the epithermal neutron spectrum inside a reactor, 3=25026
Fateeva,L.N. See Dmitriev,I.S., 3=712
Fateeva,L.N. See Teplova,Ya.A., 3=5722
Fatehally,R. The Mössbauer effect in solid state physics, 3=25170
Fatmi,H.A. A new thermionic generator with ion injection, 3=7421
Faucher,J.A. Some integrals occurring in the theory of rubber viscosity, 3=11166
Faucher,J.A. and Kegeles,G. Flotation equilibrium in the ultracentrifuge, 3=6932
Faughnan, B.W. See Baicker, J.A., 3=912
Faughnan,B.W. See Dousmanis,G.C., 3=10773
Faulkner,E.A. and Holman,A. A variable-coupling cavity for electron spin resonance measurements, 3=9959
Faulkner,E.A. and Lomer,J.N. Electron spin resonance in electron-irradiated diamond, 3=6746
Faulkner,J., Griffiths,K. and Hoyle,F. On the Hayashi effect in the early phases of gravitational contraction of the sun, 3=21104
Fauré,M.M. See Beurtey,R., 3=10374
Faust,J.W.,Jr. Dislocations and the nucleation of oxidation of Ge, 3=25276
Faust,J.W.,Jr,Sagar,A. and John,H.F. Molten metal etches for the orientation of semiconductors by optical techniques, 3=3263
Faust,W.L. and Chow Chiu,L.Y. Hyperfine structure of the metastable $(4p)^5(5s)^3P_2$ state of $_{36}$Kr^{83}, 3=8186
Faust,W.L, McFarlane,R.A, Patel,C.K.N. and Garrett,C.G.B. Gas maser spectroscopy in the infrared, 3=17075
Faust,W.L. See McFarlane,R.A., 3=6258
Faust,W.L. See McFarlane,R.A., 3=14806
Faust,W.L. See Patel,C.K.N., 3=9507
Faust,W.L. See Patel,C.K.N., 3=17074
Faust,W.R. and Anderson,A.D. Penetration and diffusion of a beam of radiation, 3=81
Faust,W.R. See Kolb,A.C., 3=12159
Faustov,R.N. See Arbuzov,B.A., 3=4347
Faustov,R.N. See Arbuzov,B.A., 3=6086
Faustov, R.N. See Arbuzov,B.A., 3=14891
Faustov,R.N. See Arbuzov,B.A., 3=22087
Faustov,R.N. See Arbuzov,B.A., 3=22193
Fawcett, E. and Griffiths, D. The Fermi surface areas of chromium, molybdenum and tungsten, 3=2757
Fawcett, E. and Reed, W.A. Multiple connectivity of the Fermi surface of nickel from its magnetoresistance anisotropy, 3=4842
Fawcett,E. and Reed,W.A. Effects of compensation on the galvanomagnetic properties of nonmagnetic and ferromagnetic metals, 3=25330
Fawcett,E. and Walsh,W.M.,Jr. Cyclotron resonance in tungsten, 3=2777
Fawcett,E. See Walsh,W.M.,Jr, 3=22692
Fawcett,W. The electric field in crystals. II. The refractivities of anatase and brookite, 3=20052
Fay,H. and Hintz,E. Transient phenomena connected with the operation of large low inductance capacitor banks, 3=12046
Fay,H. See Beerwald,H., 3=12164
Fay,J.A. See Probstein,R.F., 3=14587
Fayard,M. and Béhot,F. Observation of dissociated dislocations in an iron–nickel alloy, 3=17767
Fayyazuddin, See Riazuddin. 3=10165
Fazio, G.G. See Duthie, J.G., 3=17363
Fazio,G.G. See Melissinos,A.C., 3=6034
Fazzini,T. See Amaldi,U., Jr, 3=24717
Fea,G. and Gazzola,A. Transport and large-scale diffusion phenomena in the troposphere demonstrated by radioactive tracers, 3=1431
Fea,G. See Cialdea,R., 3=1518
Fea, K. Explorer nine and Midas three, 3=3631
Fea,K. Astronautics in school, 3=11660
Feakes,F. See Torney,F.L.,Jr, 3=23951
Feast,M.W. Line weakining and metal deficiency in Mira type variables, 3=11567
Featherston,F.H. and Neighbours,J.R. Elastic constants of tantalum, tungsten, and molybdenum, 3=13325
Febel, A. and Knop, G. Angular dependence of the Bremsstrahlung energy loss of 1 MeV electrons, 3=17699
Fechner,B. Paramagnetic susceptibility of ferrimagnetic and antiferrimagnetic systems. I. General part, 3=20562
Fedele,D. Spectroscopic determination of precipitable water, 3=1434
Feder,H.M. See Cafasso,F.A., 3=13237
Feder,R. See D'Heurle,F.M., 3=22739
Federbush,P.G. and Grisaru,M.T. The high energy behavior of scattering amplitudes in perturbation theory. I, 3=17227
Federbush,P.G. and Grisaru, M.T. The high energy behavior of scattering amplitudes in perturbation theory. II, 3=17228
Federighi,F.D. See Goldman,D.T., 3=19908
Federighi,F.D. See Ombrellaro,P.A., 3=25003
Federighi,T. The concept of ideal pre-precipitation in supersaturated solid solutions, 3=8910
Federighi,T. and Ceresara,S. Enhanced pre-precipitation rate in Al–Zn 10% alloy by plastic deformation at 78° K, 3=20896
Federighi,T. See Gelli,D., 3=4868
Federighi,T. See Panseri,C., 3=15976
Federighi,T. See Panseri,C., 3=20167
Federighi,U. See Brocchieri,F.B., 3=21137
Fedin,E.I. See Uo,Dzh.S.[Waugh,J.S.], 3=15417
Fedorchenko,A.M. Conversion of a transverse electromagnetic wave into a longitudinal wave at a dielectric-plasma boundary, 3=9956
Fedorchenko,V.D.,Rutkevich,B.N.,Muratov,V.I. and Chernyi,B.M. Low frequency oscillations of plasma in a magnetic field, 3=9823
Fedorenko,A.I. See Palatnik,L.S., 3=8895
Fedorenko,N.V.,Il'in,R.N. and Solovjov,E.S. Ionization of molecular hydrogen by fast hydrogen atoms, 3=7427
Fedorenko,N.V. See Afrosimov,V.V., 3=365
Fedorenko,N.V. See Flaks,I.P., 3=366
Fedorenko,N.V. See Flaks,I.P., 3=2583
Fedorenko,N.V. See Flaks,I.P., 3=7426
Fedorenko,N.V. See Solov'ev,E.S., 3=5620
Fedorov, F.I. Theory of quasi-transverse elastic waves in crystals, 3=17655
Fedorov,F.I., Bokut',B.V. and Konstantinova,A.F. Optical activity of crystals of the planar classes of the middle groups, 3=20447
Fedorov,F.I. and Goncharenko,A.M. Propagation of light along the circular optic axes of absorbing crystals, 3=15648
Fedorov,F.I. and Petrov,N.S. Special case of nonuniform electromagnetic waves in transparent crystals, 3=15645
Fedorov,F.I. See Goncharenko,A.M., 3=15649
Fedorov,F.I. See Goncharenko,A.M., 3=23031
Fedorov,G.V. See Palatnik,L.S., 3=1366
Fedorov,G.V. See Palatnik,L.S., 3=8895
Fedorov,G.V. See Volkenshtein,N.V., 3=841
Fedorov,N.D. See Afanas'ev,I.I., 3=4206
Fedorov,N.D. See Babichev,A.P., 3=21913
Fedorov,N.O. See Afanasev,I.I., 3=21892
Fedorov, V.B. See Prokhorov, A.M., 3=18117
Fedorov,V.M. See Vavilov,Yu.M., 3=22239
Fedorov,V.V. See Klepikov,N.P., 3=14928

Fedorova,E.O. See Kozlov,V.P., 3=18509
Fedorova,E.O. See Sholokhova,E.D., 3=18510
Fedorova,G.A. See Lyubin,V.M., 3=15629
Fedorova,M.P. See Gaevskaya,G.N., 3=21609
Fedorova,M.P. See Kondrat'ev,K.Ya., 3=23567
Fedorova,M.R. See Kondrat'ev,K.Ya., 3=23569
Fedorova,N.I. Twilight fluorescence of helium emission λ 10830 A, 3=3510
Fedorovich,N.A. See Boltaks,B.I., 3=20219
Fedorovskii,A.E. See Semerchan,A.A., 3=23831
Fedotov, A.P. See Gobov, G.V., 3=18043
Fedotov,L.N.,Popova,V.P. and Molotilov,B.V. Effect of mechanical factors on the magnetic structure and properties of alloys, 3=8634
Fedotov,P.I. See Zhdanov,A.P., 3=2462
Fedotov,P.I. See Zhdanov,A.P., 3=4643
Fedotov,V.N.,Garif'yanov,N.S. and Kozÿrev,B.M. Electron paramagnetic resonance in Nb^4, 3=15946
Fedotov,V.N. See Garif'yanov,N.S., 3=1711
Fedotov,V.N. See Garif'yanov,N.S., 3=21407
Fedotova,K.V. See Mokeeva,V.I., 3=23461
Fedrighini,A. See Escoubès,B., 3=19630
Fedulov,M.V. Dependence of the number of defects in a single crystal on the direction of bombardment, 3=20250
Fedulov,S.A., Venevtsev,Yu.N. and Dzhmukhadze,D.F. An X-ray and electrical study of the PbTiO$_3$—LaAlO$_3$ system, 3=20767
Fedulov,S.A.,Venevtsev,Yu.N.,Zhdanov,G.S. and Dzhmukhadze,D.F. X-ray diffraction and electrical investigation of the PbTiO$_3$—LaFeO$_3$ system, 3=20852
Fedulov,S.A.,Venevtsev,Yu.N.,Zhdanov,G.S. and Rez,I.S. X-ray and electrical investigation of samples in the system PbTiO$_3$, 3=13481
Fedulov,S.A., Venevtsev,Yu.N., Zhdanov,G.S. and Smazhevskaya,E.G. High-temperature X-ray and thermal-analysis results for bismuth ferrite, 3=20770
Fedulov,S.A.,Venevtsev,Yu.N.,Zhdanov,G.S.,Smazhevskaya,E.G. and Rez,I.S. X-ray and electrical studies of the PbTiO$_3$—BiFeO$_3$ system, 3=13116
Fedyakin,N.N. See Deryagin,B.V., 3=7195
Fedyanin,O.I. See Bobyrev,N.A., 3=7513
Fedyanin,V.K. Compton effect on a proton in the dipole approximation, 3=5975
Fedyanin,V.K. Application of dispersion relations to the Compton effect on the proton, 3=24674
Fedyushin,B.T. Effect of an electric field on the γ-luminescence of ZnS single crystals, 3=8629
Fedyushin,B.T. See Rÿzhkov,V.A., 3=11013
Feenberg,E. See Fa Yueh Wu, 3=77
Feenberg,E. See Jackson,H.W., 3=5566
Fefilov,B.V. See Polikanov,S.M., 3=24984
Fehér,F., Hirschfeld,D. and Linke,K.H. The crystal structure of sodium hypochlorite, NaClO.5H$_2$O, 3=3300
Feher,G. See Hensel,J.C., 3=8415
Fehlhaber,L. Effect of extraterrestrial corpuscular streams on the earth's magnetic field, 3=18568
Fehlhaber,L. See Bean,B.R., 3=513
Fehlkamm,G. A programme for the evaluation of astro-optics tests using the Jena co-ordimeter, 3=11489
Fehr,G.A. See Greener,E.H., 3=8527
Fehrenbach,C. The spectrum of comet Ikeya (1963 a), 3=18624
Fehrenbach,C. See Swings,P., 3=3554
Fehsenfeld,F. See Harrison,H., 3=10090
Feibelman,W.A. Low sun phenomena, 3=11547
Feibelman,W.A. See Kanter,H., 3=4177
Feibelman,W.A. See Skorinko,G., 3=14643
Feidler,J. and Herrmann,G. Prediction of the most likely nuclear charge of primary fission products by means of the equal charge displacement rule and of a new mass formula, 3=24994
Feigel'son, E.M. Effect of diffusion on the attenuation of searchlight beams, 3=3467
Feigel'son,E.M. and Dobrova,O.N. Light scattering in a stratiform cloud, 3=9043
Fein,A.E. See Maradudin,A.A., 3=2718
Fein,A.E. See Maradudin,A.A., 3=4822
Feinberg,E.L. Electromagnetic processes accompanying multiple particle production, 3=19593
Feinberg,E.L. See Chernavsky,D.S., 3=19571
Feinberg,G. and Gürsey,F. Approximate symmetries in the two-neutrino theory, 3=538
Feinberg,G. and Pais,A. A field theory of weak interactions. I, 3=24620
Feinberg,R. and Roberts,M.E. Cold cathode arc characteristics of argon and neon at pulsed current loading, 3=4077
Feinberg,R. and Roberts,M.E. Some optical radiation phenomena in the arcs of low-pressure inert gases, 3=4078
Feinberg,R. and Roberts,M.E. An optical radiation quenching effect following a current pulse superimposed on a background arc plasma in a low-pressure mercury vapour valve, 3=19223
Feinberg,R. and Roberts,M.E. Electron and ion density hysteresis effects in a low-pressure mercury-vapour plasma carrying a current of varying instantaneous value, 3=24287
Feinberg,S.M.,Konobeevskii,S.T.,Dollezhal',N.A.,Emel''ianov,I.Y. Tsikanov,V.A.,Bulkin,Y.M.,Zhirnov,A.D.,Filippov,A.G., Shchipakin,O.L.,Perfil'ev,V.P.,Samoilov,A.G. and Ageenov,V.I. The 50 MW research reactor, S.M., 3=10421
Feinleib,J.,Groves,S.,Paul,W. and Zallen,R. Effect of pressure on the spontaneous and stimulated emission from GaAs, 3=25495
Feix,M. Propagation of a double stream instability in a plasma, 3=9775
Feix,M. See Eldridge,O., 3=4115
Feix,M. See Eldridge,O.C., 3=9770
Feix,M. See Engelmann,F., 3=9817
Fejer,J.A. The absorption of short radio waves in the ionospheric D and E regions, 3=5880
Fejer,J.A. Hydromagnetic reflection and refraction at a fluid velocity discontinuity, 3=12304
Fejer,J.A. Theory of auroral electrojets, 3=18560
Fejer,J.A. See Dessler,A.J., 3=23651
Felber,H. and Vychytil,P. An apparatus for the measurement of weak, low energy beta-radiation, in particular for age determinations by the radioactive-carbon method, 3=7829
Felcher,G.P. and Koehler,W.C. Magnetic structure of rare-earth iridium compounds RIr$_2$, 3=23185
Feld,B.T. Erratum: Violation of isotopic spin conservation in the decay of excited mesonic states, 3=6022
Felderhof,B.U. Theory of transverse waves in Vlasov-plasmas. I. No external fields; isotropic equilibrium, 3=14581
Felderhof,B.U. Theory of transverse waves in Vlasov-plasmas. II. External magnetic field; anisotropic equilibrium, 3=14582
Felderhof,B.U. Theory of transverse waves in Vlasov-plasmas. III. Reflection of electromagnetic waves by a plasma half-space, 3=19253
Feldl,E.J, Meriwether,J.R, Choppin,G.R. and Fox,J.D. A scattering chamber using junction counters, 3=17095
Feldman,A.S. See Zwislocki,J., 3=9293
Feldman,C. Temperature dependence of resistance of thin metal films, 3=15544
Feldman,C. and Hacskaylo,M. Temperature characteristics of vacuum deposited dielectric films, 3=8555
Feldman, C. and Hacskaylo, M. Polarized thermal emission of light from thin metal films, 3=17980
Feldman,D. See Hwa,R.C., 3=12483
Feldman,D. See Kowalski,K.L., 3=10108
Feldman,D. See Kowalski,K.L., 3=14975
Feldman,D.W. See Castle,J.G.,Jr, 3=13009
Fel'dman, E.P. See Pastur, L.A., 3=17716
Feldman,G. and Matthews,P.T. Massive electrodynamics, 3=14855
Feldman,H.R. See Commins,E.D., 3=19945
Feldman,J.H. Study of the number of particles in the quasi-particle approximation, 3=23789
Feldman,J.M. and Williams,E.M. Electrode sputtering in high pressure electric discharges, 3=14533
Feldman,M. See Berkelman,K., 3=14958
Feldman,M. See Berkelman,K., 3=24673
Feldman,U. See Alexander,E., 3=9593
Feldtkeller,E. Bloch lines in thin nickel–iron films, 3=15809
Feldtkeller, E. The field strength for wall movement in anisotropic nickel–iron films, 3=18090
Feldtkeller,E. Ripple hysteresis in thin magnetic films, 3=23172
Felenbok,P. Calculation of Franck–Condon factors for electronic transitions [B$^2\Sigma^+$-A$^2\Sigma^+$] of the OH molecule, 3=12827
Felenbok,P. See Herman,L., 3=10514
Felici,C. See Ageno,M., 3=24174
Félici,N. Singularities of electric fields in an ionized medium, 3=4110

Felici,N. Singular and regular solutions of the equation of ionized electric fields, 3=9772
Félici,N. Boundary conditions and determination of regular solutions of the ionized electric field equation, 3=19168
Fell,J.H. See Entwistle,K.M., 3=6796
Feller,H.G. and Heumann,T. Electrolytic transfer in silver-zinc-alloys, 3=11354
Feller,H.G. and Wever,H. Thermal diffusion in high temperature phases of zironium and titanium, 3=22828
Fellgett,P.B. On the relevance of photon noise and of informational assessment in scientific photography, 3=14389
Fellows, E.C. and Bumford, B.A. The terminal electronic circuits of a pulsed 2 MeV electrostatic accelerator, 3=16995
Fellows,E.C. See Hunt,S.E., 3=456
Felsen,L.B. See Marcinkowski,C.J., 3=7700
Felsen,L.B. See Marcinkowski,C.J., 3=7701
Felsner,G. Coulomb corrections to internal Bremsstrahlung, 3=15130
Felten,J.E. and Morrison,P. Recoil photons from scattering of starlight by relativistic electrons, 3=19723
Feltham, P. Stress relaxation and dynamic recovery in cobalt at low temperatures, 3=18172
Feltham,P. Stress relaxation in magnesium at low temperatures, 3=23310
Feltham,P. and Myers,T. Energy barriers controlling creep processes in metals with special reference to β-cobalt, 3=11162
Feltham,P. and Sinclair,R.A. Dislocation configuration in copper after high-temperature creep, 3=12978
Feltner,C.E. Dislocation arrangements in aluminium deformed by repeated tensile stresses, 3=20754
Felton,A. and Hill,J.J. The calibration of d.c. resistance standards by an a.c. method, 3=21673
Feltynowski,A. Observation of electron biprism interferences in the electron microscope, 3=21883
Femino,S. See Baldoni,B., 3=5998
Fendler,H.G., Knörzer,G. and Preusch,H. Comparison of two- and three-group calculations with measurement, 3=17511
Fendley,J.J. Jr. See Harnqvist,K.G., 3=9848
Feng,S.Y. and Bloembergen,N. Relaxation time measurements in ruby by a d.c. magnetization technique, 3=13306
Fengel,D.,Balser,K. and Jayme,G. Electron optical colour photographs, 3=25799
Fengler,C. The reflection of a pulse at an Epstein profile [of the ionosphere], 3=16251
Fenin,Yu.I. See Popov,Yu.P., 3=17479
Fenkart,R. See Becker,W., 3=9252
Fenn,J.B. See Deckers,J., 3=8316
Fenn,R.H., Oldham,J.W.H. and Phillips,D.C. Crystal structure of $(CH_3)_2S.HgI_2$ and the configuration of the HgI_3 ion. 3=16087
Fenner,G.E. Effect of hydrostatic pressure on the emission from gallium arsenide lasers, 3=25445
Fenner,G.E. See Hall,R.N., 3=4966
Fenning,F.W. and Hutber,F.W. Core physics and kinetic studies, 3=24997
Fensham,P.J. See Cotton,J.D., 3=25781
Fenster, S. An investigation of Coulomb scattering amplitudes in the complex angular momentum plane, 3=2212
Fenster,S. See Byers,N., 3=22204
Fenton,A.G. See Edwards,P.J., 3=6191
Fenton,K.B. See Edwards,P.J., 3=6191
Fenyves,E. See Bozóki,G., 3=7898
Fenyves,E. See Hofmokl,T., 3=12488
Feofilov,P.P. Phototransfer of an electron in MeF_2; Eu, Sm monocrystals, 3=951
Feofilov, P.P. S.I. Vavilov, the founder of the Soviet School of Luminescence, 3=16483
Feofilov, P.P. Line luminescence of activated crystals (rare-earth ions in MeF_2 single crystals), 3=18021
Feofilov,P.P. and Tolstoi,M.N. Kinetics of the luminescence of bivalent samarium in monocrystals of strontium fluoride and barium fluoride, 3=4986
Feofilov,P.P. See Kaplyanskii,A.A., 3=3000
Feofilov,P.P. See Kaplyanskii,A.A., 3=25452
Feofilov,P.P. See Karapetyan,V.E., 3=23079
Feofilov,P.P. See Kariss,Ya.E., 3=20482
Feoktistov,A.I. See Dzhelepov,B.S., 3=24910
Feoktistova,N.N. See Ablova,M.S., 3=18217
Fer,F. Analytical theory of betatronic stability in sector-focused accelerators, 3=5759
Fer,F. Remarks on Boltzmann's thermodynamic system and adiabatic invarients, 3=9361
Fer,F. and Delcroix,C. Influence of space charge on beam stability in synchrotrons and storage rings, 3=24406
Fer,F. and Delcroix,C. Further observations on the influence of space charge on beam stability in synchrotrons and storage rings, 3=24407
Fer,F. and Lapostolle,P. Alternate focusing by fields of crossed gradients in a linear accelerator, 3=24399
Ferbel, T., Sandweiss, J., Taft, H.D., Gailloud, M., Kalogeropoulos, T.E., Morris, T.W. and Lea, R.M. Production of anti-isobar, isobar pairs in $\bar{p}$ p collisions, 3=4395
Ferbel,T. and Taft,H. Inelastic interactions of 11·4 GeV/c π^--mesons in hydrogen, 3=19674
Ferebee,F.S. See McGuire,T.R., 3=15891
Ferguson,A.F. and Parkinson,D. The hydroxyl bands in the nightglow, 3=23628
Ferguson,A.T.G. See Gale,N.H., 3=22296
Ferguson,E. and Schlüter,H. Stark broadening of balmer lines at low electron densities, 3=19926
Ferguson,E. See Bergstedt,K., 3=4069
Ferguson,E.E. and Schlüter,H. Metastable helium atom concentrations in the earth's atmosphere, 3=3483
Ferguson,G.A., Jr and Vogt,R.H. Neutron diffractometer measurement of the slow neutron spectrum from a modified split reactor core, 3=6334
Ferguson,G.J. High-volume sampler for atmospheric carbon dioxide, 3=13690
Ferguson,H.I.S. See Stevens,A.E., 3=8269
Ferguson,H.I.S. See Watson,M.D., 3=24276
Ferguson,I.F. and Street,R.S. High temperature X-ray diffraction studies. IV. The thermal expansion of U_4O_9, 3=15445
Ferguson,I.F. See Bowler,M. 3=11254
Ferguson,J. Crystal-field spectra of $d^{3,7}$ ions. I. Electronic absorption spectrum of $CoCl_4^=$ in three crystalline environments, 3=20472
Ferguson,J.,Belford,R.L. and Piper,T.S. Crystal spectrum of copper acetylacetone, 3=3027
Ferguson,J., Guggenheim,H.J., Johnson,L.F. and Kamimura,H. Magnetic dipole character of the $^3A_2 \longleftrightarrow {}^3T_{2g}$ transition in octahedral nickel (II) compounds, 3=19993
Ferguson,J.,Wood,D.L. and Knox,K. Crystal-field spectra of d^3, d^7 ions. II. $KCoF_3$, $CoCl_2$, $CoBR_2$, and $CoWO_4$, 3=25453
Ferguson,J. See Wood,D.L., 3=25454
Ferguson,R.L. See Troutner,D.E., 3=12708
Fergusson,G.J. Upper tropospheric carbon 14 levels during spring 1962, 3=25911
Fernández,A. and Muñoz,E. Preparation of monocrystals of potassium iodide activated by thallium, 3=20795
Fernández, C., Butler, R., Konishi, T., Honrubia, V. and Tasaki, I. Cochlear potentials in the rhesus and squirrel monkey, 3=3684
Fernando,P.C.B. See Dahanayake,C., 3=19722
Fernie,J.D. A new photographic developer for astronomical use, 3=5542
Fernie,J.D. Distance to the galactic center from globular clusters, 3=7038
Fernie,J.D. and Marlborough,J.M. The variation of the total to selective absorption ratio with galactic longitude, 3=11553
Fernish,G.C. See Owe Berg,T.G., 3=14131
Ferrarese,G. On the Einstein gravitational field generated by a rotating spherical mass, 3=16503
Ferrari,A.,Braibanti,A. and Tiripicchio,A. Some expressions for the calculation of the absorption of X-rays in crystals, 3=23436
Ferrari,A.M.R. and Borkowski,C.J. Air alpha proportional counter insensitive to atmospheric humidity, 3=2149
Ferrari,E. and Selleri,F., Peripheral model for inelastic processes, 3=10052
Ferrari,E. and Selleri,F. An approach to the theory of single pion production in nucleon—nucleon collisions, 3=10146
Ferrari,F.,Paccanoni,F. and Pusterla,M. Possible relationships between the $\bar{K}$-nucleon interactions and the hyperonic resonant states, 3=7922
Ferrari,R.L. Wave propagation and electron beam interaction in plasma filled waveguides, 3=7707
Ferrari,R.L. and Reddish,A. Propagation in a plasma-filled waveguide, 3=5850
Ferraro,A.J. Multislab concept applied to radio-wave propagation in the ionosphere and its limit to the continuous ionosphere, 3=9952

Ferraro,A.J., Lee,H.S. and Weisbrod,S. Phase interaction: A new tool for D-region studies, 3=16269
Ferraro,V.C.A.,Gliddon,J.E.C. and Kendall,P.C. Solar-eclipse and solar-flare effects in the F2-region, 3=13757
Ferraro,V.C.A. See Ashour,A.A., 3=9073
Ferré,J. See Faget,J., 3=19349
Ferré,J. See Fert,C., 3=440
Ferreira,E.M., de Oliveira,C.G. and Srivastava,P.P. The influence of K* and pion resonances and hyperon parities on K—nucleon scattering, 3=6070
Ferrell,R.A. and Prange,R.E. Self-field limiting of Josephson tunnelling of superconducting electron pairs, 3=21659
Ferrell,R.A. and Stern,E.A. Plasma resonance in the electrodynamics of metal films, 3=8407
Ferrell,R.A. See Fulde,P., 3=24136
Ferrero,F. See Faissner,H., 3=17100
Ferrero,F. See Faissner,H., 3=17141
Ferrero,F. See Faissner,H., 3=21380
Ferrero,F. See Faissner,H., 3=24690
Ferrero,G.M. The flow of a viscous incompressible, weakly conducting fluid round the outside of a magnetized sphere, 3=17035
Ferrero,G.M. Equilibrium of a plasma magnetically contained in a torus of elliptical cross-section, 3=19258
Ferrero,M.I.,Garelli,C.M.,Chiesa,A.M. and Vigone,M. Inelastic two-prong interactions of 18 GeV/c pions in propane bubble chamber, 3=10150
Ferrero,M.I. See Argan,P.E., 3=4425
Ferrero,M.I. See Bellière,J., 3=24775
Ferrero,M.I. See Marzari-Chiesa,A., 3=19695
Ferretti,A.,Kunnmann,W. and Wold,A. Growth of ferrous-free cobalt ferrite single crystals, 3=11230
Ferretti,A. See Kunnmann,W., 3=16043
Ferretti,B. On the possibility of a macroscopically causal quantum-relativistic theory, 3=11686
Ferretti,B. See Bassi,P., 3=17480
Ferrier,A. See Geoffray,H., 3=8359
Ferrier, R.P. See Shull, C.G., 3=18057
Ferris,D. Four-electrode electronic bridge for electrolyte impedance determinations, 3=11353
Ferris,G.A.J. See Price,A.T., 3=9075
Ferris,R.W.,Shepard,M.L. and Smith J.F. Elastic constants of thallium single crystals in the temperature range 4.2°—300°K, 3=11134
Ferriso,C.C. High-temperature spectral absorption of the 4·3-micron CO_2 band, 3=1731
Ferriso,C.C. A simple grating spectrometer fore-prism drive, 3=11915
Ferriso,C.C. A liquid nitrogen Dewar attachment for infrared detectors, 3=24102
Ferro,A. and Montalenti,G. Fatigue of pure iron and of iron containing a small quantity of carbon after strain ageing, 3=8783
Ferro,A. and Montalenti,G. Further experiments on radiation damage due to fast-neutron bombardment in pure iron of very-high permeability, 3=23179
Ferro,A. See Antonione,C., 3=23301
Ferro-Luzzi,M. See Alvarez,L.W., 3=15039
Ferro-Luzzi,M. See Watson,M.B., 3=24793
Ferroni,F. and Wataghin,V. On the reaction $n + d \rightarrow 2n + p$ and the nucleon—nucleon interaction, 3=19619
Ferroni,S. See Costa,S., 3=4623
Fert,A. The structure of some oxides of rare earth metals, 3=5105
Fert,C.,Faget,J.,Fagot,M.and Ferre,J. Diffraction and interference effects in electron images; image formation in electron optics, 3=440
Fert,C. See Faget,J., 3=19349
Ferwerda,H.A. On a convergent model of quantum electrodynamics, 3=24586
Ferziger,J.H. Resonance absorption of neutrons in lumps with nonuniform temperature distributions, 3=6323
Ferziger,J.H. and Leonard,A. Multiple scattering of neutrons in the static approximation, 3=6013
Ferziger,J.H. and Leonard,A. Energy-dependent neutron transport theory. I. Constant cross sections, 3=15258
Fesenko,E.G. See Filip'ev,V.S., 3=16077
Fesenko,E.G. See Kupriyanov,M.F., 3=18226
Fesenko,E.G. See Kupriyanov,M.F., 3=20773
Fesenkov,V.G. The nature and origin of comets, 3=5249
Fesenkov,V.G. Reduction of photometric observations of zodiacal light for the effect of tropospheric scattering, 3=11530
Feshbach,H. Do strange particles obey parastatistics? 3=12506
Feshbach,H. See Block,B., 3=22259
Feshbach,H. See Estrada,L., 3=22362
Feshbach,H. See Villars,F., 3=18536
Feshchenko,G.A. See Kornienko,L.C., 3=13230
Feshchenko,G.A. See Kornienko,L.S., 3=23230
Fessenden,R.W. and Schuler,R.H. E.S.R. spectrum of cyclohexadienyl radical, 3=12859
Fessler,H. See Bettany,C.P., 3=25440
Fetcher,H. and Foss,M. Electromagnetic inflector for synchrotron injection, 3=12279
Fetisov,D.V. and Kabanov,A.N. Armoured high-voltage lead-in, 3=3697
Fetisov,D.V., Pochtarev,B.I. and Kabanov,A.N. Vacuum system selector valve with one control knob, 3=1738
Fetisov,D.V. See Kabanov,A.N., 3=2039
Fetisov,D.V. See Kushnir,Yu.M., 3=2035
Fetisov,D.V. See Spivak,G.V., 3=2034
Fetisov,I.N. See Elpidinskii,A.V., 3=455
Fetiveau,M. See Richard,M., 3=8792
Fetkovich,J.G. See Pewitt,E.G., 3=22179
Fett,W. Recoil radiation in proportional counter tubes, 3=9999
Fetter,A.L. Vortex rings and the critical velocity in helium II, 3=19092
Fettweis,P. Cross-section ratios for the production of the three isomers of In^{116} by thermal neutron capture, 3=8114
Fettweis,P. and Vervier,J. Decay schemes of In^{116} (13 sec): A O^+level in Sn^{116}, 3=4568
Fettweis,P.F. Isomerism of Ir^{194}, 3=2393
Feuer,P. Theory of the thermal accommodation coefficients of a diatomic gas, 3=23928
Feuerriegel,T. New spectrographic lens system, 3=11884
Feuillade,G. Theory of a multimetallic electrode in an electroactive medium of any kind, 3=13609
Feuillade,G. Impedance of a gas electrode, 3=16166
Feuvrais,L. See Dick,L., 3=10100
Feynman,R.P. Conclusions of the conference, 3=4362
Fichtel,C.E. Very high-energy cosmic rays, 3=24814
Fichtel,C.E.,Kniffen,D.A. and Ogilvie,K.W. September 26th, 1960, solar cosmic-ray event, 3=10189
Fichtel,C.E. See Biswas,S., 3=4482
Fichtel,C.E. See Biswas,S., 3=22227
Fick,E. and Engelmann,F. Quantum theory of time measurement, 3=21242
Ficker, J. See Reimer, L., 3=18089
Fickett,W. Calculation of the detonation properties of condensed explosives, 3=20992
Fickett,W. See Wood,W.W., 3=16700
Fickinger,W.J., Robinson,D.K. and Salant,E.O. Evidence for a two-pion decay mode of the ω meson, 3=19692
Fidecaro,G. See Amaldi,U.,Jr, 3=24717
Fiedeldey,H. and Frahn,W.E. Surface absorption of low-energy neutrons, 3=2349
Fiegel,L.J. See Mohanty,G.P., 3=5111
Fiehrer,M. and Goldwasser,M. The control of the enetra 110, 3=4306
Fiehrer,M. See Coulareau,E. 3=3975
Field,E.C. On geomagnetic fluctuations in regions remote from high-altitude nuclear bursts, 3=23646
Field,F.H. See Munson,M.S.B., 3=3387
Fielder,G. Zones of plasticity around lunar craters, 3=9171
Fielder,G. The measurement of lunar altitudes by photography. I. Estimating the true lengths of shadows, 3=9172
Fielder,G. The measurement of lunar altitudes by photography. II. Some measurements on the lunar straight wall, 3=9173
Fielder,G. Determination of relative ages of lunar craters by albedo and polarization measurements, 3=11513
Fielder,G. Topography and tectonics of the lunar straight wall, 3=23673
Fielder,G. and Waidelich,W. The measurement of X-ray absorption curves by a double-beam method, 3=9897
Fielding,P.E. and MacKay,A.G. Electrical and optical properties of the phthalocyanines, 3=20495

Fields,H., Bekefi,G. and Brown,S.C. Microwave measurements of the radiation temperature of a plasma in a magnetic field, 3=4121
Fields,H.,Bekefi,G. and Brown,S.C. Microwave emission from non-Maxwellian plasmas, 3=5657
Fields,P.R.,Friedman,A.M.,Lerner,J.,Metta,D. and Sjoblom,R. Possible existence of curium in nature. II., 3=19825
Fields,P.R. See Friedman,A.M., 3=19896
Fields,S.A. See Naumann,R.J., 3=23716
Fields,T.H. High magnetic fields, 3=21931
Fields,T.H. See Pewitt,E.G., 3=22179
Fierz,M. Example of a soluble field theory, 3=5331
Fieschi,R.,Oggioni,R. and Spinolo,G. Thermoluminescence in plastically deformed KBr, 3=23130
Fieschi,R. See Cappelletti,R., 3=22846
Figgis,B.N.,Kidd,R.G. and Nyholm,R.S. Oxygen-17-nuclear magnetic resonance of inorganic compounds, 3=148
Figielski,T. and Torun,A. On the origin of light emitted from reverse biased p—n junctions, 3=10845
Figuera,A.S.,Armstrong,J.C. and Marion,J.B. Interference between Coulomb excitation and resonance inelastic scattering in Na^{23} + p, 3=24929
Fikhtengol'ts,I.G. Einstein's four-tensor, 3=21223
Fiks,V.B. Effect of a magnetic field on ionic conduction in semiconductors, 3=6570
Filatov,V.V. See Bolotov,V.N., 3=14496
Filatova,L.V. See Malÿsheva,T.V., 3=8051
Filatova,T.M. See Demirkhanov,R.A., 3=5670
Filby,J.D. and Martin,D.L. Probable annealing in sodium metal near 5°K, 3=8445
Filby,J.D. and Pratt,J.N. A vapour pressure study of the thermodynamic properties of the α, β, γ, and ϵ silver-cadmium phases, 3=13522
File,J. and Mills,R.G. Observation of persistent current ina superconducting solenoid, 3=9685
Filimoniv,A.I. See Tkachenko,V.K., 3=12013
Filimonov,A.A. See Zheludev,I.S., 3=13111
Filimonova,T.N. and Shmygov,A.M. A 15 MeV electron linear accelerator, 3=19385
Filinski,I. See Johnson,E.H., 3=10948.
Filip,A.,Gÿrlya,I. and Pépuryanu,V. Small-diameter fission chambers, 3=24540
Filipczyński,L. The field of elastic waves radiated into a semi-space by a compressional source, 3=18891
Filipczyński,L. Propagation of ultrasonic waves in spirals, 3=21499
Filipescu,N., Kagan,M.R., McAvoy,N. and Serafin,F.A. Fluorescent properties of rare earth chelates in vinylic hosts, 3=4990
Filip'ev,V.S. and Fesenko,E.G. Unit cells of some compounds of $A_2B^IB^{II}O_6$ types, 3=16077
Filipkowski,A. See Hofmokl,T., 3=12488
Filipov,A.T. See Arbuzov,B.A., 3=4347
Filipov,A.T. See Arbuzov,B.A., 3=14891
Filipovich,V.N. Theory of X-ray scattering by oriented polymers and other systems with macroscopic axial isotropy, 3=16088
Filippov,A.G. See Feinberg,S.M., 3=10421
Filippov,A.I. See Falomkin,I.V., 3=7881
Filippov,A.I. See Zaimidoroga,O.A., 3=7883
Filippov,A.J. See Zaimidoroga,O.A., 3=24770
Filippov,A.L. See Zaimidoroga,O.A., 3=4417
Filippov,I.G. Theory of diffraction of weak shock waves round contours of arbitrary shape, 3=23972
Filippov,N.V.,Filippova,T.I. and Vinogradov,V.P. Dense, high-temperature plasma in a noncylindrical z-pinch compression, 3=12162
Filippova,T.F. See Lazareva,L.V., 3=3375
Filippova,T.I. See Filippov,N.V., 3=12162
Fil'kin,V.Ya. See Borodich,V.D., 3=21667
Fillippov,B.N. See Vlasov,K.B., 3=25606
Filosof,G. See Donnet,J.B., 3=3925
Filov,R.A. See Solov'eva,Z.I., 3=15240
Filthuth,H. See Amato,G., 3=17001
Filthuth,H. See Aubert,B., 3=17333
Filthuth,H. See Bartke,J., 3=22206
Filthuth,H. See Courant,H., 3=17346
Finagin,B.A. Oscillations of a piezoelectric resonator at an even harmonic of the thickness resonance oscillations, 3=14233
Finagin,B.A. Static deformation of a piezoelectric plate vibrating at its natural frequency, 3=16678
Finaz,A. See Béné,G., 3=20021
Finch,A.C.M. Improvement of the thermostat control given by a Tecam tempunit and a Shandon circotherm, 3=19054
Finch,A.C.M. Improvements to a commercial electric melting point apparatus, 3=21615
Finch,R.H.,Queisser,H.J.,Thomas,G. and Washburn,J. Structure and origin of stacking faults in exitaxial silicon, 3=10680
Finckh, E, Kosiek, R, Lindenberger, K.H, Maier, K, Meyer-Berkhout, U, Schechter, M. and Zimmerer, J. Photoprotons from carbon, nitrogen, oxygen and neon, 3=17451
Finckh, E, Kosiek, R. and Schlüpmann, K. Photoprotons from N^{15}, 3=17452
Findlay,J.R. and Laing,T.F. The diffusion of fission products from graphite, 3=10427
Findlay, J.W. Protecting the science of radio astronomy, 3=3615
Fine,J. See Scheer,M.D., 3=8930
Fine,M.E. See Ben Israel,D.H., 3=25755
Fine,M.E. See Cohen,J.B., 3=8905
Fine,M.E. See Herman,H., 3=8881
Fine,M.E. See Wimmer,F.T., 3=15993
Finegold,L.X. See Paul,W., 3=10833
Fineman,J.C. and Chase,C.E. Energy of a vortex ring in a tube and critical velocities in liquid helium II, 3=3938
Fingerland,A. See Bubáková,R., 3=5097
Fink,H.J. Radio-frequency susceptibilities of weak ferromagnets: $MnCO_3$ and NiF_2, 3=11051
Fink,H.J. and Shaltiel,D. High-frequency resonance of a weak ferromagnet: $MnCO_3$, 3=13290
Fink,M.,Jost,K. and Kessler,J. A simple apparatus for the analysis of the geometrical properties of charged-particle beams, 3=12256
Fink,M. and Kessler,J. Experiments on the electron optics of electrostatic accelerators, 3=16984
Fink,R.W. See Bramlitt,E.T., 3=24952
Fink,R.W. See Kantele,J., 3=15151
Fink,R.W. See Moler,R.B., 3=19813
Finkel,J. On the Faraday effect in O_2, 3=5468
Finkel,J. Faraday rotation in a spin system, 3=22489
Finkel',V.A. See Amonenko,V.M., 3=3297
Finkel, V.A. See Amonenko, V.M., 3=18278
Finkel',V.A. See Amonenko,V.M., 3=20908
Finkel',V.A. See Amonenko,V.M., 3=25272
Finkel,V.A. See Vasyutinskii,B.M., 3=5100
Finkel',V.M. and Kutkin,I.A. Investigation of the growth of cracks in dynamic fracture of glass, 3=3243
Finkel',V.M. and Kutkin,I.O. Investigation of the propagation of cracks in steel, 3=3242
Finkel'shtein, A.I. Relation between the symmetric and antisymmetric frequencies of groups of the type XH_2, 3=17558
Finkel'shtein,A.I. See Mushkin,Yu.I., 3=4764
Finkel'shtein, G.B. See Kasatochkin, V.I., 3=18256
Finkel'shtein,L.B. See Voloshina,L.A., 3=2814
Finkel-shtein,L.D. See Nemnonov,S.A., 3=10974
Finkelstein,D. Dynamics of plasma, 3=7538
Finkelstein,D., Jauch,J.M., Schiminovich,S. and Speiser,D. Principles of general Q covariance, 3=16524
Finkelstein,D.,Jauch,J.M. and Speiser,D. Quaternionic representations of compact groups, 3=7089
Finkelstein,L. See Pekeris,C.L., 3=5466
Finkelstein,R. and Ramsay,W. The weak and the strong couplings and general covariance, 3=10032
Finlay,E.A. A proposal for linear regenerative extraction from the Birmingham radial-ridge cyclotron, 3=5785
Finlay,R.W. and Owen,G.E. Angular distributions for the F^{19}(d,n)Ne^{20} reaction, 3=6288
Finn,C.B.P. See Cooke,A.H., 3=1056
Finn,C.B.P. See Cooke,A.H., 3=1194
Finn,M.C. See Hanneman,R.E., 3=3219
Finn,R. On the Stokes paradox and related questions, 3=18777
Finne,R.M. See Sullivan,M.V., 3=23501
Finney,J.J. and Araki,T. Refinement of the crystal structure of antlerite $[Cu_3(SO_4)(OH)_4]$, 3=8866
Finney,J.M. See Segall,R.L., 3=20739
Finnie,I. and Curl,R.L. Physics in a toy boat, 3=9638
Finniear,T.C. See Davies,P.W., 3=13361
Finnimore,D.K. and Mapother,D.E. Absence of an isotope effect in superconducting ruthenium, 3=3963

Fintz, P. See Gorodetzky, S., 3=4664
Finzi,A. Test of possible variations of the gravitational constant by the observation of white dwarfs within galactic clusters, 3=5336
Finzi,A. Question of the validity of Newton's law at cosmic distances, 3=23659
Finzi,R. See Beneventano,M., 3=19669
Fiocco,G. and Thompson,E. Thomson scattering of optical radiation from an electron beam, 3=16803
Fiorentini,A. and Bittini,M. Time course of monocular sensitivity during contralateral stimulation, 3=9304
Fiorentini,A. See Bisi,A., 3=5992
Fiorentini,A. See Bisi,A., 3=20148
Fiorentini,A. See Ercoles,A.M., 3=11631
Fiorini,E., See Bellini,G., 3=7899
Fiorini,E. See Bellini,G., 3=15011
Fiorini,E. See Fretter,W.B., 3=2301
Fiorini,E. See Veillet,J.J., 3=10163
Fiorini,E. See Veillet,J.J., 3=17313
Fiorio,G. See Fabri,E., 3=12399
Fiquet-Fayard,F. and Lahmani,M. The Auger effect in the multiple ionization of argon, potassium and calcium by electron impact, 3=12069
Fireman,E.L. Density of the solar flare plasma, 3=11546
Firestein, F. and Vine,J. Properties of two-cylinder electron lenses, 3=19344
Firk,F.W.K., Lynn,J.E. and Moxon,M.C. Resonance parameters of the neutron cross-section of U^{238}, 3=10357
Firk,F.W.K., Lynn,J.E. and Moxon,M.C. Resonances in the neutron cross section of bismuth, 3=17486
Firk,F.W.K., Lynn,J.E. and Moxon,M.C. Analysis and interpretation of the neutron cross-section of vanadium below 25 keV, 3=24955
Firk,F.W.K., Whittaker,J.K., Bowey,E.M., Lokan,K.H. and Rae,E.R. A nanosecond neutron time-of-flight system for the Harwell 30 MeV electron linac, 3=19655
Firkowski,R., Gawin,J., Maze,R. and Zawadzki,A. New evidence for the existence of large air showers attributable to primary photons, 3=2337
Firkowski,R., Gawin,J., Zawadzski,A. and Maze,R. New indications of the existance of photon-initiated e.a.s., 3=10188
Firkowski,R., Gavin,J., Zawadzki,A. and Maze,R. Evidence for the existence of high-energy photon initiated E.A.S., 3=22236
Firsoff,V.A. Selenological implications of the South-Australian ring structures, 3=16333
Firsov,E.I. See Pisarevskii,A.N., 3=2168
Firsov,O.B. Kinetics of exothermic reactions between molecules and molecular ions, 3=6438
Firsov,O.B. See Martÿnenko,Yu.V., 3=22507
Firsov,Yu.A. See Gurevich,V.L., 3=403
Firsov,Yu.A. See Gurevich,V.L., 3=6569
Firsov,Yu.A. See Lang,I.G., 3=15557
Firsova,M.M. See Zubov,V.G., 3=18009
Firsova,M.M. See Zubov,V.G., 3=25392
Firth,D.R. See Chrétien,M., 3=17129
Firth,D.R. See Chrétien,M., 3=24787
Firth,I.M. Nutations of spin magnetization in two-level maser oscillators, 3=24507
Firth,I.M. and Bijl,D. Phonon-bath bottleneck in neutron irradiated MgO, 3=817
Fiscella,B. See Colombino,P., 3=7835
Fischbeck, H.J. Energy degeneracy of the lattice electrons in a magnetic field, 3=17686
Fischbeck,H.J. and Newsome,R.W.,Jr. Beta—gamma directional correlation measurement in As^{76}, 3=10289
Fischer,A.G. Electroluminescent lines in ZnS powder particles. I. Embedding media and basic observations, 3=11012
Fischer,A.G. and Moss,H.I. Tunnel-injection electroluminescence, 3=23121
Fischer,A.G. and Paff,R.J. Solubility of ZnSe and ZnTe in CdS, 3=4886
Fischer,G. Speculation on the band structure of the layer compounds GaS and GaSe, 3=20330
Fischer, G. and Brebner, J.L. Electrical resistivity and Hall effect of single crystals of GaTe and GaSe, 3=2913
Fischer,G. See Brebner,J.L., 3=3007
Fischer,G. See Brebner,J.L., 3=10946
Fischer,G. See Brebner,J.L., 3=10950
Fischer,G. See Datars,W.R., 3=13308
Fischer,H. The formation of cyclohexadienyl radicals by the addition of hydrogen atoms to solid benzene, 3=1388
Fischer,H. Erratum: Spin densities in the cyclohexadienyl free radical, 3=12875
Fischer,H. and Nillius,O. Use of rotating sectors in infra-red spectroscopy, 3=249
Fischer,H. See Althoff,K., 3=22165
Fischer,H. See König,E., 3=20020
Fischer,J. Critical shear stress of single crystals of copper and gold irradiated by neutrons, 3=1238
Fischer,J. and Zorn,G.T. Spark-chamber labelling of tracks in a bubble chamber, 3=17339
Fischer,K. and Hahn,H. Change in the Laue—Bragg reflection and in the volume of a crystal by statistically distributed point defects, 3=8829
Fischer,L. See Bothe,H.K., 3=3225
Fischer,R. Effect of the effective mass on the energy distribution of electrons emitted by field emission from semiconductors, 3=2014
Fischer,R. Field emission from silicon, 3=24332
Fischer,T. See Busch,G., 3=12231
Fischer,V.K. See Chrétien,M., 3=24787
Fischer,W., Heinzinger,K., Herzog,W. and Klemm,A. The temperature dependence of the mobility of thallium isotope in molten TlCl, 3=5433
Fischhoff,E., Prevot,F. and Sledziewski,Z. Vacuum and ultra-vacuum in an ion-injection magnetic mirror device, 3=185
Fischhoff,E. See Bottiglioni,F., 3=7528
Fischler,J. See Dattner,J., 3=25071
Fischler,J. See Pelah,I., 3=21904
Fischmeister,H.F. Kinetics of metal—gas reactions exhibiting particulate product growth, 3=18431
Fish,C.V. See Chace,W.G., 3=11957
Fish,R.A. and Goles,G.G. Ambient xenon: A key to the history of meteorites, 3=11525
Fish,R.A. See Zisk,S.H., 3=7013
Fisher,C.M., Gibson,W.M., Mason,A., Venus,W.A. and Evans,D. On the measurement of momentum transfer in nuclear interactions, 3=8060
Fisher,C.M. See Aly,H.H., 3=19733
Fisher,C.M. See Jauneau,L., 3=19708
Fisher,D.E. "Ages" of the Sikhote Alin iron meteorite, 3=11528
Fisher,D.L., Green,T.S. and Niblett,G.B.F. An experimental and numerical study of radial hydromagnetic oscillations, 3=2004
Fisher,D.L. See Niblett,G.B.F., 3=413
Fisher,É. See Zhuravlev,A.A., 3=24404
Fisher,E.S. and Renken,C.J. Coupling cements for ultrasonic-wave velocity measurements at high temperatures, 3=18936
Fisher,I.Z. Localized excitons in a liquid, 3=21403
Fisher,I.Z. See Komarov,L.I., 3=14166
Fisher,I.Z. See Shirokov,M.F., 3=23662
Fisher,J.C. Elementary particle classification based upon a massless Dirac field, 3=7772
Fisher,L.H. See Golden,D.E., 3=4011
Fisher,M.E. Relation between the specific heat and susceptibility of an antiferromagnet, 3=3142
Fisher,M.E. Perpendicular susceptibility of the Ising model, 3=8327
Fisher,M.E. Lattice statistics — a review and an exact isotherm for a plane lattice gas, 3=12910
Fisher,M.E. See Essam,J.W., 3=11041
Fisher,P. The effect of chemical-splitting on the Lyman series of antimony impurity in germanium, 3=939
Fisher,P.A. See Walker,E.A., 3=25763
Fisher,P.S., Measday,D.F., Nikolaev,F.A., Kalmykov,A. and Clegg,A.B. The $^{12}C(p, \gamma)$ reaction from 10 to 50 MeV, 3=19846
Fisher,P.S. See Measday,D.F., 3=19838
Fisher,P.S. See Rowe,D.J., 3=2451
Fisher,R.A. and Hornung,E.W. Correlation of magnetothermodynamic data with a theoretical model. Powdered $CoSO_4 \cdot 7H_2O$ over the range 0 to 100 kG above 1·2°K, 3=25504
Fisher,R.A. See Giauque,W.F., 3=6689
Fisher,R.D. and Haber,H.E. Maximum dispersion of the easy axis in electrodeposited thin permalloy films, 3=15808
Fisher,R.M. See Marcinkowski,M.J., 3=23319
Fisher,T.R. Half-lives of N^{12} and B^{12}, 3=15139
Fisher,T.R. and Whaling,W. Reaction $Na^{23}(p,\alpha)Ne^{20}$ for proton bombarding energies from 100 to 450 keV, 3=22380
Fishman,F.J. and Petschek,H.E. Deviation of magnetic annular shock-tube operation from one-dimensional model, 3=2100

Fishman,I.S. Relationship between the self-absorption of spectral lines and their total intensities, and the b values for several lines excited in the vapour jet of a spark discharge, 3=10440

Fishtine,S.H. Reliable latent heats of vaporization, 3=16840

Fisser,H. and Schlüter,J. A comparison between numerical calculations of a linear z-pinch discharge and measurements by magnetic probes, 3=12161

Fistul',V.I. and Cherkas,K.V. Thermo-e.m.f. of heavily doped n-type germanium, 3=15631

Fistul', V.I, Mil'vidski, M.G, Omel'yanovski, E.M. and Grishina, S.P. The form of impurities in heavily alloyed single crystals of n-type germanium and silicon, 3=17861

Fistul',V.I. and Shvarts,N.Z. Tunnel diodes, 3=15604

Fistul,V.I. See Adrianov,D.G., 3=20314

Fistul', V.I. See Iglitsyn, M.I., 3=17910

Fistul',V.I. See Omel'yanovskii,E.M., 3=25347

Fistul',V.I. See Rashevskaya,E.P., 3=22930

Fitan,J.,Schune-Boisblé,D. and Tsai-Chu. Calculations of the multiple scattering of electron tracks in nuclear emulsions, by means of the centre-of-gravity method and the sum method, 3=24567

Fitan,J. See Tsai-Chü, 3=7752

Fitan,J. See Tsai-Chü, 3=7753

Fitch,A.H. Observation of elastic-pulse propagation in axially symmetric and nonaxially symmetric longitudinal modes of hollow cylinders, 3=14242

Fitch,A.H. Synthesis of dispersive delay characteristics by thickness tapering in ultrasonic strip delay lines, 3=14259

Fitch,R.K. See Coutts,P.W., 3=21867

Fitch,V.L. Recent advances in counter techniques, 3=17105

Fitchen,D.B. Four-window cell and cryostat for high pressure studies at liquid helium temperature, 3=19081

Fite,W.L.,Rutherford,J.A.,Snow,W.R. and van Lint,V.A.J. Ion—neutral collisions in afterglows, 3=5642

Fite,W.L.,Smith,A.C.H.,Stebbings,R.F. and Rutherford,J.A. Collisions between He^+ and O_2, 3=21707

Fite,W.L. See Harrison,H., 3=10090

Fitts, D.D. See Orloff, M.K., 3=17599

Fitzgerald,A.G. See Chadderton,L.T., 3=8444

Fitzgerald,A.G. See Chadderton,L.T., 3=17769

Fitzgerald,A.G. See Chadderton,L.T., 3=20207

Fitzgerald,D.J. See Greener,E.H., 3=13108

Fitzgerald,J.V. and Matusik,F.J. Nonlinear resonance device for measuring uniform force fields, 3=14091

Fitz Osborne,F.J. A multiple-probe microwave system for plasma studies, 3=4153

Fitzpatrick,H.M. Impedance seen by a small hydrophone in a pipe, 3=9554

Fitzpatrick,R.L. See Cutler,M., 3=10628

Fitzroy, D. Classrooms in use, 3=14298

Fitzwater,D.R. See Vossos,P.H., 3=25719

Fiutak,J. The multipole expansion in quantum theory, 3=7110

Fiutak,J. and Van Kranendonk,J. Theory of the impact broadening of Raman lines due to anisotropic intermolecular forces, 3=8226

Fiveiskii,Yu.D. Deceleration of antiprotons in matter, 3=6008

Fivel,D.I. See Brown,L., 3=24636

Flaks,I.P.,Ogurtsov,G.N. and Fedorenko,N.V. Slow ions produced in gases upon passage of fast atom- and ion-beams, 3=366

Flaks,I.P., Ogurtsov,G.N. and Fedorenko,N.V. Ionization in the collisions of Ne^{n+} with Xe atoms and of Xe^{n+} with Ne atoms (n= 0,1,2,3,4), 3=2583

Flaks,I.P.,Ogurtsov,G.N. and Fedorenko,N.V. Ionization in collisions of Ne^{n+} ions with Xe atoms and of Xe^{n+} ions with Ne atoms, 3=7426

Flaks,I.P. See Ogurtsov,G.N., 3=5630

Flamant,Y. See Barjon,R., 3=19145

Flamm,D. and Kummer,W. Possible resonant enhancement of the two-photon exchange in electron—proton scattering, 3=12442

Flamm,E. and Asaro,F. Perturbation of alpha particle—gamma ray angular correlations in Am^{241}, Am^{243} and Cm^{243}, 3=4607

Flamm,E., Levinson,C.A. and Meshkov,S. Nuclear vibrations, rotations and the shell model. I, 3=4553

Flammersfeld,A. See Frevert,L., 3=22333

Flammersfeld,A. See Langhöff,H., 3=12445

Flammersfeld,A. See Weigmann,H., 3=22111

Flanagan, C. and Pierce, L. Microwave spectrum, structure, and quadrupole coupling constant tensor of ethyl bromide, 3=17597

Flanagan, J. L. Computational model for basilar-membrane displacement, 3=3659

Flanagan,J.L. See Harris,G.G., 3=16448

Flanders,P.J.,Prutton,M. and Doyle,W.D. Relationship between uniaxial, inverted, and rotatable initial susceptibility Permalloy films, 3=15836

Flanders,P.J. and Shtrikman,S. Magnetic method for the determination of the anisotropy distribution in ferromagnetic powders, 3=1092

Flanders,P.J. See Schoening, F.R.L., 3=5138

Flannery,M.R. and Stewart,A.L. The dipole polarizability of members of the lithium sequence, 3=22483

Flechon,J. and Ormancey,G. Conductivity of metallic heterogeneous films, 3=10725

Flechsig,W. The optical and electrical properties of metals on basis of measurements on thin evaporated films. II. Influence of the expansion of the substrate on the optical absorption of noncohesive films of monavalent noble metals, 3=6649

Fleck,J.A., Jr. Linewidth and conditions for steady oscillation in single and multiple-element lasers, 3=24522

Fleet,S.G. and Ribbe,P.H. An electron-microscope investigation of a moonstone, 3=20975

Fleischer,R.L. Rapid solution hardening, dislocation mobility, and the flow stress of crystals, 3=5070

Fleischer,R.L. The elastic energy of superconducting filaments in imperfect crystals, 3=5582

Fleischer,R.L. Substitutional solution hardening, 3=11186

Fleischer,R.L. and Price,P.B. Charged particle tracks in glass, 3=22850

Fleischer,R.L.,Price,P.B. and Walker,R.M. Method of forming fine holes of near atomic dimensions, 3=16468

Fleischer,R.L. See Johnston,W.G., 3=23364

Fleischer,R.L. See Walker,R.M., 3=24752

Fleischer,V.G., See Badenko, I.I., 3=10286

Fleischmann,H.H. Relativistic corrections to the small angle theory of multiple scattering, 3=6363

Fleischmann,H.H. and Stanek,F.W. Radiation parameter of a 6.12 MeV level of Pr^{141}, 3=24869

Fleischmann,M., Rajagopalan,K.S. and Thirsk,H.R. Kinetics of electrocrystallization of thin films of cadmium hydroxide, hydroxide, 3=16170

Fleischmann,R. Investigations on thin alkali-metal films. I. Vector dependent absorption of thin films of potassium, rubidium and caesium, 3=18385

Fleischmann,R. Investigations on thin alkali metal films, 3=20466

Fleischmann,R. See Brünig,M., 3=18387

Fleischmann,R. See Junge,W., 3=18386

Fleisher,V.G. Determining the efficiency of electron multipliers without measuring small fluxes of particles, 3=14640

Fleishman,D.G. and Glazunov,V.V. The use of an external standard for the determination of the efficiency and background of liquid scintillation counters, 3=2159

Fleming,J.D.,Boland,P. and Harris,J.N. Porosity measurements by air displacement, 3=13548

Fleming,L. Frequency-dividing networks, 3=23981

Fleming,R.J. and Higginson,G.S. Resonance in elastic scattering of electrons by helium atoms, 3=15300

Fleming,W.H. See Ajdačić,V.S., 3=22452

Flerov,G.N.,Volkov,V.V.,Pomorskii,L. and Tȳs,Ya. Production of the nuclei N^{17} by bombardment of some elements with heavy ions, 3=2501

Flerov,G.N. See Oganesian,Yu.Ts., 3=24986

Flerov,G.N. See Volkov,V.V., 3=2502

Flerov,G.N. See Volkov,V.V., 3=6302

Flërov,N.N. See Voronkov,R.M., 3=5727

Flesch,G.D. and Svec,H.J. Model of a mass spectrometer which simultaneously collects positive and negative ions, 3=21905

Fletcher,E.R.,Lemonne,J.,Renard,P.,Sacton,J.,O'Sullivan,D., Shah,T.P.,Thompson,A.,Allen,P.,Beniston,M.J.,Garbutt,D.A., Allen,J.E., Jr,Heeran,M.,Montwill,A.,Kumar,R.C.,March,P.V Pniewski,T. and Zakrewski,J. Production of hyperfragments from the interactions of 1.3 GeV/c and 1.5 GeV/c K^- mesons with emulsion nuclei, 3=10232

Fletcher,E.R. See Danysz,M., 3=22276

Fletcher,H.,Blackham,E.D. and Christensen,D.A. Quality of organ tones, 3=9563

Fletcher,J.L. and Loeb,M. Free-field threshold shift and temporary threshold shift reduction as measures of efficiency of ear protective devices, 3=1557

Fletcher,N.H. Nucleation by crystalline particles, 3=7394

Fletcher,N.H. Surface structure of water and ice — a reply and a correction, 3=21307

Fletcher,N.H. See Creagh,D.C., 3=9748

Fletcher,N.R., Tilley,D.R. and Williamson,R.M. $C^{12}(d, p\gamma)$ proton-gamma angular correlations, 3=679

Fletcher,N.R. See Seaborn,J.B., 3=10391

Fletcher,O. See Powell,F.X., 3=7350

Fletcher,P.C. See Bhaumik,M.L., 3=11001

Fletcher, R.O.W. and Steeple, H. Dimorphism in methyl ammonium alum, 3=1342

Fletcher,W.H.W. See Medford,R.D., 3=7277

Fleury,P.A. See Alers,G.A., 3=8356

Flevry,P. See Brandt,S., 3=17324

Flicker,H. Response of semiconductor detectors to fission fragments, 3=24556

Flicker,H. and Loferski,J.J. Distribution of electron bombardment-induced radiation defects with depth in silicon, 3=22858

Flicker,H., Loferski,J.J. and Scott-Monck,J. Radiation defect introduction rates in n- and p-type silicon in the vicinity of the radiation damage threshold, 3=6551

Flicker,H. See Baicker,J.A., 3=13023

Flietner,H. and Hundt,G. Study of the temperature dependence of the fast states on germanium in dry oxygen atmospheres, 3=6586

Flietner,H. and Krotter,W. A simple apparatus for the preparation of high-purity indium by distillation, 3=20332

Flinn, F.A. and Maradudin, A.A. Anharmonic contributions to vibrational thermodynamic properties of solids. III. The low temperature limit, 3=17640

Flinn,P.A. See Chandrasekhar,B.S., 3=5136

Flinn,P.A. See Maradudin,A.A., 3=8827

Flinn,P.A. See Shirane,G., 3=15733

Flinn, P.A. See Shirane, G., 3=17632

Flint,R.B. See Farnell,G.C., 3=20199

Flippen,R.B. Applications of miniature coil, pulsed-field techniques to studies of magnetic phase transitions, 3=17022

Flippen,R.B. and Darnell,F.J. Entropy changes of ferromagnetic—antiferromagnetic transitions from magnetic measurements, 3=15750

Flippen, R.B. and Friedberg, S.A. Low-temperature magnetic susceptibilities of some hydrated formates of Cu^{++} and Mn^{++}, 3=18056

Flitcroft,N. and Kaesz,H.D. Proton magnetic resonance in stannane, the methylstannanes and related compounds, 3=22602

Flitman,L.M. On the motion of a rigid strip-mass lying on an elastic half-space and excited by a seismic wave, 3=18770

Flock,A., Kimura,R., Lundquist,P.G. and Wersäll,J. Morphological basis of directional sensitivity of the outer hair cells in the organ of Corti, 3=3656

Flock,W.L., Belon,A.G. and Heacock,R.R. Geomagnetic agitation and overhead aurora, 3=13832

Flohn,H. Some remarks on the exchange between troposphere and stratosphere, 3=25873

Flom,M.C., Weymouth,F.W. and Kahneman,D. Visual resolution and contour interaction, 3=21171

Flood,E.A. and Farhan,F.M. Stresses and strains in adsorbent—adsorbate systems. V. Thermodynamic theory of adsorbtion—extension phenomena, 3=20937

Flores,J. See Mello,P.A., 3=24874

Flores,J.M. Determination of the quantum numbers for the levels of the 5461 a line in Hg., 3=10458

Florescu,N.A. Increase in performance of the vapour vacuum pump, 3=1735

Florescu,N.A. High vacuum side versus forepressure side leak detection, 3=1741

Florides,P.S. and Synge,J.L. The gravitational field of a rotating fluid mass in general relativity, 3=1600

Florin,R.E., Brown,D.W. and Wall,L.A. γ-irradiation of small molecules at 4 and $77^{0} K^{1}$, 3=12874

Florio,J.V. Retarding-field technique for measuring sublimation from dispenser and oxide cathodes, 3=9830

Flotow, H.E, Osborne, D.W, Otto, K. and Abraham, M. YH_3 and YD_3: heat capacities and thermodynamic functions from 15° to 350°K and infrared absorption spectra, 3=17658

Flournoy,J.M. See Judeikis,H.S., 3=2669

Flowers,M., Batt,L. and Benson,S.W. HCl-catalyzed decomposition of di-tertiary butyl peroxide in the gas phase, 3=5164

Flowers,M.C. and Benson,S.W. Kinetics of the gas-phase reaction of CH_3I with HI, 3=11339

Fluck,E. See Kerler,W., 3=12894

Fluck,E. See Kerler,W., 3=22629

Flueckinger,A.F. See Dannhauser,W., 3=7216

Flügel-Kahler,E. Crystal structure of dolerophanite, $Cu_2O(SO_4)$, 3=25718

Flügge,S. and Weiguny,A. Boundary transition to rigid bodies for the quantum-mechanical three body problem, 3=1617

Fluit,J.M., Friedman,L., van Eck,J., Snoek,C. and Kistemaker,J. Photons and metastable atoms produced in sputtering experiments (5-20keV), 3=4217

Fluit,J.M., Rol,P.K. and Kistemaker,J. Angular-dependent sputtering of copper single crystals, 3=10705

Fluit,J.M. See Heymann,D., 3=1516

Flyagin,V.B. See Budagov,Yu.A., 3=17131

Flynn,C.P. The residual resistivity due to defect pairs, 3=8486

Flynn,C.P. and Odle,R.L. Long range electron density oscillations at non-zero temperatures, 3=9371

Flynn,D.R. A radial-flow apparatus for determining the thermal conductivity of loose-fill insulations to high temperatures, 3=21584

Flynn,E.R. and Bendt,P.J. n–p differential scattering cross section at 22·5 MeV, 3=2268

Flynn,G.P., Hanks,R.V., Lemaire,N.A. and Ross,J. Viscosity of nitrogen, helium, neon and argon from −78.5° to 100°C below 200 atmospheres, 3=7223

Flynn,G.W. and Baldeschwieler,J.D. N.M.R. and double resonance spectra of CH_2F_2 and CH_3CHF_2 in the gas phase, 3=6420

Flynn,G.W. and Baldeschwieler,J.D. N.M.R. spectrum of 1,1-difluoroethylene in the gas phase, 3=8298

Flynn,G.W., Matsushima,M., Baldeschwieler,J.D. and Craig,N.C. N.m.r. spectra of cis and trans 1,2-difluoroethylene in the gas phase, 3=15385

Flynn,J.T. See Damon,E.K., 3=9984

Foà,L. See Bellettini,G., 3=6076

Foà,L. See Bellettini,G., 3=9839

Focardi,S. See Baldoni,B., 3=5998

Focardi,S. See Conforto,G., 3=4795

Focas,J.F. Preliminary results concerning the atmospheric activity of Jupiter and Saturn, 3=18614

Fochs,P.D. and Lunn,B. Improved techniques for studying the growth of CdS crystals, 3=16041

Fock, M.V. Electroluminescence, 3=18046

Fodor,G. See Purika,I., 3=25011

Fodor,I. See Berkes,I., 3=6242

Fodor,I. See Berkes,I., 3=15193

Fodor,J. Testing for defects produced by the working of steel, with the help of autoradiography, 3=5143

Foelsche,H., Fowler,E.C., Kraybill,H.L., Sanford,J.R. and Stonehill,D. Properties of the η meson, 3=7913

Fofonoff,N.P. Precision of oceanographic data for sound speed calculations, 3=18487

Fogarassy,B. On the solution of the Boltzmann transport equation, 3=25226

Fogel',A.A. See Guts,Z.A., 3=19115

Fogel',Ya.M., Rekova,L.P. and Kolot,V.Ya. The ion thermionic emission of metals in an atmosphere of various gases, 3=14663

Fogel',Ya.M., Slabospitskii,R.P. and Slavnÿi,A.A. Mass-spectrometric investigation of the secondary ionic emission when platinum is bombarded by argon ions, 3=24373

Fogel',Ya.M. See Pilipenko,D.V., 3=6342

Fogel',Ya.M. See Polyakova,G.N., 3=15338

Fogel'son,R.L. The first diffusion equation, 3=15503

Foggi,C. See Casini,G., 3=2519

Fogle,B. Noctilucent clouds in Alaska during 1962, 3=9095

Foglio,A. and Bettoni,M.M. K-conversion coefficients of some E2 transitions, 3=12638

Foitzick,J. See Schwab,G.M., 3=6591

Foitzik, L. and Lenz, K. New studies of the polarization of sky light, 3=1447

Foitzik,L. and Spänkuch,D. Calculation of the polarization of sky-light with different model atmospheres, 3=1445

Fok,M.V. Forbidden band width and effective charge in crystal lattice of ZnS, 3=10621

Fok,M.V. An ideal thermal light source, 3=11904

Fok,M.V. and Fridman,S.A. Relation between the rate of decay and the luminescence yield under strong excitation, 3=18015

Fok,M.V. See Georgobiani,A.N., 3=8630

Fok,M.V. See Vinokurov,L.A., 3=3052

Fok,V.A. Criticism of an attempt to disprove the uncertainty relation between time and energy, 3=5356

Fok,V.A. Kinematical and gravitational effects on the reading of a clock in free motion, 3=7109

Fok,V.M. Forbidden bandwidth and effective change of ions in the crystal lattice of ZnS, 3=20344

Foldy,L.L. and Peierls,R.F. Isotopic spin of exchanged systems, 3=14914

Foldy,L.L. See Eck,T.G., 3=17526

Foldy,L.L. See Rose,M.E., 3=2402

Fołdzińska,A. and Malinowski,J. Application of the Gutzeit method to radiochemical determination of arsenic. I. Determination of arsenic in zinc "free from arsenic", 3=1399

Folen,V.J. See Rado,G.T., 3=834

Foley,J.H.,Cahn,R.W. and Raynor,G.V. Stacking fault densities in the copper—germanium, copper—silicon and copper—germanium—silicon alloys, 3=12986

Foley,K.J., Lindenbaum,S.J., Love,W.A., Ozaki,S., Russell,J.J. and Yuan,L.C.L. 7 to 20 BeV/C $\pi^- + p$ and $p + p$ elastic scattering and Regge pole predictions, 3=17323

Foley,K.J., Lindenbaum,S.J., Love,W.A., Ozaki,S., Russell,J.J. and Yuan,L.C.L. Elastic $\pi^+ + \rho$ scattering from 7 to 17 BeV/c, 3=19688

Foley,K.J. See Salmon,G.L., 3=10350

Foley,P.J. Critical flicker frequency and phased surrounds, 3=13967

Foley,P.J. Light time fraction and surround luminance in flicker, 3=18679

Foley,W.T. and Reid,L.E. Interdiffusion in thallium amalgams, 3=21332

Folkierski,A.,Frayne,P.G. and Latham,R. End effects in a linear pinched discharge, 3=12170

Follett,E.A.C. See Dawson,I.M., 3=20985

Folman,M. See Kozirovski,Y., 3=6897

Foltz,J.R., Abraham,L. and Strominger,D. Preparing U^{233} fuel for a.e.t.r. critical experiments, 3=15267

Fomenko,B.D. Properties of m-type corpuscular streams, found from analysis of their effect on the troposphere, 3=23589

Fomenko,L.A.,Shchelkotunov,V.A. and Sochivko,V.L. Thermal conductivity of nickel—zinc ferrites in the 20°-400°C temperature range, 3=25214

Fomichev,V.A. See Polikanov,S.M., 3=6315

Fomin,G.A. See Tolstoi,N.A., 3=6630

Fomin,P.I. Asymptotic representations of the Green's functions and vertex function in quantum electrodynamics, 3=14857

Fomin,P.I. Field mass of an electron in classical electrodynamics, 3=21944

Fomin,P.I. See Guzenko,S.Ya., 3=24587

Fomin,V.G.,Popov,N.G.,Bykov,P.N. and Gurevich,M.A. X-ray camera for the study of structural defects in single crystals of semiconductor materials, 3=25693

Fomin,Yu.A. and Khristiansen,G.B. Size distribution of extensive air showers, 3=22241

Fomushkin,E.F. See Vasil'ev,Yu.A., 3=12715

Fonda,L. Bound states embedded in the continuum and the formal theory of scattering, 3=14900

Foner,S. High field magnetic resonance experiments, 3=1158

Foner,S. High-field antiferromagnetic resonance in Cr_2O_3, 3=11107

Foner,S. Stabilization and control of d.c. magnetic fields with superconducting solenoids, 3=14723

Foner,S. and Hanabusa,M. Magnetoelectric effects in Cr_2O_3 and $(Cr_2O_3)_{0.8} \cdot (Al_2O_3)_{0.2}$, 3=15740

Foner,S.N. and Hudson,R.L. Mass spectrometric studies of metastable nitrogen atoms and molecules in active nitrogen, 3=2571

Fong,R. and Sucher,J. Rotational invariance and the S matrix in nonrelativistic quantum mechanics, 3=10056

Fontaine,J. See Lebrun,A., 3=22984

Fontan,J.,Blanc,D.,Bouville,A. and Lacaze,J. Meteorological conditions dependence of radon concentration in the air above the Atlantic Ocean, 3=9052

Fontan,J.,Blanc,D.,Bouville,A. and Lambert,G. Concentration of radon and thoron in the atmosphere above the Atlantic Ocean. Radioactive equilibrium between these gases and their descendants, 3=21042

Fontanel,M. See Asch,G., 3=20654

Fontell,A. Characteristics of a high frequency ion source in the ionization of hydrogen and helium, 3=12252

Fontenille,J. See Longequeue,J.P., 3=11319

Fontijn,A. and Baughman,G.L. Chemi-ionization in the room-temperature reaction of oxygen atoms with acetylene, 3=16904

Fookes,R.A.,Watt,J.S. and Warburton,J.A. A radioisotope technique for tracing air movements in clear air and in clouds, 3=18503

Fooks,G.F. Ionospheric irregularities and the phase paths of radio waves, 3=3497

Fooks,G.F. Ionospheric irregularities and the phase paths of radio waves, 3=13723

Foote,J.H. See Damm,C.C., 3=16969

Forbat,N. Sufficient condition of stability of motion of a non-linear system, 3=9526

Forbes,E.G. On the red shift of the solar lines. IV, 3=5254

Forbes,E.G. Some observational features of the solar limb effect, 3=9199

Forbes,J.E. See Wood,D.B., 3=16394

Forbes,R.F.S. See Harrison,J.C., 3=13637

Forbes,S.T. See Jones,R.V., 3=9060

Forbush,S.E.,Pizzella,G. and Venkatesan,D. The morphology and temporal variations of the Van Allen radiation belt, October 1959 to December 1960, 3=9116

Force,R.C.La.,Ravitz,S.F. and Day,G.F. Nuclear magnetic resonance spectra of ferromagnetic alloys, 3=1200

Forchioni,A. See Marchand,A., 3=1120

Forchioni,A. See Marchand,A., 3=11023

Ford,G.C. and Vail,V.W. Power supply and control circuit for ion-getter pumps, 3=5471

Ford,H.W. and Jaffe,S. Photolysis of nitrogen dioxide at 3660 and 4047 Å at 25°C, 3=18456

Ford, K.W., Hughes, V.W. and Wills, J.G. Theoretical values for magnetic moments of mu-mesonic atoms, 3=4730

Ford,P.W. Aberration coefficients and optical design, 3=16734

Ford,R.A., Kauer,E., Rabenau,A. and Brown,D.A. The electronic states of octahedral and tetrahedral Mn^{++} in α, β and γ manganous sulphide, 3=20072

Foreman,A.J.E. Elastic relaxation at a vacancy in solid argon, 3=20100

Foreman,A.J.E. and Lidiard,A.B. Vacancy contribution to the specific heat of solid argon, 3=8364

Foreman,P.H. See Thumwood,R.F., 3=19325

Forest,A.E. See García,A., 3=15221

Forest,A.E. See Squires,E.J., 3=15051

Forestier,H. See Daire,M., 3=20982

Forgacs,R.L. See Runge,E.F., 3=5522

Fork,R.L. and Patel,C.K.N. "Negative" tensor susceptibility in media exhibiting population inversion, 3=8202

Fork,R.L. and Patel,C.K.N. Broadband magnetic field tuning of optical masers, 3=17076

Forman,P.R. See Boley,F.I., 3=19291

Forman,R. Theory of negative resistance characteristics in irradiated gas thermionic diodes, 3=2025

Forman,R. Theory of space-charge-limited emission in high-pressure gas diodes, 3=21869

Forman,R. and Ghormley,J.A. Effect of daughter Rb^{85} on the characteristics of a thermionic diode containing Kr^{85}, 3=2433

Forman,R., Ghormley,J.A. and Reiss,J.R. Electrical conduction through radiation-produced plasmas in inert gas thermionic diodes, 3=2026

Forman,S.M. Harmonic generation in low-field nuclear induction, 3=24500

Formato,D. and Gilardini, A. Propagation characteristics of magneto-ionic plasma columns, 3=501

Formato,D. and Gilardini,A. Microwave determinations of the G factor in nitrogen and oxygen, 3=4152

Fornerod,R.C. See Secrétan,B., 3=11138

Forrat,E.F. See Yakel,H.L., 3=25722

Forrat,F., Jansen,R. and Trévoux,P. The crystallogenesis and optical properties of $AlLaO_3$, 3=15670

Forrat,F. See Bertaut,E.F., 3=3139

Forrat,F. See Bertaut,E.F., 3=3320

Forrat,F. See Bertaut,F., 3=13119

Forrat,F. See Couture,L., 3=15702
Forrer,R. and Maechler,P. Analyser for paramagnetic substances, 3=9903
Forrest,J.S.,Howard,P.R. and Little,D.J. [Eds.]. Gas discharges and the electricity supply industry, 3=7450
Forrester,J.D.,Senko,M.E.,Zalkin,A. and Templeton,D.H. Crystal structure of KH_2F_3 and geometry of the $H_2F_3^-$ ion, 3=8847
Forrester,J.D. See Templeton,D.H., 3=16075
Forrez,G. See van Itterbeek,A., 3=13559
Forrez,G. See Van Itterbeek,A., 3=23205
Forsblom,I. See Simons,L., 3=12674
Forsen,H.K. See Ohkawa,T., 3=19247
Forsen,H.K. See Schupp,A.A., 3=21814
Forslind,E. See Andersson,L.O., 3=18152
Forsling,W. See Uhler,J., 3=12644
Forsman,W.C. and Hughes,R.E. Radii of gyration for random-flight chains, 3=15403
Forsman,W.C. and Hughes,R.E. Configurational properties of random-flight chains in solution and in an interface, 3=15404
Forsman,W.C. and Hughes,R.E. Adsorption theory for flexible linear polymer molecules, 3=15405
Forst,G. Ion interference in gases, 3=21901
Forst,G. See Boersch,H., 3=19186
Forstat,H. See Spence,R.D., 3=1205
Förste,J. Diffraction of plane waves of constant amplitude at apertures in a plane screen and its wave-mechanical interpretation, 3=17
Förste,J. Diffraction of a material wave of the type proposed by J.Picht, 3=1582
Forste,J. Relationship with the electromagnetic field of a uniformly moving electron of the matter wave: $\Psi=[(\frac{x-vt}{\sqrt{1-\beta^2}})^2+y^2+z^2]^{-1/2}\exp[\frac{2\pi i\nu_0}{\sqrt{1-\beta^2}}(t-\frac{v}{c^2}x)]$, 3=10089
Forster,C.F. and Rickard,E.F. Phosphorescence in plastics, 3=15715
Førsvoll,K. and Holwech,I. Sondheimer oscillations in aluminium, 3=4908
Førsvoll,K. and Holwech,I. Electrical size effect in aluminium, 3=22890
Forsyth,J.B. and d'Alte da Veiga,L.M. The structure of the σ-phase Co_2Mo_3, 3=18333
Forsyth,J.B. See Calder,R.S. 3=9701
Forsyth, J.B. See Collins, M.F., 3=18098
Forsyth,P.A. Reflection mechanisms for radio aurora, 3=13793
Forsyth,P.A. See Moorcroft,D.R., 3=11603
Forsyth,P.A. See Rice,D.W., 3=13924
Forsyth,P.D. See Mani,G.S., 3=19770
Forsyth,P.J.E. Fatigue damage and crack growth in aluminium alloys, 3=20741
Fort,A. See Benes,J., 3=3899
Fort,É. See Didier,D., 3=8108
Fort,R.J. and Sheldon,R.P. Apparatus for the testing of low-strength adhesives, 3=13979
Fort,T.,Jr. and Patterson,H.T. A simple method for measuring solid—liquid contact angles, 3=11774
Fortin,E. and Weichman,F.L. Photoconductivity in cuprous oxide single crystals, 3=4954
Fortini,A. and Le Bourgeois,A. Measurement of Hall mobility of the Corbino disk method, 3=9691
Fortini, A. and Saint-Martin, J.P. Photomagnetoelectric effect in graded-gap semiconductors, 3=17951
Fortini,T. The loop prominence and sprays of July 1, 1960, 3=11550
Fortini,T. Similar ionospheric responses of some recurring flares, 3=23612
Fortuin,J.M.H. and Prop,J.M.G. Determination of the distribution of particle sizes in powders by means of a photo-sedimentograph, 3=16570
Fortunatova,N.N. See Vasilevskaya,V.N., 3=18281
Fortus,M.I. Practical realization of the statistical extrapolation of meteorological fields, 3=3451
Forty,A.J. The chemical effects of ionizing radiation on non-metallic crystals, 3=8975
Forty,A.J. The microscopy of metals in transmitted ultra-violet light, 3=23523
Forty,A.J. and Humble,P. The influence of surface tarnish on the stress-corrosion of α-brass, 3=11190
Forty,A.J. See Bassett,G.A., 3=17808
Forty, A.J. See Dawood, R.I., 3=2921
Forty, A.J. See Dawood, R.I., 3=17960
Forward,R.L. Guidelines to antigravity, 3=11678
Fosdick,L.D. Numerical estimation of the partition function in quantum statistics, 3=5376
Foss,D. See Bratsberg,H.G., 3=20803
Foss,M. See Fetcher,H., 3=12279
Fossan,D.B. and Herskind,B. Half-lives of first excited 2^+ states ($150 < A < 190$), 3=8003
Fossan,D.B. See Herskind,B., 3=8009
Foster,E.W. Measurement of transition probabilities in the Cl I, II and CI spectra, 3=702
Foster,F. and Debenedetti,A. Composition and energy spectra of the heavy primary cosmic radiation, 3=19721
Foster,F. and Mulvey,J.H. ^3He nuclei in the primary cosmic radiation, 3=7945
Foster,G.M. Supercurrent dissipation, 3=24144
Foster,K., Kramer,J.J. and Wiener,G.W. Growth rates of surface energy controlled secondary grains in 3% Si–Fe sheets, 3=16108
Foster,K. and Pavlovic,D. Magnetic properties of oriented 3% aluminum iron sheets, 3=15855
Foster,N.F. Diffusion-layer ultrasonic transducer, 3=9566
Fotchenkov,A.A. and Zaitseva,M.P. The inverse piezoelectric effect in triglycine sulphate, 3=20391
Fotchenkov,A.A.,Zheludev,I.S. and Zaitseva,M.P. Electrostriction in Rochelle salt single crystals, 3=13121
Fóti,E. See Gimeysi,Z., 3=25010
Foucher,R., Mérinis,J., de Pinho,A. and Valadares,M. Scheme of excited levels of Pa^{234}, 3=2395
Foucher,R.,Mérinis,J.,de Pinho,A. and Valadarés,M. Interpretation of schemes of excited levels of Pa^{234} an odd—odd nucleus, 3=22312
Foucher,R. See Adamson,A.M., 3=7998
Fougere,P.F. Spherical harmonic analysis [applied to earth's magnetic field]. I. A new method and its verification, 3=13824
Fouilloux,P. See Renouf,J.P., 3=20215
Foulks,R.E. See Lynch,G.R., 3=19633
Fourdeux,A. and Wronski,A. New electrolytic method for cutting and shaping metal specimens, 3=11649
Fourie,J.T. and Murphy,R.J. Elongated dislocation loops and the stress–strain properties of copper single crystals, 3=2805
Fousek,J., Málek,Z., Salim,A.J. and Al Ali,N.S. On the anomalous increase of the permittivity during slow switching processes on triglycine sulphate, 3=2960
Fousek,Ya. See Brzhezina,B., 3=2952
Fowler,A.B. Quenching of gallium-arsenide injection lasers, 3=22015
Fowler,A.B.,Howard,W.E.and Brock,G.E. Optical properties of heavily doped compensated germanium, 3=2988
Fowler.A.B. See Morehead.F.F.. 3=910
Fowler.A.B. See Nathan,M.I., 3=24523
Fowler, C.A.Jr, Fryer, E.M, Brandt, B.L. and Isaacson, R.A. Magnetic domains in orthoferrites by the Kerr effect, 3=18103
Fowler,E.C.,Crawford,F.S.,Jr,Lloyd,L.J.,Grossman,R.A. and Price,L. Experimental determination of the branching ratio $\Gamma(\eta\rightarrow\pi^+\pi^-\gamma)/\Gamma(\eta\rightarrow\pi^+\pi^-\pi^0)$, 3=12496
Fowler,E.C. See Crawford,F.S.,Jr, 3=19691
Fowler,E.C. See Foelsche,H., 3=7913
Fowler,G.N. and Crossland,A.D. The capture of K^- mesons by complex nuclei, 3=12697
Fowler,I.L. Very large boron trifluoride proportional counters, 3=19504
Fowler,J.M., Warren,W. and Lambe, E.D. Lecture demonstration of electron diffraction, 3=4201
Fowler,M. Second-type singularities in perturbation theory, 3=7814
Fowler,P. See Bowler,M., 3=4537
Fowler,P.H. See Bowler,M.G., 3=4536
Fowler,P.H. See Bowler,M.G., 3=6112
Fowler,R.G. Origin of the driving force in electromagnetic shock tubes, 3=11859
Fowler,R.G. Possible hydrodynamical character of moving and stationary striations, 3=19211
Fowler,R.G. and Hood,J.D.,Jr. Very fast dynamical wave phenomenon, 3=1955
Fowler,R.G. and Jones,L.W. Investigations on constriction of the positive column using glow discharges of limited duration, 3=14549

Fowler,R.G. See Paxton,G.W., 3=1956
Fowler,T.B. See Tobias,M., 3=10123
Fowler,T.K. On integrating the Vlasov equation, 3=7511
Fowler,T.K. Lyapunov's stability criteria for plasmas, 3=12117
Fowler,T.K. and Rankin,M. Plasma potential and energy distributions in high-energy injection machines, 3=1998
Fowler,W.A. See Bahcall,J.N., 3=13879
Fowler,W.A. See Caughlan,G.R., 3=3588
Fowler,W.A. See Hoyle,F., 3=9255
Fowler,W.A. See Hoyle,F., 3=9258
Fowler,W.B. and Dexter,D.L. Relation between absorption and emission probabilities in luminescent centers in ionic solids, 3=6666
Fowler,W.B. See Baltay,C., 3=22209
Fowler,W.B. See Baltay,C., 3=24805
Fowler,W.B. See Dunkelman,L., 3=14306
Fowles,G.R. Quantum dynamical description of atoms and radiative processes, 3=12747
Fox,A.C. See Wait,E., 3=10699
Fox,A.G.,Tingye Li and Morgan,S.P. On diffraction losses in laser interferometers, 3=24045
Fox,D.W. See Bazley,N.W., 3=25084
Fox,J.D. See Becker,J.A., 3=15192
Fox,J.D. See Choppin,G.R., 3=24992
Fox,J.D. See Feldl,E.J., 3=17095
Fox,K. Vibration—rotation interactions in infrared active overtone levels of spherical top molecules; $2\nu_3$ and $2\nu_4$ of CH_4, $2\nu_3$ of CD_4, 3=6413
Fox,M.E. See Mulay,L.N., 3=8639
Fox,R. Study of the long-range nuclear potential by small angle neutron scattering, 3=15070
Fox,T.G. See Coleman,B.D., 3=11343
Fox,W.N. See Day,D.H., 3=22149
Fraade,D.J. Devices for moisture measurement. I, 3=1573
Fraade,D.J. Devices for moisture measurement. II, 3=1574
Fracassini,M. The solution of the Van De Hulst's integral equations for computing electron density of the solar corona, 3=18635
Fracassini,M. and Hack,M. Intensities, polarization and electron density of the solar corona from photographs taken during the total solar eclipse of 1961, 3=9218
Fracastoro,M.G. Total solar eclipse of 15 February 1961, 3=9192
Frąckowiak,D. and Kołtun,S. Absorption anisotropy of some organophosphors, 3=20492
Fradkin,É.E. Isotopic shift of spectral lines and the compressibility of deformed nuclei, 3=6159
Fradkin,É.E. and Chaĭka,M.P. Continuous radiation of a three-level quantum generator with optical pumping, 3=19479
Fradkin,É.E. See Kaliteevskii,N.I., 3=12562
Fradkin,M.I. See Ginzburg,V.L., 3=9119
Fradkin,M.I. See Kurnosova,L.V., 3=2333
Fradkin,M.I. See Kurnosova,L.V., 3=2343
Fradkin,M.I. See Kurnosova,L.V., 3=22229
Fradkin,M.I. See Kurnosova,L.V., 3=22230
Fraenkel,B.S., See Alexander,E. 3=9593
Fraenkel,B.S. See Alexander,E., 3=21546
Fraenkel,G.K. See Freed,J.H., 3=2653
Fraenkel, G.K. See Freed,J.H., 3=4776
Fraenkel, G.K. See Freed, J.H., 3=17610
Fraenkel,G.K. See Freed,J.H., 3=23911
Fraenkel,G.K. See Gendell,J., 3=6415
Fraenkel,G.K. See Rieger,P.H., 3=6428
Fraenkel,G.K. See Rieger,P.H., 3=6429
Fraenkel,G.K. See Rieger,P.H., 3=22593
Fraenkel,Z. On the multi-nucleon capture of K-mesons in complex nuclei, 3=15217
Fraenkel,Z. Pion capture in complex nuclei, 3=15218
Fraga,A.R. See Moreno,A.M., 3=18521
Fraga, S. See Birss, F.W., 3=17563
Frahm,J. and Gustavs,A. On the interpretation of isomeric displacement in Fe^{57}, 3=7972
Frahn,W.E. See Fiedeldey,H., 3=2349
Frait,Z. Thin ferromagnetic films. V. (8). Ferromagnetic resonance, 3=23174
Frait,Z. On the spin-wave resonance in bulk ferromagnetic conductors, 3=23207
Frait,Z. and Heinrich,B. The measurement of magnetic fields in the surface layer of a ferromagnet by the method of paramagnetic resonance, 3=25519
Frait,Z.,Heinrich,B. and Ondris,M. The ferromagnetic resonance linewidth in bulk silicon iron single crystals, 3=8700
Frait,Z.,Kamberský,V.,Ondris,M. and Málek,Z. On the effective magnetization and uniaxial anisotropy of permalloy films, 3=20596
Frait,Z. and Ondris,M. Spin-wave resonance in iron, 3=3155
Frait,Z. See Kaczér,J., 3=1062
Fräki,R.,Leimdörfer,M. and Malmskog,S. The energy variation of the sensitivity of a polyethylene moderated BF$_3$ proportional counter, 3=24539
Fraley,P.E.,Brim,W.W. and Narahari Rao,K. Vibration—rotation bands of $N_2{}^{14}O^{16}$ at 4.5 μ, 3=6404
Frana,Ya. See Rzhezanka,I., 3=8010
France,J. See Sheriff,N., 3=16817
France,P.W. See Kim,Y.W., 3=15371
France,W.L. See Burch,D.E., 3=23933
Francès,A. See Decaux,B., 3=9945
Francés,A. See Decaux,B., 3=9951
Francès,A. See Decaux,B., 3=24481
Franceschetti,F. See Latmiral,G., 3=19451
Franceschetti,M.O. See Bassani,G., 3=2584
Franceschi,G.De. See Cabibbo,N., 3=572
Francescon,S. The Winfrith DSN programme, 3=22144
Franchetti,S. and Mazza,A. On the lowering of the λ-point of liquid helium in thin films and narrow channels, 3=5561
Francis,J.E. See McNally,J.R.,Jr., 3=14556
Francis,P.G. and Luckhurst,G.R. Joule–Thomson coefficients and the principle of corresponding states, 3=14211
Francis,R.N. See Ashburn,E.V., 3=23650
Francis,W.E. See Karplus,R., 3=9074
Francis,W.E. See Rapp,D., 3=4026
Franck,J.V.,Hough,P.C.V. and Powell,B.W. Realisation of HPD systems at three laboratories, 3=24561
Franco,J.P. Modern methods for the control of optical systems. II. Methods using scanning, interference, measurement of wavefront aberrations, correlation, visual means etc., 3=244
Francombe,M.H. and Noreika,A.J. Magnetic anisotropy and structure of sputtered Permalloy films, 3=15819
Francombe,M.H., Rudisill,J.E. and Coren,R.L. Faraday rotation and hysteresis properties of ferrite thin films, 3=15655
Francombe,M.H. See Chopra,K.L., 3=15543
Françon,M. and Yamamoto,T. New and very simple interference system suitable for a microscope, 3=3887
Françon,M. See Cagnet,M., 3=257
Frandsen,W.H. See Langenecker,B., 3=6828
Frank,D. and Meier,K. The statistics of spin-waves, 3=11048
Frank,F.C. See Parasnis,A.S., 3=25280
Frank,H. The influence of the extraction of minority charge carriers on the conductivity measurements on inhomogeneous semiconductor crystals, 3=2886
Frank, I.M. Transition radiation and the Cherenkov effect, 3=17239
Frank,I.M. See Benetskiĭ,B.A., 3=24944
Frank,I.M. See Levshin,V.L., 3=16479
Frank,L.A. and Van Allen,J.A. Intensity of electrons in the earth's inner radiation zone, 3=13814
Frank,L.A.,Van Allen,J. A. and Hills,H.K. Mariner II: preliminary reports on measurements of Venus: charged particles, 3=18616
Frank,L.A.,Van Allen,J.A.,Whelpley,W.A. and Craven,J.D. Absolute intensities of geomagnetically trapped particles with Explorer 14, 3=13816
Frank,L.A. See Pieper,G.F., 3=16287
Frank,L.A. See Rosser,W.G.V., 3=9115
Frank,L.A. See Van Allen,J.A., 3=11616
Frank,L.A. See Van Allen,J.A., 3=13809
Frank,M. See Herforth,L., 3=17116
Frank,W.M.,Hellman,W.S. and Mullen,G.H. The almost conservec current hypothesis and pseudo-scalar meson theory, 3=7795
Frank,W.M. See Fried,Z., 3=7302
Frank-Kamenetskii,D.A. Kinetics of "neutronization" at super-high densities, 3=6149
Frank-Kamenetskii,D.A. Radiative transfer in the continuous spectrum in the absence of thermal equilibrium, 3=14562
Frank-Kamenetzky,D.A. See Borodin,A.V., 3=21831
Frank-Kemenetskii,D.A. See Demidov,V.D., 3=14612
Frank-Kamenetskii,D.A. See Demidov,V.P., 3=24327
Frank-Kamenetskii,D.A. See Kovan,I.A., 3=7544

Frank-Kamenetskii,D.A. See Nadezhin,D.K., 3=9229
Frank-Kamenetskii,V.A. and Shafronovskii,I.I. The law of crystallographic limits and the principle of closest packing, 3=13427
Franke,H.G. and Krafft,O. An easily exchangeable lead-in electrode used in high vacuum technique, 3=23952
Franke,K.H. See Broser,I., 3=11371
Frankel,S.,Frati,W.,Halpern,J.,Holloway,L.,Wales,W., Betz,F.W. and Chamberlain,O. Search for $\mu \to e+e+e$ 3=310134
Frankel,S.,Frati,W.,Halpern,J.,Holloway,L.,Wales,W. and Chamberlain,O. A search for the decay $\mu \to e + \gamma$, 3=7876
Franken,A.J.J. See Verster,N.F., 3=5740
Franken,P.A. On transonic pressure fluctuations, 3=23923
Franken,P.A. and Ward,J.F. Optical harmonics and nonlinear phenomena, 3=21505
Franken,P.A. See Bass,M., 3=5537
Frankl,D.R. Surface states due to copper on germanium, 3=6585
Frankl,D.R. Power and efficiency considerations in continuous laser operation, 3=12349
Franklin,A. See Berkelman,K., 3=7914
Franklin,A.D. Relaxation modes for trapped crystal point defects, 3=25267
Franklin,J.L. See Munson,M.S.B., 3=3387
Franklin,R.N. See Bryant,G.H., 3=9790
Franklin,R.N. See Bryant,G.H., 3=9791
Franklin,W.M. and Wagner,J.B.,Jr. Dislocations and glide in lead sulfide as a function of deviations from stoichiometry and doping additions, 3=25266
Frankowski,K. See Pekeris,C.L., 3=5466
Frankowski,W. "Anna" the critical assembly of the second Polish experimental reactor, 3=691
Frankowski,W. "Anna": The critical assembly of the second Polish experimental reactor, 3=25013
Franse,J.J.M. See Veerman,J., 3=20581
Franshevitch,I.N. and Lavrenko,V.A. Recombination of hydrogen atoms on the surface of platinum, 3=20987
Frants,I. See Khulubei,Kh., 3=6240
Frantsesson,A.V. See Atsarkin,V.A., 3=15939
Frantsesson,A.V. See Atsarkin,V.A., 3=21992
Frantsevich,I.N., Kalinovich,D.F., Kovenskii,I.I. and Smolin,M.D. Relative and total transport of matter in metals under the action of a constant electric field, 3=20235
Frantsevich,I.N., Kalinovich,D.F., Kovenskii,I.I. and Smolin,M.D. Determination of the degree of ionization of components of a molybdenum-tungsten alloy, 3=20237
Frantsuzov, A.A. The magnetic properties of brass, 3=18061
Frantsuzov,A.A. See Mamÿrin,B.A., 3=4221
Frantz,F.S.,Jr. See Palowitch,B.L., 3=12688
Frantz,L.M. and Nodvik,J.S. Theory of pulse propagation in a laser amplifier, 3=23053
Frantzevich,I.N. See Lavrenko,V.A., 3=25780
Franz,F.A. High-intensity cesium lamp for optical pumping, 3=16761
Franz,F.A.,Luscher,E. and Smith,D.W. Pressure-shift of the atomic nitrogen hyperfine structure, 3=19941
Franz,J. See Hulubei,H., 3=6233
Fränz,K. and Müller,Kl. Dependence of line widths of scintillation counters with NaI(Tl)-crystals on integration time constant, 3=14822
Franz,W. Calculation of mobility of multi-valley semiconductors in medium fields, 3=845
Franz,W. Calculation of the mobility of hot electrons in many-valley semiconductors by means of iterative quadratures. II. Following through the calculation for germanium, 3=22926
Franzen,W. Nonisothermal superconducting bolometer: theory of operation, 3=11997
Franzinetti,C. See Bartke,J., 3=22206
Franzini,P. and Zanello,D. On the validity of the $|\Delta I| = \frac{1}{2}$ selection rule in Σ-decay, 3=22212
Franzini,P. See Cabibbo,N., 3=7932
Franzini,P. See Courant,H., 3=17346
Franzosini,P. Construction of an apparatus for molar heat measurements of solids: the atomic heat of gold between 70 and 273° K, 3=21607
Franzosini,P. Miscibility gaps in binary systems of carbon disulphide and aliphatic primary alcohols, 3=23875
Franzosini,P. and Sinistri,C. Heat and entropy of fusion of lithium, sodium and potassium nitrates, 3=21617
Franzosini,P. and Sinistri,C. Thermodynamic properties of mixing of fused salt binary systems. II. Liquidus curves of the systems $(Na + Tl)NO_3$, $(K + Ag)NO_3$, $(Ag + Tl)NO_3$ and $(Li, Na, K, Ag, Tl + 1/2pB)NO_3$, 3=21619
Franzosini,P. See Sinistri,C., 3=21618
Franzosini,P. See Sinistri,C., 3=21620
Fraser,B.J. Geomagnetic micropulsations from the high altitude nuclear explosion above Johnston Island, 3=23647
Fraser,D.A. The resistance of a plasma for a thermionic converter, 3=4155
Fraser,E.C. See Pasternak,R.A., 3=7379
Fraser,J.S. See Milton,J.C.D., 3=4677
Fraser,J.S. See Milton,J.C.D., 3=17503
Fraser,V.M. See Peabody,C.O, 3=17118
Frasson,E. See Panattoni,C., 3=3294
Frasson,E. See Panattoni,C., 3=13445
Frati,W. and Rainwater,J. μ-mesonic atom studies of Ti, Fe, Cu, Zn, Tl, Pb, and Bi, 3=6370
Frati,W. See Frankel,S., 3=7876
Frati,W. See Frankel,S., 3=10134
Frauenfelder,H. See Margulies,S., 3=12566
Fraunberger,F. A new method for determining the Curie point, 3=23152
Frautschi,S.C. Strong damping of large momentum transfers, and its consequences for high-energy inelastic processes, 3=14897
Frautschi,S.C. See Contogouris,A.P., 3=5952
Fray,S.J., Goodwin,A.R., Johnson,F.A. and Quarrington,J.E. An absolute method of determining transmission and reflection coefficients, 3=18961
Frayne,P.G. See Folkierski,A., 3=12170
Frazer,B.C. Neutron diffraction studies of ferroelectrics, 3=899
Frazer,B.C. See Brown,P.J., 3=8695
Frazer, B.C. See Kay, M.I., 3=1336
Frazer,J.W. See Catalano,E., 3=15346
Frazer,W.R. Some experimental consequences of Regge poles, 3=17213
Frazer,W.R. and Wong,D.Y. Width of three–pion resonances, 3=2312
Frazer,W.R. See Ball,J.S., 3=562
Frechette,V.D. See Smith,D.K., 3=1320
Fred,M. and Kleef,T.A.M. van. Slater parameters for the Hf III spectrum, 3=703
Fred,M. See Blaise,J., 3=6354
Fred,M. See Tomkins,F.S., 3=18984
Fred,M. See Van Kleef,Th.A.M., 3=15286
Freden,S.C. See Mozer,F.S., 3=16288
Frederick,D.E. Polarization of neutrons from the photodisintegration of deuterium, 3=15044
Frederick,D.E. and Smith,J.H. Photoelectric triggering of flash photography of a low pressure helium cloud chamber, 3=2172
Fredericks,W.J. and Cook,C.J. Interaction of low-energy electrons with insulating crystals, 3=22694
Fredericks,W.J. See Keneshea,F.J.,Jr., 3=15510
Fredericks,W.J. See Scott,A.B., 3=22758
Frederickson,L.D., Jr and Hausen,D.M. Infrared spectra—structure correlation study of vanadium—oxygen compounds, 3=22574
Fredga,K. A sunspot group of high activity in July, 1961. 3=11539
Fredkin,D.R. Asymptotic form of the proper self-energy function in many-particle systems, 3=14049
Fredkin,D.R. and Suhl,H. A note on the short-range order at the ferromagnetic Curie point, 3=11042
Fredkin,D.R. and Wannier,G.H. Theory of electron tunneling in semiconductor junctions, 3=6608
Fredkin,D.R. See Suhl,H., 3=20136
Fredricks,R.W. and Mastrup,F. Ambipolar diffusion of a plasma in a weak magnetic field, 3=7603
Fredriksen,A. and Dyce,R.B. Ionospheric absorption investigations at Hawaii and Johnston Island, 3=5859
Free,J.M.,Moffat,M.E.B. and Walker,G.B. Dielectric properties of titania ceramics at microwave frequencies, 3=13112
Freed, J.H. and Fraenkel, G.K. Anomalous alternating linewidths in E.S.R. spectra, 3=2653
Freed,J.H. and Fraenkel,G.K. Intramolecular bonding in ESR spectra, 3=17610
Freed,J.H. and Fraenkel,G.K. Theory of linewidths in electron–spin resonance spectra, 3=23911
Freed,J.H., Rieger,P.H. and Fraenkel,G.K. Alternating linewidths in the e.s.r. spectra of dinitrobenzene anion radicals, 3=4776

Freed,J.H. See Gendell,J., 3=6415
Freedman,A. Errata: "A mechanism of acoustic echo formation", 3=5501
Freedman,J.F. Residual stress in single-crystal nickel films, 3=13344
Freedman,J.F. See Alessandrini,E.I., 3=8835
Freedman,S.I. and Kaye,J. Simultaneous heat and mass transfer in the compressible laminar boundary layer of a dissociating gas, 3=18854
Freeman,A.J. Localized magnetic moments in metals, 3=12908
Freeman,A.J. and Watson,R.E. Exchange polarization and the magnetic behavior of transition metal and rare earth, 3=977
Freeman,A.J. and Watson,R.E. Contribution of spin polarization to transferred hyperfine effects in iron-series fluorides, 3=15955
Freeman,A.J. and Watson,R.E. Antishielding of magnetic and electric hyperfine interactions in open shell ions, 3=25038
Freeman,A.J. See Watson,R.E., 3=981
Freeman,A.J. See Watson,R.E., 3=17518
Freeman,A.J. See Watson,R.E., 3=22607
Freeman,D.E. A comment on redundant coordinates, 3=8233
Freeman,D.E. and Wilson,M.K. The inclusion of intramolecular tension in certain simple valence force fields, 3=17551
Freeman,G.R. Gamma-radiation-induced conductance in liquid hydrocarbons, 3=11804
Freeman,J.H. A new ion source for electromagnetic isotope separators, 3=16990
Freeman,J.H. and Bell,W.A. Factors affecting focus in electromagnetic isotope separators, 3=16991
Freeman,J.J. Range-error compensation for a troposphere with exponentially varying refractivity, 3=5857
Freeman,J.M.,Montague,J.H.,West,D. and White,R.E. The ft value for Al^{26*} and the universal Fermi interaction, 3=6200
Freeman,J.W.,Van Allen,J.A. and Cahill,L.J. Explorer 12 observations of the magnetospheric boundary and the associated solar plasma on September 13, 1961, 3=18573
Freeman,J.M. and West,D. Studies of (p, n) reactions with a He^3 ion chamber and some new levels in Ne^{19}, 3=668
Freeman,M.P. and Katz,S. Determination of a radiance-coefficient profile from the observed asymmetric radiance distribution of an optically thin radiating medium, 3=24004
Freeman,M.P. and Kolb,K. High temperature physical adsorption of homologous series of gases on heterogeneous surfaces, 3=20935
Freeman,P.I. See Benson,G.C., 3=25768
Freeman,R. and Anderson,W.A. Use of weak perturbing radio-frequency fields in nuclear magnetic double resonance, 3=2658
Freeman,R. and Anderson,W.A. Indirect detection of weak or hidden nuclear magnetic resonance signals, 3=22594
Freeman,R. and Bhacca,N.S. Relative signs of nuclear spin soupling constants: A refinement of the double-irradiation experiment, 3=10548
Freeman,R.,Bhacca,N.S. and Reilly,C.A. Analysis of weakly coupled nuclear magnetic resonance spectra: methyl salicylate, 3=8302
Freeman,R.,McLauchlan,K.A.,Musher,J.I. and Pachler,K.G.R. The relative signs of geminal and vicinal proton spin coupling constants, 3=736
Frei,E.H. See Aharoni,A., 3=20979
Frei,K. and Bernstein,H.J. Method for determining magnetic susceptibilities by n.m.r., 3=4241
Frei,K. and Bernstein,H.J. Carbon—carbon spin-coupling constants in characteristic CC-bond types, 3=10498
Frei,V.,Matyáš,M.,Velický,B.,Závětová,M. and Škácha,J. Investigations on the band structure of CdSb, 3=10811
Freidman,G.I. See Daume,É.Ya., 3=4269
Freier,G. Conductivity of the air in thunderstorms, 3=9034
Freier,P. Emulsion measurements of solar alpha particles and protons, 3=17362
Freier,P.S. and Webber,W.R. Exponential rigidity spectrums for solar-flare cosmic rays, 3=15065
Freiling,E.C. and Ballou,N.E. Nature of nuclear debris in sea water, 3=6190
Freindl,L.,Niewodniczański,H.,Nurzyński,J.,Słapa,M. and Strałkowski,A. Elastic scattering of 12.8 MeV deuterons on some light nuclei, 3=22412
Freise,E.J. and Kelly,A. The deformation of graphite crystals and the production of the rhombohedral form, 3=25627
Freiser,M.J.,Seiden,P.E. and Teaney,D.T. Field-independent longitudinal antiferromagnetic resonance, 3=18123
Freiser,M.J. See Calhoun,B.A., 3=15787
Freiser,M.J. See Teaney,D.T., 3=3144
Freiser,M.J. See Teaney,D.T., 3=15928
Freitag,C.,Freytag,D.,Lübelsmeyer,K. and Paul,W. Photoproduction of positive pions on hydrogen between 200 and
Fremd,V.M. Strong-motion piezoelectric seismic detector, 3=3435
Fremlin,J.H. An alternative deduction from the Michelson-Morley experiment, 3=5345
Fremlin,J.H. and Reasbeck,P. Radiative capture of heavy ions, 3=19890
French,A.P. and Tessman,J.R. Displacement currents and magnetic fields, 3=12293
French,J.B. and Macfarlane,M.H. Monopole (pn) excitations and isobaric-spin splitting of single-particle and single-hole states, 3=677
French,J.D. See Trehan,P.N., 3=24903
Frenkel,A. See Bozóki,G., 3=7898
Frenkel,L. Apparatus for the detection of piezoelectric coupling, 3=24504
Frenkel,V.Ya. See Bukhvostov,A.P., 3=2231
Frenkel',V.Ya. See Bukhvostov,A.P., 3=19049
Frenkin,A.R. Determination of isobaric states in models with a fixed nucleon, 3=17191
Frenkin,A.R. Green's functions in the theory of strong coupling, 3=24605
Frenkin,A.R. See Kukin,V.D., 3=4309
Frennet,A. See Coekelbergs,R., 3=23544
Freon,A. See Lepechinsky,D., 3=5873
Frère,R. Assisted focusing collisions in f.c.c. lattices at small angles, 3=8465
Frère,R. Remarks on classical scattering theory and "hard sphere" type models, 3=12783
Frère,R. Theory of focusing collision chains. I, 3=22882
Frère,R. Theory of focusing collision chains. II, 3=22883
Frère,R. Theory of focusing collision chains. III, 3=22884
Frerichs,R. See Dinklage,J., 3=23437
Fretter,W.B.,Hoang,T.F.,Bellini,G.,Fiorini,E.,Herz,A.J.,Negri,P.,Ratti,S.,Baglin,C.,Bingham,H.,Bloch,M.,Drijand,D.,Lagarrigue,A.,Mittner,P.,Orbin-Lecourtois,A.,Rançon,P.,Rousset,A.,de Raad,B.,Salmeron,R. and Voss,R. Analysis of low-multiplicity jets produced by high-energy pions, 3=2301
Fretwurst,E. See Bormann,M., 3=15210
Freudenthal,A.M. Aspects of fatigue damage accumulation at elevated temperatures, 3=20745
Freund,H.G. See Box,H.C., 3=15942
Freund,P.G.O. Regge poles and the validity of the Rosenbluth formula, 3=2207
Freund,P.G.O. How different is the Regge trajectory of the ρ-meson from a straight line? 3=6078
Freund,P.G.O. N/D calculation of the Pomeranchuk- and ρ-Regge trajectories, 3=15019
Freund,P.G.O. The real parts of the high energy $\pi^{\pm}p$ forward-scattering amplitudes, 3=22186
Freund,P.G.O. and Oehme,R. Lower bound for the leading Regge trajectory, 3=10045
Freund,P.G.O. and Oehme,R. Vector mesons and the pomeranchuk trajectory, 3=17295
Freund,P.G.O. and Oehme,R. Diffraction scattering, 3=17321
Freund,P.G.O. and Oehme,R. Shrinking and non-shrinking diffraction peaks, 3=22121
Freund,P.G.O. and Oehme,R. Vector mesons as Regge poles in perturbation theory, 3=22153
Frevert,L.,Heckmann,P.H. and Flammersfeld,A. Branching ratios of Ag^{110} ($T_{1/2}$ = 24.4 sec), 3=22333
Frey,D.A. and Mizushima,M. Hyperfine structure of the hydrogen molecule in its metastable $^3\Pi_u$ state, 3=4745
Frey,W.F.,Hamilton,J.H. and Hultberg,S. Angular distributions of photoelectrons ejected from uranium by 158 keV and 208 keV gamma rays, 3=22366
Freyer,K. See Herrmann,W., 3=6189
Freymann,M.,Freymann,M.R. and Jaffrain,M. Debye dipolar absorption and phase changes of frozen organic liquids, 3=22987
Freymann,M. and Mavel,G. Dielectric properties of some organic phosphites, phosphates, phosphonates and thionophosphonates, 3=18825

Freymann,M.R. See Freymann,M., 3=22987
Freymuth,P. and Sauerbrey,G. Annealing of radiation damage in quartz crystals, 3=6555
Freynik,H.S.,Jr. Response of windows to random noise, 3=16721
Freytag,D. See Freitag,C., 3=22164
Freytag,E. Temperature dependence of the absorption edge of CaF_2, 3=3002
Freytag,E. A vacuum spectrograph for the region 6 to 265 nm, 3=14350
Friar,E.M. See Branner,G.R., 3=12185
Friauf,R.J. Ionic transport processes in silver halides, 3=13007
Friauf,R.J. See Conklin,G.E., 3=25304
Fricke,H.W. Modern photographic recording arrangements for electron beam oscillographs. I. 3=9852
Fricke,H.W. Modern photographic recording devices for electron beam oscillographs. II, 3=16980
Fricke,K. Münnich, F., 3=17440
Fridberg, I.D. See Bogoroditskii, N.P., 3=17931
Fridberg,P.Sh. and Shugurov,V.K. The problem of calculating the diamagnetic susceptibility of helium, 3=19929
Fridenberg,A.E. See Volkov,V. L., 3=11089
Fridkin,V.M. Symposium on physical fundamentals of the electrophotographic process, 3=16815
Fridkin, V.M. Characteristics of longitudinal photoconductivity in crystals having strong absorption, 3=17952
Fridkin,V.M. and Barulin,Yu.I. Two mechanisms for the formation of the latent electrophotographic image, 3=5544
Fridkin,V.M. and Barulin,Yu.N. Nonlinear nature of the photopolarization (photodepolarization) in amorphous selenium layers, 3=20417
Fridkin,V.M. and Barulin,Yu.N. The iso-opacity of amorphous selenium films containing sulphur impurities, 3=23006
Fridkin, V.M. and Belikova, G.S. Photodepolarization of some aromatic hydrocarbon crystals, 3=17908
Fridkin,V.M. and Zheludev,I.S. (translated from the Russian by Tybulewicz,A.) Photoelectrets and the electrophotographic process, 3=15622
Fridkin,V.M. See Belikova,G.S., 3=20399
Fridkin,V.M. See Gul',V.E., 3=25409
Fridkin,V.M. See Zheludev,I.S., 3=23004
Fridlender,E. See Khulubei,Kh., 3=6029
Fridman,E.M. See Narbutt,K.I., 3=4235
Fridman,S.A. See Fok,M.V., 3=18015
Fridman,S.A. See Levshin,V.L., 3=3057
Fridman,V.Ya. and Shpunt,A.A. Tensile tests on crystal fragments ("Cleavage whiskers"), 3=25640
Fridman,V.Ya. and Shpunt,A.A. Investigation of the strength of lithium fluoride crystal fragments, 3=25641
Fridrichsons,J. and Mathieson,A.McL. Image-seeking. A brief study of its scope and comments on certain limitations, 3=1317
Frie,W. Separation effects in mixtures of ionized atomic gases, 3=5626
Frie,W. and Michel,A. Experimental and theoretical investigations of the current-onset in linear pulse, 3=12090
Fried,B.D. and Culler,G.J. Plasma oscillations in an external electric field, 3=21826
Fried,D.L. and Sartori,L. Magnetic moment of a Lee particle, 3=4323
Fried,H.M. Axiomatic perturbation theory for retarded functions, 3=5910
Fried, H.M. and Taylor,J.G. Propagator ghosts and Regge poles, 3=17201
Fried,H.M. Axiomatic perturbation theory. II. Partial sum formalism, 3=12385
Fried,Z. Photon scattering in the low frequency high intensity limit, 3=10075
Fried,Z. and Frank,W.M. Generation of "beats" from a microscopic viewpoint, 3=7302
Friedberg,R. Experimental consequences of the Majorana theory of muon's neutrino, 3=10082
Friedberg,R. Radiative decay of intermediate boson, 3=14881
Friedberg, S.A. See Flippen, R.B., 3=18056
Friedberg,S.A. See Schelleng,J.H., 3=15908
Friedel,J. Electronic structure and magnetic properties of transition metals and alloys, 3=2755
Friedel,J. Concept of a virtual bound level, 3=8392
Friedel,J. Nuclear resonance and electronic structure of metals and alloys, 3=23245

Friedel,J, Gennes de,P.G. and Matricon,J. Nature of the driving force in flux creep phenomena, 3=16861
Friedel,J. See Blandin,A., 3=22757
Friedel,J. See Leman,G., 3=22622
Friedes,J.L. and Brussel,M.K. Proton spectra from p + D reaction for 5–10 MeV incident protons. 3=19711
Friedlaender,F.J. and Ogborn,L.L. Small-signal behavior of 50% Ni–Fe tape cores, 3=25528
Friedlaender,F.J. See Elfant,R.F., 3=1084
Friedland,E. and Lemmer,H.R. Directional correlation for nuclear resonance fluorescence and lifetime of the 412 keV level of Hg^{198}, 3=19796
Friedländer,E. See Khulubei,Kh., 3=6029
Friedländer,E.M. Production of very slow pions by 9 GeV protons on emulsion nuclei, 3=596
Friedländer,E.M. Statistical analysis of meson jets, 3=7872
Friedlander,G.,Friedman,L.,Gordon,B. and Yaffe,L. Excitation functions and nuclear charge dispersion in the fission of uranium by 0.1 to 6.2 GeV protons, 3=8147
Friedländer,E.M.,Gombosi,E.,Marcu,M. and Spîrchez,M. Energy spectrum of γ-rays from high-energy nuclear collisions. II, 3=8102
Friedlander,E.M. See Hulubei,H., 3=10142
Friedlander,G. See Hudis,J., 3=4641
Friedlander,M.W. and Spring,C.T. Primary cosmic-ray alpha particles. III, 3=6101
Friedman,A.M.,Meadows,J.W.,Smith,A.B.,Fields,P.R.,Milsted,J. and Whalen,J.E. Fission fragment kinetic energies of Cf^{246}, Cf^{248}, and Cf^{254}, 3=19896
Friedman,A.M.,Milsted,J. and Skilbreid,O. Nuclear properties of Eu^{145}, Eu^{146}, Eu^{147}, Gd^{146} and Gd^{147}, 3=8005
Friedman,A.M. and Milsted,J. Alpha decay of Cf^{246}, 3=19826
Friedman,A.M. and Mohr,W.C. Gas entrainment recoil target assembly, 3=2064
Friedman,A.M. See Fields,P.R., 3=19825
Friedman,E. A new method for measuring thermalization parameters, 3=10125
Friedman,E.A. and Nicholson,W.J. Internal magnetic fields and the saturation magnetization of iron–aluminum alloys, 3=15734
Friedman,G. On the way to open-ended experiments for physics majors, 3=23725
Friedman,H. Space spectroscopy at the U.S. naval research laboratory–photoelectric photometry, 3=11481
Friedman,H. Ionospheric constitution and ionizing radiations, 3=13739
Friedman,H. Summary: Ionospheric constitution and ionizing radiations, 3=13740
Friedman,H. See Blake,R.L., 3=9206
Friedman,H.L. See Jepsen,D.W., 3=10552
Friedman,I.,Machta,L.and Soller,R. Water-vapor exchange between a water droplet and its environment. 3=294
Friedman,I.,Redfield,A.C.,Schoen,B. and Harris,J. The variation of the deuterium content of natural waters in the hydrologic cycle, 3=25898
Friedman,I. See Gonsior,B., 3=13663
Friedman,I. See Gonsior,B., 3=25893
Friedman,J.I. and Kendall,H.W. Determination of the deuteron form factor from coherent π^0 photoproduction, 3=10178
Friedman,L. Hall effect in the polaron-band regime, 3=25255
Friedman,L. and Holstein,T. Studies of polaron motion. III. The Hall mobility of the small polaron, 3=12950
Friedman,L. See Fluit,J.M., 3=4217
Friedman,L. See Friedlander,G., 3=8147
Friedman,L. See Rueben,B.G., 3=2677
Friedman,L. See Von Koch,H., 3=11342
Friedman,N. See Hirsch,A.A., 3=1087
Friedman,N. See Hirsch,A.A., 3=15847
Friedmann, H. See Ben-Reuven, A., 3=17607
Friedrich,H. Experiments on the edge luminescence of CdS single crystals, 3=13202
Friedrich,H.B. and Person,W.B. Absolute infrared intensities in some crystalline hydrogen halides, 3=25460
Frieman,E. A kinetic equation for spatially inhomogeneous systems with weak coupling, 3=11728
Frieman,E.,Bodner,S. and Rutherford,P. Some new results on the quasi-linear theory of plasma instabilities, 3=21827
Frieman,E.A. Basic plasma theory–kinetics, 3=9765
Frieman,E.A. On a new method in the theory of irreversible processes, 3=11720
Frieman,E.A. See Rutherford,P.H., 3=21766

Fries,B.A. Gas flow measurements by the total-count method, 3=155
Friese,W. See Lippert,W., 3=21884
Frieser,H. and Biedermann,K. Picture quality and modulation transmission function, 3=7360
Frieser,H. and Metz,H.J. The connection between blackening and exposure in a photographic layer, 3=11956
Frieser,H. and Ranz,E. Sulphur sensitizing mechanism in photographic emulsions, 3=11946
Frigerio,G.E. See Bassani,G., 3=2584
Frigorio,G.E. See Colli,L., 3=4717
Frihagen,J. A study of small-scale irregularities in the ionosphere by satellite techniques, 3=13715
Frimerman,L.Ya. Stability of the magnetization of ferromagnets as a function of the magnetizing process, 3=11060
Frindt,R.D. The optical properties of single crystals of WSe_2 and $MoTe_2$, 3=25466
Frindt,R.F. and Yoffe,A.D Physical properties of layer structures: optical properties and photoconductivity of thin crystals of molybdenum disulphide, 3=10957
Frings,H. and Frings,M. Pest control with sound. I. Possibilities with invertebrates, 3=16441
Frings,H. and Frings,M. Pest control with sound. II. The problem with vertebrates, 3=16442
Frings,M. See Frings,H., 3=16441
Frings,M. See Frings,H., 3=16442
Frisch,D.H. and Smith,J.H. Measurement of the relativistic time dilation using μ-mesons, 3=11680
Frisch,H.L. Anomalous polymer-penetrant permeation, 3=1679
Frisch, H. L. and Brady, G. W. On small-angle critical scattering, 3=52
Frisch,H.L. and Stillinger,F.H. Contribution to the statistical geometric basis of radiation scattering, 3=14041
Frish,O.R. [consulting editor], The nuclear handbook, 3=4285
Frish,S.É. and Bochkova,O.P. The inversion of the population of levels of sodium in the glow discharge of the mixture of vapours of sodium and mercury, 3=8177
Frishberg,A.A. and Oreshonkova,T.I. Measurement of the temperature of samples and the significance of heating of electrodes where chemical reactions in the crater are concerned, 3=24257
Frishkopf,L.S. and Goldstein,M.H., Jr. Responses to acoustic stimuli from single units in the eighth nerve of the bullfrog, 3=21170
Frisk,A. Evidence for a Σ hyperon—pion resonance at 1404 MeV with narrow width, 3=12509
Frisk,Å. and Ekspong,A.G. Production of Σ hyperon pion pairs, 3=6089
Frisman,É.V. and Syuĭ Mao. Optical properties of polymer solutions near the critical mixing temperature, 3=21352
Fritsch,V. Propagation of radiofrequency electromagnetic fields in geological conductors, 3=9944
Fritz, B, Lüty, F. and Anger,J. Effect of OH^- ions on the absorption spectrum and ion conductivity of KCl single crystals, 3=18005
Fritz,J.J.,Maria,H.J. and Aston,J.G., Energy evolution in Pd_2H below 1°K, 3=9665
Fritz, J.N. See McQueen, R.G., 3=17666
Fritzsche H. and Cueves,M. Intra- and intervalley scattering and the tailing of the conduction band in impure n-type germanium, 3=10765
Fritzsche,H. and Tiemann,J.J. Effect of elastic strain on interband tunneling in Sb-doped germanium, 3=13095
Froelich,H.C. See Ishler,W.E., 3=3038
Froese,C. Limiting screening numbers and energy parameters, 3=12749
Frogner,E. Temperature changes on a large scale in the Arctic winter stratosphere and their probable effects on the tropospheric circulation, 3=1430
Fröhlich,C. See Baer,Y., 3=2926
Fröhlich,F. See Bethge,H., 3=6824
Fröhlich, F. See Stiller, H., 3=18105
Fröhlich,H. On isobaric spin space, 3=22060
Fröhlich,H. and Terreaux,C. Isobaric spin algebra, 3=11667
Frohman,E.D. See Bethke,G.W., 3=16944
Frohne,H.C. See Storm,L., 3=345
Froidevaux,C.,Hahn,E.L. and Walstedt,R.E. Nuclear magnetic resonance in platinum metal, 3=23255
Frois,C. On the elimination of defects in zone refined aluminium by cold working in liquid hydrogen, 3=16089
Froissart,M.,Goldberger,M.L. and Watson,K.M. Spatial separation of events in S-matrix theory, 3=23767
Frolov,A.M. See Bychkov,Yu.A., 3=17160
Frolov,A.P., Vereshchagin,L.F. and Rodionov,K.P. Investigation of the changes in the crystal lattice parameters of pentaerythritol under pressures up to 10 000 kg/cm^2, 3=3252
Frolov,A.P., Vereshchagin,L.F., Rodinov,K.P. and Oleinik,M.I. Problem of a method of X-ray analysis for substances under high pressure. II. Apparatus for the production of powder patterns under pressures up to 18,000 kg/cm^2, 3=20815
Frolov,M.S. The period—luminosity relation for short-period cepheids, 3=11572
Frolov, V.A. See Kuznetsov, V.V., 3=3245
Frolov,V.V. See Broder,D.L., 3=17515
Frolova, E.F. See Gorban', I.S., 3=17690
From,W.H. Electron paramagnetic resonance of Cr^{3+} in SnO_2, 3=20645
Fromhold,A.T. Jr. Space charge in growing oxide films, 3=10867
Fromhold,A.T., Jr. Variation of the surface optical properties of silver crystals with vacuum-annealing and argon-ion bombardment, 3=20435
Fromhold,A.T., Jr. Kinetics of oxide film growth on metal crystals. I. Formulation and numerical solutions, 3=25775
Fromm,J.E. and Harlow,F.H. Numerical solution of the problem of vortex street development, 3=18782
Frommhold,L. Production of very short intense ultraviolet pulses, 3=24015
Fronsdal,C.,Norton,R.E. and Mahanthappa,K.T. More integral representations for scattering amplitudes with complex singularities, 3=19558
Frosch,R.P. See Robinson,G.W., 3=2748
Frosch,R.P. See Robinson,G.W., 3=10619
Frost,L.S. and Phelps,A.V. Molecular excitation of hydrogen and nitrogen from electron swarm experiments, 3=6391
Frounfelker,R.E., Seitz,M.A. and Hirthe,W.M. Crystallographic data for the hexagonal crystal system, 3=5093
Frova,A. See Balzarotti,A., 3=6584
Frova,A. See Chiarotti,G., 3=2989
Fruchart,E.,Triquet,A.M.,Fruchart,R.and Michel,A. Two new ferromagnetic compounds in the ternary system iron-phosphorus-boron, 3=1134
Fruchart,R. See Fruchart,E., 3=1134
Fructus-Ricquebourg,J. See Curien,H., 3=22702
Frumkin,A.L. Theoretical investigation of the permeavility of anisotropic thin magnetic fielms, 3=11078
Frumkin,A.L. Experimental investigation of the permeability of anisotropic magnetic films at radio frequencies, 3=11079
Frumkin,A.L. See Polivanov,K.M., 3=23170
Frumkin,A.N.,Petrii,O.A. and Nikolaeva-Fedorovich,N.V. Electrical reduction of anions and the phenomenon of adsorption on a drop electrode of thallium amalgam, 3=11349
Fry,G.A. Retinal image formation: review, summary, and discussion, 3=5293
Fry,G.A. Coarseness of photographic grain, 3=5539
Fry,G.A. Resolving power of photographic emulsions, 3=5541
Fry,L.M. and Menon,K.K. Determination of the tropospheric residence time of lead-210, 3=3477
Fry,P.W. See Barrow,R.F., 3=10511
Fry,W.F. See Birge,R., 3=22192
Fry,W.F. See Camerini,U., 3=22194
Frye,G. Two Pomeranchuk-Regge trajectories, 3=7805
Frye,G. and Warnock,R.L. Analysis of partial-wave dispersion relations, 3=14913
Fryer,E.M. See Fowler,C.A.,Jr , 3=18103
Frysinger,G.R. See Horne,R.A., 3=18486
Fubini,S. Electromagnetic structure of pions and nucleons, 3=4418
Fubini,S. See Amati,D., 3=5943
Fuchs,E. and Pfisterer,H. Domain wall motions in thin ferromagnetic films, 3=23167
Fuchs,E. and Zinn,W. Isotropic permalloy films, 3=23169
Fuchs,H. Photoneutron spectra from O^{16} and N^{14}, 3=4622
Fuchs,H. and Haag,D. Neutron spectra from the reactions $C^{12}(\gamma, n)C^{11}$ and $O^{16}(\gamma, n)O^{15}$, 3=4621
Fuchs,H., Haag,D., Lindenberger,K.H. and Meyer-Berkhout,U. Photoneutron spectra from the reactions $C^{12}(\gamma, n)C^{11}$ and $O^{16}(\gamma, n)O^{15}$. 64-IC, 3=662
Fuchs,H. See Haag,D., 3=17498

Fuchs.K. A bi-orthogonal system of symmetric character, 3=7
Fuchs,K. Some problems in the theory of symmetry characters, 3=2200
Fuchs,K. Some problems in the theory of symmetry characteristics (Supplement), 3=12409
Fuchs,N.A. and Stechkina,I.B. Resistance of a gaseous medium to the motion of a spherical particle of a size comparable to the mean free path of the gas molecules, 3=169
Fuchs,N.A. and Sutugin,A.G. Generation and investigation of high-dispersed sodium chloride aerosols, 3=8983
Fuchs,N.H. High-energy behavior of a certain class of scattering amplitudes in perturbation theory, 3=14901
Fuchs,V. and Ulehla,I. Equations describing particles with two mass states, 3=2187
Fucks,W. and Artmann,J. Investigation of the equilibrium state behind a strong shock wave in helium, 3=16698
Fucks,W., Bohn,W.L., Heinrich,G. and Platz,P. Electron densities and electron temperatures in compression shocks, 3=1752
Fucks,W.,Czech,J. and Nelting,P. Electromagnetically driven compression shocks of high Mach number, 3=7276
Fucks,W. and Theenhaus,R. Reflection studies with electromagnetically produced compression shocks, 3=23971
Fueki,K. See Hirota,K., 3=12870
Fuglister,F.J. See Gilman,D.L., 3=16539
Führer,C. and Kilb,E. Measurement technique for surface and interfacial tension, 3=11776
Fujii,A. Muon capture in hydrogen, 3=19665
Fujii,A. and Celeghini,E. Form factors of K_{l3} decay and kaon production by high-energy neutrinos, 3=12499
Fujii,A. See Holloway,L., 3=22155
Fujii,S. Photoprotons emitted from light nuclei and nuclear shell structure, 3=10328
Fujii,S. See Ikeda,K., 3=8096
Fujii,T. Theory of the steady laminar natural convection above a horizontal line heat source and a point heat source, 3=21591
Fujii,T.,Chadwick,G.B.,Collins,G.B.,Duke,P.J.,Hien,N.C., Kemp,M.A.R. and Turkot,F. Elastic proton–proton scattering at 1·35, 2·1, and 2·9 BeV, 3=2262
Fujii,T. See Chadwick,G.B., 3=2261
Fujii,T. See Purcell,E.M., 3=10069
Fujii,Y. A classification of resonances with re-examination of Ball—Frazer formula, 3=10036
Fujii,Y. S-wave $\bar{K}N$ reactions as two-channel problem, 3=15029
Fujii,Y. Y_0* and the low-energy $\bar{K}N$ interaction, 3=24794
Fujii,Y., Lindsay,R.B. and Urushihara,K. Ultrasonic absorption and relaxation times in nitrogen, oxygen, and water vapor, 3=18857
Fujii,Y. and Uehara,M. Consequences of a simple model for two-channel reactions in field theory, 3=14886
Fujikawa,K. See Sukegawa,T., 3=8536
Fujiki,Y. See Sawada,M., 3=11049
Fujime,S. See Watanabe,D., 3=1351
Fujimori,H. See Takahashi,M., 3=23155
Fujimoto,F. Intensity calculation by expansion of scattering matrix, 3=1306
Fujimoto,F. and Kainuma,Y. On the inelastic scattering of electron in crystal, 3=1311
Fujimoto,M. On the structure of galactic spiral arms, 3=7040
Fujimoto,M. See Ōki,T., 3=7041
Fujimoto,Y. See Lattes,C.M.G., 3=15058
Fujimura,O. Analysis of nasal consonants, 3=7064
Fujinami,S.,Hurukawa,K. and Furuta,K. Astrometric observation of the annular eclipse at Tanegashima Island on April 19th 1958. I. Geodetic work and inspection of the lunar profile, 3=9177
Fujino,K.,Senshu,K.,Horino,T. and Kawai,H. Tensile stress relaxation behavior of semicrystalline polymers in terms of validity of time–temperature superposition, 3=15978
Fujioka,M. See Huang,K.K., 3=19843
Fujioka,M. See Yagi,K., 3=12583
Fujishiro,I. See Hukuo,N., 3=1857
Fujishiro,S. The dissociation pressure of VC at high temperature and the thermodynamic properties, 3=1386
Fujita,A. See Mamuro,T., 3=10280
Fujita,A. See Mamuro,T., 3=13688
Fujita,F.E. See Arndt,R.A., 3=21606
Fujita,F.E. See Izui,K., 3=15526
Fujita,F.F. and Damask,A.C. The influence of radiation-produced defects on the precipitation of carbon in iron, 3=22866

Fujita,H. See Nishiyama,Z., 3=801
Fujita,I. Fluorescence of α centres in alkali halides, 3=17796
Fujita,I. See Onaka,R., 3=8590
Fujita,I. See Onaka,R., 3=22837
Fujita,J. See Nakamoto,K., 3=25120
Fujita,J.J. Theory of vector interactions in nuclear beta decay, 3=22323
Fujita, K. See Hashimoto, H., 3=18271
Fujita,S. Theory of transport coefficients. III. Quantum statistical systems, 3=6468
Fujita,Y. Spectral features in the infrared region of some carbon stars, 3=16408
Fujiwara,H. See Shionoya,S., 3=22705
Fujiwara,H. See Tatsumoto,E., 3=6700
Fujiwara,I. See Iwata,S., 3=22341
Fujiwara,I. See Yoshizawa,Y., 3=19822
Fujiwara,K. Relativistic dynamical theory of electron diffraction, 3=1308
Fujiwara,K. See Miyake,S., 3=1283
Fujiwara,K. See Miyake,S., 3=1309
Fujiwara,S. Refractive indices of evaporated cerium dioxide—cerium fluoride films, 3=23035
Fujiwara,S. See Shimizu,H., 3=2645
Fukada,K. See Muto,J., 3=24936
Fukai,M. See Kawamura,H., 3=10776
Fukai,M. See Kawamura,H., 3=15580
Fukai,Y. First-flight collision probability in moderator–cylindrical fuel system, 3=19911
Fukai,Y. Lattice distortion around impurity ions in alkali halide crystals, 3=22756
Fukami,A. and Adachi,K. On a study of new contrast improvement technique for replica specimens, 3=18419
Fukawa,M. Pion production from ν + N or $\bar{\nu}$ + N collisions in the peripheral interaction model. I, 3=7825
Fukawa,M. Pion production cross sections by neutrinos and antineutrinos, 3=10148
Fuke,T. Nuclear quadrupole resonance under high pressure. II, 3=25596
Fuks,N.A.,Stechkina,I.B. and Starosel'skiĭ,V.A. Determination of the size distribution of aerosol particles using the diffusion method, 3=18463
Fukuchi,M. See Yamashita,J., 3=25234
Fukuda,A. See Onaka,R., 3=22837
Fukuda,E. and Kubo,R. Diffusion constants of ^{3}He in liquid helium II, 3=19088
Fukuda,H., Ogita,N., Ueda,A. and Takagi,S. An analysis of extensive air showers in connection with the primary energy spectrum and the high-energy nuclear interactions, 3=4511
Fukuda,K. Theory of excess ultrasonic absorption in binary associated liquid mixtures, 3=21359
Fukuda,K. and Okuda,A. Optical absorption bands in γ-rays irradiated LiF crystals, 3=25300
Fukuda,N. The stability of Hartree–Fock solutions and of collective motion, 3=18746
Fukuda,N.,Fukushima,K. and Inagaki,T. On the Landau theory of superfluidity, 3=9668
Fukuda,N. See Fukushima,K., 3=7141
Fukuda,Y. See Shirai,S., 3=1371
Fukuhara,A. Reduced widths of levels in sharp resonance region and calculation on Si^{28} + p, 3=15194
Fukuhara,A. Inelastic scattering of electrons with a definite momentum transfer in a crystal, 3=15479
Fukuhara,A. See Watanabe,H., 3=1299
Fukui,S.,Hayakawa,S.,Nukushina,H. and Tsukishima,T. Formation of localized plasmas in pulsed microwave discharge, 3=5647
Fukui,S., Hayakawa,S., Tsukishima,T. and Nukushima,H. Microwave discharge chamber, 3=17155
Fukui,S. and Zacharov,B. A spark chamber with high detection efficiency, 3=19531
Fukui,T. and Kikuchi,M. Thermocompression bonding to GaP crystals, 3=23722
Fukunaga,K. See Nisimura,K., 3=24720
Fukúroi,T. See Ogushi,T., 3=24151
Fukushima,E.,Hayakawa,K. and Nimura,H. Intensity variations of X-ray transmitted diffraction depending on the direction of applied stress, 3=23525
Fukushima,K. A cylindrical sound radiator having specified directive characteristics, 3=1771
Fukushima,K. and Fukuda,N. The asymptotic behavior of perturbation expansions in many-body problem and the superconducting state, 3=7141

Fukushima,K. See Fukuda,N., 3=9668
Fukushima,K. See Miyazawa,T., 3=6444
Fukushima, K. See Miyazawa, T., 3=17624
Fukushima,N. Gross character of geomagnetic disturbance during the international geophysical year and the second polar year, 3=11473
Fukushima,N.,Nagata,T. and Oguti,T. Extra-terrestrial corpuscular streams and polar magnetic disturbances, 3=13830
Fukushima,S.,Hayashi,S.,Kume,S.,Okamura,H.,Otozai,K., Sakamoto,K. and Yoshizawa,Y. Excitation functions for the reactions induced by alpha particles on Ag^{107}, 3=10389
Fukushima,Y. See Kamiryo,K., 3=2131
Fukuta,N. and Mason,B.J. Epitaxial growth of ice on organic crystals, 3=18285
Fukutome,H. Elastic ether theory of elementary particles. II., 3=544
Fulford,R.M. and Slater,C.H.W. A foot-operated continuous focusing attachment for dissecting microscopes, 3=16754
Fuliński,A. Statistical and thermodynamical description of correlated systems. I. General considerations, 3=7138
Fulinski,A. Statistical and thermodynamical description of correlated systems. II. Entropy, 3=11707
Fulinski,A. Inelastic scattering of slow neutrons and the behaviour of a single particle in the many-particle scattering system, 3=12462
Fuliński,A. Statistical and thermodynamical description of correlated systems. III. Equilibrium and stationary distributions, 3=18740
Fullam,E.F. and Skrivanek,R.A. Collection and study of extra-terrestrial material, 3=18592
Fuller,C.S. and Allison,H.W. A polishing etchant for III—V semiconductors, 3=6821
Fuller,C.S. and Wolfstirn,K.B. Defects in GaAs produced by lithium, 3=8423
Fuller C.S. and Wolfstirn,K.B. Properties of lithium in GaAs: Effects of doping, 3=10818
Fuller, C.S. and Wolfstirn, K.B. Acceptors in donor-doped GaAs resulting from Li diffusion, 3=17877
Fuller,C.S. and Wolfstirn,K.B. Changes in electron concentration of donor-doped GaAs crystals caused by annealing, 3=22945
Fuller,H.W. and Lakin,L.R. Wall—wall interaction between thin magnetic films, 3=15833
Fuller,M.D. Magnetic anisotropy and paleomagnetism, 3=11478
Fuller,M.D. See Uyeda,S., 3=11477
Fuller,R.N. See Edwards,H.D., 3=21045
Fuller,R.W.,Harris,S.M. and Slaggie,E.L. S-matrix solution for the forced harmonic oscillator, 3=14032
Fuller,R.W. and Wheeler,J.A. Causality and multiply connected space-time, 3=20
Fullwood,R. See Bertozzi,W., 3=12513
Fullwood,R.R. See Gaerttner,E.R., 3=2057
Fulmer,C.B. See Ball,J.B., 3=15196
Fulmer,C.B. See Benveniste,J., 3=10259
Fulmer,C.B. See Benveniste,J., 3=10339
Fulmer,R.H. and McCarthy,A.L. Nuclear structure studies in isotopes of nickel and iron, 3=24833
Fulmer,R.H., McCarthy,A.L. and Cohen,B.L. Nuclear structure studies in the 82-neutron region with stripping reactions, 3=2390
Fulmer,R.H. See Cohen,B.L., 3=19762
Fulton,H.M. See Kronenberg,K.J., 3=20920
Fulton,T., Rohrlich,F. and Witten,L. Physical consequences of a co-ordinate transformation to a uniformly accelerating frame, 3=1586
Fulton,T.,Rohrlich,F. and Witten,L. Conformal invariance in physics, 3=5317
Fulton,T. See Baroff,J.H., 3=24771
Fultz,D. and Murty,T.S. Experiments on the frequency of finite-amplitude axisymmetric gravity waves in a circular cylinder, 3=14123
Fultz,S.C.,Bramblett,R.L.,Caldwell,J.T., Hansen,N.E. and Jupiter,C.P. Photoneutron cross sections for V^{51} and CO^{59}, 3=6221
Fultz,S.C. See Bowman,C.D., 3=12709
Fultz,S.C. See Bramblett,R.L., 3=10329
Fumi,F.G. Born repulsive potential in the alkali halide crystals, 3=22625
Fumi,F.G. and Tosi,M.P. Born repulsive energy in sodium chloride and potassium chloride crystals, 3=2690
Fumi,F.G. See Tosi,M.P., 3=22667
Funatogawa,Z. See Gondō,Y., 3=1080
Funatogawa,Z. See Gondō,Y., 3=15919
Funatogawa,Z. See Miyata,N., 3=1031
Funatogawa,Z. See Usami,S., 3=1171
Funatogawa,Z. See Usami,S., 3=20630
Funes,A.J. and Coleman,R.V. Magnetoresistance of copper single crystals, 3=25329
Fünfer,E.,Hain,K.,Herold,H.,Igenbergs,P. and Küpper,F.P. Measurement of the radial electron density and magnetic field distributions in a theta pinch and comparison with numerical calculations, 3=12178
Fünfer,E.,Kronast,B. and Kunze,H.J. Experimental results on light scattering by A θ-pinch plasma using a ruby laser, 3=19256
Funk,E.G.,Jr.,Mihelich,J.W. and Schwerdtfeger, C.F. The decay of Eu^{146} (4·7d) to Sm^{146}, 3=4596
Funk,E.G., Jr,Prask,H.J.,Schima,F.,McNulty,J. and Mihelich,J.W. Lifetimes of the 246- and 46.7-keV transitions in Po^{210}, 3=6183
Funk,J.P. A net radiometer designed for optimum sensitivity and a ribbon thermopile used in a miniaturized version, 3=290
Funke,V.F., Panov,V.S. and Yudkovskii,S.I. Structure and physical and mechanical properties of TiC—WC—Co alloys, 3=3316
Funke,V.F.,Shulepov,V.I. and Yudkovskii,S.I. The structural dependence of electrical resistivity of the alloys WC—Co, 3=13498
Funsten,H.O. See Warburton,E.K., 3=2447
Funtikov,A.I. See Al'tshuler,L.V., 3=1756
Funtikov,A.I. See Kormer,S.B., 3=6787
Fuoss,R.M. and Onsager,L. The conductance of symmetrical electrolytes. II. The relaxation field, 3=20998
Fuoss,R.M. and Onsager,L. The conductance of symmetrical electrolytes. III. Electrophoresis, 3=20999
Furakawa,K. See Takamura,J., 3=22720
Furashov,N.I. See Averkov,S.I., 3=24032
Furlan,G. See Andreassi,G., 3=2251
Furlan,G. See Biscacchi,G., 3=8082
Furlan,G. See Budini,P., 3=24583
Furlan,G. See Deser,S., 3=22091
Furlani,C. See Caglioti,V., 3=4741
Furman,V.I. See Lyu Yuian'[Lu Yang], 3=4561
Furman,V.I. See Zakhar'ev,B.N., 3=2399
Fursei,G.N. See Sokol'skaya,I.L., 3=7630
Fursenko,V.D. See Kynev,St., 3=15566
Furst,M.,Greenberg,A.,Kallmann,H. and Wirth,H.O. Short decay time scintillator solutes, 3=5902
Furst,M. and Kallmann,H.P. Quenching and energy transfer by the same substance, 3=1702
Furst,M, Koechlin,Y. and Raviart,A. Intermediate transfer of excitation in scintillators based on Xylene, 3=16629
Furst,M. See Koechlin,Y., 3=10001
Furth,H.P. Prevalent instability of nonthermal plasmas, 3=7586
Furth,H.P. The "mirror instability" for finite particle gyro-radius, 3=12152
Furth,H.P.,Killeen,J. and Rosenbluth,M.N. Finite-resistivity instabilities of a sheet pinch, 3=12177
Furuichi,A. See Enjōji,H., 3=5656
Furuichi,H. Some observations on the persistent slip markings near grain and twin boundaries, 3=2809
Furuichi,S. Coupled partial-wave dispersion relation for nucleon—nucleon scattering and ρ- and ω-meson contributions, 3=10109
Furukawa,K.,Orton,B.R.,Hamor,J. and Williams,G.I. The structure of liquid tin, 3=7197
Furukawa,M. See Porile,N.T., 3=17474
Furukawa,Y. Magnetoresistance of heavily doped germanium at low temperatures, 3=22929
Furuoya,I. and Sugie,A. Strength functions for nuclei with collective coordinates, 3=19761
Furuoya,T. Dislocations in silicon single crystals, 3=797
Furuoya,T. and Sasaki,Y. Superparamagnetic properties of ultra-fine nickel particles obtained by evaporation in argon atomsphere, 3=11036
Furusawa,A. See Suzuki,H., 3=20721
Furusho,K. and Ono,K. Effects of vacuum-drying on the surface properties of germanium transistor, 3=2942
Furuta,K. See Fujinami,S., 3=9177

Furutsu,K. On the theory of radio wave propagation over inhomogeneous earth, 3=9943
Furutsu,K. On the statistical theory of electromagnetic waves in a fluctuating medium. I, 3=21973
Fusacheva,N.F. See Garif'yanov,N.S., 3=20651
Fuschini,E.,Gadjokov,V.,Maroni,C. and Veronesi,P. On the decay scheme of Ca^{47}, 3=24893
Fuschini, E., Maroni, C. and Veronesi, P. Internal Compton effect, 3=2389
Fu-tai Tuan,D. See Sinanoǧlu,O., 3=12744
Futch,A.H.,Jr.,Heckrotte,W.,Damm,C.C.,Killeen,J. and Mish,L.E. Plasma production by neutral-atom injection: equations and numerical solutions, 3=1964
Futch,A.H. See Damm,C.C., 3=16969
Futergendler,S.I. See Titova,V.M., 3=20776
Futita,J.I. See Ikeda,K., 3=8096
Futrell,J.H. and Tiernan,T.O. Rare-gas sensitized radiolysis of propane, 3=3409
Futrell,J.H. and Tiernan,T.O. Inhibition of the argon-sensitized radiolysis of propane by hydrogen, 3=8977
Fuwa,K. and Vallee,B.L. The physical basis of analytical atomic absorption spectrometry. The pertinence of the Beer—Lambert law, 3=23556
Fyfe,W.I. See Lin,S.-C., 3=7421
Fyfe,W.S. Pressure effects on some charge-transfer and transition metal ion spectra in aqueous solution, 3=1690
Fykin,L.E. See Ozerov,R.P., 3=16080
Fyodorov,G.V. See Volkenshtein,N.V., 3=25322

Gabbard,F. and Kern,B.D. Cross sections for charged particle reactions induced in medium weight nuclei by neutrons in the energy range 12–18 MeV, 3=2476
Gabbe,J.D. See Brown,W.L., 3=13808
Gabbie, H.A., Stone, N.W.B. and Williams, D. An interferometric study of the far infrared spectrum of compressed nitrogen, 3=17580
Gabillard,R. and Ponchel,B. Observation of lateral frequency-modulation bands in e.s.r. at medium fields. Application to a new measurement procedure for relaxation time T_e, 3=24491
Gabillard,R., Salmer,G. and Bliot,F. About the existence of a coherence phenomenon in porous dielectric media impregnated with a conducting liquid, 3=20374
Gabła,L.,Leś,F. and Niewodniczański,H. Apparatus for the production of thin dielectric and metallic layers with optical control of thickness in the visible and ultraviolet region, 3=11315
Gabla,L. See Leś,Z., 3=9576
Gabloffsky,H. A sun-vector referenced earth-satellite guidance system, 3=7058
Gábos,Z. and Gherman,O. Polarization resulting from the composition of plane waves, 3=1838
Gabovich,M.D. and Kirichenko,G.S. Excitation of oscillations upon passage of a slow ion beam through a plasma, 3=5686
Gabovich,M.D. and Kirichenko,G.S. Ion oscillations at a potential minimum and low-frequency oscillations in a gas discharge, 3=14543
Gabovich,M.D. and Mitropan,I.M. Magnetic field topography, induction currents and hydromagnetic plasma oscillations in a pulsed electrodeless discharge, 3=14542
Gabrichidze,Z.A. See Stekhanov,A.I., 3=20484
Gabriel,A.H.,Niblett,G.B.F. and Peacock,N.J. Vacuum ultraviolet radiation from a magnetically compressed plasma, 3=7505
Gabriel,A.H. and Waller,W.A. A time-resolved normal-incidence vacuum ultraviolet spectrograph, 3=7336
Gabriel,H. On a criticism of the theory of non-equilibrium processes according to Prigogine and Collaborators, 3=5371
Gabrielli,I. and Iernetti,G. Cavitation and chemical effects in ultrasonic stationary fields, 3=18793
Gabrielli,I. and Iernetti,G. Torsion balance for radiation pressure measurements, 3=18940
Gabrielli,I. See Cernigoi,C., 3=4435
Gabry,A. Automatic regulation of rates of quartz clocks by means of standard frequencies, 3=7174
Gabry,A. See Decaux,B., 3=9945
Gabry,A. See Decaux,B., 3=9951
Gabry,A. See Decaux,B., 3=24481
Gabrysh, A.F., Eyring, H., Le Febre, V. and Evans, M.D. Thermoleuminescence and the influence of γ-ray induced defects in single-crystal α-Al_2O_3, 3=3072
Gabrysh,A.F.,Eyring,H.,Shimizu,M. and Asay,J. Theory of flow properties of attapulgite suspension in water. A method for determining the relaxation-time parameter β, 3=11362
Gabrysh,A.F.,Kennedy,J.M.,Eyring,H. and Johnson,V.R. Effects of high pressure on the thermoluminescence of γ-irradiated α-Al_2O_3 single crystals, 3=23129
Gabuda,S.P. See Lundin,A.G., 3=4941
Gabuda,S.P. See Mikhailov,G.M., 3=3194
Gabuniya,L.L. See Alekseeva,K.I., 3=2334
Gabuniya,L.L. See Alekseeva,K.I., 3=2428
Gabunia,L.L. See Alekseeva,K.I., 3=4535
Gabuniya,L.L. See Alekseeva,K.I., 3=19596
Gabuniya,L.L. See Alekseeva,K.I., 3=22228
Gachok,V.P. Clothed operators and the commutivity condition, 3=5912
Gadioli,E. See Colli,L., 3=19865
Gadjokov,V. See Fuschini,E., 3=24893
Gádor,L. Description of alternating magnetic circuits by complex quantities, 3=9909
Gadsden,M. Observations of lithium in twilight after a high-altitude thermonuclear explosion, 3=11447
Gadsden,M. See Poletti,M.J., 3=11381
Gadzhiev,S.A. and Mukhtarov,A.I. Polarization effects in the radiative decay of pions, 3=15000
Gadzhiev,S.N. and Sharifov,K.A. Thermochemical investigation of chalcogenides, 3=25825
Gadziala,C. See Klokholm,E., 3=20870
Gaerttner,E.R.,Yeater,M.L. snd Fullwood,R.R. Operating experience with the R.P.I. Linac, 3=2057
Gaeta,F.S. Ionic currents in β-irradiated liquid helium II, 3=5562
Gaevskaya,G.N. and Fedorova,M.P. Dependence of the sensitivity of actinometric devices on temperature and pressure, 3=21609
Gaevskaya,G.N. See Kondrat'ev,K.Ya., 3=23584
Gaggero,J. and Hull,D. On the nucleation of martensite, 3=8891
Gaglione,P. See Malvicini,A., 3=12612
Gagosz,R. See DeMaria,A.J., 3=12348
Gaide,A. and Wyder,P. Size effect in electrical conductivity of thin indium films, 3=15548
Gaidos,J. See Birge,R., 3=22192
Gaidos,J. See Camerini,U., 3=22194
Gaidukov,M.G. See Petrova,S.N., 3=8778
Gaidukov,M.G. See Plavov,V.A., 3=3226
Gaidukov,Yu.P. See Alekseevskii,N.E., 3=6495
Gaidukov, Yu.P. See Alekseevskii, N.E., 3=17687
Gaidukov,Yu.P. See Alekseevskii,N.E., 3= 25244
Gaigher,H. See Lawley,A., 3=22772
Gaigher,H.L. See Lawley,A., 3=6529
Gaigher,H.L. See Lawley,A., 3=20174
Gaignebet,E. Study of the electric potentials at the centre of a plasma excited to high speeds and large turbulence, 3=9767
Gailitis,A. Heating of a heavy charged particle by an electron plasma, 3=414
Gailitis,M. and Damburg,R. The influence of close coupling on the threshold behaviour of cross-sections of electron—hydrogen scattering, 3=22502
Gailitis,M. and Damburg,R. Some features of the threshold behaviour of the cross-sections for the excitation of hydrogen by electrons due to the existence of a linear Stark effect in hydrogen, 3=25044
Gaĩlitis,M.K. Calculation of the excitation of ions by electrons using Coulombic wave functions, 3=19950
Gaillard,J.-M. See Danby,G., 3=14952
Gailloud,M. and Piron,C. Measurement of the cross-section for electron pair creation by electrons and muons of known energy, 3=12446
Gailloud,M. See Ferbel,T., 3=4395
Gaines,J.R., Luszcynski,K. and Norberg,R.E. Spin–lattice relaxation and self-diffusion in liquid He^3, 3=19085
Gainnelli,G. See Boella,G., 3=22222
Gainon,D. See Germanier,A.M., 3=2695
Gainotti,A. See Ciurlo,S., 3=8120
Gaizauskas,V. and Covington,A.E. Radio and corpuscular emission associated with the flare surge on the western limb of the sun on July 20,1961, 3=10191
Gaj, M. Image contrast. I - II, 3=1797

Gaj,M.[Gaĭ]. Effect of the location of stops on the variation of image contrast, 3=14321
Gajewski,R. and Winterberg,F. Hydromagnetic waves in inhomogeneous magnetic fields of constant direction, 3=17034
Gajewski,T. On the calculation of the phase shifts in nucleon–nucleon scattering with spin-orbit interaction, 3=581
Gajewski,T. Polarization by spin–orbit forces in nucleon–nucleon scattering, 3=10107
Gajewski, T. Phase shifts for nucleon–nucleon scattering. II, 3=17263
Gajewski,T. Phase shifts for singular type nucleon–nucleon triplet-even potentials, 3=22255
Gajewski,W.,Pniewski,T.,Siemińska,J.,Sołtan,M., Sołtyński,K. Suchorzewska,J. and Falkowski,K. Frequency of the emission of ^{8}Li fragments from interactions of 24 GeV protons with heavy emulsion nuclei. II., 3=19853
Gal,O.S. The use of ion exchange columns in the measurement of doses below 1000 rad with the Fricke dosimeter, 3=7750
Galagali,R.J. Thermionic analogue of the Joshi effect, 3=9737
Galagali,R.J. Thermionic analogue of Joshi effect in maze type counter in argon, 3=21736
Galanin,A.D. The theory of a heterogeneous reactor with cylindrical fuel elements of finite radius, 3=10416
Galanin, A.D, Grashin,A.F, Melnikov, V.N. and Nikitin, Yu.P. Nucleon–nucleon scattering in the two-meson approximation including $\pi-\pi$ interaction effect, 3=17266
Galanin,M.D.,Konobeev,Yu.V. and Chizhikova,Z.A. Effects of reabsorption on the luminescence decay law of anthracene crystal. Luminescence in plastics, 3=8626
Galanin,M.D.,Leontovich,A.M. and Chizhikova,Z.A. The coherence and directionality of a pulsed ruby optical maser, 3=7739
Galanin,M.D.,Leontovich,A.M.,Sviridenkov,Z.A.,Smorchkov,V.N. and Chizhikova,Z.A. Pulsations in the emission from a ruby laser, 3=19487
Galanin,M.D. See Belikova,T.P., 3=955
Galanin,M.D. See Belikova,T.P., 3=25422
Galasiewicz,Z. Stability conditions for fermion systems, 3=18750
Galasso,F. and Darby,W. Preparation, structure, and properties of K_2NbO_3F, 3=3306
Galasso,F. and Pyle,J. Nb_3Si, a superconductor with the ordered Cu_3Au structure, 3=13514
Galatry,L. Theory of spectral line shape in the radiofrequency region, 3=19466
Galavanov, V.V. and Karaseva, N.L. Dependence of the Hall coefficient on the magnetic field intensity in Se-doped InSb crystals, 3=17883
Galavanov, V.V. See Vinogradova, K.I., 3=2916
Galavanov, V.V. See Volokobinskaya, N.I., 3=25367
Galbraith,D. See Bell,G.I., 3=25002
Galbraith, W., Manning, G. and Parham, A.G. A gas Cerenkov counter for use at NIMROD, 3=4297
Galbraith, W., Manning, G., Parham, A.G., Kemp, M.A.R. and Sacharidis, E.J. Charged π-meson production in proton–proton collisions at 1 GeV kinetic energy, 3=2297
Gal'chinetskii,L.P. See Palatnik,L.S., 3=2881
Gal'chinetskii,L.P. See Palatnik,L.S., 3=18350
Gale,B. The positions of Debye diffraction line peaks, 3=13446
Gale,B. and Wilson,L. A simple machine for testing flatness using air gauging, 3=7164
Gale,N.H. Lifetimes of the first excited states of B^{10}, O^{17} and F^{17}. II. Analysis of delayed coincidence lifetime measurements, 3=2384
Gale,N.H., Garg,J.B. and Calvert,J.M. Lifetimes of the first excited states of B^{10}, O^{17} and F^{17}. I, 3=2383
Gale,N.H.,Tubbs,N.,Nath,N. and Ferguson,A.T.G. Lifetimes of excited states in Al^{25} and Al^{26}, 3=22296
Galeener,F.L., Wright,G.B., Krag,W.E., Quist,T.M. and Zeiger,H.J Evidence for the role of donor states in GaAs electroluminescence, 3=20542
Galeev,A.A. and Karpman,V.I. Turbulence theory of a weakly nonequilibrium low-density plasma and structure of shock waves, 3=21844
Galeev,A.A. and Oraevskii,V.N. On the instability of Alfvénls waves, 3=5822
Galeev,A.A.,Oraevskii,V.N. and Sagdeev,R.Z. "Universal" stability of an inhomogeneous plasma in a magnetic field, 3=24313
Galef,A.E. See Schjelderup,H.C., 3=5403
Galejs,J. Dielectric loading of electric dipole antennas, 3=486
Galejs,J. Scattering from a conducting sphere embedded in a semi-infinite dissipative medium, 3=497
Galejs,J. A further note on terrestrial extremely low-frequency propagation in the presence of an isotropic ionosphere with an exponential conductivity-height profile, 3=508
Galejs,J. Terrestrial extremely-low-frequency propagation in the presence of an isotropic ionosphere with an exponential conductivity–height profile, 3=16260
Galindo,A. On a functional averaging method in the classical ensemble theory, 3=5370
Galindo,A. and Morales,A. Higher groups and leptonic isospin, 3=14877
Galitseiskii,B.M. See Danilov,Yu.I., 3=14194
Galitskii,V.M. See Vaks,V.G., 3=1897
Galitskii,V.M. See Vaks,V.G., 3=5383
Galkin,A.A.,Naberezhnȳkh,V.P. and Mel'nik,V.L. Cyclotron resonance in aluminium, 3=17696
Galkin,A.A.,Naberezhnykh,V.P. and Mel'nik,V.A. Effective masses of electrons corresponding to the de Haas–van Alphen effect in aluminium, 3=22693
Galkin,A.A. See Bezuglyĭ,N.A., 3=22685
Galkin,A.A. See Bezuglȳi,P.A., 3=6469
Galkin, A.A. See Bratashevskii, Yu.A., 3=18133
Galkin,A.V. and Naberezhnykh,V.P. Paramagnetic resonance in metallic aluminium, 3=5036
Galkin,G.N. See Vavilov,V.S., 3=6590
Galkina,O.S., Chernikova,L.A., Chzhan Kai-da [Chang K'ai-ta] and Kondorskii,E.I. Electric properties of thin nickel films at low temperatures, 3=4905
Galkina,O.S. See Kondorsky,E.I., 3=832
Gall,I. See Riemann,M., 3=7343
Gall,R. Report on the Eighth International Meeting on Cosmic Rays and Earth Storms. Radiation belts around the earth, 3=15054
Gall,R. Motion of charged particles in slowly varying fields to the first order of approximation, 3=21941
Gall',R.N. The vertical focusing of the magnetic analysers of mass spectrometers, 3=2052
Gallagher,A. and Lurio,A. Optical detection of level crossing in a $J = \frac{1}{2}$ state, 3=8201
Gallagher,J. See Kallmann,H., 3=23238
Gallagher,J.J. See Lichtenstein,M., 3=21984
Gallagher,J.J. See Wharton,L., 3=10510
Gallaher,D.F. See Churchill,R.J., 3=19201
Gallant,R.L.C. Meteorite impacts, lunar maria, lopoliths and ocean basins, 3=11384
Gallet,R.M. See Jones,W.B., 3=9071
Gallezot,P. and Weigel,D. Determination of the unit cells of the tetrahydrates of nickel, cadmium and calcium nitrates and the space groups of the first two compounds, 3=16084
Galli,A.,Giardini-Guidoni,A. and Volpi,G.G. Charge exchange in noble gases, 3=12082
Galli,A.,Giardini-Guidoni,A. and Volpi,G.G. Ion–molecule reactions leading to NO^+ formation, 3=23539
Galli,M. and Randi,P. On the existence of a phase anticipation in trains of diurnal oscillations of cosmic rays, 3=4481
Galligan,J. and Washburn,J. Effect of vacancy clusters on yielding and strain hardening of copper, 3=25618
Gallinaro,G. See Boato,G., 3=19105
Gallmann,A.,Alburger,D.E.,Wilkinson,D.H. and Hibou,F. He^3 reactions on B^{11} and N^{14}, 3=8132
Gallmann,A. See Gorodetzky,S., 3=2445
Gallmann,A. See Gorodetzky,S., 3=4664
Gallmann,A. See Gorodetzky,S., 3=15231
Gallmann,A. See Wilkinson,D.H., 3=15138
Gallot,Y.,Leng,M.,Benoit,H. and Rempp,P. Study of the structure of statistical, block and graft co-polymers in solution in solvent-precipitant mixtures, 3=11791
Galloway,R.B. A search for n–γ coincidences from a Po–Li neutron source, 3=590
Galloway,W.J. Frequency analyses of short-duration random noise, 3=14285
Galogaža,V. and Herak,J.N. Reflection dependence of microwave carrier lifetime measurements in semiconductors, 3=20296
Gal'per,A.M. See Bannik,B.P., 3=2481

Gal'perin,E.I. Change in the direction of the displacement of particles during the passage of seismic waves through a zone of low velocities, 3=3432
Gal'perin,E.L. and Sandler,R.A. The crystal structure of TiCl.,. 3=16076
Galperin,Y. and Mulyarchik,T. Sputniks, the atmosphere and electrons, 3=25990
Galperin,Y.I. Proton bombardment in aurora, 3=13794
Gal'pern,D.Yu. Breakdown of one-to-one correspondence between image and object, 3=1798
Gal'pern Yu.D. On the comments by J.E.Wilkins, 3=264
Galster,S. See Huber,H., 3=12433
Galster,Z. See Bogdanowicz,J., 3=8103
Galtier,F.,LePrince-Ringuet,F.,Reboux,J.,Collongues,R. and Chaudron,G. On the high frequency plasma torch, 3=7590
Galushka,A.P. and Konozenko,I.D. The influence of reactor irradiation on the properties of CdS single crystals, 3=4917
Galyarskii,E.I. and Zamorzaev,A.M. Point symmetry groups and a different kind of antisymmetry, 3=23424
Gamba,A. Remarks on the theory of PAPA, 3=16489
Gamba,A. A multi-level PAPA, 3=16490
Gambhir,R.S. See Saxena,S.C., 3=11829
Gambhir,R.S. See Saxena,S.C., 3=18849
Gambling,W.A. and Wilmshurst,T.H. An electron spin resonance spectrometer using the ammonia maser as a pre-amplifier, 3=21991
Gambling,W.A. See Ryley,J.E., 3=7413
Gambling,W.A. See Wilmshurst,T.H., 3=516
Gammal,J.,Marshall,W. and Morgan,L. An application of Padé approximants to Heisenberg ferromagnetism and antiferromagnetism, 3=25516
Gammel,J.L. See Emery,V.J., 3=23802
Gamo,H. Triple correlator of photoelectric fluctuations as a spectroscopic tool, 3=9596
Gampel,L. See Cummins,H., 3=7210
Ganapol'skii,E.M. and Chernets,A.N. Excitation of hypersound in quartz, 3=5492
Ganapol'skii,E.M. and Chernets,A.N. Excitation of hypersound by slow electromagnetic waves, 3=18913
Gandel'man,G.M. Lepton decay of the Λ-hyperon and the probability for $K\mu_2$ and K_{e3} processes, 3=4465
Gandelman,G.M. Quantum-mechanical derivation of the equation of state of iron, 3=8373
Gandhi,O.P. Doppler frequency multiplication by a semiconductor depletion layer, 3=9927
Gandhi,O.P. Radiative frequency mixing in propagating non-linear media, 3=14768
Gandy,A. Absolute measurement of the activity of radio-nuclides by the beta—gamma coincidence method using detectors of great efficiency—dead-time corrections, 3=4584
Gandy,H.W. and Ginther,R.J. Stimulated emission of ultraviolet radiation from gadolinium-activated glass, 3=3042
Gandy,H.W. and Ginther,R.J. Stimulated emission from holmium activated silicate glass, 3=7736
Gandy,H.W. and Ginther,R.J. Simultaneous laser action of neodymium and ytterbium ions in silicate glass, 3=7737
Ganesan,S. and Srinivasan,R. Temperature variation of the effective Grüneisen parameter in caesium chloride structures, 3=4826
Gangrskii,Yu.P. and Lemberg,I.Kh. Coulomb excitation of second 2^+ levels in intermediate weight even—even nuclei, 3=6160
Gangrskii,Yu.P. and Lemberg,I.Kh. Double Coulomb excitation of 0^+ level in Ge^{70}, 3=10261
Gangrskĭ,Yu.P. See Afonin,O.F., 3=15098
Gangrskii, Yu.P. See Afonin, O.F., 3=17409
Ganguli,S.N.,Kameswara Rao,N. and Swami,M.S. Two examples of rare modes of decay of hyperfragments, 3=19757
Ganguly,A.K. and Bakhru,H. Operational characteristics of a radio frequency ion-source, 3=9869
Ganley,W.P. Intermittent response of infrared photo-multipliers, 3=7635
Ganley,W.P. Low frequency excitation of electrical discharges in gases, 3=9742
Ganley,W.P. Forces and fields in special relativity, 3=21217
Gannon,L.J. See McMurry,H.L., 3=17283
Gans,F. See Bombré,F., 3=23118
Gans,P.J. See Wall,F.T., 3=15400
Gans,P.J. See Wall,F.T., 3=15401
Gansauge,P. See Bartels,H., 3=7557
Ganssen,A. The proton magnetic resonance oscillator, a radio frequency source of high spectral purity, 3=14797
Gantar,C.,Morelli,C. and Pisani,M. Experimental study of the response of the Graf-Askania Gss2, No. 13, sea gravity meter, 3=8994
Gantar,C. See Allan,T.D., 3=8995
Gantmakher,V.F. Size effect in a metal in multiple magnetic fields, 3=842
Gantmakher,V.F. A method for measuring the electron momentum in a metal, 3=6496
Gantmakher,V.F. Size effect in a metal in multiple magnetic fields, 3=8493
Gantmakher,V.F. Investigation of the Fermi surface of tin by the size effect, 3=25241
Gantois,M. Study by X-ray diffraction of order in ternary alloys of gold—copper—nickel obtained from AuCu by partial substitution of nickel for copper, 3=18348
Gantois,M. and Pianelli,A. An attempt to determine, by means of quenched samples, the law of variation with temperature of the degree of order in an alloy of gold and copper with the stoichiometric composition $AuCu_3$, 3=20871
Gantzel,P.K. See Gillespie,R.B., 3=8852
Garabedian,H.L. and Thomas,D.H. An analytic approach to two-dimensional reactor theory, 3=6325
Garault,Y. Electromagnetic waves of the E.H. type in a circular waveguide with metallic irises, 3=5851
Garber,M., Scott,B.W. and Blatt,F.J. Thermal conductivity of dilute copper alloys, 3=15450
Garber, P.I. and Kirillov, V.S. Variation in the spectral distribution of optical density due to the scattering of light in the plastic deformation of rock salt crystals, 3=17988
Garber,R.A. and Gindin,I.A. Physical properties of metals at high frequencies, 3=6448
Garber,R.I. and Gindin,I.A. The physical properties of metals of high purity, 3=15531
Garber,R.I., Gindin,I.A. and Shubin, Yu.V. Extension of beryllium monocrystals in the temperature range 20-500°C.V, 3=3220
Garber,R.I. and Mogil'nikova,T.T. The problem of determining the elastic limit in imperfect solids, 3=8760
Garber,R.I. and Mogil'nikova,T.T. Damping capacity and plastic deformation of overstressed microregions in a solid. II., 3=11142
Garber,R.I. and Polyakov,L.M. Investigation of the sintering processes of metals. II, 3=6876
Garber,R.I. and Soloshenko,I.I. Influence of annealing on the decrement of alternating elastoplastic flexure, 3=6778
Garber, R.I. and Stepina, E.I. Defects at the stoppage sites of a twin boundary, 3=18237
Garber,R.I. and Stepina,E.I. Mechanism of dislocation motion during elastic twinning, 3=18239
Garbowska,K. See Danysz,M., 3=22276
Garbowska,K. See Danysz,M., 3=24572
Garbutt,D.A. See Bull,V.A., 3=12458
Garbutt,D.A. See Danysz,M., 3=22276
Garbutt,D.A. See Fletcher,E.R., 3=10232
García,A. and Forest,A.E. The elastic scattering of deuterons by vanadium, 3=15221
García,A.,Kirk,J.,England,J.B.A. and Hodgson,P.E. The scattering of 29 MeV ^3He-particles by C,F,S and Br nuclei, 3=2493
García,A.,Pardo,G. and Tárrega,P. Scattering of He^3 particles at 29 MeV by H^1 and H^2, 3=7860
García,A. See Aguilar,J., 3=12699
García,A. See Catalá,J., 3=8129
García,A. See Catalá,J., 3=24962
García,A. See Catalá,J., 3=24976
Garcia-Moliner,F. Magnetoconductivity and polar scattering in moderately ionic crystals, 3=15464
Garczyński,W. The general method for construction of majorizing diagrams, 3=14864
Garczyński,W. On the Nakanishi parametric representation, 3=16532
Gard,G.A. and Hardacre,A.G. A method of optimising light collection in scintillation counters, 3=22035
Gardin,A.I. Investigation of the crystal structure of cementite by electron diffraction analysis, 3=5106
Gardin,A.I. An electron—diffraction study of the structure of cementite, 3=20867

Gardiner,G.W. Effects of the nuclear explosion of 30th October 1961, 3=5195
Gardiner,R.B. See Farago,P.S., 3=24691
Gardner,A.B. See Mallard,W.C., 3=6538
Gardner, A. L. See Kunkel, W. B., 3=1935
Gardner,C.S. Bound on the energy available from a plasma, 3=19245
Gardner,F.F. and Whiteoak,J.B. Polarization of radio sources and Faraday rotation effects in the galaxy, 3=25985
Gardner,G.O. and Kestin,J. Calculation of the Spalding function over a range of Prandtl numbers, 3=11970
Gardner,J.H.,Mill,M.W.,Johansen,C.,Larson,D.,Murri,W. and Nelson,M. Apparatus for electron spin resonance studies at very high pressures, 3=24492
Gardner,L.R.T. and Miller,W.N. The creep behaviour of Magnox AL80, 3=8771
Gardner,M.B. Binaural detection of single-frequency signals in the presence of noise, 3=7065
Gardner,R.P. and Ross,H.H. Alpha gauge for the measurement of small density thicknesses, 3=3781
Gardner,W.E. See Childs,B.G., 3=18062
Garelis,E. Time-dependent neutron thermalization for a bare multiplying medium, 3=12470
Garelli,C.M. See Bellière,J., 3=24775
Garelli,C.M. See Ferrero,M.I., 3=10150
Garelli,C.M. See Marzari-Chiesa,A., 3=19695
Garfinkel,M. See Engeler,W.E., 3=22962
Garfinkel,S.B. and Hutchinson,J.M.R. Determination of source self-absorption in the standardization of electron-capturing radionuclides, 3=10278
Garg,J.B. See Gale,N.H., 3=2383
Garif'yanov,N.S. Electron paramagnetic resonance of Cr^{5+} in glasses, 3=18129
Garif'yanov,N.S., Danilova,A.V. and Shagidullin,R.R. Electron paramagnetic resonance and absorption spectra in the visible region in alcoholic and glycerol solutions of Ti^{3+}, 3=1712
Garif'yanov,N.S. and Fedotov,V.N. Electron paramagnetic resonance in liquid and supercooled solutions of pentavalent molybdenum, 3=1711
Garif'yanov,N.S. and Fedotov,V.N. Electron paramagnetic resonance in supercooled WCl_5 solutions, 3=21407
Garifyanov, N.S.,Kozÿrev,B.M.,Timerov,Kh.R. and Usacheva,N.F. Electron paramagnetic resonance in concentrated aqueous solutions of VO^{2+}, 3=150
Garif'yanov,N.S.,Kozÿrev,B.M.,Timerov,R.Kh. and Usacheva,N.F. Electron paramagnetic resonance in dilute vandyl chloride solutions, 3=5451
Garif'yanov,N.S.,Timerov,R.K. and Fusacheva,N.F. E.P.R. in undercooled solutions containing Mn^{2+} and Gd^{3+} ions, 3=20651
Garif'yanov,N.S. and Usacheva,N.F. Electron paramagnetic resonance in solutions of Cr^{5+}, 3=7219
Garif'yanov,N.S. and Yafaev,N.R. Electron paramagnetic resonance of Zr^{3+} in glasses, 3=20660
Garif'yanov,N.S. See Fedotov,V.N., 3=15946
Garif'yanov,N.S. See Yafaev,N.R., 3=20656
Garigue,J. See Le Lann,A., 3=16026
Garin,A.,Lemeille,C.,Marquez,L. and Saunier,N. Observation of alpha particles from the reaction $Li^6 + Li^7$, 3=8137
Garin,A. and Marquez,L. Measurement of the branching ratio between protons and α-particles for the 20 MeV level of Be^8 3=10250
Garing,J.S. See Howard,J.N., 3=3468
Garkavÿi,E.V. On the thermodynamic equilibrium in a jet of gas at high temperature, 3=21754
Garkavÿi,E.V. Measurement of the temperature of the arc jet, 3=24258
Garkusha,I.P. and Lyubov, B.Ya. Calculation of the rate of growth of a spherical centre of a new phase, on the assumption that it is limited by diffusion through an intermediate region, 3=5127
Garlick,G.F.J. The kinetics and efficiency of cathodoluminescence, 3=971
Garlick,G.F.J.[Transl.]. Luminescence in crystals, 3=6664
Garlick, G. F. J. and Sayer, M. Decay of cathodoluminescence and nonradiative processes in manganese activated phosphors, 3=3066
Garlick,G.F.J., Springford,M. and Checinska,H. The infra-red emission of indium sesquisulphide, 3=20515
Garmire,E.,Pandarese,F. and Townes,C.H. Coherently driven molecular vibrations and light modulation, 3=24524
Garmire,G. Geomagnetically trapped protons with energies greater than 350 MeV, 3=23639
Garner,F.H. See Gowariker,V.R., 3=7180
Garnett,J.L. Catalytic tritium labeling attractive for organics, 3=19800
Garrell,M.H. See De Waard,H., 3=12594
Garren,A.A. Calculation of cyclotron trim-coil currents for field optimization by linear programming methods, 3=5765
Garren,A.A.,Judd,D.L.,Smith,L. and Willax,H.A. Electrostatic deflector calculations for the Berkeley 88-inch cyclotron, 3=5788
Garren,A.A. See Willax,H.A., 3=5771
Garren,A.A. See Young,J.D., 3=5766
Garreta,D., Benezech,P. and Knittner,G. Ion source of the inverse magnetron type for a cyclotron, 3=2043
Garrett,C.G.B. See Faust,W.L., 3=17075
Garrett,H.J. See Hook,R.E., 3=15485
Garrett,M.W. Calculations of fields, forces, and mutual inductances of current systems by elliptic integrals, 3=21939
Garrett,W.R. and Mann,R.A. Model for the scattering of slow electrons by cesium atoms, 3=12776
Garrido,L.M. and Gascón,F. Approximate constancy of adiabatic invariants in plasma physics, 3=390
Garrido,L.M. and Gascón,F. General theory of perturbations in classical mechanics, 3=23807
Garrido,L.M., Gascón,F. and Sancho,F.J. General theory of perturbations in classical mechanics, 3=1643
Garrido,L.M. and Sancho,F.J. Approximate validity of the adiabatic theorem in quantum mechanics, 3=14024
Garrido,L.M. and Sesma,J. Observables of relativistic particles, 3=4321
Garrigue,H. Artificial radioactivity of the air and of precipitation, 3=9057
Garrigue,H. Research on the radioactivity of the atmosphere and of precipitations, 3=25912
Garrigues,C. See Durivault,J., 3=11352
Garriott,O.K. and Thomas,J.O. Some numerical solutions of the continuity equation for electrons in the nighttime F region of the ionosphere, 3=9088
Garriott,O.K. See de Mendonça,F., 3=6997
Garriott,O.K. See Lawrence,R.S., 3=18526
Garriott,O.K. See Mlodnosky,R.F., 3=16263
Garriott,O.K. See Rishbeth,H., 3=13761
Garrison,J.C. Interaction picture in gravitational theory, 3=7099
Garrod, R.I. and Hawkes, G.A. X-ray stress analysis on plastically deformed metals, 3=18180
Garrod,R.I. and Kindermann,M.R. Improvements to a magnetic vacuum valve, 3=1740
Garron,J.P. Quasi-free scattering of 155 MeV protons on protons in light nuclei, 3=6232
Garron,R. Photoelectric yield of thin gold films, 3=426
Garron,R. Dipole moment of the double layer of metallic surfaces, 3=15470
Garron,R. and Lejeune,J. Distribution of emission velocities of photoelectrons from thin layers of aluminium and silver, 3=9835
Garron,R. and Liberman,M. Apparatus for the study of the photoelectric sensitivity of thin metallic films, 3=6626
Garrood,J.R. and Grigson,C.W.B. On domain walls inclined to the easy axis in thin ferromagnetic films, 3=1078
Garscadden,A. Low-frequency noise and oscillations in the meniscus-type discharge, 3=4039
Garscadden,A. Experiments on plasma oscillations, 3=14607
Garscadden,A.,Gray,E.M.H. and Emeleus,K.G. Spectroscopic study of oscillating low-pressure discharges, 3=7609
Garscadden,A. See Emeleus,K.G., 3=14608
Garstang,R.H. Revised molecular constants for the CH and CD spectra, 3=25119
Garstang,R.H. and Dawe,J.A. Two lines of neutral silicon in the solar ultra-violet spectrum, 3=9200
Garte,D. See Drescher,K., 3=24494
Gartenhaus,S. Particle dynamics in a bounded region, 3=12220
Gartlein, C.W. and Sprague, G. Auroral absorption of radio signals, 3=510
Gärtner,W. and Lohmann,A. Experiment to exceed the Abbe resolution limit, 3=14322
Garton,G., Leask,M.J.M., Wolf,W.P. and Wyatt,A.F.G. Magneto-caloric effects in gadolinium trichloride, 3=15803
Garton,W.R.S. Survey of recent advances in the spectroscopy of the vacuum ultraviolet, 3=7325

Garton,W.R.S. Atomic absorption spectra and configuration interaction effects, 3=10439
Gartseva,L.E. See Mordkovich,V.N., 3=20319
Garvey,G.T.,Smith,A.M. and Hiebert,J.C. Enhanced excitation of T = 0, S = 0 states of the ground-state configuration in C^{12} – C^{12} scattering at 126 MeV, 3=15101
Garwacki,W. See Aven,M., 3=23419
Garwin,R.L. Lepton physics, 3=4358
Gary,B.L. See Miller,A.C., 3=7048
Gascón,F. Confinement of plasma in magnetic bottles, 3=24292
Gascón,F. See Garrido,L.M., 3=390
Gascón,F. See Garrido,L.M., 3=1643
Gascón,F. See Garrido,L.M., 3=23807
Gase,R. Spectroscopic studies of stilbene derivatives, 3=735
Gashimzade,F.M. Correction to the article "Symmetry of the energy bands in TlSe-type crystals", 3=15460
Gashimzade,F.M. Energy structure of complex semiconductors. Spectrum of holes in compounds with wurtzite structure, 3=15568
Gashimzade, F.M. Band structure of semiconducting compounds of $A^{II}B^{IV}C_2^{V}$ type with chalcopyrite structure, 3=17871
Gashimzade,F.M. Theory of the drag exerted by phonons on charge carriers in semiconductors with tetragonal symmetry, 3=25248
Gashin, L.I. See Kachurin, L.G., 3=18252
Gaşior,S. See Sujak,B., 3=24336
Gasiorowicz,S. Remarks concerning possible higher resonances in the unitary symmetry model, 3=24622
Gaskell,D.U. See MacDonald,A.D., 3=14560
Gaskell,T. The collective treatment of many-body systems. III, 3=14066
Gaskell,T.F. Techniques of geophysical exploration, 3=1409
Gáspár,R. The theory of the electronic structure of the Br atom and the Te atom, 3=12755
Gasson, D.B., Holmes, P.J., Jennings, I.C. Parrott, J.E. and Penn, A.W. The preparation and properties of In_2Te_3 and its alloys with InAs, 3=1345
Gast,H.H. Study of stereoscopic transfer processes [verlagerungsprozessen] under conditions of intermittent stimulation, 3=1565
Gasten,B.R. Nuclear reaction energies with an absolute ion velocity gauge, 3=22381
Gates,D.M. and Harrop,W.J. Infrared transmission of the atmosphere to solar radiation, 3=25888
Gáti, L. See Szalay, L., 3=1697
Gatland,I.R. and Moffat,J.W. Analytic approximation to the low-energy solutions of inverse amplitude dispersion relations, 3=5950
Gatland,I.R. and Moffat,J.W. Singularities in the angular momentum plane, 3=10054
Gatland,I.R. See Bransden,B.H., 3=598
Gatos,H.C. See Banus,M.D., 3=2790
Gatos,H.C. See Banus,M.D., 3=20771
Gatos,H.C. See Hanneman,R.E., 3=3219
Gatos,H.C. See Kafalas,J.A., 3=3253
Gatti,E. See Bisi,A., 3=5992
Gatti,E. See Cavalleri,C., 3=17156
Gatti,E. See Cavalleri,G., 3=12374
Gatti, E. See Fabri, G., 3=17677
Gatti,R.C. See Brandt,R., 3=24990
Gattinger,R.L. See Vallance Jones,A., 3=25933
Gatto,R. On the experimental possibilities with colliding beams of electrons and positrons, 3=2250
Gatto,R. Classification of lepton currents, 3=14876
Gatto,R. Leptons and leptonic currents, 3=17179
Gatto,R. Effects of virtual vector mesons in e^+e^- collisions, 3=17245
Gatto,R. Possible connection among parity, strangeness and isotopic spin, 3=22057
Gatto,R. Spin-statistics connection for strange particles, 3=22202
Gatto,R. See Celeghini,E., 3=22189
Gatto,R.R. Possible experiments with crossed beams of electrons and positrons, 3=12447
Gatz,C. See King,A.B., 3=2618
Gatz,C.R.,Young,R.A. and Sharpless,R.L. Chemi-ionization in atomic O and N mixtures, 3=25820
Gaudin,M. Engery of an attractive Fermi gas of low density, 3=23800
Gaukler,K.H. Object sputtering in the electron emission microscope depending on the nature and energy of the ions, 3=14642
Gaukler,T.A. See Owe Berg,T.G., 3=14131
Gaulard,M.L. and Loewenstein,J.C. Study of the transmission of ultrasonic waves in an artificial heterogenous layer comprising glass "microballs" in a liquid, 3=16621
Gauld,C. See Brisbout,F.A., 3=6109
Gauld,C.F. See Day,G., 3=7849
Gauld,C.F. See Farrow,E., 3=19724
Gault,W.A. and Hunten,D.M. Twilight lithium in the upper atmosphere. High abundance of twilight lithium, November 1962, 3=18554
Gaume,F. and Defrance,R. A photo-electric method of controlling the equality of illumination of two luminous fields in photometry and polarimetry, 3=21514
Gaunt,P. and Silcox,J. The electron microscope examination of small ferromagnetic precipitates, 3=1090
Gaur,M.S. See Bhand,S.C., 3=24074
Gauster,W.F.,Kelley,G.G.,Mackin,R.J.,Jr and North,G.R. Calculation of ion trajectories and magnetic fields for the magnetic trapping of high energy particles, 3=12154
Gautam,V.P. See Gupta,Y.M., 3=7923
Gautherin,G. and Septier,A. Utilization of a duoplasmatron as a source of electrons, 3=12224
Gautherin,M.G. Demonstration of post-ionization in a duoplasmatron ion source, 3=2044
Gauthier, L. Nonlinear phenomena in classical mechanics, 3=14071
Gautier,F. Electronic structure of impurities in nickel. Application to magnetic neutron scattering by disordered nickel-base alloys, 3=12964
Gauvin,H.,Lefort,M. and Tarrago,X. α-particle emission in spallation reactions, 3=6251
Gauvin, H, Lefort, M. and Tarrago, X. Evidence of alpha-particle structure of heavy nuclides, 3=17381
Gavaler,J.R. See Chu,T.L., 3=22794
Gavanin,V.A. See Kirsanov,V.P., 3=1807
Gaven,J.V., Jr,Waugh,J.S. and Stockmayer,W.H. Self-diffusion and impurity-centrolled proton relaxation in liquid methane, 3=7202
Gavenda,J.D. See Deaton,B.C., 3=8383
Gavin,B.F. See Ehlers,K.W., 3=14667
Gavin,J. See Firkowski,R., 3=22236
Gavin,M.R. and Chandra,K. 5 Mc/s positive ion klystron, 3=9876
Gavin,M.R.,Chandra,K. and Lloyd,L.J. Positive ion beams, 3=12253
Gavreau,V, Miane,M. and Calaora,A. Electromagnetophoresis, 3=16901
Gavrilenko,L.M., Lebed',G.G. and Nazarov,D.A. A method of modulating the output voltage of photomultipliers, 3=3979
Gavrilov,B.I. See Afonin,I.P., 3=19283
Gavrilov,D.V. Calculation of a simple lens with a single reflecting surface, 3=7306
Gavrilov,S.A. Experience from the operation of the heavy water reactor of the USSR Academy of Sciences, 3=25023
Gavrilov,V.Yu. and Zograf,Yu.N. The nature of the biochemical code, 3=18669
Gavrilova,A.V. See Tyapkin,Yu.D., 3=13507
Gavrilova, N.D. See Strukov, B.A., 3=17941
Gavrilovskii,B.V. and Karadzev,K.V. A method for polarization studies of low-energy charged particles, 3=24733
Gavrilyuk,M.I.,Chaporova,I.N.,Vasil'yeva,N.P. and Sultanyan,T.A. Effect of recrystallization anneal on the structure and properties of cast tungsten, 3=11183
Gavrilyuk,V.M. and Medvedev,V.K. Adsorption of barium atoms and carbon monoxide molecules on the (113) face of a tungsten monocrystal, 3=18394
Gavrilyuk,V.M. See Vedula,Yu.S., 3=18395
Gavrin,P.P. See Babўkin,M.V., 3=1987
Gavrin,P.P. See Babўkin,M.V., 3=16948
Gavrishchak, I.V. See Shneider, A.D., 3=17890
Gawin,J. See Firkowski,R., 3=2337
Gawin,J. See Firkowski,R., 3=10188
Gay,S.P.,Jr. Standard curves for interpretation of magnetic anomalies over long tabular bodies, 3=16310
Gaydon,A.G., Hurle,I.R. and Kimbell,G.H. Temperature measurements of shock waves and detonations by spectrum-line reversal . IV. Development of detonations, 3=14246

Gaydon,A.G. See Pannetier,G., 3=12850
Gaydukov,M.G. See Pavlov,V.A., 3=23332
Gaynor,J. and Aftergut,S. Photoplastic recording, 3=19030
Gazdik,M.F. See Alexander,J.M., 3=8148
Gazdik,M.F. See Alexander,J.M., 3=10397
Gazier,C. See Brault,M., 3=19317
Gazier,C. See Brault,M., 3=21866
Gazis,D.C.,Tadjbakhsh,I. and Toupin,R.A. The elastic tensor of given symmetry nearest to an anisotropic elastic tensor, 3=23812
Gazzola,A. See Fea,G., 3=1431
Gdalevich,G.L. Measurement of the electric field intensity at the surface of a rocket flying in the ionosphere, 3=3487
Gdalevich,G.L. See Gringauz,K.I., 3=25922
Geacintov,N. See Oster,G., 3=7215
Geake,J.E. See Birks,J,B., 3=9464
Gear,A.E. and Bastin,J.A. A corrugated model for the lunar surface, 3=9170
Geballe,R. See Dunn,G.H., 3=6366
Geballe,R. See Pretzer,D., 3=16910
Geballe,T.H., Matthias,B.T., Compton,V.B., Corenzwit,E. and Hull,G.W., Jr. Superconductivity of solid solutions of noble metals, 3=3962
Geballe,T.H. See Matthias,B.T., 3=1900
Geballe,T.H. See Matthias,B.T., 3=7404
Geballe,T.H. See Matthias,B.T., 3=14438
Geballe,T.H. See Purl,S.M., 3=4914
Geballe,T.H. See Raub,Ch.J., 3=24148
Gebbie,H.A, Habell,K.J. and Middleton,S.P. Michelson interferometers for spectrophotometry in the near infrared region, 3=16769
Gebbie,H.A. and Stone,N.W.B. Measurement of widths and shifts of pure rotation lines of hydrogen chloride perturbed by rare gases, 3=22542
Gebbie,H.A. and Stone,N.W.B. Collision induced absorption in carbon dioxide in the far infra-red, 3=23932
Gebbie,H.A. See Anderson,A., 3=938
Gebbie,H.A. See Archbold,E., 3=7353
Gebbie,H.A. See Edmond,J.T., 3=10930
Gebel,C. See Sackmann,L., 3=9318
Gebert,E. See Siegel,S., 3=16073
Gecas,A.J. See Toman,L., Jr., 3=20759
Gedalin,É.V. Electron–photon showers produced by high energy μ-mesons, 3=14998
Gedroĭts,A.A. and Krasil'nikov,V.A. Elastic waves of finite amplitude in solids and deviations from Hook's law, 3=15434
Gedroitz, A.A, Krasilnikov, V.A. and Zarembo, L.K. Elastic waves of finite amplitude in solids and anharmonicity of the lattice, 3=17654
Gedroits,A.A.,Zarembo,L.K. and Krasil'nikov,V.A. Shear waves of finite amplitude in polycrystalline and single crystal metals, 3=25182
Geel,J. See Verster,N.F., 3=5740
Geerk,J.,Kleinwächter,H. and Metze,W. Discharge without electrodes by means of concentrated bombardment with microwaves, 3=21726
Geerk,J. See Kleinwächter,H., 3=7592
Geers.M.G. See Wösten.W.J.. 3=1871
Geevarughese,K.O. See Pardasaradhi,T.V., 3=9578
Geffen, D.A. Decay rates of neutral mesons, 3=601
Geffen,N. Magnetogasdynamic flows with shock waves, 3=12305
Geguzin,Ya.E. and Dzyuba,A.S. Interaction between macroscopic pores in a solid, 3=25767
Geguzin,Ya.E.,Koryakina,V.V. and Kharitonova,L.S. Processes on the surfaces of monocrystals. IV. High-temperature processes on arbitrary sections of ionic monocrystals, 3=20214
Geguzin,Ya.E. and Kovalev,G.N. Investigation of the surface diffusion in polycrystalline metals, 3=20232
Geguzin,Ya.E. and Kovalev,G.N. Self-diffusion on the surface of polycrystalline silver, 3=22821
Geguzin,Ya.E. and Ovcharenko,N.N. Anisotropy of the surface diffusion coefficient of metals, 3=15506
Geguzin,Ya.E. and Ovcharenko,N.N. Kinetics of thermal etching of annealing-twin boundaries in gold and copper, 3=16029
Geguzin,Ya.E. and Paritskaya,L.N. Secondary recrystallization in polycrystals with macroscopic pores, 3=3336
Geguzin,Ya.E. and Ravets,V.L. The dislocation structure of single crystals of NaCl undergoing creep tests, 3=20209
Geguzin,Ya.E. See Ratner,A.M., 3=6530
Geheniau,J. See Dürr,H.P., 3=12510
Gehrels,T. The wavelength dependence of polarization of planetary atmospheres, 3=16341
Gehrels,T. and Teska,T.M. The wavelength dependence of polarization, 3=7019
Gehring,E. See Wittig,F.E., 3=23876
Geichenko,V.V.,Danilenko,V.M. and Smirnov,A.A. Theory of ordering in alloys with a body-centred cubic lattice, in which some superstructure may arise, 3=8904
Geiger,J. The scattering of electrons by individual atoms, 3=22495
Geiger,J. Elastic and inelastic scattering of electrons in gases. I. Scattering in helium, 3=25066
Geiger,J. See Boersch,H., 3=7354
Geiger,J. See Boersch,H., 3=12444
Geiger,J.S. and Graham,R.L. Measurement of the radial focusing aberrations in the Chalk River iron free $\pi\sqrt{2}\,\beta$ spectrometer, 3=24365
Geiger,J.S., Graham,R.L. and Brown,F. The conversion line intensity ratios for M4 transitions in Xe and Ba, 3=652
Geiger,J.S. See Bergström,I., 3=12608
Geiger,J.S. See Murray,G., 3=19795
Geiger,K.W. See Hargrove,C.K., 3=10294
Geiger,W.,Kaeppeler,H.J. and Mayser,B. On the structure of hydromagnetic shock waves with transverse field and viscous dissipation, 3=11855
Geilikman,B.T. Theory of a Fermi fluid, 3=23796
Geilikman,B.T. and Kresin,V.Z. Thermal conductivity of pure superconductors and absorption of sound in superconductors, 3=330
Geiseler,G. and Rätzsch,M. Rotatable metal-block calorimeter of high sensitivity, 3=21603
Geiser,R. and Goodman,B.B. The anisotropy of the forbidden band in some superconducting alloys of aluminium, 3=19106
Geisler,J.E. See Demarque,P., 3=16395
Geissler,H. ^{3}S terms of helium calculated with the help of variational methods, 3=4705
Geissler,K. and Müller,S. An arrangement for determining steady field strengths, 3=17024
Geissler,W. See Landsberg,R., 3=20940
Geist,D. Electron paramagnetic resonance in boron. 3=11110
Gelberg,A. On the measurement of β-γ circular polarization correlations in forbidden β-decay, 3=2401
Gelbrich,W. Electron lifetime and surface recombination velocity in tellurium, 3=877
Gel'd,P.V. See Gol'tsov,V.A., 3=18344
Gel'd,P.V. See Korshunov,V.A., 3=871
Gel'd,P.V. See Krentsis,R.P., 3=8360
Gel'd,P.V. See Shtol'ts,A.K., 3=3340
Gelfand,I.M., Grashin,A.F. and Ivanova,L.N. Phase analysis of pp-scattering at an energy of 150 MeV. 3=4392
Gelfand,N. See Alff,C., 3=4432
Gelfand,N. See Alff,C., 3=4433
Gelfand,N. See Colley,D., 3=2322
Gell-Mann,M. and Goldberger,M.L. Erratum: Elementary particles of conventional field theory as Regge poles, 3=7809
Gell-Mann,M., Goldberger,M.L., Low,F.E. and Zachariasen,F. Elementary particles of conventional field theory as Regge poles. II, 3=14862
Geller,K.N. System for energy control and absolute calibration of a 23 MeV betatron, 3=4226
Geller,K.N. $Y^{89}(\gamma,n)Y^{88}$ threshold and the Zr^{90}–Sr^{88} mass difference. 3=8074
Geller,M. Two-center integrals over solid spherical harmonics, 3=19967
Geller,M.,Bortfield,D.P. and Sooy,W.R. New Woodbury–Raman laser materials, 3=24525
Geller,R. Enhanced diffusion in an r.f. discharge in the presence of a magnetic field. 3=1944
Geller,R. A pulsed toroidal P.I.G. discharge, 3=19260
Geller,R. Experimental results of a bumpy torus discharge, 3=19270
Geller,R. and Hosea,J. A highly ionized pulsed P.I.G. reflex discharge, 3=19259
Geller,R. and Pigache,D. Mechanism of the reflex discharge at equilibrium, 3=4041
Geller,R. and Pigache,D. Equilibrium mechanism of a P.I.G. reflex discharge and an experimental determination of $D_\perp$ in a plasma, 3=9745
Geller,R. See Chabbal,R., 3=24229

Geller,R. See Consoli,T., 3=4042

Geller,R. See Consoli,T., 3=21795

Geller,S. Refinement of the crystal structure of Co_9S_8, 3=8840

Geller,S. The crystal structure of the superconductor $Rh_{17}S_{15}$, 3=8841

Geller,S.,McWhan,D.B. and Hull,G.W.,Jr. Superconducting indium antimonide, 3=19110

Geller,S.,Williams,H.J.,Espinosa,G.P.,Sherwood,R.C. and Gilleo,M.A. Reduction of the preparation temperature of polycrystalline garnets by bismuth substitution, 3=23191

Geller,S.,Williams,H.J. and Sherwood,R.C. Comments on "A study of neodymium-substituted yttrium iron garnet" by T.H.Ramsay,Jr, H.S.Steinfirk and E.J.Weiss, 3=25546

Geller,S., Williams,H.J., Sherwood,R.C. and Espinosa,G.P. Substitutions of divalent manganese, iron and nickel in yttrium iron garnet, 3=3129

Geller,S.,Williams,H.J.,Sherwood,R.C.,Remeika,J.P. and Espinosa,G.P. Magnetic study of the lighter rare-earth ions in the iron garnets, 3=20620

Gelli,D.,Federighi,T. and Pieragostini,F. Neutron irradiation effects on dislocation damping in cold-worked aluminium, 3=4868

Gelli,D. See Panseri,C., 3=15976

Gelling,W.G. See Bril,A., 3=2910

Gellings,P.J. The application of Lagrange's theorem in electrochemical kinetics. III. Sinusoidal polarization of single electrodes, 3=5169

Gellings,P.J. The application of Lagrange's theorem in electrochemical kinetics. IV. The stationary state of a multiple electrode, 3=18447

Gel'man,Yu.A. See Pavlovskaya,V.S., 3=11295

Gelsema,E.S. See Bellière,J., 3=24775

Geltman,S. The bound-free absorption coefficient of the hydrogen negative ion, 3=2557

Geltman,S. Double-photon photo-detachment of negative ions, 3=21713

Geltman,S.,Rudge,M.R.H. and Seaton,M.J. Electron impact ionization of atomic hydrogen, 3=12073

Gemesv,T. See Hofmokl,T., 3=12488

Gemmell,D.S. See Lee,L.L.,Jr., 3=19777

Gemperle,A. Preparation of metal foils from deformed specimens of small dimensions for transmission electron microscopy, 3=11330

Gemperle,R. See Kaczér,J., 3=1062

Gemperle,R. See Wrzeciono,A., 3=3107

Gemperle,R. See Wrzeciono,A., 3=13250

Gemus, D.M. See Tovstyuk, K.D., 3=17684

Gendell,J.,Freed,J.H. and Fraenkel,G.K. Solvent effects in electron spin resonance spectra, 3=6415

Gendrin,R. On a theory of the fine structure in rapid pulsations, 3=25954

Gendrin,R. and Stefant,R. Frequency analysis of pearl-type pulsations, 3=1486

Gendrin, R. and Stefant, R. Effect of the thermonuclear explosion of 9 July 1962 at very high altitude on the resonance of the terrestrial-ionospheric cavity. Experimental results, 3=3485

Generalov,I.V. Construction of a new apparatus for the measurement of ultraviolet radiation, 3=21536

Generalov, N.A. On the influence of impurities on the excitation of vibrations of oxygen molecules at high temperatures, 3=17581

Generalov,N.A. and Losev,S.A. Determination of intermolecular forces from the relaxation of [vibrational] oscillations in oxygen, 3=12881

Geneste,J. See Bonnin,B., 3=19104

Geneux,E. See Barbev,P., 3=12757

Gengnagel,H.,Hajko,V. and Daniel-Szabo,J. Visual demonstration of creep phenomena with loop crystals, 3=13248

Gengnagel,H. See Daniel-Szabó,J., 3=1229

Genin,R.,Beil,H.,Signarbieux,C.,Carlos,P.,Joly,R. and Ribrag,M. Determination of absorption and scattering cross-sections of rare-gases for thermal neutrons, 3=12467

Genin,R. See Beil,H., 3=20821

Genkin,G.M. The transport-equation approach to cyclotron resonance in semiconductors, 3=15560

Genkin,I.L. Dynamics of a nonsteady state galaxy, 3=16411

Genkin,V.N. Theory of relaxation of quantum systems, 3=21255

Genkin,V.N. and Fain,V. M. On the antiferromagnetic resonance line width, 3=3161

Genkin,Ya.E. and Rumyantsev,I.A. Comparison of two methods of correcting experimental curves. (Column and matrix methods), 3=4238

Genkin,Ya.E. See Korsunskii,M.I., 3=4838

Genkin,Ya.E. See Korsunskii,M.I., 3=4978

Genkin,Ya.E. See Korsunskii,M.I., 3=5601

Genkin,Ya.E. See Korsunskii,M.I., 3=23095

Gennes de, P.G. See Friedel,J., 3=16861

Gensamer,M. See Stoloff,N.S., 3=15994

Genshaft,Yu.S. "New" and "old" pressure scales, 3=23830

Genshaft,Yu.S. See Livshits,L.D., 3=16014

Gensollen,C. See Barloutaud,R., 3=7904

Genta,L. See Horn,G., 3=9703

Gentile,A. See Mongelli,S., 3=6276

Gentile,C. See Perucca,E., 3=1865

Gentile,C. See Perucca,E., 3=11994

Gentile,C. See Perucca,E., 3=11995

Gentner,W. Terrestrial and meteoric material, 3=16366

Gentner,W. and Hortig,G. Method for the production of negative ion beams, 3=9872

Gentner,W. See Mayer-Böricke,C., 3=3558

Genty,B. See Bibring,H., 3=25797

Genty,R. The analogy of celestial bodies and in particular of terrestrial artificial satellites with gyroscopic systems, 3=16320

Genusa,V.A. and Parker,P.M. Computation of asymmetric rotator constants from energy moments. IV, 3=4737

Genzow,D. See Albers,C., 3=15705

Geoffray,H.,Ferrier,A. and Olette,M. Measurement of the heat capacity of nickel at high temperature, from 1120° to 1919°C, 3=8359

George,T.H. and Stier,P.M. Chemisorption of oxygen on ordered tungsten surfaces, 3=3396

George,W.D. Third international conference on precision electromagnetic measurements, 3=12309

Georgii,H.W. Oxides of nitrogen and ammonia in the atmosphere, 3=25870

Georgobiani,A.N. Effect of the bond type of crystal phosphors on their electroluminescent ability, 3=15718

Georgobiani,A.N. and Golubeva,N.P. The excitation of electroluminescence in alkali halides, 3=20541

Georgobiani,A.N.,Golubeva,N. and Lebedev,P.N. Excitation of electroluminescence in alkali halide compounds, 3=11006

Georgobiani,A.N.,L'vova,E.Yu. and Fok,M.V. The absorption of energy in electroluminescence, 3=8630

Geottelman,R.C. and Evans,M.W. Longitudinal sound velocity in columns of granular ammonium perchlorate of low loading density, 3=20091

Geppert,D.V. Theoretical shape of metal—insulator—metal potential barriers, 3=9709

Geppert,G. A new double-beam recording infrared spectrophotometer with double-passed optics, 3=252

Geppert,G. and Scholz,R. Mercury vapour lamp as exciting source for the observation of Raman spectra of solid materials, 3=5524

Gerardo,J.B.,Hendricks,C.D.,Jr and Golstein,L. Microwave studies of electrically driven shock waves, 3=21488

Gerasev,V.F. See Yakovleva,A.V., 3=23581

Gerasimenko,N.N. See Smirnov,L.S., 3=20540

Gerasimenko,V.I. Two-electron charge exchange of protons in helium during fast collisions, 3=367

Gerasimov,F.M. See Rassudova,G.N., 3=19015

Gerasimov,F.M. See Rassudova,G.N., 3=19016

Gerasimov,F.M. See Rassudova,G.N., 3=24051

Gerasimov,F.M. See Yakovlev,E.A., 3=1832

Gerasimov,S.B. Dispersion relations for scattering of γ-quanta on nuclei, 3=8069

Gerasimov,S.B. Sum rules and high-energy photonuclear absorption, 3=24920

Gerasimov,S.B., Lebedev,A.I. and Petrun'kin,V.A. Theory of scattering of neutrons by the Coulomb field of the nucleus, 3=15204

Gerasimov,V.F. and Zenkevich,V.S. Capture cross-section of monochromatic neutrons by U^{235} in the energy interval 0.02-2 eV, 3=6258

Gerasimov,Ya.I. and Nikol'skaya,A.V. Thermodynamic properties of bismuth telluride (Bi_2Te_3) and antimony telluride (Sb_2Te_3), 3=22657

Gerasimov,Yu.M. and Grechushnikov,B.N. Optical orientation of crystalline grains, 3=20775

Gerasimova,A.P. See Kirsanova,T.S., 3=19297

Gerasimova,E.A. See Atsarkin,V.A., 3=15939
Gerasimova,M.P. See Striganov,A.R., 3=15282
Gerasimova,N.M. Fluctuations of the number of particles in an electron–photon shower, 3=2342
Gerasimova,N.M. Fluctuations of the number of particles in an electron—photon shower, with effects of ionization losses included, 3=22238
Gerasimova,N.M., Nikishov,A.I. and Rosenthal,I.L. Interaction of nuclei and photons of high energies with a thermal radiation in the universe, 3=4494
Gerasimova,S.B. The influence of thermal diffusion on heat convection in a binary mixture, 3=19047
Gerbaux,X. See Hadni,A., 3=3006
Gerbaux,Y. and Hadni,A. Absorption spectrum of SnI$_4$ in the far infrared, 3=8604
Gerber,C.S. and Manry,D. On the height of capillary rise in an assembly of identical spheres, 3=122
Gerber,H.J. See Jones,R.S., 3=2233
Gerber,J.P. See Samman,A., 3=24802
Gerber,W.D. See Kimball,C., 3=15907
Gerdau, E, Krull, W, Mayer, L, Braunsfurth, J, Heisenberg, J, Steiner, P, and Bodenstedt, E. Angular correlation measurements on >30 yr Ho^{166} and determination of the g$_R$ factor of the 4+ rotation level of Er^{166}, 3=17419
Gerdau,E. See Bodenstedt,E., 3=2391
Gerdau,E. See Korner,H.J., 3=12560
Gereth,R. Growth of silicon bicrystals by the Dash pedestal-method, 3=11235
Gergely,G. Carrier distribution in ZnS phosphors in the case of strongly inhomogeneous excitation, 3=2928
Gergely,G. On the cathodoluminescence of thin films, 3=11004
Gergely, G. and Hantay,Ö. On the measurement of cross-sectional resistivity variation on semiconductor crystals, 3=17844
Gergely,Gy. Excitation spectra of ZnS phosphors, I. Theoretical analysis, 3=18036
Gergely,Gy., Adam,J. and Bauer,Gy.T. Excitation spectra of ZnS phosphors, II. Experimental results, 3=18037
Gerhard,E.R. See Plank,C.A., 3=11751
Gerhardt,J.R., Mitcham,W.S. and Straiton,A.W. A 1400-ft meteorological tower with automatic data readout, 3=5190
Gerharz,R. A three base-line tracking radio interferometer, 3=18648
Gerholm,T.R. and Lindskog,J. A magnetic coincidence spectrometer for the measurement of short nuclear lifetimes, 3=14962
Gericke,O.R. Determination of the geometry of hidden defects by ultrasonic pulse-analysis testing, 3=11302
Gerkin,R.E. and Pitzer,K.S. Silver oxide; the heat capacity of large crystals from 14 to 300° K, 3=768
Gerlach,E. Oscillations of the hall coefficient in layered lattices, 3=20259
Gerlach,W. The history of the electron, 3=5312
Germagnoli,E. and Mancini,N. Observation of clusters of point defects in films of doped gold, 3=25270
Germagnoli,E. See Cattaneo,F., 3=3345
Germagnoli,E. See Cattaneo,F., 3=17818
Germagnoli,E. See Fabri,G., 3=4380
Germagnoli,E. See Fabri,G., 3=10636
Germagnoli,E. See Fabri,G., 3=24709
Germain,C. Bibliographical review of the methods of measuring magnetic fields, 3=9906
Germain,C. and Tinguely,R. Electrostatic separator technique at Cern, 3=19390
Germain,P. Shock waves in plasmas, 3=1973
German,O. The equations for the density of molecular flow, 3=16648
Germanier,A.M., Gainon,D. and Lacroix,R. Action of an axial crystalline field on the ion Fe^{3+}, 3=2695
Germanovich,I.N. See Konovalov,E.G., 3=23855
Germer,L.H. and MacRae,A.U. Low energy electron diffraction studies of adsorbed gases, 3=1378
Germershausen,R. and Luther,H. Effect of the spectral transparency of infrared-active gases of two-molecule interactions. I. Theoretical basis, 3=16662
Germey,K. Interference of partially coherent quasimonochromatic light, taking account of polarization effects, 3=11931
Germogenova,O.A. The method of group integrals in scattering problems, 3=14367
Germogenova,O.A. and Rozenberg,G.V. Scattering of inhomogeneous electromagnetic waves by spherical particles, 3=17054
Germogenova,T.A. The effect of polarization on the distribution of the intensity of scattered radiation, 3=1835
Gerold,V. Physical properties of solid solutions containing spherical Guinier—Preston zones, 3=8877
Gerold,V. See Seeger,A., 3=20164
Geronimus,Ya.L. On focusing fields, 3=11745
Gerrard,A. An elementary theoretical approach to the Abbe throey of optical image formation, 3=24009
Gerrard,J.H. An experimental investigation of the initial stages of the dispersion of dust by shock waves, 3=9543
Gerritsen,A.N. See Das,K.B., 3=829
Gerritsen,H.J. and Starr,A. Theory and experiments of Cu^{2+} in an octahedral surrounding, 3=25564
Gersch,H.A. One-dimensional phase transition in the spherical model of a gas, 3=16554
Gersch,H.A. and Knollman,G.C. Quantum cell model for bosons, 3=5388
Gersch,H.A. See Smith,V.H., Jr, 3=21260
Gersch,W. New technique for identifying particles observed by a scintillation counter, 3=10003
Gersdorf,R. Ferromagnetic properties of Fe and Ni in relation to their band structure, 3=8665
Gersdorf,R. Possible change of the atomic magnetic moment in iron at high temperatures, 3=23136
Gersdorf,R., Stoelinga,J.H.M. and Rathenau,G.W. Single-crystal magnetostriction measurement on dilute iron alloys, 3=1045
Gershberg,R.E. Association of filamentary nebulae—remnants of envelopes of type II supernovae, with H$_\alpha$ emission stars, 3=9242
Gershenzon,E.M., Gurvich,Yu.L. and Litvak-Gorskaya,L.B. Magnetoconcentration effect is semiconductors, 3=20278
Gershenzon,E.M. and Litvak-Gorskaya,L.B. Investigation of the saturation of the drift velocity of hot carriers in p–type germanium, 3=20301
Gershenzon,M., Thomas,D.G. and Dietz,R.E. Radiative transitions near the band edge of gallium phosphide, 3=10949
Gershenzon,M. See Ashkin,A., 3=23042
Gershenzon,M. See Hopfield,J.J., 3=15708
Gershenzon,M. See Nelson,D.F., 3=20514
Gershenzon,M. See Thomas,D.G., 3=25253
Gershtein,S.S. Transfer of negative mesons from hydrogen to nuclei of other elements, 3=716
Gershtein,S.S. and Krivchenkov,V.D. Electron terms in the field of two different Coulomb centres, 3=4701
Gershtein, S.S, Nguyen Van Hieu and Eramzhyan, R.A. Possibility of observing neutral currents in neutrino experiments, 3=17244
Gershtein,S.S. See Dzhelepov,V.P., 3=6371
Gershuni,G.Z. and Zhukhovitskii,E.M. Convective instability spectrum of a conducting medium in a magnetic field, 3=5830
Gersing, E., Hundhausen, E. and Pauly, H. Differential scattering cross-sections in the interaction of neutral molecules. I. Measurements of large-angle scattering, 3=4788
Gerson,N.C. Radio wave absorption at long distances, 3=5863
Gerson,N.C. General absorption theory, 3=5864
Gerson,N.C. Very long distance propagation, 3=24479
Gerson,N.C. and Gossard,W.H. Sweepers and solar activity, 3=3475
Gerson,N.C., Nardozza,V.J. and Hengen,J.G. High frequency propagation over long paths, 3=12327
Gerson,R. and Jaffe,H. Electrical conductivity in lead titanate zirconate ceramics, 3=25400
Gerstein,B.C., Penney,C.J. and Spedding,F.H. Thermal study of crystal field splittings in erbium ethylsulfate, 3=4799
Gerstenberg,D. Structure and electrical properties of evaporated and sputtered titanium films, 3=25328
Gerstenkorn,S. The study of plutonium by high resolution spectroscopy. I. Contribution to the classification of arc spectra, 3=10461
Gerstenkorn,S. The determination of the magnetic moment of plutonium 239, 3=10462
Gerstenkorn,S. See Blaise,J., 3=6354
Gertenshteyn, M.Ye. Excitation of acoustic vibrations in semiconductor diodes, 3=25379
Gerth,E. See Melcher,H., 3=25036

Gerthsen, P. A new method for growing crystals of substances of high melting point, 3=18274
Gertsenshtein,M.E. and Pustovoit,V.I. Detection of low frequency gravitational waves, 3=1591
Gertsenshtein,M.E. and Pustovoit,V.I. High-frequency conductivity of a plasma in the presence of a direct current, 3=1978
Gertsenshtein,M.E. and Pustovoit,V.I. The propagation of acoustic space charge waves in semiconductors, 3=22920
Gertsenshtein,M.E. See Pustovoit,V.I., 3=5335
Gertsenshtein,M.E. See Tatarskii,V.I., 3=21972
Gervais,J.L. See Diu,B., 3=15025
Gerwin,R.A. Initial value solution of Maxwell's equations in cold plasma, 3=382
Geschwind,S. See Blumberg,W.E., 3=13300
Geshkenbein,B.V. and Ioffe,B.L. Limitations on the three-particle vertex part, 3=14875
Geshkenbein,B.V. and Ioffe,B.L. Certain experimental possibilities of verifying hypotheses regarding the nature of resonances, 3=14930
Geshkenbein,B.V. and Ioffe,B.L. Upper limits for coupling constants in quantum field theory, 3=19539
Geshkenbein,B.V. and Ioffe,B.L. Restrictions on the magnitude of the coupling constant in quantum field theory. I, 3=24648
Gesi,K.,Takagi,Y. and Takeuchi,T. The Hall effect of titanium hydrides, 3=13026
Gessaroli,R. See Block,M.M., 3=12508
Gessaroli,R. See Block,M.M., 3=12570
Gessaroli,R. See Gray,L., 3=15042
Gessaroli,R. See Shafer,J.B., 3=15028
Gething,P.J.D. Lateral deviation and effective path length for oblique propagation through the ionosphere, 3=16253
Getmantsev,G.G. The isotropy of primary cosmic rays, 3=615
Getmantsev,G.G. The heating of interstellar gas by cosmic rays, 3=23664
Gettemy,J.W. See Knapp,D.G., 3=25942
Geudeke,M. Some observations by means of dislocation etching on the decomposition of NaCl—KCl mix-crystals, 3=12985
Geudeke,M. and Burgers,W.G. Origin of F-centers in X-ray irradiated NaCl crystals, 3=15518
Geuge,H. Experiments on the development of a high-frequency accelerator for protons, 3=458
Geurts,H.L. See Noorman,P.E., 3=22480
Geus,J.W., Koks,H.L.T., Sieswerda,B.S. and Terpstra,J. Measurement of the magnetization of thin nickel films in ultra-high vacuum, 3=17020
Geusic,J.E.,Kurtz,S.K.,Nelson,T.J. and Wemple,S.H. Nonlinear dielectric properties of $KTaO_3$ near its Curie point, 3=17936
Gevers,R. On the dynamical theory of electron transmission microscope images of dislocations and stacking faults, 3=1067
Gevers, R. Dynamical theory of moiré fringe patterns, 3=3376
Gevers,R. On the kinematical theory of diffraction contrast of electron transmission microscope images of perfect and partial screw dislocations, 3=15495
Gevers,R. Moiré patterns for crystals containing a stacking fault, 3=20205
Gevers,R. Moiré pattern for a crystal containing a stacking fault, 3=22799
Gevers,R. On the dynamical theory of different types of electron microscopic transmission fringe patterns, 3=25789
Gevers,R. See Art,A., 3=12993
Gey,W. See Buckel,W., 3=7407
Gey,W. See Buckel,W., 3=9688
Geynet,R. See Holt,V.E., 3=7381
Ghabrial,A.M. Sound radiation from a plane source into circular ducts, 3=9557
Ghani,A. See Davis,D.G., 3=24730
Ghani,A. See Faissner,H., 3=17100
Ghani,A. See Faissner,H., 3=17141
Ghani,A. See Faissner,H., 3=21380
Ghani,A. See Faissner,H., 3=24690
Ghate,P.B. Anisotropic diffusion of cadmium and gold tracers in zinc single crystals, 3=17793
Gheorghita,N. See Sanduloviciu,M., 3=19187
Gheorghiu,D. and Valeriu,A. Signal-to-noise ratio of the twin-T nuclear magnetic resonance bridge, 3=517
Gheorghiu,O.C. The possibility of determining magnetic permeability at low frequencies, with a non-resonant cavity, 3=7673
Gherbanovski,C. See Andreesco,L., 3=17311
Gherman,O. and Constantinescu,F. Scattering of electromagnetic waves by small particles, 3=14772
Gherman,O. See Gábos,Z., 3=1838
Ghesquière,G. See Amaldi,U.,Jr, 3=24717
Ghesquière,C. See d'Andlau,C., 3=17328
Ghez,R. and Piuz,F. A generalized surface stress, 3=21271
Ghez,R. See Piuz,F., 3=16062
Ghigo,G. See Bernardini,C., 3=17005
Ghirardi,G.C.,Pauri,M. and Rimini,A. On the Levinson theorem in the multichannel case, 3=10041
Ghirardi,G.C. See Alzetta,R., 3=22137
Ghiţă,C. See Giurgea,M., 3=5442
Ghiţă,L. See Giurgea,M., 3=5442
Ghormley,J.A. See Forman,R., 3=2026
Ghormley,J.A. See Forman,R., 3=24335
Ghose,A.M. Angular distribution of Compton scattered Co^{60} photons, 3=22099
Ghose,B.K. See Biswas,K.R., 3=13669
Ghose,S. The crystal structure of salesite, $CuIO_3(OH)$, 3=1338
Ghose,S. The crystal structure of pseudomalachite, $Cu_5(PO_4)_2(OH)_4$, 3=3307
Ghosh,A.C. and Martin,W.H. New isomers in antimony and iodine, 3=12591
Ghosh,A.K. An automatic rapid scanning spectrophotometer to study thermoluminescence spectra, 3=18992
Ghosh,A.K. See Prakash,S., 3=6936
Ghosh,A.K. See Sen,S.N., 3=371
Ghosh,A.K. See Sen,S.N., 3=12085
Ghosh,N.N. Generalized theory of spinors, 3=4329
Ghosh,S.K. and Gupta,P.K. Some observations on the structure of Cb cells by radiosonde, 3=13673
Ghosh,S.K. and Laskar,A.L. Electronic energy states at the interface, with adsorbed gas, of two semi-infinite one dimensional crystals, 3=25238
Ghosh,S.K. See Heeger,A.J., 3=15965
Ghosh,S.K. See Rajagopalan,N.S., 3=8514
Ghosh,S.K. See Sinha,S.K., 3=8732
Ghosh,S.N. and Khare,S.P. Secondary electron emission from metal surfaces by H^+, H^0, He^+, and He^0 bombardments, 3=7638
Ghosh,S.N. and Nand,S. Rocket spectroscopy, 3=11531
Ghosh,S.N.,Nand,S. and Sharma,A. Intensity variation of the 0-0 band of the CN violet system with temperature, 3=11344
Ghosh,S.N. and Srivastava,B.N. Excitation of spectra by ion bombardment, 3=9594
Ghosh,T. Note on finite deformation of a hollow spherical shell of non-homogeneous material subjected to uniform normal tractions on the inner and outer surfaces, 3=14075
Ghosh,U.S. and Bagchi,R.N. A general method of finding the principal crystalline susceptibilities of triclinic crystals, 3=12285
Ghosh,U.S. See Chatterjee,R., 3=13224
Ghozlan,A.I. and Los,J. The determination of the quantum mechanical diffraction effects on thermal diffusion, 3=21431
Giacchetti,G.,Musci,M. and Poletti,G. A crystal monochromator for slow neutrons, 3=24748
Giacconi,R.,Gursky,H.,Paolini,F.R. and Rossi,B.B. Evidence for X-rays from sources outside the solar system, 3=7941
Giacomelli,G.,Monti,D.,Quareni,G.,Quareni-Vignudelli,A., Puschel,W. and Tietge,J. Study of the 224 τ' decays, 3=10167
Giacometti,G. and Nordio,P.L. Molecular orbital calculation of hyperfine splitting constants of NH_3^+ radical, 3=15343
Giacometti,G. See Oleari,L., 3=25095
Giaever,I. Study of superconductors by electron tunneling through thin insulating films, 3=16869
Gialanella,G. See Femino,S., 3=5998
Gialanella,G.C. See Bizzarri,R., 3=6026
Giamati,C.C.,Madsen,V.H. and Thaler,R.M. Analysis of proton—alpha scattering, 3=24729
Giambiagi,J.J. and Saavedra,I. Causality and analyticity in non-relativistic scattering, 3=24633
Giambiagi,J.J. See Bollini,C.G., 3=2223
Giambiagi,J.J. See Bollini,C.G., 3=14907
Giannini,M.,Prosperi,D. and Sciuti,S. Soft gamma-rays from thermal neutron, 3=10355
Giannini,M., Prosperi,D. and Sciuti,S. Soft gamma-rays from thermal neutron capture in Tb, Er, Yb and Ta. II, 3=15209
Giannone,P. See Cimino,M., 3=16398
Giannuzzi,M.A. See Cimino,M., 3=16398

Gianola,U.F. Disturb thresholds in cylindrical film memory wire, 3=15849
Gião,A. Relativistic energy equation and Piccardi's solar hypothesis, 3=5338
Giardini-Guidoni,A. See Galli,A., 3=12082
Giardini-Guidoni,A. See Galli,A., 3=23539
Giauque,W.F.,Hornung,E.W.,Fisher,R.A. and Brodale,G.E. The measurement of magnetic induction in high magnetic fields at low temperatures. $CoSO_4.7H_2O$, 3=6689
Giauque,W.F. See Brodale,G.E., 3=7387
Giauque,W.F. See Papadopoulos,M.N., 3=6477
Gibb,D. See Walker,P.M.B., 3=9595
Gibbons,D.J. Persistent internal polarization of insulators produced by electron bombardment, 3=20371
Gibbons,I.R. See Wald,G., 3=5288
Gibbons,J.F. See Dumin,D.J., 3=24149
Gibbons,J.H. See Macklin,R.L., 3=10354
Gibbons,J.H. See Macklin,R.L., 3=10364
Gibbons,J.H. See Macklin,R.L., 3=17478
Gibbons,J.J. Theoretical computation of ionospheric absorption at low frequencies, 3=5865
Gibbons,J.J. See Cutler,P.H., 3=15471
Gibbons,P.E. Optimization of the performance of a silicon junction radiation detector, 3=7415
Gibbons,P.E. See Batty,C.J., 3=5903
Gibbons,R.A. and Mackin,R.J., Jr. Development and study of a highly-ionized steady-state deuterium plasma, 3=7498
Gibbs,G.B., Graham,D. and Tomlin,D.H. Diffusion in titanium and titanium—niobium alloys, 3=20233
Gibbs,J.A. See Rapkin,E., 3=14824
Gibbs,P. See DeVries,K.L., 3=23333
Gibbs,P. See DeVries,K.L., 3=23334
Gibbs,P. See DeVries,K.L., 3=25630
Gibbs,P. See Johnson,O.W., 3=23351
Gibbs,P. See Vanfleet.H.B., 3=10692-
Gibbs,R.K. and Himmelblau,D.M. Effect of concentration on the gas—liquid mass transfer coefficient, 3=16152
Gibbs,T.W. See Neurath,P.W., 3=9755
Gibbs,W.E.K. Anisotropy in the conductivity of hot holes in germanium, 3=2888
Gibbs,W.R. The relation between the optical model and the direct interaction theory of inelastic scattering, 3=625
Gibbs, W.R. and Rossel, J. Relation between the optical model and the theory of direct interaction for inelastic scattering, 3=2423
Gibbs,W.R. See Grüebler,W., 3=10377
Giberman,E. See Bhattacherjee,S.K., 3=4603
Gibson,A.F. Summary — Experimental aspects, 3=13046
Gibson,A.F.,Granville,J.W. and Paige,E.G.S. The determination of the energy and momentum relaxation times of hot carriers in germanium, 3=2883
Gibson,G.,Jordan,W.C. and Lauer,E.J. Particle behavior in a static, asymmetric, magnetic mirror geometry, 3=7567
Gibson,G.,Jordan,W.C. and Lauer,E.J. Particle behavior in static, axially symmetric, magnetic mirror and cusp geometries, 3=7568
Gibson,G.,Jordan,W.C. and Lauer,E.J. Containment of positrons in an asymmetric mirror geometry, 3=12199
Gibson,J.A.B. Measurement of the gamma radiation background, 3=9055
Gibson,J.E. The brightness temperature of Venus at 8.6 MM, 3=11591
Gibson,J.E. See Grant,C.R., 3=11592
Gibson,J.G. See Edeleanu,C., 3=6919
Gibson,J.W. See Hein,R.A., 3=3959
Gibson,J.W. See Hein,R.A., 3=19121
Gibson,J.W. See Hein,R.A., 3=21665
Gibson,M.M. Spectra of turbulence at high Reynolds number, 3=5454
Gibson,W.E. and Marrone,P.V. Correspondence between normal-shock and blunt-body flows, 3=5457
Gibson,W.M. See Fisher,C.M., 3=8060
Gibson,W.M. See Madden,T.C., 3=7749
Gibson-Wilde,B.C. See Carman,E.H., 3=14781
Gidal,G. See Birge,R., 3=22192
Gidal,G. See Ely,R.P., 3=19703
Giddings,J.C. and Seager,S.L Method for rapid determination of diffusion coefficients. Theory and application, 3=11821
Giedt,R.R. See Jacobs,T.A., 3=18905
Giedt,R.R. See Jacobs,T.A., 3=25147
Gielen,P. and Greday,T. Effect of a small addition of niobium on the precipitation in an alloy of Fe—0·03% C, 3=20899
Gielessen,J. and Steiner,K. A cathetometer with automatic levelling, 3=7165
Gierke,G.v.,Ott,W. and Schwirzke,F. Study of a plasma-sheath with an electron-beam probe, 3=7574
Gierts,G. Fast neutron spectrometry using the reaction $Li^6(n, t)He^4$, 3=19656
Gierts,G. See Beets,C., 3=12695
Gierula,J.,Hołyński,R. and Mięsowicz,M. Interactions of nucleons with heavy nuclei of photographic emulsions at energies higher than 10^{12}eV, 3=4382
Gierula,J.,Hołyński,R. and Miesowicz,M. Interactions of nucleons with heavy nuclei of photographic (emulsions) at energies higher than 10^{12} eV, 3=5993
Gierula,J. and Mięsowicz,M. Asymmetry in low-multiplicity jets observed in nuclear emulsion at super-high energies, 3=7950
Giesch,M, Kuiper, B, Langeseth, B, van der Meer, S, Neet, D, Plass, G, Pluym, G. and de Raad, B. Status of magnetic horn and neutrino beam, 3=17243
Giese,C.F. and Maier,W.B., II. Dissociative ionization of CO by ion impact, 3=21709
Giese,R. See Gildemeister,O., 3=17154
Giese,R.H. and Siedentopf,H. An experimental model used to determine scattering functions of non-spherical particles by means of 3 cm waves, 3=4275
Giesecke,A. See Casaverde,M., 3=25960
Giesecke,K.J. See Bormann,M., 3=15210
Gigli,A. and Sacerdote,G. Absorption by slit resonators, 3=18928
Giglio,E. See Damiani,A., 3=3295
Giglio,E. See Damiani,A., 3=18300
Giglio, E. See De Santis, P., 3=3351
Giguère,P.A. and Savoie,R. The normal vibrational frequencies and the thermodynamic functions of H_2SO_4 and D_2SO_4, 3=12842
Gika,G. See Korchovei,A., 3=17799
Gilardini,A. See Formato,D., 3=501
Gilardini,A. See Formato.D., 3=4152
Gilat,G. and Nowik,I. Effective magnetic field and gradient of electric field acting on the nucleus of Eu in europium iron garnet, 3=12904
Gilat,G. See Cohen,S.G., 3=1155
Gilberg,E. and Kern,B. The shift of the $CuK\alpha_1$ line in the transition from metal to oxide, 3=20499
Gilbert,A. See Hahn,G.T., 3=1221
Gilbert,D. See Aubert,M., 3=1478
Gilbert,F. Diffraction and scattering of impulsive elastic waves, 3=23965
Gilbert,F., Laster,S.J., Backus,M.M. and Schell,R. Observation of pulses on an interface, 3=1416
Gilbert,J.F. See Howarth,L.E., 3=10797
Gilbert,R.A. Molar enthalpies of mixing in the molten lithium fluoride—potassium fluoride system, 3=21338
Gilbert,R.W. See Piercy,G.R., 3=24126
Gilbey,D.M. A re-examination of thermal acommodation coefficient theory, 3=6882
Gilbody,H.B.,Hasted,J.B.,Ireland,J.V.,Lee,A.R.,Thomas,E.W. and Whiteman,A.S. Charge transfer and ionization by positive ions in the energy range 60 to 450 keV, 3=19185
Gilbody,H.B. and Lee,A.R. Ionization by protons in the energy range 100 to 450 keV, 3=21698
Gilbody,H.B. See Stebbings,R.F., 3=14531
Gilboy,W.B. and Towle,J.H. Elastic scattering of 1 MeV neutrons, 3=12681
Gilboy,W.B. See Towle,J.H., 3=6140
Gilboy,W.B. See Towle,J.H., 3=17477
Gilby,A.C. See Callomon,J.H., 3=19975
Gilde,F.J. See Bấn,M.I., 3=10429
Gildemeister,O. Luminescence chamber, 3=19534
Gildemeister,O. and Giese,R. Status report on a luminescent chamber, 3=17154
Gil'denburg,V.B. Effect of internal thermal motion on the polarizability of plasmoids, 3=14605
Gil'denburg,V.B. and Kondrat'ev,I.G. Resonance interaction of an electromagnetic field with the higher multiple moments of a plasmoid, 3=24290
Giles,R.A. and Burge,E.J. Scintillation of liquid argon produced by 10-50 MeV protons, 3=19635
Giles,R.A. See Burge,E.J., 3=12663
Gilfrich,J.V. See Buehler,W.J., 3=13519

Gilinskiĭ,I.A. The radiation of a particle passing rapidly near a wedge-shaped metal screen, 3=21968
Gilinsky,V. See DuBois,D.F., 3=9788
Gill,D. and Bloembergen,N. Linear Stark splitting of nuclear spin levels in GaAs, 3=8735
Gill,E.K. See Colwell,J.H., 3=22658
Gill,P. and Heddle,D.W.O. Determination of the refractive indices of gases in the vacuum ultraviolet. II. The Rayleigh scattering method, 3=14215
Gill,P. See Mangal,S.K., 3=10361
Gill,P.S. See Sharma,A.P., 3=14841
Gill,S.J. and Dintzis,F.R. Strain birefringence of a solution of rod-shaped molecules, 3=5441
Gill,S.J. and Malone,C.P. Force on a small particle in the vicinity of a cylinder in a homogeneous magnetic field, 3=19406
Gillam,E. A geometrical relationship between UC$_2$ (tetragonal) and U$_2$C$_3$ (cubic), 3=3324
Gille,J.C. and Wegrzyn,S The stability of nonlinear systems of the second order 3=9326
Gillen,C.H. See Kerr,L.W., 3=24168
Gilleo,M.A. See Geller,S., 3=23191
Giller,Ya.L.,Shmaevskii,V.E. and Vadets,D.I. Investigation of the pseudo-binary section ZnSb−CdSb by the debye method, 3=1348
Gilles,P.W. See Carlson,K.D., 3=14201
Gilles,P.W. See Carlson,K.D., 3=16642
Gillespie,D.J. See Schindler,A.I., 3=13043
Gillespie,R.B.,Gantzel,P.K. and Trueblood,K.N. The crystal structure of ammonium chlorate, 3=8852
Gillespie,R.J. Structure of sulfur tetrafluoride and related molecules, 3=4759
Gillespie,R.J. See Bacon,J., 3=15374
Gillespie, R.J. See Bacon, J., 3=17613
Gillespie,T. The effect of aggregation and liquid penetration on the viscosity of dilute suspensions of spherical particles, 3=11360
Gillet,E.,Gillet,M. and Zouckermann,R. Preparation and study of thin films of tungsten, 3=11316
Gillet,M. The evolution from thin layers of gold and silver in contact with water, 3=25774
Gillet,M. See Gillet,E., 3=11316
Gillet, V. See Arvieu, R., 3=17380
Gilliland,J.,Jr. See Jarnagin,R.C., 3=23549
Gillin,L.M.,Hutchison,M.M. and Louat,N. Solute locking and the mechanical equation of state, 3=6870
Gillis,J. and Suh,K.S. Stability of a rotating liquid column, 3=1666
Gillmor,C.S. and Hargreaves,J.K. The occurrence of short-duration cosmic noise absorption events inside the southern auroral zone, 3=18561
Gillmor,C.S.,Jr. The day-to-night ratio of cosmic noise absorption during polar cap absorption events, 3=18661
Gilly,L.J.,Henriet,G.A.,Alves,M.P. and Capron,P.C. Absolute cross-sections and excitation functions for (d,p) and (d,2n) reactions on Mn^{55}, Cu^{63}, Cu^{65}, Zn^{66}, and Zn^{68} between 3 and 11.6 MeV, 3=22423
Gilman,D.L., Fuglister,F.J. and Mitchell,J.M., Jr. On the power spectrum of "red noise", 3=16539
Gilman,J.J. Debris dipoles and low-temperature internal friction in crystals, 3=4867
Gilman,J.J. Anelasticity caused by debris dipoles in plastically strained crystals, 3=23295
Gilman,J.J. See Carlsson,A.J., 3=22778
Gilman,J.J. See Westbrook,J.H., 3=23365
Gilman,S. A study of the mechanism of carbon monoxide adsorption on platinum by a new electrochemical procedure, 3=13571
Gilmore,J.,Thompson,S.G. and Perlman,I. Investigation of the influence of angular momentum on fission probability, 3=6312
Gilmore,R.S. See Batty,C.J., 3=22123
Gilson,B.R. and Arents,J. Theoretical study of isoelectronic molecules: nitrogen and acetylene, 3=12837
Giltinan,D.A. and Thaler,R.M. Nonlocal nucleon-nucleon interaction, 3=19557
Gil'varg,A.B. See Blockhin,M.A., 3=17012
Gilvarry,J.J. Fracture of brittle solids. IV. Two-dimensional distribution function for fragment size in single fracture (theoretical), 3=1240
Gilvarry,J.J. Fracture of brittle solids. V. Two-dimensional distribution function for fragment size in single fracture (experimental), 3=1241
Gilvarry,J.J. Temperature correction of Birch's equation of state, 3=6453
Gilvarry,J.J. Dimensional correlation of lunar Maria and terrestrial ocean basins, 3=16332
Gilvarry,J.J.and Bergstrom,B.H. Fracture of brittle solids. III. Experimental results on the distribution of fragment size in single fracture, 3=1239
Gimeysi,Z.,Szabó,F.,Zobor,E.,Fóti,E.,Turi,L. and Muzsnay,L. Water-moderated critical system type ZR-1, 3=25010
Ginat,M. See Boischot,A., 3=16431
Ginat,M. See Boischot,A., 3=25983
Gindilis,L.M. The counterglow as an effect of scattering of sunlight by particles of interplanetary dust, 3=1469
Gindin, I.A.,Kozinets,V.V.,Starodubov,Ya.D. and Khotkevich,V.I. Structural changes in copper due to low-temperature deformation followed by annealing, 3=20945
Gindin,I.A., Lazarev,B.G., Starodubov,Ya.D. and Lazareva,M.B. Mechanical properties of sodium in the range of low-temperature polymorphic, 3=3224
Gindin,I.A. See Garber,R.I., 3=3220
Gindin,I.A. See Garber,R.A., 3=6448
Gindin,I.A. See Garber,R.I., 3=15531
Gindina,R.I. Decoration of dislocations and activator distribution in unstable alkali halide phosphors, 3=947
Gindt,R. and Kern,R. Latency times in supersaturated aqueous solutions of LiF, NaF, NaCl, KCl, KBr and KI, 3=21339
Gingell,C.E.L. A transistorized nuclear instrumentation system
Ginibre,J. Wigner−Eckart's theorem and simple lie groups, 3=17177
Ginsberg,E.S. and Pratt,R.H. Consequences of a weak vector boson for the decay $K \rightarrow \mu + \nu + \gamma$, 3=15026
Ginter,J. and Szymańska,W. The measurements of galvanomagnetic and thermoelectric properties of InSb-p, 3=22947
Ginther,R.J. See Bollinger,L.M., 3=2277
Ginther,R.J. See Gandy,H.W., 3=3042
Ginther,R.J. See Gandy,H.W., 3=7736
Ginther,R.J. See Gandy,H.W., 3=7737
Gintsburg,M.A. On the anomalous Doppler effect in a plasma, 3=400
Ginzburg,I.F. Nonsymmetric ultraviolet asymptotic expressions for higher Green functions in renormalized theory, 3=24624
Ginzburg,I.F. and Serebryakov,V.V. Electromagnetic corrections to weak interactions, 3=4338
Ginzburg,I.G. Inelastic interactions of high-energy particles in renormalized strong-interaction theories, 3=22067
Ginzburg,N.I. See Brandt,N.B., 3=21662
Ginzburg,N.I. See Brandt,N.B., 3=25751
Ginzburg,S.L. Resonant scattering of gamma-quanta in crystals, 3=20067
Ginzburg,V.L. Second sound, the convective mechanism of thermal conductivity and exciton excitations in superconductors, 3=328
Ginzburg,V.L. Quantization of the magnetic flux for a superconducting cylinder, 3=5585
Ginzburg,V.L. The scattering of light near points of phase transition in solids, 3=20450
Ginzburg,V.L. and Eidman,V.Ya. Radiation reaction in the case of media with negative absorption, 3=14033
Ginzburg,V.L. and Fain,V.M. The magnetic properties of paramagnetic "fluids" of the molecular chain type, 3=6445
Ginzburg,V.L. and Glukhovetskaya,N.P. Notes on the article by O.P. Semenova and M.A. Levchenko "dependence of the effective ionization potential on the concentration of easily ionized impurities in an arc discharge", 3=19224
Ginzburg,V.L.,Kurnosova,L.V.,Logachev,V.I.,Razorenov,L.A., Sirotkin,I.A. and Fradkin,M.I. Study of the intensity of charged particles during the flight of the second and third spaceships, 3=9119
Ginzton,E.L. The proposed three-kilometer linear electron accelerator at Stanford University, 3=5729
Gion,E.J. See Emrich,R.J., 3=7283
Giordano,R. See Agodi,A., 3=17482
Giorgadze,N.P. See Buishvili,L.L., 3=6754
Giorgi,A. Effect of wavelength of the relationship between critical flicker frequency and intensity in foveal vision, 3=11634

Giorgi,A.L.,Szklarz,E.G.,Storms,E.K. and Bowman,A.L. Investigation of Ta_2C, Nb_2C, and V_2C for superconductivity, 3=7406
Giori,F.,MacKenzie,L.A. and McKinney,E.J. Laser-induced thermionic emission, 3=21857
Gioumousis,G. and Curtiss,C.F. Molecule collisions. IV. Nearly spherical rigid body approximation, 3=6436
Gippius, A.A. and Vavilov, V.S. Radiative recombination at dislocations in germanium, 3=17860
Giquelais,H. See Monod-Herzen,G., 3=9650
Girard,A. Grill spectrometer. [Spectromètre à grilles], 3=5521
Girard,A. A grating spectrometer, 3=24029
Girardeau,M. Simple and generalized condensation in many-boson systems, 3=1635
Girardeau,M. Formulation of the many-body problem for composite particles, 3=21257
Gîrd,E. See Constantinescu,M., 3=18453
Girdler,R.W. Effect of hydrostatic pressures on thermal remanent magnetization, 3=23156
Girdler,R.W. See Uyeda,S., 3=11477
Gires,F. and Mayer,G. Spoilt "Q" laser, 3=22020
Gires,F.,Mayer,G. and Paillette,M. Several transitions showing the laser effect in a helium—neon mixture, 3=22475
Girifalco,L.A. Activation energy for diffusion in ferromagnetics, 3=4883
Girifalco,L.A. Semiempirical approach to the theory of thermal diffusion in crystals, 3=4884
Girifalco,L.A. and Beeston,B.E.P. Impurity effects in strain-induced void formation, 3=13364
Girifalco,L.A. and Kuhlmann-Wilsdorf,D. Theory of vacancy formation in internally stressed crystals under pressure, 3=22741
Girin,O.P. and Bakhshiev,N.G. The effect of the solvent on the positions and intensities of bands in infrared molecular spectra, 3=22521
Girin,O.P. See Bakhshiev,N.G., 3=18986
Girin,O.P. See Bakhshiev,N.G., 3=19958
Girin,O.P. See Bakhshiev,N.G., 3=25077
Girin,O.P. See Baxshiev,N.G., 3=23884
Gisin,M.A. and Nesmelov,E.A. Interference filters transmitting short-wavelength and reflecting long-wavelength spectral regions, 3=19012
Gisina,F.A. Distribution of passive admixture in the atmosphere in the presence of rain, 3=5193
Gitgarts, M.I. See Arbuzov, M.P., 3=2735
Gitgarts,M.I. See Arbuzov,M.P., 3=8913
Gitsu,D.V. and Ivanov,G.A. Density of electron states in the conduction band of bismuth, 3=20322
Gittelman,B. See Coward,D.H., 3=22094
Gitterman,H.N. See MacDonald,A.D., 3=14560
Gittleman,J.I. and Bozowski,S. Some aspects of the Kapitza resistance, 3=311
Giu Do Dang and Klein,A. Higher random-phase approximations and the theory of the electron gas, 3=16553
Giulotto,L. See de Micheli,R., 3=23248
Giulotto,L. See De Micheli,R., 3=23269
Giura,M. See Careri,G., 3=12020
Giura,M. See Careri,G., 3=19091
Giurgea,M.,Ghiţă,L. and Ghiţă,C. The evaluation of the Rayleigh constant in binary liquid mixtures, 3=5442
Giurgea,M. See Cristescu,G.D., 3=18711
Givargizov,E.I. Mechanism of growth of epitaxial germanium layers from gaseous phase, 3=18283
Givens,M.P. and Teegarden,K.J. Optical and photoelectric effects in insulators and semiconductors, 3=8596
Givens,M.P. See Goffe,W.L., 3=15651
Givens,W.W.,Bearse,R.C.,Phillips,G.C. and Rollefson,A.A. The spin sequence of the first and second excited levels of Ne^{19}, 3=15102
Givens,W.W.,Bearse,R.C.,Phillips,G.C. and Rollefson,A.A. The parity of the 95 keV first-excited level of O^{19}, 3=24863
Givens,W.W.,Bonner,T.W.,Fang,S.H.,Bearse,R.C. and Rollefson,A.A. Gamma radiations from excited states of N^{16}. 3=24862
Gjellestad,G. and Dalseide,H. Annual change in the declination ("variation") in western Scandinavia and the North Sea, 3=11468
Gjellestad,G. and Dalseide,H. Studies in geomagnetism: on calculation of geomagnetic storminess for high-latitude observatories, 3=18571
Gjønnes,J. The dynamic potentials in electron diffraction, 3=1307
Gjønnes,J. Inelastic interactions in dynamic electron scattering, 3=1310
Gjonnes,J. Twist in whiskers revealed by the dynamic fine structure in electron diffractograms, 3=3275
Gjostein,N.A. Adsorption and surface energy. I. The effect of adsorption of the γ-plot, 3=23517
Gjostein,N.A. Adsorption and surface energy. II. Thermal faceting from minimization of surface energy, 3=23518
Gladkikh,N.T. See Palatnik,L.S., 3=16036
Gladkovskii,I.P. See Afrosimov,V.V., 3=24996
Gladkovskii,V.A. and Karelin,N.A. The effect of boron on yield point elongation in α-iron, 3=13357
Gladman,T. Yield point in mild steel, 3=13358
Gladun,A. and Ulrici,W. Investigation of the liquefaction of neon and helium—neon mixture, 3=21640
Gladushchak,V.I. and Shreider,E.Ya. Measurement of the colour temperature of light sources by using the relative intensities of spectral lines, 3=9587
Gladwell,G.M.L. See Bishop,R.E.D., 3=1745
Gladyshevskii, E.I, Kripyakevich, P.I, Kuz'ma, Yu.B. and Teslyuk, N.Yu. New representatives of structures of $Mg_6Cu_{16}Si_7$ and Th_6Mn_{23} types, 3=18313
Gladyshevskii,E.I. See Kripyakevich,P.I., 3=16093
Glagolev,V.M. See Arsen'ev,Yu.I., 3=12136
Glagolev,V.V. See Belonogov,A.V., 3=17127
Glagoleva,A.A. See Bundel',A.A., 3=3051
Glang,R.,Kren,J.G. and Patrick,W.J. Vacuum evaporation of cadmium telluride, 3=23508
Glascock,H.H.Jr. Fusion energies of 60BeO—40CaO, 48CaO—52Al_2O_3, 75CaO—25B_2O_3, and 80BeO—20Li_2O, 3=293
Glascock,H.H., Jr. and Hensley,E.B. Fundamental optical absorption, electrical conductivity, and thermoelectric power of calcium oxide, 3=20471
Glaser,P.E. See Chen,M.M., 3=19056
Glashow,S.L. Spontaneous breakdown of octet symmetry, 3=14869
Glashow,S.L. ϕ ω mixing, 3=24784
Glashow,S.L. and Rosenfeld,A.H. Eightfold-way assignments for Y_1^* (1660) and other baryons, 3=15040
Glashow,S.L. and Sakurai,J.J. On the tenfold way. 3=4459
Glashow,S.L. See Baker,M., 3=2195
Glashow,S.L. See Baker,M., 3=5925
Glasko,V.B. See Bonch-Bruevich,V.L., 3=18732
Glasko,V.B. See Ortenberg,F.S., 3=22536
Glaso,A.L. Optical-rotation dosimetry for Co^{60} gamma facilities, 3=19799
Glasov,A.A. See Denisov,Yu,N., 3=9887
Glasov,O.A. Self-modulation of a helical electron beam moving in a plasma in a magnetic field, 3=7608
Glass,I.I. and Heuckroth,L.E. Hydrodynamic shock tube, 3=1185
Glass,N.W. and Peterson,R.W. Direct comparison of the B^{12} and N^{12} beta spectra, 3=10285
Glass,N.W. See Peterson,R.W., 3=10284
Glasser,L.G.,Kanzler,R.J.and Troy,D.J. Simple photo-electric process-stream analyzer, 3=5175
Glasser,M.L. Transverse conductivity of an electron gas
Glasser,M.L. and Milford,F.J. Spin wave spectra of magnetite, 3=15782
Glasser,M.L. See Kenan,R.P., 3=25200
Glasser,M.L. See Milford,F.J., 3=1152
Glasser,R.G. See Burnstein,R.A., 3=22214
Glasser,R.G. See Courant,H., 3=17346
Glassman,I. See Dobbins,R.A., 3=9575
Glauber,R.J. Photon correlations, 3=11876
Glauber,R.J. Time-dependent statistics of the Ising model, 3=14045
Glauber,R.J. The quantum theory of optical coherence, 3=16725
Glauber,R.J. Coherent and incoherent states of the radiation field, 3=23992
Glaudemans,P.W.M. and Endt,P.M. The $^{23}Na(p,\gamma)^{24}Mg$ reaction. II, 3=12670
Glazanov,V.E. Finding the propagation velocity for elastic wave in a medium having cylindrical ducts, 3=18884
Glazer, A.A, Shtol'ts, E.V. and Shur, Ya.S. Temperature dependence of the transition domain structure in small particles of Mn—Bi alloy, 3=18093
Glazer,A.A. See Shtol'ts,E.V., 3=13251
Glazer,A.A. See Startseva,I.E., 3=11071

Glazov,A.A.,Shvab,J. and Kochkin,V.A. Model of the high frequency system of the ring-shaped proton synchrotron, 3=7665
Glazov,V.M. and Chizhevskaya,S.N. Investigation of some physical properties of gallium and indium arsenides in the melting region and in liquid state, 3=5448
Glazunov,V.V. See Fleishman,D.G., 3=2159
Glazunova,V.K. A study of the influence of certain factors on the growth of filamentary tin crystals, 3=23414
Gleason,F.R.,Jr. and Watson,L.R. Ferrite films prepared by pyrohydrolytic deposition, 3=16140
Glebovich,G.V. See Bartenev,L.S., 3=1914
Glebovskii,D.N. See Kholmogorov,V.E., 3=15936
Gledhill,J.A.,Gruber,G.M. and Bosch,M.C. Radio observations of Jupiter during 1962, 3=9270
Gledhill,J.A. and Van Rooyen,H.O. Cape Town anomaly and auroral emission, 3=23640
Gledhill,R.J. and Julian,D.B. Light absorption in heterogeneous systems with application to photographic dye images, 3=5539
Glencross,W.M. Ultra-high-energy nuclear interactions and extensive air showers, 3=24818
Glenn,J.H. See Cameron,W.S., 3=23591
Glennon,B.M. and Wiese,W.L. Bibliography on atomic transition probabilities, 3=2547
Gleyvod,R.,Durisch,J.,Huber,P. and Baumgartner,E. Measurement of polarization power of oxygen for (d,d) neutrons of energies from 2.5 to 3.2 MeV, 3=22393
Gleyvod,R. See Durisch,J., 3=22392
Glick,A.J. Correlations to the dielectric constant of a degenerate electron gas, 3=7146
Glick,A.J. Inelastic electron scattering by thin films, 3=20962
Glick,H.S. Thin-film bolometer, 3=3923
Glicken,M. See Nettleton,L.L., 3=8996
Glicksman,M. and Hicinbothem,W.A.,Jr. Hot electrons in indium antimonide, 3=8386
Glicksman,M.E. Reply to the communication, "On nucleation catalysis in supercooled liquid tin", 3=21622
Glicksman,M.E. and Childs,W.J. Nucleation catalysis in supercooled liquid tin, 3=1270
Glicksman,R. See Pikor,A., 3=20359
Glickstein,S.S. and Winter,R.G. Properties of F^{20}, 3=8030
Gliddon,J.E.C. Decay of an arbitrary plane-stratified distribution of ionization assumed to be produced instantaneously in the F2 region, 3=9091
Gliddon,J.E.C. The distribution of ions in the exosphere, 3=16240
Gliddon,J.E.C. and Kendall,P.C. A mathematical model of the F2-region, 3=6986
Gliddon,J.E.C, See Ferraro,V.C.A., 3=13757
Glinchuk,K.D. and Miselyuk,E.G. Cross-sections for the capture of electrons by negatively charged atoms of the deep impurity centres in germanium, 3=23017
Glinchuk, M.D. and Deigen, M.F. Some characteristics of the electron–nuclear resonance of local electron centres near the surface of a non-metallic crystal, 3=18145
Glinskii,A.A. The propagation of ultrasonic waves in a compressed liquid, 3=18813
Globus, A. The grain structure and magnetic spectra of ferrites, 3=3122
Globus, A. The influence of wall dimensions on initial permeability, 3=3123
Glockler,G. Bond energies and bond distances of boron hydrides, 3=22556
Glodeanu,A. and Popescu,I. Impurity conduction in semiconductors at low temperatures, 3=20292
Glodeanu,A. and Popescu,I. On the conduction of impurities in semiconductors at low temperatures, 3=22910
Glogar,P. and Janovec,V. On the dependence of the coercive field of $BaTiO_3$ single crystals on their thickness, 3=20381
Glotov,V.P. Coherent scattering of sound from clusters of discrete inhomogeneities in pulsed emission, 3=14272
Glover,F.N. Recent magnetic observations in the Philippines, 3=25940
Glover,R.E.,III and Sherrill,M.D. Effect of electrostatic charging on the normal-state conductivity and superconducting critical temperature of thin films, 3=15545
Głowacki,J. The influence of illumination on various ionic forms of fluorescein in water solution, 3=3809
Głowacki,J. and Kamińska,U. Influence of neutral salts on the photoluminescence of various ionic forms of fluorescein, 3=7212
Glower,D.D. and Overton,L.J. Ferroelectric transition FE_1—FE_2 in $Pb(Zr_{0.65}Ti_{0.35})O_3$ containing 1 wt.% Nb_2O_5, 3=22998
Glower,D.D. and Wallace,D.C. Thermal studies of $Ca_xBa_{1-x}TiO_3$, 3=20122
Glücksman,S. Investigation of the dielectric properties of lead zirconate, 3=13118
Glukhov,Yu.A., Kurashov,A.A., Mel'nikov,G.P. and Sidorov,V.A. Use of the "STA" telegraph unit for retrieving information from a multichannel analyser, 3=14497
Glukhovetskaya,N.P. See Ginzburg,V.L., 3=19224
Glutsyuk,A.M. See Kontorovich,V.M., 3=208
Gnatovitsz,V. See Brabets,V., 3=8050
Gniewek,J.J. Effects of electrical current and tensile stress on the domain structure in polycrystalline gain-oriented 3·25% silicon steel, 3=15801
Goad,W. Vibrational effects in molecular exciton motion along a polymer, 3=10561
Gobeli,G.W. See Allen,F.G., 3=9833
Gobeli,G.W. See Allen,F.G., 3=11844
Gobeli,G.W. See Becker,G.E., 3=18397
Gobell,G.W. See Lander,J.J., 3=23383
Gobillon,Y. and Van Meerssche,M. Determination of the space group of uranium minerals, 3=11271
Gobov,G.V.,Kalimbet,A.Z., Fedotov,A.P. and Sheremet'ev,G.D. Polarization of the quasilinear luminescence spectra of perylene in the electric field at 77°K, 3=18043
Gobrecht,H. and Meinhardt,O. Impedance of semiconductor—electrolyte interfaces. I. Capacity and conductance of germanium and silicon electrodes, 3=18444
Gobrecht,H. and Meinhardt,O. Impedance of semiconductor–electrolyte interfaces. II. Frequency dependence of the impedance of germanium electrodes, 3=18445
Gobrecht,H., Meinhardt,O. and Lerche,M. Potential dependence of the recombination rate at germanium surfaces, 3=20304
Gobrecht,H,Meinhardt,O. and Reinicke,B. Impedance of semiconductor–electrolyte interfaces. III. Effect of surface states on the electrical behaviour of germanium and silicon electrodes, 3=21001
Gobrecht,H.,Meinhardt,O. and Schulz,L. Behaviour of semiconductor electrodes with two electrolyte contacts, 3=18446
Gobrecht,H.,Tausend,A. and Plümecke,M. Electrical conductivity and grain size in microcrystalline selenium, 3=22951
Goda,S. See Iwata,S., 3=22341
Godart,J. and Baravian,G. Influence of the nature of the gas on the deionization time of a gas tube; case of a direct voltage, 3=4024
Godart,J. See Laporte,M., 3=7490
Godeau,A. See Teyssier,J.L., 3=12372
Godeau,A.A. See Teyssier,J.L., 3=4296
Goded,F. Transformations of the Schrödinger equation with discrete energy spectrum, 3=5358
Godefroy,L.R. and Aigrain,P. Electronic processes in the melting of semiconductors, 3=10609
Godefroy,L.R. and Tavernier,J. Calculation of magnetoelectric and thermomagneto electric effects, 3=6565
Godin,M.C. A modified thermistor thermometer, 3=24091
Godridge,A.M.,Badzioch,S. and Hawksley,P.G.W. A particle size classifier for preparing graded sub-sieve fractions, 3=8980
Goe,G.B. See Calvert,W., 3=16246
Goedbloed,W. See Blok,L., 3=654
Goedemoed,S.H.,Van der Giessen,A.,De Klerk,D. and Gorter,C.J. Magnetisation curves in a superconductor of the second kind, 3=11066
Goedkoop,J.A. See Braun,P.B., 3=25737
Göel,J.J. See Martinet,B., 3=11174
Goethals,R. See Ducasse,M., 3=7224
Goettelman,R. See Doran,D.G., 3=15618
Goetzberger,A., McDonald,B., Haitz,R.H. and Scarlett,R.M. Avalanche effects in silicon p–n junctions. II. Structurally perfect junctions, 3=15600
Goetzberger,A. See Haitz,R.H., 3=15599
Goetzberger,A. See Queisser,H.J., 3=20351
Goffe,W.L. and Givens,M.P. Reflectance of vitreous and metallic selenium in the vacuum ultraviolet, 3=15651
Gofman,I.I. Investigation of the electrostatic emission of electrons from tungsten in a wide range of current densities, 3=14620

Gofman,Yu.V.,Dobrikov,V.N.,Zaika,N.I. and Nemets,O.F. Use of an ionization chamber for particle selection by measuring E(dE/dx), 3=7744

Gofman,Yu.V. and Nemets,O.F. Elastic scattering of deuterons. III, 3=6284

Gofman,Yu.V. and Nemets,O.F. Inelastic scattering of deuterons on Si, Ti and Fe nuclei, 3=6285

Gofman,Yu.V.,Nemets,O.F. and Stryuk,Yu.S. Inelastic scattering of 13.6 MeV deuterons on nickel isotopes, 3=6283

Gogadze,G.A. See Kulik,I.O., 3=22908

Gogate,D.V. See Bhand,S.C., 3=24074

Gogel,W.C. The visual perception of size and distance, 3=18681

Goggin,P.R. and Reynolds,W.N. The annealing of thermal conductivity changes in electron-irradiated graphite, 3=10615

Gogosov,V.V. The resolution of an arbitrary discontinuity in magnetohydrodynamics, 3=2110

Goillot,C. See Costa de Beauregard,O., 3=19599

Göing,H. Inelastic proton scattering on complex nuclei at 27 GeV, 3=15187

Gökdoğan,N.,Hotinli,M. and Pecker,J.C. Departures from equilibrium and abundances in the stellar and solar photospheres. VII. Departures from L.T.E. in the case of iron, 3=5253

Gokhale,B.G. and Nigam,A.N. Quadrupole and forbidden lines in the L-emission spectrum of tantalum-73, 3=12766

Gokhale,B.G. and Srivastava,K.S. Quadrupole and forbidden transitions in the L spectra of some heavy elements : tungsten, rhenium and lead, 3=4712

Gokhale,B.G. and Srivastava,K.S. Quadrupole and forbidden lines in the L-emission spectrum of rhenium-75, 3=15293

Gokhfel'd,I. See Meiman,N., 3=7874

Goland,A.N. Comparison of electron-microscope observations in neutron-irradiated copper and gold, 3=8939

Goland,A.N. Theoretical interpretation of electron microscopic observations of radiation damage, 3=17800

Goland,A.N. See Kelsch,J.J., 3=13015

Goland,A.N. See Kelsch,J.J., 3=17802

Golant,V.E. Diffusion of charged particles in a plasma in a magnetic field (field dependent collisions), 3=21790

Golant,V.E. Effect of like-particle collisions on plasma diffusion across a strong magnetic field, 3=24286

Golant,V.E. and Zhilinskii,A.P. Investigation of diffusion decay of a plasma in a magnetic field. III, 3=14575

Golant,V.E. See Anisimov,A.I., 3=14591

Golay,M. Effects of the band-width of filters. Special case of the graphs Aν/Ey=F(Ey) and Eu/Ey=f(Ey), 3=18585

Gold,A.V. See Anderson,J.R., 3=18060

Gold,B. and Tierney,J. Pitch-induced spectral distortion in channel vocoders, 3=16444

Gold,E.M. Error in Hall cell angle measurement due to magnet edge effects, 3=14715

Gold,L. Generalised lattice point theory in hyperspace and the redetermination of the n-dimensional spherical volume, 3=3761

Gold,L. Natural resonances of magnet-ionic plasmas, 3=4170

Gold,L. Plasma oscillations with amplitude-dependent frequencies, 3=12212

Gold,L. The electric field contribution to impurity distribution in the crystal growth process, 3=18245

Gold,L.P. See Wharton,L., 3=4752

Gold,L.P. See Wharton,L., 3=10510

Gold,T. See Gould,R.J., 3=25974

Gol'danskii,V.I. Emission of retarded protons in positron decay of nuclei with neutron shortage, 3=6197

Gol'danskii,V.I. and Egorov,E.V. Comparison of the effects of electron irradiation on the optical activation of racemates and of optical antipodes, 3=10920

Gol'danskii,V.I.,Gorodinskii,G.M.,Karyagin,S.V.,Korȳtko,L.A., Krizhanskii,L.M.,Makarov,E.F.,Suzdalev,I.P. and Khrapov,V.V. Investigation of the Mössbauer effect in tin compounds, 3=8340

Gol'danskii,V.I. and Khapov,V.V. A method of nuclear spot-welding and some of its uses, 3=13977

Gol'danskii,V.I.and Khrapov,V.V. Comparison of the effect of electron irradiation on the optical activity of racemates and optical antipodes, 3=2996

Goldanskii,V.I.,Makarov,E.F. and Khrapov,V.V. On the difference of two peaks of quadrupole splitting in Mössbauer spectra, 3=10570

Gol'danskii,V.I.,Solonenko,T.A. and Shantarovich,V.P. The absorption of the positron and the inhibition of its formation in water and organic solutions, 3=24707

Gol'danskii,V.I. See Barkalov,I.M., 3=6925

Gol'danskii,V.I. See Bryukhanov,V.A., 3=744

Gol'danskii,V.I. See Bryukhanow,V.A., 3=6877

Gol'danskij,V.I. Two-proton radioactivity. (The new mode of spontaneous transmutation of elements.), 3=10281

Goldbach,G. Construction of an apparatus for the measurement of the decay time of scintillators, 3=10005

Goldberg,H. On the multiplicity of an irreducible representation in a direct product of irreducible representation of SU(3), 3=7095

Goldberg,H. and Lehrer-Ilamed,Y. Derivation of the Gell-Mann–Okubo mass formula, 3=14874

Goldberg,H. and Lomon,E.L. Pion–nucleon scattering in the boundary-condition model. I. Inelastic effects on S-waves, 3=19685

Goldberg,H. and Ne'eman,Y. Baryon charge and R-inversion in the octet model, 3=7785

Goldberg,H. and Ne'eman,Y. Baryonium annihilation into meson + vector meson, 3=14883

Goldberg,H., Nussinov,S. and Yekutieli,G. On the $\bar{p}p \rightarrow \bar{B}B$ reaction at 3 GeV/c, 3=17280

Goldberg,H. See Dothan,Y., 3=583

Goldberg,H. See Ne'eman,Y., 3=4445

Goldberg,J.N. Asymptotic invariants in gravitational radiation fields, 3=18706

Goldberg,J.N. and Sachs,R.K. A theorem on Petrov types, 3=3713

Goldberg,J.N. See Havas,P., 3=37

Goldberg,L. The abundance of He^3 in the sun, 3=7032

Goldberg,L.P. See Grove,D.J., 3=12190

Goldberg,M. Measurement of relative intensities of X-rays of the L spectrum of heavy elements excited by electron bombardment, 3=8178

Goldberg,M. See Bertanza,L., 3=7935

Goldberg,M. See Connolly,P.L., 3=17330

Goldberg,M.D. See Ashby,V.J., 3=8112

Goldberg,P. and Nickerson,J.W. D.c. electroluminescence in thin films of ZnS, 3=15720

Goldberg,P.A. Effects of cosmic radiation on the extremely low-frequency properties of the mesosphere, 3=11414

Goldberg,R.A. and Schmerling,E.R. The distribution of electrons near the magnetic equator, 3=9094

Goldberg,R.A. and Schmerling,E.R. The effect of diffusion on the equilibrium electron density distribution in the F-region near the magnetic equator, 3=18541

Gol'dberg,Z.A. Finite amplitude waves in magnetohydrodynamics, 3=5828

Goldberger,M.L. See Bargmann,V., 3=3700

Goldberger,M.L. See Blankenbecler,R., 3=5987

Goldberger,M.L. See Froissart,M., 3=23767

Goldberger,M.L. See Gell-Mann,M., 3=7609

Goldberger,M.L. See Gell-Mann,M., 3=14862

Goldburg,W.I. Static spin temperature experiments and the approach to thermal equilibrium in the rotating reference frame, 3=3188

Goldemberg,J. and Torizuka,Y. Magnetic elastic scattering of electrons by light nuclei, 3=4626

Goldemberg,J. and Torizuka,Y. Upper limit of the electric dipole moment of the electron, 3=10092

Goldemberg,J.,Torizuka,Y.,Barber,W.C. and Walecka,J.D. Excitation of the electric dipole giant resonance by inelastic electron scattering, 3=15181

Goldemberg,J. See Barber,W.C., 3=10332

Goldemberg,J. See Lerner,E., 3=5976

Goldemberg,J. See Lewis,F.H.,Jr., 3=19769

Golden,D.E. and Fisher,L.H. Ionization coefficients and uniform field breakdown in argon for low values of E/p, 3=4011

Golden,K.I.,Sen,H.K. and Treve,Y.M. The structure of a magnet shock wave in a plasma, 3=7529

Golden,R.M. Digital computer simulation of a sampled-data voice-excited vocoder, 3=25999

Gol'denfel'd,I.V. and Korostȳshevskii,I.Z. Device for calibratin the sensitivities of the ion current measurement channels of dual-beam mass spectrometers, 3=2053

Gol'der,G.A. and Chetkina,L.A. X-ray diffraction measurement of some substituted anthraquinones, 3=23462

Goldfarb,L.J.B. and Bromley,D.A. Target polarization effects in nuclear reactions, 3=8062

Goldfarb,L.J.B. and Hooper,M.B. The nuclear stripping process under conditions of strong absorption, 3=17492
Goldfarb,J., Johnson,G.A., Lagos,A. and Sepulveda,L. A model for the study of colloid properties, 3=3417
Goldfein,S. Theory for mechanical—chemical equation of state. Parameters for creep and rupture stresses in metals and plastics, 3=8761
Goldfinger,P. See Chiltz,G., 3=11356
Goldfinger,P. See Verghaegen,G., 3=740
Goldhaber,A.S. Use of radiative π decay to limit the neutrino mass, 3=12440
Goldhaber, A.S. See Adler,S.L., 3=17269
Goldhaber,G.,Chinowsky,W.,Goldhaber,S.,Lee,W. and O'Halloran,T. Meson exchange in the reaction $K^+ + p \to K^* + N^*$, 3=24791
Goldhaber,G. See Chinowsky,W., 3=4457
Goldhaber,S. See Chinowsky,W., 3=4457
Goldhaber,S. See Goldhaber,G., 3=24791
Goldhammer,P. The structure of light nuclei, 3=15072
Gol'din,L.L. See Tret'yakov,E.F., 3=8056
Gol'din,L.L. See Vladimirskii,V.V., 3=12275
Gol'din,V.A. See Trinkler,É.I., 3=11095
Golding,R.D., Dungan,R.H. and Ohnysty,B. Spontaneous polarization of some $(Na, K)NbO_3$ ceramics, 3=892
Golding,R.M. An e.s.r. study of a diluted single crystal of potassium vanadyl oxalate, 3=1189
Golding,R.M. and Carrington,A. The electronic structure and spectra of octacyanide complexes, 3=725
Goldman,A. See Buchet,G., 3=4052
Goldman,A. See Goldman,M., 3=19222
Gol'dman,A.G. An oscillographic study of a new type of electroluminescence of black carborundum (type III emission), 3=3071
Gold'man, A.G. and Proskura, A.I. An investigation of the spectral content of Gudden–Pohl flashes in zinc sulphide luminophors, 3=18050
Goldman,A.J. Reactivity effects of protactinium-233 buildup in U^{233} fast breeder reactors, 3=6332
Goldman,A.J. and Wagner,C.N.J. Faulting in deformed austenite and martensite, 3=12987
Goldman,D.T. and Federighi,F.D. Calculation of thermal neutron flux spectra in a polyethylene moderated medium, 3=19908
Goldman,K. Characteristics of the argon arc, 3=4071
Goldman,K. Viscosity of nitrogen at low temperatures and high pressures, 3=14191
Goldman,K. Electric arcs in argon, 3=24260
Goldman,L.M., Pollock,H.C., Reynolds,J.A. and Westendorp,W.F. Spark-gap switching of a 384-kJ low inductance capacitor bank, 3=3972
Goldman,L.M., Pollock,H.C., Reynolds,J.A. and Westendorp,W.F. Neutrons from a Θ pinch without reversed trapped field, 3=4144
Goldman,M. Adiabatic variation of spin temperature by modulation of the local field, 3=21998
Goldman,M. Dynamic polarization by thermal mixing between two systems of spins, 3=25581
Goldman,M. and Goldman,A. Formation of an electric arc in a vacuum, 3=19222
Goldman,M. See Buchet,G., 3=4052
Goldman,R. and Oster,L. Coulomb interactions in a strong magnetic field. I. Adiabatic case, 3=7602
Goldman,R. See Beeken,B., 3=14535
Goldner,R.B. An upper bound estimate for the interphase surface energy parameter of superconducting lead at 4·2°K, 3=1902
Goldring,G.,Kedem,D.,Smilansky,U. and Vager,Z. Application of charged and neutral beams in measurements of gyromagnetic ratios, 3=24837
Goldring,G., Kedem,D. and Vager,Z. Gyromagnetic ratio of the 2^+ state of Os^{188}, 3=4555
Goldring,G. See Birk,M., 3=10379
Goldring,G. See Birk,M., 3=12478
Goldring,G. See Blaugrund,A.E., 3=19794
Goldring,G. See Gorodetzky,S., 3=19810
Goldring,H. and Benesch,W. Widths of HCl overtone lines at various temperatures, 3=4748
Goldring,H. See Oppenheim,U.P., 3=4744
Goldsberry,T.G. See Diercks,K.J., 3=7271
Goldsborough,J.P. Angular alignment mechanism, 3=21523
Goldsborough,J.P. See Peticolas,W.L., 3=11002
Goldschmidt,Z. See Fano,U., 3=10210
Goldschmidt,Z.B. Energy levels of Er II, 3=10453
Goldschmidt-Clermont,Y. See Bartke,J., 3=22206
Goldschmidt-Clermont,Y. See Escoubès,B., 3=19630
Goldsmid,H.J. The Ettinghausen figure of merit of bismuth and bismuth—antimony alloys, 3=13070
Goldsmid, H.J. Thermal shock resistance of electrical insulators, 3=17675
Goldsmid,H.J. Interpretation of the thermomagnetic effects in bismuth–antimony alloys, 3=20324
Goldsmid,H.J. See Ertl,M.E., 3=10806
Goldsmid,H.J. See Ertl,M.E., 3=10896
Goldsmith,G.J.,Larach,S.,Shrader,R.E. and Yocom,P.N. A.C. field excitation of rare earths in zinc sulfide, 3=25496
Goldsmith,H.L. and Mason,S.G. The flow of suspensions through tubes. II. Single large bubbles, 3=11777
Goldsmith,M. Epithermal neutron absorption in slab lattices, 3=15254
Goldsmith,P.,Delafield,H.J. and Cox,L.C. The role of diffusiophoresis in the scavenging of radioactive particles from the atmosphere, 3=11417
Goldsmith,S. and Kaufman,A.S. The spectra of Ni IV, Ne V and Ne VI: A further analysis, 3=10459
Goldsmith,S. See Eschbach,E.A., 3=22459
Goldstein,B. and Almeleh,N. Observation of paramagnetic resonance centers in GaAs in unusually high concentrations, 3=20647
Goldstein,B. and Dobin,C. Diffusion of phosphorus in GaAs and formation of GaP and GaP–GaAs alloys, 3=20227
Goldstein,B. See Almeleh,N., 3=3177
Goldstein,H. See Beckurts,K.H., 3=24744
Goldstein, H.L. See Ollom, J.F., 3=18119
Goldstein,I. Thermal excitations in solid He^4, 3=1888
Goldstein, J.H. See Reddy, G.S., 3=17615
Goldstein,J.S. Numerical solutions of the auxiliary equation for an inhomogeneous planetary atmosphere, 3=16344
Goldstein,L. and Mills,R.L. Anomalous liquid–solid transformation of helium-three, 3=3937
Goldstein,L. See Gerardo,J.B., 3=21488
Goldstein,M. Depolarized components of light scattered by glasses. III. Scattering from general strain systems, with application to neutron-damaged vitreous silica, 3=921
Goldstein,M. Theory of scattering for diffusion-controlled phase separations, 3=16802
Goldstein,M. Motion of a Brownian particle in a periodic potential, 3=23806
Goldstein,M. See Keller,J.B., 3=17053
Goldstein,M.H., Jr. See Frishkopf,L.S., 3=21170
Goldstein,P. See Bigeleisen,J., 3=12793
Goldstein,R. Preliminary absolute intensity measurements for the 1·38, 1·87 and 2·7 μ bands of water vapor between 125° and 200°C, 3=15348
Goldstein,R.J. See Eckert,E.R.G., 3=7364
Goldstein,R.J. See Eckert,E.R.G., 3=11971
Goldstein,R.J. See Eckert,E.R.G., 3=24071
Goldstein,R.M. and Carpenter,R.L. Rotation of Venus: period estimated from radar measurements, 3=18620
Goldstein,S. and Massa,R.J. Spatial enhancement of continuous negative afterimage phenomena, 3=16458
Goldsztaub,S. Electron diffraction studies at the laboratory of mineralogy of the University of Strasbourg, 3=1370
Goldsztaub,S. and Quivy,M. Speed of growth of a crystal face from solution, 3=1262
Goldsztaub,S. See Pérey,M., 3=3354
Goldwasser,E.L. See Swanson,W.P., 3=14819
Goldwasser,M. See Fiehrer,M., 3=4306
Golecki,J. Statics of an isotropic incompressible elastic solid, 3=9378
Golenishchev-Kutuzov,V.A. Nonresonant paramagnetic absorption of sound in chromo alum, 3=22652
Golentovskaya, I.P. See Leonidova, G.G., 3=17938
Goles,G.G. See Fish,R.A., 3=11525
Gol'fand,Yu.A. Quantum field theory in constant curvature p-space, 3=7756
Gol'fand,Yu.A. The properties of the shifts in p-space of constant curvature, 3=24581
Golger,Yu.Ya. See Borisov,V.M., 3=8968
Golik,A.Z. State and problems of the physics of liquids, 3=21300

Golik,A.Z. The connection of compressibility and shear viscosity with the structure of matter in the liquid state, 3=21309

Golike,R.C. and Schlag,E.W. Theoretical rate of decomposition of cyclopropane, 3=16158

Golikov,V.M. See Borisov,V.T., 3=22801

Golikova,O.A. Electron mobility in germanium above room temperature, 3=20303

Golikova,O.A.,Moizhes,B.Ya. and Orlov,A.G. Dependence of hole mobility in germanium on concentration and temperature, 3=22923

Golikova,O.A. See Vinogradova,M.N., 3=20426

Golitsyn,G.I. See Rudnevskii,N.K., 3=24255

Golitsyn,G.S. Fluctuations of the dissipation in a locally isotropic turbulent stream, 3=114

Golitsyn,G.S. Fluctuations of the dissipation in a locally isotropic turbulent stream, 3=5415

Golling,E. Study of nuclear magnetic proton resonance of water in synthetic substances, 3=6768

Gollnow,H. The Newtonian two-prism spectrograph of the Mount Stromlo Observatory [Australia], 3=9153

Golofaev,T.I. See Livanov,V.A., 3=25850

Golomb,D. See Rosenberg,N.W., 3=25918

Golomb,D. See Samson,J.A.R., 3=14416

Golomolzina,M.V. See Ariya,S.M., 3=20491

Golovanov,L.B. See Vovenko,A.S., 3=6042

Golovashkin,A.I. and Motulevich,G.P. Sensitive low-inertia thermal resistor for helium temperatures, 3=14433

Golovashkin,A.I. and Motulevich,G.P. Determination of microcharacteristics of lead from measurements of its optical constants and specific conductivity, 3=22677

Golovastikov,N.I. The crystal structure of beryllonite ($NaBePO_4$), 3=13472

Golovchanskaya,R.G. See Kudryavtsev,N.T., 3=16176

Golovin,A.F. See Striganov,A.R., 3=15282

Golovin,A.M. On the solution of the equation of coalescence of raindrops taking account of condensation, 3=16217

Golovin,A.M. See Levich,V.G., 3=11388

Golovin,B.M.,Dzhelepov,V.P.,Zul'karneev,R.Ya. and Tsui Va-Chuan [Ts'ui Wa-Ch'uang]. Angular dependence of the polarization correlation C_{nn} and construction of the amplitude moduli for pp scattering at 640 MeV. Estimate of the singlet phase shifts. II, 3=22124

Golovin,B.M.,Osipenko,B.P. and Sidorov,A.I. Homogeneous crystal counters, 3=2165

Golovin,I.N. See Bogdanov,G.F., 3=12201

Golovin,S.A. See Krishtal,M.A., 3=20696

Golovina, L.A. The magnitude equation due to coma of an astrograph objective, 3=3524

Golovkov,V.P. See Pelykh,N.A., 3=14094

Golovnya,V.Ya.,Klyucharev,A.P.,Shilyaev,B.A. and Shlyakhov,N.A. Elastic scattering of 4.2 MeV protons on nickel isotopes, 3=24930

Golton, E. A method for the analysis of combined Faraday and differential Doppler recordings in the presence of horizontal gradients and vertical satellite motion, 3=3495

Golton, E. The use of the Doppler effect to deduce an accurate position for an artificial earth satellite, 3=3632

Gol'tsov,V.A.,Gel'd,P.V. and Kotik,E.M. Effect of the phase work-hardening of austenite on its permeability to hydrogen, 3=18344

Golub',A.P. See Borodich,V.D., 3=21667

Golub,S.I. See Belous,V.M., 3=20522

Golubev,V.S. Investigation of diffusion of charge carriers in ionized gases by the diffusion wave method, 3=16906

Golubev,V.S. Deionization of argon plasma in a magnetic field, 3=19249

Golubev,V.S. and Granovskii,V.L. Contribution to the theory of diffusion waves in a plasma, stationary in a longitudinal magnetic field, 3=21841

Golubev,V.S. and Granovskii,V.L. Experimental investigation of diffusion waves of charged particles in a gas contained in a magnetic field, 3=21956

Golubeva,N.P. See Georgobiani,A.N., 3=11006

Golubeva,N.P. See Georgobiani,A.N., 3=20541

Golubitskii, B.M. Possibility of enhancing the sensitivity gain in the method of Fourier spectrometry, 3=1815

Golutvin, I.A. See Almazov, V.Ya., 3=17120

Golyak,I.G. See Vinitskii,A.Kh., 3=15009

Golyak,I.G. See Vinitskiĭ,A.Kh., 3=24773

Golyanov,V.M. See Pravdyuk,N.F., 3=8152

Golȳk,O.Z. and Kuchȳnka,M.Yu. Temperature-time dependence of the strength of polymers with constant rate of elongation, 3=20732

Goman'kov,V.I.,Litvin,D.F.,Loshmanov,A.A. and Lyaschenko,B.G. Neutron diffraction study of Ni–Cr alloys, 3=20608

Goman'kov,V.I.,Litvin,D.F.,Loshmanov,A.A, and Lyashchenko,B.G The antiferromagnetic structure of chromium, 3=23195

Goman'kov,V.I.,Litvin,D.F.,Loshmanov,A.A.,Lyashchenko,B.G. and Puzei,I.M. Neutron–diffraction study of the temperature dependence of the atomic order in an FeCo alloy, 3=23478

Goman'kov,V.I. See Doroshenko,A.V., 3=5019

Goman'kov, V.J. and Loshmanov, A.A. Antiferromagnetism in the Cr–Mn alloy, 3=18110

Gombás,P. The correlation correction for the statistical model of atoms, 3=8172

Gombás,P. Statistical approximations for many-electron problems, 3=15277

Gombás,P. and Szondy,T. Higher approximations in the statistical atom model in which the electrons are grouped according to principal quantum number. I, 3=22464

Gombay,L.,Gyulay,J.,Kispéter and Lang,J. The electrical properties of bromine-doped selenium with thallium addition, 3=17892

Gombosi,E. See Bozóki,G., 3=7898

Gombosi,E. See Friedländer,E.M., 3=8102

Gomer,R. Comments on "Growth of crystal whiskers" by Blakely and Jackson, 3=8810

Gomer,R. and Swanson,L.W. Theory of field desorption, 3=13570

Gomer,R. See Utsugi,H., 3=3360

Gomer,R. See Utsugi,H., 3=3361

Gomes,A.R. On the interpretation of the equation of geodesic deviation, 3=14010

Gomes Da Silva,J. See Baptista,A.M., 3=7830

Gómez,J.L. See Catalá,J., 3=24716

Gomułkiewicz,J. The electret effect in paraffin wax, 3=8566

Gonchar,V.Yu. See Antuf'ev,Yu.N., 3=7746

Gonchar,V.Yu. See Antuf'ev,Yu.P., 3=8087

Gonchar,V.Yu. See Chursin,G.P., 3=22410

Goncharenko,A.M. Ellipsoids of refraction and absorption for absorbing crystals, 3=15665

Goncharenko,A.M. and Fedorov,F.I. Optical properties of crystalline plates, 3=15649

Goncharenko,A.M.,Sotskii,B.A. and Fedorov,F.I. The phenomenon of self-excitation of a plane-parallel anisotropic layer, 3=23031

Goncharenko,A.M. See Fedorov,F.I., 3=15648

Goncharov,I.N., Gromova,I.I., Neganov,B.S. and Parfenov,L.B. Electromagnet with superconducting winding, 3=2084

Goncharov,I.N.,Gromova,I.I.,Neganov,B.S. and Parfenov,L.B. An electromagnet with superconducting windings, 3=14726

Gonda,S. See Sasaki,W., 3=25344

Gondō,Y. and Funatogawa, Z. Structure of domain walls in thin films, 3=1080

Gōndo,Y. and Konno,H. A torsion pendulum magnetometer used for thin films, 3=469

Gondō,Y.,Usami,S.,Itoh,K.,Konno,H. and Funatogawa,Z. Ferromagnetic resonance in single-crystal thin films of iron, 3=15919

Gondo,Y. See Usami,S., 3=20630

Gonella,L. The electron capture process in conventional annular machines, 3=17006

Gonser,U.,Meechan,C.J.,Muir,A.H. and Wiedersich,H. Determination of Néel temperatures in f.c.c. iron, 3=23153

Gonser,U. and Wiedersich,H. Mössbauer effect in relation to lattice defects, 3=22698

Gonsior,B. and Friedman,I. Tritium and deuterium in atmospheric hydrogen, 3=13663

Gonsior,B.,Friedman,I. and Ehhalt,D. Measurements of the tritium and deuterium concentration in atmospheric hydrogen, 3=25893

Gontarz,R. See Kambersky,V., 3=11087

Gontarz,R. See Szczeniowski,S., 3=1070

Gontier,G. See Dyment,A., 3=9431

González,C. and Grünbaum,E. The orientated overgrowth of thin cobalt films, 3=18379

González,L.,Trier,A. and Van Loef,J.J. Measurement of the cross section of the nuclear reaction $^{47}Ti(n,p)^{47}Sc$, 3=24957

Gooch,C.H. See Broom,R.F., 3=19491

Gooch,D.W.,Harrison,C.W.,Jr.,King,R.W.P. and Wu,T.T. Impedances of long antennas in air and in dissipative media, 3=19453

Good,M.L. and Lind,V.G. Muonic Λ^0 decay, 3=17342

Good,R.H.,Jr. See Raich,J.C., 3=12561

Goodall,M.C. Path integral formulation of relativistic quantum mechanics, 3=1691

Goodall,M.C. Representation of a group in relativistic quantum mechanics, 3=7113

Goodall,M.C. Connexion between local and global physics, 3=11688

Goodenough,J.B. Spin-orbit vs. Jahn–Teller deformation in chromium spinels, 3=1010

Goodenough,J.B. Atomic moments and magnetic coupling in cation–excess-nickel arsenides, 3=15738

Goodenough,J.B. See Rogers,D.B., 3=12934

Goodenough,J.B. See Wold,A., 3=16018

Goodfellow,T.L. See Caffyn,J.E., 3=900

Goodfriend, L.S. Acoustics for school music departments, 3=14300

Goodfriend,L.S. See Ostergaard,P.B., 3=18951

Goodier,J.N. See Abrahamson,G.R., 3=11194

Gooding, T.J. See Igo, G., 3=17385

Goodings,D.A. Electrical resistivity of ferromagnets at low temperatures, 3=15532

Goodisman,J. Calculation of molecular properties with limited-basis Hartree—Fock functions, 3=8239

Goodisman, J. Dipole-moment function for diatomic molecules, 3=17567

Goodisman,J. and Klemperer,W. On errors in Hartree—Fock calculations, 3=8169

Goodisman,J. See Boorstein,S., 3=25094

Goodlett,V.W. See Boye,C.A., 3=11124

Goodman,A.M. Metal—semiconductor barrier height measurement by the differential capacitance method—one carrier system, 3=10847

Goodman,B.B. The role of coherence length in the superconducting transition, 3=9673

Goodman,B.B. See Bon Mardion,G., 3=3957

Goodman,B.B. See Bonnin,B., 3=19104

Goodman,B.B. See Geiser,R., 3=19106

Goodman, C.D. Analogue states in isobaric nuclei, 3=17395

Goodman,C.D. See Ball,J.B., 3=15196

Goodman,F.O. The dynamics of simple cubic lattices. II. The effects of surface impurities on the lattice motion, 3=2707

Goodman,G. Electrical conductivity anomaly in vanadium sesquioxide, 3=2927

Goodman,J.F. See Corkill,J.M., 3=9433

Goodman,J.M. See Merrill,J.R., 3=25259

Goodman,L. and Hoyland,J.R. Open-shell SCF triplet-state energies of polyacenes, 3=25128

Goodman,L. and Krishna,V.G. Role of ground state in singlet-triplet transition probabilities, 3=8245

Goodman, L. See Chowdhury, M., 3=18044

Goodman,L. See Prosser,F., 3=8299

Goodman,L. See Taft,R.W., 3=8300

Goodman, L.S. See Childs, W.J., 3=17390

Goodman,P. Intensity measurement of electron diffraction patterns with a scanning photomultiplier, 3=1288

Goodman,R. See MacArthur,D., 3=649

Goodrich,F.C. On the damping of water waves by monomolecular films, 3=5423

Goodrich,M. See Trehan,P.N., 3=24903

Goodrich,R.F. and Kazarinoff,N.D. Scalar diffractions by prolate spheroids whose eccentricities are almost one, 3=4274

Goodrich,R.S. See Roblin,M.J., 3=17774

Goodwin,A.R. See Fray,S.J., 3=18961

Goodwin,R.D. Melting pressure equation for the hydrogens, 3=12000

Goodwin,R.D., Diller,D.E., Roder,H.M. and Weber,L.A. Pressure–density–temperature relations of fluid parahydrogen from 15 to 100°K at pressures to 350 atmospheres, 3=14146

Goodwin,R.D. and Roder,H.M. Pressure–density–temperature relations of freezing liquid parahydrogen to 350 atmospheres, 3=14418

Goodwin,R.D. See Roder,H.M., 3=14424

Goody,R.M. See Noxon,J.F., 3=1467

Goodyear,C.C. and von Engel,A. Atomic ion production in radio-frequency ion sources, 3=4008

Goodyear,J. and Steigmann,G.A. The crystal structure of α-Ga$_2$S$_3$, 3=25711

Gooen,K.H. See Autler,S.H., 3=19114

Gopalakrishnan,K. See Tawde,N.R., 3=381

Gopal Rao,M.S.V. and Booker,H.G. Guiding of electromagnetic waves along a magnetic field in a plasma, 3=9941

Gopal Rao, M.S.V. and Ramachandra Rao, B. The correlation of spread on one night and the successive nights, 3=5217

Gopaulsingh,K. See Reid,R.J., 3=4504

Gopinathan,K.P. (n,p) reactions in molybdenum by fission neutrons, 3=2477

Gorbach,T.Ya.,Gribnikov,Z.S. and Krolevets,K.M. The photovoltage of a nonuniformly illuminated p—n junction, 3=23024

Gorbachev,V.M.,Korolev,V.N. and Uvarov,N.A. A nanosecond pulse generator, 3=24192

Gorban',A.N. See Sokolov,V.A., 3=20546

Gorban',I.S. and Rud'ko,S.N. Optical properties of silicon carbide crystals, 3=20485

Gorban', I.S, Timofeev, V.B. and Frolova, E.F. Spectroscopic observation of exciton scattering in a crystal, 3=17690

Gorban',I.S. See Belȳi,M.U., 3=10990

Gorban',N.D. See Palatnik,L.S., 3=8953

Gorbatenko,M.F. Interaction of an electron beam with a plasma, 3=24284

Gorbatskii,V.G. The luminosity of the long-period variables, 3=3598

Gorbenko-Germanov,D.S.,Zenkova,R.A. and Chebotarev,V.E. Use of the IKS-11 spectrometer for the recording of Raman spectra, 3=24033

Gorbics,S.G.,Kunz,W.E. and Nash,A.E. New values for half-lives of Cs^{137} and Co^{60} nuclides, 3=22338

Gorbis,Z.R. Differential equations of heat exchange for dispersion flow of the type of "moving layers", 3=11967

Gorbunkov,V.M. A hydrogen bubble chamber illumination system for the photography of small bubbles, 3=24559

Gorbunkov,V.M. See Belle,T.S., 3=14267

Gorbunkov,V.M. See Belonogov,A.V., 3=21363

Gorbunov,A.N.,Dubrovina,V.A.,Osipova,V.A.,Silaeva,V.S. and Cherenkov,P.A. Investigation of the photoeffect on light nuclei, 3=6227

Gorbunov,A.N. and Osipova,V.A. Photodisintegration of oxygen, 3=8076

Gorbunov,A.N. and Varfolomeev,A.T. Photodisintegration of He^3, 3=19715

Gorbunov,L.M. See Silin,V.P., 3=7501

Gorbunov,M.A.,Koshkin,N.I.,Nozdrev,V.F. and Sheloput,D.V. Investigation of organic substances in the liquid—polycrystal transition region by ultrasonic methods, 3=21355

Gorbunov,N.S. See Izvekov,V.I., 3=22807

Gorbunov, V.F. See Lavrenchuk, V.N., 3=1454

Gorbunov,V.I. See Anan'ev,L.M., 3=19388

Gorchakov,E.V. Outer radiation belt and auroras, 3=9106

Gorchakov,E.V. Disposition of the inner radiation belt and the earth's magnetic field, 3=9107

Gordeev,G.V. Low-frequency plasma oscillations in nonpolar semiconductors, 3=15476

Gordeev,G.V. Concerning the contraction of plasma in p–i–n diodes under the action of the intrinsic magnetic field, 3=20353

Gordeev,I.V. Resonance theory of nuclear reactions induced by neutrons with energies below 5 MeV, 3=6274

Gordeev,I.V. See Bazazvants,N.O., 3=6184

Gordienko,A.I. and Iogansen,A.A. A capacitive time interval expander, 3=24186

Gordienko,V.I. See Pivovar,L.I., 3=14561

Gordon,A.H. Clouds Physics, 4=1439

Gordon,B. See Friedlander,G., 3=8147

Gordon,D.I. See Sery,R.S., 3=15863

Gordon,E.I. See White,A.D., 3=17087

Gordon,F.J. and Damm,C.C. High intensity source of 20 keV hydrogen atoms, 3=25070

Gordon,G.E. See Rogers,P.C., 3=10257

Gordon,I. See Harvey.R.L., 3=9710

Gordon,I.M. and Pichakhchi,L.D. Radiation from hydrogen atoms excited by the synchrotron radiation of relativistic electrons, 3=11569

Gordon,J. See Szabó,P., 3=11246-

Gordon,J.P. Quantum effects in communications systems, 3=484
Gordon,J.P., Louisell,W.H. and Walker,L.R. Quantum fluctuations and noise in parametric processes. II, 3=4264
Gordon,J.P.,Walker,L.R. and Louisell,W.H. Quantum statistics of masers and attenuators, 3=12356
Gordon,J.P. See Tien,P.K., 3=5595
Gordon,M. and Hillier,I.H. Statistical of random placement subject to restrictions, on a linear lattice, 3=9357
Gordon,M.M. The electric gap-crossing resonance in a three-sector cyclotron, 3=5761
Gordon,M.M. Fixed-point orbits in the vicinity of the ν_r = N/3, N/4, and N/2 resonances, 3=5762
Gordon,M.M. and Blosser,H.G. Acceleration of particles into stable orbits in an isochronous three-sector cyclotron, 3=5774
Gordon,M.M. and Hudec,W.S. Effects of field imperfections on radial stability in a three-sector cyclotron, 3=5760
Gordon,M.M. See Arnette,T.I., 3=5770
Gordon,M.M. See Blosser,H.G., 3=5786
Gordon,R.B. See Abowitz,G., 3=16604
Gordon, R.B. See Von Neida, A.R., 3=839
Gordon,R.G. Magnetic susceptibility measurements of small samples. II. Solutions, 3=4242
Gordon,R.G. Lattice combination bands in infrared spectra of molecular solids, 3=4969
Gordon,R.G. Three sum rules for total optical absorption cross sections, 3=11798
Gordy, W. See Larkin, D.M., 3=17601
Gore,W.G.,Ring,T. and Vincent,C.H. A precision auxiliary bias unit, 3=19154
Gorelik,L.L. and Sinitsyn,V.V. The energy losses of plasma by radiation and particles measured separately, 3=16956
Gorelova,M.V. See Alekseev,Yu.I., 3=1539
Gorenheĭn,E.Ya. Effect of the dielectric constant of the solvent on the viscosity of electrolyte solutions, 3=21341
Gorenstein,P. and Luckey,D. Light pipe for a large-area scintillator, 3=11896
Goreva,E.I. See Vovk,V.N., 3=25849
Gorgé,V.,Locher,M. and Rollnik,H. One-photon exchange processes and radiative corrections, 3=7777
Gorichev,P.A. and Lozhkin,O.V. Identification of multiply charged particles with low ranges in nuclear emulsions, 3=24573
Gorid'ki, N.Ya. See Kuz'menko, P.P., 3=18218
Gorin,B.N. and Inkov,A.Ya. Investigations of a spark channel, 3=1949
Gorjunov,N.,Dedenko,L.G. and Zatsepin,G.T. Nature of primary component of cosmic rays and fluctuation character of e.a.s., 3=6098
Gor'kov,L.P. and Dzyaloshinskii,I.E. The possibility of zero-sound type oscillations in metals, 3=25262
Gor'kov, L.P. and Melik-Barkhudarov, T.K. A contribution to the theory of super-fluidity in an imperfect Fermi gas, 3=3940
Gor'kov,L.P. and Pitaevskii,L.P. Formation of shock waves in the reflection of a weak disturbance from the sonic line, 3=196
Gor'kov,L.P. and Pitaevskii,L.P. Formation of shock waves in the reflection of a weak disturbance from the sonic line, 3=5489
Gor'kov,L.P. and Pitaevskii,L.P. Transition of liquid He^3 to the superfluid state, 3=5569
Gor'kov,L.P. See Abrikosov,A.A., 3=5576
Gor'kov,L.P. See Abrikosov,A.A., 3=15765
Gor'kov,L.P. See Bÿchkov,Yu.A., 3=2761
Görlich,P.[Ed.]. Optics and spectroscopy of all wave-lengths, 3=11875
Görlich,P. and Karras,H. The physics of the fluorides of the alkaline-earth metals, 3=2837
Görlich,P.,Karras,H. and Kötitz,G. Studies on the coloration of LiF crystals, 3=25298
Görlich,P.,Karras,H. and Lehmann,R. Coloration of artificial CaF_2 crystals of high purity, 3=6541
Görlich,P., Karras,H., Lehmann,R. and Meisel,E. The absorption properties (particularly in the far infrared) of additively coloured synthetic CaF_2 crystals, 3=20470
Görlich,P.,Karras,H.,Lüdke,W.,Mothes,H. and Reimann,R. Coloration of yttrium-doped CaF_2 and SrF_2 crystals by X-ray irradiation, 3=8593
Görlich,P., Karras,H. and Meisel,E. Photoconductivity of synthetic crystals of CaF_2, 3=20406
Görlich,P. See Berndt,M., 3=19312
Gorman,D. and Montgomery,D. Collision damping of plasma oscillations. I, 3=16957
Gorman,J.G. See Stodiek,W., 3=12153
Gorman,J.K. Shallow donor thermionic emitter, 3=422
Gornick,F. and Jackson,J.L. Sequency selection problem in the crystallization of high polymers, 3=11233
Gorobchenko,V.D. See Samoilov,B.N., 3=4590
Gorobchenko,V.D. See Samoilov,B.N., 3=5007
Gorodensky,S.N. Anomalies associated with rotations in the earth's magnetic field. I, 3=9130
Gorodetsky,G. See Hirsch,A.A., 3=1087
Gorodetzky,M.S.,Bergdolt,A.M.,Chevallier,A.,Brés,M. and Armsbruster,R. Study of the secondary emission of electrons from thick targets subjected to bombardment by 1 MeV protons, 3=24344
Gorodetzky,S., Bassompierre,G., St-Pierre,C., Gallmann,A. and Wagner,P. Study of the $N^{14}(He^3,p)O^{16}$ reaction between 2·5 and 5·5 MeV, 3=15231
Gorodetzky, S., Fintz, P. and Gallmann, A. Angular distribution in the reaction $B^{11}(d,p)B^{12}$, 3=4664
Gorodetzky,S.,Muser,A.,Zen,J. and Armbruster,R. Application of pulse transformers to fast impulse electronics, 3=5607
Gorodetzky,S.,Port,M.,Graff,J. and Thirion,J.M. Excited levels of F^{19} from a study of the reaction $O^{16}(p,\alpha_0)N^{15}$ between 2.2 and 6 MeV, 3=12584
Gorodetzky,S.,Scheibling,F.,Armbruster,R.,Benenson,W. Chevallier,P.,Mennrath,P.,Sutter,G. and Goldring,G. Radiative corrections in the angular correlation of monopole pairs from O^{16} at small angles, 3=19810
Gorodetzky,S.,Ullman,J.,Bergdolt,G. and Gallmann,A. Polarizati of protons in elastic scattering from O^{16} and C^{12}, 3=2445
Gorodinskii, G.M, Krizhanskii, L.M. and Kruglov, E.M. Magnitude of quadrupole interaction between Sn^{119m} nuclei and crystal lattice, 3=17635
Gorodinskii,G.M. See Gol'danskii,V.I., 3=8340
Gorodyskii,A.V., Delimarskii,Yu.K. and Panov,É.V. On the impedance of the double electrical layer in melts, 3=16168
Gorodyskii,A.V. See Delimarskiĭ,Yu.K., 3=3400
Gorokhov,V.P. See Livanov,V.A., 3=25850
Gorshkov,A.S. See Akhmanov,S.A., 3=21979
Gorshkov,E.S. See Yanovskii,B.M., 3=3117
Gorshkov,V.G. A relativistic perturbation theory for a Coulomb field, 3=4353
Gorshkov,V.G. Theory of relativistic Coulomb scattering. II, 3=15180
Gorshkov,V.G. and Mikhailov,A.I. Angular distribution of photo electrons from the K-shell, 3=2587
Gorshkov,V.G. and Tsvetkov,O.S. Distribution of α-particle paths on a spherical source, 3=22429
Gorter,C.J. Recent developments on spin-spin relaxation, 3=1196
Gorter,C.J. Remarks on superconductivity under the influence of strong magnetic fields and large current densities, 3=5577
Gorter,C.J. See Goedemoed,S.H., 3=11066
Gorter,C.J. See Van Beelen,H., 3=24138
Gorter,E.W. Interactions in various magnetic compounds, 3=15741
Gortsema,F.P. See Didchenko,R., 3=20342
Goryaga,A.N., Levitin,R.Z. and Lin'Chzhan-da [Ling Changta]. Anomalies in Young's modulus and damping capacity in ferrites with a compensation point, 3=5061
Gorychev,B.I. See Bogdankevich,O.V., 3=6230
Goryunov,N.N., Dedenko,L.G. and Zatsepin,G.T. Nature of the primary component of high-energy cosmic rays and extensive air showers, 3=19720
Goryunov,N.N. and Rapoport,I.D. Ferrite hodoscope, 3=1916
Goryunov,Yu.V.,Pertsov,N.V.,Summ,B.D. and Shchukin,E.D. The effect for the microscopic relief on the laws [determining the rate] of spreading of liquid metals over solid metallic surfaces, 3=5427
Goryunova,N.A. See Ozolin'sh,G.V., 3=20836
Gorzhevskaya,É.G. See Adamovich,M.I., 3=2299
Gorzhevskaya,É.G. See Adamovich,M.I., 3=4428
Gorzkowski,W. Space group of pyrite T_h^6 (Pa3), 3=12949
Gorzkowski,W. Representation of space group O_h^3, 3=16051
Gose,E.E. Diffusion of three ionic species in liquid solution, 3=21327

Goshchitskii,B.N. and Izrailevich,I.S. On the question of the existence of the "negative" separation effect in thermal diffusion of gases through porous media, 3=9491
Gosling,D.S. See Davies,E.A., 3=18867
Goss,A.J. See Fane,R.W., 3=22809
Gossard,A.C. and Jaccarino,V. Boron nuclear magnetic resonance in rare earth intermetallic compounds, 3=1197
Gossard,A.C.,Jaccarino,V. and Wernick,J.H. Nuclear magnetic resonance in rare earth intermetallic compounds, 3=1202
Gossard, A. C., Jaccarino, V. and Wernick, J. H. Nuclear magnetic resonance in UAl_2, 3=3192
Gossard,A.C. See Clogston,A.M., 3=336
Gossard,W.H. See Gerson,N.C., 3=3475
Gosse,J. See Malengé,J., 3=7186
Gosse,J. See Paulmier,D., 3=7385
Gossenberger,H.F. See Mehl,W., 3=20360
Gossick,B.R. Inhomogeneities in semiconductors exposed to fast neutrons, 3=22909
Goswami, A. and Pal, M.K. On the collective states of C^{12} and ground-state correlation, 3=17398
Goswami,A. See Aggarwal,P.S., 3=16048
Goswami,A. See Badachhape,S.B., 3=1326
Goswami,A. See Badachhape,S.B., 3=1327
Goswami,K.N. See Patel,A.R., 3=8802
Goswami,K.N. See Patel,A.R., 3=13406
Goswami,K.N. See Patel,A.R., 3=25661
Gotlib,Yu.Ya. Relaxation properties of cooperative systems. Dielectric relaxation in a one-dimensional chain of dipoles, 3=21387
Gotlib,Yu.Ya. and Salikhov,K.M. Diffusion theory of potential barrier penetration in a variable external field, 3=83
Gotlib,Yu.Ya. and Salikhov,K.M. Theory of dielectric polarization of amorphous polymers, 3=17928
Gotlib,Yu.Ya. and Sochava,I.V. Theory of the specific heat of linear polymers at low temperatures. Vibration spectrum and specific heat, 3=8366
Goto,F. See Ōsaka,Y., 3=8406
Gotō,H. and Ikeda,S. Determination of component in binary alloy of backscattering of beta particles, 3=11278
Goto,J. Nucleon—nucleon scattering in momentum space, 3=22119
Goto,K. See Kojima,H., 3=1014
Goto,K. See Nakahara,O., 3=20363
Goto,M.,Hiraoka,T. and Kuwahara,K. Determination of the anisotropy field in thin films by ΔR effect, 3=21926
Goto,M. See Tatsumoto,E., 3=1082
Goto,M. See Tatsumoto,E., 3=24426
Gotō,S. Nucleon form factors and resonance particles, 3=10103
Goto,T. See Ogushi,T., 3=24151
Goto,Y. See Yuzuri,M., 3=1024
Gotoh,H. See Katoh,T., 3=15150
Gotoh, R. See Hanai, T., 3=3414
Gotow, K. and Okubo, S. Possible tests of the TCP theorem in proton—antiproton scattering, 3=2264
Gotsman,E. and Hochberg,S. Nucleon—nucleon scattering with full recoil, 3=12452
Gott,Yu.V. and Tel'kovskii,V.G. The lifetime determination of a high-temperature plasma on the basis of the duration of neutron emission, 3=1997
Gottfried,K. The determination of the nuclear pair correlation function and momentum distribution, 3=7964
Gottfried,K. See Czyz,W., 3=8080
Gottlieb,B. See Axford,W.I., 3=16368
Gottschlich,C.F. See Knopp,C.F., 3=7502
Gottstein,K. See Biswas,N.N., 3=4434
Gottstein,K. See Biswas,N.N., 3=17133
Gotusso,L. See Albertoni,S., 3=18841
Götz,W. and Günther,H. A precision monochromator for X-rays, 3=17013
Gouault,J. Study of a microbalance for high-vacuum work, 3=7166
Goudas,C.L. and Barbanis,B.S. A new property of the third integral, 3=18647
Goudmand,P. See Pannetier,G., 3=12876
Goudsmit,P.F.A. The influence of electron straggling on γ-ray energy determinations by the external conversion method, 3=24676
Goudsmit,P.F.A. See Hamilton,J.H., 3=22335
Goudsmit,P.F.A. See Jansen,J.F.W., 3=656
Gough,T.E. See Blandamer,M.J., 3=13612
Goujon,P. See Ceccaldi,M., 3=18999
Gould, C.F, McCusker, C.B.A. and Peak, L.S. Anisotropies of cosmic-ray jets and "equilibrium" theories of meson production, 3=17367
Gould,G. See Senitzky,B., 3=14767
Gould,H.J. Determining P- and N-type conduction in very small crystals, 3=8498
Gould,J. and Smith,K.U. Angular displacement of the visual feedback of motion, 3=1566
Gould,R.D. and Linnett,J.W. Electronic structure of ozone, 3=22571
Gould,R.J.,Gold,T. and Salpeter,E.E. The interstellar abundance of the hydrogen molecule. II. Galactic abundance and distribution, 3=25974
Gould,R.J. and Harwit,M. Expected near infrared radiation from interstellar molecular hydrogen, 3=11504
Gould,R.J. and Salpeter,E.E. The interstellar abundance of the hydrogen molecule. I. Basic processes, 3=25973
Gould,R.W. See Vandenplas,P.E.M., 3=7610
Goulding,F.S. See Hansen,W.L., 3=22042
Goulianos,K. See Danby,G., 3=14952
Goulpeau,L. and Le Montagner,S. Study of the complex dielectric constant of $PbZrO_3$ under a polarizing field, between 37° and 520°K, 3=2956
Gouq-Jen Su. See Borrelli,N.F., 3=13174
Gouq-Jen Su. See McSwain,B.D., 3=13173
Gourceaux,M. Concerning a criterion of linearity and nonlinearity in acoustics: application to certain resonators, 3=5490
Gourdin, M. Deuteron electromagnetic form factors, 3=17353
Gourdin,M. and Dufour,J. Photoproduction of strange particles, 3=22203
Gourdin,M. and Salin,P. Analysis of photoproduction with an isobaric model, 3=7887
Gourdin,M. and Salin,P. Some remarks about gauge invariance in the isobaric model for photo-production, 3=10073
Gourdon,C. and Prevot,F. Development of a plasma by injection of fast particles, 3=12105
Goureaux,G. Considerations on the Curie point of thin nickel layers, 3=1077
Goureaux,G. Magnetoresistance of thin nickel films. Consequences, 3=17825
Gourlan,C. See Linhart,J.G., 3=12173
Gouskov,L. and Lubat,F. Study of the recombination of charge carriers on lattice defects in germanium, 3=20305
Gousseland,G. Spatial distribution of electrons round an impurity in the nearly free electron approximation. Application to indirect coupling between nuclear spins through conduction electrons, 3=8385
Gousseland,G. The use of the approximation of almost-free electrons in the study of the alkali metals and their alloys, 3=15452
Gouterman, M. and Stevenson, P.E. Porphyrin charge-transfer complexes with sym-trinitrobenzene, 3=2651
Gouterman,M. and Stryer,L. Fluorescence polarization of some porphyrins, 3=2650
Goutte,R. See Bernard,R., 3=24372
Goutte,R. See Eyraud,L., 3=6816
Goutte,R. See Eyraud,L., 3=20769
Goux,C. Structure of grain boundaries in pure metals: calculation of intergranular energy, 3=20211
Gove,H.E. Core excitation in Cu^{63}, 3=15107
Gove,H.E.,Litherland,A.E. and Clark,M.A. The parity of the 4.97 MeV level in Ne^{20}, 3=10255
Gove,H.E. See Broude,C., 3=24852
Gove,N.B. See Koehler,P.F.M., 3=12636
Govil,G. See Dharmatti,S.S., 3=738
Govil,I.M.,Khurana,C.S. and Hans,H.S. Half-life of the first excited state of I^{129}, 3=19787
Govindaraju,G.R. and Badkas,D.J. Impulse breakdown of large air gaps in non-uniform fields, 3=379
Govor,A.Ya. See Mikhailov,N.N., 3=14430
Govorkov,B.B.,Denisov,S.P.,Lebedev,A.I. and Minarik,E.V. High partial waves in the photoproduction of π^0-mesons on protons, 3=24763
Govorkov,B.B.,Denisov,S.P. and Minarik,E.V. Elastic photoproduction of π^0-mesons on carbon at an energy of 155 MeV, 3=6036
Govorkov,B.B.,Denisov,S.P. and Minarik,E.V. Photoproduction of neutral mesons on nuclei near the threshold, 3=24762
Govorkov,B.B. See Agafonov,V.P., 3=24678

Govorkov, V.G. Influence of temperature on the form of the compression curve of silicon single crystals, 3=18178

Govorkov,V.G. and Papkov,V.S. Effect of annealing on the density of dislocations and the compression curves of germanium monocrystals, 3=6516

Govorov,A.M.,Li Ga En [Li Ka Yen],Osetinskii,G.M.,Salatskii,V.I. and Sizov,I.V. Total cross-sections for the T + T reaction in the 60-1140 keV energy range, 3=6091

Govorov,A.M.,Nikanorov,V.I.,Peter,G.,Pisarev,A.R. and Poze,Kh. Gaseous discharge chamber, 3=2182

Gow,K.V. See Cunningham,R.L., 3=10706

Gowariker,V.R. and Garner,F.H. Analysis of heat and mass transfer between solid wall and fluid streams at both low and high Reynolds numbers, 3=7180

Goworek,T. A nonoverloading double differentiating pulse amplifier for scintillation spectroscopy, 3=12047

Goyal,D.P. See Bhowmik,B., 3=4464

Goyal,D.P. See Bhowmik,B., 3=7973

Goyal,D.P. See Bhowmik,B., 3=22207

Gozani,T. A modified procedure for the evaluation of pulsed source experiments in subcritical reactors, 3=19910

Gozna,C.F. See Davies,D.E., 3=4033

Gozna,G.F. See Harcombe,D., 3=21741

Gozzini,A. The magnetic rotatory power of optically oriented atoms, 3=4714

Gozzini,A. See Battaglia,A., 3=23938

Graben,H.W. and Present,R.D. Evidence for three-body forces from third virial coefficients, 3=167

Graber,H. See Burmeister,R., 3=12629

Grabner, L. and Swanson, J.A. Symmetry restrictions on field-dependent tensors with application to galvanomagnetic effects, 3=11

Grabowski, J. and Kalinkin, B.N. Effect of the nuclear potential form on the subbarrier transfer of a neutron, 3=17448

Grabowski,J. and Portnyagin,J.I. On the Coulomb mechanism of the nuclear disintegration, 3=24977

Grabowski,Z., Gustafsson,S. and Bäckström,G. Search for two-quantum decay of In^{114m}, 3=2388

Grabowski,Z. See El-Nesr,M.S., 3=4599

Grad,H. Modern kinetic theory of plasmas, 3=7496

Grad,H. Asymptotic theory of the Boltzmann equation, 3=9500

Grad,H. and van Norton,R. Non-adiabatic orbits in a cusped magnetic field, 3=12193

Gradsztajn,E., Epherre,M. and Bernas,R. Li^6 and Li^7 production in O^{16} by 156 MeV protons, 3=15199

Gradzki, W. Absolute focometer and the study of its constant parameters, 3=9585

Graeffe, G. On the alpha activity of platinum isotopes, 3=17444

Graetzer,R. and Bernstein,E.M. Double Coulomb excitation with oxygen ions, 3=8134

Graetzer,R., Hooverman,R. and Bernstein,E.M. Numerical calculations of multiple Coulomb excitation cross sections, 3=4559

Graf,L. Time constants of current growth in hydrogen, 3=7492

Graf,L. and Schmitz,G. Distinguishing between feedback ~~mechani~~ mechanisms in Townsend hydrogen discharges by measuring the time constant of current growth, 3=7493

Graf,R. Study of pre-precipitation in an Al—Zn alloy with 30% Zn, 3=8911

Graf,R.B. See Deaton,B.C., 3=7168

Graff,G. See Dési,S., 3=12711

Graff,J. See Gorodetzky,S., 3=12584

Grafov,B.M. and Chernenko,A.A. Theory of the passage of direct current through a binary electrolyte solution, 3=18448

Grafov,B.M. See Levich,V.G., 3=13610

Grafov,B.M. See Levich,V.G., 3=16174

Grafov,B.M. See Levich,V.G., 3=16179

Graham,A. See Walles,K.F.A., 3=23331

Graham,A.H.,Lindsay,R.W. and Read,H.J. Structures of electroless nickel, 3=13450

Graham,C.D.Jr. The induced anisotropy in cobalt and cobalt-nickel alloys, 3=1039

Graham,C.D., Jr. Some magnetic properties of Gd single crystals, 3=15789

Graham,C.D., Jr. and Lommel,J.M. Effect of pressure during evaporation on the magnetic properties of nickel films, 3=1072

Graham,C.H. Simple discriminatory functions: review, summary and discussion, 3=5300

Graham,C.H. On some aspects of real and apparent visual movement, 3=21173

Graham,D. and Thomas,D.H. Self-diffusion in iron, 3=25290

Graham,D. See Gibbs,G.B., 3=20233

Graham,H.C. See Tallan,N.M., 3=1906

Graham,J.R., Jr. See Wobschall,D., 3=21697

Graham,L.J.,Nadler,H. and Chang,R. Elastic constants of UC, 3=25599

Graham,R.L., Bergström,I. and Brown,F. Satellites in the K–LL Auger spectra of $_{53}I^{125}$ and $_{52}Te^{125}$, 3=4707

Graham,R.L. See Bergström,I., 3=12608

Graham,R.L. See Geiger,J.S., 3=652

Graham,R.L. See Geiger,J.S., 3=24365

Graham,R.L. See Hart,R.G., 3=22401

Graham,R.L. See Murray,G., 3=19795

Grainger,J.F. and Ring,J. A photoelectric grating spectrometer, 3=9148

Grakov,V. and Hermoch,V. Formation of cathode spots on electrodes of short-time high-intensity electric discharges, 3=21721

Gramberg, G. and Plust, H.G. Electric and thermoelectric properties of the system $(Bi_{2-x_1}Sb_{2-x_1}Te_x)$ $(Te_{-}Se_{--})$, 3=17869

Grammaticakis,P. See Théry,B., 3=20005

Gran,B.E. See Prosen,R.J., 3=1074

Gran,B.E. See Prosen,R.J., 3=15840

Granatkin,B.V. See Antonov,A.V., 3=4401

Granato,A. See Truell,R., 3=23325

Grand,C.G. See Wagener,G.N., 3=14349

Grand-Jean,D.,Weiss,R. and Kern,R. Study of the structure of nickel sulphite hexahydrate, 3=1339

Granda,A.M. See Biersdorf,W.R., 3=3687

Grande,S. Double resonance experiment on Rochelle salt, 3=25593

Graneau,P. Steady-state electrodynamics of a cylindrical body in axial motion, 3=14743

Graneau,P. Alternating currents in superconductors, 3=19102

Grange,J. Experimental study of refractivities. Bond refractivities, 3=15332

Gränicher,H. General relations for the "inner field" dielectric theory, 3=8541

Gränicher,H. Properties and lattice imperfections of ice crystals and the behaviour of H_2O—HF solid solutions, 3=10644

Granier,J. See Granier,R., 3=22488

Granier,R.,Granier,J. and De Croutte,E. Displacement and widening of the resonance lines of rubidium under the effect of argon under pressure, 3=22488

Grannemann, W.W. See Davis,G.Jr., 3=10854

Granovskii,V.L. See Aleskovskii,Yu.M., 3=411

Granovskii,V.L. See Aleskovskii,Yu.M., 3=14603

Granovskii,V.L. See Golubev,V.S., 3=21841

Granovskii,V.L. See Golubev,V.S., 3=21956

Granovskii,V.L. See Urazakov,É.I., 3=1977

Granovskii,Ya.I. and Pantyushin,A.A. Resonance interactions of K-mesons, 3=15033

Granovskii,Ya.I. and Starikov,V.N. Determination of the parity and Σ-hyperon–K-meson coupling constant, 3=2325

Grant,C.R.,Corbett,H.H. and Gibson,J.E. Measurements of the 4.3 mm radiation of Venus, 3=11592

Grant,D.M.,Hirst,R.C.,Gutowsky,H.S. Analysis of A_2B_2 high-resolution n.m.r. spectra. I. Furan, thiophene and disubstituted benzenes, 3=8301

Grant,D.M. See Barfield,M., 3=22520

Grant,E.H. Electrical behaviour of egg albumen solutions at ultra-high frequencies, 3=14177

Grant,H.L. and Davey,J.E. Multisurface sorption pump, 3=16668

Grant,I.P. Numerical approximations in radiative transfer, 3=21266

Grant,J., Michel,E. and Thelen,A. Recent developments in infrared narrow band pass filters, 3=1824

Grant,L.G. See Parkinson,T.F., 3=9019

Grant,R.W. and Shirley,D.A. Pseudoquadrupole coupling constants and nuclear moments of several promethium isotopes, 3=12906

Grant,R.W. See Barrett,P.H., 3=25220

Grantham,L.F. and Yosim,S.J. Electrical conductivities of molten Bi—BiI_3 solutions, 3=11805

Grantham,L.F. See Yosim,S.J., 3=23904
Granville,J.W. See Gibson,A.F., 3=2883
Granzow,K.D. N-dimensional total orbital angular-momentum operator, 3=18692
Grasenick,F. See Blaha,J., 3=21016
Crashin,A.F. On solving linear equations of the dispersion method in two-particle approximation, 3=5946
Grashin,A.F. Solution of the dispersion method linear equations in the two-particle approximation, 3=7810
Grashin,A.F.,Kuznetsov,E.V. and Shalamov,Ya.Ya. Production of excited K-mesons on complex nuclei, 3=22197
Grashin,A.F. and Mel'nikov,V.N. The effect of $\pi\pi$-interaction in nucleon electromagnetic form factors, 3=5920
Grashin,A.F. and Shalamov,Ya.Ya. Spin of the ρ-meson, 3=6079
Grashin, A.F. See Galanin, A.D., 3=17266
Grashin,A.F. See Gelfand,I.M., 3=4392
Grashin,A.F. See Kuznetsov,E.V., 3=6075
Grashin,A.F. See Shalamov,Ya.Ya., 3=2304
Grashin,A.F. See Shalamov,Ya.Ya., 3=4461
Grashin,A.F. See Shalamov,Ya.Ya., 3=6045
Grashin,A.F. See Shalamov,Ya.Ya., 3=7902
Grashin,A.F. See Shalamov,Ya.Ya., 3=22175
Grassman,P. Systematization of transport processes, 3=5392
Grath,R.,Kauer,E. and v.d.Linden,P.C. Optical effects of free carriers in SnO_2-layers, 3=6642
Gratsinskii,V.G. On the spectrum of a segment of a sinusoidal curve, 3=11849
Gratton,F. See Varsavsky,C.M., 3=1526
Graudy̌nya,L.Ya.,Kostochkin,O.I.,Petrzhak,K.A. and Sorokina,A.V. Gamma'rays produced in inelastic scattering of 2.95 MeV neutrons on Ta^{181} nuclei, 3=6256
Graudy̌nya,L.Ya.,Petrzhak,K.A. and Sorokina,A.V. Gamma-rays produced in inelastic scattering of 2.95 MeV neutrons by I^{127}, La^{139} and Bi^{209}, 3=8106
Gravel,C.L., Kurtz,A.D. and Berman,I. Diffusion doping of phosphorus in the base of silicon tunnel diodes, 3=20361
Gravendeel,D.W. See Plomp,R., 3=21164
Gravenor,R.B. See Long,D.A., 3=6407
Gravenor,R.B. See Long,D.A., 3=20006
Graves,H.W., Jr,Lombardo,J.J. and Theilacker,J.S. Silver—indium—cadmium, a control rod material for pressurized water reactors, 3=6336
Graveson,R.T. See Cassidy,M.E., 3=24553
Graveson,R.T. See Latner,N., 3=24199
Graveson,R.T. See Meth,I.M., 3982
Gravitt,J.C.,Gross,G.E.,Benson,D.K. and Ascott,A.B. Motion of F centres in KCl and KI, 3=6544
Gray,E. Thermal effects on space charge limited current flow in solids, 3=15527
Gray,E.M.H. See Garscadden,A., 3=7609
Gray,J.,Jr. and Hagemann,F. A thermal neutron fission counter for nuclear and analytical measurements, 3=4289
Gray,J.E. See Bussey,H.E., 3=13103
Gray,K.W. See Clough,S., 3=6762
Gray,K.W. See Clough,S., 3=20674
Gray,L.,Harth,E.,Leitner,J.,Auman,J.,Block,M.M.,Gessaroli,R., Kopelman,T.,Ratti,S.,Grimellini,L.,Kikuchi,T.,Lendinara,L. and Monari,L. The Λ^0-decay asymmetry parameter and the K$-\Lambda$ parity, 3=15042
Gray,L. See Bertanza,L., 3=7935
Gray,L.D. and Penner,S.S. Radiative energy transfer to centrally located areas in cylindrical and conical chambers containing isothermal, grey emitters, 3=11993
Gray,P. and Wright,P.G. Thermal capacity of a saturated isomerizing vapour, 3=11833
Gray,P.E. Approximate dynamic response calculations for thermoelectric Peltier-effect devices, 3=23030
Gray,P.V. Observation of surface and impurity states in silicon by oxide layer tunnelling, 3=4916
Gray,P.V. Tables of the conductivity coefficients in transverse magnetic fields K(γ) and L(γ), 3=10754
Gray,W.M. On the balance of forces and radial accelerations in hurricanes, 3=5199
Graybeal,J.D. and Roe,D.W. Microwave spectrum and dipole moment of monofluoroacetonitrile, 3=4772
Grazhdankina, N.P. and Rodionov, K.P. Effect of pressure on the magnitude of the threshold field and temperature of the antiferromagnetic transformation of $MnAu_2$, 3=18116
Graziano,W. and Wojcicki,S.G. K-p interactions at 1·15 BeV/c, 3=2321
Grea,J. Study of the simulation of inelastic events in π^-—N cascades, 3=12484
Grea,J. See Laverriere,R., 3=12486
Greaves,C. An automatic replenishment system for liquid nitrogen traps, 3=18868
Grebenikov,E.A. See Aksenov,E.P., 3=16437
Grebennik,I.P. See Pines,B.Ya., 3=22808
Grebennikov,B.V. See Trubnikov,G.R., 3=5552
Grebinnik,V.G. See Blokhintseva,T.D., 3=6044
Grebinnik,V.G. See Blokhintseva,T.D., 3=22176
Grebinnik,V.G. See Blokhintseva,T.D., 3=22177
Grebinnik,V.G. See Blokhintseva,T.D., 3=24558
Grecescu,M. See Leibovici,I., 3=21279
Grechikhin,L.I. Broadening of the 4982.8 a sodium line in the direct current arc jet, 3=9757
Grechikhin,L.I. and Min'ko,L.Ya. Structure of the plasma jet from a pulsed discharge, 3=14569
Grechikhin,L.I. and Shimanovich,V.D. Investigation of the jet of a plasma generator, 3=9809
Grechishkin,V.S. and Kyyntsel,I.A. Relative intensities of nuclear quadrupole resonance lines of Sb^{121} in antimony trichloride, 3=15968
Grechishkin,V.S. and Soifer,G.B. Changes in the multiplet structure of nuclear resonance in crystals of $CCl_3C(OH)_2C_2H_5$, 3=15964
Grechishkin,V.S.,Zlatogorskii,M.L. and Osipenko,A.N. Magnetic screening of the Na^{23} nucleus in alkali-halide crystals, 3=23272
Grechukhin,D.P. Magnetic dipole transitions in even-even nuclei with quadrupole collective excitations, 3=4585
Grechukhin,D.P. Magnetic dipole transitions in even nuclei and purity of separation of collective quadrupole degrees of freedom, 3=7981
Grechukhin,D.P. Two-quantum transitions of atomic nuclei. II, 3=24850
Grechushnikov, B.N. and Petrov, I.P. Precision of Waterman's polarimeter, 3=1837
Grechushnikov,B.N. and Petrov,I.P. A polarizer for the infrared region of the spectrum, 3=16810
Grechushnikov,B.N. See Gerasimov,Yu.M., 3=20775
Grecu,D. Spectral distribution of defects in a solid caused by irradiation, with approximation to rigid spheres, 3=8417
Greday,T. See Gielen,P., 3=20899
Greebe,C.A.A.J. On the frequency-dependence of the acousto-electric effect in piezo-electric semiconductors, 3=10755
Greebe,C.A.A.J. The physical properties of grown P-i-N junctions in silicon carbide, 3=13082
Greebe,C.A.A.J. and van der Maesen,F. Graphical approach to small injections in semiconductors, 3=20279
Greebe C.A.A.J. See van der Maesen,F., 3=10751
Green,A.,Prutton,M. and Carter,W.S. A polarizing microscope for observation of magnetic domains, 3=24010
Green,A.C. See Bame,S.J., 3=15066
Green,A.E. Boundary-layer equations in the linear theory of thin elastic shells, 3=88
Green,A.E. A note on wave propagation in initially deformed bodies, 3=11851
Green,A.E.S. and Griggs,M. Infrared transmission through the atmosphere, 3=18550
Green,A.M. The effect of velocity dependent forces in nuclear matter. II, 3=6132
Green,A.W.,Jr. See Burch,J.J., 3=13841
Green,A.W.,Jr and List,B.H. The use of a total-field magnetometer in the magnetotelluric method of vertical resistivity profiling, 3=13821
Green,D. and Nelson,K.A. An automatic X-ray isodose plotter, 3=19391
Green,D.K. See Powles,J.G., 3=6421
Green,D.R. High speed instrument for quantitative mapping, 3=1649
Green,G.W. See Bardsley,W., 3=25665
Green, H.S. The long-range correlations of various Ising lattices, 3=3249
Green,H.S. See Storer,R.G., 3=1655
Green,J.H. See Tao,S.J., 3=24706
Green,J.H.S. Raman spectroscopy: recent advances and applications, 3=5517
Green,J.J. and Healy,B.J. Parallel pumping in planar Zn_2Y, 3=15885
Green,J.J. See Schlömann,E., 3=15899
Green,J.W. See Blue,G.D., 3=21638

Green,L.A. See Allen,N.L., 3=7596
Green,L.A. See Allen,N.L., 3=21813
Green,L.G. See Gunn,S.R., 3=6913
Green,L.L. See Andrews,P.T., 3=4665
Green,M. Experimental investigation of electrode geometrics having transverse magneto-resistance equivalent to that of a Corbino disk, 3=12237
Green,M. A Monte Carlo calculation of the spatial distribution of characteristic X-ray production in a solid target, 3=21019
Green, M, Jendrasic, V. and McBreen, J. Surface states at the germanium–electrolyte cathode, 3=17689
Green,M. and Liberman,A. Kinetics and mechanism of oxygen adsorption of single crystals of germanium, 3=3365
Green,M.S. See McIntyre,D., 3=9459
Green,R.J. See Ellis,G.R.A., 3=9283
Green,R.M. See Davy,D.R., 3=15128
Green,T.A. On the derivation of Maxwell's equations and the boundary conditions from Coulomb's law, 3=471
Green,T.G. See Kump,H.J., 3=21928
Green,T.S. An investigation of the theta pinch using magnetic pick-up loops, 3=12145
Green,T.S. Plasma containment in the theta pinch, 3=19265
Green,T.S. See Bodin,H.A.B., 3=12155
Green,T.S. See Bodin,H.A.B., 3=12156
Green,T.S. See Fisher,D.L., 3=2004
Greenaway,D.L. and Cardona,M. Reflectivity measurements in InSb—In$_2$Te$_3$ and InAs—In$_2$Te$_3$ alloys and on pure InSb, InAs and In$_2$Te$_3$, 3=10910
Greenaway, D.L. See Cardona, M., 3=17979
Greenberg,A. See Furst,M., 3=5902
Greenberg,N.I. Binary kernal formulation of a Heisenberg model of ferromagnetism, 3=13238
Greenberg,O.W. and Licht,A.L. Quantum field-theory model whose truncated vacuum expectation values vanished beyond some order, 3=14846
Greenberg,O.W.,Schnitzer,H.J. and Sudarshan,E.C.G. Completeness identity in field theory, 3=46
Greendale,A.E. and Love,D.L. A system for rapid handling of an irradiated solution, 3=24885
Greene,E.F. See Beck,D., 3=6914
Greene,J.M. See Johnson,J.L., 3=12191
Greene,J.M. See Johnson,J.L., 3=21949
Greene,N.D. See Steigerwald,R.F., 3=11350
Greene,P.[Ed.]. Proceedings of the First International Congress on Diamonds in Industry, 3=12889
Greene,R.F. Nonlocal transport and cuspidal surface mobility in semiconductors, 3=20285
Greene, R. F. See Zemel, N. J., 3=2858
Greener,E.H.,Fehr,G.A. and Hirthe,W.M. Electrical conductivity of near-stoichiometric α-Nb$_2$O$_5$ in the temperature range 900° to 1400°C, 3=8527
Greener,E.H.,Fitzgerald,D.J. and Hirthe,W.M. Pulse currents in rutile, 3=13108
Greenfield,A.J. Hall coefficients of liquid metals, 3=7218
Greenfield,I.G. The effect of radiation-produced prismatic dislocations on glide dislocations in copper, 3=17760
Greenfield,I.G. and Wilsdorf,H.G.F. Point defect clustering in nickel, 3=22721
Greenfield,I.G. See Takamura,J., 3=22745
Greenhill,J.G. See Edwards,P.J., 3=6191
Greenhouse,H.M. See Vergara,W.C., 3=16135
Greenhow,J.S.,Sutcliffe,H.K. and Watkins,C.D. Some recent observations of ionospheric backscatter at 300 Mc/s, 3=13717
Greenhow,J.S.,Sutcliffe,H.K. and Watkins,C.D. The electron scattering cross-section in incoherent backscatter, 3=13772
Greenhow,J.S. and Watkins,C.D. The interpretation of meteor echoes observed at a frequency of 300 Mc/s, 3=13925
Greenland,L.P. and Lovering,J.F. Selective volatilization from tektites, 3=9015
Greenleaves,I. See Hodkinson,J.R., 3=11939
Greenlees,G.W. See Craig,R.M., 3=8085
Greenlees,G.W. See Robbins,A.B., 3=12661
Greenler,R.G. Infrared study of the adsorption of methanol and ethanol on aluminium oxide, 3=3362
Greenler,R.G. An image reducer-immersed detector system for the infrared, 3=7314
Greenstadt,E.W. Effect of solar activity regions on the interplanetary magnetic field, 3=16329
Greenstadt,E.W. See Crook,G.M., 3=16306
Greenstein,J.L. The spectrum of comet Humason (1961e), 3=5248
Greenstein,J.L. and Matthews,T.A. Red-shift of the unusual radio source 3C 48, 3=13932
Greenwood,D.A. See Conway,J.M., 3=10965
Greenwood, D.D. Approximate calculation of the dimensions of traveling-wave envelopes in four species, 3=3658
Greenwood,G.W. See Johnson,R.H., 3=1354
Greenwood,J.A. Implicit numerical methods for the heat conduction equation, 3=1851
Greenwood,R.C. Gamma-decay scheme of the 4·4 min Rh^{104m} isomer, 3=4569
Greenwood,R.C. Low-energy nuclear level scheme of Rh^{104}, 3=4570
Greer,K.M. Some magnetic properties of finely divided ferric oxides and hydroxides, 3=3112
Grégoire,M. See Briffod, G., 3=388
Gregor,L.V. and Pitzer,K.S. Silver oxide: the heat capacity from 2 to 80° K and the entropy; the effects of particle size, 3=769
Grégory,B. See d'Andlau,C., 3=17328
Gregory,B.C. and Sander.K.F. A study of some properties of an electro-static quadrupole lens using an automatic electron trajectory tracer, 3=442
Gregory,D.A. See Sharpless,N.E., 3=14346
Gregory,D.P. Temperature variation of flow stress in body centered cubic metals, 3=13352
Gregory,D.P. Quenching lattice vacancies in b.c.c. metals, 3=22732
Gregory,J.B. Residual ionization in the polar lower ionosphere, 3=9082
Gregory,J.B. Particle influx at high latitudes. I. Temporal and latitude variations, 3=22247
Gregory,J.B. Particle influx at high latitudes. II. Solar protons, 3=22248
Gregory,J.E. and Wijnen,M.H.J. Photolysis of mixtures of diethyl ketone and carbon tetrachloride, 3=18455
Gregory,N.W. The condensation coefficient and the vaporization process, 3=19070
Gregory,N.W. and Wydeven,T. The ferrous chloride—ferrous bromide system at 400°, 3=25710
Gregory,R.W.,Harris,S.L. and Munro,R.G. A method of measuring transmission error in spur gears of 1 : 1 ratio, 3=7171
Greguss,P. The effect of sound on combustion processes, 3=16715
Greider,K.R. Scattering approximation for long range forces, 3=2222
Greifinger,C. and Cole,J.D. Similarity solution for cylindrical magnetohydrodynamic blast waves, 3=7542
Greig,J.R. and Curzon,F.L. The superposition of streak-camera records, 3=7584
Greig,J.R. See Cooper,J., 3=261
Greig,J.R. See Cooper,J., 3=21541
Greindl, F. See de Hemptinne,M., 3=4763
Greiner,W. Qualitative discussion of the collective potential energy in the quasi-spin model, 3=10218
Greiner,W. and Scheck,F. μ-mesic atom experiments and shell-structure, 1=481
Greku,D. See Korchovei,A., 3=17799
Grellier,Y.M. See Brun,R., 3=1762
Grémillet,J. Propagation of the "Helicon" mode in semiconductors for metre and decametre waves, 3=22921
Grenacs,L. See Deutsch,J.P., 3=22309
Grenet,G. See Launay,L., 3=23573
Grenier, C.G., Reynolds, J.M. and Sybert, J.R. Electron transport phenomena in bismuth at liquid-helium temperatures, 3=25354
Grenier,C.G.,Reynolds,J.M. and Zebouni,N.H. Electron transport phenomena in zinc at liquid-helium temperatures, 3=8492
Grenier,G. and White,D. λ-anomaly in the heat capacity of para enriched solid deuterium, 3=2732
Grenier,G. See Depraz,J., 3=2276
Grenier,G. See Depraz,J., 3=7987
Grenier,P. See André,J.P., 3=13370
Grenot,M. and Huber,M. Contribution to the study of the system Mg(Ga$_{2-x}$Mn$_x$)O$_4$, 3=13486

Greshilov,E.M. A theoretical and experimental study of the end correction for a slot placed transversely in a rectangular tube, 3=21497
Gresser,H. See Bieger,W., 3=21780
Gresser,H. See Bieger,W., 3=21811
Greve,W. See Buchdahl,H.A., 3=5559
Grey,D.S. Aberration theories for semiautomatic lens design by electronic computers. I. Preliminary remarks, 3=14311
Grey,D.S. Aberration theories for semiautomatic lens design by electronic computers. II. A specific computer program, 3=14312
Grey,J. Sensitivity analysis for the calorimetric probe, 3=21605
Grey,N.R. See Staveley,L.A.K., 3=12927
Grgin,E. On the observation of the Lorentz contraction, 3=18710
Gribanov,S.A. See Kuznetsov,V.D., 3=3233
Gribaumont,A. Transfer nuclear reactions. IV, 3=22355
Gribbon,P.W.F. and Jackson,L.C. The thickness of moving helium II film, 3=19084
Gribi,M. and Wegmann,L. A new high-vacuum 120 kV electron diffraction unit, 3=20950
Gribkov,V.I. See Zhevandrov,N.D., 3=2691
Gribkovskii,V.P. See Anan'ev,Yu.A., 3=24517
Gribnikov,Z.S. See Gorbach,T.Ya., 3=23024
Gribov,L.A. A general formula for the intensities of overtones and combination tones in infrared spectra of polyatomic molecules, 3=10526
Gribov,L.A. Investigation of multiatomic molecules by the intensities of their infrared absorption spectra, 3=25076
Gribov,L.A. and Popov,E.M. Valence-optical diagram and theoretical investigation of the intensity and polarization of the absorption spectrum bands of multiatomic molecules, 3=25114
Gribov,L.A. and Smirnov,V.N. Intensities in the infrared absorption spectra of polyatomic molecules, 3=15323
Gribov,L.A. See Popov,E.M., 3=15366
Gribov,V.N. Theory of reactions involving the formation of three particles near the threshold decay, 3=604
Gribov,V.N. Partial waves with complex orbital momenta and the asymptotic behavior of the scattering amplitude, 3=4357
Gribov,V.N. Analytic properties of partial wave amplitudes and the asymptotic behaviour of the scattering amplitude, 3=5957
Gribov,V.N. Analytic properties of partial wave amplitudes and asymptotic behaviour of scattering amplitude, 3=7801
Gribov,V.N. Fermion Regge poles and the asymptotic behaviour of meson—nucleon large-angle scattering, 3=14994
Gribov,V.N. Fermion Regge poles and asymptotics of scattering of mesons on nucleons through large angles, 3=19662
Gribov,V.N.,Danilov,G.S. and Dyatlov,I.T. Analytic properties of the square diagram with decay masses, 3=569
Gribov,V.N. and Dyatlov,I.T. Contribution of three-particle states to the spectral function equation, 3=5969
Gribov,V.N. and Dyatlov,I.T. Analytic continuation of the three-particle unitarity condition simplest diagrams, 3=5970
Gribov,V.N.,Ioffe,B.L.,Pomeranchuk,I.Ya. and Rudik,A.P. Some consequences of the hypothesis of the moving poles for processes at high energies, 3=5960
Gribov,V.N.,Kolkunov,V.A.,Okun',L.B. and Shekhter,V.M. A covariant deduction of the Weizsäcker-Williams formula, 3=4376
Gribov,V.N. and Pomeranchuk,I.Ya. Properties of the elastic scattering amplitude at high energies, 3=2209
Gribov,V.N. and Pomeranchuk,I.Ya. Complex angular momenta and the relation between the cross-sections for different processes at high energies, 3=5965
Gribov,V.N. and Pomeranchuk,I.Ya. Some properties of the high-energy elastic scattering amplitude, 3=7811
Gribov,V.N. and Pomeranchuk,I.Ya. Regge poles and Landau singularities, 3=14923
Gribov,V.N. and Pomeranchuk,I.Ya. Limitation on the rate of decrease of amplitudes for various processes, 3=17223
Gribov,V.N. See Anisovich,V.V., 3=550
Gribov,V.N. See Anisovich,V.V., 3=2199
Gribov,V.N. See Volkov,D.V., 3=24714
Gridin, V.A. and Kikoin, I.K. Nonstationary photomagnetic effect in Ge single crystals, 3=17966
Grieder,P.K.F. Large spark chamber as core analyser for extensive air showers, 3=15056
Griem,H.R. Stark broadening of isolated spectral lines from heavy elements in a plasma, 3=701
Griem,H.R. High-density corrections in plasma spectroscopy, 3=1961
Griem,H.R. Wing formulae for stark-broadened hydrogen and hydrogenic lines, 3=2558
Griem,H.R. Plasma spectroscopy, 3=7577
Griem,H.R. Validity of local thermal equilibrium in plasma spectroscopy, 3=19233
Griem,H.R. and Kolb,A.C. Radiation from high-temperature collision-dominated plasmas, 3=7506
Griem,H.R.,Kolb,A.C.,Lupton,W.H. and Phillips,D.T. Measurements of electron densities and temperatures and other plasma parameters in magnetic compression experiments, 3=12158
Griem,H.R. See Kolb,A.C., 3=12159
Grieveson,P. See Turkdogan,E.T., 3=24120
Griffin, A. A. See Halliday,I., 3=11488
Griffin, C.F. See Thomas, H.C., 3=17431
Griffin,C.W. Analysis of the sodium reactor experiment prompt power coefficient, 3=6333
Griffin,D.A. See McNally,J.R.,Jr., 3=14556
Griffin, J.E. See Anderson, D.W., 3=17453
Griffin,J.E. See Rodda,J.L., 3=19149
Griffin,J.J. See Rich,M., 3=19743
Griffin,R.F. Positions of optical objects in the fields of 42 radio sources, 3=23711
Griffin,W.G. and McWhirter,R.W.P. An absolute intensity calibration in the vacuum ultra-violet, 3=16767
Griffin,W.G. See Hobbs,G.D., 3=7463
Griffioen,R.D. See Macfarlane,R.D., 3=12637
Griffioen,R.D. See Macfarlane,R.D., 3=24907
Griffith,J.S. Packing of equal O-spheres, 3=7090
Griffith,J.S. Some investigations in the theory of open-shell ions. V. The weak-field coupling scheme for d-electron systems, 3=22526
Griffith, T.C, Imrie, D.C, Lush, G.J, and Metheringham, A.J. Measurement of the depolarization parameter for 50 MeV proton—proton scattering at 70° c.m., 3=17275
Griffiths,D. and Coles,B.R. Magnetic brillouin zone effects in the thermoelectric power and magnetoresistance of α-manganese, 3=20555
Griffiths,D. See Fawcett,E., 3=2757
Griffiths,D.J. See Rieckhoff,K.E., 3=8714
Griffiths,G.M.,Lal,M. and Scarfe,C.D. The reaction $D(p,\gamma)He^3$ below 50 keV, 3=15045
Griffiths, J.E. Infrared spectra of methylgermane, methyl-d_3-germane, and methylgermane-d_3, 3=17603
Griffiths,J.H.E. See Windsor,C.G., 3=10564
Griffiths,K. See Faulkner,J., 3=21104
Griffiths,R.J. See Batty,C.J., 3=5903
Griffith,R.M. A possible relation between condensation nucleus concentration and the drop-size distribution of continuous warm-front rainfall, 3=18507
Griffiths,T.R. Diffuse reflectance spectra of potassium iodate and some mercuric iodide complexes, 3=23557
Griffiths,T.R. See Blandamer,M.J., 3=13612
Griffy,T.A.,Onley,D.S.,Reynolds,J.T. and Biedenharn,L.C. Partial-wave analysis of the inelastic scattering of electrons by nuclei. I. Results for quadrupole excitations, 3=665
Griffy,T.A. See Brussard,P.J., 3=12573
Griffy,T.A. See Onley,D.S., 3=8081
Griggs,C.F. and Sumner,H.M. Notes on the sensitivity of calculated moderator coefficients to the model and cross-sections used, 3=8155
Griggs,M. See Green,A.E.S., 3=18550
Grigoletto,A. See Bellière,J., 3=24775
Grigorescu,L.,Lazarovici,C.,Mateescu,N. and Şandru,P. Standardization of Co^{60} sources for $\beta-\gamma$ coincidence methods, 3=7822
Grigor'ev,A.D.,Mikhailov,Yu.G.,Reinov,N.M.,Rumyantseva,A.V. and Smirnov,A.P. Apparatus for the production of films by evaporation in vacuum, 3=5148
Grigor'ev,E.L. See Bogachev,N.P., 3=15200
Grigor'ev, E.L. See Bogachev, N.P., 3=17271
Grigor'ev,E.L. See Bogachev,N.P., 3=22389
Grigor'ev,E.P.,Dzhelepov,B.S.,Zvol'ska,V.,Zolotavin,A.V., Malÿsheva,T.V.,Khotin,B.A. and Adam,I. Conversion electrons of short-lived platinum and tungsten isotopes, 3=8052

Grigor'ev,E.P.,Gromov,K.Ya.,Dzhelepov,B.S.,Zhelev,Zh.T., Zvol'ska,V. and Zvol'skii,I. Yb^{166}-Tm^{166}-Er^{166} decay chain, 3=8049

Grigor'ev,N.B. See Damaskin,B.B., 3=20938

Grigor'ev,V.N. Difference in the saturated vapour pressures of krypton and xenon isotopes, 3=21633

Grigor'ev,V.N. and Rudenko,N.S. Density of H_2—D_2 mixtures, 3=21343

Grigor'eva, A.G. See Presnov, V.A., 3=25364

Grigorkin,V.I. Thermomechanical treatment of austenitic steels, 3=23483

Grigorov,N.L.,Tretyakova,C.A.,Shestopierov,V.J.,Babayan,C.P., Bayadsyan,N.G.,Babecki,J.,Loskiewicz,J.,Massalski,J. and Oleś,A. Investigations of energy particles interactions with atomic nuclei at the mountain altitudes, 3=10197

Grigorov,N.L.,Zhuravlev,D.A.,Kondrat'eva,M.A.,Rapoport,I.D. and Savenko,I.A. Searches for antimatter in cosmic rays and outer space, 3=9163

Grigorov,N.L. See Babayan,H.P., 3=6103

Grigorov,N.L. See Babayan,Kh.P., 3=19595

Grigorov,N.L. See Babayan,Kh.P., 3=22237

Grigorov,N.L. See Babetski,S.Yu., 3=4487

Grigorova,V.S.,Lindstrem,I.S.,Sventitskii,N.S. and Sukhenko,K.A. Spectroscopic determination of oxygen in high-melting metals and alloys, 3=25851

Grigorovici,R.,Croitoru,N. and Marinescu,N. Electrical properties and structure of germanium polycrystalline films, 3=8507

Grigorovici,R., Dévényi,A. and Boţilă,T. The electrical conductivity and the Hall constant of cooled layers of thin evaporated films of aluminium, 3=4906

Grigorovici,R.,Dévényi,A. and Boţilă,T. Electrical conductivity and Hall constant of evaporated Al films in vacuum on cooled supports, 3=8494

Grigoruk,L.V. and Melik-Gaikazyan,I.Ya. The effect of thermal treatment and X-irradiation on the activator absorption spectrum of NaCl:Pb, 3=940

Grigor'Yants,V.V. and Oraevskii,I.N. A compensation method of measuring molecular beam operational efficiency, 3=12884

Grigov'ev,V.K. See Vladimirskii,V.V., 3=7861

Grigson,C.W.B. A scanning electron diffraction system, 3=1278

Grigson,C.W.B.,Denbigh,P.N. and Nixon,W.C. Scanning electron diffraction with electron energy analysis, 3=18404

Grigson,C.W.B. See Garrood, J.R., 3=1078

Grigull,U. Optical properties of thermal boundary layers, 3=24076

Grilhe,J. Stress action on a dislocation helix or a prismatic loop, 3=8434

Grilhe,J.,Aucouturier,M. and Guiraldenq,P. Contact surfaces of two phases of a metal in a temperature gradient, 3=11198

Grillot,E. and Bancie-Grillot,M. Fluorescence and luminescence-stimulating absorption of the electron in pure cadmium sulphide, 3=10986

Grimberg,W. See Schliephake,R.-W., 3=12281

Grimellini,L. See Block,M.M., 3=12508

Grimellini,L. See Block,M.M., 3=12570

Grimellini,L. See Gray,L., 3=15042

Grimes,N.W. The use of film in X-ray filter technique, 3=8820

Grimley,T.B. A note on the intensities of n.m.r. absorption lines, 3=15381

Grin,G.A. See Joseph,C., 3=2266

Grin,Yu.T. Moments of inertia of a hot nucleus and angular anisotropy of the fission fragments, 3=15084

Grin',Yu.T. and Pavlichenkov,I.M. Nonadiabatic corrections to the rotational spectrum of atomic nuclei, 3=2350

Grin',Yu.T. and Zaretskii,D.F. On collective excitations in non-spherical nuclei, 3=10238

Grinberg,A. Thermal etching of sodium chloride, 3=23387

Grinberg,A.A. and Nikolaev,I.N. On the question of the photomagnetic effect at a p—n junction, 3=20846

Grinberg,A.P. The microtron, 3=14693

Grinberg,B.A. Interaction of an asymmetrical tilt dislocation boundary with an impurity atom, 3=12968

Grinberg,B.A. Conditions for pinning of dislocations in clusters, 3=17717

Grinberg,G.A. Some types of flow of a conducting fluid in pipes of rectangular cross-section, placed in a magnetic field, 3=2109

Grinchar, N.A. See Bryukhatov, N.L., 3=18076

Grindlay,J. The derivation of the nonlinear elastic equations from a crystal model, 3=13319

Grinevich,G.P. See Kuz'menko,P.P., 3=15511

Gringauz, K.I. The structure of the ionized gaseous envelope of the earth as deduced from direct charged-particle density measurements in the U.S.S.R., 3=3484

Gringauz, K.I. Some results of experiments carried out in space with the aid of charged-particle traps on Soviet space rockets, 3=3539

Gringauz,K.I. The structure of the ionized gaseous envelope of the earth as deduced from direct charged-particle density measurements in the U.S.S.R., 3=21051

Gringauz,K.I. and Gdalevich,G.L. Analysis of the results of simultaneous measurements of the electron concentration in the ionosphere by means of ionospheric soundings and rockets, 3=25922

Gringorten,I.I. A plotting rule for extreme probability paper, 3=11673

Gringorten,I.I. Envelopes for ordered observations applied to meteorological extremes, 3=13657

Grisaru,M.T. See Federbush,P.G., 3=17227

Grisaru,M.T. See Federbush,P.G., 3=17228

Grishaev,I.A.,Grizhko,V.M.,Sikora,D.I.,Shramenko,B.C. and Shkoda-Ul'yanov,V.A. Precision monitor for electron beams, 3=24355

Grishaev,I.A.,Kheifets,M.I. and Shenderovich,A.M. Errors in electron registration due to scattering in the walls of a vacuum chamber and in the air layer in front of counters. I, 3=14812

Grishaev,I.A., Kheifets,M.I. and Shenderovich,A.M. Errors in registration of correlated particles due to their scattering in the walls of a vacuum chamber and in the air layer in front of counters. II, 3=14813

Grishchenko,V.F. See Delimarskiĭ,Yu.K., 3=3400

Grishechkina,S.P. See Shotov,A.P., 3=2931

Grishin,A.F. See Ainutdinov,M.S., 3=6053

Grishin,V.G. See Aripov,R.A., 3=600

Grishin,V.G. See Aripov,R.A., 3=2303

Grishin,V.G. See Bannik,B.P., 3=2481

Grishin,V.G. See Bannik,B.P., 3=4633

Grishin,V.K. Theory of nonlinear betatron oscillations in a strong-focusing accelerator, 3=9892

Grishin,V.K. Particle distribution in beam storage systems, 3=12255

Grishin,V.K. Interaction of space charge and r.f. field in cylindrical accelerators, 3=24418

Grishina,A.D. See Naryadchikov,D.I., 3=4280

Grishina, A.P. See Zubov, V.G., 3=17929

Grishina, S.P. See Fistul', V.I., 3=17861

Grishkevich,A.E. See Kunin,N.F., 3=5623

Griswold,G.M. Numerical calculation of wave refraction, 3=13654

Gritsenko, Yu.I. See Dobrovol'skii, V.N., 3=17845

Gritsȳna,V.T. See Remaev,V.V., 3=6173

Gritsȳna,V.T. See Remaev,V.V., 3=24911

Gritsyuk,Y.N. See Apalin,V.F., 3=2509

Gritsyuk,Yu.N. See Apalin,V.F., 3=8151

Gritsyuk,Yu.N. See Apalin,V.F., 3=10401

Gritsyuk,Yu.N. See Apalin,V.F., 3=17502

Grizhko,V.M. See Grishaev,I.A., 3=24355

Grjebine,T. Accumulation of cosmic dust on the earth, 3=18593

Grodzins,L. See Bauer,R.W., 3=658

Groen,J.J. Inhibitory mechanism of the vestibular system in man in comparison with hearing, 3=3665

Groendijk,H. See Hasker,J., 3=9850

Groeneveld,T. Two theorems on classical many-particle systems, 3=3759

Groenewege,M.P. A theory of magneto-optical rotation in diamagnetic molecules of low symmetry. I. and II, 3=6383

Groenewold,H.J. Regularized models in electrodynamics, 3=4317

Groenig,H. Precursor photoionization and electrons, 3=9550

Groh,G. On the influence of pressure on the electrical conductance of sea water, 3=14182

Grohmann,R. See Schmidt,G., 3=20389

Gromb,S. Study of the electrical properties of pyrocarbons and their thermal variation, 3=20272

Grommé,C.S. See Currie,R.G., 3=18577

Gromov,K. See Abdumalikov,A., 3=22345

Gromov,K. See Bakhmat,A., 3=10265
Gromov,K. See Van Fu-tszyun', 3=8045
Gromov,K. See Vizi,I. 3=10298
Gromov,K.Ya. and Dneprovskii,I.S. Investigation of the conversion electron spectra of neutron-deficient isotopes of erbium and holmium, 3=10308
Gromov,K.Ya.,Dzhelepov,B.S.,Zhelev,Zh.T. and ~~Kudryaveseva,~~= Kudryavtseva,A.V. Investigation of the positron and conversion electron spectra of Tb^{152}, 3=10304
Gromov,K.Ya. See Abdurazakov,A.A., 3=4597
Gromov,K.Ya. See Abdurazakov,A.A., 3=10307
Gromov,K.Ya. See Basina,A.S., 3=6208
Gromov,K.Ya. See Bonch-Osmolovskaya,N.A., 3=24912
Gromov,K.Ya. See Gan Mén-khua, 3=10309
Gromov,K.Ya. See Grigor'ev,E.P., 3=8049
Gromova,I.I. See Goncharov,I.N., 3=2084
Gromova,I.I. See Goncharov,I.N., 3=14726
Grönkvist,B.O. See Sandström,A.E., 3=618
Grönkvist,B.O. See Sandström,A.E., 3=24819
Groom,D.E. and Marshall,J.H. A 25-input pulse-height recording system, 3=3987
Groot De,S.R. On the assignment of strangeness zero to leptons, 3=545
Grosch,C.E. Laminar boundary layer under a wave, 3=1667
Grosch,K.A. Relation between the friction and viscoelastic properties of rubber, 3=16013
Groschwitz,E. Nonlinear deviations from thermodynamic equilibrium in semiconductors for high impulse currents. I, 3=13055
Groschwitz,E. Diagram of state for nonlinear deviations from thermodynamic equilibrium in quasi-neutral semiconductors with impulse currents. I, 3=22919
Groschwitz, E. and Hofmeister, E. Carrier motion in zones of space-charge near the surface, 3=2859
Grosh,R.J. See Holt,V.E., 3=7381
Groshev,I.N. See Morgulis,N.D., 3=24207
Groshev,L.V.,Demidov,A.M.,Ivanov,V.A.,Lutsenko,V.N. and Pelekhov,V.I. Levels of the nucleus of Sm^{150} excited in the (n, γ) reaction, 3=15118
Groshev,L.V.,Demidov,A.M.,Lutsenko,V.N. and Pelekhov,V.I. Gamma-ray and internal conversion electron spectra of the Cd^{113}(n,γ)Cd^{114} reaction, 3=24959
Grosjean,C. See Curtet,R., 3=14090
Grosjean,C.C. On the absolute detection efficiency of a cylindrical scintillation phosphor in the case of an extended plane γ-ray source, 3=10006
Grosjean,C.C. A new approximate one-velocity theory for treating both isotropic and anisotropic multiple scattering problems. I. Infinite homogeneous scattering media, 3=19589
Grosman,M. See Nikitine,S., 3=10935
Grosman,M. See Nikitine,S., 3=10936
Grosmann,M. See Nikitine,S., 3=10932
Grosmann,M. See Nikitine,S., 3=17998
Grosof,G. and Targ,R. Enhancement in mercury—krypton and xenon—krypton gaseous discharges, 3=19190
Gross,E.F. Optical and magneto-optical effects in semiconductor crystals, 3=2994
Gross,E.F. Excitons and their motion in crystal lattices, 3=22689
Gross,E.F., Chzhan Guan-in' [Chuang Kuang-yin] and Solov'ev, L.E. The absorption spectrum in the light blue and blue regions of the spectrum and the effects of deformation in thin specimens of copper oxide, 3=4971
Gross,E.F., Kaplyanskii,A.A. and Agekyan,V.T. Deformation splitting of the light blue and dark blue exciton series in the spectrum of Cu$_2$O crystals, 3=15650
Gross,E.F. and Nedzvetskii,D.S. Resonant and non-resonant radiation of centres in a crystal of GaP and their interaction with phonons of the lattice, 3=8618
Gross,E.F.,Razbirin,B.S. and Permorov,S.A. Free and bound excitons in a crystal of cadmium sulphide and the analogue of the Mössbauer effect in optics, 3=8594
Gross,E.F.,Razbirin,B.S. and Sokolov,V.I. Bound excitons and the band structure of CdS crystals, 3=22688
Gross,E.F. and Shekhmamet'ev,R.I. The complex structure of luminescence excitation spectra of HgI$_2$ and PbI$_2$ crystals, 3=6669
Gross,E.F. and Suslina,L.G. Luminescence spectrum of hexagonal ZnSe single crystals, 3=23109
Gross,E.F.,Suslina,L.G. and Livshits,A.I. Investigation of reflection and luminescence of zinc telluride single crystals, 3=25467
Gross, E.F, Zhilich, A.G, Zakharchenya, B. P, Makarov, V.P. and Sibilev, A.I. Investigation of the Zeeman effect in the yellow exciton series in strong magnetic fields, 3=18002
Gross, E.F., See Agekyan, V.T., 3=18001
Gross,E.G.,Kaplyanskii,A.A.,Agekyan,V.T.and Bulyanitsa,D.S. Polarization of the yellow exciton series in the spectrum of Cu$_2$O on deformation of the crystals, 3=3005
Gross,E.P. Low lying states of a system of interacting bosons, bosons, 3=79
Gross,E.P. Hydrodynamics of a superfluid condensate, 3=11729
Gross,F. and Aussenegg,F. The determination of the exchangeability of ionic charge in quartz crystals, 3=17788
Gross,F. and Aussenberg,F. Origin of oscillations in quartz electrolysis, 3=25412
Gross,G.E. See Gravitt,J.C., 3=6544
Gross,G.W. Four-electrode method for measuring the direct-current resistivity of ice, 3=3973
Grossberg,A.B. Simple e.s.r. experiments at low magnetic fields, 3=5807
Grosse,A.V. High-temperature research, 3=21602
Grosse,A.V. See McGonigal,P.J., 3=23838
Grosser,A.E.,Iczkowski,R.P. and Margrave,J.L. New velocity selector for molecular beams, 3=12883
Grossetête,B.,Treille,D. and Lehmann,P. Elestic electron—deuteron scattering at small momentum transfer and the electromagnetic structure of the neutron, 3=5985
Grossetête,B. and Lehmann,P. Elastic electron—deuteron scattering at low momentum transfers, 3=14959
Grossetête, B., Treille,D. and Lehmann,P. Elastic electron—deuteron scattering at low momentum transfers, 3=19612
Grossetti,E. See Carrelli,A., 3=6769
Grosskopf,H. Conditions for optimum picture reproduction in television, 3=7312
Grosskopf,J. See Bean,B.R., 3=513
Grosskreutz,J.C. Development of substructure in polycrystalline aluminium during constant-strain fatigue, 3=11328
Grosskreutz, J.C. The formation of substructure in aluminium during alternating plastic strain, 3=17749
Grosskreutz,J.C. and Waldow,P. Substructure and fatigue fracture in aluminum, 3=20742
Grosskreutz,J.C. See Roberson,J.A., 3=20750
Grossman,L.M. See Chambré,P.L., 3=24998
Grossman,R.A. See Fowler,E.C., 3=12496
Grossmann-Doerth,U. and Junker,J. Experimental investigations of run-away electrons in a hydrogen plasma, 3=12104
Grossmann-Doerth,U.,Lotz,W.,Remy,E. and Wolf,G. Investigation of plasma confinement in a toroidal theta pinch with M + S—like configurations, 3=7569
Grosso,R.P. See McCubbin,T.K.,Jr, 3=24022
Grosvald,G. and Loriers,J. Contribution to the dielectric study of praseodymium oxides, 3=8552
Grosvalet,J.,Motsch,C. and Tribes,R. Physical phenomenon responsible for saturation current in field effect devices, 3=13101
Groszkowski.J. High vacuum clean metal surface pump, 3=23948
Grotenhuis,M. See Walker,R.L., 3=17516
Groth,R. and Kauer,E. Production of light by selective thermal radiators, 3=23993
Groth,W. See Buschmann,H.W., 3=20989
Grothe,H. and Schimmel,G. Electron diffraction patterns from sodium soaps, 3=16145
Grotowski,K. See Budzanowski,A., 3=6282
Grotowski,K.A. See Robbins,A.B., 3=12661
Grove,D.J.,Sinclair,R.M.,Stodiek,W.,Harries,W.L. and Goldberg,L.P. Some preliminary results on containment time in the model C stellarator, 3=12190
Grover,J.R. See Hudis,J., 3=4641
Grover,N.B. and Oren,R. Majority—carrier mobility on germanium surfaces, 3=15574
Groves,G.V. Initial expansion to ambient pressure of chemical explosive releases in the upper atmosphere, 3=21047
Groves,G.W. Radiation damage in MgO, 3=17761
Groves,G.W. and Kelly,A. Independent slip systems in crystals, 3=16000
Groves,G.W. and Kelly,A. Prismatic dislocation loops in cold-worked and annealed MgO crystals, 3=25277

Groves,G.W. and Kelly,A. The dislocation distribution in plastically deformed magnesium oxide, 3=25283
Groves,G.W. and Kelly,A. Neutron damage in MgO, 3=25310
Groves, G.W. and Whelan, M.J. The determination of the sense of the Burgers vector of a dislocation from its electron microscope images, 3=803
Groves,S. See Feinleib,J., 3=25495
Groves,T.H. Elastic scattering of lambda hyperons from protons, 3=7931
Grubb,D. See Waterhouse,R.B., 3=13378
Grube,W.L. See Rouze,S.R., 3=18360
Gruber,B. The influence of a three-body force on the binding of three nucleons, 3=22219
Gruber,G.M. See Gledhill,J.A., 3=9270
Gruber,H.E.,King,W.L. and Link,S. Moon illusion: An event in imaginary space, 3=11628
Gruber,J. See Bergmann,W.H., 3=17128
Gruber,J.B. Analysis of the spectra of tripositive praseodymium in ethylsulfate crystals, 3=10959
Gruber,J.B. See Krupke,W.F., 3=25457
Gruber,S.,Bekefi,G. and Brown,S.C. Measurements of turbulence in an r.f. discharge, 3=7470
Grüebler,W. and Gibbs,W.R. Angular correlation measurements for the stripping reaction Ne^{20} $(d,n\gamma)$ Na^{21}, 3=10377
Grüebler,W. and Rossel,J. A study of the $N^{14}(d,n)O^{15}$ stripping reaction, 3=2486
Grüebler,W.,Seylaz,J. and Rossel,J. Measurement of the first excited state of Na^{21} by means of $(n-\gamma)$ coincidences, 3=2385
Gruen,D.M. See Cafasso,F.A., 3=13237
Gruen,D.M., Se Carnall,W.T., 3=9462
Gruhle,W.,Lauterjung,K.H.,Schimmer,B. and Schmidt-Rohr,U. Experimental investigation of the Gell-Mann theory of β-decay. $\beta-\alpha$ angular correlation in the decay of Li^8, 3=12619
Gruhle,W. See Ostertag,H., 3=353
Grum,F. Modification of a Beckman spectrophotometer for direct measurements of spectral energy distribution of light sources, 3=18991
Grum-Grzhimailo,S.V.,Brilliantov,N.A.,Sviridova,R.K., Sukhanova,O.N.and Kapitonova,M.M. Absorption spectra of beryls coloured with iron at temperatures from 290 to 1·7°K, 3=3001
Grum-Grzhimailo,S.V., Brilliantov,N.A., Sviridov,D.T., Sviridova,R.K. and Sukhanova,O.N. Absorption spectra of crystals containing Fe^{3+} at temperatures down to 1·7°K, 3=15681
Grum-Grzhimailo,S.V.,Brilliantov,N.A.,Volkova,N.V., Dobrzhanskii,G.F. and Sviridov,D.T. The spectra of light absorption by single crystals of nickel ammonium sulphate at temperatures from 290° to 1.7° K, 3=13180
Grun,J.B. New data on the absorption of cuprous oxide. I-II, 3=13170
Grun,J.B. and Nikitine,S. Study of the shape of the lines of the yellow and green series of cuprite, 3=25455
Grun,J.B. See Deiss,J.L., 3=20474
Grun,J.B. See Nikitine,S., 3=2765
Grun,J.B. See Nikitine,S. 3=4972
Grun,J.B. See Nikitine,S., 3=10932
Grun,J.B. See Nikitine,S., 3=10934
Grun,J.B. See Nikitine,S., 3=10935
Grun,J.B. See Nikitine,S., 3=10936
Grun,J.B. See Nikitine,S., 3=23068
Grünbaum,E. See González,C., 3=18379
Grunberg,J.G. See Seiden,P.E., 3=15927
Grunberg,L.,Jamieson,D.T. and Scott,D. Hydrogen penetration in water-accelerated fatigue of rolling surfaces, 3=25644
Grunditz,Y. See Han,K.S., 3=8015
Grunditz,Y. See Parker,W., 3=15125
Grundy,P.J. and Tebble,R.S. Electron microscope observations of ferromagnetic domains in face centred cubic cobalt, 3=20605
Grunzweig,J.,Zamir,D. and Zak,J. Nuclear relaxation time in mixed sodium salts, 3=8738
Grupen,W. See Sines,G., 3=22697
Gruverman,I.J. and Schivley,J.K. Iodine-125 makes a better low-energy gamma radiography source, 3=21150
Gruzdev,P.F. Relative oscillator strengths in the spectrum of the cobalt ion Co II, 3=8181
Gruzinskii,V.V. See Borisevich,N.A., 3=15320
Grycz,J. On a certain solution of homogeneous displacement equations of Lamé in elastostatics, 3=23815
Grynberg,M. and Koba,Z. Symmetry property of relative coordinates (or momenta) in a system of n identical particles, 3=12422
Grynberg,M. and Koba,Z. Four-pion wave functions, 3=14999
Gryvnak,D.A. See Burch,D.E., 3=14216
Grzedzielski,S. A mechanism of gas expansion from the central parts of the galaxy, 3=16418
Gschneidner,K.A., Jr,Elliot,R.C. and Waber,J.T. Influence of alloying on the negative thermal expansion of delta plutonium, 3=22669
Gschneidner, K.A.Jr.and Vineyard, G.H. Departures from Vegard's law, 3=3319
Gschwendtner,A.B. and Swenson,G.W.,Jr. Low insertion-loss, capacity scanned goniometer for Faraday rotation measurements in the v.h.f. range, 3=19440
Gu Shu-chshao. See Shaskol'skaya,M.P., 3=13383
Gualdi,C. See Boccaletti,D., 3=23693
Gualdi,C. See de Sabbata,V., 3=19886
Gualtieri,J.G. and Kerecman,A.J. Analysis of epitaxially grown semiconductor layers by means of light figures, 3=8813
Guan Bei'-Yan' [Kuang Wei-yen]. Investigation of the temperature discontinuity at the boundary between a solid body and superfluid helium, 3=5570
Guarise,G.B. A manometric piston gauge up to 3000 ATM, 3=1652
Guba,A.I. The problem of the energy and angular distributions of secondary electrons in secondary electron emission, 3=2022
Gubanov,A.I. Electron spectra in one-dimensional and three-dimensional models of liquids, 3=1674
Gubanov A.I. Energy bands and impurity levels in amorphous semiconductors, 3=10747
Gubanov,A.I. Local fluctuation levels in amorphous semiconductors, 3=20283
Gubanov,A.I. and Chevychelov,A.D. Theoretical estimates of the energy of chain rupture in solid polymers, 3=20038
Gubanov,A.I. and Nran'yan,A.A. Dependence of the frequency spectrum of a simple cubic lattice on deformation, 3=20078
Gubanov,A.I. and Pushkarev,O.E. Viscous boundary layer in magnetohydrodynamics with finite $\omega\tau$, 3=21959
Gubanov,V.G. See Lyubavin,Yu.P., 3=2019
Guberman,Sh.A. and Kozhevnikov,D.A. The determination of the actual variation of a field from its integral characteristics, 3=18488
Gubkin,A.A. See Al'tshuler,L.V., 3=1756
Gubkin,A.N., Kashtanova,A.M., Potapov,E.V. and Solodukhin,A.V. Nonlinear properties and phase transitions of strontium-bismuth titanates, 3=15620
Gubkin,A.N. See Adirovich,É.I., 3=6606
Gubler,W. See Aubrey,J.E., 3=15582
Gücer,D.E.and Gurland,J. Comparison of the statistics of two fracture modes, 3=1243
Gudefin,E. and Husson,R. Analogue representation of cylindrical distribution of a sinusoidal current, 3=19162
Gudmundsen,R.A.,Marsh,O.J. and Matovich,E. Fluorescence of europium thenoyltrifluoroacetonate. II. Determination of absolute quantum efficiency, 3=23889
Gudmundsson,R. The analytic and boundedness properties of a three point function in a quantum-electrodynamic-like model, 3=7778
Gudzenko,L.I. See Chertoprud,V.E., 3=5258
Gudzin,M.G.and Holle,E.G. Seismological observatories, 3=5182
Guelke,C.B. See Kuffel,E., 3=4095
Guènault,A.M. and MacDonald,D.K.C. Electron and phonon scattering. II. Thermoelectricity in rubidium, caesium and alloys at very low temperatures, 3=23027
Guénault,A.M. and MacDonald,D.K.C. Non-linear Brownian movement of a generalized Rayleigh model. II. Extension of the model to include "sticky" collisions, 3=23771
Guénault,A.M. and MacDonald,D.K.C. Time-dependent solutions of transport equations, 3=23805
Guénebaut,H. See Pannetier,G., 3=12876
Guenin,M. See Stueckelberg,E.C.G., 3=7111
Guennoc,H., Anger,H. and Malard,M. Experimental studies of the mixed semiconductor $Mg_2Sn_xPb_{1-x}$, 3=869
Guentert,O.J. and Klein,C.A. Preferred orientation and anisotropy ratio of pyrolytic graphite, 3=20778
Guercione,J.A. and Wijnen,M.H.J. Recombination and disproportionation reactions of iodine atoms and ethyl radicals, 3=8972

Guerin,P. Corrected reflectivity curve of a bright region of Mars at the centre of the disk in opposition, 3=9179
Guerin,P. Continuous spectrophotometry (between 3200 and 6100A) of a light region of Mars at opposition, and the nature of the violet layer, 3=18602
Guerreschi,L. and Romita,R. Constitution and thermal behaviour of aluminium blacks. The powder pattern of CrO, 3=23369
Guerriero,L. See Chrétien,M., 3=24787
Guest,G.H. See Barrow,C., 3=14692
Gugan,D. The effect of pressure on the electrical resistance of lithium, 3=22895
Gugan,D. See Dugdale,J.S., 3=828
Gugan,D. See Dugdale,J.S., 3=7410
Gugelot,P.C. See Morinaga,H., 3=22428
Guggenheim,H. Growth of highly perfect fluoride single crystals for optical masers, 3=23397
Guggenheim,H.J. See Ferguson,J., 3=19993
Guggenheimer,K.M. Particle masses, 3=17230
Guha,B.C. Occurrence of maximum and minimum in the principal magnetic susceptibility versus temperature curves, 3=13231
Guibé,L. A study of new pure quadrupole resonances of nitrogen nuclei, 3=2656
Guidini,J. Charge exchange and dissociation of H_2^+ ions, 3=7445
Guidoni,P. See Bizzarri,R., 3=6026
Guidotti,C.,Maestro,M. and Scrocco,E. Calculation schemes and programs for integrals useful in problems of electronic molecular structure. I. General outlines—one-electron and two-electron one-center integrals, 3=8225
Guidotti,C. See Morandi,M.C., 3=22532
Guildner,L.A. and Stimson,H.F. Vacuum-tight cylinder joints and ball-and-socket joints, 3=18869
Guillaud,C. See Bernard,R., 3=24372
Guillaud,C. See Paulus,M., 3=1083
Guillaume,J.R. See Boutin,H., 3=8551
Guillemet,C. Refractometry with the waves generated at an interface, 3=16751
Guillermin,J. Standardization of absorption coefficient measurements in reverberation chambers, 3=14280
Guillien,R. See Baé,P., 3=23001
Guinea-Moorehead,M. See Escoubès,B., 3=19630
Guinet,P. Times of oscillation of a ferroelectric monocrystal of yttrium manganate ($MnYO_3$) under the action of voltage pulses with a steep rise, 3=25402
Guinier,A. Segregation zones in solid solutions: introduction to the discussion, 3=8875
Guinier,A. See Bousquet,C., 3=25660
Guinier,A. See Lambert,M., 3=22870
Guinier,A. See Yannaquis,N., 3=3301
Guiragossian,Z.G.T. Study of pion—pion resonances in 3.3 BeV π^---p interactions, 3=22172
Guiraldenq,P. and Lacombe,P. Structural and energetic study of the $\alpha \rightleftharpoons \gamma$ interface of iron by autoradiography, 3=13494
Guiraldenq,P. See Grilhe,J., 3=11198
Guirao,M. See Stevens,S.S., 3=3674
Guiraud,J.P. Value of the intensity of the ballistic noise produced by supersonic flight, in the vicinity of a caustic, 3=14245
Guiraud,J.P. Analysis of irreversibilities in a radiating gas, 3=14429
Guittard,J. Terminal impedances of cylindrical resonance tubes, 3=5498
Guizonnier,R. and Mouclier,M. Mode of electric conduction of insulating liquids containing water particles, illustrated by a study of the potential distribution (mean fields less the 2 kV/cm), 3=9478
Guizonnier,R. See Bui Dinh-Vuong, 3=20372
Gukhman,A.A. Application of the entropy method to investigation of transonic adiabatic flows, 3=163
Gukova,Yu.Ya. See Ugaĭ,Ya.A., 3=22956
Gul',V.E., Lushcheĭkin,G.A. and Dogadkin,B.A. Investigation of electrical charges appearing during the deformation of polymers, 3=20388
Gul',V.E.,Lushcheikin,G.A. and Fridkin,V.M. Electrets of elastic polymers, 3=25409
Gulbransen,E.A.,Copan,T.P. and Hickam,W.M. Oxide growths formed on pure iron in oxygen,water, vapor, and carbon dioxide atmospheres, 3=18433
Guliev,N.A. and Épshteĭn,É.M. Conversion of electron—positron μ-meson pairs, 3=14967
Gulin,É.P. Amplitude and phase fluctuations of a sound wave reflected from a statistically uneven surface, 3=14265
Gulin,É.P. Amplitude and phase fluctuations of a sound wave reflected from a sinusoidal surface, 3=14268
Gulin,É.P. The correlation of amplitude and phase fluctuations in sound waves reflected from a statistically rough surface, 3=16708
Gulin,É.P. and Malyshev,K.I. Statistical characteristics of sound signals reflected from the undulating sea surface, 3=14269
Gulledge,I.S. See Koomen,M.J., 3=18556
Gullón,M.N. See Velasco,R., 3=19948
Gulmanelli,P. Classical representations of the restricted Poincaré group, 3=21197
Gulyaev, A.I. Calculation of the characteristics of pipe-like flowmeters, 3=154
Gulyaev,A.I. and Kuznetsov,V.M. Coagulation of aerosols in response to periodic shock waves, 3=23555
Gulyam Salȳk Mukhibi. See Vernov,S.N., 3=19738
Gülzow,H. Effect of orientation of crystal defects on the morphological development of etch pits, 3=23386
Gumen,N.M. See Pines,B.Ya., 3=13264
Gumley,P. See Sheriff,N., 3=16817
Gundersen,R.M. Cylindrical and spherical shock waves in monatomic conducting fluids, 3=21965
Gundlach,F.W. Research on ruby and ammonia maser amplifiers, 3=5892
Gundzig,M. See Connolly,P.L., 3=17330
Gunn,D.A. See Pugh,H.Ll.D., 3=13343
Gunn,J.B. Travelling-wave interaction between the optical modes of a polar lattice and a stream of charge carriers, 3=22887
Gunn,J.B. See Erlbach,E., 3=10770
Gunn,J.E. See Douglas,J.Jr., 3=14392
Gunn,S.R. and Green,L.G. Erratum: Heat of formation of deuterated diborane, 3=6913
Gunning,H.E. See Rousseau,Y., 3=8973
Gunning,H.E. See Rousseau,Y., 3=25053
Gunnink, R. Decay of Sm^{156}, 3=17442
Günthart,H.H. See Berger,P.A., 3=2138
Günther,C. See Bodenstedt,E., 3=22343
Gunther,C. See Korner,H.J., 3=12560
Günther,H. See Götz,W., 3=17013
Günther,N. Age dependence of the "distance of distinct vision", 3=16462
Gunther,R.C. See Lehr,C.G., 3=430
Guo Zhong-Heng. The constitutive derivative of tensor fields in non-linear continuum mechanics, 3=14074
Guo Zhong-Heng. Displacement equations of isentropic motion of a body subject to a finite isothermal initial strain, 3=14081
Guo Zhong-Heng. Isentropic motion of a medium subjected to initial isothermal finite deformation, 3=18883
Guo Zhong-heng. The mocal derivative of the tensor density in moving coordinate system, 3=23728
Guppy,C.B. Transfer function synthesis for reacor spatial dynamics using the modal approach, 3=2531
Gupta,A.S. Laminar free convection flow of an electrically conducting fluid from a vertical plate with uniform surface heat flux and variable wall temperature in the presence of a magnetic field, 3=2114
Gupta,A.S. Rayleigh—Taylor instability of a viscous electrically conducting fluid in the presence of a horizontal magnetic field, 3=24445
Gupta,D.P. Effect of a small circular hole on the stress distribution in a deep rectangular beam subject to flexure under shear, 3=23810
Gupta,J.P. and Maheshwari,R.C. Radiation and lag errors of the chronometric type radiosonde, 3=11389
Gupta,K.C. and Satyam,M. Some transient characteristics of electrically heated tungsten filaments, 3=14627
Gupta,K.P.,Cheng,C.H. and Beck,P.A. Review of the electronic specific heat of b.c.c. and f.c.c. solid solutions of first long period transition elements, 3=8367
Gupta,M.L. and Raychaudhuri,B.C. A guard-dome thermal conductivity apparatus: effect of small temperature unbalances on the conductivity values, 3=21583
Gupta,M.M. Cosmic rays and high altitude flights, 3=11617
Gupta,M.M. and Kushwaha,R.S. Random fragmentation in star formation in globular clusters, 3=1535

Gupta,P.C.,Jain,J.P. and Gupta,V.P. Gamma-ray dose rate at an external point from a spherical radioactive source, 3=10279
Gupta,P.K. See Ghosh,S.K., 3=13673
Gupta,R.K. Two problems of heat flow in solids, 3=16824
Gupta,S.C. A least square procedure for the variational principle for heat convection in anisotropic media, 3=21588
Gupta,S.C. See Bhanot,V.B., 3=17545
Gupta,S.N. Nonleptonic decays of hyperons, 3=12505
Gupta,S.N. See Anderson,R.L., 3=17294
Gupta, S.S. See Sharma, M.N., 3=17932
Gupta,V. and Sarma,K.V.L. Consequences of no double-charge exchange at high energies, 3=14910
Gupta,V. and Singh,Y. Effect of $(\bar{K}-K)$ resonance in collisions of K-mesons and pions with nucleons, 3=12503
Gupta,V. See Biswas,S.N., 3=15015
Gupta,V.D. See Shibukawa,T., 3=13326
Gupta,V.P. See Gupta,P.C., 3=10279
Gupta,Y.M.,Gautam,V.P. and Agarwal,B.K. Isobaric model for $K^- - p$ collisions at K^- momentum 1150 MeV/c, 3=7923
Guralnik,G.S. and Hagen,C.R. Regge poles in relativistic wave equations, 3=12424
Guretskaya,Z.I. See Bundel',A.A. 3=3051
Gur'ev,A.V. Part played by microplastic deformation in the process of fatigue, 3=20699
Gurevich,A.G.,Mêng Hsien-chên [Men Syan'-chzhen'] and Starobinets,S.S. Anisotropy of resonance line width in yttrium garnet with rare-earth impurities, 3=25558
Gurevich,A.G.,Safant'evskii,A.P.,Solov'ev,V.I. and Sher,E.S. Effect of induced anisotropy on ferromagnetic resonance, 3=8702
Gurevich,A.G. and Starobinets,S.S. Ferromagnetic resonance in ferrites in strong alternating magnetic fields, 3=8701
Gurevich,A.G. See Smolensky,G.A., 3=3092
Gurevich,A.I. See Shigorin,D.N., 3=962
Gurevich,A.V. Peculiarities of the behaviour of multi-charged ions in a plasma, 3=4117
Gurevich,A.V. Smearing out of inhomogeneities in a weakly ionized plasma in a magnetic field (ambipolar diffusion), 3=24282
Gurevich,A.V. and Zhivlyuk,Yu.N. Heating of multiply charged impurity ions in a plasma, 3=24273
Gurevich,D.B. See Peisakhson,I.V., 3=24028
Gurevich,G.I. See Vasil'ev,Yu.I., 3=14234
Gurevich,I.I. and Nikol'skiĭ,B.A. Angular distribution of positrons in the decay process $\Pi^+ \to \mu^+ \to e^+$, 3=2290
Gurevich,I.M. and Charnaya,F.A. Spectral characteristics of tubular pulsed discharge lamps, 3=18978
Gurevich,L.É. Thermomagnetic waves and the excitation of a magnetic field in an non-equilibrium plasma, 3=21843
Gurevich, L.É. and Efros, A.L. Effect of spin on the Shubnikov-De Haas oscillations, 3=844
Gurevich,L.É. and Efros,A.L. Effect of mutual dragging of electrons and phonons on the transverse electrical conductivity in a strong magnetic field, 3=4901
Gurevich,L.É. and Ioffe,V.I. Phenomenon of current instability in semiconductors, 3=6572
Gurevich,L.É. and Ioffe,I.V. Appearance of current oscillations in semiconductors, 3=17830
Gurevich,L.É. and Ioffe,I.V. Current instability in semiconductors, 3=20284
Gurevich,L.É. and Ipatova,I.P. Absorption of electromagnetic waves in homopolar crystals, 3=10589
Gurevich,L.É. and Ipatova,I.P. Absorption of electromagnetic waves by covalent crystals, 3=15661
Gurevich,L.É. and Vladimirov,V.I. Kinetic properties of a low-density plasma with large radiation pressure and electron-photon drag, 3=21782
Gurevich,L.É. and Yassievich,I.N. Theory of the ferromagnetic Hall effect, 3=20275
Gurevich,M.A. See Fomin,V.G., 3=25693
Gurevich,M.M. Spectral distribution of radiant energy, 3=24098
Gurevich,V.L. Current fluctuations in semiconductors near the non-equilibrium stationary state, 3=15558
Gurevich, V.L. Limitation to the sound amplification in piezoelectric crystals, 3=17650
Gurevich,V.L. and Firsov,Yu.A. Theory of plasma diffusion in a magnetic field, 3=403
Gurevich,V.L.,Firsov,Yu.A. and Éfros,A.L. A new type of magnetoresistance oscillations in semiconductors and semimetals, 3=6569
Gurevich, V.L. and Kagan, V.D. Absorption of ultrasound in piezoelectric semiconductors, 3=17653
Gurevich, V.M. and Zheludev, I.S. Anomalous anisotropic electrical conductivity of triglycine fluoroberyllate near the phase-transition point, 3=17924
Gurgenishvili,G.E. See Baramidze,G.A., 3=20150
Gurikov,Y.V. Variational theory of molecular distribution functions and extensions of the superpositional approximation, 3=21315
Gurinovich,G.P.,Sevchenko,A.N. and Solov'ev,K.N. The spectroscopy of the porphyrins, 3=25129
Gurinsky,D.H. See Chow,J.G.Y., 3=8759
Gurland,J. See Gücer,D.E., 3=1243
Gurland,J. See Plateau,J., 3=11177
Gurney,R.D. See Lehner,F.E., 3=9168
Guro,G.M. Effect of impact recombination on the decay of nonequilibrium carrier density in semiconductors, 3=6571
Guro,G.M. and Rzhanov,A.V. Kinetics of excess carrier conductivity at high generation levels, 3=22911
Gurov,K.P., Leksina,I.E. and Penkina,N.V. Calculation of the electron characteristics of metals on the basis of data relating to their optical constants, 3=15467
Gürs,K. Determination of the lifetime of excited states by means of intensity-versus-time measurements on optical masers, 3=6648
Gürs,K. Internal modulation of optical masers, 3=9979
Gürs,K. The oscillatory behaviour of optical ruby masers with large mirror separation, 3=14810
Gürs,K. and Müller,R. Broad-band modulation by deflection of the emission of an optical maser (outcoupled modulation), 3=22023
Gürsey,F. and Lee,T.D. Spin $\frac{1}{2}$ wave equation in de-sitter space, 3=14882
Gürsey,F. See Feinberg,G., 3=538
Gurshtein,A.A. On the theory of wide scale pairs, 3=11486
Gursky,H. See Giacconi,R., 3=7941
Gursky,J.C. See Britt,H.C., 3=10396
Gurtin,M.E. A note on the principle of minimum potential energy for linear anisotropic elastic solids, 3=14080
Guruswamy,S. See Bagai,S.K., 3=14088
Gurvich,A.M. New luminors. Cadmium and zinc chlorides, activated with sulphides, 3=950
Gurvich, L.V. and Shenyavskaya, E.A. The electronic spectrum of scandium monofluoride, 3=17583
Gurvich,Yu.L. See Gershenzon,E.M., 3=20278
Gur'yan,Yu.A. See Belyaevskii,A.I., 3=7821
Gur'yev,A.V. and Kuksa,L.V. Problem of the initial stage of plastic deformation in steel specimens, 3=8764
Gurzadyan,G.A. The influence of magnetic fields on the shape of planetary nebulae, 3=3611
Gurzhi,R.N.,Azbel',M.Ya. and Hao Pai Lin [Khao Bai Lin']. Surface effects in infrared optics, 3=25245
Gurzhi,R.N. and Tsukernik,V.M. High-frequency magnetic susceptibility of a ferromagnetic dielectric in a longitudinal magnetic field, 3=3096
Gurzhi,R.N. See Azbel',M.Ya., 3=6561
Gusachenko,L.K. The problem of the transient speed of the combustion (fusion) of a semi-infinite solid, 3=11975
Gusak,V.G. See Bogatskii,M.I., 3=1729
Gusakov,M. See Albouy,G., 3=4642
Gusakow,M. The density of neutrinos and antineutrinos in the universe, 3=11500
Gusakow,M. See Albouy,G., 3=12677
Gusakow,M. See Albouy,G., 3=19852
Gusakow,M. See Poffé,N., 3=12678
Guseinov,N.G. High-frequency magnetic susceptibility of tetragonal and rhombohedral weak ferromagnetics, 3=3151
Gusev,A.A. and Kurnakov,K.V. Portable thickness gauge which uses scattered gamma-rays, 3=14086
Gusev,A.A. and Pakhomov,A.S. Regarding the normal energy state of a ferrite with three magnetic sublattices, 3=6720
Gusev,A.A. and Pakhomov,A.S. The temperature dependence of intensity of magnetization and paramagnetic susceptibility of ferrites with three magnetic sublattices, 3=23188
Gusev, S.M. and Rakin, G.V. Thermoelectric properties of cadmium antimonide alloyed with elements of groups I, III, IV and VI, 3=17971

Gusev,S.M. See Tovstyuk,K.D., 3=25358
Gusev,Yu.K. See Berlovich,É.E., 3=6175
Gusev,Yu.K. See Berlovich,É.E., 3=15121
Gusev,Yu.K. See Berlovich,É.E., 3=19788
Gusev,Yu.K. See Berlovich,E.Ye., 3=4573
Guseva, G.I. and Tsidil'kovskii, I.M. Transport phenomena in n-type InSb, 3=17882
Guseva, G.I. and Tsidil'kovskii, I.M. Dependence of the effective mass electrons on their density in InSb, InAs, and GaAs, 3=17885
Guseva,G.I. See Tsidilkovski,I.M., 3=10820
Guseva,M.I.,Zherebtsova,K.I.,Litvin,V.F.,Nemilov,Ya.A. and Orlova,T.V. Nature of the 3.79 MeV excitation energy level
Guseva,V.U.,Dobrotin,N.A.,Zelevinskaya,N.G.,Kotelnikov,K.A., Lebedev,A.M. and Slavatinsky,S.A. Experimental data on nucleon—nucleon interactions at the energy of hundreds of GeV and their interaction, 3=6100
Guseva,V.V.,Dobrotin,N.A.,Zelevinskaya,N.G.,Kotel'nikov,K.A., Lebedev,A.M. and Slavatinskii,S.A. Experimental data on nucleon—nucleon interaction in the hundreds of GeV range and their interpretation, 3=19618
Gushchin,G.P. Contribution to the effect of "anomalous transparency", 3=9044
Gushchina,Z.M. See Fabrikov,V.A., 3=8687
Gusilyenko,Yu.A. See Braun,M.P., 3=11281
Gusinskii,G.M. SeeAndreev,D.S., 3=10237
Gus'kova,I.L. See Vlasov,A.Ya., 3=1151
Gusliyenko,Yu.A. See Chernyi,V.G., 3=16113
Guss,D.E. and Waddington,C.J. Observations on the solar particle events of July 1961, 3=22226
Guss,D.E. See Biswas,S., 3=4482
Guss,D.E. See Biswas,S., 3=22227
Gussmann,E.A. Generalization of the weighting-function method to the calculation of Fraunhofer lines in stellar spectra, 3=23696
Gustafson,D.R. and Mackintosh,A.R. Electronic structure of liquid gallium by positron annihilation, 3=21306
Gustafson,D.R.,Mackintosh,A.R. and Zaffarano,D.J. Positron annihilation in liquid and solid mercury, 3=12954
Gustafson,P.F.,Brar,S.S. and Kerrigan,M.A. Airborne radioactivity due to nuclear weapons tests, 3=9058
Gustafson,P.F.,Brar,S.S.and Mishra,V.C. Determination of airborne fission product radioactivity using gamma-ray spectrometry, 3=5206
Gustafsson,S.and Lundén,A. Thermal diffusion of the Li-isotope in pure molten lithium nitrate, 3=131
Gustafsson,S. See Grabowski,Z., 3=2388
Gustafsson,S. See Zuk,W., 3=10296
Gustavs,A. and Steinborn,E.O. Theory of the rotational states of axisymmetrically deformed even nuclei, 3=10244
Gustavs,A. See Frahm,J., 3=7972
Gustova,L.V.,Nemilov,Yu.A. and Pobedonostsev,L.A. Polarization of 6.5 MeV deuterons elastically scattered on titanium, iron, and nickel, 3=22416
Gutan,V.B. See Levshin,V.L., 3=3057
Guth,E. Unified Hamiltonian theory of relativistic particle equations, 3=10022
Gutierrez,C.P. See Wallace,T.C., 3=23476
Gutjahr,H. See Matossi,F., 3=13220
Gutkin, A.A, Nasledov, D.N, Sedov, V.E. and Tsarenkov, B.V. Photoelectric properties of GaAs p—n junctions, 3=17914
Gutkin,A.A., Nasledov,D.N. and Sodov,V.E. Nonlinear photoeffect in p—n junctions in GaAs, 3=20421
Gutkin,T.I. See Demirkhanov,R.A., 3=8215
Gutkin,T.I. See Demirkhanov,R.A., 3=14579
Gutmacher,R.G. See Lee,E.L., 3=23074
Gutmacher,R.G. See Worden,E.F., 3=18998
Gutman,L.N. See Khatukaeva,Zh.M., 3=9032
Gutmanas,E.Yu., Nadgornyĭ,E.M. and Stepanov,A.V. Study of the motion of dislocations in sodium chloride crystals, 3=17759
Gutmann,H. See Baldinger,E., 3=10859
Gutmann-Pick,M. See Avignon,Y., 3=16376
Gutnick,M. Mean atmospheric moisture profiles to 31 km. For middle latitudes, 3=9021
Gutowsky,H.S. N.M.R. splittings due to molecular asymmetry, 3=2660
Gutowsky,H.S. and Chow Tai,J. Nuclear relaxation in molecular liquids containing free radicals, 3=21411
Gutowsky,H.S. and Mochel,V.D. Electron coupling of nuclear spins. VII. J_{FF} for 2-fluorobenzotrifluorides, 3=25143
Gutowsky,H.S. See Brown,R.J.C., 3=7220
Gutowsky,H.S. See Grant,D.M., 3=8301
Gutowsky,H.S. See Johnson,C.S., Jr., 3=2654
Gutowsky,H.S. See Johnson,C.S., Jr., 3=20028
Gutowsky,H.S. See Juan,C., 3=2661
Gutowsky,H.S. See Moniz,W.B., 3=9482
Gutowsky,H.S. See Porte,A.L., 3=3203
Gutowsky,H.S. See Woessner,D.E., 3=25598
Guts,Z.A.,Reinov,N.M.,Krivko,N.I.,Sidorova,T.A. and Fogel',A.A. Investigation of superconducting alloys in the system Nb—Zr, 3=19115
Gutsche,E.,Hänsch,H.J. and Lange,H. Comparison of the spectral distribution of electro- and photoluminescence of single crystals of CdS, 3=8632
Gutsche,E.,Hansch,H.J. and Lange,H. More recent results on the d.c. electroluminescence of CdS single crystals, 3=11007
Gutsche,E. See Berger,H., 3=8924
Gutsche,E. See Böer,K.W., 3=15588
Gutsche, E. See Dziesiaty, J., 3=783
Gutshabash,S.D. Diffusion of radiation in a plane layer, 3=7357
Gutsze,A.,Łożykowski,H.,Męczyńska,H.,Szczurek,T. and Trawiński,S. Investigation of the incorporation process of the manganese activator in CaS and SrS phosphors, 3=12965
Gutsze,A. and Waleryš,H. Reversible decolorization of rhodamine B solutions due to changes in the pH and polarity of the medium, 3=23536
Gütter,E. The stigmator of the new Zeiss electron microscope EM9, 3=19353
Guttman,N. and Julesz,B. Lower limits of auditory periodicity analysis, 3=13962
Guttmann,H.E. Shutter for vision experiments, 3=14326
Gutzow,I. Zero-point entropy of the glassy state, 3=11304
Gutzwiller,M.C. The impact of a rigid circular cylinder on an elastic solid, 3=94
Gutzwiller,M.C. Note on Green's function in anisotropic elasticity, 3=7161
Gutzwiller,M.C. Effect of correlation on the ferromagnetism of transition metals, 3=15769
Gutzwiller,M.C. See Drangeid,K.E., 3=16862
Güven,B. See Talât-Erben,M., 3=8141
Guyen-Long-Den,N. and Borot,M. Determination of the cross-section for formation of the stable Na^{23} isotope by the reaction $Al^{27}(p,3p2n)Na^{23}$ at 155 MeV, 3=19854
Guyon,E. See De Gennes,P.G., 3=5583
Guyonnet,J. See Courtel,R., 3=3247
Guzenko,S.Ya. Scattering of electrons in an external field with large momentum transfer, 3=24696
Guzenko,S.Ya. and Fomin,P.I. Asymptotic value of the vertex function in the single logarithm approximation, 3=24587
Guzhavin,V.V. and Ivanenko,I.P. Angular distribution function for particles in a shower produced by a primary particle of a given energy, 3=4488
Guzhovskii,I.T. See Azovskii,Yu.S., 3=14567
Gvaladze,T.V. See Andronikashvili,É.L., 3=4505
Gvaladze,T.V. See Andronikashvili,É.L., 3=19731
Gvaladze,Yu.C. See Kvartskhava,I.F., 3=12157
Gverdtsiteu,I.G. See Amirkhonova,I.B., 3=15307
Gvozdetskii,V.S. See Levitskii,S.M., 3=19215
Gvozdev,B.A. See Donets,E.D., 3=8138
Gvozdev,B.A. See Perelÿgin,V.P., 3=6316
Gvozdover,S.D. See Akhmanov,S.A., 3=21979
Gwin,R. and Murray,R.B. Scintillation process in CsI(Tl). I. Comparison with activator saturation model, 3=20506
Gwin,R. and Murray,R.B. Scintillation process in CsI(Tl). II. Emission spectra and the possible role of self-trapped holes, 3=20507
Gwinn,W.D. See Kim,H., 3=6411
Gyarmati,B. See Csikai,J., 3=10367
Gyarmati,B. See Csikai,J., 3=22407
Gygi,E. and Schneider,F. Nanosecond avalanche-transistor circuits, 3=19143
Gÿnkina,N.M. See Borisov,Yu.Ya., 3=218
Gyorgy,E.M. See Baba,P.D., 3=15872
Gyr,A. Theoretical reflections on the growth of droplets under extreme cooling conditions, 3=302
Gyrlya,I. See Filip,A., 3=24540
Gyulay,J. See Gombay,L., 3=17892

Haacke,G. and Poganski,S. Thermal conductivity and electrical properties of the semiconductor system $AgSbTe_{2-x}Se_x$, 3=875
Haag,D. and Fuchs,H. Energy distribution of the neutrons from a Po-α-Be source, 3=17498
Haag,D. See Fuchs,H., 3=662
Haag,D. See Fuchs,H., 3=4621
Haag,E.L. A preliminary study of the electron density at 1000 kilometres, 3=11421
Haag,J.N.,Shirley,D.A. and Templeton,D.H. Nuclear alignment of Ce^{137m}, Ce^{137}, Ce^{139}, Ce^{141}, and Ce^{143}, 3=7969
Haag,R. See Borchers,H.J., 3=22048
Haak, F.A. and Nolta, J.P. Rectification phenomena in polycrystalline phthalocyanines, 3=17916
Haakana,C.H.,Noakes,J.E.,Werner,S.A.,Koch,F.B. and Arrott,A. Precision measurement of magnetic flux changes, 3=14710
Haarhoff,P.C. Semi-classical approximation to density of vibrational energy levels, 3=19962
Haas,C. On diffusion, relaxation and defects in ice, 3=6512
Haas,C. See Wasscher,J.D., 3=20423
Haas,F.A. A physical derivation of Landau damping, 3=14609
Haas,P. Solution of the reactor equation for a core cross-section with a re-entrant corner, 3=8161
Haas,W. and Johannes,R. Thin film cold cathodes, 3=12230
Haase, E.L, Hill, H.A. and Knudsen, D.B. Circular polarisation measurements in the β decay of Na^{24} and Al^{24}, 3=17428
Haasen, P. See Ahlers, M., 3=5068
Haatuft,A.A. See Jauneau,L., 3=19708
Haave,C.R. See Zmuda,A.J., 3=12329
Habanec,J. The influence of oscillations on ionization in a discharge path, 3=12066
Habanec, J. See Bém, P., 3=2444
Habaru,J.M. Study of white stars produced in 27 GeV proton interactions with nuclear emulsion, 3=14978
Habell,K.J.[Ed.]. Proceedings of the Conference on Optical Instruments and Techniques, London, 1961, 3=14308
Habell,K.J. See Gebbie,H.A., 3=16769
Haben,J.F. See Brown,R.E., 3=966
Haber,H.E. See Fisher,R.D., 3=15808
Haber,J. and Stone,F.S. Crystal field effects in the adsorption and desorption of oxygen at a nickel oxide surface, 3=13573
Haberkorn, R. See Bross, H., 3=17673
Habermalz,F. See Boguth,W., 3=14323
Habermann,C.E. See Miller,A.F., 3=18685
Habovȳch,M.D. and Yazeva,V.H. The correlation of low-frequency and high-frequency oscillations excited in the plasma by an electron beam. 3=19293
Hack,M. Absolute magnitudes of O-type stars, 3=18642
Hack,M. See Fracassini,M., 3=9218
Hackerman,N. See Ashcraft,T.L., 3=7419
Hacskaylo,M. See Feldman,C., 3=8555
Hacskaylo, M. See Feldman, C., 3=17980
Haddock,F.T. See Howard,W.E.III, 3=3623
Haddock,R.P. The role of the pion factory in elementary particle physics, 3=7886
Haddock,R.P. Application of the matrix method to a Browne—Buechner spectrograph, 3=19367
Haddrill,D.M. See Younger,R.N., 3=18358
Haddrill,D.M. See Younger,R.N., 3=18385
Hadjioannou,F. See Contogouris,A.P., 3=22088
Hadjioannou,F.T. and Zimerman,A.H. Coupling of the Pomeranchuk particle to the pion and its decay width, 3=10152
Hadley,S.G.,Rast,H.E.,Jr and Keller,R.A. Radiationless triplet—singlet transitions in naphthalene, 3=23115
Hadley, W.B. See Hersh, H.N., 3=18054
Hadni,A.,Claudel,J.,Décamps,E.,Gerbaux,X.and Strimer,P. Absorption spectra of single crystals in the far infrared (50 - 1600μ), at liquid helium temperature: caesium iodide, quartz, germanium and neodymium nitrate, 3=3006
Hadni,A. See Gerbaux,Y., 3=8604
Haeberli,W. See Brown,R.I., 3=15049
Haeberli,W. See Brown,R.I., 3=24728
Haeberli,W. See Seiler,F., 3=676
Haefer,R.A. and Hengevoss,J. Molecular flow of oil vapours in piping systems, 3=16647
Haefner, K. See Barrett, C.S., 3=18308
Haegi,M. See Maissionier,C., 3=12219
Haendler,H.M. See Bottjer,M.C., 3=16779
Haessner, F., Petzow,G. and Preisler,E. Suitability of cadmium tantalate as a control material for high temperature reactions, 3=4699
Haeusler,C., Nguyen Van Thanh and Barchewitz,P. Vibration—rotation spectrum of gaseous hydrogen iodide. Study of the $\nu_{0\to 3}$ band, 3=19983
Haeusler,C. See Arcas,P., 3=24023
Häfele,H.G. The emission from a ruby laser in the temperature region from 55° to 300° K, 3=19483
Hafemann,D.R. See Oppenheim,I., 3=18855
Hafemeister,D. See De Waard,H., 3=12594
Hafemeister,D. See De Waard,H., 3=19786
Hafner,A. See Drimer,D., 3=25294
Hafner, E.M. See Duthie, J.G., 3=17363
Hafner,H. and Ionescu-Pallas,N.J. A 5-dimensional extension of relativistic physics, 3=21220
Hafner,S. and Hartmann,P. Measurements and calculations of electric field gradients in feldspars, 3=23263
Haga,E. and Kimura,H. Free-carrier infrared absorption and determination of deformation-potential constant in n-type InSb, 3=23071
Hagebø,E. See Simmons,L., 3=24867
Hagebø,E. See Simons,L., 3=4572
Hagebø,E. See Simons,L., 3=4591
Hagebø,E. See Simons,L., 3=22307
Hagedoorn,H.L. and Verster,N.F. Orbits in an A.V.F. cyclotron, 3=5758
Hagedoorn,H.L. and Verster,N.F. Analogue computer studies for an A.V.F. cyclotron, 3=5768
Hagedoorn,H.L. See Verster,N.F., 3=5740
Hagedoorn,H.L. See Verster,N.F., 3=5767
Hagedorn,F.B. and Hall,P.M. Right-angle bends in thin strip conductors, 3=9712
Hagedorn,R. See Fast,G., 3=7794
Hagedorn,R. See Fast,G., 3=7909
Hagemann, F. See Gray,J.,Jr, 3=4289
Hagemann,G. The 1·9 μ impurity photo- and tunnel conduction of high-resistivity heterogeneous n-PbS-p-PbO evaporated layers in resistron charge-storage tubes, 3=25419
Hagemann,R. Determination of the heat of formation of S_2O by mass spectroscopy, 3=1385
Hagen,C.R. Radiation gauge electrodynamics. I. The two-point function, 3=12389
Hagen,C.R. Radiation-gauge electrodynamics II. The asymptotic condition, 3=17164
Hagen,C.R. See Guralnik,G.S., 3=12424
Hagena,O.F. See Bier,K., 3=4790
Hager,N.E.,Jr. Absolute differential radiometer, 3=24106
Hagerman,D.C. Some experimental studies of plasma injected into a cusped magnetic field, 3=12119
Hagerman,D.C. and Osher,J.E. Two high velocity plasma guns, 3=7520
Hagg,E.L. and Rolfe,W. A study of transatlantic radio propagation modes at 41.5 Mc/s, 3=7714
Hagge,D.E., See Helland,J.A., 3=10161
Hägglund,J. See Hedvall,P., 3=19128
Hagihara,H. and Uchikoshi,H. Electron diffraction study of monolayers adsorbed on single crystal surfaces, 3=1379
Hagihara,Y. On the radiation pressure exerted on a non-stationary gaseous cloud due to a resonance line, 3=16328
Hagiwara,S. Microwave radiation from plasmas, 3=7536
Hagiwara,S. See Kojima,S., 3=4160
Hagiwara,S. See Miyake,S., 3=1280
Hagner,R. and Saur,E. On superconductivity in some mixed crystal series with Nb_3Sn. 3=3960
Hagopian,V. and Selove,W. Experimental evidence on $\pi-\pi$ scattering near the ρ and f° resonances, from $\pi^- + \rho \to \pi + \pi +$ nucleon at 3 BeV/c, 3=19686
Hagström,S., Hörnfeldt,O., Nordling,C. and Siegbahn,K. The photo electron method of determining h/e, 3=1575
Hahn,B. and Peacock,R.N. Ultrasonic cavitation induced by neutrons, 3=14122
Hahn,B. and Peacock,R.N. Ultrasonic cavitation induced by neutrons, 3=17132
Hahn,D. and Kernchen,W. Determination of the frequency factor and trap depth from the temperature dependence of the electroluminescence of ZnS phosphors, 3=23125
Hahn,D. and Kernchen,W. Trap filling by field excitation of electroluminescent zinc sulphide phosphors, 3=23126
Hahn,D.and Lertes,K. Luminescence of zinc oxide, 3=3047

Hahn,D. and Taube,D. Thermal influence of alloying [Versetzungsdichte] in single crystal of germanium, 3=20901
Hahn,E. Calculation of axially-symmetrical potential functions, 3=8
Hahn,E.L. See Froidevaux,C., 3=23255
Hahn,E.L. See Hartmann,S.R., 3=6761
Hahn,E.L. See Hartmann,S.R., 3=23265
Hahn,G. See Bergmann,W.H., 3=17128
Hahn,G.T.,Reid,C.N.and Gilbert,A. The relation between delay time, strain-rate and strain aging phenomena in mild steel, 3=1221
Hahn,H. and Orgass,R.J. Dynamic r.f. phase meter, 3=16886
Hahn,H. See Fischer,K., 3=8829
Hahn,R.L. and Lyon,W.S. Internal conversion coefficients in the decay of Au^{198}, 3=12643
Hahn,S. Dynamical phenomena in generators with two degrees of freedom, 3=5476
Hahn,T. and Eysel,W. Structure and polymorphism of tricalcium germanate, 3=23373
Hahn,Y.,O'Malley,T.F.and Spruch,L. Static approximation and bounds on single-channel phase shifts, 3=53
Hahn,Y.,O'Malley,T.F. and Spruch,L. Improved minimum principle for single-channel scattering, 3=9352
Haidinger,W. and Courvoisier,J.C. Some aspects of the growth of vacuum-deposited germanium layers, 3=23399
Haidinger,W. See Courvoisier,J.C., 3=23511
Haigh,G. See Blackman,M., 3=9138
Haigh,P.J. and Scott,T.A. Effects of N^{15} on the nuclear quadrupole resonance of N^{14} in solid N$_2$, 3=8742
Hain,K. and Kolb,A.C. Fast theta-pinch, 3=12160
Hain,K. See Fünfer,E., 3=12178
Haines,E.L. and Thompson,S.G. Mass—energy relations in the fission of highly excited heavy nuclei, 3=24989
Haines,M.G. and Allan,D.W. The motion of a charged particle in a time-varying axial magnetic field, 3=4252
Haisguti,R.R.,Igata,N. and Tanaka,K. Ultrasonic attenuation of aluminium single crystal, 3=22648
Haisma,J. and De Lang,H. Mode patterns obtained by tuning a small gas laser, 3=9977
Haisma,J. See Van Bueren,H.G., 3=5888
Haissinski,J. See Bernardini,C., 3=17005
Haitz,R.H., Goetzberger,A., Scarlett,R.M. and Shockley,W. Avalanche effects in silicon p—n junctions. I. Localized photomultiplication studies on microplasmas, 3=15599
Haitz,R.H. See Goetzberger,A., 3=15600
Hajal,I. and Combourieu,J. Theoretical calculation of the characteristics of detonation waves propagating in pure or diluted hydrazoic acid, 3=3850
Hajdu,J. On the quantum mechanical generalization of Bloch's transport equation, 3=9366
Hajko,V.,Daniel-Szabó,J. and Kavečanský,V. Study of the "reptation" and "bascule" effects in polycrystalline Fe—Si sheets, 3=23158
Hajko,V. See Gengnagel,H., 3=13248
Hakansson,R. Numerical integration of the transport equation for infinite homogeneous media, 3=2272
Hake,R.R. and Leslie,D.H. High-field superconducting properties of Ti—Mo alloys, 3=9686
Hake,R.R. See Berlincourt,T.G., 3=3949
Hake,R.R. See Berlincourt,T.G., 3=16879
Hakeem,M.A. See Robertson,H.S., 3=4164
Haken,H. Theory of exciton absorption in an electric field, 3=10937
Haken,H. Effective particle interaction via a Bose field, 3=24607
Haken,H. and Sauermann,H. Nonlinear interaction of laser modes, 3=12361
Hakenjos,V. See Wellinger,K., 3=6808
Hakki,B.W. Interaction of a bunched electron beam with a gyrotropic plasma, 3=9781
Hakura,Y. and Lincoln,J.V. A suggestion for improving forecasts of geomagnetic storms, 3=16303
Halbach,K., Baker,W.R. and Layman,R.W. Production of a hot rotating plasma, 3=4157
Halbach,K. See Kunkel,W.B., 3=16934
Halbwachs,F. A new classification of elementary particles and resonances, 3=4363
Halbwachs,F. A new classification of elementary particles and resonances, 3=14871
Halbwachs,F. Energy eigenvalues of the quantized states of the relativistic rotator, 3=17188
Halbwachs,F. See de Broglie,L., 3=4324
Halbwachs,F. See de Broglie,L., 3=4325
Halbwachs,F. See Mebkhout,M.M., 3=14884
Halden, F.A. and Sedlacek, R. Verneuil crystal growth in the arc-image furnace, 3=18243
Halder,N.C. Line breadth measurements of stress and strain in plastically deformed hexagonal cobalt, 3=11160
Halder,N.C. and Mitra,G.B. Particle size and strain in deformed tungsten, 3=25785
Hale,A.P. Preparation and evaluation of epitaxial silicon films prepared by vacuum evaporation, 3=13424
Hale,C.E. Gas-filled thermometer for thermocouple calibaration, 3=284
Hale, K.F. The influence of precipitates on the creep rate of iron, 3=18189
Hale,K.F. and McLean,D. Structure of quench-aged iron—carbon and iron—nitrogen alloys, 3=20903
Hale,K.F. and Warner,E. A modification to the Valdrè-type electron microscope gonimeter stage, 3=8937
Hales,A.L. See Harkrider,D.G., 3=18472
Hall,A.C. Inexact senarmont compensators, 3=16809
Hall,C.B. See Rickson,K.O., 3=20813
Hall,C.W. See Hassan,S.A., 3=14394
Hall,G.G. Statistical theory of the error in approximate wavefunctions, 3=9348
Hall,H.E.,Hanson,A.O. and Jamnik,D. High-frequency limit of 15.1 MeV bremsstrahlung, 3=10079
Hall,H.T.,Barnett,J.D. and Merrill,L. Ytterbium: Transition at high pressure from face-centered cubic to body-centered cubic structure, 3=6817
Hall,J.A. Role of the platinum-resistance thermometer in the International Practical scale of temperature, 3=21598
Hall,J.E. See Davis,J., 3=5252
Hall,J.J. Experimental determination of the germanium valence band deformation potentials, 3=10764
Hall,L.S. A statistical theory of transport phenomena, 3=5390
Hall,M.B. Effect of friction on surface trapping on silicon, 3=13065
Hall,P.G. and Tompkins,F.C. Adsorption of water vapour on insoluble metal halides, 3=1381
Hall,P.M. See Hagedorn,F.B., 3=9712
Hall,R.B. Parallel-plate plasma problem, 3=24266
Hall,R.N. Solubility of III—V compound semiconductors in column III liquids, 3=21333
Hall,R.N., Fenner,G.E., Kingsley,J.D., Soltys,T.J. and Carlson,R.O. Coherent light emission from GaAs junction, 3=4966
Hall,R.N. and Olechna,D.J. Wave propagation in an active dielectric slab, 3=24465
Hall,R.T. and Pimentel,G.C. Isomerization of nitrous acid: an infrared photochemical reaction, 3=16159
Hall,S.C. See Lawrence,R.S., 3=18526
Hall,S.H. The modulation of a proton magnetometer signal due to rotation, 3=465
Hall,T.P.P., Hayes,W., Stevenson,R.W.H. and Wilkens,J. Investigation of the bonding of iron-group ions in fluoride crystals. I, 3=15407
Hall,T.P.P., Hayes,W., Stevenson,R.W.H. and Wilkens,J. Investigation of the bonding of iron-group ions in fluoride crystals. II, 3=20043
Hall,W.F. See Hildenbrand,D.L., 3=25809
Hall,W.K. See Scholtus,N.A., 3=25750
Hall,W.S. The rise of an isolated thermal in wind shear, 3=5198
Hallam,G.C. See Crangle,J., 3=8670
Hallenback,J.F.,Jr. See Schumann,P.A.,Jr, 3=25341
Haller,I. and White,P. Simple high sensitivity microbalance for use in ultra-high vacuum, 3=18774
Haller,K. Scattering, weak decays, and final-state interactions in model theories in a dressed-particle picture, 3=12383
Haller,K. Scattering theory and adibatic switching, 3=22084
Haller,K. and Landovitz,L.F. Dispersive treatment of weak decays and final-state interactions in model theories, 3=17161
Hallett,A.C.H. See Woods,A.D.B., 3=14434
Hallett,P.E. Spatial summation, 3=13964
Halliday,I. and Griffin,A.A. A jumping-film camera for meteor photography, 3=11488
Halliday,J.S. Wear experiments in the electron microscope, 3=20762
Hallin,R. See Bockasten,K., 3=10448

Halliwell,H.F. and Nyburg,S.C. Enthalpy of hydration of the proton, 3=21337
Halperin,A., Leibovitz,M. and Schlesinger,M. Apparatus for "hyperbolic glow curves", 3=3917
Halperin,A. and Ralph,J.E. Optical studies of anisotropic color centers in germanium-doped quartz, 3=20238
Halperin,A. See Nahum,J., 3=20547
Halperin,J.,Johnston,F.J.,Stoughton,R.W.,Oliver,J.H.,Blevins,E.L. Druschel,R.E.,Harkness,A.L. and Swarz,B.A. The average capture/fission ratio of U^{233} for epithermal neutrons, 3=22434
Halperin,J. and Oliver,J.H. An upper limit for the effective capture cross-section of Po^{210} for thermal neutrons, 3=22404
Halperin,J. See Stoughton,R.W., 3=12471
Halpern,F.R. A criterion for singularities in perturbation theory, 3=5941
Halpern,F.R. Reduction formula for the five-point function, 3=14020
Halpern,F.R. Singularities of the four-point function in perturbation theory with variable masses, 3=19590
Halpern,F.R. and Watson,H.L. Observable consequences of anomalous thresholds, 3=24593
Halpern,G. See Schmidt,G., 3=16962
Halpern,J. See Frankel,S., 3=7876
Halpern,J. See Frankel,S., 3=10134
Halpern,L. On the structure of the gravitation self interaction, 3=21222
Halprin,A. See Andersen,C.M., 3=15024
Halsey,G.D.,Jr. See Colwell,J.H., 3=9663
Halsey,G.D., Jr. See Constabaris,G., 3=1377
Halsey,J.R.Jr. See Sams,J.R.Jr., 3=11324
Halsted,R.E. and Segall,B. Double acceptor fluorescence in II–VI compounds, 3=15704
Halsted,R.E. See Piper,W.W., 3=863
Halsted,R.E. See Segall,B., 3=8519
Halsteinslid,A. See Jauneau,L., 3=12511
Haltiner,G.J. and Song,R.T. Dynamic instability in barotropic flow, 3=6955
Haltrich,S. See Burea,V., 3=17009
Ham,F.S. Energy bands of alkali metals. II. Fermi surface, 3=6490
Hama,F.R. Progressive deformation of a curved vortex filament by its own induction, 3=1657
Hama,F.R. Progressive deformation of a perturbed line vortex filament, 3=11759
Hama,Y. See Osada,J., 3=19562
Hamada,H. See Sugata,E., 3=432
Hamada,S. Hydromagnetic equilibria and their proper co-ordinates, 3=12192
Hamada,S. See Uchida,T., 3=12143
Hamada,T. See Kang,Y., 3=644
Hamaguchi,C. See Inuishi,Y., 3=10793
Hamaguchi,H. Hypothetical vortex model for elementary particles, 3=22055
Hamaguchi,Y.,Komura,S.,Kunitomi,N. and Sakamoto,M. Magnetic properties and structures of uranium-3d transition element alloys, 3=1113
Hamaguchi,Y. See Kunitomi,N., 3=6829
Hamaguchi,Y. See Kunitomi,N., 3=23469
Hamaguchi,Y. See Yamadaya,T., 3=11205
Hamakawa,Y.,Nishino,T. and Yamaguchi,J. Carrier mobility and dislocation scattering in the boundary layer of germanium bicrystals, 3=22928
Hamakawa,Y. and Yamaguchi,J. Electrical conduction in germanium grain boundary plane, 3=8506
Hamakawa,Y. and Yamaguchi,J. Galvanomagnetic effects in boundary layer of germanium bicrystals, 3=22927
Hämäläinen,M. See Kantola,M., 3=2823
Hämäläinen,R.M.K. Deuteron photodisintegration in the medium energy range, 3=12515
Hamamoto,A.S. See Beardsley,G.F., Jr., 3=14126
Hamamoto,I. See Okabayashi,T., 3=19553
Hamann,S.D. See David,H.G., 3=20117
Hamann,S.D. See Ewald,A.H., 3=7205
Hamano,H.,Hojing Kim and Hameka,H.F. Calculation of magnetic susceptibilities of diatomic molecules. II. Application to HF molecule, 3=8258
Hamano,H. See Hojing Kim, 3=8259
Hamano,K.,Negishi,K.,Marutake,M. and Nomura,S. Electromechanical properties of $NaNO_2$ single crystal, 3=10885
Hamberger,S.M. Measurement of neutral atom density in a highly ionized plasma by absorption of line radiation, 3=7579
Hamberger,S.M. Intensity modulation of Balmer light from a high-frequency discharge, 3=21555
Hamburger,A.I. and Hamburger,E.W. Neutron–proton residual interactions in the $Y^{89}(d,p)Y^{90}$ reaction, 3=15109
Hamburger,E.W. Inelastic scattering of deuterons from strontium and yttrium, 3=4662
Hamburger,E.W. See Hamburger,A.I., 3=15109
Hämeen-Anttila,K.A. On the relativistic formulation of the Maxwell equations, 3=14739
Hämeen-Anttila,K.A. Effects of solar radiation pressure on non-spherical artificial satellites, 3=23715
Hameka,H.F. Theory of singlet–triplet transitions in magnetic rotation spectra, 3=2594
Hameka,H.F. On Pople's molecular-orbital theory of diamagnetism, 3=8240
Hameka,H.F. Resonance fluorescence in gases and molecular crystals, 3=14219
Hameka,H.F. See Hamano,H., 3=8258
Hameka,H.F. See Hojing Kim, 3=8259
Hameka,H.F. See Pitzer,R.M., 3=8290
Hamer,N.K. Optical rotatory dispersion of transition metal complexes, 3=730
Hamer,N.K. The spectra of some tetrahedral halide complexes of transition metal ions, 3=15354
Hamill,W.H. See Kubose,D.A., 3=14514
Hamilton,D.R., Choyke,W.J. and Patrick,L. Photoluminescence of nitrogen–exciton complexes in 6H SiC, 3=18034
Hamilton,D.R. and Seidensticker,R.G. Growth mechanisms of germanium dendrites: kinetics and the nonisothermal interface, 3=13421
Hamilton,D.R. and Seidensticker,R.G. Association in melted semiconductors, 3=21614
Hamilton,D.R. See Seidensticker,R.G., 3=25678
Hamilton,G.W. See Boley,F.I., 3=19291
Hamilton,J., Menotti,P., Oades,G.C. and Vick,L.L.J. Pion–nucleon scattering and pion–pion interactions, 3=2310
Hamilton,J.F. and Brady,L.E. The role of mobile silver ions in latent-image formation, 3=11948
Hamilton,J.H.,Duncan,T.R.,Krouser,H. and Pollard,J. E2 K conversion coefficients in the decay of 13 y half-life Eu^{152}, 3=2411
Hamilton,J.H.,Goudsmit,P.F.A. and Jansen,J.F.W. Note on the decay of ^{132}I, 3=22335
Hamilton,J.H. See Frey,W.F., 3=22366
Hamilton, J.H. See Hankla, A.K., 3=17439
Hamilton,J.H. See Willard,D., 3=2409
Hamilton,W.C. Comments on recent work of hydrogen atom location thermal motion determination by neutron diffraction, 3=6832
Hamilton, W.C. Secondary extinction corrections for cylindrical crystals, 3=18292
Hamilton,W.C. and Ibers,J.A. A neutron diffraction study of polycrystalline $HCrO_2$ and $DCrO_2$, 3=1334
Hamilton,W.C. See Ibers,J.A., 3=6846
Hamilton,W.D. and Aasa,E. A search for low energy transitions in ^{131}Xe, 3=651
Hamisch,H. Surface discharges across insulators in vacuum, 3=16923
Hamisch,H. See Boersch,H., 3=19226
Hammel,E.F., Jr. See Craig,P.P., 3=7398
Hammer,D.C. See Arakawa,E.T., 3=20536
Hammer,S. Rock densities and vertical gradient of gravity in the earth's crust, 3=16187
Hammes,J.P. See Bradley,A., 3=25420
Hammond,G.L. The shift and broadening of the resonance doublet of Ba II caused by He and Ar collisions, 3=2562
Hammond,J.L., Jr. A lower bound and other properties of the mean-square error of linear measurement systems, 3=1580
Hammond,R.P. Large reactors may distill sea water economically, 3=19902
Hamor,J. See Furukawa,K., 3=7197
Hampe,W. Characteristics of ferromagnetic substances in the Rayleigh region, 3=3108
Hampe,W. Rayleigh potential and diffusion after-effect in carbon-containing silicon–iron, 3=13254
Hampe,W. and Bilger,H. The Rayleigh potential in 3% Si iron with orientated [Goss] texture, 3=20586
Hampton,D.B. See Stowe,A.N., 3=16443
Han,K.S.,Pancholi,S.C. and Grunditz,Y. On the transitions from the excited levels of Re^{187}, 3=8015
Hanabusa,M. See Foner,S., 3=15740

Hanada,R. See Hasiguti,R.R., 3=22877
Hanai, T., Koizumi, N. and Gotoh, R. Dielectric constants of emulsions, 3=3414
Hanamura,E. and Inui,T. Anharmonic effects on the vibration spectrum of the U-centers in alkali-halide crystals, 3=20247
Hancox,R. Triggering mechanism of low-pressure spark gaps, 3=4051
Hand,L.N. Experimental investigation of pion electroproduction, 3=7896
Hand,L.N. See Drickey,D.J., 3=14971
Handel,P. On low-frequency noise in semiconductors, 3=20281
Handel,S.K. Studies of the discharge mechanism in a coaxial flash X-ray tube, 3=9894
Handley,T.H. See Harmatz,B., 3=2380
Hanel,R.A.,Bandeen,W.R. and Conrath,B.J. The infrared horizon of the planet earth, 3=16435
Haneman,D. Free bonds in semiconductors, 3=10748
Haneman,D. and Chung,M.F. Hillocks on sputtered Ge surfaces, 3=24386
Haneman,D. and Pugh,E.N. Tear marks on cleaved germanium surfaces, 3=23382
Haner,D.A. See Dickens,J.K., 3=6236
Hanes,G.R. Quantum limit to precision of wavelength determination, 3=14304
Hanes,G.R. and Stoicheff,B.P. Time-dependence of the frequency and line-width of the optical emission from a pulsed ruby maser, 3=2142
Hanes,M.H. and Bair,E.J. Reactions of nitrogen—hydrogen radicals. I. NH_2 recombination in the decomposition of ammonia, 3=8308
Hănka,L. Relativistic analysis of classical experiments, 3=17031
Haňka,L. The relativistic approach to the electro-dynamics of moving bodies, 3=19418
Hanke,I. and Metzdorf,W. The exhibition of the magnetic domain structures of ferrites with the help of the magneto-optical Kerr effect, 3=13276
Hankla, A.K, Hamilton, J.H. and Stockendal, R.V. K internal conversion coefficients of transitions in Ba^{134}, 3=17439
Hanks,R.V. See Flynn,G.P., 3=7223
Hanle,W.,Scharmann,A. and Seibert,G. Exo-electron emission from substances during loss of water of crystallization, 3=5689
Hanley,T.D. See Hogan,D.D., 3=11623
Hanna,G.C. The neutron flux perturbation due to an absorbing foil; a comparison of theories and experiments, 3=12472
Hanna,R.C. See Craddock,M.K., 3=22131
Hanna,R.C. See Davis,D.G., 3=24730
Hanna,S.S., Perlow,G.J., Schiffer,J.P. and Weinman,J.A. Search for an effect of magnetic fields on electromagnetic radiation, 3=2132
Hanna,S.S. See Preston,R.S., 3=6457
Hanna, S.S. See Segel, R.E., 3=17403
Hannaford,J. See Colburn,P.J., 3=24161
Hanneman,R.E., Finn, M.C. and Gatos,H.C. Elastic strain energy associated with the "A" surfaces of the III—V compounds, 3=3219
Hanneman,R.E. See Banus,M.D., 3=20771
Hanneman,R.E. See Mariano,A.N., 3=11259
Hannerz,K. An evaluation of some heavy-water-moderated power-reactor concepts, 3=6330
Hans, H.S. and Rao,G.N. Decay of Cd^{115} (2·3d), 3=17437
Hans,H.S. See Govil,I.M., 3=19787
Hans,H.S. See Mohindra,R.K., 3=17481
Hans,H.S. See Mohindra,R.K., 3=19861
Hans,H.S. See Rao,G.N., 3=10297
Hans, H.S. See Rao, G.N., 3=17414
Hänsch,H.,Tuchan,F. and Weber,E.H. Study of the effect of vacuum annealing on the real structure of CdS single crystals, 3=11262
Hänsch,H.J. See Gutsche,E., 3=8632
Hänsch,H.J. See Gutsche,E., 3=11007
Hanscomb,J.R. High temperature electrical breakdown in sodium chloride, 3=13123
Hansen, H. Scintillation light yield and its direction dependence as a function of temperature of anthracene, trans-stilbene and para-terphenyl crystals under α-ray bombardment, 3=18045
Hansen,H. See Weigmann,H., 3=22111
Hansen,K.F. and Clark,M., Jr. Adjoint functions and orthogonality relations, 3=11666
Hansen, L.F. See Igo, G., 3=17385
Hansen,L.K. and Warner,C., III. Ion-emission requirements for removal of electron space-charge barriers, 3=21868
Hansen,N.E. See Fultz,S.C., 3=6221
Hansen,N.R. See Mack,J.G., 3=2068
Hansen,O. and Nathan,O. Excitation of collective octupole states in the Pd—Sm region, 3=12576
Hansen, O. See Bjerregård, J., 3=17458
Hansen,P.G.,Wilsky,K.,Baba,C.V.K. and Vandenbosch,S.E. Decay of an isomeric state in Cm^{244}, 3=22314
Hansen,P.G.,Wilsky,K. and Bjørnholm,S. Decay of an isomeric state in U^{234}, 3=22313
Hansen,P.G. See Bergsøe,P., 3=6668
Hansen,R. and Kleczek,J. Coincidence of sudden ionospheric disturbances with the explosive phase of solar flares, 3=13703
Hansen,R.S. See Mimeault,V.J., 3=21460
Hansen,R.T. See Kleczek,J., 3=16375
Hansen,W.L.,Goulding,F.S. and Lothrop,R.P. Compensated-surface oxide-passivated silicon junction radiation detectors, 3=22042
Hansen,W.N. A new spectrophotometric technique using multiple attenuation total reflection, 3=18989
Hansen-Nygaard,L. See Bak,B., 3=2640
Hansler, R.L. See Cooper, J.R., 3=25368
Hanson,A.O. See Hall,H.E., 3=10079
Hanson,A.O. See Jones,R.S., 3=2233
Hanson,A.R.,Domich,E.G. and Adams,H.S. Shock tube investigation of the breakup of drops by air blasts, 3=23859
Hanson,D.G. and van der Ziel,A. Probe noise in different regions of a gas discharge, 3=14550
Hanson,E. See Brown,W., 2=7254
Hanson,R.C. Hall mobility of holes in silver bromide, 3=13080
Hanssen,K.J. Relation of the geometrical-optical and electrical properties of hairpin and point cathodes, 3=24334
Hansson,N. Investigations of the stability of transit circles. I. Thermal influence and mechanical flexure, 3=11483
Hantay,Ö. See Gergely, G., 3=17844
Hantel,L. See Challande,R., 3=2966
Hanton,J.P. See Valstyn,E.P., 3=6741
Hantzsche,E. and Vojta,G. Theory of the plasma microfield of Hunger and Larenz, 3=12099
Hao Bai-lin. Surface impedance and transparency coefficient of metals in the infrared, 3=20434
Hao Bai-Lin. Equilibrium properties of semiconductors with zero energy barrier, 3=25333
Hao Pai-Lin, Liu Tê-Shên and Ch'ên Shih-Kan. The energy spectrum of π-electrons in linear chains of conjugate bonds, 3=20035
Hao Pai Lin. See Gurzhi,R.N., 3=25245
Happ,W.W. See Wagner,O.E., 3=9846
Happe,J.A. and Ward,R.L. Isotropic n.m.r. shifts in pyridine-type bases complexed with paramagnetic Ni^{II} and Co^{II} acetylacetonates, 3=25144
Happell,J.J. See Zweifel,P.F., 3=6335
Haque,C.A. and Donaldson,E.E. Continuously oxygenated tungsten as a surface ionization source, 3=14668
Haque,M. See Husain,A., 3=603
Hara,E. See Tsuchimoto,T., 3=7649
Hara,K. A dynamical theory of internal parameters for nuclear collective motion, 3=22265
Hara,K. See Shinji,K., 3=7644
Hara Ken-ji. Collective E0 transitions and the nuclear shape, 3=24843
Hara,Y. Relations among total cross-sections at high energies, 3=565
Hara,Y. The hypothesis of Regge poles and high energy nucleon—nucleon scattering, 3=7843
Hara,Y. and Miyamoto,Y. π—N scattering in octet model, 3=19687
Harada,J. See Kitamura,N., 3=1325
Harada,K. See Saburi,Y., 3=12347
Harada,K. See Saburi,Y., 3=24170
Harada,Y. See Inokuchi,H., 3=16975
Haradome,M. See Hioko,R., 3=23016
Haradome,M. See Kamiyama,M., 3=2973
Haranath,P.B.V. A new emission band spectrum of sulphur, 3=12833
Harang,L. Drift of the ionosphere at high lattitude determined from radio star scintillations, 3=11425

Harang,L. and Malmjord,K. Determination of drift movements of the ionosphere at high latitudes from radio star scintillations, 3=3493
Harari,H. See Dothan,Y., 3=583
Harari,H. See Dothan,Y., 3=10173
Harbeke,G. Absorption edge in ferroelectric SbSI under electric fields, 3=20468
Harbeke,G. See Cardona,M., 3=10954
Harbottle,G. The half-lives of Tl^{204}, Au^{195}, Ir^{192} and its long-lived isomer Ir^{192m_2}, 3=12628
Harcombe,D.,Palmer,R.T. and Gozna,G.F. A magnetically controlled spark gap, 3=21741
Hardacre,A.G. See Gard,G.A., 3=22035
Hardell,R. and Nilsson,S. Precision energy determination of isomeric levels and of low-lying excited states in deformed nuclei, 3=6153
Hardell,R. and Nilsson,S. For reactor irradiation containers — titanium and electrolytic iron, 3=19905
Hardell,R. See Persson,L., 3=655
Harden,J.L. and Collier,R.S. Tunnelling between a normal metal and a superconductor, 3=16863
Hardie,A.M. The gyrotron and the fly, 3=5402
Hardie,G.,Dangle,R.L. and Oppliger,L.D. Proton-oxygen differential scattering cross sections. III, 3=4631
Harding,G.N. and Roberts,V. Spectroscopic investigation of plasma in the wavelength range 0.1-2.0 mm, 3=7594
Harding,G.O. See Kaminow,I.P., 3=8553
Hardt,H.J. and Lutz,E. Improvement of the energy independence of counter tubes, 3=22028
Hardtke,F.C. Thermoelectricity in irradiated glass, 3=2983
Hardwick,A.J. Interrelationship of substrate temperature and angle of incidence effects upon anisotropy variations in evaporated nickel iron thin films, 3=11086
Hardy, H.C. Introduction to school acoustics, 3=14296
Hardy,J., Jr,Klein,D. and Smith,G.G. Some experimental results pertinent to equivalence relations for effective resonance integrals, 3=6262
Hardy,J., Jr,Smith,G.G. and Klein,D. The effective U^{238} resonance capture integrals of uranium metal and UO_2 rods, 3=6261
Hardy,J.R. Direct lattice absorption associated with shallow impurity levels, 3=928
Hardy,J.R.,Smith,S.D. and Taylor,W. Optical phonon effects in absorption and photoconductivity of semiconducting diamond, 3=10933
Hardy,J.R. See Karo,A.M., 3=8350
Hardy,J.R. See Smith,S.D., 3=10577
Hardy,K.R. The development of raindrop-size distributions and implications related to the physics of precipitation, 3=25883
Hardy,R.C. N.B.S. viscometer calibrating liquids and capillary tube viscometers, 3=9421
Hardy,R.J. Energy-flux operator for a lattice, 3=25206
Hardy,S.C. See Parker,R.L., 3=3276
Hargreaves,C.M. Multiple-beam "transmission-like' Fizeau fringes in the reflexion interference system, 3=16796
Hargreaves,J.K. An experimental method of estimating F-region collision frequencies, 3=23625
Hargreaves,J.K. See Gillmor,C.S., 3=18561
Hargrove,C.K.,Geiger,K.W. and Chatterjee,A. The decay of ^{131}I, 3=10294
Hargrove,L.E. Optical effects of ultrasonic waves producing phase and amplitude modulation, 3=220
Harigel,G.,Haufglöckner,H.,Keil,E.,Scheer,M. and Seyerlein,J. On the production of X-ray bremsstrahlung in a betatron, 3=5983
Harigel,G.,Scheer,M. and Schultze,K. Bubble chamber experiments on the slowing down of relativistic electrons, 3=24698
Harigel,G. See Bergmann,W.H., 3=17128
Harigovindan,S. A simple circuit for a reversible dekatron counter, 3=14491
Harihar,P. See Wiener,R., 3=12603
Harker,G.F.H. Theory of the Quincke tube, 3=11863
Harker,K.J. Solution of the Cauchy problem for Laplace's equation in axially symmetric systems, 3=18694
Harkness,A.L. See Halperin,J., 3=22434
Harkness,R.L. See Hughes,M.P., 3=23704
Harkrider,D.G.,Hales,A.L. and Press,F. On detecting soft layers in the mantle with Rayleigh waves, 3=18472
Harkrider,D. See Press,F., 3=9061

Harloff,H.J. and Kupec,P. Interactions between the magnetic film and the control current pulse in the thin film store, 3=19415
Harlow,F.H. See Fromm,J.E., 3=18782
Harlow,R.G.,Hinton,T. and Rider,J.G. A frequency modulation technique for the measurement of internal friction, 3=7258
Harlow,R.G. See Smith,D.H., 3=5497
Harman,G.G.,Raybold R.L. and Meyer,O.L. Direct observation of charge storage in the surface states of silicon, 3=10799
Harman,T.C. Criteria for the optimization of the nernst figure of merit, 3=20257
Harman,T.C. and Honig,J.M. Theory of galvano-thermomagnetic energy conversion devices. I. Generators, 3=356
Harman,T.C. and Honig,J.M. Theory of galvano-thermomagnetic energy conversion devices. II. Refrigerators and heat pumps, 3=357
Harman,T.C. and Honig,J.M. Operating characteristics of Nernst refrigerators for anisotropic materials, 3=12064
Harman,T.C., Honig,J.M. and Tarmy,B.M. Galvano-thermomagnetic effects in semiconductors and semimetals. III. The standard and kane band models, 3=20289
Harman,T.C.,Honig,J.M. and Tarmy,B.M. Galvano-thermomagnetic phenomena. IV. Application to anisotropic adibatic Nernst generators, 3=21694
Harman,T.C. See Strauss,^.J., 3=10938
Harmatz,B., Handley,T.H. and Mihelich,J.W. Properties of nuclear levels in a number of odd-A nuclei $(151 \leq A \leq 191)$, 3=2380
Harmer,D.S. See McDaniel,E.W., 3=4006
Harmon,T.C. and Honig,J.M. Operating characteristics of transferse (Nernst) anisotropic galvano-thermomagnetic generators, 3=9715
Harmon,T.C. and Honig,J.M. Theory of galvano-thermomagnetic energy conversion devices. III. Generators constructed from anisotropic materials, 3=9716
Harness,J.B. See Challis,L.J., 3=4830
Harnik,E. and Pratt,B. Space-charge polarization in photoconducting insulators, 3=15627
Harnik,E. and Weisz,S.Z. Negative photoconductivity in cadmium sulphide, 3=903
Harnik,E. See Peled,S., 3=10869
Harnischmacher,E. Results of E-region drift measurements, 3=13750
Harnqvist,K.G. and Fendley,J.R. Jr. Duo-emitter diode, 3=9848
Haroski,D. and Vogler,G. Investigation of the magnetization-reversal process in square-loop ferrites by means of the extended Preisach model, 3=13275
Harp,E.E. See Cunningham,R.W., 3=10824
Harp,R.S. Circuit for the display of Langmuir probe characteristics, 3=14600
Harp,R.S. See Crawford,F.W., 3=5678
Harper,W.J. Pulse excitation of electroluminescent films of ZnS:Cu (Cl, Br, I), 3=11009
Harrand,M. See Théry,B., 3=20005
Harries,W.L. See Grove,D.J., 3=12190
Harries,W.L. See Sinclair,R.M., 3=19269
Harries,W.L. See Yoshikawa,S., 3=19268
Harriman,J.E. and Maki,A.H. Intramolecular electron transfer in bis(p-nitrophenyl) anions and its effect on electron spin resonance hyperfine structure, 3=22597
Harrington, D.R. $e^+ + e^- \rightarrow \pi^+ + \pi^- + \pi^0$ and overlapping resonances, 3=17246
Harrington,R.D. See Hoer,C.A., 3=24423
Harrington,R.E. See Rabinovitch,B.S., 3=8965
Harris,C.C. Comminution: A modified logistic growth function, 3=8786
Harris,C.C. and Jowett,A. Sub-sieve sizing by sedimentation balance, 3=21278
Harris,C.M. Absorption of sound in air on the audio-frequency range, 3=7241
Harris,C.M.,Eisenstadt,M. and Weiss,M.R. Sounds of the Highland bagpipe, 3=23988
Harris,C.M. and Waite,W.M. Gaussian-filter spectrum analyzer, 3=11870
Harris,C.M. and Waite,W.M. Display of sound spectrographs in real time, 3=14283
Harris,C.M. and Weiss,M.R. Pitch extraction by computer processing of high-resolution Fourier analysis data, 3=11620
Harris,C.M. See Weiss,M.R., 3=9291

Harris,D.L. See Birks,L.S., 3=3421

Harris,E.A. and Owen,J. Biquadratic exchange between Mn^{2+} ions in MgO, 3=20627

Harris,E.A. See Rodbell,D.S., 3=20628

Harris,E.G. See Alexeff,I., 3=16937

Harris,F.E. and Taylor,H.S. Molecular orbital studies of diatomic molecules. III. The ground state of the hydrogen molecule, 3=19980

Harris,F.E. See Taylor,H.S., 3=15318

Harris,F.M. See Dutton,J., 3=4017

Harris,F.M. See Dutton,J., 3=7428

Harris,F.M. See Dutton,J., 3=24215

Harris,F.S.,Jr., Sparks,D.C. and Layton,R.G. Nucleation of ice on lead iodide, 3=16038

Harris,F.S.,Jr. See Layton,R.G., 3=16037

Harris,G.G. Periodicity perception by using gated noise, 3=2116

Harris,G.G.,Flanagan,J.L. and Watson,B.J. Binaural interaction of a click with a click pair, 3=16448

Harris,G.G. and van Bergeijk,W.A. Evidence that the lateral-line organ responds to near-field displacements of sound sources in water, 3=7069

Harris,G.I. and Seagondollar,L.W. Properties of excited states of P^{31}. II. Gamma-ray angular distributions and correlations, 3=19774

Harris,G.I. See Watson,D.D., 3=24880

Harris,I. and Priester,W. Theroetical models for the solar-cycle variation of the upper atmosphere, 3=9065

Harris,J. Dimensionless groups in viscoelastic flow through a tube, 3=11771

Harris,J. Normal stress measurement in viscoelastic flow, 3=11772

Harris,J. See Friedman,I., 3=25898

Harris,J.D. On the diffusion of ions in membranes. II. Generalized Planck-Teorell equations, 3=16607

Harris,J.D.,Pikler,A.G. and Murphy,J.E. Compensatory and pursuit tracking of pitch, 3=13953

Harris,J.D. See Bowman,J.J., 3=5916

Harris,J.D. See Bowman,J.J., 3=5917

Harris,J.D. See Sergeant,R.L., 3=1556

Harris,J.H. See Chapman,R.P., 3=1423

Harris,J.N. See Fleming,J.D., 3=13548

Harris,L.B. The rapid after-effect in zinc, 3=18197

Harris,L.P. Electrical conductivity of cesium-seeded atmospheric pressure plasmas near thermal equilibtium, 3=24279

Harris,P.H. The direct observation of crystalline regions in drawn nylon 6·6 filaments, 3=20863

Harris,P.H. A simple method of improving the wettability of electron microscope specimen grids, 3=20972

Harris,P.H. The use of undrawn nylon filaments as capillary cores, 3=21180

Harris,P.H. and Thompson,E.L. A rotating specimen holder for the Philips EM 100 electron microscope, 3=11332

Harris,P.S. See Ballinger,E.R., 3=21151

Harris,P.V. See Price,W.C., 3=8303

Harris,R.A. Predissociation, 3=25146

Harris,R.E. See Taylor,H.S., 3=25096

Harris,R.K. Fluorine n.m.r. spectroscopy —studies of ^{13}C satellite spectra, 3=15386

Harris,R.W.,Phillips,G.C. and Jones,C.M. Phase shift analysis of the elastic scattering of protons from oxygen, 3=2446

Harris,S.E. Conversion of f.m. light to a.m. light using birefringent crystals, 3=9628

Harris,S.E.,McMurtry,B.J. and Siegman,A.E. Modulation and direct demodulation of coherent and incoherent light at a microwave frequency, 3=5535

Harris,S.L. See Gregory,R.W., 3=7171

Harris,S.M. See Fuller,R.W., 3=14032

Harris,W.J. Holey films for electron microscopy, 3=13582

Harris,W.P. See Stowe,A.N., 3=16443

Harrison,C.W.,Jr. See Gooch,D.W., 3=19453

Harrison,D.E.,Melamed,N.T. and Subbarao,E.C. A new family of self-activated phosphors, 3=10982

Harrison,E.R. Physics of electron and plasma streams, 3=12244

Harrison,E.R. Emission of high energy ions from low voltage arcs. Comments on H.H.Teh's paper, 3=14662

Harrison,H. and Bernstein,R.B. Iterative method for solution of the one-dimensional wave equation: eigenvalues and eigenfunctions for L-J (12, 6) and exponential (α, 6) interatomic potentials, 3=15317

Harrison,H.,Krall,N.A.,Eldridge,O.C.,Fehsenfeld,F.,Fite,W.L. and Teutsch,W.B. Possibility of observing the magnetic charge of an electron, 3=10090

Harrison,J.C. The measurement of gravity, 3=5181

Harrison,J.C. A note to the paper "Earth-tide observations made during the International Geophysical Year", 3=13638

Harrison,J.C. An analysis of the lunar tides, 3=23670

Harrison,J.C.,Ness,N.F.,Longman,I.M.,Forbes,R.F.S.,Kraut,E.A. and Slichter,L.B. Earth-tide observations made during the International Geophysical Year, 3=13637

Harrison,J.C. and Spiess,F.N. Tests of the Lacoste and Romberg surfaceship gravity meter. II, 3=13636

Harrison,J.C. See Allan,T.D., 3=8995

Harrison,J.E. See Mohindra,V.K., 3=23604

Harrison,J.R. Shielding materials, 3=2539

Harrison,L.G. Suggestion for a chemical notation for V centers, 3=20249

Harrison,M.C. See Reeves,C.M., 3=19965

Harrison,M.F.,Dolder,K.T. and Thonemann,P.C. The measurement of the ionization cross-sections of ions by electron impact, 3=7425

Harrison,M.F.A.,Dolder,K.T. and Thonemann,P.C. A measurement of the cross section for the ionization of N^{+} to N^{2+} by electron impact, 3=21702

Harrison,M.F.A. See Dolder,K.T., 3=21703

Harrison,M.J. Magnetic dependence of long-wavelength phonons in metals, 3=4808

Harrison,P.G. Effect of X-ray intensity on the production of color centers in NaCl and KCl, 3=25297

Harrison,R.J. and Paskin,A. Polar model of order—disorder, 3=8899

Harrison,R.J.and Sagalyn,P.L. Trace relations for tensors relating electric fields and elastic strains to nuclear quadrupole effects, 3=3206

Harrison,S.E. See Bernal,I., 3=20015

Harrison,S.E. See Heilmeier,G.H., 3=22680

Harrison,S.E. See Heilmeier,G.H., 3=23019

Harrison,W.A. Electronic structure and the properties of metals. I. Formulation, 3=8394

Harrison,W.A. Electronic structure and the properties of metals. II. Application to zinc, 3=8395

Harrison,W.A. Electronic structure of a series of metals, 3=25229

Harrison,W.A. See Charles,R.J., 3=20681

Harrison,W.N. See Richmond,J.C., 3=289

Harrity,J.W. See Wikner,E.G., 3=22859

Harrop,P.J. and Creamer,R.H. The high-temperature electrical conductivity of single-crystal alumina, 3=15610

Harrop,W.J. See Gates,D.M., 3=25888

Harrower,G.A. Reply to J.R.Shakeshaft, 3=7043

Harrower,G.A. and Watson,M.J. A new estimate of the density and intensity of extragalactic radio sources, 3=16432

Hart,E.J. and Boag,J.W. Absorption spectrum of the hydrated electron in water and in aqueous solutions, 3=6926

Hart,E.L. See Androulakis,J.G., 3=17125

Hart,E.L. See Bertanza,L., 3=7935

Hart,E.L. See Bertanza,L., 3=15037

Hart,E.L. See Connolly,P.L., 3=17330

Hart,H. Use of the quadratic difference law for liquid density measurement, 3=3780

Hart,J. and Merrilees,P.E. The viscoelectric effect, 3=18808

Hart,J. See Birks,J.B., 3=22970

Hart,J.F. and Herzberg,G. Twenty—parameter eigenfunctions and energy values of the 2^{3}S states of He and He-like ions, 3=2561

Hart,K.H. See Baird,K.M., 3=12763

Hart,P.A.H. and Plantinga,G.H. Millimetre-wave noise of a plasma, 3=4131

Hart,P.J. Resistance of a high-intensity arc, 3=375

Hart,R.G. A method for shadowing electron microscopic specimens with tungsten, 3=11329

Hart,R.G. and Graham,R.L. The reactor neutron capture cross-section of Ag^{110m}, 3=22401

Hart,R.K. See Merkle,K.L., 3=22864

Hart,R.W. and Cantrell,R.H. Acoustic radiation from pressure-antisymmetric modes of acentrally vented cylindrical cavity, 3=7287

Hart,R.W. See Cantrell,R.H., 3=11864

Hart,V.P. See Bashkin,S., 3=8136

Hart,W.H. See Peckham,R.H., 3=21175

Harte,K.J. and Smith,D.O. Switching thresholds of weakly coupled ferromagnetic domains, 3=13249
Harteck,P. See Albers,E.W., 3=12789
Hartelius,C.C. See Kouvel,J.S., 3=15752
Harth,E. See Block,M.M., 3=12508
Harth,E. See Block,M.M., 3=12570
Harth,E. See Gray,L., 3=15042
Härtig,G. See Wendel,G., 3=6681
Härtig,M. See Seidler,H., 3=4288
Harting,D. See Bleuler,E., 3=24565
Hartland,A. and Lipsicas,M. Quantum symmetry effects in hydrogen gas, 3=8312
Hartland,A. See Lipsicas,M., 3=20023
Hartley,A.M. See Johnson,C.S.Jr., 3=2654
Hartley,C.S. and Wilson,R.J. Dislocation pinning effects in unalloyed molybdenum, 3=23313
Hartley,D.B. and Benson,S.W. Kinetics of the reaction of HI with ethyl iodide and the heat of formation of the ethyl radical, 3=20978
Hartley,M.G. See Bate,N.W., 3=24351
Hartline,H.K. See Ratliff,F., 3=5295
Hartman,D.E. See Roberts,J.M.. 3=23306
Hartman,P.L. Vacuum ultraviolet monochromator, 3=1819
Hartman,P.L. Investigations on some alkali halides in the vacuum ultraviolet, 3=10964
Hartman,R.D. See Testerman,M.K., 3=13556
Hartman,R.E. and Hartman,R.S. A small-diameter evaporation source for shadowing with platinum and platinum alloys, 3=18418
Hartman,R.S. See Hartman,R.E., 3=18418
Hartman,T.E. Tunneling of a wave packet, 3=1611
Hartman T.E. Electrical conduction in discontinuous thin metal films, 3=10724
Hartman,T.E. Ultra-high vacuum use of Bayard—Alpert ionization gauges, 3=11843
Hartmann,G. See Herrmann,W., 3=6189
Hartmann,H. The effect of growth conditions on the luminescence characteristics of single crystals of zinc sulphide, 3=6675
Hartmann,H. Crystallographic studies on luminescent ZnS:Cu single crystals, 3=10996
Hartmann,H. and Schultz,G. Appearance of electroluminescence in zinc sulphide single crystals due to the incorporation of copper, 3=3069
Hartmann,H. and Schultz,G. The appearance of electroluminescence in ZnS single crystals due to migration of Cu, 3=13216
Hartmann,H.K. X-ray photoconduction, u.v. photoconduction and fluorescence in anthracene, 3=6628
Hartmann,P. See Hafner,S., 3=23263
Hartmann,R.J. and Macherauch,E. Lattice strains and deformation faults in tensile deformed α-brass specimen, 3=6524
Hartmann,S.R. and Anderson,A.G. Nuclear magnetic resonance and relaxation in a spin system characterized by different Zeeman and dipole—dipole spin temperatures, 3=23247
Hartmann,S.R. and Hahn,E.L. Nuclear double resonance in the rotating frame, 3=6761
Hartmann,S.R. and Hahn,E.L. Nuclear double resonance in the rotating frame, 3=23265
Hartmann,S.R. See Anderson,A.G., 3=6760
Hartmann-Boutron,F. See de Gennes,P.G., 3=8726
Hartmann-Boutron,F. See Pincus,B., 3=15956
Hartmann-Boutron,F. See Robert,C., 3=3205
Hartog,J.J. and Knollman,G.C. Measurement of underwater sound scattered from a fluid sphere, 3=11794
Hartouni,E. See Masters,J.I., 3=14809
Hartunian,R.A. Local atom concentration in hypersonic dissociated flows at low densities, 3=9487
Hartunian,R.A. and Liu,S.W. Slow flow of dissociated gas about a catalytic probe, 3=9488
Hartunian,R.A. See Jacobs,T.A., 3=18905
Hartwick,T.S. See Peressini,E.R., 3=490
Hartwick,T.S. See Peressini,E.R., 3=18122
Hartwig,D. and Ulmer,K. Energy distribution in thermionically emitted electron beams, 3=12247
Hartwig,D. and Ulmer,K. Energy distribution in electron beams from intermittently heated electron sources, 3=19336
Hartz,T.R. and McAlpine,J.L. The dependence of ionospheric disturbances on large solar flares, 3=6976
Hartz,T.R.,Montbriand,L.E. and Vogan,E.L. A study of auroral absorption at 30 Mc/s, 3=13805
Hartz,T.R. See Ortner,J., 3=9135
Harumi,K. Scattering of plane waves by a cavity ribbon in a solid, 3=1746
Harunar Rashid,A.M. Elastic scattering of pions by alpha-particles, 3=10154
Harush,J. See Androulakis,J.G., 3=17125
Harváth,J.I. Internal structure of physical fields, 3=22052
Harvey,B.G.,Cerny,J.,Pehl,R.H. and Rivet,E. Levels involving a $(d\frac{5}{2})\frac{2}{5}$ state in light nuclei, 3=4566
Harvey,G.A. See Swarup,G., 3=16424
Harvey,I.K. Phase selective a.c. bridge balance indicator, 3=9695
Harvey,J. See Draper,P.H.G., 3=23507
Harvey,K.B. The observation of dislocation loops in the sodium chloride—barium chloride mixed crystal system, 3=17720
Harvey,K.B. See Bond,H.E., 3=12976
Harvey,M. See Elliott,J.P., 3=10212
Harvey,R.L.,Gordon,I. and Braden,R.A. Method of measuring the complex dielectric constant of ferrite-like toroids, 3=9710
Harvey,W.W. The relation between the chemical potential of electrons and energy parameters of the band theory as applied to semiconductors, 3=2873
Harvey,W.W. The thermodyanic activity of the semiconductor, 3=17836
Harwit,M. Dust, radiation pressure, and star formation, 3=3536
Harwit,M. Origins of the zodiacal dust cloud, 3=18595
Harwit,M. See Gould,R.J., 3=11504
Hárzy,M. See Balázs,L., 3=4993
Hasai,H. See Nisimura,K., 3=24720
Hasebe,K. Control of the anodic oscillations in a glow discharge tube by a feedback amplifier, 3=4066
Haseda,T.,Miedema,A.R.,Kobayashi,H. and Kanda,E. Magnetism of some copper complexes at low temperatures, 3=1060
Haseda,T. See Kobayashi,H., 3=11103
Haseda,T. See Kobayashi,H., 3=15780
Hasegawa,A. Mobility change through temperature-dependent mass in semiconductors, 3=848
Hasegawa,A. and Yamashita,J. Electron—electron interaction in warm electrons, 3=8499
Hasegawa,H. Theory of cyclotron resonance in strained silicon crystals, 3=8414
Hasegawa,H., Naranan,S,, Matano,T., Miura,I., Oda,M., Shibata,S., Tanahashi,G. and Tanaka,Y. Investigation of the structure and the development of extensive air showers, 3=4496
Hasegawa,H. See Nakayama,M., 3=10792
Hasegawa,K. See Ueda,R., 3=787
Hasegawa,M. See Saitô,N., 3=11361
Hasegawa,S. A new model for high-energy nuclear interaction, 3=6110
Hasegawa,S. New characteristics of multiple meson production, 3=10133
Hasegawa,T. See Nisimura,K., 3=24720
Haseler,J.B. See Long,R.J., 3=13931
Hasell,A.C. Unit-cell dimensions of thallous tri-iodide, 3=11263
Hashi.T. See Yasuoka,H., 3=18149
Hashimoto,A. See Shimazu,M., 3=18465
Hashimoto,H. Energy dependence of the contrast of dislocation images, 3=20192
Hashimoto,H., Naiki,T., Fujita,K. and Matsubara,K. Crystal growth of tungsten oxides, 3=18271
Hashimoto,H., Tanaka,K., Kobayashi,K., Suito,E., Shimadzu,S. and Iwanaga,M. Absorption and diffraction effects of electron waves observed in 300 kV electron microscopic images, 3=1285
Hashimoto,H. See Kobayashi,K., 3=11334
Hashimoto,H. See Tanaka,K., 3=1314
Hashimoto,S. See Nakada,T., 3=16822
Hashimoto,T. Magnetic properties of the solid solutions between $KMnF_3$, $KCoF_3$ and $KNiF_3$, 3=25553
Hashin,Z. and Shtrikman,S. On some variational principles in anisotropic and nonhomogeneous elasticity, 3=1210
Hashin,Z. and Shtrikman,S. A variational approach to the theory of the elastic behaviour of polycrystals, 3=1211
Hashin,Z. and Shtrikman,S. Conductivity of polycrystals, 3=1071
Hashin,Z. and Shtrikman,S. A variational approach to the theory of the elastic behaviour of multiphase materials, 3=11735

Hashino,T. On collisions between two normal helium atoms, 3=710
Hashizume,A. and Tendow,Y. The gamma-rays following the decay of ^{176}Ta, 3=24909
Hashizume,A. See Tendow,Y., 3=17253
Hashmi,S.Z.R. A general purpose system for accurate measurement of varying or fixed frequencies, 3=16573
Hashmi,S.Z.R. Application of "sing-around" technique to ultrasonic velocity measurements in large samples of solids, 3=21502
Hasiguti,R.R. Internal friction due to diffusion of dislocation-kinks trapped by point defects, 3=23290
Hasiguti,R.R.,Hanada,R. and Yamaguchi,S. Collision processes in ion irradiation and sputtering deposit patterns in zinc and germanium, 3=22877
Hasiguti, R.R, Minami, K. and Yonemitsu, H. Electrical resistivity of semiconductive titanium dioxide between 2°K and 80°K, 3=17895
Hasiguti,R.R. See Ishino,S. 3=25313
Hasiguti,R.R. See Kimura,H., 3=8907
Hasiguti,R.R. See Kimura,H., 3=12961
Hasiguti,R.R. See Kimura,K., 3=22744
Hasiguti,R.R. See Okuda,S., 3=11136
Hasino,T. and Matsuda,H. On the elastic scattering of electrons of nearly zero energy by helium atoms, 3=10475
Haskell,N.A. Radiation pattern of Rayleigh waves from a fault of arbitrary dip and direction of motion in a homogeneous medium, 3=16687
Hasker,J. and Groendijk,H. Measurement and calculation of the figure of merit of a cathode-ray tube 3=9850
Haskin,D. See Ciok,P., 3=8084
Haslam,R.N.H. See McDonald,W.J., 3=10323
Haslett,R.W.G. Determination of the acoustic scatter patterns and cross sections of fish models and ellipsoids, 3=1775
Hass,G. See Bradford,A.P., 3=19004
Hass,G. See Madden,R.P., 3=11883
Hass,H. and Hunter,R.W. Preparation and measurement of reflecting coatings for the vacuum ultraviolet, 3=9603
Hass,W.A. See Wexler,H., 3=9036
Hass,W.P.A.,Poulis,N.J. and Borleffs,J.J.W. Nuclear relaxation in solid and liquid hydrogen for various frequencies, 3=23253
Hassan,S.A.,Hall,C.W. and Trout,G.M. Heat transfer analysis of a heat exchanger plate, 3=14394
Hasse,J. and Lüders,K. Effect of lattice defects on the transition temperature for superconductivity of thallium, 3=12036
Hasselman,D.P.H. and Batha,H.D. Strength of single crystal silicon carbide, 3=20708
Hasted,J.B. Charge changing collisions, 3=4025
Hasted,J.B. See Chantry,P.J., 3=4009
Hasted,J.B. See Gilbody,H.B., 3=19185
Hastilow,P.A.P. See Brearly,W., 3=11175
Hastings,J.M. and Corliss,L.M. The magnetic structure of MnCr$_2$O$_4$, 3=1112
Hastings,J.M. and Corliss,L.M. Magnetic structure of manganese chromite, 3=11101
Hastings,J.M. See Corliss,L.M., 3=15754
Hasty,T.E. Ferromagnetic resonance in thin films with perpendicular fields at radio frequencies, 3=15917
Hasty,T.E., Penn,T.C. and Einspruch,N.G. Ultrasonically induced switching in (80% Ni–20% Fe) ferromagnetic films, 3=15826
Hasunuma,H. See Horikoshi,H., 3=11145
Haszko,S.E. See Wolfe,R., 3=836
Haszko,S.E. See Wolfe,R., 3=20424
Hatanaka,T.,Unno,W. and Takebe,H. On the condensation of interstellar gas. I. Gravitational instability, 3=11506
Hatanaka,T. See Takebe,H., 3=16325
Hatanaka,T. See Yoshida,S., 3=23619
Hatano,A. See Okabayashi,T., 3=19553
Hatch,A.J. High-frequency plasmoids, 3=4167
Hatch,E.N. See Bergvall,P., 3=12640
Hatchard,C.G. See Parker,C.A., 3=142
Hatchard,C.G. See Parker,C.A., 3=11800
Hatchard,C.G. See Parker,C.A., 3=14174
Hatcher,R.D. See Arase,E.M., 3=25188
Hatcher,R.D. See Arenstein,M., 3=25204
Hatcher,R.D. See Arenstein,M., 3=25205
Hatfield,L.L. and Hughes,R.H. Balmer emissions induced by H$_2^+$ and H$_3^+$ impact on molecular hydrogen, 3=25043
Hatfield,L.L. See Hughes,R.H., 3=15278
Hatfield,W.B. and Auld,B.A. Electromagnetic shock waves in gyromagnetic media, 3=24466
Hatibarua,J. See Mahanta,P.C., 3=8370
Hatkin,L. See Jacobs,H., 3=22019
Hatta,Y. and Sato,N. The experimental study on the ionic wave in the dark plasma, 3=4161
Hatta,Y. See Kenjo,T., 3=24234
Hatton,A.P. and Quarmby,A. Heat transfer in the thermal entry length with laminar flow in an annulus, 3=274
Hatton,J.V.,Schneider,W.G. and Siebrand,W. Nuclear spin–spin coupling involving heavy nuclei. The coupling between Hg^{199} and H^1 nuclei in CH$_3$HgX and CH$_3$CH$_2$HgX compounds, 3=25145
Hattori,A. The heat balance on the surface of Mars, 3=9178
Hattori,M. and Yamada,K. Low lying energy loss in silver films, 3=10633
Hattori,M.,Yamada,K. and Suzuki,H. Plasma resonance absorption in thin metal films, 3=10634
Hattori,S. On the N centers in KCl crystals. 3=820
Hattori,T. Steele,M.C., 3=6597
Haubenreisser,W. The influence of crystal anisotropy on the magnon interactions for subsidiary resonance in a parallel field, 3=20636
Haubenreisser,W. and Linzen,D. Orientation dependence of the critical microwave field strength for subsidiary resonance and parallel field in Mn–Mg–Co ferrite single crystals, 3=3160
Haubenreisser,W. and Linzen,D. Orientation dependence of the critical amplitude of the microwave field strength for subsidiary resonance and perpendicular [Senkrecht] field, 3=6742
Haubenreisser, W. and Linzen, D. Dependence on direction of the critical microwave field-strength for subsidiary resonance and parallel field in manganese–magnesium–cobalt ferrite single crystals, 3=18121
Haubenreisser,W. See Klupsch,T., 3=1170
Haubert,A. Equilibrium between the production of ionization and the disappearance of electrons in the ionosphere, 3=5216
Haubert,A. An improvement of the radio method of measuring winds in the ionosphere, 3=9076
Haubert,A. The International Geophysical Year and the evolution of the ionosphere, from observations at Casablanca—Rabat, 3=16266
Haubert,A. and Laloë,F. Ionosphere — Is an eclipse of the sun able to change the ionosphere at the magnetically conjugate point? 3=23624
Hauffe,K. The electrophotographic properties of zinc oxide, 3=9629
Häufglöckner,H. See Harigel,G., 3=5983
Haug,A.and Schönhofer,A. Theory of excitons, 3=2764
Hauge,E.H. Virial coefficients for square-well potentials, 3=25153
Haughian,J.M. and Burleigh,R.J. The ion-source mechanism for the Berkeley 88-inch cyclotron. 3=5789
Haught,A.F. Shock-tube investigation of the ionization of cesium vapor, 3=1930
Hauk,V. and Hummel,C. On the investigation of particle size and lattice distortion by X-ray reflections, 3=18401
Haul,R. and Dümbgen,G. Investigation of oxygen mobility in titanium oxide, quartz and quartz glass using heterogeneous isotope exchange, 3=2831
Haul,R. and Moesta,H. Mechanism of the transport of adsorbed gases in pores, 3=3370
Haun,R.D.,Jr. See Church,C.H., 3=22011
Haupt,J.,Kramer,K. and Müller-Warmuth,W. Nuclear and electron spin relaxation in solutions of aromatic free radicals, 3=23909
Haupt,J. and Müller-Warmuth,W. Investigations of electron spin relaxation and hyperfine structure of free radicals in solution with the aid of dynamic nuclear polarization, 3=14183
Haupt,J. See Müller-Warmuth,W., 3=23910
Hauptman,H. Some new relationships among the structure invariants, 3=25700
Hauptman,Z. and Kotrbová,M. The growth of crystals by the chemical transport of material. II. Growth of iron whiskers, 3=5090
Hauptmanová,K. and Pátek,K. Measurements of the growth velocities of ZnS single crystals in growth from the vapour phase, 3=8804

Hauptmanová,K. See Skála,M., 3=25673
Haurwitz,M.W. Dependence of interval between flare and associated sudden commencement storm on prestorm conditions, 3=7002
Haurwitz,M.W. See London,J., 3=13658
Haus,H.A. and Mullen,J.A. Quantum noise in linear amplifiers, 3=5837
Haus, H.A. See Bobroff,D.L., 3=433
Hausen,D.M. See Frederickson,L.D.,Jr, 3=22574
Hauser,J.J. Magnetization of V_3Si thin films, 3=8677
Hauser,J.J. and Theuerer,H.C. Evidence for filaments in V_3Si, 3=3967
Hauser,J.J. and Treuting,R.G. Relation between structure anisotrophy and superconducting anisotropy, 3=14452
Hauser,J.J. See Banerjee,B.R., 3=16007
Hauser,O. and Balarin,M. Remarks on the cascade theory for the estimation of the number of radiation defects in solids, 3=4894
Hauser,T.V. See Lewis,N.W., 3=11955
Häusler,E. Light deviation by elastically deformed transparent solids, 3=23036
Hausman,H.J. See Humes,R.M., 3=12675
Hausser,K.H. High resolution electron spin resonance, 3=21987
Haussühl, S. Elastic behaviour of fluorspar and structurally related crystals, 3=18161
Haussühl,S. Elastic and thermoelastic constants of strontium formate and strontium formate dihydrate, 3=23281
Havaleshko,M.P. A method of measuring magnetic susceptibility, 3=21925
Havaleshko,M.P. See Tovstyuk,K.D., 3=20563
Havas,P. and Goldberg,J.N. Lorentz-invariant equations of motion of point masses in the general theory of relativity, 3=37
Havas,P. See Chatelain,J.E., 3=7806
Havas,P. See Krizan,J.E., 3=3760
Haven,Y. See van Wieringen,J.S., 3=22832
Havens,W.W., Jr. See Rush,J.J., 3=6010
Haviland,J.K. and Lavin,M.L. Application of the Monte Carlo method to heat transfer in a rarefied gas, 3=1730
Havill,R.L. See Cousins,J.E., 3=19405
Havinga,E.E. See Bosman,A.J., 3=8546
Hawes,L.L. A semi-bonded compound in the series SnI_4-S_8, 3=13475
Hawkes, G.A. See Garrod, R.L., 3=18180
Hawkes,G.R. See Loeb,M., 3=1559
Hawkes,P.W. The first and third order theory in quadrupole optics, 3=19340
Hawkins,C.J.B. An approximate method of correcting for non-uniformity of magnetic field and energy loss of particles in a hydrogen bubble chamber, 3=17136
Hawkins,C.J.B. See Chadwick,G.B., 3=10117
Hawkins,G.S. Impacts on the earth and moon, 3=13874
Hawkins,J.E.Jr. See Engström,H., 3=3657
Hawkins,S.R. See Cuff,K.F., 3=22938
Hawkins,S.R. See Kooi,C.F., 3=14408
Hawksley,P.G.W. See Godridge,A.M., 3=8980
Hawley,R. A characteristic of electron emission curves, 3=5690
Hawley,R.,Loy,B. and Craik,R.L. Phenomena occurring at electrically stressed metallic surfaces in long gaps in vacuum, 3=12236
Hawley,S.A.,Breyer,J.E. and Dunn,F. Fabrication of miniature thermocouples for U.H.F. acoustic detectors, 3=1862
Hawley,S.A., Macleod,R.M. and Dunn,F. Degradation of DNA by intense, noncavitating ultrasound, 3=20036
Hawthorne,J.R. See Pellini,W.S., 3=11181
Hay,D.R. and Fanaki,F.H. An experimental technique for studying reflection coefficients of tropospheric inhomogeneities, 3=13687
Hay,H.J. and Lawrence,L.G. The use of a semiconductor counter to study the endothermic reaction $^{13}C(p,\alpha)^{10}B$, 3=4478
Hay,H.J. See Lawrence,L.G., 3=17467
Hayakawa,K. See Fukushima,E., 3=23525
Hayakawa,S. and Matsuoka,M. Characteristic X-rays from the lunar surface, 3=13860
Hayakawa,S. and Matsuoka,M. Possible mechanism of galactic X-ray emission, 3=22232
Hayakawa,S. and Nakamura,T. Phosphorescence of naphthalene-doped crystals of durene, 3=15712
Hayakawa,S.,Nishimura,S. and Takayanagi,K. Radiations from the interstellar hydrogen atoms, 3=11507
Hayakawa,S. and Okuda,H. Electronic components in galactic cosmic rays, 3=616
Hayakawa,S. See Fukui,S., 3=5647
Hayakawa,S. See Fukui,S., 3=17155
Hayakawa,S. See Kobayashi,S., 3=18821
Hayakawa,S. See Nakamura,T., 3=23114
Hayashi,C., Hōshi,R. and Sugimoto,D. Evolution of the stars, 3=21114
Hayashi,H.,Okonogi,H.,Otsuki,S. and Sumi,Y. Investigations on the second and third resonances in terms of compound states, 3=22182
Hayashi,H. See Watanabe,Y., 3=25803
Hayashi,I. The oscillator for the variable energy cyclotron, 3=5836
Hayashi,I. and Ōtsuka,M. A multichannel pulse height analyzer using parametron logic, 3=352
Hayashi,J.F. Forced magnetoresistance in ferromagnetic alloys, 3=13042
Hayashi,K. See Kawamura,T., 3=5085
Hayashi,K. See Watanabe,Y., 3=25803
Hayashi,M. See Miyoshi,Y., 3=12087
Hayashi,S. Theory of viscoelasticity in temporarily crosslinked polymers. I. Treatment in single relaxation time, 3=11309
Hayashi,S. Theory of viscoelasticity in temporarily crosslinked polymers. II. Relaxation spectrum and steady flow viscosity, 3=16125
Hayashi,S. See Môri,A., 3=24323
Hayashi,T. On the space charge effect in a velocity modulation type mass spectroscope, 3=2055
Hayashi, T. and Nitta,S. Rectification phenomena in $Si-SiO_2-$metal diodes, 3=22963
Hayashi,T. See Ezoe,H., 3=2054
Hayashi,T. See Ezoe,H., 3=12260
Hayasi,T. On the theory of satellites in X-ray spectra, 3=23091
Hayaski,S. See Fukushima, S., 3=10389
Haybron,R.M. Electrodisintegration of H^3 and He^3, 3=15048
Haycock,O.C. See Ulwick,J.C., 3=5213
Haydon, S.C. The equivalent pressure concept for ionization in a transverse magnetic field, 3=4094
Haydon,S.C. and Robertson,A.G. Ionization coefficients for hydrogen in crossed electric and magnetic fields, 3=4007
Haydon,S.C. and Robertson,A.G. The effective collision frequency in molecular hydrogen in the presence of a transverse magnetic field, 3=21701
Haydon,S.C. See Blevin,H.A., 3=9743
Haye,K. Influence of temperature on the pulse height distribution of a photomultiplier and on the relative sensitivity with wavelength of the photocathode, 3=19318
Hayes,D.T. Solution of the Bethe—Goldstone equation for nonvanishing total impulse. I, 3=22266
Hayes,D.T. Solution of the Bethe—Goldstone equation for a nonvanishing total equation. II, 3=22267
Hayes,H.C. World War I—Submarine detection, 3=14278
Hayes,M. Wave propagation and uniqueness in prestressed elastic solids, 3=21471
Hayes,R.G. On the electron paramagnetic resonance spectrum of the $Cr(CN)_5NO^{3-}$ ion, 3=20014
Hayes,W. Paramagnetic resonance of transition metal ions in unusual valence states, 3=1180
Hayes,W.,Jones,G.D. and Twidell,J.W. Paramagnetic resonance and optical absorption of irradiated CaF_2:Ho, 3=8710
Hayes,W. and Twidell,J.W. Paramagnetic resonance of divalent lanthanum in irradiated CaF_2, 3=20650
Hayes,W. See Delbecq,C.J. 3=5044
Hayes,W. See Hall,T.P.P., 3=15407
Hayes,W. See Hall,T.P.P., 3=20043
Hayess,E. and Wojaczek,K. The electron mobility in a mercury vapour plasma, 3=19236
Hayhurst,A.N. and Sugden,T.M. Non-equilibrium ionization in flames, 3=24209
Hayler,D.A. and Rudder,C.L. Transmission of coherent light through shock produced plasmas, 3=12138
Hayman,H.J.G. Spectrophotometric and partition methods of determining association constants of 1:1 charge-transfer complexes, 3=2674
Hayman,P.J., Palmer,N.S. and Wolfendale,A.W. Range straggling of muons in the energy range 200—100 000 GeV, 3=4490
Hayman,P.J.,Palmer,N.S. and Wolfendale,A.W. The rate of energy loss of high energy cosmic ray muons, 3=24820

Haymann, P. Determination, by high-resolution electron diffraction, of the orientation of submicroscopic figures of attack, 3=18235

Haynes,F.G. See Smart,R.F., 3=11289

Hayodom, V. See Sundara-vicharana, Y., 3=1453

Hays,C. See Mitchell,W.L., 3=17739

Hayward,A.T.J. A simple but accurate oil-filled vacuum manometer, 3=9519

Hayward,E. Photodisintegration of light nuclei, 3=19831

Hayward,R.J.R. Third international symposium on quantum electronics, Paris, February, 1963, 3=19475

Hazard,C.,Mackey,M.B. and Shimmins,A.J. Investigation of the radio source 3C 273 by the method of lunar occultations, 3=13937

Hazelden,D.W. See Ertl,M.E., 3=10806

Hazewindus,N.,Lourens,W.,Scheepmaker,A. and Wapstra,A.H. Gamma ray transitions in ^{35}Cl, 3=19775

Hazlehurst,J. Are spiral flows stable? 3=9416

Hazoni,Y.,Hillman,P.,Pasternak,M. and Ruby,S. Mössbauer effect in Kr^{83} trapped in a clathrate compound, 3=4807

Hazoni,Y. See Ruby,S.L., 3=6172

Hê Yü-Ping. See Chĕn' Chun'-Hsien. 3=21651

Heacock,R.L. Problems in instrument design, 3=21143

Heacock,R.R. Notes on pearl-type micropulsations, 3=13831

Heacock,R.R. Auroral-zone telluric-current micropulsations, T<20 seconds, 3=18482

Heacock,R.R. and Hessler,V.P. Telluric current micropulsation bursts, 3=23575

Heacock,R.R. See Flock,W.L., 3=13832

Head,C. See Kruh,R.F., 3=7198

Head,R.B. Ice nucleation by some cyclic compounds, 3=3267

Heading,J. Composition of reflection and transmission formulae, 3=9955

Healey,J.R. See Mathewson,D.S., 3=3624

Healey,J.R. See Mathewson,D.S., 3=3625

Healy,B.J. See Green,J.J., 3=15885

Healy,J.H. See Mohanty,G.P., 3=5111

Healy,J.H. See Uphoff,H.L., 3=10893

Healy,T.W. and La Mer,V.K. The adsorption-flocculation reactions of a polymer with an aqueous colloidal dispersion, 3=6891

Heap,B.R. The critical temperature of dilute ferromagnets, 3=20553

Heard,C.W. See Adams,J.M., 3=8938

Hearle,J.W.S. The physics of polymers, 3=20037

Hearn,A.G. Radiative transfer of Doppler broadened resonance lines, 3=9813

Hearn,B.R. Dynamic characteristics of magnetic thin films, 3=15817

Hearn,C.J.,Landsberg,P.T. and Beattie,A.R. New non-equilibrium distributions in simple semiconductors, 3=10749

Hearn,D.D. See Kim,Y.W., 3=20643

Hearn,N.K.,Jr. See Bennett,A.L., 3=15982

Hearst,J.E. Effect of partial draining on the intrinsic viscosity of flexible macromolecules, 3=4791

Hearst,J.E. Rotary diffusion constants of stiff-chain macromolecules, 3=10554

Heasell,E.L. See Choo,S.C., 3=6579

Heaslet,M.A. and Baldwin,B.S. Predictions of the structure of radiation-resisted shock waves, 3=18894

Heath,J.S. A simple calorimeter to measure energy absorption from high radiation fields in nuclear reactors, 3=12740

Heath, R.L. See Cline, J.E., 3=17434

Heath,R.L. See Reich,C.W., 3=6168

Heaton,A.G. Thermoelectrical cooling: material characteristics and applications, 3=19167

Heaton,J.W. and Rose-Innes,A.C. Excitation of a vibration magnetometer: especially suitable for use in cryostats, 3=17021

Heaton,L. See Barrett,C.S., 3=23428

Heaton,L. See Mueller,M.H., 3=8822

Heavens,O.S. Optical masers, 3=7728

Hebbard,D.F. and Robson,B.A. Tables of Whittaker functions and their logarithmic derivatives, 3=13995

Hebborn,J.E. The diamagnetic shielding of nuclei in metals, 3=2750

Hebel,L.C. See Smith,G.E., 3=4853

Heberle,J. See Preston,R.S., 3=6457

Hecht,C.E. Equation of state for binary fluid mixtures, 3=9451

Hecht,C.E., Kikuchi,R. and Stein,P.R. Statistical mechanics of He^3-He^4 liquid mixtures, 3=19086

Hecht, H.G. See Weil, J.A., 3=17612

Hechtel,J.R. Electrostatic focusing of microwave tubes, 3=5708

Heckl,M. Vibrations of point-driven cylindrical shells, 3=190

Heckl,M. [Acoustic] radiation in water from an infinite plate excited at one point, 3=23975

Heckman,F.A. and Roper,S.G.,Jr. The reduction of error in magnification determination in electron microscopes, 3=19357

Heckman,H.H.,Hubbard,E.L. and Simon,W.G. Electronic charge distributions for heavy ions at high velocities, 3=7447

Heckman,H.H. and Nakano,G.H. East–West asymmetry in the flux of mirroring geomagnetically trapped protons, 3=18564

Heckman,H.H. See Barkas,W.H., 3=24800

Heckman,R.C. and Mattox,D.M. Electrical properties of single crystal Bi_2S_3, 3=22937

Heckmann,P.H. See Frevert,L., 3=22333

Heckrotte,W. See Futch,A.H.,Jr., 3=1964

Heckrotte,W. See Kammash,T., 3=24309

Heckrotte,W. See Killeen,J., 3=12121

Heckscher,H. See Langberg,E., 3=16780

Hedberg,K. See Iwasaki,M., 3=2607

Heddle,D.W.O. Photon–scattering processes, 3=7245

Heddle,D.W.O., Jennings,R.E. and Parsons,A.S.L. Determination of the refractive indices of gases in the vacuum ultraviolet. I. The Čerenkov radiation method, 3=14214

Heddle,D.W.O. and Lucas,C.B. The polarization of electron impact radiation in helium, 3=4719

Heddle,D.W.O. See Gill,P., 3=14215

Hedgcock,F.T. and Mathur,D. Localized spins in heavily doped n-type germanium exhibiting metallic conduction, 3=23135

Hedgcock, F.T. and Mathur,D.P. The magnetic properties of dilute alloys exhibiting a low temperature resistance minimum, 3=4996

Hedgcock,F.T. and Muir,W.B. De Haas–Van Alphen effect in a zinc alloy exhibiting a resistance minimum, 3=11029

Hedley,J.A. and McGeagh,J. Specimen heating with temperature measurement from −150°C to 2200°C inside the EM6 electron microscope, 3=25787

Hedley,J.A. See Presland,A.E.B., 3=25821

Hedvall,P. Cavity method for measuring plasma properties, 3=19278

Hedvall,P. and Hägglund,J. Cavity method for measuring dielectric constants at microwave frequencies, 3=19128

Heeger,A.J. Spin-wave instability and premature saturation in antiferromagnetic resonance, 3=20637

Heeger,A.J.,Ghosh,S.K. and Blocker,T.G.,III. Mn^{55} nuclear magnetic resonance in manganese ferrite, 3=15965

Heeger,A.J. and Pincus,P. Spin-wave instability and premature saturation in antiferromagnetic resonance, 3=11108

Heeger,A.J.,Portis,A.M. and Witt,G. Nuclear–antiferromagnetic double resonance, 3=25582

Heeger,A.J. See Portis,A.M., 3=15966

Heer,C.V. Feasibility of containment of quantum magnetic dipoles, 3=15271

Heer,E. See Faissner,H., 3=24690

Heer,J. See Esaki,L., 3=10803

Heer,J. See Esaki,L., 3=10809

Heeran,M. See Allen,P., Sr, 3=7976

Heeran,M. See Danysz,M., 3=22276

Heeran,M. See Fletcher,E.R., 3=10232

Heerschap,M. and Delavignette,P. Electron microscope study of graphite bromide, 3=20175

Heeschen,D.S. Radio galaxies, 3=1543

Hefele,J.R.,Lundberg,J.L. and Salovey,R. Simple ratio photometer, 3=3863

Hefferman,J. See Carder,B., 3=9004

Heffner,H. The physical aspects of low noise electronics, 3=5839

Heffner,W. See Sujak,B., 3=19161

Hefft,K.,Kern,R.,Nöldeke,G. and Steudel,A. Fabry–Perot mirrors from dielectric multilayers for the spectral region 2350-20 000 A, 3=24050

Hegarty,J.C. See Levine,M.A., 3=9579

Hegenbarth,E. Dielectric and calorific investigations on ferroelectric ceramics at low temperatures, 3=2957

Hegenbarth,E. See Schmidt,G., 3=8562

Hegland, D.E, Legvold, S. and Spedding, F.H. Magnetization and electrical resistivity of terbium single crystals, 3=18113
Hegyi,I.J., Loebner,E.E., Poor,E.W., Jr. and White,J.G. Two crystal forms of ZnP_2, their preparation, structure, and optoelectronic properties, 3=16072
Hehir,R.M. See Polanyi,M.L., 3=3649
Heide,H.G. Specimen contamination in the electron microscope and the problem of radiation damage by removal of carbon, 3=16149
Heide,H.G. The prevention of contamination without beam damage to the specimen, 3=18412
Heideman,H.G.M. See Smit,C., 3=12778
Heidenreich,R.D. Diffraction of fast electrons after single plasmon loss, 3=10641
Heidmann,J. Study of some galaxies of normal or low emissivity at 1430 Mc/s, 3=25987
Heilig,K. Wavelength dependence of the energy yield of phosphors under excitation by X-rays, 3=4982
Heilig,U. On the dependence of the thermoelectric, resistive and photoelectric characteristics of Cs—Sb layers on the forming conditions, 3=8574
Heilmeier,G.H. and Harrison,S.E. Implications of the intensity dependence of photoconductivity in metal-free pthalocyanine crystals, 3=23019
Heilmeier,G.H. and Warfield,G. Investigation of bulk currents in metal-free phthalocyanine crystals, 3=8528
Heilmeier,G.H. and Warfield,G. Photoconductivity in metal-free phthalocyanine single crystals, 3=10890
Heilmeier,G.H. and Warfield,G. Optical absorption spectrum of metal-free phthalocyanine single crystals, 3=10971
Heilmeier,G.H.,Warfield,G. and Harrison,S.E. Applicability of the band model to metal-free phthalocyanine single crystals, 3=22680
Heilmeier,G.H. and Warter,P.J., Jr. Space charge effects in dielectrics, 3=4935
Heim,E. See Borgstedt,H.-U., 3=18819
Heim,L.E. See Beehler,R.E., 3=11749
Heimann,W. and Kunze,C. An infra-red vidicon, 3=11996
Heimke,G. The coercivity field strengths of Ba ferrite powders, 3=15895
Heimke,G. and Steingroever,E. Sintered alnico magnets with crystalline texture, 3=16094
Heims,S.P. Moment equations for vibrational relaxation coupled with dissocation, 3=8306
Hein,R.A. and Gibson,J.W. Isotope effect in superconducting osmium, 3=19121
Hein,R.A.,Gibson,J.W. and Blaugher,R.D. Superconductivity below 20 millidegrees, 3=21665
Hein, R.A., Gibson, J.W., Pablo, M.R. and Blaugher, R.D. Critical magnetic fields of superconducting molybdenum, 3=3959
Heine,V. On the general theory of surface states and scattering of electrons in solids, 3=8404
Heine,W. and Zwicker,U. Phases of the B2 type of structure (CsCl type) in ternary systems containing copper and nickel, 3=1344
Heineman,J.B., Marchaterre,J.F. and Mehta,S. Electromagnetic flowmeters for void fraction measurement in two-phase metal, 3=14125
Heinke,W. Production of highly-doped single crystals of germanium, 3=20792
Heinmets,F. and Blum,R. Conductivity measurements on pure ice, 3=22979
Heinrich,B. See Frait,Z., 3=8700
Heinrich,B. See Frait,Z., 3=25519
Heinrich,D. and Lenk,R. Cascade theory of defect production, 3=12959
Heinrich,F. and Tanner,F. (n,t) reactions in medium-weight nuclei, 3=22403
Heinrich,G. See Fucks,W., 3=1752
Heinrich,J. See Ebel,H., 3=20888
Heinrich,K.F.J. Concentration mapping device for the scanning electron probe microanalyser, 3=3378
Heintze,J. See Depommier,P., 3=594
Heintze,J. See Depommier,P., 3=22161
Heinz,W. Geometrically similar orbits in orbital accelerators, 3=12269
Heinzinger,K. See Fischer,W., 3=5433
Heirtzler,J.R. The longest electromagnetic waves, 3=485
Heisen,A. and Witt,J. Similarity in cathode glow discharges, 3=19212
Heisenberg,J. See Gerdau, E., 3=17419
Heisenberg,W. The development of unified field-theories of elementary particles, 3=12382
Heiserman,R.L. See Thurston,G.B., 3=1781
Heisler,L.H. Observation of movement of perturbations in the F-region, 3=9090
Heisler,L.H. and Wilson,L.D. Spread F development associated with a high-altitude nuclear explosion, 3=9085
Heitala,J. Alkali halide solid solutions. I. Properties of pure components, 3=13389
Hejtmanek,H. Integral equation of the energy-dependent transport theory, 3=588
Hejtmanek,H. Stability of a suspension reactor, 3=22445
Helberg,H.W. See Meyer,E., 3=4266
Helbig,K. Some integrals of magnetic anomalies and their relation to the parameters of the disturbing body, 3=18569
Helfand,E. Theory of the Soret effect in electrolytic solutions, 3=13615
Helfand,E. and Stillinger,F.H., Jr. Pair distribution in the rigid-sphere system by the method of particle scaling, 3=3785
Helfand,F. See Kac,M., 3=23779
Helfferich,F. Revised tables for ion-exchange kinetics, 3=13588
Helfrich,J.L. Faraday effect as a Q-switch for ruby laser, 3=24520
Helfrich,W. and Mark,P. Determination of the effective density of states of the band for excess defect electrons in anthracene, 3=4844
Helholtz,J. See Rothenstein,W., 3=6337
Helland,J.A.,Devlin,T.J.,Hagge,D.E.,Longo,M.J.,Moyer,B.J. and Wood,C.D. Angular distributions in $\pi^{\pm}-p$ elastic scattering in the range 500 to 1600 MeV, 3=10161
Hellawell,A. and Herbert,P.M. The development of preferred orientations during the freezing of metals and alloys, 3=1269
Helle,J.N. See Sleeswyk, A.W., 3=11176
Helle,J.N. See Sleeswyk,A.W., 3=13403
Hellenthal,W. Theory of the spontaneous magnetization of small ferromagnetic particles, 3=3113
Hellenthal,W. On the magnetic properties of thin polycrystalline nickel films, 3=15823
Heller,B. The law of induction and its application to moving conducting loops, 3=19416
Heller,B. The magnetic field alongside a concave aperture in a ferromagnetic material through which a current has passed, 3=21927
Heller,B. and Chládek,J. Problems of corona discharges in solid dielectrics, 3=4104
Heller,B. and Chládek,J. Corona discharge in a dielectric, 3=7472
Heller,G.S.,Stickler,J.J.,Kern,S. and Wold,A. Antiferromagnetism in $NiTiO_3$, 3=15906
Heller,G.S.,Stickler,J.J. and Wold,A. Antiferromagnetic resonance in powders, 3=23217
Heller,G.S.,Stickler,J.J. and Zeiger,H.J. Quantum effects in germanium and silicon, 3=25577
Heller, H.C. See Cole, T., 3=17609
Heller,P. and Benedek,G. B. Nuclear magnetic resonance in MnF_2 near the critical point, 3=3195
Heller,W. and Tabibian,R. Experimental investigations on the light scattering of colloidal spheres. IV. Scattering ratio, 3=5530
Heller,W.R. See Seraphim,D.P., 3=9682
Hellerstein,D. Application of the Sénarmont polariscope to analysis of optical-maser light, 3=21570
Helliwell,R.A. Coupling between the ionosphere and the earth–ionosphere waveguide at very low frequencies, 3=16258
Helliwell,R.A. See Allcock,G.M., 3=16229
Helliwell,R.A. See Mlodnosky,R.F., 3=16348
Hellman,O. Covariant Dirac and Klein—Gordon difference equations, 3=12392
Hellman,R.P. and Zwislocki,J. Monaural loudness function at 1000 C.P.S. and interaural summation, 3=18673
Hellman,R.P. See Zwislocki,J., 3=1560
Hellman,W.S. See Frank,W.M., 3=7795
Hellstrand,E. and Lundgren,G. The resonance integral of niobium, 3=17484
Hellund,E.J., Naff,J.T. and Brumfield,R.C. Magnetoacoustics and thermoacoustics—new ideas in underwater sound sources, 3=14256
Hellwarth,R.W. Theory of stimulated Raman scattering, 3=14374

Hellwarth,R.W. Analysis of stimulated Raman scattering of a giant laser pulse, 3=21569
Hellwarth, R.W. and Platzman, P.M. Magnetization of slow electrons in a polar crystal, 3=2769
Hellwarth,R.W. See Eckhardt,G., 3=5445
Hellwarth,R.W. See McClung,F.J., 3=9968
Hellwege,K.H.,Hüfner,S. and Pöcker,A. U.V. absorption spectra of crystalline salts of the rare earths. I. Europium salts, 3=10944
Hellwege,K.H.,Hüfner,S. and Schmidt,H. U.V. absorption spectra of the crystalline satls of rare earths. II. Gadolinium chloride, 3=10945
Hellwege,K.H., Johnson,U. and Schneider,B. Metal cryostat for magnetic susceptibility measurements in the temperature range from 4·3° to 300°K, 3=2078
Hellwege,K.H. See Bayer,E., 3=19486
Hellwig,H. See Boersch,H., 3=12444
Hellwig-Zwiesler,O., Stierstadt,O. and Zwiesler,W. Cathode ray line focus by means of an electrostatic electron optical method, 3=16983
Helm,C.C. See Edgell,W.F., 3=23883
Helm,F.H. Numerical determination of flux perturbation by foils, 3=22150
Helmer,J. On the theory of microwave resonance in a hot plasma column, 3=9782
Helmer,J.C. Theory of forbidden zones in the flow of a magnetized plasma, 3=16936
Helmer,R.G. Decay of Pt^{197}, 3=24913
Helmis,G.,Köhler,B.,Meyer,K.,Müller,A. and Rau,A. Physical investigations of a variant of the pressurized water reactor, 3=25012
Helpert,E. See Mehl,W., 3=20360
Helson,H. Studies of anomalous contrast and assimilation, 3=5301
Heltemes,E.C. and Swenson,C.A. Heat capacity of solid He^3, 3=1887
Hély,H. Static solutions of the Jordan—Thiry equations, 3=11685
Hély,J. Spherically symmetric solutions of the Jordan—Thiry equations, 3=18722
Hemenger,R. See Weston,V.H., 3=498
Hemmer,F.J. and Piedmont,J.R. Vacuum evaporation source with double-wall cylindrical graphite heater and nozzle outlet, 3=5553
Hemmer,P.C. See Kac,M., 3=12005
Hemmer,P.C. See Uhlenbeck,G.E., 3=12006
Hemmings,R.F. See Allen,N.L., 3=7596
Hemmings,R.F. See Allen,N.L., 3=21813
Hempstead,C.F. See Kim,Y.B., 3=3951
Hempstead,C.F. See Kim,Y.B., 3=5575
Hempstead,C.F. See Kim,Y.B., 3=24133
Henck,R. and Coche,A. The determination of the fluorescence spectra of gaseous scintillators excited by a weak beam of α particles, 3=21447
Hendeberg,L.O. Dependence of the transfer function of photographic emulsion on the numerical aperture of the optical system, 3=21575
Hendeberg,L.O. and Welander,E. Experimental transfer characteristics of image motion and air conditions in aerial photography, 3=11961
Henderson,B. and Raynor,G.V. Lattice spacings in the binary silver—cadmium system, 3=3313
Henderson,B. and Raynor,G.V. The paramagnetic susceptibility of face-centred cubic silver—manganese and silver—tin—manganese alloys, 3=8643
Henderson,C. See Ely,R.P., 3=19703
Henderson,C. See Jauneau,L., 3=12511
Henderson,C. See Jauneau,L., 3=19708
Henderson,C.L. Seasonal and latitutde variations of noon bearings of E-region drifts, 3=5221
Henderson,C.L. E-region drifts at lower Hutt, 3=13749
Henderson,D. Hole theory of liquids and dense gases. II. Internal entropy, energy, and heat capacity, 3=18800
Henderson,D. An approximate cell model for liquid hydrogen. II, 3=21318
Henderson,D.,Kim,S. and Eyring,H. An approximate cell model for liquid hydrogen. I, 3=11783
Henderson, F. See Wain, H. L., 3=3236
Henderson,G.A. See Spear,W.E., 3=14085
Henderson,S.T. and Hodgkiss,D. The spectral energy distribution of daylight, 3=11406
Hendra,P.J.,Lane,R.D.G. and Smethurst,B. An infra-red spectrometer to operate over the range 8-100 micrometers, 3=21543
Hendricks,C.D. and Schneider,J.M. Stability of a conducting droplet under the influence of surface tension and electrostatic forces, 3=14503
Hendricks,C.D., Jr. See Carson,R.S., 3=5473
Hendricks,C.D.,Jr. See Carson,R.S., 3=9520
Hendricks,C.D.,Jr. See Gerardo,J.B., 3=21488
Hendricks,J.B.,Riser,H.N. and Clark,C.B. Calculated vibrational spectra and specific heats of lithium and vanadium, 3=12914
Hendrikx,Y. See Rutgers,A.J., 3=5435
Hendrix,W.P. See Orr,C., 3=303
Hendry,A.W. Pion photoproduction up to medium energies, 3=7891
Hendry,A.W. See Cumming,J., 3=2315
Hendry,I.C. The development of a fission product detector using high-energy beta distrimination, 3=10098
Hengen,J.G. See Gerson,N.C., 3=12327
Hengevoss,J. and Huber,W.K. The influence of fore-vacuum conditions on ultra-high vacuum pumping systems with oil diffusion pumps, 3=11842
Hengenvoss,J. and Trendelenburg,E.A. Cryopump experiment with hydrogen under u.h.v. conditions between 2.5° and 4.2°K, 3=12008
Hengevoss,J. See Haefer,R.A., 3=16647
Henglein,A.,Jacobs,G. and Muccini,G.A. Observations on the reactions of normal and excited ions of cyanogen and the persistent complex $C_uN_u^+$, 3=21714
Henglein,A. and Muccini,G.A. Mass spectrometric observation of electron and proton transfer reactions between positive ions and neutral molecules. II, 3=25816
Henin,F. Equation of motion and radiation damping for a relativistic charged particle, 3=14744
Henin,F. See Prigogine,I., 3=14745
Henins,I. See Sawyer,G.A., 3=24296
Henkel,O. Anhysteretic susceptibility of systems of magnetic single-domain particles, 3=1144
Henkel,O. The alternating hysteresis integral of permanent magnets, 3=6702
Henkel,O. Angular dependence of alternating field hysteresis integrals, 3=25526
Henley,E.J. and Kouts,H. [Ed.]. Advances in nuclear science and technology, 3=2511
Henley,E.M. and Jacobsohn,B.A. Decay of heavy bosons, 3=2227
Hennen,N. Measurement of the stored energy of NaCl after reactor irradiation, 3=13017
Hennes,J. See Dunkelman,L., 3=14306
Hennes,J.P. See Stober,A.K., 3=21537
Hennessy,J. See Bellière,J., 3=24775
Hennessy,J. See Veillet,J.J., 3=10163
Hennessy,J. See Veillet,J.J., 3=17313
Hennig,G.R. Vacancies and dislocation loops in graphite, 3=4861
Hennig,G.R. Electron microscopy of graphite containing boron, 3=13000
Hennig,K. Paramagnetic resonance absorption of the anti-colour centre in silver bromide, 3=6542
Henniker,J. Triboelectricity in polymers, 3=6623
Henning,J.C.M. and De Waard,C. On the interpretation of the nitrogen-14 hyperfine interactions in electron spin resonance spectra of heterocyclic anions, 3=8295
Henning,J.C.M. See De Waard,C., 3=12857
Henningsen,T. See Aubrey,J.E., 3=15582
Henoc,J. See Rodot,H., 3=17786
Henoux,J.-C. Determination of the intensity and orientation of the magnetic fields in a group of sunspots, 3=18628
Henrich,L.R. A note on the compression of the earth's magnetic field and hypothetically related phenomena, 3=13825
Henrich,L.R. Ionized gases at low density in axially symmetric magnetic fields, 3=19182
Henriet,G.A. See Gilly,L.J., 3=22423
Henriksen,T. Radiation-induced free radicals in sulfur compounds. E.S.R. studies in the polycrystalline state, 3=3413
Henriksen,T. E.s.r. studies on irradiated frozen aqueous solutions of sulfur compounds, 3=15392
Henrikson,H.E. See Seppi,E.J., 3=14940
Henrion,W. See Eckart,F., 3=23385
Henriquez,T.A. See Sims,C.C., 3=225

Henry,A. See Pohl,H.A., 3=852
Henry,G. and Plateau,J. New method of non-destructive replication for optical and electron microscopes, using an electrolytically-deposited nickel layer, 3=25798
Henry,J. Note on the polarization of starlight by paramagnetic particles, 3=1508
Henry,J.C. See Pettengill,G.H., 3=9267
Henry,J.F. Equation of state and conduction bands of iron at high pressures, 3=8372
Henry,L. See Emschwiller,G., 3=13165
Henry,P.K. and Hoyt,G.D. Modification of a magnetic micro-balance, 3=21283
Henry,W.E. The absolute saturation magnetization and remanence of substituted yttrium iron garnets-$5Fe_2O_3xLa_2O_3(3-x)Y_2O_3$, and $5Fe_2O_3xNd_2O_3(3-x)Y_2O_3$, 3=1047
Henry,W.G. The isothermal Peltier coefficient and phonon-drag in copper, 3=20425
Henry,W.G. and Schroeder,P.A. The low-temperature resistivities and thermopowers of α-phase copper—zinc alloys, 3=20267
Henschke,E.B. and Derby,S.E. Full-plane threshold energies for cathode sputtering of metals with Ar^+ ions, 3=22875
Hensel,J.C. Low temperature, mm-wave cyclotron resonance relaxation times in silicon, 3=10640
Hensel,J.C. Quantum effects in the cyclotron resonance of holes in the degenerate bands of germanium, 3=10771
Hensel,J.C. and Feher,G. Cyclotron resonance experiments in uniaxially stressed silicon : valence band inverse mass parameters and deformation potentials, 3=8415
Hensler, J.H. See Cullen, G.V., 3=3237
Hensley,E.B. See Glascock,H.H., Jr., 3=20471
Hensley,E.B. See Okumura,K., 3=9631
Henson,R.M., and Eisner,M. Self-pinch instabilities in solid sodium, 3=16950
Hentschel,E.,Meyer,A.F. and Wichmann,D. On the utilization of the Hall effect for the point-by-point measurement of magnetic fields, 3=12283
Hentschel,H.J. Calculation of the axial temperature of cylindrical arcs with strong radiation, 3=7488
Henvis,B.W. See Palik,E.D., 3=10822
Hepp,K. Lorentz-covariant analytic functions, 3=22053
Heppner,J.P.,Ness,N.F.,Scearce,C.S. and Skillman,T.L. Explorer 10 magnetic field measurements, 3=11466
Heppner,J.P. See Cain,J.C., 3=9125
Herak,J.N. See Galogaža,V., 3=20296
Herak, R.M, Manojlović, Lj.M. and Malčić,S.S. An x-ray diffraction study of inorganic complexes $KHgBr_3.H_2O$ and $Na_5Zr_2F_{13}$, 3=18315
Herasyutenko,N.L. See Androsyuk,N.H., 3=21531
Herb,R.G. See Palmer,D.W., 3=12673
Herber,R.H. See Wertheim,G.K., 3=15425
Herberg,R.J. Statistical aspects of liquid scintillation counting by internal standard technique, 3=22039
Herbert, H. See de la Perrelle, E.Y., 3=16789
Herbert,P.M. See Hellawell,A., 3=1269
Herbig,G.H. The diffuse interstellar bands. I. A possible identification of λ 4430, 3=9160
Herbjørnsen,O.H. See Bratsberg,H.G., 3=20803
Herbst,E.M., Schulze,D. and Wadewitz,H. Electron microscopic investigation of etch figures on electron zone-melted single crystals of tungsten, 3=20783
Herbstein,F.H. Accurate determination of cell dimensions from single-crystal X-ray photographs, 3=13436
Herbstein, F.H. and Smuts, J. Determination of Debye temperature of α-iron by X-ray diffraction, 3=17662
Herdan,G. The statistical element in micrometrics, 3=6934
Hereford,F.L. See Moss,F.E., 3=21644
Hérenguel,J. Production, transformation, and metallurgical properties of composite Mg/MgO materials, 3=15269
Hérenguel,J. See Salesse,M., 3=15268
Hereward,H.G. Current development of high-energy proton synchrotrons, 3=19389
Herforth,L. and Frank,M. Thermoluminescent dosimetry with LiF for radiation therapy and radiation protection control, 3=17116
Herget,W.F. See Lovell,R.J., 3=2617
Hericy,J.L. Etching reagents for micrography of dislocations in copper and the origin of structures showing slight hardening from thermal treatment, 3=8438
Hérinckx,C. and Van Cakenberghe,J. Mechano-electric effect in bismuth telluride, 3=2901
Heritage,R.J.,Young,A.S. and Bott,I.B. Composition studies of evaporated nickel—iron layers, 3=18377
Héritier,C.A. See Houriet,A., 3=2254
Herlitz,S.I. A method for computing the emission distribution in cylindrical light sources, 3=11903
Herman,B.M. See Battan,L.J., 3=9041
Herman,G. and Minne,R. Improvement of the thermal and dielectric properties of amorphous electrical insulating materials by incorpation of a quantity of crystalline substances, 3=8544
Herman,H.,Cohen,J.B. and Fine,M.E. Formation and reversion of Guinier—Preston zones in Al—5.3 at.% Zn, 3=8881
Herman,J.A. See Szymanski,A., 3=16664
Herman,J.A. See Szymanski,A., 3=21448
Herman,J.R. See Hill,G.E., 3=11433
Herman,L. See Bayle,A., 3=7341
Herman,L. See Fabre,E., 3=1948
Herman,L.,Felenbok,P. and Herman,R. Method of formation of molecular ions of nitrogen in the presence of helium, 3=10514
Herman,L. and Herman,R. Stark effect broadening of the krypton lines and emission of the Kr_2^+ molecule, 3=4751
Herman,L. and Herman,R. Perturbations in the S_2 spectrum, 3=12831
Herman,L. and Herman,R. Visible spectrum of XeN. 3=15341
Herman,L.,Herman,R. and Akriche,J. Absorption and after-glow of CS_2, 3=11839
Herman,R. See Herman,L., 3=4751
Herman,R. See Herman,L., 3=10514
Herman,R. See Herman,L., 3=11839
Herman,R. See Herman,L., 3=12831
Herman,R. See Herman,L., 3=15341
Hermann,K.O. and Scheer,J.A. Measurement of the photoproton spectrum from C^{12} with a semiconductor detector, 3=663
Hermann,P. See Neumann,K., 3=25291
Hermans,J.Jr. The viscosity of concentrated solutions of rigid rodlike molecules. (Poly-γ-benzyl-l-glutamate in m-cresol), 3=135
Hermans,J.J. Information regarding both molecular-weight distribution and density distribution in a polymer subjected to density-gradient centrifugation, 3=8323
Hermans,J.J. Some relations between the sedimentation equilibrium of a polymer mixture and the distribution with respect to molecular weight and composition, 3=23554
Hermans,M.E.A.,Kalshoven,J.,Kuypers,J.,Markestein,T., van der Plas,T.,Slooten,H.S.G. and Sowden,R.G. Chemical aspects of an aqueous homogeneous suspension reactor, 3=2538
Hermoch,V. On the formation of the anode space of a short-time high-intensity electric discharge, 3=19197
Hermoch,V. The anode space of short-time high-intensity electric discharges, 3=19198
Hermoch,V. See Grakov,V., 3=21721
Hernáez,J. See Smallman,R.E., 3=20755
Hernandez,G.J. Vacuum ultraviolet absorption spectrum of dimethyl ether, 3=12851
Hernandez,G.J. Vacuum-ultraviolet absorption spectra of the cyclic ethers: trimethylene oxide, tetrahydrofuran, and tetrahydropyran, 3=15365
Hernandez,W.C.,Jr and Kahn,A.H. A note on the galvanomagnetic and thermoelectric coefficients of tetragonal crystalline materials, 3=25317
Herndon,R.C.,Schmid,E.W. and Tang,Y.C. Variational calculations on the binding energy of the alpha particle. II. velocity-dependent potentials, 3=12559
Herndon,R.C. See Schmid,E.W., 3=12520
Herndon,R.C. See Schmid,E.W., 3=12558
Herold,H. See Fünfer,E., 3=12178
Heroux,L. and Hinteregger,H.E. Photoelectron energy distribution measurements for 10 to 50 eV photons with a planar analyzer and electron multiplier, 3=14631
Heroux,L. See Newburgh,R.G., 3=14355
Herpin,A. New magnetic structures, 3=3075
Herr,W. See Schmidt,G.B., 3=23553
Herraez,M.A. See Coulson,C.A., 3=22753
Herranz,J. and Stoicheff,B.P. High-resolution Raman spectroscopy of gases. XVI. The ν_3 Raman band of methane, 3=22586
Herre,F. and Reichert,G. Absolute determination of the crystallinity of plastics by X-rays, 3=18290
Herrey,E.M.J. Weight and weightlessness of elastic solids, 3=16440

Herrick,C.S. and Tevebaugh,A.D. Oxygen-controlled conduction in thin films of cuprous iodide: a mixed valency anion semiconductor, 3=13071
Herring,C. Critique of the Heitler-London method of calculating spin couplings at large distances, 3=6385
Herring,D.F. See Seiler,R.F., 3=22414
Herring,J.R. Investigation of problems in thermal convection, 3=24085
Herrington,T.M. See Pool,R.A.H., 3=132
Herriott,D.R. Optical properties of a continuous helium—neon optical maser, 3=7317
Herriott,D.R. A continuous helium – neon optical maser, 3=17078
Herriott,D.R. See Rigrod,W.W., 3=7318
Herrlander,C.J. See Wirhed,B., 3=6210
Herrman,W.,Hartmann,G. and Freyer,K. A luminescence method for depicting the extent of β-active substance in a surface, 3=6189
Herrmann,G. See Feidler,J., 3=24994
Herrmann,G.F. Resonance and high frequency susceptibility in canted antiferromagnetic substances, 3=15914
Herrmann,K.,Müller,P. and Teltow,J. Reaction and defect electron conduction of chalcogenide-dosed silver bromide and silver chloride, 3=6912
Herrmann,R. See Lang,W., 3=21548
Herrmann,R. See Lang,W., 3=21549
Herrmann, W. See Lungergan, C.D., 3=17667
Herschbach,D.R. and Laurie,V.W. Influence of vibrations on molecular structure determinations. I. General formulation of vibration—rotation interactions, 3=2596
Herschbach,D.R. See Laurie,V.W., 3=2597
Herschbach,K. Isothermal annealing of deuteron-irradiated Al and Au below 60° K, 3=13021
Hersh, H.N. and Hadley, W.B. Phosphorescence in alkali halides containing lattice defects, 3=18054
Hershenson,H. and Benson,S.W. Decomposition of the t-butoxy radical; evidence for pressure dependence, 3=3385
Hershey,D. and Prados,J.W. Thermal diffusion. A non-rigorous set of equations for predicting separations in gases and liquids, 3=23872
Hersil,J., Escobar,I., Clark,G., Olbert,S., Moore,C. and Scott,D. Extensive air showers at 4200m, 3=4507
Herskind,B. and Fossan,D.B. Half-lives of two excited states in Yb^{172}, 3=8009
Herskind,B. See Fossan,D.B., 3=8003
Hertsriken,S.D., Larȳkov,L.N. and Novȳkov,M.M. Volume changes during a low-temperature phase transformation in nichrome, 3=20885
Hertz,J.H. A simple helical tape microbalance for measurements in high vacua, 3=21284
Hertz,W. Optical observations of instabilities in a linear pinch during the first contraction phase, 3=5676
Hervé,J. Ferromagnetic domain characterisations from nuclear resonance data, 3=8672
Hervé,J. Influence of an external magnetic field on the nuclear resonance of ferromagnetic materials, 3=23257
Hervé,J. and Aubrun,J.N. Effect of an external magnetic field on the nuclear resonance of powdered metallic cobalt, 3=3193
Herve,P. and Pescia,J. Phenomenological theory of the measurement of the relaxation time t_1 using an amplitude modulated radiofrequency field. Experimental verification for diphenylpicrylhydrazyl, 3=9962
Herz,A.J. See Bellini,G., 3=7899
Herz,A.J. See Burnstein,R.A., 3=22214
Herz,A.J. See Courant,H., 3=17346
Herz,A.J. See Fretter,W.B., 3=2301
Herz,A.J. See Quercigh,E., 3=21935
Herz,R.H. The response of photographic materials to ionizing radiations, 3=14390
Herzberg,G. Spectroscopic investigations in the vacuum ultraviolet at the National Research Council of Canada, 3=7328
Herzberg,G. and Johns,J.W.C. The red bands of CH_2 and their possible importance in the spectra of the major planets, 3=15363
Herzberg,G. and Warsop,P.A. Spectrum and structure of the free HNCN radical, 3=8307
Herzberg,G. See Hart,J.F., 3=2561
Herzberger,M. Some recent ideas in the field of geometrical optics, 3=14309
Herzberger,M. Kepler's laws and Newton's hypothesis, 3=23760
Herzberger,M. and McClure,N.R. The design of superachromatic lenses, 3=16737
Herzenberg,A. and Mandl,F. Resonant electron scattering by atoms, 3=22504
Herzfeld,C.M. See Berger,R.T., 3=25165
Herzfeld,K.F. Deactivation of vibration by collision in CO_2, 3=6441
Herziger,G. See Boersch,H., 3=14804
Herziger,G. See Boersch,H., 3=14805
Herzoa,G. See Witzmann,H., 3=6672
Herzog,L.F. The physics and chemistry of ceramics, 3=8917
Herzog,R.F.K. See Liebl,H.J., 3=21894
Herzog,W. See Fischer,W., 3=5433
Hesford,J. See Wilburn,F.W., 3=9398
Hesketh,R.V. A possible mechanism of irradiation creep and its reference to uranium, 3=2795
Hesketh,R.V. The loop size distribution in neutron irradiated copper, 3=17722
Hesketh,R.V. A transient irradiation creep in non-fissile metals, 3=20717
Heslop,J. Creep fracture in nickel-chromium-base creep-resistant alloys, 3=3239
Hess,B. Variations in the natural radioactivity of the atmosphere, 3=5208
Hess,D.C. See Wexler,S., 3=20024
Hess,H.,Kloss,H.-G.,Rademacher,K., and Seliger,K. Comparison between a process for the determination of arc temperatures by means of shock waves and a spectroscopic method, 3=16920
Hess,H.,Kloss,H.G.,Rademacher,K. and Seliger,K. Comparison of methods for determining the temperature of an arc using shockwaves and by spectroscopy, 3=19225
Hess, H. and Rademacher, K. Heating of the channel of a spark discharge by shock waves, 3=21740
Hess,R.,Lipnik,P. and Sunier,J.W. Ground-state spin of Pr144, 3=22270
Hess,R. See Bakken,J.F., 3=12633
Hess,W. Compression of a plasma by azimuthal currents, 3=7564
Hess,W.N. Discussion of paper by Pizzella, McIlwain, and Van Allen 'Time variations of intensity in the earth's inner radiation zone, October 1959 through December 1960', 3=11459
Hess,W.N.[Ed.]. Collected papers on the artificial radiation belt from the July 9, 1962, nuclear detonation, 3=13807
Hess,W.N. The artificial radiation belt made on July 9, 1962, 3=16286
Hess,W.N. See Welch,J.A.,Jr, 3=16291
Hesse,J.E. See Truby,F.K., 3=6416
Hesse-Lange,G. Seasonal influence on V.H.F. aurora backscatter in middle Europe, 3=18562
Hessler,V.P. See Heacock,R.R., 3=23575
Hesstvedt,E. On the possibility of ice cloud formation at the mesopause, 3=1440
Hesstvedt,E. A two-dimensional model of mother-of-pearl clouds, 3=1441
Hesstvedt,E. On the determination of characteristic time in a pure oxygen atmosphere, 3=16208
Hester,R.E.,Plane,R.A. and Walrafen,G.E. Raman spectra of aqueous solutions of indium sulfate, nitrate and perchlorate, 3=7211
Hestir,W.A. See McMurry,H.L., 3=17283
Hetherington,J.H. "Slide rule" for complex numbers, 3=5323
Hetherington,J.H. Partial wave analysis of the scattering of charged spinless particles, 3=12411
Heuckroth,L.E. See Glass,I.I., 3=11858
Heughebaert,J. See Barloutaud,R., 3=7888
Heumann,T. See Feller,H.G., 3=11354
Heutter,T. Se Koller,E.L., 3=10143
Hevesi,J. On the relative yield and the degree of polarization of viscous fluorescent solutions quenched by KI, 3=1698
Hewitt, F.G. and Overn,W.M. History effect of time-limited excitation, 3=15869
Hewitt,R.R. and Williams,B.F. Nuclear quadrupole interaction of Sb^{121} and Sb^{123} in antimony metal, 3=8746
Hewitt,R.R. See Russell,A.M., 3=13993
Hewitt,T.L. See Wood,D.E., 3=21153

Hexner,P.E.,Boyle,R.D. and Beams,J.W. Molecular weight determinations with a magnetically supported ultracentrifuge, 3=8942
Hexter,R.M. Excitation-modulation spectroscopy: a technique for obtaining vibrational spectra of excited electronic states, 3=12802
Hexter,R.M. Comment on "Infrared absorption spectra of LiOH and LiOD", 3=13176
Heydemann,P. A simulator for the frequency discriminating property of the ear, 3=21155
Heydemann,P. and Zosel,A. Determination of the complex Young's modulus of polymers at audiofrequencies in a wide temperature range, 3=6776
Heyden,F.J. Spectrum of Venus, Jupiter, and Mars, 3=16359
Heydenreich,J. Experimental investigation of the image contrast in the electron mirror microscope, 3=21887
Heyderhoff,P. Nonstationary glow discharge and its impedance frequency characteristic, 3=21750
Heydt,G. and Volland,H. Apparatus for the statistical study of atmospherics in the very long wave region, 3=23600
Heydt,G. See Volland,H., 3=23603
Heylen,A.E.D. The influence of the Townsend–Ramsauer effect on the electron transport coefficients of molecular gases, 3=363
Heylen,A.E.D. Influence of molecular bonding of the Townsend ionization coefficients of hydrocarbon gases, 3=9721
Heylen,A.E.D. and Lewis,T.J. Electron energy distribution functions and transport coefficients for the rare gases, 3=5628
Heym,A. Interactions of 0.2-1.3 GeV muons with electrons, 3=22159
Heymann,D. and Fluit,J.M. Sputtering by 20-KeV Ar^+ ions at normal incidence on meteorites, 3=1516
Heymann,D. and Schaeffer,O.A. Constancy of cosmic rays in time, 3=4491
Heymann,F.F. See Davis,D.G., 3=24730
Heymann,F.F. See Duff,B.G., 3=2252
Heymann,F.F. See Duff,B.G., 3=7839
Heymann,G. See Davis,D.G., 3=24730
Heywang,W. The behaviour of the complex resistance of $BaTiO_3$ cold conductors as explained by the barrier layer model, 3=25399
Hibberd,F.H. Q.L. and Q.T. approximations to the magneto-ionic equations and their validity, 3=1459
Hibdon,C.T. Neutron background due to Ta backings for lithium targets, 3=2472
Hibi,T. Point cathode and resolution of electron microscope, 3=19360
Hibi,T. and Ishikawa,K. A note on the shape of cathode tip in the field emission microscope, 3=24369
Hibi,T. and Yada,K. Direct observation of crystal imperfections in KCl single crystals by electron microscope, 3=802
Hibi,T.and Yada,K. Direct observation of crystal imperfections in KCl single crystal by electron microscope, 3=2782
Hibi,T. and Yada,K. Evidence of the appearance and disappearance of the loop structures in KCl crystal due to electron irradiation, 3=12967
Hibi, T. and Yada, K. Direct observation of crystal imperfections in KCl single crystal by electron microscope, 3=17711
Hibi,T.,Yada,K. and Kawamata,Y. Direct observation of crystal imperfections in KCl single crystal due to electron and X-ray irradiation, 3=22708
Hibino,M. See Kojima,M., 3=24367
Hibou,F. See Gallmann,A., 3=8132
Hicinbothem,W.A.,Jr. See Glicksman,M., 3=8386
Hickam,W.M. and Sweeney,G.G. Mass spectrograph for the analysis of solids, 3=21014
Hickam,W.M. See Gulbransen,E.A., 3=18433
Hickernell,F.S.,West,R.G. and Sakiotis,N.G. Effects of electrical conductivity of high-power linearity in lithium–titanium ferrite, 3=15887
Hickey,J.R.,Brett,D.A. and Drummond,A.J. On the temperature dependence of the lower wavelength cutoff of a series of Schott glass filters, 3=9606
Hickling,R. Analysis of echoes from a solid elastic sphere in water, 3=211
Hickling,R. Effects of thermal conduction in sonoluminescence, 1=18818
Hickman,B.S. See Sabine,T.M., 3=8426
Hickmott,T.W. Anomalous transmission of low-energy electrons through thin metal films, 3=14660
Hicks,H.G., Levy,H.B., Nervik,W.E., Stevenson,P.C., Niday,J.B. and Armstrong,J.C., Jr. Further radiochemical studies of fission of the U^{236*} compound nucleus, 3=688
Hicks,W.T. Evaluation of vapor-pressure data for mercury, lithium, sodium, and potassium, 3=14423
Hida,K. Hodograph method for treating the flow of a perfectly conducting fluid with aligned magnetic field, 3=21963
Hide,R. On the hydrodynamics of Jupiter's atmosphere, 3=18610
Hiebert,J.C. See Garvey,G.T., 3=15101
Hiebert,R. See Ballinger,E.R., 3=21151
Hiedemann,E. See Klein,W.R., 3=24057
Hien,N.C. See Chadwick,G.B., 3=2261
Hien,N.C. See Fujii,T., 3=2262
Hietala,J. Alkali halide solid solutions. II. Heat of formation of the sodium chloride type, 3=13390
Hietala,J. Alkali halide solid solutions. III. Heat of formation of the cesium chloride type, 3=18230
Higa,W.H. A maser system for radar astronomy, 3=5894
Higashi,A. and Sasaki,N. Movement of small-angle boundary of ice crystal, 3=6527
Higashi,A. See Muguruma,J., 3=17763
Higashi,S., Kitamura,T., Mishima,Y., Miyamoto,S., Oshio,T., Shibata,H. and Watase,Y. Correlation of the multiple penetrating particles with extensive air showers, 3=4499
Higashi,S., Kitamura,T., Watase,Y., Oda,M. and Tanaka,Y. Very large burst due to high energy muons, 3=4523
Higashi,S., Kitamura,T., Mishima,Y., Mitani,S., Miyamoto,S., Oshio,T., Shibata,H., Watanabe,K. and Watase,Y. Hard showers produced by high energy μ-mesons, 3=4530
Higashimura,T.,Ichikawa,Y. and Sidei,T. Dosimetry of atomic bomb radiation in Hiroshima by thermoluminescence of roof tiles, 3=12611
Higashimura,T.,Yamada,O.,Nohara,N. and Shidei,T. External standard method for the determination of the efficiency in liquid scintillation counting, 3=4293
Higashimura,T. See Shiomi,N., 3=24345
Higatsberger,M.J. Electromagnetic separation of radioactive isotopes, 3=24886
Higdon,W.T. and Robinson,J.D. Diffusion of water in a sodium carboxymethyl cellulose gel, 3=1403
Higgins,C.S. See Slee,O.B., 3=13923
Higgins,G.T. Secondary recrystallization in Magnox Al 80, 3=25760
Higgins,G.T. and Pickles,B.W. Some observations of the pick-up of hydrogen in Magnox Zr 55 and its relation to mechanical properties, 3=26761
Higgins,K. See Burhop,E.H.S., 3=6068
Higgins, P.R.B., Westmacott, K.H. and Roberts, A.C. Fission fragment damage in several metals and alloys, 3=17803
Higgins-Longuet,H.C. See Boer den,D.H.W., 3=729
Higginson,G.S. See Fleming,R.J., 3=15300
Higson,G.R. Use of the piezo-resistive effect in resin-bonded carbon for pressure measurement, 3=21288
Higuchi,J. Zero-field splittings in molecular multiplets: spin–spin interaction of methylene derivatives, 3-10535
Higuchi,J. On the effect of the bond angle in the electron spin–spin interaction. Methylene derivatives, 3=25126
Higuchi,J. See Aono,S., 3=739
Higuchi,S. See Kachi,S., 3=6897
Hihara,T., Koi,Y. and Tsujimura,A. Nuclear magnetic resonance in ferromagnetic Mn compounds, 3=3198
Hihara,T.,Kôi,Y. and Tsujimura,A. Nuclear magnetic resonance in ferromagnetic Mn_4N and Mn_5Ge_3, 3=15961
Hihara,T. See Koi,Y., 3=1199
Hiida,K. Three-neutrino hypothesis, 3=12438
Hiida,K., Uretsky,J.L. and Oakes,R.J. Σ breakup and the $\Sigma-\Lambda$ relative parity, 3=17345
Hijmans,J. The composition distribution of multicomponent copolymers. I. General theory, 3=8956
Hijmans,J. The composition distribution of multicomponent copolymers. II. Applications, 3=20040
Hikata,A., Chick,B.B., Elbaum,C. and Truell,R. Dislocation damping in dosium chloride, 3=17762
Hikata,A.,Elbaum,C.,Chick,B. and Truell,R. Electrical-charge study in sodium chloride during plastic deformation, 3=23320
Hiki,Y.,Suzuki,T. and Yajima,K. On the scattering of electrons by stacking faults in copper and copper alloys, 3=22795
Hilbig,H. See Bothe,H.K., 3=3225
Hilczer,B. Effect of an electric field on the dielectric permittivity of neutron irradiated barium titanate ceramics, 3=896

Hildebrand,R.H. See Doede,J.H., 3=10162
Hildebrandt,M. See Vassiliev,A., 3=13268
Hildenbrand,D.L.,Hall,W.F. and Potter,N.D. Thermodynamics of vaporization of lithium oxide, boric oxide and lithium metaborate, 3=25809
Hildisch,L.,Müller,G.O. and Schnürer,E. Dislocation-poor CdS single crystals, 3=8439
Hilgevoord,J. and Wouthuysen,S.A. On the spin angular momentum of the Dirac particle, 3=7771
Hill,D.W. and Stone,R.N. A transistor-driven gas sampling pump, 3=21011
Hill,E.J. A simple transistor characteristic curve tracer, 3=15605
Hill,E.R. and Mills,B.Y. Source corrections to the Sydney radio source survey catalogue, 3=5268
Hill,G.E. H.F. communication during ionospheric storms, 3=9954
Hill,G.E. and Herman,J.R. W.W.V. reception in the Arctic during ionospheric disturbances, 3=11433
Hill,G.E. See Penndorf,R., 3=5874
Hill, H.A. See Haase, E.L., 3=17428
Hill,H.C. and Reed,R.I. The volatilization of high melting solids in a mass spectrometer, 3=14684
Hill,H.H. See Bame,S.J., 3=11457
Hill,J.J. A magnetic resonance demonstration model, 3=14736
Hill,J.J.,Barlow,H.M. and Essen,L. International Conference on Precision Electromagnetic Measurements, Boulder, Colorado, August, 1962, 3=9689
Hill,J.J. See Felton,A., 3=21673
Hill,M.P. and Pethica,B.A. Effect of chemisorbed nitrogen on the work function of tungsten, 3=12226
Hill,N.E. Interpretation of the dielectric properties of water, 3=14176
Hill,R. See Collinson,A.J.L., 3=13215
Hill,R.A. and Edwards,T.H. First-order centrifugal distortion in planar asymmetric molecules, 3=6380
Hill,R.D. Determination of charges conducted in lightning strokes, 3=18515
Hill,R.D. See Condo,G.T., 3=4660
Hill,R.E. See Auerbach,L.B., 3=22160
Hill,R.J. Preliminary measurements of the insulating-boundary thickness behind strong shocks in argon, 3=24456
Hill,R.M. Some fringe-broadening defects in a Fabry—Perot etalon, 3=21563
Hill, R.M. and Bruce, C.F. Correction to the paper "Precision in a scanning interferometer", 3=16792
Hill,R.M. and Ichiki,S.K. Polarization relaxation in triglycine sulfate above the Curie temperature, 3=2961
Hill,R.M. and Ichiki,S.K. Paraelectric response of KD_2PO_4, 3=10871
Hill,R.W. Response of CsI(Tl) and NaI(Tl) to low-energy charged particles, 3=7747
Hill,R.W. See Ashby,V.J., 3=8112
Hille,P.F. See Bate,R.T., 3=20273
Hiller,H. Entry into elliptic orbits round the moon, 3=23714
Hillert,M. On the nearest neighbour interaction model with a concentration dependent interaction energy, 3=8886
Hillier,I. and Walkley,J. A quantum hard-sphere equation of state, 3=21434
Hillier,I.H. See Gordon,M., 3=9357
Hillier,M.J. Tensile plastic instability under complex stress, 3=7158
Hillion,P. Gauge group and isospace symmetries associated with a non-relativistic rotator, 3=546
Hillion,P. Theory of elementary particles with zero strangeness, 3=2186
Hillion,P. Weak interactions in the iso-space $\mathscr{H}(R_3^c)$, 3=7781
Hillion,P. Gauge group and isospace symmetries associated with the relativistic rotator. Theory of weak interactions, 3=17189
Hillion,P. Theory of elementary particles and their interactions in the iso-space $\mathscr{H}(R_3^c)$, 3=24598
Hillion,P. Leptons in the isospace $\mathscr{H}(R_3^c)$, 3=24599
Hillion,P. and Vigier,J.P. Theory of isobaric resonances considered as internal excited states of a model of a relativistic rotator of elementary particles, 3=12406
Hillion,P. See de Broglie,L., 3=4324
Hillion,P. See de Broglie,L., 3=4325
Hillman,M. Decay of Sc^{46}, 3=10288
Hillman,P. See Birk,M., 3=10379
Hillman,P. See Birk,M., 3=12478
Hillman,P. See Hazoni,Y., 3=4807
Hillmann,H. Preformed nuclei in the preparation of iron single crystals by zone melting and the production of iron single crystals by annealing in the δ range, 3=13420
Hills,H.K. See Frank,L.A., 3=18616
Hilmer,W. Structure of the high-temperature form of barium germanate $BaGeO_3$(h), 3=1300
Hilmer,W. See Khil'mer,W.
Hilsch,R. and von Minnigerode,G. Superconductivity and structure of thin films, 3=16133
Hilsenrath,J. and Ziegler,G.G. Tables of Einstein functions. Vibrational contributions to the thermodynamic functions, 3=23926
Hilsum,C. See Broom,R.F., 3=19491
Hilsum,C. See Coupland,M.J., 3=13094
Hilton, W.A. Construction and use of a Fabry-Perot interferometer, 3=260
Hilton,W.A. Time switch for a corridor demonstration, 3=7083
Hilyard,N.C. and Jerrard,H.G. Theories of birefringence in liquids by ultrasonic waves, 3=1687
Himmelblau,D.M. See Gibbs,R.K., 3=16152
Hincks,E.P. See Anderson,H.L., 3=15311
Hindel,R. New ratio ratemeter, 3=5606
Hindley,N.K. and Rhodes,P. The high temperature specific heat of palladium, 3=10600
Hinds, B.M. See Litherland, A.E., 3=17402
Hinds,G. See Weber,J., 3=5349
Hinds,S., Marchant,H. and Middleton,R. Some energy level determinations of O^{18} and O^{20}, 3=637
Hinds,S. and Middleton,R. A study of the $B^{10}(d, p)B^{11}$ reaction, 3=680
Hines,C.O. The upper atmosphere in motion, 3=11419
Hines,C.O. The energization of plasma in the magnetosphere: hydromagnetic and particle-drift approaches, 3=13699
Hines,C.O. Geomagnetism and the ionosphere, 3=13705
Hines,C.O. Summary: Geomagnetism and the ionosphere, 3=13706
Hines,C.O. Ionization irregularities in the E-region, 3=23621
Hink,W. Registration errors of a single-channel pulse height analyser with mean-value measurement, 3=14495
Hinkelmann,H. On the frequency stability of special oscillator circuits, 3=14486
Hinkelmann,H. and Ihme,H.M. An electric deep sea thermometer with short response time, 3=19053
Hinkley,P.L. See Simms,D.L., 3=14415
Hinman,G.W., Kuncir,G.F., Sampson,J.B. and West,G.B. Accurate Doppler broadened absorption, 3=19649
Hinman,G.W. See Hoy,G.R., 3=22718
Hinnov,E. and Hirschberg,J.G. Spectroscopic measurements of helium afterglow, 3=4105
Hinotani, K. See Miyake, S., 3=17369
Hintenberger,H.,Konig,H. and Wanke,H. Helium and neon contents of stone meteorites and their radiogenic and cosmogenic ages, 3=13877
Hintenberger,H. See Schuy,K.D., 3=16989
Hintenberger,H. See Walther,V., 3=14665
Hinteregger, H.E. Absorption spectrometric analysis of the upper atmosphere in the E.U.V. region, 3=1456
Hinteregger,H.E. Photoelectric spectrophotometry of solar extreme ultraviolet radiation, 3=9198
Hinteregger,H.E. On Burkard's F-region ionization model, 3=13769
Hinteregger,H.E. See Heroux,L., 3=14631
Hinteregger,H.E. See Newburgh,R.G., 3=14355
Hinton,T. See Harlow,R.G., 3=7258
Hintz,E. Effects of amplitude and polarity of internal magnetic field on the fast magnetic compression of a fully ionized, uniform plasma, 3=12165
Hintz,E. See Beerwald,H., 3=12164
Hintz,E. See Bogen,P., 3=7499
Hintz,E. See Bogen,P., 3=12166
Hintz,E. See Fay,H., 3=12046
Hintz,N.M. See Reay,N.W., 3=17464
Hinze,J. and Jaffe,H.H. Slater—Condon parameters from spectral data, 3=15274
Hinze,J.,Whitehead,M.A. and Jaffé,H.H. Electronegativity. II. Bond and orbital electronegativities, 3=12807
Hinze,J.O. Momentum and mechanical-energy balance equations for a flowing homogeneous suspension with slip between the two phases, 3=101

Hinzpeter,G. Investigations in the weak-current range of the low pressure glow discharge, 3=24240

Hioko,R.,Haradome,M. and Kukimoto,H. Photoconductivity of sintered (Cd, Zn)S layers, 3=23016

Hirahara,E. See Komatsubara,T., 3=11104

Hirahara,E. See Ono,K., 3=995

Hirahara,E. See Ôno,K., 3=2698

Hirai, A. See Yasuoka, H., 3=18149

Hirai,M.,Ikezawa,M. and Ueta,M. F' type new absorption bands associated with complex centers in alkali halide crystals, 3=815

Hirai,M.,Ikezawa,M. and Ueta,M. F'-type new absorption bands in KCl and KBr crystals, 3=22840

Hirai,M. See Ikezawa,M., 3=818

Hirai,M. See Ueta,M., 3=4983

Hirakawa, K. See Tubota, H., 3=25374

Hiraki,A. and Suita,T. Vacancies in germanium — properties of quenched-in vacancies, 3=22750

Hiraki,A. See Itoh,J., 3=23273

Hiraki,H. See Oneda,S., 3=6069

Hiramatsu,K. See Tomita,K., . 3=20640

Hiramatsu,M. See Okazaki,S., 3=20317

Hirano,K.,Cohen,M. and Averbach,B.L. Diffusion of iron, cobalt and nickel in silver, 3=13006

Hirano,K. See Duhl,D., 3=8449

Hirao,K. Geomagnetic latitude dependence of electron temperature in the ionosphere, 3=25921

Hirao,K. See Aono,Y., 3=13702

Hirao,T. See Wakatsuki,T., 3=6250

Hiraoka,T. See Goto,M., 3=21926

Hiraoka,T. See Nishimura,A., 3=22907

Hirata,H. See Nakayama,Y., 3=8031

Hirata,M. See Saito,H., 3=22934

Hiratate,Y. See Nisimura,K., 3=24720

Hirayama,C. The vapour pressure of germanium telluride, 3=295

Hirayama,C.,Ichikawa,Y. and DeRoo,A.M. Vapor pressures of tin selenide and tin telluride, 3=21637

Hirayama,C. and Subbarao,E.C. Dielectric properties of bismuth borate glasses, 3=891

Hirayama,T. Physical structure of limb flares, 3=11545

Hirde,J.P. See Kher,V.G., 3=16884

Hirone,T., Adachi,K., Yamada,M., Chiba,S. and Tazawa,S. The magnetic anisotropy of pyrrhotite and iron selenide, 3=1025

Hirone,T.,Kaneko,T. and Kondo,K. The change of Curie temperature of ordered Au_4Mn and of indium Heusler alloy of hydrostatic pressure, 3=11026

Hirone,T.,Suzuoka,T.,Miura,S.,Yamamoto,H. and Adachi,K. Diffusion of iron group elements in silver, 3=22814

Hirone,T. See Sato,K., 3=1004

Hirono,M. Utilization of cross relaxation effect in chromium-doped rutile maser, 3=14798

Hirose,H. and Wada,Y. Improved penetrometer for the routine test of asphaltic bitumens, 3=1226

Hirose,Y. See Takasu,S., 3=1085

Hirota,E. Rotational isomerism and microwave spectroscopy. II. The microwave spectrum of butyronitrile, 3=6409

Hirota,E. and Yanase,A. The crystalline anisotropy energy in CrO_2, 3=15413

Hirota,E. See Kubota,B., 3=1035

Hirota,E. See Matsumura,C., 3=6408

Hirota,K.,Fueki,K. and Otouma,H. On the dissociation of ethanol molecular ions formed by charge-exchange-collisions with positive ions, 3=12870

Hirota,N. Spin distribution in ketyl radicals, 3=4777

Hirota,R. and Tosima,S. A geometrical method of investigating dispersion relations, 3=19419

Hirota,R., Tosima,S. and Lampert,M.A. Theory of double injection into a semiconductor of finite cross-section, 3=17838

Hirota,R. See Tosima,S., 3=24312

Hiroyasu,H. See Tanasawa,T., 3=11363

Hirsch,A.A. Temperature dependence of coercivity and domain structure in thin ferromagnetic layers, 3=15813

Hirsch,A.A. and Friedman,N. Induced magnetic anisotropy in thin ferromagnetic films investigated at low temperatures, 3=15847

Hirsch,A.A.,Friedman,N. and Gorodetsky,G. Magnetization process and domain structure from magnetoresistance measurements in thin nickel wires, 3=1087

Hirsch,P.B., Cotterill,R.M.J. and Jones,M.W. Some observations on radiation damage in metals, 3=17770

Hirsch,P.B.,Howie,A. and Whelan,M.J. On the production of X-rays in thin metal foils, 3=6902

Hirsch,P.B., Lally,J.S. and Steeds,J. Some recent studies of defects in deformed metals, 3=17732

Hirsch,P.B. See Thornton,P.R., 3=1230

Hirsch,P.B. See Valdre,U., 3=10668

Hirschberg,J.G. See Hinnov,E., 3=4105

Hirschfeld,D. See Fehér,F., 3=3300

Hirschfeld,M.A. See Plyler,E.K., 3=8227

Hirschfelder,J.O. The classical hypervirial relations, 3=21259

Hirschfelder,J.O. See McElroy,M.B., 3=22500

Hirschfelder,J.O. See Nazaroff,G.V., 3=22469

Hirschfelder,J.O. See Robinson,P.D., 3=7127

Hirschfelder,J.O. See Robinson,P.D., 3=11695

Hirschhorn,J.S. On the electrical resistivity of thin nickel films, 3=17823

Hirschhorn,J.S. and Maciag,R.J. Aggregate structure in thin nickel films, 3=1373

Hirsh,L.J. Békésy's audiometer, 3=3669

Hirshfield,J.L. and Bekefi,G. Decameter radiation from Jupiter, 3=25979

Hirst,R.C. See Grant,D.M., 3=8301

Hirst,W. See Clark,W.T., 3=8787

Hirthe,W.M. See Frounfelker,R.E. 3=5093

Hirthe,W.M. See Greener,E.H., 3=8527

Hirthe,W.M. See Greener,E.H., 3=13108

Hirvonen,R.A. On the statistical analysis of gravity anomalies, 3=5178

Hisam,E. See Bez,W., 3=7464

Hisatsune,I.C. and Miller,P., Jr. Environmental effects on the infrared spectra of NOCl and NOBr solids, 3=8599

Hiskes,J.R. Inverted cascades in energetic neutral hydrogen beams, 3=12076

Hiskes,J.R. Electric and magnetic dissociation and ionization of molecular ions and neutral atoms, 3=14516

Hitani,S. See Kurioka,Y., 3=23997

Hitch,T.T. See Westwood,A.R.C., 3=25178

Hitchcock,A.J. See Young,W.A.P., 3=16993

Hitchcock,J.A. See Neal,S.B.H.C., 3=4698

Hitotuyanagi,Z. See Ôki,T., 3=7041

Hitterman,R.L. See Barrett,C.S., 3=6841

Hjalmars,S. and Linder,A. Further studies on time and energy as conjugate variables, 3=21208

Hlinchuk,K.D. and Miselyuk,E.H. Investigation of the recombination of charge carriers in n-type germanium doped with multi-charged impurities, by means of impurity photoconductivity, 3=20307

Hlÿnchuk,K.D. Measurement of the carrier diffusion length in Ge and Si by modulation of the photoconductivity, 3=20313

Ho,D.V. See Meyer,R.E., 3=18898

Ho,J.C., O'Neal,H.R. and Phillips,N.E. Low temperature heat capacities of constantan and manganin, 3=20107

Ho,L. and Buhrer,C.F. Electro-optic effect of gallium arsenide, 3=23051

Ho Seng. See Wang Chao-Chün, 3=22346

Ho Tso-hsiung and Wang P'ei. Scattering of a μ-meson and an electron by a proton 3=17301

Hoag,E. See Stekly,Z.J.J., 3=14456

Hoalst,K.M. See Baily,N.A., 3=24557

Hoan Nguyen Ngoc and Perez y Jorba,J. Study of the electro-disintegration of Be^9, 3=4628

Hoang,T.F. See Burleson,G.R., 3=17145

Hoang,T.F. See Burleson,G.R., 3=17146

Hoang,T.F. See Burleson,G.R., 3=17149

Hoang,T.F. See Fretter,W.B., 3=2301

Hoare,M. Steady-state unimolecular processes in multilevel systems, 3=13596

Hobart,R.H. On the instability of a class of unitary field models, 3=21206

Hobbie,R.K. A simplified treatment of the quantum-mechanical scattering problem using wave packets, 3=3755

Hobbie,R.K. See Blair,J.M., 3=6298

Hobbs,D.Y. See Ranby,P.W., 3=20523

Hobbs,E.W. Proof of a combinatorial formula in the theory of multilevel maser systems, 3=9994

Hobbs,G.D.,McWhirter,R.W.P.,Griffin,W.G. and Jones,T.J.L. The temporal variation of line radiation from impurities in Zeta, 3=7463

Hobbs,G.D. and Rose,M.A. The life history of impurity atoms in a plasma possessing a time varying electron temperature and density, 3=21770
Hobson,J.P. Pumping at solid surfaces, 3=21454
Hobson,J.P. and Edmonds,T. Reversible adsorption of helium at liquid nitrogen temperature in an ionization gauge, 3=16669
Hobson,J.P., Edmonds,T. and Verreault,R. Thermal transpiration in helium in the pressure range 10^{-8} to 20 torr, 3=18844
Hobson,J.P. See Khan,I.H., 3=7645
Hobson,J.P. See Redhead,P.A., 3=3840
Hoch,M. Order—disorder reactions in α-Ti(O) and TiO, 3=6815
Hoch,M. Vacancy interaction energies in transition metal oxides, 3=22737
Hoch,M., Iyer,A.S.and Nelken,J. Interaction energies of vacancies in transition metal oxides with large concentration of vacancies, 3=2785
Hoch,R. and Manning,F.S. Derivation of second-order jacobians for three-dimensional systems, 3=1622
Hochberg,S. See Gotsman,E., 3=12452
Hochgraf,N. See Blakney,R.M., 3=18584
Hochheimer,B.F. See Blau,E.J., 3=24518
Hochstrasser,G. See Béné,G., 3=20021
Hockey,J.A. and Pethica,B.A. Thermodynamic studies of adsorption on characterized silicas. I. Benzene, 3=1382
Hocking,L.M. The upper boundary condition for atmospheric gravity waves, 3=23582
Hodara,H. Elimination of re-entry radio blackout, 3=7059
Hodby,J.W. Infra-red absorption in gallium arsenide—gallium phosphide alloys. II. Absorption in p-type material, 3=20478
Hodby,J.W. See Allen,J.W., 3=20477
Hodge,E.S. and Horcy,E.C., Jr. An image inverter for spectral projector comparator, 3=24021
Hodge,P. Interactions of the planet mercury with interplanetary material, 3=16352
Hodge,P.W. Integrated UBV photometry of early-type galaxies, 3=16414
Hodge,P.W. See Belton,M.J.S., 3=21103
Hodges, J.A. The influence of crucible material on the induced anisotropy of evaporated iron films, 3=18082
Hodges, J.A. Magnetic anisotropy in evaporated thin films containing aluminium, 3=18084
Hodgkinson,R.J. Hot-electron emission from semiconductors, 3=883
Hodgkinson,R.J. Impact ionization and quantum efficiency in silicon, 3=20416
Hodgkiss,D. See Henderson,S.T., 3=11406
Hodgson,A.A. A comprehensive thermal analysis apparatus, 3=8988
Hodgson,G. See Pugh,H.Ll.D., 3=13343
Hodgson,J.N. The optical properties of polycrystalline tellurium, 3=13151
Hodgson,J.N. The optical properties of liquid tellurium, 3=14168
Hodgson,L.I. and Rollett,J.S. An acceleration device and standard-deviation estimates in least-squares refinements of crystal structures, 3=13443
Hodgson,P.E. The symmetry term in the nuclear optical potential, 3=10217
Hodgson,P.E. Distorted wave analysis of the reaction ^{12}C(d,n)^{13}N(GS), 3=24968
Hodgson,P.E. and Rook,J.R. Optical model and distorted wave analysis of (p, n) cross-sections, 3=669
Hodgson,P.E. See Burge,E.J., 3=12663
Hodgson,P.E. See García,A., 3=2493
Hodgson, P.E. See Sen Gupta, H.M., 3=2492
Hodgson,P.E. See Squires,E.J., 3=15051
Hodkinson,J.R. and Greenleaves,I. Computations of light-scattering and extinction by spheres according to diffraction and geometrical optics, and some comparisons with the Mie theory, 3=11939
Hoegl,H. See Kohin,R.P., 3=8708
Hoekstra,P. and Behrendt,D.R. Energies of two interstitial configurations in a face-centered cubic crystal, 3=789
Hoenig,S.A. and Stonemetz,R. Photometer for field emission studies, 3=18960
Hoer,C.A. and Harrington,R.D. Parallel reversible permeability measurement techniques from 50 kc/s to 3 Gc/s, 3=24423
Hoer,C.A. and Rasmussen,A.L. Equations for the radiofrequency magnetic permeameter, 3=14720
Hofer,E.M. and Javet,P. X-ray study of an annealed electrolytic deposit of copper by the analysis of diffraction line profiles, 3=2817
Hoff,G.T. Modified K^* exchange model for ΛK^0 production, 3=19705
Hoffart,E. The "teleperm" calculator for process variables—an apparatus for pressure-temperature- and humidity-correction in the measurement of gas flows, 4=5455
Hoffleit,D. Current work on southern zone catalogues at the Yale Observatory, 3=9226
Hoffleit,D. See Smith,H.J., 3=23699
Hoffman,C.J. See Ottenberg,A., 3=15364
Hoffman,C.W.W. See Mooney,R.W., 3=25716
Hoffman,G.R.,Turner,J.A. and Lachowicz,H.K. Variation of coercivity of magnetic materials with driving field, 3=23157
Hoffman,J.C.,Bajon,J. and Marriekchi,A. Discharge of a non-linear condenser, 3=12060
Hoffman,J.D. and Weeks,J.J. Rate of spherulitic crystallization with chain folds in polychlorotrifluoroethylene, 3=3272
Hoffman,L. and Morpurgo,M. A 200 kG pulsed magnet for emulsion experiments, 3=21934
Hoffman,R.A.,Arnoldy,R.L. and Winckler,J.R. Observations of the Van Allen radiation regions during August and September 1959. VI. Properties of the outer region, 3=13818
Hoffman,R.A.,Davis,L.R. and Williamson,J.M. Protons of 0.1 to 5 MeV and electrons of 20 keV at 12 earth radii during sudden commencement on September 30, 1961, 3=7955
Hoffman,R.A.,Lefrançois,J. and Thorndike,E.H. Proton—deuteron elastic triple scattering at 140 MeV, 3=22127
Hoffman,R.A. See Arnoldy,R.L., 3=3515
Hoffman,R.A. See Arnoldy,R.L., 3=13817
Hoffman,R.A. See Lefrançois,J., 3=22126
Hoffman,R.W. See Rosette,K.H., 3=15821
Hoffman,T.A. Theoretical investigations of the spectra of fluorescein, 3=2647
Hoffman,W.C. The ionospheric wave equation in dipolar coordinates, 3=16252
Hoffmann,B. and Mollwo,E. On the variation of luminescence yield and electrical conductivity of ZnO with adsorption of oxygen, 3=6679
Hoffmann,K. and Seiwert,R. Light sources for exciting resonance fluorescence, 3=256
Hoffmann,L. See Amaldi,E., 3=14861
Hoffmann,R. and Lipscomb,W.N. Boron hydrides: LCAO—MO and resonance studies, 3=6396
Hoffmann,T.A. Physical principles of the phototron, 3=524
Hoffmann,W. See Brown,W.L., 3=16019
Hoffmeister,C. Concerning an intergalactic dust cloud, 3=16419
Hofmann, A. Study of d—d reactions in aluminium "self-targets", 3=17352
Hofmann,A. γ-radiation from inelastic scattering of 14 MeV neutrons on calcium, oxygen and carbon, 3=17476
Hofmann,C. Computing decentring tolerances for optical components, 3=1791
Hofmann,C. On the effect of mounting error on the centring of fixed optical components, 3=11885
Hofmann,C. Centring errors and decentration measurements, 3=16740
Hofmann, D.J. and Winckler, J.R. Simultaneous balloon observations at Fort Churchill and Minneapolis during the solar cosmic ray events of July 1961, 3=17370
Hofmann,I. See Paul,H., 3=14964
Hofmann,J.A. See Sagalyn,P.L., 3=21997
Hofmann,R. The temperature dependence of the refractive index of BaTiO$_3$, 3=10903
Hofmeister, E. See Groschwitz, E., 3=2859
Hofmokl,T.,Wroblewski,A.,Filipkowski,A.,Michejda,L., Otwinowski,S.,Sosnowski,R.,Fenyves,E.,Gemesy,T.,Sandor,T., Sebestyen,A. and Telbisz,F. Elastic scattering of 7 GeV/c π^--mesons on protons, 3=12488
Hofmokl',T. See Belyakov,V.A., 3=24798
Hofmokl,T. See Escoubès,B., 3=19630
Hofstadter,R. See Chambers,B., 3=24531
Hofstadter,R. See Collard,H., 3=17357
Hofstadter,R. See Collard,H., 3=25065

Högaasen-Feldman,J. The equations of superconductivity, 3=19097
Hogan,D.D. and Hanley,T.D. Some effects on listener accuracy of competing messages varied systematically in number, rate, and level, 3=11623
Hogarth, C.A. See Crees, D.E., 3=17921
Høgåsen,H. A study in kemmer algebra and Foldy—Wouthuysen transformations for particles with spin 0 and 1, 3=14859
Høgåsen,H.,Bergheim,K. and Skarsvåg,K. Internal Mössbauer-effect in ^{57}Fe, 3=25174
Högfeldt,E. A comparison of some methods of evaluating site distribution density functions for heterogeneous surfaces, 3=6886
Högfeldt,E. A simple averaging approach to surface heterogeneity, 3=8929
Hogg,B.G. See Clarke,H.C., 3=2774
Höglund,B. 21 cm observations in the Galactic anticentre, 3=13928
Hoh,F.C. Instability of gas discharges in a magnetic field, 3=14534
Hoh,F.C. Instability of Penning-type discharge, 3=21732
Hoh,F.C. See Lowder,R.S., 3=4158
Höhle,R. and Zimmermann,W. Determination of radium equivalents of some gamma-radiators in ionization chambers, 3=12367
Hohler,G.,Ebel,G. and Zwingenberger,J. Applications of the dispersion relations for πN forward scattering, 3=2306
Hohmann,H. Investigation of the X-ray radiation in fission of U^{235}, 3=10395
Hohmuth,K. See Schintlmeister,J., 3=10356
Höhne,E. See Khöne,E.
Höhne,K.H. See Schneider,F., 3=17139
Hojing Kim,Hamano,H. and Hameka,H.F. Calculation of magnetic susceptibilities of diatomic molecules. III. Application to N$_2$ molecule, 3=8259
Hojing Kim. See Hamano,H., 3=8258
Holaday,R.E. See Dunn,D.A., 3=5701
Holas, M. See Eckstein, J., 3=17704
Holbrow,C.H. and Barschall,H.H. Neutron evaporation spectra, 3=12669
Holbrow,C.H. See Poppe,C.H., 3=6290
Holcomb,D.F. and Cotts,R.M. Dynamation, 3=3775
Holcomb,D.F. and Pedersen,B. Structural interpretation of asymmetrically broadened n.m.r. fine-structure lines, 3=8727
Holcomb,D.F. See Pedersen,B., 3=8728
Holden,J. Observations of cyclic structure at large ranges of plastic-strain, 3=20740
Holdhus,H. The transformation of the ζ-phase in iron—silicon alloys, 3=6859
Holister,G.S. The photoelastic method applied to materials research, 3=13320
Holister,G.S. Photoelastic strain gauges, 3=14092
Holkov,Yu.M. and Kul'chitskii,L.A. Photonuclear reactions involving the emission of deuterons and tritons with energies below 15 MeV, 3=6225
Holladay,W.G., Thomas,J.B., Jr. and Smith,C.R. Number of energy levels for a Debye-Hückel or Yukawa potential, 3=3746
Holladay,W.G. See Beauchamp,N.A., 3=24797
Holland,B.W. The one-electron states of imperfect crystals, 3=8399
Holland,L. Sources of surface contamination in vacuum evaporation systems, 3=21461
Holland,L., Laurenson,L. and Priestland,C. Contamination in ultra-high vacuum plant, 3=14229
Holland,L. See Elsworth,L., 3=23520
Holland,M. See Ammar,R.G., 3=4558
Holland,M. See Ammar,R.G., 3=7974
Holland,M. See Ammar,R.G., 3=10229
Holland,M.G. and Neuringer,L.J. The effect of impurities on the lattice thermal conductivity of silicon, 3=10610
Holland,R.E. See Simons,L., 3=4591
Holland,R.L. See Naumann,R.J., 3=23716
Holland,V. The propagation of plane electromagnetic waves in a horizontally stratified ionosphere, 3=512
Hollander,J.M., Nordling,C.L. and Siegbahn,K. Some properties of the levels of $_{100}$FM^{254}, 3=638
Hollander,L.E.,Jr. and Castro,P.L. Dielectric properties of single-crystal nonstoichiometric rutile (TiO$_2$), 3=2955
Holle,E.G. See Gudzin,M.G., 3=5182
Holleman,T. Application of the principle of corresponding states to the excess volumes of liquid binary normal alkane mixtures, 3=21344
Holleman,T. On the validity of the principle of congruence for heats of mixing of normal alkanes, 3=23535
Holley,C.E.,Jr. See Zachariasen,W.H., 3=13457
Holley,R.W. See Cook,V., 3=12490
Holley,W. See Beall,E.F., 3=24790
Holliday,J.E. Soft X-Ray emission spectroscopy in the 13 to 44 A region, 3=463
Hölling,J. See Ecker,G., 3=7618
Hollinger,J.P. See Mayer,C.H., 3=18663
Hollo,M.G. Electronoptical investigations on the pore structure of anodic oxide layers on aluminium, 3=6918
Holloway,D.G. See Brearly,W., 3=11175
Holloway,L. and Fujii,A. A unitary symmetry model for photoproduction, 3=22155
Holloway,L. See Frankel,S., 3=7876
Holloway,L. See Frankel,S., 3=10134
Holloway,W.W., Jr,Kestigian,M.,Newman,R. and Prohofsky,E.W. Anomalous shifts in the fluorescence of MnF$_2$ and KMnF$_3$, 3=23102
Hollway,D.L. The space-charge controlled focus of an electron beam, 3=441
Holly,F.E. See Bame,S.J., 3=11457
Hollyer,R.N., Jr. See Voss,L.R., 3=7227
Holm,G. See Astner,G., 3=19798
Holm, G.B. See Bonacalza, E.C.O., 3=17411
Holm,M.W. and Eichhorn,E.L. Self-consistent wave functions for ytterbium, 3=8197
Holman, A. See Faulkner,E.A., 3=9959
Holmberg,P. See Simmons,L., 3=24867
Holmberg,P. See Simons,L., 3=4572
Holmberg,P. See Simons,L., 3=22307
Holmberg,S. See Bergström,J., 3=9798
Holmberg,S. See Bergström,J., 3=12172
Holme, D.A. and Stewart, K. The gamma dose-rate above an infinite plane source, 3=17423
Holmen,J.O. See Prosen,R.J., 3=1074
Holmes,C.H. See Auld,B.A., 3=15926
Holmes,D.A. See Jacobs,H., 3=22019
Holmes,D.K. The ranges of energetic atoms in solids, 3=8462
Holmes, D.K. See Oen,O.S., 3=10571
Holmes,J.R.,Kivelson,D. and Drinkard,W.C. Protons exchange rates and hydrogen-bonding for water in organic solvents, 3=9449
Holmes,J.R.,Stewart,B.S. and Mackenzie,J.S. ^{19}F chemical shift of nitrosyl fluoride, 3=10540
Holmes,L.S. See Ashby,D.E.T.F., 3=16954
Holmes,P.J. See Gasson,D.B., 3=1345
Holmes,R. and Jones,G.R. A low pressure oil manometer, 3=21459
Holmes,R.,Jones,G.R.,Pusat,N. and Tempest,W. Rotational relaxation in helium + oxygen and helium + nitrogen mixtures, 3=6431
Holmes,R.,Smith,F.A. and Tempest,W. Vibrational relaxation in oxygen, 3=9505
Holmgren,H.D. and Wolicki,E.A. Angular correlations for the C^{13}(He^3, αγ)C^{12} reaction, 3=2496
Holmquist,W.R. See Kooi,C.F., 3=1168
Holmström,I. On a method for parametric representation of the state of the atmosphere, 3=25878
Holøien,E. An investigation of quasi stationary states of the two-electron atomic systems with a special study of negative atomic ions, 3=2554
Holonyak,N., Jr and Bevacqua,S.F. Coherent (visible) light emission from Ga (As$_{1-x}$P$_x$) junctions, 3=7734
Holonyak,N., Jr. and Bevacqua,S.F. Oscillations in semiconductors due to deep levels, 3=15583
Holonyak,N., Jr,Bevacqua,S.F.,Bielan,C.V. and Lubowski,S.J. The "direct-indirect" transition in Ga(As$_{1-x}$P$_x$) p—n junctions, 3=25377
Holopainen,E.O. On the dissipation of kinetic energy in the atmosphere, 3=16213
Holroyd,L.V. See Tompson,C.W., 3=14502
Hölscher,J.G.A. Evidence for positive ion production by the Penning ionization mechanism in the column of the neon glow discharge, 3=7474
Holstein,T. See Friedman,L., 3=12950
Holt,C.,Landmark,B. and Lied,F. Analysis of riometer observations obtained during polar radio blackouts, 3=5878

Holt,C. and Thompson,J.E. The influence of grain interaction on the magnetostrictive behaviour of a single crystal of silicon–iron in a polycrystalline matrix, 3=5016
Holt,C. See Boon,C.R., 3=25527
Holt,D.B. Defects in the sphalerite structure, 3=2793
Holt,D.L. and Backofen,W.H. The temperature dependence of cross slip during easy glide in Cu–Al alloy crystals, 3=23337
Holt,J.M. See Iliff,W.R., 3=9947
Holt,M. and Schwartz,N.J. Cavitation bubble collapse in water with finite density behind the interface, 3=16599
Holt,O.,Landmark,B. and Lied,F. Observations of electron density and collision frequency during polar radio blackout conditions, 3=6978
Holt,O. See Ortner,J., 3=9135
Holt,R.M. and Nicholson,O.P. A study of σ-phase formation and metastability in stabilized austenitic stainless steel, 3=3337
Holt,V.E.,Grosh,R.J. and Geynet,R. Evaluation of the net radiant heat transfer between specularly reflecting plates, 3=7381
Holter,Ø. Helical instabilities in solid-state plasmas, 3=8410
Holter,Ø. Helical instabilities in solid-state plasmas. Numerical results, 3=13051
Holthuizen,D.J. Resonances of elementary particles, 3=570
Holtzman,A.H. See Cowan,G.R., 3=11195
Holverson, E.L. See Devane, C.J., 3=17870

Holwech,I. See Førsvoll,K., 3=4908
Holwech,I. See Førsvoll,K., 3=22890
Holweger,H. Propagation of magnetohydrodynamic waves, 3=17043
Holweger,H. and Unsöld,A. The accuracy of model stellar atmospheres in radiative equilibrium, 3=23694
Hołyński,R. See Gierula,J., 3=4382
Hołyński,R. See Gierula,J., 3=5993
Holz,A. See Bross,H., 3=17815
Holzinger,C.S. Study of permeability ratios for use in non-destructive readout of ferrite memory devices, 3=15871
Holzman,M. Chebyshev optimized geophone arrays, 3=16192
Homan,C.G. See Davidson,T.E., 3=16017
Homan,C.G. See Huebener,R.P., 3=8430
Homer,R.J. See McFarlane,W.K., 3=17276
Hon,A. See Veverka,A., 3=1940
Hon,A. See Veverka,A., 3=24265
Honda,M. Spallation products distributed in a thick iron target bombarded by 3-BeV protons, 3=8101
Honda,N.,Aono,O. and Kihara,T. Fluctuations in a plasma. III. Effect of the magnetic field on the stopping power, 3=12103
Honda,T., Kudo,Y. and Ui,H. Exchange effect in the scattering of an α-particle by light nuclei, 3=17496
Hondros,E. and Oudar,J. Influence of dislocations on the nucleation of seeds of oxide on the surface of copper, 3=16130
Honeck,H.C. and Takahashi,H. The angular dependence of thermal neutron spectra in lattices, 3=12723
Honerjäger, R. and Klein, E. On the measurement of the ratio of the proton spin resonance frequency and the cyclotron frequency of free electrons in the same magnetic field, 3=2140
Hones,E.W.,Jr. Motions of charged particles trapped in the earth's magnetosphere, 3=13815
Honeycombe,R.W.K. See Roberts,E., 3=11139
Honeycombe,R.W.K. See Van Aswegen,J.S.T., 3=18357
Honig,J.M. and Mueller,C.R. Adaptation of lattice vacancy theory to gas adsorption phenomena, 3=3363
Honig,J.M. See Harman,T.C., 3=356
Honig,J.M. See Harman,T.C., 3=357
Honig,J.M. See Harmon,T.C., 3=9715
Honig,J.M. See Harmon,T.C., 3=9716
Honig,J.M. See Harman,T.C., 3=12064
Honig,J.M. See Harman,T.C., 3=20289
Honig,J.M. See Harman,T.C., 3=21694
Honig,R.E. The sputtering of silicon carbide by positive ion bombardment, 3=4214
Honig,R.E. Laser-induced emission of electrons and positive ions from metals and semiconductors, 3=24333
Honig,R.E. and Woolston,J.R. Laser-induced emission of electrons, ions and neutral atoms from solid surfaces, 3=14626
Honjo,G. Some recent developments in electron diffraction technique, 3=1287
Honjo,G.,Kitamira,N.,Ashinuma,K.,Nagahama,Y. and Watanabe,M. Tilting devices for crystalline specimens, 3=18414
Honjo,G. See Kodera,S., 3=18297
Honjo,G. See Maruyama,S., 3=10975
Hönl,H. and Dehnen,H. Significance of Ozsvath and Schücking's exact solution of the gravitational field equations, 3=3736
Hönl,H. and Ruffer,J. The concept of phase waves in gravitation theory and electrodynamics, 3=23746
Hönl,H. See Dehnen,H., 3=5348
Honma,A. See Oguchi,T., 3=15767
Honrubia,V. See Butler,R.A., 3=21168
Honrubia,V. See Fernández,C., 3=3684
Hontoy,P. and Van Eck,J.L. Resonance effects in matter, 3=5031
Hontzeas,S. and Yaffe,L. Interaction of vanadium with protons of energies up to 84 MeV, 3=24937
Hood,G.M. and Sherwood,J.N. Growth of single crystals of cyclohexane, 3=11229
Hood,J.D. Bone conduction: A review of the present position with especial reference to the contributions of Dr. Georg Von Békésy, 3=3668
Hood,J.D.,Jr. See Fowler,R.G., 3=1955
Hoogendoorn,A. See Weijsenfeld,C.H., 3=4216
Hoogsteen,K. The crystal structure of 1-methylthymine, 3=8869
Hook,A.B. See Krause,B.H., 3=25714
Hook,J.L. and Owren,L. The vertical distribution of E-region irregularities deduced from scintillations of satellite radio signals, 3=11437
Hook,J.L. See Ortner,J., 3=9135
Hook,L.,Davis,W.W. and Kotin,L. High-speed calculation of diffusion coefficients from Rayleigh interference fringes, 3=7356
Hook,R.E. and Adair,A.M. On the recrystallization embrittlement of chromium, 3=16005
Hook,R.E., Garrett,H.J. and Adair,A.M. The occurrence and partitioning of impurity phases in recrystallized chromium, 3=15485
Hook,R.E. See Adair,A.M., 3=11150
Hooke,W.M.,Rothman,M.A.,Evivi,P. anf Adam,J. Measurements on the fast hydromagnetic wave above the ion cyclotron frequency, 3=5683
Hooker,C.N. See Buckle,E.R., 3=1402
Hooker,W.J. and Millikan,R.C. Shock-tube study of vibrational relaxation in carbon monoxide for the fundamental and first overtone, 3=7243
Hooper, H.O. See Bray, P.J., 3=18148
Hooper,J.W. See McDaniel,E.W., 3=4006
Hooper,M.B. See Goldfarb,L.J.B., 3=17492
Hooton,D.H. and Ashcroft,N.W. Spin dependent quasi-elastic scattering of fast nucleons, 3=10336
Hooton,D.J. Compound nuclear and direct contributions to neutron polarisation, 3=2471
Hooton,D.J. Optical-model analysis of the energy dependence of neutron polarization near I MeV, 3=4644
Hoover,W.G. and Poirier,J.C. Comparison of some exact and approximate results for gases of parallel hard lines, squares, and cubes, 3=7145
Hoover,W.G. See De Rocco,A.G., 3=11825
Hooverman,R. See Graetzer,R., 3=4559
Hopfield,J.J. Electron–phonon coupling in impurity states, 3=10733
Hopfield,J.J., Thomas,D.G. and Gershenzon,M. Pair spectra in GaP, 3=15708
Hopfield,J.J. See Mahan,G.D., 3=14334
Hopfield,J.J. See Thomas,D.G., 3=526
Hopfield,J.J. See Thomas,D.G., 3=6651
Hopfield,J.J. See Thomas,D.G., 3=25253
Hopgood,F.R.A. See Emery,V.J., 3=23802
Hopkins,B.E. See Pugh,H.Ll.D., 3=15991
Hopkins,B.J. and Marden,A.J. The coloration of activated calcium oxide coated cathodes, 3=12234
Hopkins,B.J. and Rivière,J.C. The work function of polycrystalline tungsten foil, 3=9825
Hopkins,B.J. and Ross,K.J. Anode work function changes caused by sublimation from barium oxide under applied anode potentials, 3=19294
Hopkins,B.J. See Blott,B.H., 3=4179
Hopkins,H.H. The gaussian optics of multi-lens systems, 3=16738

Hopkins,H.H. The application of frequency response techniques in optics, 3=16743
Hopkins,H.W.K. See Davison,M., 3=12516
Hopkins,H.W.K. See Davison,M., 3=22129
Hopkins,H.W.K. See Lyons,L., 3=12517
Hopkins,J.C. See Jarmie,N., 3=24376
Hopkins,J.W. See Jones,R.N., 3=14344
Hopkins,M.R. and Jones,C.H., The use of radioactive contact electrodes in the measurement of metal migration in electrical contacts, 3=9690
Hopkins,R.E. Optical design on large computers, 3=16731
Hoppe,W. Phase determination in X-ray crystal structure analysis using the zero points of the Patterson function, 3=16066
Hoppe,W. A way of improving the phases determined by the heavy atom method in X-ray crystal structure analysis, 3=16067
Hopson,J.E. Beam-generated beam—plasma system, 3=21815
Hora,H. A spectrum analysis which avoids the use of common optical methods, 3=5520
Hora,H. On the measurement of semiconducting and other electrical properties by a five-probe method, 3=21674
Horák,Z. Electromagnetic and gravitational field, 3=7108
Horák,Z. The velocity of electromagnetic waves and the gravitational potential of the universe, 3=16504
Horcy,E.C.,Jr. See Hodge,E.S., 3=24021
Hordon,M.J. Dislocation density and flow stress of copper, 3=794
Hordon,M.J. Strain hardening of ordered Cu_3Au alloy, 3=16001
Hordon,M.J. Yield point effect during interrupted deformation of Cu_3Au alloy, 3=25623
Horemann,H.W. Inductive brightness depression as influenced by configurational conditions, 3=18682
Horen, D.J, Bolotin, H.H. and Kelly, W.H. Lifetime of the 21·7 keV state in Eu^{151}, 3=17416
Horen,D.J.,Kelly,W.H. and Yaffe,L. Characteristics of the decay of Ba^{131m}, 3=8001
Hori,E. Unsteady boundary layers. IV. Calculation of boundary layer around a body with arbitrary shape by use of a series expansion method, 3=112
Hori,G. The motion of a star in the galaxy, 3=11554
Hori,G. A new approach to the solution of the main problem of the lunar theory, 3=13858
Hori,G. and Liu,T. The velocity ellipsoid and a suggestion for the Bottlinger diagram based on an approximate Schmidt potential, 3=16421
Hori,J. Observations on electroluminescence in SiC single crystals, 3=6684
Hori,S. Weak interactions in unitary symmetry theory, 3=22072
Hori,S.,Iida,S.,Sakami,H.and Adachi,T. Radiation effects on polypropylene. I. Effects on thermal properties, 3=2728
Hori,S.,Oneda,S.,Chiba,S. and Wakasa,A. τ, τ' and $\eta \rightarrow 3\pi$ decays and unitary symmetry, 3=22201
Hori,S. See Oneda,S., 3=6069
Hori,T. See Nakagawa,Y., 3=1006
Hori,T. See Nakagawa,Y., 3=6860
Horie,C. Dielectric theory of plasma oscillations and its extension to the exciton problem, 3=25256
Horie,H. and Tanifuji,M. Cluster model in $Ne^{20}(\alpha,C^{12})C^{12}$ reaction, 3=8133
Horii,M. See Nomura,T., 3=16383
Horikoshi,G. and Tanaka,J. A thin vacuum gate valve of large aperture, 3=23953
Horikoshi,G. See Kumagi,H., 3=460
Horikoshi,H.,Ozawa,Y. and Hasunuma,H. Stress in evaporated copper films, 3=11145
Horikoshi,H. and Tamura,N. Internal stress and electrical resistivity of evaporated antimony films, 3=20701
Horing,N.J. and Argyres,P.N. Transport theory of electrons in electric,magnetic and phonon fields, 3=10632
Horino,T. See Fujino,K., 3=15978
Horita,R. See Lipsett,F.R., 3=19316
Horita,R.E. and Burgess,R.E. Bipolar theory of metal—semiconductor contacts under arbitrary injection levels, 3=20348
Horiuchi,S. and Yamaguchi,J. Diffusion of boron in silicon through oxide layer, 3=8453
Horiuchi,S. and Yamaguchi,J. Diffusion of boron in silicon through oxide layer, 3=10690
Horiuchi, S. See Yamaguchi, J., 3=17789
Horiuchi,T. See Saito,H., 3=22934
Horiye,H. See Wikner,E.G., 3=22859
Horlacher,L. See Roessler,F., 3=924
Hormats,E.I. See Brock,E.G., 3=6747
Horn,D. Leptonic space with an additive muonic number, 3=5926
Horn,D. and Ne'eman,Y. A remark on the inclusion of leptons in isospace, 3=2190
Horn,D. and Ne'eman,Y. Unitary symmetry and the weak currents, 3=24611
Horn,G. and Genta,L. Deat time generator and time discriminator, 3=9703
Horn,G. See Schlosser,E., 3=19130
Horn,H.R.F. Thermal evaporation without light and heat radiation falling on the object, 3=21178
Horn,L.H. and Bryson,R.A. An analysis of the geostrophic kinetic energy spectrum of large-scale atmospheric tubulence, 3=13665
Hornar,S. See Armeanu,V., 3=9640
Hornbogen,E. Shock-induced dislocations, 3=4872
Hornbogen,E. Guinier—Preston zones in b.c.c. iron, 3=8882
Hornbostel,J. See Purcell,E.M., 3=10069
Horne,F.H. and Bearman,R.J. Thermogravitational thermal diffusion in liquids. I. The formal theory, 3=7200
Horne,F.H. and Bearman,R.J. Thermogravitational thermal diffusion in liquids. II. Experimental thermal diffusion factors for carbon tetrachloride-cyclohexane at 25°C, 3=7201
Horne,G.T.,Roy,R.B. and Paxton,H.W. Tensile properties of single crystals of iron—chromium alloys, 3=11156
Horne,G.T. See Armstrong,R.W., 3=13338
Horne,M.R. Elastic—plastic failure loads of plane frames, 3=21272
Horne,R.A. and Frysinger,G.R. The effect of pressure on the electrical conductivity of sea water, 3=18486
Horne,R.W.,McMorris,M.N. and Ottewill,R.H. Electron microscope studies on the formation of silver filaments from silver iodide crystals, 3=1268
Horne,T. Cold encapsulation of cobalt, 3=22315
Hörnfeldt,O. The Z-dependence of energies and relative intensities in the K— LL Auger spectrum, 3=2591
Hörnfeldt,O.,Fahlman,A. and Nordling,C. Auger spectra in the intermediate coupling region, 3=2592
Hörnfeldt,O. See Auleytner,J., 3=2758
Hörnfeldt,O. See Fahlman,A., 3=2590
Hörnfeldt,O. See Hagström,S., 3=1575
Horning,S.C. Elementary particles, 3=14926
Hornreich,R.M. 90° magnetization curling in thin films, 3=15834
Hornshøj,P. See Bisgard,K.M., 3=10271
Hornshøj,P. See Bisgard,K.M., 3=10318
Hornstra,F.,Jr. See Morris,R G., 3=1850
Hornstra,J. Type of point defects formed after crossing of dislocations, 3=4860
Hörnström,E. See Brogren,G., 3=1318
Hörnström,E. See Brogren,G., 3=13185
Hornung,E.W. See Fisher,R.A., 3=25504
Hornung,E.W. See Giauque,W.F., 3=6689
Horowitz,S. See Dyce,R.B., 3=16227
Hors,M. See Nguyen Ngoc,H., 3=12580
Horsfield,A. See Chantry,G.W., 3=6418
Horst,R.B. See Cuff,K.F., 3=22938
Horst,R.B. See Kooi,C.F., 3=14408
Horst,R.L. and Oberg,P.E. Rotating commutator high-sensitivity flux-meter, 3=2076
Horstmann,M. and Meyer,G. Examination of the Debye—Waller factor for electron interference in the Laue case, 3=22656
Hortig,G. See Gentner,W., 3=9872
Horton,A.T. See Torgesen,J.L., 3=13413
Horton,C.W. Acoustic impedance of an outgoing cylindrical wave, 3=209
Horton,C.W.,King,W.R. and Diercks,K.J. Theoretical analysis of the scattering of short acoustic pulses by a thin-walled metallic cylinder in water, 3=5500
Horton,C.W. See Diercks,K.J., 3=7271
Horvai,R. See Ketskeméty,I., 3=1695
Horvat,P.,Kump,P. and Povh,B. Low-lying states in Al^{26}, 3=19773
Horwitz,G.,Brout,R. and Englert,F. Zero-temperature properties of the many-fermion system, 3=9370
Horwitz,G. See Callen,H.B., 3=982
Horwitz,G. See Stinchcombe,R.B., 3=11046
Horwitz,G. See Strieb,B., 3=15763

Horwitz,L.P. and Mattis,D.C. Thermal screening effects in a ferromagnet, 3=20593
Horwitz,N. See Dahl,O., 3=7921
Horwitz,N.H. and Bohm,H.V. Energy gap and critical field of superconducting molybdenum obtained by ultrasonic measurements, 3=3958
Hosack,H.H. See Davis,R.H., 3=10861
Höschl,P. and Koňák,Č. A study of the solid state_gaseous phase equilibrium in CdSe and its application to the growing of single crystals from the gaseous phase by Frerich's method, 3=20977
Höschl,P. and Koňák,Č. Preparation of CdSe by reaction of components, 3=25823
Höschl,P. See Matyáš,M., 3=4920
Hosea,J. See Geller,R., 3=19259
Hosemann,R. Crystalline and paracrystalline order in high polymers, 3=11275
Hosemann,R. See Lindemeyer,P.H., 3=11276
Hōshi,R. See Hayashi,C., 3=21114
Hoshino,K. See Inada,T., 3=12241
Hoshino,S. See Miyake,S., 3=1280
Hoshino,S. See Shibuya,I., 3=6481
Hoshizaki,N. and Machida,S. Absorption, polarization phenomena and two-baryon interactions, 3=10060
Hoshizaki,N. and Machida,S. p—p scattering at 660 MeV, 3=10113
Hoshizaki,N.,Otsuki,S.,Tamagaki,R. and Watari,W. Proton—proton scattering at 52 MeV, 3=24721
Hoskins,H. See Jamieson,J.C. 3=9527
Hosler,W.R. See Becker,J.H., 3=22955
Hosoda,M. and Shimoida,H. Application of the Sawada transformation to multichannel problem, 3=19580
Hosono,K. See Okubo,H., 3=6799
Hosoya,S. See Kuriyama,M., 3=12890
Hossenlopp,I.A. See Scott,D.W., 3=8291
Hossenlopp,M.T. See Nikitine,S., 3=10934
Hostetler,R.L. See Bame,S.J., 3=15066
Hostler,L. and Pratt,R.H. Coulomb Green's function in closed form, 3=18730
Hotinli, M. See Gökdoğan, N., 3=5253
Hotta,A. See Sugawara,M., 3=12653
Houde,A.L. Observations of the fine structure of domains and reversible rotation of the magnetization in thin permalloy films by the Faraday effect, 3=1079
Hougen,J.T. Energies of,and transition intensities associated with, the rotational levels of nearly degenerate A_1A_2 pairs of vibronic states in molecules of symmetry C_{3V}, 3=10490
Hougen,J.T. Classification of rotational energy levels. II, 3=25080
Hougen,J.T. and Jesson,J.P. Anharmonic corrections in triatomic molecules exhibiting the Renner effect, 3=12800
Hougen,J.T. and Singh,S. Electronic Raman effect in Pr^{3+} ions in single crystals of $PrCl_3$, 3=15694
Hough,P.C.V. See Franck,J.V., 3=24561
Houghton,G. The behaviour of particles in a sinusoidal velocity field, 3=7181
Houghton,G. Theory of bubble pulsation and cavitation, 3=23862
Houri,A. See Benoit,R., 3=6974
Houriet,A. and Héritier,C.A. The nucleon—nucleon interaction at low energies, 3=2254
House,A.S. See Stevens,K.N., 3=7068
House,H. See Zaky,A.A., 3=23900
House,L.L. See Athay,R.G., 3=11543
Houser,T.J.,Lykos,P.G. and Mehler,E.L. One-center wavefunction for the hydrogen molecule ion, 3=8255
Houska,C.R. A theoretical treatment of atomic configurations found in some iron—aluminum solid solutions, 3=6871
Houska,C.R. and Averbach,B.L. Atom arrangements in some iron—aluminum solid solutions, 3=13505
Houston,B.B. Jr. See Allgaier,R.S., 3=10829
Houston,J.K. A coincidence-setting micrometer eyepiece, 3=18971
Houtermans,H. See Jaeger,R.G., 3=641
Houtgast,J. and van Sluiters,A. A new estimate of the strength of the magnetic field of the planet Venus, 3=5244
Houtsager,H. See Androulakis, J.G., 3=17125
Houziaux,L. Contributions to the study of "envelope" stars, 3=21117
Houziaux,L. The mean optical depth of formation of hydrogen discontinuities and the calculation of line strengths near series limits, 3=25041
Hovenier,J. See Rethmeier,J., 3=2464
Hovenier,J.W. See Rethmeier,J., 3=6011
Hovorka,F. See Stuehr,J., 3=8952
Howard,A.J. See Watson,W.W., 3=11823
Howard,D.G. and Lindquist,R.H. Electron spin resonance of chromia on alumina, 3=13297
Howard,F.T. Catalogue of isochronous cyclotrons, 3=5748
Howard,J.N. and Garing,J.S. The transmission of the atmosphere in the infrared—a review, 3=3468
Howard,K.J. See Coupland,J.H., 3=5751
Howard,N.R. Avalanche multiplication in silicon junctions, 3=4932
Howard,N.R. A simple pulse generator for semiconductor lifetime measurements, 3=12050
Howard,P.R. See Forrest,J.S., 3=7450
Howard,R.,Curzon,F.L. and Powell,E.R. TE_{0mn} modes of a quasi-co-axial resonant cavity, 3=19441
Howard,R. and Severny,A. Solar magnetic fields and the great flare of July 16, 1959, 3=16380
Howard,R. See Curzon,F.L., 3=9762
Howard,R.E. and Lidiard,A.B. Kinetic interpretation of the thermodynamic theory of impurity diffusion in solids, 3=22803
Howard,V.C. See Sutton,A.L., 3=8371
Howard,W.E. III,Barrett,A.H. and Haddock,F.T. Measurement of microwave radiation from the planet Mercury, 3=3623
Howard,W.E. See Fowler,A.B., 3=2988
Howarth,L.E. and Gilbert,J.F. Determination of free electron effective mass of n-type silicon, 3=10797
Howatson,A.M. See Kharadly,M.M.Z., 3=19230
Howe,D.A.,Langer,L.M.,Spejewski,E.H. and Wortman,D.E. Beta spectrum of Mn^{56}, 3=4592
Howe,L.M. Radiation damage in zirconium zircaloy-2 and 410 stainless steel, 3=11171
Howe,L.M. See Piercy,G.R., 3=24126
Hower,C.O. and Fairhall,A.W. Ranges of Be^9 ions in gold and aluminum, 3=2048
Hower,G.L. See Peterson,A.M., 3=16228
Howerton,H. International Conference on Spectroscopy, 1962, 3=3876
Howie,A. Inelastic scattering of electrons by crystals. I. The theory of small-angle inelastic scattering, 3=4856
Howie,A. Inelastic scattering of electrons and anomalous absorption effects, 3=20963
Howie,A. Small-angle inelastic scattering of electrons by crystals, 3=20964
Howie,A. See Chester,G.V., 3=2686
Howie,A. See Hirsch,P.B., 3=6902
Howie,A. See Mazey,D.J., 3=4870
Howlett,B.W.,Eycott,A.J.,Kang,I.K. and West,D.R.F. The kinetics of the isothermal decomposition of a gamma-phase Uranium-6 atomic %, 3=25764
Howlett,L.E. Mass and force, 3=21213
Howlett,L.E. See Baird,K.M., 3=13987
Hoxton,L.G. Interference pattern of beats, 3=23985
Hoy,G.R.,Hinman,G.W. and Lees,J.K. Valance and size contributions to electric field gradients in dilute alloys of silver, 3=22718
Hoyer,G.A. See Erwin,A.R., 3=17317
Hoyer,W.A. See Nolle,A.W., 3=23987
Hoyland, J.R. and Parr, R.G. Magnetic properties of molecules from one-center wavefunctions. Theory and application to the hydrogen molecule, 3=17565
Hoyland,J.R. See Bishop,D.M., 3=22564
Hoyland,J.R. See Goodman,L., 3=25128
Hoyle,F. X-rays from outside the solar system, 3=18588
Hoyle,F. and Ellis,G.R.A. On the existence of an ionized layer about the galactic plane, 3=11601
Hoyle,F. and Fowler,W.A. On the nature of strong radio sources, 3=9255
Hoyle,F. and Fowler,W.A. Nature of strong radio sources, 3=9258
Hoyle,F. and Narlikar,J.V. Mach's principle and the creation of matter, 3=5235
Hoyle,F. and Narlikar,J.V. On the counting of radio sources in the steady-state cosmology. II, 3=9254
Hoyle,F. and Narlikar,J.V. Mach's principle and the creation of matter, 3=11502
Hoyle,F. and Wickramasinghe,N.G. On graphite particles as interstellar grains, 3=3537

Hoyle,F. See Burbidge,G.R., 3=23710

Hoyle,F. See Faulkner,J., 3=21104

Hoyt,G.D. See Henry,P.K., 3=21283

Hozumi,H., Kamiryo,K. and Shibata,Y. Proposal for a traveling-wave tube using photoelectron cathode, 3=2130

Hozumi,H. See Kamiryo,K., 3=2131

Hratsians'kÿi,M.M.,Vdovenko,I.D. and Baturins'ka,N.L. Formation and structure of surface layers on indium-lead and iron-nickel alloys during the process of corrosion, 3=20913

Hrazdira,I. Effect of ultrasound on the electrical conductivity of deionized water, 3=18830

Hrbek, J. Theory of flow curves in the pseudo-plastic flow region, 3=18198

Hren,J.A. The effect of atomic order and ferromagnetism on the elastic and anelastic properties of Fe—25 atom% Al, 3=25605

Hren,J.A. See Thomas,G., 3=18356

Hrianca,J. See Rothenstein,B., 3=19403

Hrishayev,I.A. See Kharchenko,I.F., 3=21908

Hrivnák,L. Interaction of conduction electrons in solids, 3=22675

Hrizo,J. and Subbarao,E.C. Sample holder for dielectric measurements up to 700°C, 3=7420

Hromadnik,H. See Baldoni,B., 3=5998

Hrubý,A.,Beránková,J. and Míšková,V. Growth of ZnSb single crystals, 3=8807

Hrubý,A. and Kašpar,J. Etchants for CdSb and ZnSb, 3=13407

Hrubý,A. See Šmirous,K., 3=5087

Hrubý,A. See Šmirous,K., 3=20325

Hruška,K. Tensor of polarizing correction terms of quartz elastic coefficients, 3=23009

Hruska,S.J. Reformulation of vapor-solid nucleation kinetics, 3=16843

Hrycak,P. Thermodynamic analysis of new gas refrigeration cycle, 3=16848

Hrynkiewicz,A.Z. On the differential method of g-factor measurements of short-lived excited nuclear states, 3=634

Hrynkiewicz,A.Z. See Bara,J., 3=575

Hrynkiewicz,A.Z. See Bozek,E., 3=12058

Hseuh,Y.W. See Christy,R.W., 3=13143

Hsiao Chien. See Wang Ao., 3=17255

Hsieh Kuang-Chun,Wang Chao-Chun,Chu Shang-Ken and Cheng lin-Sheng. The decay of Gd^{159}. Investigation of the excited levels of the strongly deformed rare earth nuclei. II, 3=22340

Hsieh,S. and Miyachi,S. Investigation of p—p and p—n scatterings at 10 MeV by dispersion relation, 3=10116

Hsiung Hsu. Three-dimensional parametric interactions of waves and quasi-particles, 3=5886

Hsu Chang. Analysis of static and quasidynamic behavior of magnetostatically coupled thin magnetic films, 3=13258

Hsü Chih-P'ing. The light output of a phosphor, taking account of recombination, 3=20503

Hsu,F.S.L. See Kunzler,J.E., 3=2743

Hsu,F.S.L. and Kunzler,J.E. Magnetoresistance probe for measuring magnetic field intensity in a small space, 3=14721

Hsu Tun-liang. See Syui Dun-Lyan.

Hsu,Y.C.,Huang,C.Y.,Tseng,P.K. and Tai,Y.K. Neutron total cross-section of arsenic at 14 MeV, 3=22402

Hsu,Y.C. See Tai,Y.K., 3=22218

Hsun Hu. Microbands in a rolled Si—Fe crystal and their role in recrystallization, 3=8912

Hsun Hu. Reply to "comments on 'microbands in a silicon-iron crystal'", 3=25740

Hu,L.W. and Pae,K.D. Inclusion of the hydrostatic stress component in formulation of the yield condition, 3=25625

Hu,M. Modified Zernike polynomials and their application to the analysis of Fresnel region fields of circular apertures with nonuniform and nonsymmetric illumination, 3=5528

Hu Ning. Up—down asymmetries of Λ and Σ decays, 3=17341

Hu Ning. Derivation of one-particle Green's function by the method of dispersion relations, 3=24666

Hu Ning. On $\pi-\pi$ interaction, 3=24777

Hu Ren-Yu. Cavity chamber measurement of dose rate of radium γ-rays, 3=24884

Hu Shih-ko'. See Barashenkov,V.S., 3=6040

Huang,C.H.,Chenette,E.R. and van der Ziel,A. Noise picked up by external probes in electrodeless gas discharge, 3=21725

Huang,C.M. A note on the method of least squares for linear approximation [in ionograms], 3=11432

Huang,C.Y. See Hsu,Y.C., 3=22402

Huang De-Tsang. See Azhgirey,L.S., 3=15189

Huang Hung-Chia. Theory of coupled waveguides, 3=24471

Huang Hung-Chia. Notes on discontinuity problems in coupled wave theory, 3=24478

Huang,K. Method to measure the lifetime of the Σ^0 hyperon, 3=4469

Huang,K.K., Matumoto,S., Sekiguchi,M., Ohnuma,H., Sugawara,A. and Nogami,Y. Experiment on $Fe^{54}(p,\gamma)Co^{55}$ reaction, 3=17472

Huang,K.K.,Yagi,K.,Awaya,T.,Ohnuma,H.,Fujioka,M. and Nogami,Y. Experiment on $O^{18}(p,\gamma)F^{19}$ reaction, 3=19843

Huang,S. See Lewis,J., 3=11988

Huang,S.S., Milligan,J.E. and Stecher,T.P. A suggestion concerning the boundary condition of B stars, 3=3601

Huang Shu-shun. See Kou Tsing-tsuan, 3=25034

Huang Tieh-Ch'iang. See Khuan De-Tsyan.

Huang Tsu-chan. See Barashenkov,V.S., 3=6040

Huang Tzu-chang. See Barashenkov,B.V.S., 3=19700

Huang,W.F. and Ritter, R.C. $B^{11}(d,n)C^{12*}{}_{4.43}$ ($\gamma-n$) angular correlations at 0·94 and 0·62 MeV, 3=15226

Huang,Y.K. and Davids,N. Shock dynamics of hypervelocity impact of metals, 3=21486

Huang,Y.S. See Kê,T.S., 3=25611

Hubach,R.A. Probe for the measurement of albedo [end-reflected] electron flux in a high-energy ion beam, 3=5718

Hubbard,E.L. See Ehlers,K.W., 3=14667

Hubbard,E.L. See Heckman,H.H., 3=7447

Hubbard,P.S. Nuclear magnetic resonance and relaxation of four spin molecules in a liquid, 3=147

Hubbard, P.S. Nuclear magnetic relaxation by inter-molecular dipole—dipole interactions, 3=17616

Hubbard,P.S. Theory of nuclear magnetic relaxation by spin—rotational interactions in liquids, 3=18833

Hubbard,P.S. See Rugheimer,J.H., 3=21412

Hubbard,R. See Shafer,J.B., 3=15028

Hubbard,W.M. and Adams,E. Intermetallic compounds of iron and cobalt with gadolinium, 3=1000

Hubbard,W.M. See Brown,R.E., 3=9666

Hubel,D.H. Integrative processes in central visual pathways of the cat, 3=5307

Huber, D. Field dependence of the direct-process spin—lattice relaxation time in rare—earth salts, 3=18144

Huber,E.E., Jr. and Ridgley,D.H. Magnetic properties of a single crystal of manganese phosphide, 3=15735

Huber,F. Piezoeffects in p—n junctions of semiconducting titanium oxide films, 3=13127

Huber, F. Thin film titanium oxide diodes, 3=17915

Huber, F. and Rottersman,M. Graded p—n junctions in thin anodic oxide films of titanium, 3=4929

Huber,H.,Galster,S. and Schopper,H. The influence of multiple scattering on the measurement of the circular polarization of γ-rays, 3=12433

Huber,K.P.,Huber,M. and Miescher,E. Rydberg series of the NO molecule in the visible and infrared emission ~~spectrum, 3~~ spectrum, 3=10518

Huber,K.P. and Miescher,E. Absorption spectrum of the NO molecule. III. The heterogeneous perturbation $H^2\Sigma^+ - H'^2\Pi$, 3=19986

Huber,M. See Grenot,M., 3=13486

Huber,M. See Huber,K.P., 3=10518

Huber,P.,Lewandowski,Z.,Plattner,R.,Poppelbaum,C. and Wagner,R. Neutron spectrum from a Pu-Be source, 3=10131

Huber,P.,Plattner,R.,Poppelbaum,G. and Wagner,R. Fast neutron scattering by elements near and at closed shells, 3=22395

Huber,P. See Durisch,J., 3=22392

Huber,P. See Gleyvod,R., 3=22393

Huber,P. See Poppelbaum,C., 3=8104

Huber,P. See Schaller,L., 3=12081

Huber,P. See Seiler,F., 3=676

Huber,W.K. See Hengevoss,J., 3=11842

Huberman,M.N.,Kamegai,M. and Morrision,G.C. Absolute cross sections and angular distributions for charged particles from lithium—lithium nuclear reactions, 3=6300

Hubert,A. See Kranz,J., 3=20590

Hubert,P. Very low pressure discharge in static crossed fields, 3=4088

Hubig,W. Physical geometry — reply to criticism, 3=23754

Hubner,K. and Shockley,W. Measurements of phonon scattering by a small angle grain boundary in silicon, 3=10794

Hübner,W. and Klett,C. The influence of oxygen and water vapour admixtures in the ion mobilities and electron-attachment probabilities in nitrogen, 3=5624
Huby,R. Convergence of Born series and the existence of bound states, 3=21248
Huddar,B.B. See Mani,A., 3=18513
Huddar,B.B. See Venkiteshwaran,S.P., 3=18512
Hudec,P. and Schiller,P. A continuous-operation high-precision level gauge, 3=3779
Hudec,W.S. See Gordon,M.M., 3=5760
Hudis,J.,Dostrovsky,I.,Friedlander,G.,Grover,J.R., Porile,N.T.,Remsberg,L.P.,Stoenner,R.W. and Tanaka,S. Energy dependence of product yields in copper spallation by protons between 3 and 30 GeV, 3=4641
Hudis,J. See Cumming,J.B., 3=6252
Hudoklin,A. See Cvelbar,F., 3=10366
Hudson,B. and Makin,M.J. The diffraction analysis of vacancy loops in quenched aluminium—1% magnesium, 3=22752
Hudson,B. See Makin,M.J., 3=17721
Hudson,C.L.,Jr.,Walker,W.S. and Berko,S. Differential elastic scattering of 15·2 MeV neutrons by Ta, Bi, Th, and U, 3=2467
Hudson,D.E. See Elmgren,J.A., 3=2975
Hudson,E.D.,Lord,R.S.,Marshall,M.B.,Smith,W.R. and Richardson,E.G.,Jr. Achievement and measurement of the O.R.I.C. magnetic field, 3=5752
Hudson,E.D. See Jones,R.J., 3=5734
Hudson,E.D. See Livingston,R.S., 3=5779
Hudson,J.A. S.H. waves in a wedge-shaped medium, 3=23962
Hudson,J.B. See Sears,G.W., 3=14195
Hudson,R.L. See Foner,S.N., 3=2571
Hudson,R.P. and Mangum,B.W. Audiofrequency dispersion effects in lanthanide salts at low temperatures, 3=23243
Huebener,R.P. and Homan,C.G. Pressure effect on vacancy formation in gold, 3=8430
Huebschmann,B. See Ben-David,G., 3=2283
Huebschmann,B. See Ben-David,G., 3=6218
Huet,P. See Colombani,A., 3=6564
Huet,P. See Colombani,A., 3=8517
Huet,P. See Colombani,A., 3=22904
Huetter,T. See Bierman,E., 3=19689
Huetter,T. See Koller,E.L., 3=4455
Huetter,T. See Koller,E.L., 3=7925
Huey,R.M. and Taylor,R.McK. Anomalous discharges in ferroelectrics, 3=13120
Huey-Lin Luo and Duwez,P. Face-centered cubic cobalt-rich solid solutions in binary alloys with aluminum, gallium, silicon, germanium, and tin, 3=16121
Huff, N.T. See Ellison, F.O., 3=17560
Huffaker, R.M. See Adams, E.W., 3=3562
Huffman,R.E., Tanaka,Y. and Larrabee,J.C. Fluorescence and pre-ionization in nitrogen excited by vacuum ultraviolet radiation, 3=14220
Huffman,R.E, Tanaka,Y. and Larrabee,J.C. Helium continuum light source for photoelectric scanning in the 600–1100 A region, 3=16782
Huffman,R.E.,Tanaka,Y. and Larrabee,J.C. Absorption coefficients of krypton in the 600 to 886 A wavelength region, 3=23934
Huffman,R.E.,Tanaka,Y. and Larrabee,J.C. Absorption coefficients of xenon and argon in the 600—1025 A wavelength regions, 3=25056
Huffman,R.E.,Tanaka,Y. and Larrabee,J.C. Absorption coefficients of nitrogen in the 1000-580 Å wavelength region, 3=25101
Huffman,R.E.,Tanaka,Y.,Larrabee,J.C. and Novack,R. Spectroscopic studies of rare gas continua in the vacuum ultraviolet, 3=7462
Huffman,R.E. See Tanaka,Y., 3=7246
Hüfner,S. Ultraviolet spectrum of trivalent holmium in crystalline salts, 3=3008
Hüfner,S. Zero field splitting in holmium ethyl sulphate, 3=8600
Hufner,S. Hyperfine structure splitting in holmium ethyl sulphate, 3=10572
Hüfner,S.,Kalvius,M.,Kienle,P.,Wiedemann,W. and Eicher,H. Quadrupole moment of the 8.42 keV level of Tm^{169}, 3=24841
Hüfner,S. See Hellwege,K.H., 3=10944
Hüfner,S. See Hellwege,K.H., 3=10945
Huggins,C.M. and Sharbaugh,A.H. Dielectric properties of some powdered organic semiconductors, 3=8557
Huggins,R.A. See Dils,R.R., 3=8808
Hughes,B. See Renaud,A., 3=24887
Hughes,E.B. See Meyer,M.A., 3=4526
Hughes,E.E.G.,Williams,B.R. and Thomas,J.M. Etching of graphite surfaces with oxygen, 3=1260
Hughes,E.E.G. See Thomas,J.M., 3=13405
Hughes,E.E.G. See Thomas,J.M., 3=25662
Hughes,F. and Rabin,H. Investigation of optical absorption in irradiated CsF, 3=15676
Hughes,H.K. Beer's law and the optimum transmittance in absorption measurements, 3=24041
Hughes,J.L. Possible application of the mass-energy cycle on a micro- and macro-scopic scale in the universe, 3=11501
Hughes, J.L. See Morris, D.P., 3=3312
Hughes,J.L. See Roberts,G., 3=20814
Hughes,M.P. and Harkness,R.L. Spectral observations of solar radio bursts. IV. The exciters of fast-drift bursts, 3=23704
Hughes,M.P. See Maxwell,A., 3=13919
Hughes,R.D. See Chang,K.K.N., 3=10864
Hughes,R.E. See Forsman,W.C., 3=15403
Hughes,R.E. See Forsman,W.C., 3=15404
Hughes,R.E. See Forsman,W.C., 3=15405
Hughes,R.E. See Parkes,A.S., 3=25729
Hughes,R.H.,Kay,R.B. and Weaver,L.D. Polarization of optical radiation induced by electron impact on helium, 3=8208
Hughes,R.H., Lin,S. and Hatfield,L.L. Balmer emissions induced by proton impact on molecular hydrogen, 3=15278
Hughes,R.H. See Hatfield,L.L., 3=25043
Hughes,T.P. Time-resolved interferometry of ruby laser emission, 3=11907
Hughes,T.P. and Young,K.M. Mode sequences in ruby laser emission, 3=9986
Hughes,T.P. See Allen,N.L., 3=7596
Hughes,T.P. See Bockasten,K., 3=10448
Hughes,T.R., Jr. Proton magnetic resonance studies in sodium-ammonia solutions, 3=7222
Hughes,V.A. Diffraction theory applied to radio wave scattering from the lunar surface, 3=1512
Hughes,V.W. See Ford,K.W., 3=4730
Hughes,V.W. See Zorn,J.C., 3=10091
Hughes,W. An installation to avoid direct radiation hazards in X-Ray analysis, 3=462
Hughes,W.E. Maser operation at 96 kMc with pump at 65 kMc, 3=523
Hughes,W.F. See Young,F.J., 3=24457
Hugo,J.A. and Phillips,V.A. A versatile jet technique for thinning metals for transmission electron microscopy, 3=11333
Hugo,J.A. See Phillips,V.A., 3=25795
Huguenin,G.B. See Roberts,M.S., 3=21130

Huguenin,P. Relation between neutrons and protons emitted in the absorption of π^- mesons, 3=10372
Huguenin,P. See Amiet,J.-P., 3=22254
Huizenga,J.R. See Bate,G.L., 3=19898
Huke,K. and Iwata,G. Voltage programming of radio frequency accelerations in an alternating-gradient proton synchrotron, 3=24409
Hukuo, N., Kozuka, T., Fujishiro, I. and Yoshida, M. Measurement of temperature in solar furnace. I, 3=1857
Hull,D. Twinning dislocations in body-centred cubic metals, 3=20191
Hull,D. Orientation and temperature dependence of plastic deformation processes in 3·25% silicon iron, 3=20713
Hull,D. See Gaggero,J., 3=8891
Hull,D. See Mogford,I.L., 3=11168
Hull,E.H. Diamond replication of freezing metal structures, 3=8811
Hull,G.W., Jr. See Geballe,T.H., 3=3962
Hull,G.W.,Jr. See Geller,S., 3=19110
Hull,G.W.,Jr. See Matthias,B.T., 3=1990
Hull,G.W., Jr. See Matthias,B.T., 3=7404
Hull,M.H., Jr, Lassila,K.E., Ruppel,H.M., McDonald,F.A. and Breit,G. Phase-parameter representation of neutron–proton scattering from 13·7 to 350 MeV.II, 3=585
Hull,M.H.,Jr. See Breit,G., 3=584
Hull,R.J. and Stroke,H.H. $^3S_1$ hyperfine-structure separations and isotope shifts of radioactive Cd^{107}, Cd^{109}, and of stable Cd isotopes, 3=25049
Hulliger,F. Semiconductivity in $CoSb_3$–type compounds, 3=20329
Hulliger,F. and Mooser,E. Electrical properties of anomalously composed daltonides, 3=10762

Hulliger,F. and Müller,J. Superconductivity and semiconductivity in cobaltite- and pyrite-type compounds, 3=21663
Hulm,J.K. See Chandrasekhar,B.S., 3=16881
Hulm,J.K. See Chandrasekhar,B.S., 3=19119
Hulm,J.K. See Riemersma,H., 3=3971
Hulme,K.F. See Buckingham,J.H., 3=20362
Hulme,K.F. See Butcher,P.N., 3=8537
Hulsizer,R.I. Development of a bubble chamber data analysis using several scanning-measuring-projectors on-line to a digital computer, 3=19520
Hultberg,S. See Frey,W.F., 3=22366
Hultberg,S. See Jansen,J.F.W., 3=656
Hultqvist,B. On the height distribution of the ratio of negative ion and electron densities in the lowest ionosphere, 3=16278
Hultqvist,B. See Ortner,J., 3=9135
Hulubei,H.,Auslander,J.S.,Friedlander,E.M. and Titeica,S. Angular distribution of muons in $\pi-\mu$ decay at rest, 3=10142
Hulubei,H.,Berinde,A.,Neamu,I.,Franz,J.,Martalogu,N. and Ivascu,M. Mechanism of elastic and inelastic scattering of low energy protons from Ne^{20}, 3=6233
Hulubei,H. See Khulubei,Kh., 3=6029
Humble,P. See Forty,A.J., 3=11190
Hume-Rothery,W. Close-packed hexagonal alloys of iron and nitrogen, 3=8884
Hume-Rothery,W. See Buckley,R.A., 3=11285
Hume-Rothery,W. See Buckley,R.A., 3=13526
Hume-Rothery,W. See Rivlin,V.G., 3=6855
Humes,R.M.,Dell,G.F.,Jr,Ploughe,W.D. and Hausman,H.J. (p, n) cross sections at 6.75 MeV, 3=12675
Huml,K. and Bohun,A. Optical and electrical phenomena in LiF crystals with Co, 3=8598
Huml,K. See Bohun,A., 3=18008
Hummel,C. See Hauk,V., 3=18401
Hummel,H.H.,Levenson,M.,Link,L.E.,Machery,R.E. and Simmons,W.R. Using phutonium in fast reactors, 3=22458
Hummer,D.G. Non-coherent scattering. I. The redistribution functions with Doppler broadening, 3=7358
Hummer,D.G. and Seaton,M.J. The ionization structure of planetary nebulae. I. Pure hydrogen nebulae, 3=21120
Hummer,D.G. The ionization structure of planetary nebulae. II. Collisional cooling of pure hydrogen nebulae, 3=21121
Humphrey,F.B. Magnetic character of very thin permalloy films, 3=15832
Humphrey,F.B. and Johnston,A.R. Sensitive automatic torque balance for thin magnetic films, 3=14707
Humphrey,F.B. See Copeland,J.A., 3=15845
Humphreys,C.J. and Paul,E.,Jr. The observation of extra-photographic infrared atomic emission spectra, 3=18983
Hund,F. The problem of the structure of matter and its solution, 3=19915
Hund,M. and Kuttruff,H. Pressure chamber procedure for measurement of the acoustic impedances of small bodies (microphones) in fluids, 3=7295
Hundhausen,E. See Gersing,E., 3=4788
Hundt,G. See Flietner,H., 3=6586
Hunemuller,F.J. See Tufts,B.J., 3=1408
Hung Tsung Chen. See Othmer,D.F., 3=7231
Hunkins,K. and Kutschale,H. Shallow-water propagation in the Arctic Ocean, 3=13652
Hunsucker,R.D. and Owren,L. Auroral sporadic-E ionization, 3=1463
Hunt,A.G. See Medford,R.D., 3=7582
Hunt,A.M. and Pashley,D.W. Electron microscope studies of the mechanism of nucleation and growth of CuAu II from the disordered state, 3=8902
Hunt,E.R. and Carr,H.Y. Nuclear magnetic resonance of Xe^{129} in natural xenon, 3=16666
Hunt,J.B. See Colvin,C.I., 3=20988
Hunt,J.D. and Chilton,J.P. An investigation of the lamella → rod transition in binary eutectics, 3=25758
Hunt,M.D.,Spittle,J.A. and Smith,R.W. The decanted interface, 3=23393
Hunt,P.J. See Klanberg,F., 3=13316
Hunt,R.A. A compact anticoincidence counter for tropical conditions, 3=7416
Hunt,S.E.,Cheetham,F.C. and Evans,W.W. The performance and conditioning of "inverted cone" Van de Graaff accelerating, 3=9885
Hunt,S.E. and Fellows,E.C. A Van De Graaff beam deflecting system employing two 45° deflecting magnets, 3=456
Hunt,S.E. See Allen,N.L., 3=7596
Hunten,D.M. The production of N_2^+ in the atmosphere, 3=13787
Hunten,D.M.,Rawson,E.G. and Walker,J.K. Rapid measurement of N_2^+ rotational temperatures in aurora, 3=9104
Hunten,D.M. See Gault,W.A., 3=18554
Hunter,C. The instability of the collapse of a self-gravitating gas cloud, 3=3530
Hunter,G.J. and Mitchell,V.F. Tables of factors for correcting for radioactive decay, 3=15135
Hunter,H.H. Measuring coefficient of friction, 3=8788
Hunter,J.H.,Jr. See Abt,H.A., 3=3605
Hunter,J.J. Precision temperature measuring equipment, 3=282
Hunter,J.L.,Lewis,T.B. and Montrose,C.J. Ultrasonic relaxation in linear polysiloxanes, 3=11793
Hunter,M.W.,Jr. Single-stage spaceships should be our goal, 3=21138
Hunter,R.J. The calculation of ζ-potential from mobility measurements, 3=6921
Hunter,R.S. Tests for the uniformity of 45° 0° reflectometers, 3=5510
Hunter,W.R. Optical constants of aluminium from 300 to 800 A, 3=25434
Huntington,H.B. and Siu-Chung Ho. Electromigration in metals, 3=22829
Huntley,D.J. See Berman,R., 3=8375
Hunyadi,I. See Csikai,J., 3=22407
Hurd,J.D. See Branwood,A., 3=2962
Hurd,R.A. See Makow,D.M., 3=19133
Hurle,D.T.J. See Bardsley,W., 3=13414
Hurle,D.T.J. See Bardsley,W., 3=13415
Hurle,D.T.J. See Bardsley,W., 3=25665
Hurle,I.R. See Gaydon,A.G., 3=14246
Hurley,J. Analysis of the transition region between a uniform plasma and its confining magnetic field. II, 3=7566
Hurley,J. See Bazer,J., 3=9917
Hurley,J.P.,Brown,R.M. and Mandeville,C.E. Some gamma rays of Cd^{115m}, 3=24899
Hurley,W.P. See Kao,S.-K., 3=9029
Hurst,C.A. Solution of plane Ising lattices by the Pfaffian method, 3=16542
Hurst,G.S.,O'Kelly,L.B.,Wagner,E.B. and Stockdale,J.A. Time-of-flight investigations of electron transport in gases, 3=23940
Hurst,G.S,Stockdale,J.A, and O'Kelly,L.B. Interaction of low-energy electrons with water vapor and with other polar molecules, 3=16902
Hurukawa,K. See Fujinami,S., 3=9177
Hurvich,L.M. Contributions to color-discrimination theory: review, summary and discussion, 3=5306
Hurwitz,C.E. and McWhorter,A.L. Growing helical density waves in semiconductor plasmas, 3=8504
Hurwitz,H.,Jr,MacMillan,D.B.,Smith,J.H. and Storm,M.L. Kinetics of low source reactor startups. I, 3=12734
Hurwitz,H.,Jr,MacMillan,D.B.,Smith,J.H. and Storm,M.L. Kinetics of low source reactor startups. II, 3=12735
Hurwitz,H.,Jr. See BenDaniel,D.J., 3=1986
Hurwitz,H.,Jr. See BenDaniel,D.J., 3=18836
Hurwitz,H.,Jr. See Kilb,R.W., 3=412
Hurwitz,H.,Jr. See Kilb,R.W., 3=21798
Husain,A.,Siddiqud,M.H.,Haque,M.and Husain,S.R. Nuclear interaction of 500 MeV/c negative K-mesons with nuclear emulsion, 3=603
Husain,S.R. See Husain,A., 3=603
Husain,T. Energy levels of B^{10} from $Be^9(p,\gamma)B^{10}$ reaction, 3=66
Husain,T. Voltage stabilizer for the 1 MeV Cockcroft—Walton generator, 3=9882
Huseva,N.K. See Lȳskovȳch,O.B., 3=20490
Hussain,M.A. See Lagnaux,J.P., 3=17489
Husson,R. See Gudefin,E., 3=19162
Hutber,F.W. See Fenning,F.W., 3=24997
Hutchings,M.T. and Ray,D.K. Investigation into the origin of crystalline electric field effects on rare earth ions. I. Contribution from neighbouring induced moments, 3=10569
Hutchings,M.T. See Wolf,W.P., 3=1052
Hutchinson,D.A. Role of atomic valence state energies in the determination of shapes of hydride molecules, 3=721
Hutchinson,D.A. A note on self consistent bond lengths for tetracene and pentacene, 3=1341

Hutchinson,D.P., Menes,J. and Shapiro,G. Negative muon polarization in phosphorus and fluorine, 3=15314
Hutchinson,D.P., Menes,J., Shapiro,G. and Patlach,A.M. Magnetic moment of the positive muon, 3=19663
Hutchinson,D.P., Menes,J., Shapiro,G. and Patlach,A.M. Magnetic moment of negative muons, 3=19664
Hutchinson,F. See Person,S., 3=14984
Hutchinson,J.M.R. See Gardinkel,S.B., 3=10278
Hutchinson,P. and Rushbrooke,G.S. On the hyper-chain equation of state of a hard-sphere gas, 3=18845
Hutchinson,R.I. See Presland,A.E.B., 3=17773
Hutchison,C.A.,Jr. Paramagnetism of photoexcited triplet states of organic molecules, 3=1181
Hutchison,C.A.,Jr. See Brandon,R.W., 3=4775
Hutchison,M.M. The temperature dependence of the yield stress of polycrystalline iron, 3=8768
Hutchison, M.M. See Bullen, F.P., 3=18201
Hutchison,M.M. See Gillin,L.M., 3=6870
Huth,F. The visocity of liquid neon, 3=21310
Hutson,A.R. Acoustoelectric explanation of non-ohmic behaviour in piezoelectric semiconductors and bismuth, 3=2876
Hutson,V. The circular plate condenser at small separations, 3=3994
Hüttner,W. See Zeil,W., 3=4769
Hutton,E. See Stevens,B., 3=13212
Hutton,E.H. Causality and the theory of elementary particles, 3=5330
Hutton,P.J. Growth of small ions in supersaturated water vapour, 3=21712
Hutton,R. The S variation of earth currents near the magnetic equator, its seasonal changes, and its relation to variations of the magnetic field, 3=23579
Hutton,R. The disturbance daily variation of the earth's field near the magnetic equator, 3=25941
Huwe,D.O. See Alvarez,L.W., 3=15039
Huwe,D.O. See Shafer,J.B., 3=15038
Huxtable,G.B. See Bowen,P.H., 3=2278
Huxtable,G.B. See Bowen,P.H., 3=8105
Huxtable,G.B. See Bowen,P.H., 3=10349
Huybrechts,G. See Chiltz,G., 3=11356
Huynen,A.M. and van Meerssche,M. Confirmation of the structure of sklodowskite, 3=16085
Huynh,V.D. See Julien,J., 3=4645
Huzinaga,S. Validity of the concept of the semi-united atom, 3=8223
Hvam,T. and Smedsdal,M. A voltage-sensitive tunnel diode discriminator, 3=24189
Hwa,R.C. Singularities in the unphysical sheets and the isobar model, 3=17210
Hwa,R.C. and Feldman,D. Study of pion—hyperon resonances by dispersion relations in the unphysical sheet, 3=12483
Hwang,C.F.,Clausnitzer,G.,Nordby,D.H.,Suwa,S. and Williams,J.H. Polarization of 40-MeV protons by complex nuclei, 3=24731
Hwang,J.L. New scheme for calculating nuclear radii, 3=22272
Hwang,J.-L. and Wang,C.-S. Frequency counting in lattice dynamics, 3=2705
Hwoschtschew,A.N. See Basow,N.G., 3=4923
Hyam,E.D. and Sumner,G. Irradiation damage to beryllium, 3=8471
Hyams,B.D. See Backenstoss,G., 3=10097
Hyams,B.D. See Backenstoss,G., 3=10139
Hyams,B.D. See Backenstoss,G., 3=17101
Hyde,E.K. See Crespo,V.P., 3=22387
Hyde,E.K. See Yaffe,L., 3=22339
Hyde,F.J. See Mahapatra,S., 3=1912
Hyder,C.L. See Athay,R.G., 3=9211
Hyder,H.R. See Day,D.H., 3=22149
Hyder,S.B. and Bansigir,K.G. Direct detection of small size scattering centres in doped alkali halides, 3=17779
Hyder,S.B. and Rao,A.V. A circuit for measurement of decay times of phosphors, 3=14478
Hyett,B.J. See Spreiter,J.R., 3=13828
Hygh,E.H. See Taylor,T.T., 3=8332
Hyman,L.G. See Chrétien,M., 3=24787
Hynds,R.J. See Durney,A.C., 3=6967
Hynek,D.P. See Pineo,V.C., 3=7720
Hyodo,T.and Makino,F. Response function of a three-inch diameter by three-inch long NaI(Tl) scintillator to gamma-rays, 3=3045
Hyslop,J. First-collision probabilities associated with linearly anisotropic flux distributions in cylindrical geometry, 3=25009
Hyťha,M. Energy relations in electromagnetic field disturbed by magnetodielectric body, 3=21945

Ianculovici,B. Use of Geiger – Müller counters with halogens in the intermediate current region, 3=17096
Iannini,A.A. See Lavine,J.M., 3=888
Iannini,A.A. See Schaufele,R.F., 3=25458
Iannuzzi,M. See Battaglia,A., 3=21983
Iannuzzi,M. See Battaglia,A., 3=22562
Iannuzzi,M. See Battaglia,A., 3=23938
Ianovici,M. See Iliescu,C.C., 3=24429
Ibbotson,M. See Bondàr,L., 3=19678
Ibele,W.E. See Eckert,E.R.G., 3=275
Ibele,W.E. See Eckert,E.R.G., 3=7364
Ibele,W.E. See Eckert,E.R.G., 3=11971
Ibele,W.E. See Eckert,E.R.G., 3=24071
Iben,I.,Jr. See Bahcall,J.N., 3=13879
Ibers,J.A. Crystal structure of cobaltous chloroaluminate, $Co(AlCl_4)_2$, 3=1330
Ibers,J.A. and Hamilton,W.C. Xenon tetrafluoride : crystal structure, 3=6846
Ibers,J.A. See Hamilton,W.C., 3=1334
Ibragimov,N.I., Shakhtakhtinskiĭ,M.G. and Kuliev,A.A. Diffusion and electrical migration of thallium in tellurium, 3=17791
Ibragimov,N.I.,Shakhtakhtinskii,M.G. and Kuliev,A.A. Influence of an electric field on diffusion of thallium in germanium single crystals, 3=25345
Ibuki,S. and Langer,D.W. Strong blue emission in ZnS : Tm, 3=13210
Ibuki,S. See Yamashita,H., 3=13219
Ichikawa,Y. See Higashimura,T., 3=12611
Ichikawa,Y. See Coles,J.A., 3=18409
Ichikawa,Y. See Hirayama,C., 3=21637
Ichikawa,Y.H. Electron transit time effects in a high frequency [Langmuir] probe, 3=16952
Ichikawa,Y.H. and Ikegami,H. Theory of resonance probe, 3=21806
Ichiki,S.K. See Hill,R.M., 3=2961
Ichiki,S.K. See Hill,R.M., 3=10871
Ichimaru,S. Theory of fluctuations in a plasma, 3=415
Ichimaru,S. Wave properties of a plasma with a doubly humped velocity distribution, 3=2002
Ichimiya,T. See Dote,T., 3=12180
Ichimiya,T. See Dotf,T., 3=19280
Ichinokawa, T. Observation of dynamic changes of domain structures in ferromagnetic thin films by electron microscope, 3=18088
Ichtchenko,G. See Consoli,T., 3=9783
Ichtchenko,G. See Consoli,T., 3=9784
Ichtchenko,G. See Consoli,T., 3=16951
Ichtchenko,G. See Consoli,T., 3=19252
Ickert,L. See Kleber,W., 3=20805
Iczkowski,R.P., Margrave,J.L. and Robinson,S.M. Effusion of gases through conical orifices, 3=18851
Iczkowski,R.P. See Grosser,A.E., 3=12883
Ida,M. A semi-classical picture for the high-energy scattering, 3=17217
Ida,M. Phenomenological analysis of the high-energy collision of elementary particles, 3=17218
Ida, M. and Kawada, S. Dielectric behaviour of water adsorbed on solid surfaces at very low frequencies, 3=17950
Ida,Y. See Akao,Y., 3=19254
Iddings,C.K. See de Swart,J.J., 3=4468
Iddings,C.K. See de Swart,J.J., 3=10176
Ideguchi,Y. See Miyazawa,T., 3=6444
Ideguchi, Y. See Miyazawa, T., 3=17624
Idnurm,M. Simple transistorized logarithmic time base, 3=24173
Idnurm,M. and Landecker,K. Experiments with Peltier junctions pulsed with high transient currents, 3=15639
Idnurm,M. See Reid,R.J., 3=4504
Ieremiya,V. See Purika,I., 3=25011
Iernetti,G. See Cernigoi,C., 3=4435
Iernetti,G. See Gabrielli,I., 3=18940

Ievin'sh,A. See Ozol,Ya., 3=20862
Ievin'sh,A.F. See Ozolin'sh,G.V., 3=20836
Iftode,I.,Tsapu,K. and Dobresku,K. Investigation of the non-linear dynamics of the VVR-S reactor by means of an analogue computer, 3=25022
Igaki,K. and Ōhashi,N. Controlled deviation from stoichiometry in PbSe, 3=22736
Igata,N. See Haisguti,R.R., 3=22648
Igenbergs,P. See Fünfer,E., 3=12178
IgI,K. Two vacuum poles and pion-nucleon scattering, 3=12492
Igi,K. and Teplitz,V.L. Experimental test for Regge cuts, 3=24655
Iglesias,L. Third spectrum of vanadium (V III), 3=8195
Iglesias,L. See Velasco,R., 3=19948
Iglitsyn, M.I. and Fistul', V.I. Inductive properties of thin electron–hole transitions in semiconductors, 3=17910
Ignat,M. New research on nuclear matter and its properties, 3=24832
Ignatchenko,V.A.,Degtyarev,I.F. and Zakharov,Yu.V. The behaviour of domain structure during magnetization, 3=2553
Ignatchenko,V.A. and Zakharov,Yu.V. Domain structure of thin ferromagnetic films, 3=1149
Ignatenko,A.E.,Petrashku,M.G. and Chultem,D. Electronic activation of mesic atoms, 3=6373
Ignatenko,A.E. See Egorov,L.B., 3=259
Ignatenko,A.E. See Egorov,L.B., 3=15312
Ignatenko,V.P. The formation of a relativistic ribbon beam of charged particles, 3=12246
Ignatenko,V.P. Ion compensation of the space charge of a relativistic electron flow, 3=19338
Ignatenko,V.P. Simulation of focusing properties for intense ion beams, 3=19366
Ignatenko,V.P. Propagation of relativistic beams of charged particles with high current density in accelerating and retarding electrostatic fields, 3=21895
Ignatkov,V.D. and Kosenko,V.E. Diffusion of tellurium in germanium, 3=2825
Igo, G, Hansen, L,F. and Gooding, T.J. Evidence for "alpha-particle" clusters in several nuclei from the $(\alpha, 2\alpha)$ reaction at 0·91 BeV, 3=17385
Igo,G. and Wilkens,B.D. 10 MeV proton reaction cross-sections, 3=8095
Igo,G. and Wilkins,B.D. Alpha-particle reaction cross sections at 40 MeV, 3=19884
Igo,G. See Wilkins,B., 3=6292
Igo,G. See Wilkins,B.D., 3=10340
Igo,T. Effect of compensation on the spin lattice relaxation of donor electrons in silicon, 3=23244
Igras,E. Electron mirror observation of electrical field around edge dislocations in Ge single crystals and other electrical inhomogeneities on semiconductor surfaces, 3=10783
Iguchi,K. Exciton processes in molecular crystals. II. Extinction of fluorescence in impure crystals, 3=20144
Ihme,H.M. See Hinkelmann,H., 3=19053
Iida,S. The difference between Gilbert's and Landau–Lifshitz's equations, 3=15772
Iida,S. A study of rotational switching, 3=15873
Iida,S. and Inoue,T. Theoretical and experimental study of the induced anisotropy in iron-cobalt ferrites and disaccommodation phenomena in ferrites, 3=1032
Iida,S. See Hori,S., 3=2728
Iida,S. See Kodera,H., 3=18805
Iida,S. See Tasaki,A., 3=1021
Iida,S. See Tasaki,A., 3=25523
Iinuma,T.A. Operating characteristics of large diameter photomultipliers. I. Scintillation-spectrometric performance, 3=19319
Iizima,S. and Kikuchi,M. Observations of GaP diffused junctions, 3=8532
Iizuka,J. and Toda,A. $\Delta S = \pm \Delta Q$ rule and the K_{l3} decays, 3=602
Iizuka,J. and Toda,A. A phenomenological analysis of the K_{l3} decays, 3=22191
Iizuka,K. and King,R.W.P. Effect of a dissipative medium of finite size on antenna measurement, 3=21977
Iizuka,T., Kikuchi,M. and Kanasaki,K. Infrared observation of anomalous patterns in highly doped silicon, 3=20170
Iizuka,T., Kikuchi,M. and Kanasaki,K. Anomalous etch patterns in highly doped silicon, 3=20171
Iizuka,T.,Kikuchi,M. and Kanasaki,K. Hexagonal platelets observed in nickel diffused silicon, 3=25667
Iizuka,T. See Mori,S., 3=15579
Ikawa,H.,Matumura,O. and Suzuki,H. Gamma-ray induced conductivity of CdSe, 3=2908
Ikeda,H. See Kumagi,H., 3=460
Ikeda,K. A note on Yang and Lee's theory of condensation, 3=7393
Ikeda,K.,Fujii,S. and Futita,J.I. The (p,n) reactions and beta decays, 3=8096
Ikeda,S. Orientation birefringence of macromolecular solutions in shear flow and electric field, 3=16617
Ikeda,S. See Gotô,H., 3=11278
Ikeda,S. See Takeuchi,T., 3=15992
Ikeda,S. See Takeuchi,Y., 3=23335
Ikeda,T., Okano,T. and Watanabe,M. A ternary system $PbO–TiO_2–ZrO_2$, 3=3255
Ikeda,T., Tanaka,Y. and Toyoda,H. Piezoelectric properties of triglycine sulphate, 3=15624
Ikeda,T. See Iwasaki,H., 3=13394
Ikegami,H.,Sugiyama,K.,Yamazaki,T. and Sakai,M. Structure of platinum nuclei. I. New decay scheme of Au^{196}, 3=10274
Ikegami,H. See Ichikawa,Y,H., 3=21806
Ikegami,S. Mechanism of microwave dielectric dispersion in polycrystalline $BaTiO_3$, 3=25398
Ikegami,S. See Ueda,I., 3=4948
Ikenoue,K. and Sasada,Y. Study of the luminescence in collision of liquid mercury in the quartz tube. I. On the spectrum, 3=14171
Ikenoue,K. and Sasada,Y. Study of the luminescence in collision of liquid mercury in the quartz tube. II. On the electrification, 3=14172
Ikezawa,M.,Hirai,M. and Ueta,M. Temporary bleaching of color centers in KCl crystal, 3=818
Ikezawa,M. and Ueta,M. F_2^+-centre of KBr crystal, 3=20240
Ikezawa,M. See Hirai,M., 3=815
Ikezawa,M. See Hirai,M., 3=22840
Ikhsanov,R.N. and Uritskii,Z.I. Theory of generation–recombination noise in semiconductors, 3=17834
Ikornikova, N.Yu. Artificial crystals of rhodochrosite and spherocobaltite, 3=18267
Ikushima,A. and Suzuki,T. Problems relating to the Bordoni peak, 3=23294
Ikushima,A. See Imura,T., 3=22796
Ilakovac,K. and Knapp,V. Proposals for the investigation of fast neutron capture by the lightest nuclei, 3=14987
Ilakovac,K., Kuo,L.G., Petravić,M., Šlaus,I. and Tomaš,P. Breakup of deuterons by 14·4 MeV neutrons, 3=17350
Ilakovac,K.,Kuo,L.G.,Petravić,M.,Šlaus,I.,Tomaš,P. and Satchler,G.R. Reaction $V^{51}(n,d)\ Ti^{50}$ at 14·4 MeV, 3=4652
Ilasavsky,U.V. See Averkin,A.A., 3=10832
Il'chenko,L.N. See Sedov,V.L., 3=4829
Il'enko,P.B. See Zykov,V.G., 3=14724
Ilić,R.P. See Jovanović,D.T., 3=14481
Iliescu,C. See Burea,V., 3=17009
Iliescu,C.C. Magnetic field distribution for weak-, strong- and ffag-focusing particle accelerators and other nuclear instruments, 3=9880
Iliescu,C.C. Ideal pole faces for weak-, strong- and ffag focusing particle accelerators and other nuclear instruments, 3=9881
Iliescu,C.C. Parameters of the magnetic fields used by weak and strong focusing nuclear instruments, 3=19598
Iliescu,C.C. Study of ideal polar surfaces required by nuclear apparatus with weak of strong focusing, 3=21898
Iliescu,C.C. Ideal pole faces for nuclear apparatus with weak or strong focusing, 3=24396
Iliescu,C.C.,Ianovici,M.,Dutescu,N. and Ionescu,V.T. Laboratory electromagnet for intense fields, 3=24429
Iliescu,E. See Maratalogu,N., 3=22371
Iliescu,N. See Benes,L., 3=21919
Iliff,W.R. and Holt,J.M. Use of surface refractivity in the empirical prediction of total atmospheric refraction, 3=9947
Il'in,N.P. On the possibility of quantitative analysis by means of X-ray spectra without the use of standards, 3=6942
Il'in,R.N. See Afrosimov,V.V., 3=365
Il'in,R.N. See Fedorenko,N.V., 3=7427
Il'in,R.N. See Solov'ev,E.S., 3=5620
Il'in,V.E. and Lebedev,S.V. Destruction of electrodes by electric discharges of high current density, 3=9746
Il'in,V.V. See Berlovich,É.E., 3=6175
Il'in,V.V. See Berlovich,E.E., 3=15121

Il'in,V.V. See Berlovich,É.E., 3=19788

Il'in,V.V. See Berlovich,E.Ye., 3=4573

Il'in,V.V. See Polivanov,V.V., 3=1911

Il'inskii,A.I. See Palatnik,L.S., 3=3166

Il'inskii,A.I. See Palatnik,L.S., 3=6783

Il'inskii,A.I. See Palatnik,L.S., 3=22733

Ilisavskii,Yu.V. and Yakhkind,É.Z. Piezoresistance effect in n-type PbS, 3=6599

Ilisavsky,U.V. See Averkin,A.A., 3=10832

Illarionov,S.V. See Platkov,M.A., 3=15398

Illarionov,S.V. See Tsarev,B.M., 3=20437

Illenberger,A. See Düker,H., 3=5710

Illenberger,A. See Düker,H., 3=19354

Illingworth,R. Diffusion of thallous ions in single crystals of KBr, 3=6536

Illingworth,R. The surfaces of melt-grown potassium bromide ingots, 3=23502

Illisavsky,U.V. See Ilisavskii,U.V.

Ilyukhin,V.V. Some notes on statistical analysis of intensities when the acentric unit cell contains a heavy atom, 3=23429

Ilyukhin,V.V. and Belov,N.V. The crystal structure of rubidium DI (meta) fluoroberyllate ($RbBe_2F_5$) and its relationship to silicate sheet structures with $[Si_2O_5]$ units, 3=13484

Ilyukhin,V.V. and Nikitin,A.V. Some observations on the use of the statistical analysis of intensities, 3=23430

Imada,H. See Nisimura,K., 3=24720

Imaeda,K. An investigation of jets based on the fireball model, 3=2336

Imaeda, K. An investigation of jets based on meson–nucleon collision. Interpretation of nucleon–nucleon collision, 3=17364

Imaeda,K. and Kazuno,M. Impact parameter approach to the experimental study of high-energy jets, 3=7949

Imagawa,F. See Shimizu,T., 3=9225

Imai,I. See Kawamura,H., 3=15580

Imai,I. I. See Kawamura,H., 3=10776

Imai, T. The effect of uniaxial stress on Ge p–n junctions with various doping densities, 3=25378

Imamov,R.M. See Chzhou Tsein-Lyan [Chou Ching-Liang], 3=18383

Imamura,G. and Takiguchi,T. The characteristics of ion or electron beam from the Van de Graaff type particle accelerator model VC-3, 3=4224

Imamura,S. Remarks on the electrical properties of alkali antimonides, 3=25351

Imanov,L.M. and Kadzhar,Ch.O. Superhigh-frequency spectrum and dipole moment of the ethyl alcohol molecule, 3=20002

Imazu,S. See Shimamoto,S., 3=16915

Imbaud,J.-P. and Berthet,G. Dynamic nuclear polarization in semiquinone organic solutions, 3=23908

Imbusch,G.F. See Moos,H.W., 3=21561

Imhof,W.L. See Smith,R.V., 3=16285

Imrie,D.C. See Griffith,T.C., 3=17275

Imshennik,V.S. Structure of shock waves in a high temperature dense plasma, 3=5661

Imura,T.,Suzuki,T.,Ikushima,A. and Marukawa,K. Effects of solute atoms on the stacking-fault energies in copper alloys, 3=22796

Imura,T. See Weissmann,S., 3=22765

Imyanitov,I.M. and Shifrin,K.S. Present state of research on atmospheric electricity, 3=25889

Imyanitov,I.M. and Starovoitov,A.T. Theory of electrostatic charging of bodies in air currents, 3=21688

In Seb Do. See Do In Seb.

Inada,T.,Kawashima,K.,Hoshino,K. and Matsuzawa,H. Energy spectra of electrons emerging from lead exposed to 320 kVp white X-rays, 3=12241

Inada,T. See Macklin,R.L., 3=10354

Inada,T. See Macklin,R.L., 3=10364

Inada,T. See Macklin,R.L., 3=17478

Inagaki,H. The apparent specific volume of polymers in solution, 3=14154

Inagaki,T. See Fukuda,N., 3=9668

Inamura,T. See Kobayashi,A., 3=22931

Inawashiro,S. Diffraction of electromagnetic waves from an electric dipole by a conducting circular disc, 3=12312

Indenbaum,G.V., Novikov,I.I. and Chistyakov,Yu.D. Recrystallization and polygonization as a result of the annealing of dendritic single crystals of pure aluminium, 3=3335

Indenbaum,G.V. and Popov,D.N. Substructure of spherical single crystals of aluminium depending on crystallization conditions, 3=23463

Indenbaum,G.V.,Tiraspol'skii,V.I. and Chistyakov,Yu.D. Distribution of etching figures in single crystals of pure aluminium (99.994 wt.%) after fission, 3=15497

Indiresan,P.V. Interrupted speech and the possibility of increasing communication efficiency, 3=11622

Indreas,G. Motion of ions in the central sone of the cyclotron, 3=21914

Indreas,Gr. See Apostolescu,S., 3=22139

Indreash,G.,Linev,A.F.,Lobanov,Yu.V.,Markov,B.N. and Oganesyan,Yu.Ts. Gamma-rays in the resonance system of a cyclotron, 3=24419

Indreash,G. and Oganesyan,Yu. Adjustment of the cyclotron under the conditions of the acceleration of multiply charged ions, 3=4228

Indumathi,S. See Ramakrishnan,A., 3=610

Infeld,E. See Demiański,M., 3=3739

Infeld,L. Planck's constant and the theory of the red shift, 3=1606

Infeld,L. "Uniformly accelerated" motion and relativity, 3=7103

Ingalls,R. Variational calculation of the Sternheimer factors for the ferrous ion, 3=2567

Ingalls,R.B. and Kivelson,D. Analysis of e.s.r. spectra observed in irradiated aromatic systems, 3=15372

Ingalls,R.I. See Lang,L.G., 3=996

Ingard,K.U. See Yildiz,M., 3=14763

Ingard,U. and Maling,G.C.,Jr. On the effect of atmospheric turbulence on sound propagated over ground, 3=21043

Ingard,U. and Wiley,D.S. Instabilities of a liquid conductor, 3=7686

Ingham,M.F. The nightglow spectrum. I. λλ3700-4650 A, 3=6991

Ingham,M.F. The nightglow spectrum. II. Hα radiation in the night sky, 3=6992

Inghram,M.G. See Burns,R.P., 3=12010

Inglis, D.R. Phase relation in nuclear scattering, 3=17447

Ingold,J.H. Thermionic properties of some refractory metal carbides, 3=16974

Ingold,J.H. See Blue,E., 3=5820

Ingraham,R.L. Stochastic field theory: The S-matrix, 3=7792

Ingram,D.J.E. Electron spin resonance, 3=21986

Ingram,D.J.E. See Wilmshurst,T.H., 3=516

Ingram,J.D. See Levin,F.K., 3=6945

Ingram,P. and Jerrard,H.G. Measurement of relaxation times of macromolecules by the Kerr effect, 3=8319

Ingram,P. and Jerrard,H.G. Study by the Kerr effect of the action of enzymes on macromolecules, 3=23537

Ingrao,H.C. and Menzel,D.H. Instrumentation for observations of planets in the far infrared, 3=16349

Inkin,V.D. See Almazov,V.Ya., 3=17120

Inkov,A.Ya. See Gorin,B.N., 3=1949

Inman,M.C., McLean,D. and Tipler,H.R. Interfacial free energy of copper–antimony alloys, 3=16096

Innes,F.R. and Oldenberg,O. Metastable atoms and the auroral afterglow of nitrogen, 3=2570

Innes,J.G. See Bassel,R.H., 3=5764

Innes,K.K. See Callomon,J.H., 3=12852

Ino,H. See Sugeno,T., 3=23293

Inokuchi, H. and Harada, Y. Photoelectric emission of the complexes between caesium and polycyclic aromatic compounds, 3=16975

Inokuti,M. Ionization of the methane molecule by electron impact, 3=1929

Inokuti,M. Erratum: Note on Magee–Funabashi's theory of excitation migration, 3=8305

Inokuti,M. Weight-average and z-average degree of polymerization for polymers undergoing random scission, 3=10560

Inokuti, M. Gel formation in polymers resulting from simultaneous crosslinking and scission, 3=17625

Inokuti, M. and Dole, M. Analysis of molecular weight changes and gel data of some irradiated vinyl polymers, 3=17626

Inokuti,M. See Dole,M., 3=25810

Inopin,E.V. Relations between intrinsic parities and spins in collision and decay processes, 3=14899

Inopin,E.V. and Mohamed Abd El-Moaty. Alpha-particle stripping reactions, 3=15236

Inopin,E.V. and Shehata,S. Inelastic diffraction scattering, 3=2424
Inopin,E.V. See Tishchenko,B.I., 3=10203
Inoue,E. Micrometeorological research in Japan, 3=11391
Inoue,H., Ruan,J., Yasukawa,S. and Yoshizawa,Y. Study of the cadmium isotopes. VI. Beta and gamma ray spectroscopy of Ag^{112}, 3=650
Inoue,M.,Kishita,M. and Kubo,M. Magnetically different crystal modifications of copper (II) salicylate, 3=23374
Inoue,M.,Teramoto,I. and Takayanagi,S. Cd and Te dislocations in CdTe, 3=10664
Inoue,M. See Sasaki,W., 3=25344
Inoue,N. See Kumabe,I., 3=24934
Inoue,N. See Kumabe,I., 3=24935
Inoue,T. See Iida,S., 3=1032
Inouye,G.T. See Crook,G.M., 3=16306
Inowaki,S. See Ishikawa,Y., 3=10849
Inui,T. See Hanamura,E., 3=20247
Inuishi,Y. and Hamaguchi,C. Mobility of hat carriers in Ge and Si, 3=10793
Inuishi,Y. and Matsuura,K. Radiation damage and annealing of carrier life-time in silicon, 3=22933
Inuishi,Y. and Yung-Kwon Sung. Electron conduction and breakdown in gamma ray irradiated KCl crystals, 3=23020
Inuishi,Y. See Edagawa,H., 3=4930
Inuishi,Y. See Edagawa,H., 3=13189
Inuishi, Y. See Edagawa, H., 3=17866
Inuishi,Y. See Kubo,U., 3=9795
Inuishi,Y. See Nakano,T., 3=15581
Inyutin,E.I. See Morozov,I.G., 3=25000
Iofe,V.K. See Dneprovskaya,I.A., 3=16232
Ioffe,B.L. Violation of the $\Delta Q = \Delta S$ rule in leptonic decays of K-mesons and behaviour of weak interactions at high energies, 3=6062
Ioffe,B.L. $\Lambda\eta$—resonance, 3=7916
Ioffe,B.L. See Geshkenbein,B.V., 3=14875
Ioffe,B.L. See Geshkenbein,B.V., 3=14930
Ioffe,B.L. See Geshkenbein,B.V., 3=19539
Ioffe,B.L. See Geshkenbein,B.V., 3=24648
Ioffe,B.L. See Gribov,V.N., 3=5960
Ioffe,I.V. See Gurevich,L.É., 3=17830
Ioffe,I.V. See Gurevich,L.É., 3=20284
Ioffe,M.S. and Yushmanov,E.E. Experimental investigation of plasma instability in a magnetic mirror trap, 3=12214
Ioffe,V.A.,Leonov,A.I. and Yanchevskaya,I.S. Nature of the high permittivity of cerium aluminates with perovskite structure, 3=6617
Ioffe,V.I. See Gurevich,L.É., 3=6572
Iogansen,A.A. See Gordienko,A.I., 3=24186
Iogansen,A.V. See Kurkchi,G.A., 3=3798
Iogansen,L.V. Theory of resonant electromagnetic systems that use total internal reflection, 3=2123
Iogansen,L.V. Resonance diffraction of waves in lamellar inhomogeneous media, 3=3891
Iogansen,L.V. Totally reflecting resonance filter of limited size. II, 3=4268
Iogansen,L.V. Finite totally reflecting resonance filter. III, 3=17050
Iolin,E.M. Influence of anharmonicity on the temperature shift in the Mössbauer effect, 3=20062
Iolin,E.M. The change of phonon degeneracy on deformation and scattering of low-frequency phonons on high-frequency ones, 3=20086
Iolin,E.M. See Damburg,R.Ya., 3=6348
Iona,M. Lines with ends to describe DIV $\perp \vec{B} = 0$, 3=19395
Ionescu,D. See Cramariuc,R., 3=19384
Ionescu,S. See Constantinescu,M., 3=18453
Ionescu,S. See Rusi,A., 3=8472
Ionescu,V.T. See Iliescu,C.C., 3=24429
Ionesco-Pallas,N.J. Theory of second order isotope shift, 3=8216
Ionescu-Pallas,N.J. See Hafner,H., 3=21220
Ionezas,V.A. See Yakovleva,A.V., 3=23581
Ionov,N.I. and Karataev,V.I. A two-stage magnetic mass spectrometer for the analysis of small impurities, 3=4222
Ionov,N.I. and Karataev,V.I. Distribution of initial velocities of electrons, K$^+$ ions, and Cl$^-$ ions formed by surface ionization of KCl on tungsten and tantalum, 3=5632
Ionov,N.I. See Zandberg,É.Ya, 3=2016
Ionov,V.A. See Boltneva,L.I., 3=5185
Ionov,V.P. See Kon'kov,A.A., 3=11835
Iordanskii,S.V. Excitation of magneto-sonic waves in conducting fluids, 3=17037
Iordanskii,S.V. Resonance excitation of waves in a liquid with infinite conductivity, 3=21958
Iorgulescu,St. See Benes,L., 3=21919
Iori,I. See Colli,L., 3=2473
Iori,I. See Colli,L., 3=15212
Iosifescu,B. See Comşa,G., 3=18862
Iosilevskiĭ,Ya. See Kagan,Yu., 3=22627
Iosilevskii,Ya. See Kagan,Yu., 3=25187
Iosilevskii,Ya.A. See Kagan,Yu., 3=6461
Iovnovich,M.L. See Askar'yan,G.A., 3=12174
Ipatova,I.P. and Eliashberg,G.M. Spin waves and paramagnetic relaxation in a Fermi liquid [liquid He^3], 3=14435
Ipatova,I.P. See Gurevich,L.É., 3=10589
Ipatova,I.P. See Gurevich,L.É, 3=15661
Ireland,J.V. See Gilbody,H.B., 3=19185
Irfan,M. and Jack,W. The (n, α) reaction in Al^{27} at 15 MeV using a counter telescope technique, 3=12692
Irfan,M. and Jack,W. The energy distributions of alpha-particles emitted from Fe^{54}, Cu^{63}, Zn^{64} and Ag^{107} bombarded with neutrons of 15 MeV, 3=12693
Irie,T. Thermoelectric properties of the single-phase of AgSbTe$_2$, 3=13144
Irie,T.,Takahama,T. and Ono,T. The thermoelectric properties of AgSbTe$_2$—AgBiTe$_2$, AgSbTe$_2$—PbTe and —SnTe ~~systems~~, systems, 3=10900
Irimiciuc,N. Dynamics of solid state with constraints, 3=9385
Irkhin,Yu.P. and Shavrov,V.G. Contribution to the theory of the spontaneous Hall effect in ferromagnetics, 3=6562
Irkhin,Yu.P. See Abel'skii,Sh.Sh., 3=22918
Irkhin,Yu.P. See Shepeleva,I.M., 3=3030
Irland,M.J. and Schermer,E.B. Dichroic multiple beam interferometer microscope, 3=16793
Irmer,J. Behaviour of defect electrons in investigations on AgBr crystals using the print-out effect, 3=3406
Irvine,J.W.,Jr. See Williams,D.C., 3=10385
Irvine,T.F.Jr. See Eckert,E.R.G., 3=275
Irvine,W.M. See van de Hulst,H.C., 3=16339
Irvine,W.R. See Armstrong,W.M., 3=8773
Irvine,W.R. See Armstrong,W.M., 3=25632
Irving,E. Paleomagnetism of the Narrabeen Chocolate Shales and the Tasmanian Dolerite, 3=18579
Irving,E.,Robertson,W.A. and Stott,P.M. The paleomagnetism of some mesozoic rocks from eastern Australia: preliminary remarks, 3=18578
Irving,E.,Robertson,W.A. and Stott,P.M. The significance of the paleomagnetic results from mesozoic rocks of Eastern Australia, 3=18582
Irving,J.W.,Jr. See Williams,D.C., 3=10384
Isaac,E.D. See Carey.R., 3=11098
Isaac,E.D. See Carey,R., 3=23161
Isaacson,R.A. See Fowler,C.A.,Jr , 3=18103
Isabelle,D.B. and Bishop,G.R. Study of the giant resonance in O^{16} by inelastic electron scattering, 3=19836
Isabelle,D.B. and Roy,P.H. Factors influencing the stability of a secondary electron monitor, 3=17112
Isabelle,D.B. See Bishop,G.R., 3=4627
Isaenko,V.I. and Travleev,G.N. Study of the electrical characteristics of flash tubes during repeated discharges, 3=1921
Isaenko,V.I. See Vanyukov,M.P., 3=1950
Isaenko, V.I. See Vanyukov, M.P., 3=21743
Isaenko,V.I. See Vanyukov,M.P., 3=24509
Isaenko,V.I. See Vanyukov,M.P., 3=25444
Isaev,A.A. and Khimunin,A.S. Ultrasonic density meter, 3=14089
Isaev,P.S. and Meshcheryakov,V.A. Effect of $\pi\pi$ interaction on S and P waves of πN scattering, 3=15017
Isaeva,N.F. See Sedov,N.N., 3=3373
Isard,J.O. Non-polarizing electrodes for dielectric measurements on glasses, 3=19129
Isard,J.O. See Milnes,G.C., 3=2945
Isard,J.O. See Savage,J.A., 3=3401
Isberg,H.B.S. See Eriksson,K.B.S., 3=8179
Isberg,H.B.S. See Eriksson,K.B.S., 3=22487
Ischenko,G.,Seyboth,D. and Wegener,H. Measurement of the anisotropy of the $\beta-\alpha$ angular distribution in the decay of Li^8, 3=24891
Ise,N. Second virial coefficient of polyelectrolytes, 3=21347
Isebeck,K. See Matthews,J.W., 3=17754

Iselin,F. 25 Mc/s scalers with flexible print-punch facilities, 3=19140
Ishchenko,E.D. See Roshchina,G.P., 3=21365
Ishchuk,V.A. See Zingerman,Ya.P., 3=14615
Ishibe,Y. See Enjōji,H., 3=5656
Ishida,Y. See Sugata,E., 3=9854
Ishiguro,E. See Shimizu,M., 3=8175
Ishiguro,K. and Sasaki,T. Detailed charts of the reflectivities for determining the complex index of refraction, 3=11926
Ishiguro,K. See Sasaki,T., 3=18994
Ishiguro,M. See Takeuchi,N., 3=23235
Ishihara,M. Decay of zinc 72, 3=24896
Ishihara, N. See Tani, Y., 3=18265
Ishihara,T. and Yamagata,H. On distributions and spaces of sequences. I. General theory, 3=3705
Ishihara,T. and Yamagata,H. On distributions and spaces of sequences. II. 3=10016
Ishihara,T. See Yamagata,H., 3=4313
Ishii,B. See Sato,R., 3=811
Ishii,K. and Kihō,H. Incorporation of slip dislocations in mechanical twins of tin crystals, 3=25658
Ishii,K. and Kihō,H. Resistive stress for the thickening of twins in tin crystal, 3=25659
Ishii,K. See Kōji Uo,K., 3=1990
Ishii,K. See Kumagi,H., 3=460
Ishii,K. See Suzuki,Y., 3=3706
Ishii,T. On the U→F conversion and photoconductivity in alkali halide crystals, 3=20248
Ishikawa,H. See Edagawa,H., 3=4930
Ishikawa,K. See Hibi,T., 3=24369
Ishikawa,Y. Magnetic properties of ilmenite–hematite system at low temperature, 3=1022
Ishikawa,Y. Superparamagnetism in the $ZnFe_2O_4$—$NiFe_2O_4$ system, 3=8645
Ishikawa,Y. Magnetic properties of ilmenite—hematite system at low temperature, 3=8655
Ishikawa,Y. and Chikazumi,S. Design of high power electromagnetc, 3=2085
Ishikawa,Y.,Sasaki,Y.,Seki,Y. and Inowaki,S. Rectifying action and the electromotive forces of the films of Ta_2O_5 and SiO_2 at high temperatures, 3=10849
Ishikawa,Y. and Syono,Y. Reverse thermo-remanent magnetism in the $FeTiO_3$–Fe_2O_3 system, 3=1496
Ishikawa,Y. and Syono,Y. Order—disorder transformation and reverse thermo-remanent magnetism in the $FeTiO_3$—Fe_2O_3 system, 3=13255
Ishikawa,Y. See Ōno,K., 3=995
Ishikawa,Y. See Ōno,K., 3=8334
Ishimaru,A. See Tyras,G., 3=21978
Ishimatsu,K. Continuous γ-ray spectrometry with scintillation counters, 3=17237
Ishino,S.,Nakazawa,F. and Hasiguti,R.R. Annealing of γ-ray irradiated n-type germanium, 3=25313
Ishioka,S. and Suzuki,H. Phonon scattering by dislocations, 3=22646
Ishisaki,Y. See Nonaka,I., 3=8100
Ishiyama,M.,Nagahara,Y.,Okano,M.,Takano,M. and Takeuchi,M. A method for the estimation of the weak gamma-activity distributed in the thick medium, 3=12431
Ishizawa,K. See Wakai,N., 3=13773
Ishizuka,H. See Kawashima,N., 3=24288
Ishizuka,T. See Kimura,M., 3=22376
Ishizuka,T. See Shoda,K., 3=4614
Ishizuka,T. See Shoda,K., 3=15172
Ishler,W.E.,Apple,E.F.and Froelich,H.C. Effect of cooling rate on the calcium halophosphate luminescence, 3=3038
Ishlinskii,A.Yu. and Barenblatt,G.I. The impact of an elastoplastic bar on a rigid barrier, 3=1644
Isihara,A. Theory of the dielectric constant of a nonpolar fluid, 3=16575
Islam,J.N. Modified Mandelstam representation for heavy particles, 3=5921
Islam,J.N. Acnodes and cusps and the Mandelstam representation, 3=19559
Islam,J.N, Landshoff,P.V. and Taylor,J.C. Singularity of the Regge amplitude, 3=17203
Islam,M.A. Mathematical analysis on the effect of a prolate spheroidal core in a magnetic dipole field, 3=24436
Islam,M.M. High-energy quasielastic proton—proton scattering and final-state interaction, 3=24719
Islamov,A.A. See Begzhanov,R.B., 3=22303
Islamov,A.A. See Kaipov,D.K., 3=2429
Ismail,A.Z.M.,Kenyon,I.R.,Key,A.W.,Lokanathan,S. and Prakash,Y. Study of hyperfragments produced in 800 MeV/c K^- interactions. I. Mesonic decays, 3=10228
Ismail,A.Z.M.,Kenyon,I.R.,Key,A.W.,Lokanathan,S. and Prakash,Y. Binding energy of ^{13}C, 3=22274
Ismailzade,I.G. An X-ray diffraction study of phase transitions in sodium tantalate, 3=23377
Ismailzade,I.G.,Annagiev,M.Kh. and Abdullaeva,Kh.M. X-ray study of the phase transition in $NaNO_3$, 3=13397
Ismatov,E. Deuteron splitting in a field of deformed nuclei, 3=22426
Iso,C. Weak interaction mediated by Regge particles, 3=24608
Isoya,A. Studies of low-lying levels of erbium and tungsten isotopes with (d,p) reactions, 3=10270
Isoya,A.and Marrone,M.J. Polarization of protons from deuteron stripping reactions with a zero orbital angular momentum transfer, 3=682
Isoya,A.,Micheletti,S.and Reber,L. Polarization of protons from deuteron stripping reactions with l=1 orbital angular momentum transfer, 3=683
Ispiryan,K.A. and Oganesyan,A.G. Coincidence and anticoincidence circuit using ferrites, 3=14500
Ispiryan,K.A. See Alikhanyan,A.I., 3=4368
Israel,G.,Roether,W. and Schumann,G. Seasonal variations of bomb-produced tritium in rain, 3=25896
Israel,G. See Ehhalt,D., 3=25892
Israël,G.W. Tritium measurement in rain over the year 1960-61 after isotope enrichment in a separation column, 3=3478
Israël,G.W. See Israel,H., 3=1401
Israël,H. and Israël,G.W. A new method for the separation of radioactive aerosols, 3=1401
Israel,H. and Stiller,S. Climatological aspects of the natural radioactivity, 3=18520
Israel,M.H. See Doede,J.H., 3=10162
Israel,W. Relativistic kinetic theory of a simple gas, 3=23927
Issa,R. See Karagounis,G., 3=8932
Issa,R.M. See Karagounis,G., 3=5152
Issinskii,I.B. and Myzinkov,K.P. Measurement of the current in the internal beam of a synchrocyclotron by means of the $C^{12}(p,pn)C^{11}$ reaction, 3=14700
Istomin,V.G. Absolute concentrations of the ion components of the earth's atmosphere at heights between 100 and 200 km, 3=21049
Istomin,V.G. Ions of extraterrestrial origin in the earth's atmosphere, 3=21050
Isupov, V.A. The problem of the causes of phase-transition broadening and relaxation nature of the dielectric polarization of some ferroelectrics, 3=17935
Isupov,V.A.,Agranovskaya,A.I. and Brȳzhina,M.F. Crystal-chemical and certain physical properties of compounds with hexagonal tungsten oxygen bronze structures, 3=25390
Isupov,V.A. See Smolenskii,G.A., 3=6614
Itabashi,K. Regge pole hypothesis and high energy behavior of the single pion photoproduction, 3=19672
Itabashi,K. and Ebata,T. $(\gamma,3\pi)$ vertex and double π^0 photoproduction, 3=7895
Itagaki,K. and Koenuma,S. Altitude distribution of fallout contained in rain and snow, 3=9053
Itakura, M. and Toyoda, H. Electrical conductivity and Hall coefficient of CdS single crystal, 3=25360
Ithell,A.H. The measurement of the acoustical input impedance of human ears, 3=21156
Ito,A. See Ono,K., 3=995
Ito, A. See Ōno, K., 3=2698
Ito,A. See Ōno,K., 3=8334
Ito,H. and Yajima,N. Motion of charged particles confined in a helically invariant magnetic field, 3=21940
Itō,I. See Kumagi,H., 3=460
Ito,K., Watanabe,M., Yanaka,T., Suzuki,S., Naniwada,R. and Nagahama,Y. 150 kV electron microscope, 3=19350
Ito,K. See Watanabe,H., 3=25543
Ito,M. Analysis of the output of rocket-borne magnetometers, 3=21140
Ito, N. See Miyake, S., 3=17369
Ito,S. See Yamamoto,K., 3=4119
Itoh,H. See Muto,J., 3=24936
Itoh,J.,Asayama,K.,Masuda,Y. and Kobayashi,S. Nuclear magnetic resonance in antiferromagnetic α-Mn metal, 3=15960

Itoh,J.and Kamiya,Y. Magnetic resonance studies of some copper salts, 3=1208
Itoh,J.,Satoh,M. and Hiraki,A. Na nuclear magnetic relaxation of NaCl crystals containing divalent impurity ions, 3=23273
Itoh,J. See Asayama,K., 3=15959
Itoh,K. See Gondō,Y., 3=15919
Itoh,K. See Morino,Y., 3=8872
Itoh,K. See Usami,S., 3=20630
Itoh,N. and Suita,T. Sensitization of thermoluminescence of LiF for low level dosimetry of gamma rays and thermal neutrons, 3=11018
Itoh,N. and Suita,T. Low temperature bleaching of F centers in irradiated alkali halides, 3=22843
Itoh,N. See Akasaka,K., 3=11017
Itskevich,E.S. Electric resistance of cerium at low temperatures and high pressures, 3=6558
Itzykson,C. and Jacob,M. A possible determination of the spin and relative parity of the hyperon isobars, 3=6082
Itzykson,C. and Jacob,M. Polarization effects in proton–proton high-energy scattering, 3=14979
Itzykson,C. See Bessis,D., 3=7859
Iucci,N. See Bachelet,F., 3=7959
Iurato,S. Functional implications of the nature and submicroscopic structure of the tectorial and basilar membranes, 3=3661
Ivan,E. See Constantinesco,C., 3=13057
Ivanchenko, Yu.M. See Bratashevskii, Yu.A., 3=18133
Ivanchik,I.I. Concerning the criterion of ferroelectricity in the microscopic theory, 3=15616
Ivanenko,D. See Brodskii,A.M., 3=30
Ivanenko,D.D. and Kurdgelaidze,D.F. Classification of elementary particles, 3=22056
Ivanenko,I.P. See Guzhavin,V.V., 3=4488
Ivanii,G.M. De-excitation effect of X-rays, 3=13197
Ivanitskaya,O.S. Levashev,A.E., 3=21226
Ivanitskii,P.G. See Pasechnik,M.V., 3=2489
Ivanitskii,P.G. See Pasechnik,M.V., 3=24972
Ivanitsky,P.G. Study of the [13.6 MeV] stripping reaction on chromium isotopes [Cr^{50}, Cr^{52-4}], 3=19878
Ivanov,A. See Andrejtschin,R., 3=23015
Ivanov,A.A. and Matalin,L.A. Time converter based on a cathode-ray tube, 3=14498
Ivanov,A.A. and Nesterenko,V.S. A time-to-amplitude converter
Ivanov,A.A. See Urlin,V.D., 3=24108
Ivanov,A.G. and Novikov,S.A. Rarefaction shock waves in iron and steel, 3=3852
Ivanov,A.G., Novikov,S.A. and Sinitsȳn,V.A. Investigation of elastoplastic waves in iron and steel produced by explosive loading, 3=18885
Ivanov,A.P. Nonlinear optical phenomena in scattering media, 3=14371
Ivanov,A.P. Colours and absorption spectra of dyes adsorbed on light-scattering materials, 3=21515
Ivanov,A.P. See Stepanov,B.I., 3=488
Ivanov,A.V. L_{23} X-ray emission spectra of sulphur in sulphides, 3=23096
Ivanov,B.S. and Troitskii,V.S. Formation of directivity patterns of molecular beams, 3=25156
Ivanov,D.P. and Razumova,K.A. Investigation of a toroidal discharge in a varying longitudinal magnetic field, 3=12208
Ivanov,E.,Martalogu,N.,Ploştinaru,D.,Alevra,A. and Dumitrescu,R. Study of the cascade de-excitation of Sn^{115} in the reaction In^{115}(p,n), 3=8098
Ivanov,G.A. and Popov,A.M. Mean free path of carriers in bismuth and its alloys with antimony, 3=20323
Ivanov,G.A. See Gitsu,D.V., 3=20322
Ivanov,G.K. Scattering of neutrons by molecules with large energy transfer, 3=22516
Ivanov,I.G. See Pines,B.Ya., 3=6532
Ivanov,I.G. See Pines,B.Ya., 3=15996
Ivanov,I.N. See Zhuravlev,A.A., 3=9889
Ivanov,K.G. Height of the explosion of the Tungus meteorite, 3=16367
Ivanov,M.A. See Efremov,A.I., 3=9151
Ivanov,R.B. See Dzhelepov,B.S. 3=4606
Ivanov, R.B. See Dzhelepov, B.S., 3=17446
Ivanov,R.D.,Spivak,G.V. and Kislova,G.K. Properties of ferromagnetic films prepared by cathode sputtering, 3=8674
Ivanov,R.D. See Spivak,G.V., 3=13266
Ivanov,R.N. Effect of wave action on the water pile-up and drive-away phenomena along the seashores, 3=18485
Ivanov,T. See Dregichesku,M., 3=24746
Ivanov,V.A. See Groshev,L.V., 3=15118
Ivanov,V.E. and Lebedev,V.V. The relationship between the phonon and electron components of thermal conductivity, 3=12930
Ivanov,V.E. See Amonenko,V.M., 3=3297
Ivanov,V.E. See Amonenko,V.M., 3=20908
Ivanov,V.E. See Amonenko,V.M., 3=25272
Ivanov,V.G. See Budagov,Yu.A., 3=17131
Ivanov,V.G. See Wang Kang-Ch'ang, 3=19702
Ivanov,V.G. See Wang Kang-Ch'ang, 3=22208
Ivanov, V.I., Keirim-Markus, I.B. and Kovalev, E.E. Cosmic radiation doses, 3=3633
Ivanov,V.N. Turbulent energy dissipation in the atmosphere, 3=9030
Ivanov,V.P. See Sidorenko,V.V., 3=14945
Ivanov,V.V. Diffusion of resonance radiation in stellar atmospheres and nebulae. I. Semi-infinite medium, 3=9240
Ivanov,V.V. Concerning the article of I.M.Gordon and L.D.Pichakhchi "Radiation from hydrogen atoms excited by the synchrotron radiation of relativistic electrons", 3=11570
Ivanov,V.V. Diffusion of resonance radiation in stellar atmospheres and nebulae. II. Layer of finite thickness, 3=16403
Ivanov,Yu.,Nikol'skii,B.A.,Smirnov,B.M. and Surkova,L.V. Depolarization of μ^{+}-mesons in an electric field, 3=7877
Ivanov,Yu.L. Cross-sections for capture of a photon and an electron by the third level of copper in germanium, 3=15630
Ivanov, Yu.L. Temperature dependence of the activation energies of the second and third copper levels in germanium, 3=17849
Ivanov,Yu.L. and Rȳvkin,S.M. Optical charge exchange in impurity centres and the kinetics of impurity photoconductivity, 3=2968
Ivanov,Yu.M. See Smirnov,B.M., 3=2291
Ivanov-Kholodny,G.S. The part played by and source of particles observed in the ionosphere and aurorae, 3=13798
Ivanov-Kholodnȳi,G.S. and Nikol'skii,G.M. Extreme ultraviolet solar radiation and the structure of the solar atmosphere in active and undisturbed regions, 3=23686
Ivanova,H. See Andreichin,R., 3=25418
Ivanova,L.N. See Gelfand,I.M., 3=4392
Ivanova,L.N. See Veinberg,V.B., 3=241
Ivanova,N.I.,Tarasova,L.I. and Zhukovskii,A.P. Origin of the long wavelength luminescence bands of alkali halide phosphors, 3=943
Ivanova,N.I. and Zhukovskii,A.P. Luminescence centres of alkali halide phosphors with bivalent-metal impurity, 3=18022
Ivanova,S.P. and Kalinkin,B.N. On elastic scattering of heavy ions, 3=24978
Ivanova,S.P. and Kalinkin,B.N. Cross-section for compound-nucleus formation in heavy-ion-induced reactions, 3=24979
Ivanova,V.S. See Oding,I.A., 3=23347
Ivanova,V.V., Kapȳshev,A.G., Venevtsev,Yu.N. and Zhdanov,G.S. X-ray determination of the symmetry of the ferroelectric compounds $(K_{0.5}Bi_{0.5})$ TiO_3 and $(Na_{0.5}Bi_{0.5})$ TiO_3 and the high temperature phase transitions in $(K_{0.5}Bi_{0.5})TiO_3$, 3=20851
Ivanovskaya,I.A.,Kuznetsov,E.V.,Prokesh,A. and Chuvilo,I.V. Angular distribution of decay products of Λ-hyperons produced by 2·8 BeV/c π^{-}-mesons on xenon nuclei, 3=2484
Ivanovskaya,I.A.,Kuznetsov,E.V.,Prokesh,A. and Chuvilo,I.V. Production of strange particles by 2.8 BeV/c π^{-}-mesons on xenon nuclei, 3=24796
Ivansvskii,N.N. See Subbotin,V.I., 3=3909
Ivanter,I.G. Topological structure of space and the elementary particle mass spectrum, 3=14873
Ivantsov,V.G. See Esel'son,B.N., 3=5567
Ivantsov,V.G. See Esel'son,B.N., 3=24131
Ivanȳts'kiĭ,P.H. Angular distribution of α-particles from $Be^{9}(d,\alpha)Li^{7}$ reactions, 3=22425
Ivascu,M. See Hulubei,H., 3=6233
Ivash,E.V. See Scherr,C.W., 3=23727
Ivash,E.V. See Smith,W.R., 3=2487
Ivash,E.V. See Smith,W.R., 3=17493
Ivashchenko,N.I. The effect of the temperature factor on heat transfer in the turbulent flow of a gas in pipes, 3=9489
Ivashka,M. See Khulubei,Kh., 3=6240
Ivensen,V.A. and Koval'skii,A.E. Dependence of the electrical resistivity of the alloy of tungsten carbide and cobalt on its structure, 3=13497

Ivensen,V.A.,Koval'skii,A.E.,Semenovskaya,S.V. and Eidule,O.N. Anisotropy of the elastic properties of the monocarbide of tungsten, 3=6775
Iveronova,V.I.,Kagan,A.S. and Nikolaeva,S.M. Measurement of relative intensities in X-ray diffraction investigations of textured specimens, 3=23526
Iveronova,V.I. and Katsnel'son,A.A. Effect of short-range order on the hardness and characteristic temperature of Ni$_3$Pt, 3=8906
Iveronova, V.I. See Krylov, Ya., 3=18186
Iveronova,V.I. See Zvyagina,A.P., 3=20079
Ives,M.B. On kink kinetics in crystal dissolution, 3=11221
Ivey,H.F. Absorption of nonparallel radiation, 3=5526
Ivey,H.F. Color and efficiency of luminescent light sources, 3=24005
Ivlev, D.D. Contribution to the theory of compound media, 3=18173
Ivlev,V.F.,Pak,N.G. and Kan,S.V. Hysteresis loops of plane ferromagnetic films, 3=20600
Ivukina,A.K. See Sy̆rkin,L.N., 3=20614
Iwamoto,F. Theorem on energy shifts due to a potential in a large box, 3=16533
Iwamoto,M. See Kawai,T., 3=4143
Iwamoto,R.T. See Nelson,I.V., 3=23546
Iwanaga,H. See Shibata,N., 3=25801
Iwanaga,M. See Hashimoto,H., 3=1285
Iwanaga,M. See Kobayashi,K., 3=11334
Iwao,S. Projection theorem for energy levels, 3=12575
Iwao,S. $\bar{K}$—N scattering in the Mandelstam representation. II. Regge trajectory of K* meson, 3=19699
Iwao,S. and Viano,G.A. Some evidence of Regge trajectory, 3=4477
Iwasa,S. See Nishizawa,J., 3=882
Iwasaki,H. and Ikeda,T. Studies on the system Na(Nb$_{1-x}$Ta$_x$)O$_3$, 3=13394
Iwasaki,M. and Hedberg,K. Centrifugal distortion of bond distances and bond angles in polyatomic molecules, 3=2607
Iwata,G. See Huke,K., 3=24409
Iwata,M., Iwata,T. and Yamamoto,M. On the memory effect of the remanent magnetization through the low-temperature magnetic transition in αFe$_2$O$_3$, 3=1020
Iwata,S. Isomeric cross-section ratios in alpha-particle reactions, 3=684
Iwata,S.,Fujiwara,I.,Nishi,T.,Goda,S.,Tabushi,M. and Shigematsu,T. The half-life of Tb^{157}, 3=22341
Iwata,S. See Porile,N.T., 3=17474
Iwata,S. See Yoshizawa,Y., 3=19822
Iwata, T. Correlation of the magnetically induced directional order with an AB$_3$ superlattice, 3=18072
Iwata, T. Concentration dependence of the magnetically induced directional order in face-centred cubic non-ideal solid solutions, 3=18073
Iwata,T. See Iwata,M., 3=1020
Iyengar,P.K.,Dasannacharya,B.A., Vijayaraghavan,P.R. and Roy,A.P. Nautron diffraction study of antiferromagnetism in FeSn$_2$, 3=1111
Iyengar,R.S. Photoelectric tracking of instantaneous motions in aurora, 3=3513
Iyer,A.S. See Hoch,M., 3=2785
Iyer,S.A. See Dharmatti,S.S., 3=8739
Izergin,A.M. The vertical convective electrical current in the atmosphere, 3=5203
Izergin, A.P. See Presnov, V.A., 3=25364
Izidinov,S.O.,Borisova,T.I. and Veselovskii,V.I. Features of the photoelectrochemical behaviour of Si-alkali boundary, 3=6923
Izmailov,S.V. Theory of secondary electron emission, 3=19321
Izokh,V.V. and Efimchik,M.K. A scaling circuit using tunnel diodes, 3=3985
Izotova,T.P. See Savchenko,M.K., 3=11082
Izrailev,I.M. Photo-electric yield for soft X-rays, 3=14638
Izraileva,L.K. Regarding the asymmetry of the Kα_1 and Kα_2 lines of atoms of the iron group, 3=8184
Izrailevich,I.S. See Goshchitskii,B.N., 3=9491
Izui,K. and Fujita,F.E. Electron microscopic study of fission fragment damage in molybdenite crystals, 3=15526
Izui,K. and Suzuki,H. Observations of fission fragment damage in some crystals, 3=22855
Izumi,I. and Okano,M. An improved solid-state logarithmic amplifier, 3=24167
Izumi,K., See Tanaka,K., 3=13493
Izumi,K. See Tanaka,K., 3=22731
Izuyama,T.,Duk-Joo Kim and Kubo,R. Band theoretical interpretation of neutron diffraction phenomena in ferromagnetic metals, 3=25540
Izuyama,T. and Pratt,G.W., Jr. Theory of the magnetoelectric effect in Cr$_2$O$_3$, 3=15739
Izuyama,T. See Kubo,R., 3=986
Izvekov,V.I.,Gorbunov,N.S. and Babad-Zakhryapin,A.A. Iron diffusion in haematite, 3=22807
Izvozchikov, V.A. Investigation of the temperature dependence of the activation energy of lead oxide using diffuse-reflection spectra, 3=17978
Izvozchikov,V.A. and Bordovskii,G.A. Photoconducting single crystals of PbO, 3=6635
Izyumov,Yu.A. The scattering of polarized neutrons by a helical magnetic structure, 3=6718
Izyumov,Yu.A. Time formalism in the Born approximation in the theory of the scattering of neutrons by a substance, 3=6905
Izyumov,Yu.A. Green's function method in the theory of ferromagnetism, 3=25512
Izyumov,Yu.A. and Malyeev,S.V. On scattering of polarized neutrons in ferromagnetic and antiferromagnetic substances, 3=3121
Izyumov,Yu.A. and Men',A.N. The theory of slow neutron scattering in solid solutions with spinel type structure as a function of the composition and degree of inversion, 3=20830
Izyumov, Yu.A. See Vonsovskii, S.V., 3=17676
Iz'yurov,A.V. High-voltage source with a high degree of regulation, 3=1910

Jabbur, R.J. and Pratt, R.H. High-frequency region of the spectrum of electron and positron bremsstrahlung, 3=4374
Jabloński,A. Pressure effects on spectral lines, 3=15273
Jabloński,A. A note on the notion of emission anisotropy, 3=18017
Jaccard,C. Thermoelectric effects in ice crystals. I. Theory of the steady state, 3=10899
Jaccarino,V. Nuclear magnetic resonance in XAl$_2$ compounds, 3=8730
Jaccarino,V. and Peter,M. Ultra-high-field superconductivity, 3=3964
Jaccarino,V. See Clogston,A.M., 3=336
Jaccarino,V. See Gossard,A.C., 3=1197
Jaccarino,V. See Gossard,A.C., 3=1202
Jaccarino,V. See Gossard,A.C., 3=3192
Jaccarino,V. See Walker,L.R., 3=2699
Jaccodine,R.J. Stacking faults in epitaxial material, 3=20204
Jaccodine,R.J. Surface energy of germanium and silicon, 3=25177
Jach,J. The thermal decomposition of NaBrO$_3$. I. Unirradiated material, 3=6910
Jach,J. Thermal decomposition along dislocations, 3=8958
Jache,A.W. See Neuvar,E.W., 3=22572
Jack,W. See Irfan,M., 3=12692
Jack,W. See Irfan,M., 3=12693
Jackerott,I.M. See Ungstrup,E., 3=18518
Jackets, B.P. and Dyson, D.J. Dependence on temperature of the interlayer spacing of irradiated graphites, 3=2737
Jackson,C.M. See Wait,J.R., 3=19442
Jackson,D.A. and Duong Hong Tuan. Isotope shifts in the resonance line of the arc spectrum of barium, 3=22477
Jackson,D.A. and Narahari Rao,K. Resolving power in the near infrared of the Fabry—Perot interferometer with gold and with silver coatings, 3=11934
Jackson,D.F. and Elton,L.R.B. Exact calculations on the inelastic scattering of high energy nucleons from Li^6, 3=15183
Jackson,E.A. Nonlinear coupled oscillators. I. Perturbation theory; ergodic problem, 3=11714
Jackson,E.A. Perturbations of nonlinear traveling waves in a cold plasma, 3=19289
Jackson,E.A. See Becker,R.S., 3=15360
Jackson,E.E. See Wait,E., 3=10699
Jackson,H.E. Properties of capture gamma-ray spectra of S-wave and P-wave resonances in Zr, Nb, and Mo, 3=24958
Jackson,H.W. and Feenberg,E. Energy spectrum of elementary excitations in helium II, 3=5566

Jackson,J.A. Detection of oxygen-17 n.m.r. in solid MgO, 3=20682
Jackson,J.A.,Lemons,J.F. and Taube,H. Oxygen-17 n.m.r. shifts caused by Cr^{++} in aqueous solutions, 3=9481
Jackson,J.D. A note on the relationship between static hole error and velocity distribution in the boundary layer, 3=5406
Jackson,J.E. and McGervey,J.D. Mean lives of positrons in aqueous solutions, 3=8955
Jackson,J.E. See Kane,J.A., 3=6972
Jackson,J.L. and Coriell,S.R., Effective diffusion constant in a poly-electrolyte solution, 3=9447
Jackson,J.L. See Gornick,F., 3=11233
Jackson,K.A. On the origin of dislocations, 3=2796
Jackson,L.C. See Gribbon,P.W.F., 3=19084
Jackson,P.L. Signal enhancement through an ensemble presentation, 3=18475
Jackson,R. See Piearcey,B.J., 3=20724
Jackson,R.H. See Laurie,V.W., 3=6410
Jackson,R.H. See Pierce,L., 2=8278
Jackson,R.S. and Overend,G.E. The determination of the dynamic elastic properties of supported films, 3=23284
Jackson,W.M., McNesby,J.R. and Darwent,B.deB. Reaction of methyl-d$_3$ radicals with isobutane, isobutane-2-d, and propane, 3=3384
Jackson,W.M., McNesby,J.R. and Darwent,B.deB. Thermal reactions of isobutyl radicals, 3=3390
Jackson,W.M. See McNesby,J.R., 3=8948
Jacob,G. See Berggren,T., 3=2448
Jacob,G. See Brown,G.E., 3=12556
Jacob,M.,Varoqui,R.,Klenine,S. and Daune,M. Measurements of diffusion, translation, and sedimentation of macromolecular chains in solvent θ. Effects of concentration and velocity, 3=9454
Jacob,M. See Bessis,D., 3=7859
Jacob,M. See Itzykson,C., 3=6082
Jacob,M. See Itzykson,C., 3=14979
Jacob,P.J. and Narasimhamurthy,T.S. Photoelastic properties of barium fluoride, 3=916
Jacobi,G. See Witzmann,H., 3=2925
Jacobi,N. and Jaffe,J.H. Influence of vibration—rotation interaction on spectral line intensities of linear molecules, 3=8232
Jacobi,W. and André,K. The vertical distribution of radon 222, radon 220 and their decay products in the atmosphere, 3=25899
Jacobs,A. See Alexander,E., 3=9593
Jacobs,G. See Henglein,A., 3=21714
Jacobs,G.H. See De Valois,R.L., 3=11643
Jacobs,H.,Holmes,D.A.,Hatkin,L. and Brand,F.A. Maximum gain for forward- and backward-wave optical maser amplifiers, 3=22019
Jacobs,I.S. Metamagnetism of siderite (FeCO$_3$), 3=15749
Jacobs,I.S., Kouvel,J.S. and Lawrence,P.E. Magnetic behavior of disordered and ordered Au$_3$Mn, 3=1003
Jacobs,I.S. See Rodbell,D.S., 3=20628
Jacobs,J.A. and Watanabe,T. The equatorial enhancement of sudden commencements of geomagnetic storms, 3=16302
Jacobs,J.A. and Watanabe,T. Trapped charged particles as the origin of short period geomagnetic pulsations, 3=25955
Jacobs,J.A. See Nishida,A., 3=11470
Jacobs,L. See Alexander,G., 3=7924
Jacobs,L. See Miller,D.H., 3=19698
Jacobs,M.H. and Pashley,D.W. The changes which occur in the structure of a thin surface deposit when it is detached from its substrate, 3=20930
Jacobs,P.W.M. and Maycock,J.N. Polarization effects in the ionic conductivity of alkali halide crystals. I. AC capacity, 3=22977
Jacobs,R.B. See Miller,C.E., 3=7183
Jacobs,T.A. Further shock-tube studies by infrared emission of the decomposition of ammonia, 3=20026
Jacobs,T.A. and Giedt,R.R. Dissociation of Cl$_2$ in shock waves, 3=25147
Jacobs,T.A.,Hartunian,R.A.,Giedt,R.R. and Wilkins,R. Direct measurements of recombination rates in a shock tube, 3=18905
Jacobsen,E.H. and Stevens,K.W.H. Interaction of ultrasonic waves with electron spins, 3=8351
Jacobsen,T. See Breivik,F.O., 3=12380
Jacobsohn,B.A. See Henley,E.M., 3=2227
Jacobson,A.D. Luneberg—Kline analysis of scattering from a sinusoidal dielectric interface, 3=7704
Jacobson,B. and Nordberg,L. X-ray tube with a built-in secondary target for exciting K lines, 3=14702
Jacobson,H.C. See Margenau,H., 3=11837
Jacobson,H.C. See Margenau,H., 3=12820
Jacobson,M.I. On the yield point of body-centred-cubic metals, 3=6788
Jacobson,M.J. Effect of noise dependence on correlation detection and measurement, 3=9556
Jacobson,M.J. Output probability distribution of a correlation detector with signal-plus-noise inputs, 3=18935
Jacobson, R.A. See Mighell, A.D., 3=18302
Jacobsson,R. Optical properties in the near infrared of thin Ge—ZnS films produced by simultaneous evaporation from two sources, 3=10952
Jacobus,G.F., Madden,R.P. and Canfield,L.R. Reflecting films of platinum for the vacuum ultraviolet, 3=19005
Jacox,M.E. See Milligan,D.E., 3=3402
Jacox, M.E. See Milligan, D.E., 3=17586
Jacox,M.E. See Milligan,D.E., 3=22584
Jacquard,P. and Séguier,P. Movement of two fluids in contact inside a porous medium, 3=16579
Jacquemin, J., Porschen, W. and Solari, P.A. Determination of the critical masses for different core arrangements in the FRJ-1 Merlin, 3=4692
Jacquesson,R. See Mazot,P., 3=16111
Jacquot,A. See Cranberg,L., 3=15225
Jacrot,B. and Cribier,D. Some applications of inelastic neutron scattering to the study of magnetic couplings, 3=3120
Jacrot,B. See Cribier,D., 3=1117
Jae Shi Choi and Moore, W.J. Diffusion of nickel in single crystals of nickel oxide, 3=2828
Jaeger,J. See Donnet,J.B., 3=3925
Jaeger,J. See Donnet,J.B., 3=25804
Jaeger, R.G. and Houtermans, H. Comments on the definition of the Curie, with special reference to natural radioactive materials, 3=641
Jaeglé,P. Calculation of the useful width of a system of two concave gratings at grazing incidence, 3=21565
Jaenicke,W. Transport number of defect electrons in silver bromide at room temperature, 3=6487
Jaensch,P. and Kohlhaas,R. The magnetization dependence of magnetostriction, 3=13260
Jaffe,A.M. and Kim,Y.S. Asymptotic behavior of the S matrix for high angular momentum, 3=10055
Jaffe,H. See Berlincourt,D., 3=8556
Jaffe,H. See Gerson,R., 3=25400
Jaffé,H.H. See Hinsz,J., 3=12807
Jaffe,H.H. See Hinze,J., 3=15274
Jaffe,J.H. and Benedict,W.S. The strength of the ν_3-vibration of H$_2$O, 3=15347
Jaffe, J.H. See Ben-Reuven, A., 3=17607
Jaffe,J.H. See Jacobi,N., 3=8232
Jaffe,J.H. See Plyler,E.K., 3=8227
Jaffe,J.H. See Thibault,R.J., 3=12817
Jaffe,P.M. Two unusual effects in H$_2$—fired CaO: Mn, Li phosphors, 3=3039
Jaffe,S. See Ford,H.W., 3=18456
Jaffrain,M. See Freymann,M., 3=22987
Jaganmohana Rao,P. See Ramanadham,R., 3=11408
Jäger,G. See von Ardenne,M., 3=12786
Jaggi,R.K. The stability of the pinch with anisotropic pressure, 3=12144
Jahn,R.E. Spectroscopic measurements of the temperature of plasma jets, 3=4151
Jahn,R.E. Temperature distribution and thermal efficiency of low power arc-heated plasma jets, 3=21810
Jahn,T.L. A possible mechanism for the amplifier effect in the retina, 3=13965
Jahne,E. See Böer,K.W., 3=15588
Jahne,E. See Dewitz,W., 3=4998
Jahoda,F.C., Ribe,F.L. and Sawyer,G.A. Zeeman-effect magnetic field measurement of a high-temperature plasma, 3=16955
Jahoda,F.C.,Ribe,F.L.,Sawyer,G.A. and Stratton,T.F. X-ray spectroscopic measurements of high-temperature plasma, 3=7581
Jahoda,F.C. See Sawyer,G.A., 3=7503
Jahoda,F.C. See Sawyer,G.A., 3=24296

Jahr,R. Study of the reactions $F^{19}(\alpha,t)Ne^{20}$ at 18·5 MeV and $F^{19}(He^3,d)Ne^{20}$ at 13·0 MeV, 3=4670

Jain,A. and Tewary,V.K. Nuclear size correction to the relativistic Thomas Fermi equation of state and effect on Chandrasekhar's mass limit, 3=19924

Jain,A.P. See Palevsky,H., 3=17285

Jain,D.C. Franck–Condon factors and r-centroids for the band system of the RbH molecule, 3=4757

Jain,D.C. Influence of vibration–rotation interaction on the true vibrational wavefunctions, 3=10492

Jain,D.C. and Sah,P. Potential-energy curves of the excited states of alkali hydride molecules, 3=12815

Jain,J.P. See Gupta,P.C., 3=10279

Jain,M.K. On extremal point collocation method for fluid flow problems, 3=5407

Jain,M.K. and Srinivasan,J. Finite deformations in the interior of the earth, 3=13644

Jain,R.K. and Mehta,K.N. Laminar hydromagnetic flow in an annulus with por walls, 3=2101

Jain,R.K. See Kapur,J.N., 3=7685

Jain,R.K. See Mehta,K.N., 3=9920

Jain,S.C. Radiation from inside a long cylinder as approximation to that from a black body, 3=14409

Jain,S.C. and Dahake,S.L. Activation energy for migration of cation vacancies in NaCl, 3=12962

Jain,S.C. and Mehendru,P.C. The effect of trace and deliberately introduced impurities on the thermo-luminescence and the thermal bleaching of F-centres in KCl crystals, 3=20246

Jain,S.C. and Parashar,D.C. F and Z bands in alkali halide crystals doped with calcium, cadmium and cobalt, 3=13012

Jain,S.R. and Soundararajan,S. Dipole moments and structure of molecular compounds of zinc and cadmium halides, 3=15358

Jaklevic,R.C., Donald,D.K., Lambe,J. and Vassell,W.C. Injection electroluminescence in CdS by tunneling films, 3=15719

Jakubka,K. See Ďatlov,J., 3=9886

Jalaluddin,A.K. and Sinha,D.B. Effect of an electric field on the superheat of liquids, 3=14420

James,A. See Kelly,B.T., 3=10433

James,A.N. and Pugh,H.G. Quasi-elastic proton–alpha collisions in carbon, 3=12551

James,A.N. See Allaby,J.V., 3=7855

James,B.W. and Yates,B. Indium resistance thermometry, 3=9645

James,C.G. See Brewer,L., 3=5514

James,D.B. See Diercks,K.J., 3=5483

James,D.W. See Janz,G.J., 3=9460

James,D.W. See Janz,G.J., 3=9461

James,E.M. The magneto-hydrodynamic boundary layer in the two-dimensional steady flow past a semi-infinite flat plate. II. The Falkner–Skan problem, 3=14754

James,L.H. and Carter,G. Ion bombardment induced re-emission studies of argon in an ionization pump, 3=9518

James,P.N. Application of linear programming to the design of polygonal delay lines, 3=210

James,R.H. See Brown,F., 3=19858

James,T.C. Intensity distribution in the forbidden $^1\Sigma - {}^3\Pi$ transition of SiO, 3=10523

James,T.H. Some views on the mechanism of development, 3=11953

James,W.,Lemaire,R. and Bertaut,F. Magnetic structure of the alloys YCo_5 and $HoCo_5$, 3=8682

Jamieson,D.T. See Grunberg,L., 3=25644

Jamieson,J.C. Crystal structure at high pressures of metallic modifications of silicon and germanium, 3=11210

Jamieson,J.C. Crystal structures at high pressures of metallic modifications of compounds of indium, gallium, and aluminium, 3=11211

Jamieson,J.C. Crystal structures adopted by black phosphorus at high pressures, 3=13399

Jamieson,J.C. Crystal structures of titanium, zirconium, and hafnium at high pressures, 3=13451

Jamieson,J.C. and Hoskins,H. The measurement of shear-wave velocities in solids using axially polarized ceramic transducers, 3=9527

Jamnik,D. See Hall,H.E., 3=10079

Jan,J.P. Hall effect in the equiatomic AgZn alloy, 3=838

Jan,J.P. Small-angle scattering of X-rays, 3=18402

Jan,J.P. and Pearson W.B. Electrical properties of $AuAl_2$ $AuGa_2$ and $AuIn_2$, 3=10718

Jan,J.-P. and Pearson,W.B. Anisotropic thermoelectric power of AuSn, 3=17972

Jan,J.P. See Beck,A., 3=12944

Jan,J.P. See Chollet,L., 3=1349

Jan,R.v., and Seeger,A. Interpretation of low-temperature electro radiation of metals. I. Threshold energy for atom displacement, 3=10700

Janak,J.F. Dynamics of diffusion-damped domain wall motion, 3=15797

Janarek,F.J. See Mann,H.M., 3=2930

Jancel,R. See Basu,D., 3=7517

Jancel,R. See Maroni,P., 3=369

Jancel,R. See Maroni,P., 3=16912

Jancovici,B. On the relativistic degenerate electron gas, 3=1634

Jane,M. See Binnie,D.M., 3=17153

Jane,M.R. See Binnie,D.M., 3=10081

Janes,H.B. See Norton,K.A., 3=12321

Janeschitz-Kriegel,H.,Schijf,J. and Telgenkamp,J.A.M. A temperature probe for flowing polymer melts, 3=19052

Janicke,O. Specific flow resistance of wire meshes, 3=7225

Janik,J. Determination of the density of liquids and their saturated vapours as a function of temperature at pressures higher than 1 atm. III. Measurements with hydrogen sulphide, 3=14147

Janik,J. See Tubbs,N., 3=4733

Janik,J.A.,Rżany,H. and Sciesiński,J. Scattering of slow neutrons by NH_3 molecules. II. Scattering by liquid NH_3, 3=14140

Janik,J.A. See Tubbs,N., 3=4733

Janin,E.A. See Shlykov,Y.P., 3=16821

Janin,J.,d'Incan,J.,Stringat,R. and Magnaval,J. New analysis of the $D^2\Pi_\sigma - A^2\Pi_u$ system of the N_2^+ molecule, 3=22547

Janin,J. and Dunand,R. Phosphoroscope intended for the study of the decay of luminescence at different temperatures, 3=18020

Janin,J.,Josseron,G., Souillat,J.C. and Déjardin,G. Thermoluminescence and decay of luminescence of magnesium fluorogermanate, 3=18053

Janin,J. See Déjardin,G., 3=2978

Janin,J. See Déjardin,G., 3=25837

Janitschek,F. Correlations between burn-up of U^{235}, the MWd-figure and temperature, 3=2534

Jankiewicz,Cz. See Yankevich,Ch.

Jannelli,S. See Emma,V., 3=6220

Janner,A. Ergodicity of quantum many-body systems, 3=11716

Janner,A.,van Hove,L. and Verboven,E. The evolution to quantum statistical equilibrium for a simple model. The strong coupling limit, 3=5380

Janninck,R.F. and Whitemore,D.H. Electrical conduction in nonstoichiometric $\alpha-Nb_2O_5$, 3=6602

Janninck,R.F. and Whitmore,D.H. Thermoelectric power in nonstoichiometric α-Nb_2O_5, 3=23026

Jannussis,A. Thermal neutron spectrum in absorbent media, 3=12721

Janos,W.A. The weak-field Lorentz gas and a perturbation theory of approximate solution to the Boltzmann equation, 3=3772

Jánossy,L. and Ziegler,M. The hydrodynamical model of wave mechanics. I. The motion of a single particle in a potential field, 3=21235

Janouch,F. Circular polarization of internal bremsstrahlung in unique [Y^{90}] first-forbidden beta transitions, 3=22332

Janoušek,A. See Beneš,J., 3=6671

Janovec,V. See Glogar,P., 3=20381

Janovec,V. See Muzikář,Č., 3=8559

Jansen,J.F.W., Hultberg,S., Goudsmitt,P.F.A. and Wapstra,A.H. E2 internal conversion coefficients of $2^+ \rightarrow 0^+$ transitions from the decay of ^{170}Tm, ^{196}Au and ^{200}Tl, 3=656

Jansen,J.F.W. See Hamilton,J.H., 3=22335

Jansen,L. Contribution of three-body interactions to the energy of vacancy formation in solid argon, 3=20163

Jansen,L. Absolute stability of cubic crystal structures of heavy rare gas atoms. I, 3=23441

Jansen,L. and Zimmering,S. Absolute stability of cubic crystal structures of heavy rare gas atoms. II, 3=23442

Jansen,R. See Forrat,F., 3=15670

Jantzen,O. Magnetic and dielectric bulk-material constants of the transformation series $Fe_3O_4 - \gamma\ Fe_2O_3 - \alpha\ Fe_2O_3$, 3=18071

Janz,G.J. and James,D.W. Vibrational spectra of molten halides of mercury. I. mecuric chloride, mercuric bromide and mercury chlorobromide, 3=9460

Janz,G.J. and James,D.W. Vibrational spectra of molten halides of mercury. II. trichloro- and tetrachloromercurate ions, 3=9461
Janz,G.J.,Neuenschwander,E. and Kelly,F.J. High-temperature heat content and related properties for Li_2CO_3, Na_2CO_3, K_2CO_3, and the ternary eutectic mixture, 3=22663
Japavaire, R. See David, J.P., 3=17875
Jarczyk,L.,Knoepfel,H.,Lang,J.,Müller,R. and Wölfli,W. Photopeak efficiency and response function of various NaI(Tl) and CsI(Tl) crystals in the energy range up to 11 MeV, 3=6670
Jarem,J. and Watson,M. Taylor instability of an incompressible plasma under variable acceleration, 3=7531
Jarmain,W.R. Franck-Condon factors from Klein-Dunham potentials for bands of the Schumann-Runge system of O_2, 3=10521
Jarmie,N.,Silbert,M.G. and Hopkins,J.C. Ion source operation with dilute tritium, 3=24376
Jarmie,N.,Silbert,M.G.,Smith,D.B. and Loos,J.S. Proton–triton elastic scattering below 1 MeV, 3=15047
Jarmie,N. See Smith,D.B., 3=7939
Jarnagin,R.C.,Gilliland,J.,Jr,Kim,J.S. and Silver,M. Physical and chemical effects at the anthracene—electrolyte interface due to photoelectrolysis, 3=23549
Jarnagin,R.C. See Silver,M., 3=10887
Jarnagin,R.C. See Silver,M., 3=20339
Järnefelt,G. On the satellite observation work done in Finland, 3=7055
Jarrett,A.H. Instrumental optics and problems of the earth's atmosphere, 3=3509
Jarrett,H.S., Cloud,W.H., Darnell,F.J., Bierstedt,P.E., Bither,T.A., Walter,P.H.L. and Swoboda,T.J. An antiferromagnetic to ferrimagnetic first-order phase transition, 3=1026
Jarrett,H.S. See Darnell,F.J., 3=13282
Jarvis,C.J.D.,Dixon,W.R. and Storey,R.S. Energy and angular distributions for the $Al^{27}(n, \alpha)Na^{24}$ reaction with 14 MeV neutrons, 3=19863
Jarvis,O.N.,Rose,B.,Scanlon,J.P. and Wood,E. A measurement of the Wolfenstein A parameter in p—p scattering at 143 MeV, 3=12457
Jarzynski,J. Ultrasonic propagation in liquid bismuth and mercury, 3=9457
Jaschek,C. and Jaschek,M. Some considerations on the asteroid families, 3=11516
Jaschek,M. See Jaschek,C., 3=11516
Jaseja,T.S.,Javan,A. and Townes,C.H. Frequency stability of He-Ne masers and measurements of length, 3=19496
Jasinski,A.,Kownacki,J.,Lancman,H.,Ludziejewski,J. Chojnacki,S. and Yutlandov,I. The decay scheme of Yb^{166}, 3=10310
Jaśkiewicz,A. Nucleation process in barium titanate at cubic–tetragonal phase transitions, 3=4942
Jaśkiewicz,A. Field induced nucleation at the phase transition in barium titanate, 3=4943
Jaśkiewicz,A. and Konwent,H. Ferroelectrically active A-ions in Abo_3 substances, 3=2950
Jaśkiewicz,A. and Terpilowski,J. Anomalous delay effect in polycrystalline $BaTiO_3$, 3=15617
Jastrow,E. and Cameron,A.G.W.[Eds.]. Origin of the solar system, 3=23668
Jastrzebski,J. Transition probabilities of the first excited states in the nuclei Au^{193}, Au^{195} and Au^{197}, 3=8017
Jastrzebski,J. and Kilcher,P. Decay of Hg^{192}, 3=22350
Jastrzebski,J.,Picard,F.,Schapira,J.P. and Picou,J.L. Angular distribution of the $O^{16}(d,\alpha)N^{14}$ and $C^{12}(d,\alpha)B^{10}$ reactions, 3=8124
Jastrzebski,J. See Żylicz,J., 3=12639
Jaswon,M.A. Integral equation methods in elasticity, 3=16561
Jaswon,M.A. Integral equation methods in potential theory. I, 3=23733
Jaszczyn,P. Quenching of luminescence in activated ZnS-powders irradiated in an atomic pile, 3=18039
Jaszczyn,P. See Wrzesinska,A., 3=4987
Jatar,D.P. and Chandrakar,K.R. Electron temperature in air under low frequency electric discharges excited by external sleeve electrodes, 3=12084
Jatar,D.P. See Shrivastava,R.K., 3=370
Jauch,J.M. See Finkelstein,D., 3=7089
Jauch,J.M. See Finkelstein,D., 3=16524
Jauhri,G.S. See Saksena,B.D., 3=13171
Jauman,J. and Clemens,K.H., 3=10919
Jaumann,J. See Breuer,W., 3=10918
Jauneau,L.,Morellet,D.,Nguyen-Khac,U.,Petiau,P.,Rousset,A., Bingham,H.,Cundy,D.C.,Koch,W.,Ronne,B.,Sletten,H., Bullock,F.W.,Common,A.K.,Esten,M.J.,Henderson,C., Stannard,F.R.,Scarr,J.M.,Sparrow,J.,Wilson,A.G., Halsteinslid,A. and Möllerud,R. Direct measurement of Ξ^- and Ξ^0 mean lives, 3=12511
Jauneau,L., Morellet,D., Nguyen-Khac,U., Rousset,A., Six,J., Bingham,H.H., Cundy,D.C., Koch,W., Nicolić,M., Ronne,B., Skjeggestad,O., Sletten,H., Common,A.K., Esten,M.J., Henderson,C., Fisher,C.M., Scarr,J.M., Thomas,R.H., Haatuft,A.A., Møllerud,R. and Myklebost,K. Ξ^- properties, 3=19708
Javan,A. See Jaseja,T.S., 3=19496
Javan,A. See Szöke,A., 3=19944
Javelas,R. See Bernard,R., 3=24372
Javet,P. See Hofer,E.M., 3=2817
Javrishvili,A.K. See Andronikashvili,E.L., 3=4505
Jax,J. See Ebel,H., 3=19394
Jayanthan,R. See Ramanathan,A.S., 3=11537
Jayaraman,A.,Klement,W.,Jr. and Kennedy,G.C. Melting and polymorphism at high pressures in some Group IV elements and III–V compounds with the diamond/zincblende structure, 3=14417
Jayaraman,A., Klement,W.,Jr. and Kennedy,G.C. Melting and polymorphic transitions for some group II–VI compounds at high pressures, 3=16016
Jayaraman,A., Klement,W.,Jr. and Kennedy,G.C. Melting and polymorphism of barium at high pressures, 3=16834
Jayaraman,A., Klement,W.,Jr. and Kennedy,G.C. Solid–solid transitions in titanium and zirconium at high pressures, 3=20887
Jayaraman,A.,Klement,W.,Jr,Newton,R.C. and Kennedy,G.C. Fusion curves and polymorphic transitions of the group III elements—aluminum, gallium, indium and thallium—at high pressures, 3=6814
Jayaraman,A. See Klement,W.,Jr, 3=8795
Jayaraman, A. See Klement, W.Jr., 3=18227
Jayaraman,A. See Klement,W.,Jr, 3=19067
Jayaraman, K.S. See Sarma, N., 3=17461
Jayaratne,O.W. See Mason,B.J., 3=14132
Jayme,G. See Fengel,D., 3=25799
Jean,A.G. and Crary,J.H. Very-low-frequency phase observations on the ionospheric effects of the solar flare of September 28th, 1961, 3=16264
Jean,M. See Ricci,R.A., 3=2371
Jeannet,J.-C. and Vassy,A. Interferometric measurements of the green line of polar aurorae, 3=16281
Jech,Č. Release of inert gas label from ionic crystals during thermal treatment, 3=823
Jeener,J. See Philippot,J., 3=23254
Jefferies,J.T. and Orrall,F.Q. On the interpretation of prominence spectra. VI. Temperature determination and a model for quiescent prominences, 3=16384
Jeffery,J.W. A simple photometer for measuring the optical density of integrating Weissenberg reflections, 3=23999
Jeffress,L.A. and Robinson,D.E. Formulas for the coefficient of interaural correlation for noise, 3=3677
Jeffress,L.A. See Craig,J.H., 3=3679
Jeffrey,G.A. and Kinoshita,Y. The crystal structure of cytosine monohydrate, 3=8868
Jeffrey,G.A. and McMullan,R.K. Polyhedral clathrate hydrates, IV. The structure of the tri n-butyl sulfonium fluoride hydrate, 3=3309
Jeffrey,G.A. and Slaughter,M. The structure of aluminium tetroxycarbide, 3=11268
Jeffrey, G.A. and Wu, V.Y. The structures of the aluminum carbonitrides, 3=18320
Jeffrey, G.A. See Allen, K.W., 3=18312
Jeffrey,G.A. See Bonamico,M., 3=3308
Jeffreys,H. and Sells,C. S.H. from a source in the lower layer, 3=23963
Jeffreys,W.H.,III. On computational technique for photographic astrometry with overlapping plates, 3=11484
Jeffries,C.D. A proposal for nuclear spin cooling, 3=19077
Jeffries-Harris,M.J. and Poindexter,E.H. Double-resonance parameters for solutions of fresh asphaltene, 3=7221
Jefimenko,O. Semiclassical model of atomic interactions, 3=257
Jefimenko,O. and Exton,R.J. Absorption spectrum of Cs in the presence of isomeric hydrocarbons, 3=22478
Jehanno,G. and Perio,P. Structure of AuCu II, 3=8880

Jehn,W. See Medicus, G., 3=3843

Jelenski,A. Magnetic resonance parametric spectroscopy, 3=24485

Jelinek,G. See Slutsky,L.J., 3=8348

Jelley,J.V. Comments on a recent theory of the decametre radio storms on Jupiter, 3=21132

Jelley,J.V. and Petford,A.D. A preliminary search for short-period Hα activity from the planet Jupiter during the apparition of 1960, 3=18609

Jellinek,F. Sulfides of the transition metals of groups IV, V and VI, 3=23449

Jellinek,F. See Chevreton,M., 3=16095

Jellinghaus,W. Susceptibility measurements on Fe–C alloys in austenitic region, 3=15785

Jelly,D.H. The effects of polar-cap absorption on h.f. oblique-incidence circuits, 3=14783

Jelly,D.H.,Matthews,A.G. and Collins,C. Study of polar cap and auroral absorption at h.f. and v.h.f. frequencies, 3=5876

Jen,M. See Lide,D.R.,Jr, 3=12849

Jendrasic, V. See Green, M., 3=17689

Jenkin, J.G, Earwaker, L.G and Titterton, E.W. The $B^{10}(p, He^3)Be^8$ reaction, 3=17463

Jenkin,J.G., Earwaker,L.G. and Titterton,E.W. The $F^{19}(p, n)Ne^{19}$ reaction between 5 and 11 MeV, 3=17466

Jenkin,J.G. See Earwaker,L.G., 3=12671

Jenkins,A.W.,Jr. and DuVall,B.W. A possible mechanism for magnetic effects from meteors, 3=13844

Jenkins,D.A. See Auerbach,L.B., 3=22160

Jenkins,D.R. A variable two-way flow stopcock, 3=16587

Jenkins,E.B. See Beard,D.B., 3=21072

Jenkins,E.W. See Baker,W.F., 3=7854

Jenkins,E.W. See Baker,W.F., 3=10169

Jenkins,E.W. See Diddens,A.N., 3=22183

Jenkins, G.M. Transient creep and recovery in graphite, 3=18196

Jenkins,G.M.,Turnbull,J.A. and Williamson,G.K. Electron microscope studies of graphitization and deformation in carbon film, 3=13395

Jenkins,G.M. and Williamson,G.K. Deformation of graphite by thermal cycling, 3=23308

Jenkins,J.M. See Tiren,L.I., 3=25028

Jenkins,P.M. See McNally,J.R.,Jr., 3=14556

Jenkins,R.J. and Butler,C.P. Thermal properties of meteoritic iron from –150° tp 300° celsius, 3=11526

Jenkins,R.W. and Paghis,I. Criteria for the association of solar flares with geomagnetic disturbances, 3=21110

Jen Lang. A dipole aerial embedded in a prolate dielectric spheroid, 3=17046

Jen Lang. The scattering of an arbitrary uniform plane electromagnetic wave by an infinite metal rod of elliptical cross-section in an infinite homogeneous isotropic medium with finite conductivity, 3=17052

Jenneiahn,R.H. See Bartleson,C.J., 3=14382

Jennings,D.A. and Tanttilla,W.H. Interruption of nuclear spin diffusion, 3=3186

Jennings,I.C. See Gasson,D.B., 3=1345

Jennings,I.C. See Gasson,D.B., 3=10828

Jennings,R.E. See Heddle, D.W.O., 3=14214

Jensen,H.W. See Vogt,K.J., 3=5205

Jensen, J.D. See Mitchel, D.L., 3=17984

Jensen,L.H. See Kraut,J., 3=8871

Jensen,M.A. See Merriam,M.F., 3=14453

Jensen,R.E. Colloid absorption band in CsBr, 3=25451

Jensen,T.H. and Voorhies,H.G. Interaction between a plasma and the external current and flux, 3=7598

Jenson, J.E. See Androulakis, J.G., 3=17125

Jenssen,O. Note on the influence of variable viscosity on the critical Rayleigh number, 3=21297

Jentschke, W. Invited summary and closing speech [at the Instrumentation for High-Energy Physics Conference, Geneva, 1962], 3=17094

Jeong,M. See Umeda,J., 3=6861

Jephcott,D.F. See Ashby,D.E.T.F., 3=19276

Jeppesen,M.A. Photoelectric emittance from gold films as a function of film thickness, 3=425

Jepsen,D.W. and Friedman,H.L. Cluster expansion methods for systems of polar molecules: Some solvents and dielectric properties, 3=10552

Jepson,K.S. See Brown,A.R.G., 3=11132

Jepson,K.S. See Clarke,D., 3=13502

Jérémie,H. Contribution to the study of the (n,2n) reaction at 14 MeV, 3=24950

Jérémine, É., Orcel, J. and Sandrea, A.P. The St.Margaret, Comines (N), meteorite fall of 9 June, 1962, 3=3559

Jeric,S.,Robin,J. and Robin-Kandare,S. Preparation of thin films of cadmium and the study of their ultraviolet absorption, 3=11318

Jeronymo,J.M.F.,Mani,G.S.,Olkowsky,J.,Sadeghi,A. and Williamson,C.F. Absolute cross-sections for some (n,p), (n,α) and (n,2n) reactions, 3=24949

Jeronymo,J.M.F., Mani,G.S., Picard,F. and Sadeghi,A. The $Li^6(d, \alpha)\alpha$ reaction, 3=678

Jeronymo, J.M.F, Mani, G.S, Picard, F. and Sadeghi, A. Excited states in N^{14} from C^{12} +d reactions, 3=17400

Jeronymo, J.M.F, Mani, G.S. and Sadeghi, A. The $Li^6(p, \alpha)He^3$ reaction, 3=17460

Jerrard,H.G. See Hilyard,N.C., 3=1687

Jerrard,H.G. See Ingram,P., 3=8319

Jerrard,H.G. See Ingram,P., 3=23537

Jeschke,J.C. See Mee,C.D., 3=15880

Jesse,W.P. Isotope effect in the ionization of polyatomic gases by beta particles, 3=19171

Jesse,W.P. and Platzman,R.L. An isotope effect in the probability of ionizing a molecule by energy transfer from a metastable noble-gas atom, 3=2675

Jessen,K. On the invar-properties of iron-palladium alloys, 3=2734

Jessen,K. See Kussmann,A., 3=998

Jesson,J.P. See Hougen,J.T., 3=12800

Jessop,A.M. Heat flow in a system of cylindrical symmetry, 3=19032

Jeszenszky,B. and Kiss,J. Newer measurements on the conductivity of deformed rock salt crystals, 3=890

Jeverdan,G.T. Series of nuclear energy levels for the Hofstadter potential distribution, 3=24851

Jewell,T.R. and Ward,S.H. The influence of conductivity inhomogeneities upon audio-frequency magnetic fields, 3=16230

Jha, S., Segnan, R. and Lang, G. Recoilless nuclear resonant absorption in I^{129}, 3=2367

Jha,S.S. and Kino,G.S. A variational technique for determining the propagating modes of a finite plasma, 3=12134

Jibuti,R.I. See Kopaleishvili,T.I., 3=19834

Jin,Y.S. Proof of dispersion relations and unitarity of the S-matrix, 3=5944

Jin,Y.S. Physical interpretation of the unphysical region, 3=22076

Jindra, J. See Eckstein, J., 3=17704

Jirlow,K. See Kushneriuk,S.A., 3=10405

Jnanananda,S. See Rama Rao,J., 3=12655

Joachim,K. The solion, 3=16887

Job,E.M. See Edwards,D.H., 3=198

Jobert,G. Measurable parameters in the presence of earth vibrations, 3=23562

Jobert,N. Excitation of natural torsional oscillations in the earth, 3=11379

Jobes,F.C.,McIntyre,J.A. and Becker,L.C. A system for the simultaneous detection of twenty positron-emitting sources, 3=12610

Jobes,F.C. See McIntyre,J.A., 3=12609

Jochems,P.J.W. See Courvoisier,J.C., 3=23511

Jodogne,J.C.,Macq,P.C. and Steyaert,J. Angular distribution and backward scattering of 15 to 22·7 MeV alpha particles by C^{12}, N^{14} and O^{16}, 3=2494

Joebstl,J.A. Irradiation studies on cleavage planes of alkali halides and alkali azides, 3=20254

Joenk,R.J. Magnetic field dependence of thermodynamic properties of antiferromagnets; adiabatic magnetization, 3=3143

Joenk,R.J. Second anisotropy constant in cubic ferromagnetic crystals, 3=13246

Joenk,R.J. Adiabatic magnetization of antiferromagnets, 3=15909

Joffe,A.D. Comparative surface areas of dust samples as measured by light and electron microscopes, 3=18461

Joffe,A.F. New ways for the study of semiconductors, 3=843

Joffrin,C. See Arcas,P., 3=24023

Joffrin-Graffouillere,C.,Caubarrere,J.L. and Barchewitz,P. Performance of an infrared Ebert—Fastie type spectrometer, 3=11916

Johannes,R. See Haas,W., 3=12230

Johannes,R. See Ramanathan,K., 3=20544

Johannin,P. See Vermesse,J., 3=14190
Johansen,C. See Gardner,J.H., 3=24492
Johansen,H.A. and Cleary,J.G. High-temperature electrical conduction in the system UO_2-ZrO_2, 3=10882
Johansson,A. and Sakamoto,Y. Quasi-free proton–proton scattering in Li^6 and Li^7, 3=15190
Johansson,A. See Collard,H., 3=25065
Johansson,C.H. and Sjölin,T. Luminosity at the transmission of detonation in water, 3=21379
Johansson,G. The crystal structure of a basic aluminum selenate, 3=13468
Johansson,G. On the crystal structure of the basic aluminum sulfate 13 $Al_2O_3.6SO_3.xH_2O$, 3=13469
Johansson,G. On the crystal structure of a basic gallium sulfate related to alunite, 3=13470
Johansson,L. The spectrum of the neutral beryllium atom, 3=2563
Johansson,R.B. and Smårs, E.A. A low-pressure spark-gap switch with wide voltage range, 3=4048
Johansson,R.B. See Alfven,H., 3=12198
Johansson,S.A.E. On the possibility of using model experiments to study shielding problems, 3=4693
Johler,J.R. Radiowave reflections at a continuously stratified plasma with collisions proportional to energy and arbitrary
Johler,J.R. and Berry,L.A. Propagation of terrestrial radio waves of long wavelength—theory of zonal harmonics with improved summation techniques, 3=5855
John,H.F. See Faust,Jr,J.W., 3=3263
John,M.N. Standard curves and formulae for neutron kinetics calculations, 3=10417
John,W. See Corman,E.G., 3=22291
Johns,H.E. See Bruce,W.R., 3=7062
Johns,J.W.C. On the absorption spectrum of H_2O and D_2O in the vacuum ultraviolet, 3=8276
Johns,J.W.C. See Herzberg,G., 3=15363
Johns,M.W. See Burke,D.G., 3=8042
Johns,M.W. See MacArthur,D., 3=649
Johnson,A.A. On the determination of the yield stress parameters σ_I and k_Y from a single stress—strain curve, 3=6782
Johnson,A.A.,Milasin,N. and Zein,F.N. The embrittlement of body-centred cubic transition metals by neutron irradiation, 3=8784
Johnson,A.A. See Kerridge,J.F., 3=2787
Johnson,A.A. See Peacock,D.E., 3=22769
Johnson,A.A. See Sargent,G.A., 3=1237
Johnson,A.A. See Wronski,A.A., 3=4881
Johnson,A.A. See Wronski,A.S., 3=20730
Johnson,A.D. See Czerlinsky,E.R., 3=22944
Johnson,A.W. See Young,B.G., 3=14598
Johnson,B.C. See Dear,D.J.A., 3=16131
Johnson,C. Production of liquid drops, 3=23857
Johnson,C.A., Diffraction by face-centered cubic crystals containing extrinsic stacking faults, 3=18299
Johnson,C.A. See Keh,A.S., 3=23163
Johnson,C.A. See Louat,N., 3=6521
Johnson,C.D. and Britton,D. Shock waves in chemical kinetics: the use of reflected shock waves, 3=13594
Johnson,C.E.,Ridout,M.S. and Cranshaw,T.E. The Mössbauer effect in iron alloys, 3=25521
Johnson, C.E. See Chernick, C.L., 3=17634
Johnson,C.E. See Marshall,W., 3=8342
Johnson,C.H. See Carlson,T.A., 3=10182
Johnson,C.S., Jr. and Gutowsky,H.S. High-resolution e.s.r. spectra of photochemically generated free radicals: the viologens, 3=20028
Johnson,C.S., Jr., Visco,R.E., Gutowsky,H.S. and Hartley,A.M. E.S.R. spectrum and spin densities for the biquaternary bipyridyl radical cation, 3=2654
Johnson,C.S. See Anderson,H.L., 3=15311
Johnson,C.S.,Jr. See Waugh,J.S., 3=14222
Johnson,D.A. See Arnette,T.I., 3=5770
Johnson,D.L. and Kobler,A.L. The man-computer relationship, 3=5324
Johnson,D.S. Meteorological measurements from satellites, 3=5189
Johnson,E.H.,Filinski,I. and Fan,H.Y. Absorption and emission of exictons and impurities in GaSb, 3=10948
Johnson,E.W. A.S.W.E.P.S. shipboard system—A new concept in the automated collection of oceanographic data, 3=5186
Johnson,F.A. The application of a neutron identification circuit to the study of fast-neutron interactions in stilbene, 3=14489
Johnson,F.A. Display of the g_1-g_3 family of characteristic curves of a 6BN6, 3=21684
Johnson,F.A. and Cochran,W. The application of the shell model to infra red lattice absorption bands of semi-conductors, 3=10927
Johnson,F.A. See Fray,S.J., 3=18961
Johnson,F.R. See Watters,B.G., 3=16722
Johnson,G.A. See Goldfarb,J., 3=3417
Johnson,H.M. See McClay,D.B., 3=17016
Johnson,H.P. See Ligon,J.T., 3=7191
Johnson,H.R. Abundance of trace elements and non-equilibrium effects, 3=13881
Johnson,J.F. See Porter,R.S., 3=9441
Johnson,J.F. See Porter,R.S., 3=9442
Johnson,J.L.,Greene,J.M. and Coppi,B. Effect of resistivity on hydromagnetic instabilities in multipolar systems, 3=21949
Johnson,J.L.,Greene,J.M. and Weimer,K.E. Equilibrium and stability for systems with small curvature, 3=12191
Johnson,K. γ_5 invariance, 3=19546
Johnson,K.A. and Wayman,C.M. The crystallography of the austenite–martensite transformation in an Fe–Cr–C alloy, 3=18346
Johnson,K.W. Vibration control, 3=14231
Johnson,L.F. Optical maser characteristics of rare-earth ions in crystals, 3=12350
Johnson,L.F. New optical maser materials incorporating trivalent rare earths, 3=23055
Johnson,L.F. and Kahng,D. Piezoelectric optical-maser modulator, 3=3875
Johnson,L.F. and Thomas,R.A. Maser oscillations at 0·9 and 1·35 microns in $CaWO_4:Nd^{3+}$, 3=25447
Johnson,L.F. See Ferguson,J., 3=19993
Johnson,M.D. and March,N.H. Long-range oscillatory interaction between ions in liquid metals, 3=9439
Johnson,M.E. See Barsis,A.P., 3=5856
Johnson,N.R. Decay of Re^{184} isomers and the level scheme in W^{184}, 3=8014
Johnson,N.R. See Wolke,R.L., 3=10180
Johnson,O.E. See Rhode,J.I., 3=6205
Johnson,O.E. See Rhode,J.I., 3=7838
Johnson,O.E. See Rhode,J.I., 3=19815
Johnson,O.W. and Gibbs,P. Fracture of Ge and Al_2O_3, 3=23351
Johnson,P.G. See Rom,F.E., 3=16434
Johnson,P.M. See Vincow,G., 3=25560
Johnson,P.O. See Wilson,R.K., 3=10099
Johnson,Q.C. See Sands,D.E., 3=8839
Johnson,R.C. and Little,W.A. Experiments on the Kapitza resistance, 3=12017
Johnson,R.F. See Bradshaw,P., 3=18840
Johnson,R.G. See Sakamoto,M., 3=127
Johnson,R.H. and Greenwood,G.W. Deformation of uranium during alpha/beta cycles under small stresses and a quantitative interpretation of the mechanical weakness of metals undergoing phase transformations, 3=1354
Johnson,R.I. Thin liquid β source for correlation studies, 3=10094
Johnson,R.W. Use of induction heating for floating zone melting above 2000°C, 3=11238
Johnson,R.W. and Daane,A.H. Electron requirements of bonds in metal borides, 3=8330
Johnson,U. See Hellwege,K.H., 3=2078
Johnson, V.J., Valenta, M.W., Dougherty, J.E.. Douglass, R.M. and Meadows, J.W. $Pb(Sc_{0.5}Nb_{0.5})_X \Phi_{1-X}O_3$, perovskite-type ferroelectric solid solutions possessing relatively large spontaneous polarizations. 3=6616
Johnson,V.R. See Gabrysh,A.F., 3=23129
Johnson,W. See Vasudevan,M., 3=14406
Johnston,A.R. See Humphrey,F.B., 3=14707
Johnston,D.R. See Wong,E.Y., 3=20481
Johnston,D.R. See Wong,E.Y., 3=23072
Johnston,F.J. See Halperin,J., 3=22434
Johnston,H.S. See Chiltz,G., 3=11356
Johnston,H.S. See Kornegay,W.M., 3=14515
Johnston,T.L. Fracture mechanisms in crystalline ceramics, 3=23356
Johnston,T.L. See Stoloff,N., 3=11185
Johnston,W.G.,Nadeau,J.S. and Fleischer,R.L. The hardening of alkali-halide crystals by point defects, 3=23364

Johnston,W.G. and Stein,D.F. Stress dependence of dislocation velocity inferred from strain-rate sensitivity, 3=13341
Johnstone, S.T.M. See Wain, H.L., 3=3236
Johoda,J.A. See Erdmann,J.C., 3=9667
Jolivet,A. Solutions in spherical coordinates of general equations of particles with spin, 3=2230
Jolivet,A. Solution of an irreducible wave equation, in spherical co-ordinates, describing a particle with a total maximum spin of 2, 3=10023
Jolliffe,B.W. See Powell,R.W., 3=272
Jolliffe,K.H. See Andrade,E.N.da C., 3=6793
Jolliffe,S.A.W. See Burtt,R.B., 3=25965
Jolly,H.P., Jr. High energy transitions in O^{16}, 3=24927
Jolly,R.K., Lin,E.K. and Cohen,B.L. Studies of 15-MeV inelastic deuteron scattering, 3=6281
Jolly,R.K., Lin,E.K. and Cohen,B.L. Angular distributions from elastic scattering of 15 MeV deuterons, 3=15220
Jolly,W.L. See Drake,J.E., 3=12863
Joly,R. See Genin,R., 3=12467
Jona,F. Kinetics of vapor solvent growth in the system ZnS : Hcl, 3=13412
Jona,F. and Mandel,G. Theoretical calculation of vapor transport of solid in the ZnS:HCl system, 3=8945
Jona-Lasinio,G. See Cassandro,M., 3=19570
Jonassen,H.B. See Boudreaux,E.A., 3=20560
Jonathan,N.B.W. See Jones,R.N., 3=14344
Jones,A.E. See De Valois,R.L., 3=11643
Jones,A.R. The measurement of gamma dose with silicon junction counters, 3=2167
Jones,A.V. Metallic emissions in the twilight and their bearing on atmospheric dynamics, 3=13791
Jones,B.K. See Chambers,R.G., 3=840
Jones,B.K. See Gugan,D. 3=10726
Jones,C.H. See Hopkins,M.R., 3=9690
Jones,C.H. See Seiler,R.F., 3=22414
Jones,C.K. and Brown,C.S. The effect of ionizing radiation on the internal friction of synthetic quartz, 3=23302
Jones,C.K. See Chandrasekhar,B.S., 3=19119
Jones,C.M. See Harris,R.W., 3=2446
Jones,C.M. See Tombrello,T.A., 3=6005
Jones,D. See Kelly,B.T., 3=10433
Jones,D.E. See Barath,F.T., 3=18618
Jones,D.G., West,R.H. and Wolfendale,A.W. The rate of energy loss of cosmic ray muons in a neon—methane mixture, 3=24821
Jones,D.L. Precursor electrons ahead of cylindrical shock waves, 3=1759
Jones,D.S. High-frequency refraction and diffraction in general media, 3=9931
Jones,D.T.L. See Long,D.A., 3=15344
Jones,D.T.L. See Long,D.A., 3=19998
Jones,D.T.L. See Long,D.A., 3=22570
Jones,D.W. Principles and practice of N.M. [illegible] its uses in the study of solids, 3=3189
Jones, D.W. and McQuillan, A.D. Magnetic susceptibility and hydrogen affinity of b.c.c. alloys of Nb-Mo Nb-Re and Mo-Re, 3=3084
Jones,D.W. and Smith,J.A.S. Hydrogen bonding in calcium orthophosphates, 3=8865
Jones,D.W. See Cruickshank,D.W.J., 3=25723
Jones,E. See Davies,D.K., 3=24214
Jones,E.S.O. See Beynon,W.J.G., 3=6987
Jones,F.E. Evaporated-film electric hygrometer elements, 3=1425
Jones, F. Llewellyn and Nicholas, D.J. The theory and design of an analyser for investigating the electron emission characteristics of surfaces in gases, 3=418
Jones,F.Llewellyn. See Davies,D.K., 3=9725
Jones,F.Llewellyn. See also Llewellyn Jones,F.
Jones,F.S. See Menzel,D.H., 3=3583
Jones,G.A. See Bader,R.F.W., 3=12843
Jones, G.A. See Bader, R.F.W., 3=17587
Jones,G.D. See Hayes,W., 3=8710
Jones,G.L. and Kobett,D.R. Interaction of elastic waves in an isotropic solid, 3=7269
Jones,G.R. See Holmes,R., 3=6431
Jones,G.R. See Holmes,R., 3=21459
Jones,H. Concentrated solid solutions of normal metals, 3=8915
Jones,H.F. Dispersion theory of the deuteron form factor and elastic e–d scattering, 3=2329
Jones,H.F. Dispersion theory of the deuteron form factor and elastic e–d scattering, 3=17354
Jones,I.R. Calculation of the optimum dimensions of collimators for neutron diffraction, 3=6831
Jones,I.R. and Bartolini,W. Suppression of total reflection of neutrons from collimator surfaces, 3=7867
Jones,J.I.P. A band-pass filter technique for recording atmospheric turbulence, 3=5603
Jones,J.M. Self-excited plasma surface-waves, 3=21840
Jones,J.P. and Bhuta,P.G. Vibrations of a whirling Rayleigh beam, 3=18879
Jones,J.P. See Bhuta,P.G., 3=9529
Jones,J.P. See Bhuta,P.G., 3=18874
Jones,J.R. and Monk,C.B. Some aspects of liquid scintillation counting of tritiated compounds, 3=17099
Jones,K.W. See Seiler,R.F., 3=22414
Jones,L.L. See Davidson,E.R., 3=1610
Jones,L.L. See Davidson,E.R., 3=2616
Jones,L.L. See Davidson,E.R., 3=6392
Jones,L.W. and De Raad,B. Experimental utilization of proton storage rings, 3=17003
Jones,L.W. See Bleuler,E., 3=24565
Jones,L.W. See Fast,G., 3=7909
Jones,L.W. See Fowler,R.G., 3=14549
Jones,L.W. See Ting,C.C., 3=6050
Jones,M.E. Ammonia equilibrium between vapor and liquid aqueous phases at elevated temperatures, 3=21336
Jones,M.T. Electron spin exchange in aqueous solutions of $K_2(SO_3)_2NO$, 3=16639
Jones,M.T. and Chesnut,D.B. Triplet spin exchange in some ion radical salts, 3=11109
Jones,M.W. See Hirsch,P.B., 3=17770
Jones,N.R. and McChesney,M. Equilibrium ionization calculations for normal and oblique shock waves in argon, 3=23973
Jones,O.C. An impedance converter for use with digital voltimeters, 3=9702
Jones,O.E., Neilson,F.W. and Benedick,W.B. Dynamic yield behavior of explosively loaded metals determined by a quartz transducer technique, 3=1224
Jones,P.J. See Wanklyn,J.N., 3=695
Jones, P.R., Costigan, P. and Van Dyk, G. Resonant electron capture and stripping in Ne^+—Ne collisions at energies of several keV, 3=4725
Jones, P.S.H. See Caine,C.A., 3=17360
Jones,R.A.Y. Nuclear magnetic resonance, 3=17065
Jones, R.C. Information capacity of radiation detectors II, 3=3922
Jones,R.C. Information capacity of radiation detectors and of light, 3=11909
Jones,R.C. See Brown,H.W., 3=8310
Jones,R.E. See Waters,R.T., 3=4097
Jones,R.J. Remarks on tune-up of analogue II, 3=5783
Jones,R.J., Hudson,E.D., Livingston,R.S., Lord,R.S., Marshall,M.B., Smith,W.R., White,W.H., Jr and Worsham,R.E. Unique features in the Oak Ridge isochronous cyclotron, 3=5734
Jones,R.J. See Livingston,R.S., 3=5779
Jones,R.J. See White,W.H., Jr, 3=5793
Jones,R.N., Seshadri,K.S., Jonathan,N.B.W. and Hopkins,J.W. A statistical approach to the analysis of infrared band profiles, 3=14344
Jones, R.P. See Surplice, N.A., 3=17969
Jones,R.P. See Surplice,N.A., 3=25209
Jones,R.P. See Surplice,N.A., 3=25426
Jones, R.S., Gerber, H.J., Hanson, A.O. and Wattenberg, A. Deuteron Compton effect, 3=2233
Jones,R.T. Conformal coordinates associated with space-like motions, 3=11682
Jones,R.V. and Forbes,S.T. Sub-acoustic waves from recent nuclear explosions, 3=9060
Jones,R.V. See Collins,M.F., 3=1106
Jones,R.V. See Comly,J.B., 3=15922
Jones,R.V. See Nowlin,C.H., 3=15777
Jones,R.V. See Smith,A.B., 3=14714
Jones,T.J.L. See Hobbs,G.D., 3=7463
Jones,T.P. The stability of tungsten strip lamps as secondary standard sources in photoelectric pyrometry, 3=9643
Jones,W.B. New isomers of astatine-212, 3=15157
Jones,W.B. and Gallet,R.M. Methods for applying numerical maps of ionospheric characteristics, 3=9071
Jones,W.B. See Richardson,J.R., 3=5733

Jones,W.M. See Rout,V.M., 3=22419
Jones,W.P. See Spreiter,J.R., 3=25958
Jongejans,B. On small-angle scattering and absorption of negative pions with a momentum of 5.7 GeV/c in nuclear emulsion, 3=7906
Jongen,H.F. Electrons and photons in cosmic radiation, 3=2344
Jongenburger,P. The influence of stationary extended dislocations on the shear modulus, 3=25616
Jonker,C.C. See Rethmeier,J.,, 3=2464
Jonker,C.C. See Rethmeier,J., 3=6011
Jonsson,V.K. See Sparrow,E.M., 3=14410
Joon Sang Moon and Keeler,R.N. A theoretical consideration of directional effects in heat flow at the interface of dissimilar metals, 3=1846
Jopson,R.C., Mark,H. and Swift,C.D. L-shell fluorescence yields of Pt, Tl, and Pb, 3=4711
Jopson,R.C., Mark,H., Swift,C.D. and Williamson,M.A. L-shell fluorescence yields in heavy elements, 3=19953
Jordan,A.G. A note on the inductive properties of filamentary transistors, 3=22965
Jordan,A.G., Lade,R.W. and Scharfetter,D.L. A note on Fermi levels, quasi-Fermi levels, and terminal voltages in semiconductor devices, 3=20347
Jordan,A.G. See Lade,R.W., 3=4931
Jordan,A.G. See Nathanson,H.C., 3=13093
Jordan,B. See Allen,N.L., 3=7596
Jordan,H.L. Methods for the production of high density, high temperature plasmas by magnetic compression under controlled initial conditions, 3=12163
Jordan,P. Boundaries of validity of quantum mechanics, 3=1609
Jordan, P. Geophysical consequences of Dirac's hypothesis, 3=5177
Jordan,T.F.,Mukunda,N. and Pepper,S.V. Irreducible representations of generalized oscillator operators, 3=21253
Jordan,W.C. See Gibson,G., 3=7567
Jordan,W.C. See Gibson,G., 3=7568
Jordan,W.C. See Gibson,G., 3=12199
Jordan,T.H. See Streib,W.E., 3=6839
Jordon,E.C.[Ed.]. Electromagnetic theory and antennas, 3=12308
Jørgensen,C.K. Optical electronegativities of 3d group central ions, 3=8222
Jorgensen,T., Jr. See Kuyatt,C.E., 3=14641
Jorgensen,T.,Jr. See Rudd,M.E., 3=19177
Jortner,J., Ottolenghi,M., Rabani,J. and Stein,G. Conversion of solvated electrons into hydrogen atoms in the photo- and radiation chemistry of aqueous solutions, 3=3405
Jortner,J., Rice,S.A. and Wilson,E.G. Speculation concerning the nature of binding in xenon fluorine compounds, 3=20000
Jory,R.L. See Crompton,R.W., 3=12251
Joseph,A.S. and Thorsen,A.C. Magnetic breakdown in rhenium, 3=23137
Joseph,A.S. See Thorsen,A.C., 3=25502
Joseph,C.,Alder,J.C.,Grin,G.A.,Loude,J.F. and Vaucher,B. Measurement of the light output of NE 213 liquid scintillator for recoil protons, 3=2266
Joseph,D.W. and Wada,W.W. The Lee model applied to the virtual deuteron, 3=12512
Joseph,L. See Mazur,J., 3=1562
Joseph,R.I.,Schlömann,E. and White,R.M. Higher-order spin-wave instability excited by parallel pumping, 3=23146
Joseph,R.I. See Schlömann,E., 3=11096
Joseph,R.I. See Silverman,B.D., 3=8547
Josephs,R.M. See Dousmanis,G.C., 3=10773
Josephson,B.D. Possible new effects in superconductive tunnelling, 3=1895
Joshi,B.C. See Rao Ramakrishna,V., 3=236
Joshi,B.R.,Lewis,G.M. and Smith,K.M. Internal source scintillation spectrometry, 3=24547
Joshi,G.H. Energy conversion mechanism in a magnetized current-carrying plasma, 3=7527
Joshi,K.M. See Saxena,S.C., 3=1722
Joshi,K.M. See Saxena,S.C., 3=2672
Joshi,M. Precise measurement of the position of radiosources at 169 Mc/s, 3=9274
Joshi, M.C, Thosar, B.V. and Prasad, K.G. Low energy levels in Au^{199}, 3=17422
Joshi,M.M. and Sharma,D. Near ultraviolet absorption spectrum of diatomic silver fluoride molecule, 3=12832
Joshi,R.K. See Saxena,S.C., 3=7235
Joshi,R.K. See Saxena,S.C., 3=11822
Joshi,R.K. See Saxena,S.C., 3=18843
Joshi,R.K. See Saxena,S.C., 3=21438
Joshi,S.K. Resonance absorption in solid cyclohexane, 3=8352
Joshi,S.K. and Kashyap,B.M.S. On the debye temperature of crystals, 3=772
Josseron, G. See Janin, J., 3=18053
Jost,K. See Fink,M., 3=12256
Jost,K.H. The structure of the acid sodium phosphate, 3=1337
Jost,K.H. Adjustment of crystals by measn of oscillation photographs, 3=11213
Jost,K.H. The structure of Maddrell's salt: $(NaPO_3)_x$, 3=16079
Jost,K.H. Structure of Kurrol sodium salts $(NaPO_3)_x$, type B, 3=18321
Jost,K.H. Structure of potassium polyphosphates $(KPO_3)_x$, 3=18323
Jost,R. T.C.P. invariance of the S-matrix and interpolating fields, 3=12408
Jost,W. On the kinetics of oxidation reactions, 3=20981
Joubert,J.C. See Durif,A., 3=5112
Joubert,J.C. See Durif-Varambon,A., 3=8856
Jourdan,P. See Alidieres,M., 3=9777
Jousseaume,C. See Leroy,J.L., 3=19654
Jousset,J.C. and Quéré,Y. Changes in resistivity of uranium quenched from 100° to 4·2° K, 3=20270
Jouvet,B. Anomalous properties of the vector fields in interaction with Dirac's current, 3=548
Jouvet,B. See Adam,J.P., 3=22068
Jovanović,D.T., Stojanović,B.M. and Ilić,R.P. A transistorized stabilized high voltage power supply 0-2000 V, 3 mA, 3=14481
Jowett,A. See Harris,C.C., 3=21278
Joy,H.W. Integrals of products of associated legendre functions, 3=7085
Joy, H.W. See Saturno, A.F., 3=17561
Joyce,B.A. See Charig,J.M., 3=5091
Joyner,W.T. Reaction mechanism in $Mg^{24}(p,p'\gamma)$ at low energies, 3=6234
Juan, C. and Gutowsky, H.S. Valence-bond studies of the dependence upon substituents of $C^{13}-H$ and $Si^{29}-H$ coupling, 3=2661
Judd,A.M. Neutron flux measurements by resonance activation of foils, 3=19653
Judd,B.R., Lovejoy,C.A. and Shirley,D.A. Anomalous quadrupole coupling in europium ethylsulfate, 3=3173
Judd,B.R. See Abraham,M., 3=13299
Judd,B.R. See Blaise,J., 3=6354
Judd,D.L. Electric dissociation of negative hydrogen ions in cyclotrons and synchrocyclotrons, 3=5737
Judd,D.L. See Garren,A.A., 3=5788
Judeikis,H.S., Flournoy,J.M. and Siegel,S. Isotope effects and the mechanism of atom production in gamma-irradiated ice at 4·2°K, 3=2669
Judge,D. On the uncertainty relation for L_z and φ, 3=18734
Judge,D. and Lewis,J.T. On the commutator $[L_z, \varphi]$, 3=18735
Judge,D.L. and Coleman,P.J., Jr. Observations of low-frequency hydromagnetic waves in the distant geomagnetic field: Explorer 6, 3=9127
Judge,D.L. See Schoen,R.I., 3=4753
Jugle,D.B. See Darby,J.B.,Jr., 3=16614
Juldašbaev,T.S. See Azimov,S.A., 3=6108
Julesz,B. Stereopsis and binocular rivalry of contours, 3=18680
Julesz,B. See Guttman,N., 3=13962
Julg,A. and Carles,P. Study of the conjugation of the electron doublet of nitrogen with an unsaturated system (improved L.C.A.O. method), 3=4774
Julian,D.B. See Gledhill,R.J., 3=5539
Julich,H. Generation of sinusoidal light intensity, 3=18969
Julien,J.,Corge,C.,Huynh,V.D.,Morgenstern,J. and Netter,F. Anomalies in the observed partial widths in some neutron resonances, 3=4645
Julliot,C. See Brunet,M., 3=21865
Jungclaussen,H.,Schintlmeister,J. and Sodan,H. Measurements on the decay scheme of I^{131}, 3=15152
Junge,C.E. Global ozone budget and exchange between stratosphere and troposphere, 3=6953
Junge,C.E. Sulphur in the atmosphere, 3=25871
Junge,C.E. Studies of global exchange processes in the atmosphere by natural and artificial tracers, 3=25907
Junge,K. A contribution to the trapping state spectroscopy of CdS crystals, 3=23101

Junge,W. and Fleischmann,R. Investigations on thin alkali metal films. II. Phase difference and loss of light when light traverses thin potassium films with vector-dependent absorption, 3=18386

Jungerman,J.A.,Peek,N.F. and Patten,C.G. A preliminary report on the 22-inch spiral ridge cyclotron at the University of California, Davis, 3=5747

Jungk,G.,Thiessen,K. and Witt,F. Stationary photoconductivity and p—n photoeffect in SiC, 3=13136

Jungk,G. See Thiessen,K., 3=8571

Jungner,H. See Simons,L., 3=4572

Jungner,H. See Simons,L., 3=22307

Jungner,H. See Simmons,L., 3=24867

Jungnickel,J.L. See Coppinger,G.M., 3=20003

Jüngst,W. and Schmicker,D. Transverse polarization of K- and L- conversion electrons following the beta decay of Hg^{203}, 3=10314

Junker,J. See Grossmann-Doerth,U., 3=12104

Junkison,A.R. See Wait,E., 3=10699

Junod,P. See Busch,G., 3=11038

Jupiter,C.P. See Fultz,S.C., 3=6221

Jura, G. See Souers, P.C., 3=17899

Jurek,B. Visibility of interference fringes for small path differences, 3=3886

Juretschke,H.J. D.C. detection of spin resonance in thin metallic films, 3=15934

Juretschke,H.J. See Epstein,S., 3=8513

Jurewicz,A. See Białkowski,G., 3=4422

Jussila,J. See Rieder,W., 3=4079

Just,D. A new method of determining the diffusion profiles in solids, 3=20228

Just,D. Semiconductor diodes, 3=20352

Justice,B.H. and Westrum,E.F.,Jr. Thermophysical properties of the lanthanide oxides. I. Heat capcities, thermodynamic properties, and some energy levels of lanthanum (III) and neodymium (III) oxides from 5 to 350° K, 3=20104

Justice,B.H. and Westrum,E.F.,Jr. Thermophysical properties of the lanthanide oxides. II. Heat capacities, thermodynamic properties and some energy levels of samarium (III) gadolinium (III), and ytterbium (III) oxides from 10 to 350° K, 3=20105

Justice,B.H. See Westrum,E.F.,Jr., 3=20106

Justus,C.G. See Edwards,H.D., 3=21045

Jutzi,W. Angular dependence of the reflection factor of [microwave] absorbers composed of several lossy homogenous layers followed by a short-circuit plate. 3=4270

Kabachenko,A.P. See Korotkov,K.A., 3=22327

Kabalkina,S.S. Certain peculiarities of compressibility of molecular crystals, 3=15985

Kabalkina,S.S., Vereshchagin,L.F. and Shulenin,B.M. X-ray investigation of the influence of hydrostatic pressure on the structure of barium titanate, 3=3302

Kabalkina,S.S.,Vereshchagin,L.F. and Shulenin,B.M. X-ray investigation to the influence of hydrostatic pressure on the structure of barium titanate, 3=6848

Kabanov,A.N., Kushnir,Yu.M. and Fetisov,D.V. Objective method of recording electron energy spectra with an electrostatic analyser, 3=2039

Kabanov,A.N. See Fetisov,D.V., 3=1738

Kabanov,A.N. See Fetisov,D.V., 3=3697

Kabanov,A.N. See Kushnir,Yu.M., 3=2035

Kabanov,A.N. See Kushnir,Yu.M., 3=2040

Kabanov,A.N. See Spivak,G.V., 3=2034

Kabanov,B.N. See Kashcheev,V.D., 3=13611

Kabemoto,S. See Kino,T., 3=22746

Kabemoto,S. See Yoshida,S., 3=22891

Kabir,P.K. Lepton conservation laws and the existence of two neutrinos, 3=12439

Kabler,M. See Celli,V., 3=17730

Kabler,M. See Celli,V., 3=23288

Kabler,M.N. Dislocation mobility in germanium, 3=17729

Kabler,M.N., Miller,M.G. and Slifkin,L.M. Dislocation—impurity interactions and strain aging in AgCl, 3=17718

Kabler,M.N. See Klick,C.C., 3=20244

Kac,M. and Helfand,F. Study of several lattice systems with long-range forces, 3=23779

Kac,M.,Uhlenbeck,G.E. and Hemmer,P.C. On the van der Waals theory of the vapor—liquid equilibrium. I. Discussion of a one-dimensional model, 3=12005

Kac,M. See Uhlenbeck,G.E., 3=12006

Kachalov,V.P. Sensitive Bi I lines in the solar spectrum, 3=9195

Kachalov,V.P. See Yakovleva,A.V., 3=23581

Kachare,N.R. See Mani,A., 3=18513

Kachhawa,C.M. and Saxena,S.C. On the determination of the energy per cell in a diatomic crystal lattice, 3=22621

Kachi,S.,Bando,Y. and Higuchi,S. The phase transformation of iron rich iron—nickel alloy in fine particles, 3=8897

Kachi,S.,Momiyana,K, and Shimizu,S. An electron diffraction study and a theory of the transormation from γ-Fe_2O_3 to α-Fe_2O_3, 3=11204

Kachi,S. See Kosuge,K., 3=15779

Kachinskii,V.N. Peculiarities of the Hall effect in tin in a large effective magnetic field, 3=15555

Kachlishvili,Z.S. See Tsertsvadze,A.A., 3=6451

Kachurin, L.G, Gashin, L.I. and Osipov, Yu.G. Control of the structure of crystals grown in a stream of supercooled aerosol, 3=18252

Kacprzyński,J. The dynamic problem of the thermoelasticity of a circular cone, 3=3774

Kacser,C. 3π decay modes of $K^{\pm}$ and η, 3=10166

Kacser,C. See Barton,G., 3=12501

Kaczér,J. Recording photocompensating torsion balance with automatic arresting device, 3=19397

Kaczér,J.,Gemperle,R.,Zelený,M.,Pačes,J.,Šuda,P.,Frait,Z. and Ondris,M. On domain structure and magnetization processes, 3=1062

Kaczér,J. See Katser,Ya., 3=18112

Kaczkowski, Z. The coefficients of magnetostrictive equations and their relationship, 3=3077

Kaczmarek,E. Equations for the reduced distribution functions of a mixture of particles, 3=14048

Kaczmarek,F, Dielectric properties of triglycine sulfate (TGS) and guanidine aluminium sulfate hexahydrate (GASH) in the microwave region, 3=23005

Kadanoff,L.P. Boltzmann equation for polarons, 3=12951

Kadanoff,L.P. See Markowitz,D., 3=19100

Kaddoura,A. See Bowler,M.G., 3=4536

Kaddoura,A. See Bowler,M., 3=4537

Kadeev,V.T. See Fabrikov,V.A., 3=6738

Kaderka,M. Influence of CO_3^{2-} and OH^- groups on dielectric losses of NaCl crystals, 3=20375

Kaderka,M. See Bohun,A., 3=4985

Kadokawa,Y. See Suzuki,J., 3=13948

Kadokawa,Y. See Suzuki,J., 3=25998

Kadomtsev,B.B. "Anomalous" diffusion of a rarefied plasma with a current in a magnetic field, 3=14573

Kadomtsev,B.B. Turbulent plasma in a strong magnetic field, 3=21836

Kadomtsev,B.B. and Petviashvili,V.I. A weakly turbulent plasma in a magnetic field, 3=16968

Kadomtsev,B.B. and Timofeev,A.V. Drift instability of non-uniform plasma in magnetic field, 3=16960

Kadomtseva,A.M. See Belov,K.P., 3=8683

Kadomtseva,A.M. See Belov,K.P., 3=15867

Kadyk,J.A. See Brown,J.L., 3=12500

Kady̆shevskii,V.G. On the theory of quantization of space—time, 3=4310

Kady̆shevskii,V.G. Various parametrizations in the theory of quantized space-time, 3=7119

Kady̆shevskiĭ,V.G. Model of the scalar field theory in quantized space—time, 3=14852

Kadzhar,Ch.O. See Imanov,L.M., 3=20002

Kaeppeler,H.J. See Geiger,W., 3=11855

Kaesz,H.D. See Flitcroft,N., 3=22602

Kafalas,J.A., Gatos,H.C., Lavine,M.C. and Banus,M.D. High pressure phase transition in mercury selenide, 3=3253

Kafalas,J.A. See Banus,M.D., 3=20771

Kaftanov,V.S. and Liubimov,V.A. Spark chamber use in high-energy physics, 3=17148

Kaftanov,V.S. See Alikhanov,A.I., 3=6024

Kaftanov,V.S. See Babaev,A.I., 3=6025

Kaftanov,V.S. See Babaev,A.I., 3=17298

Kagan,A.S. See Iveronova,V.I., 3=23526

Kagan,M.R. See Filipescu,N., 3=4990

Kagan, V.D. See Gurevich, V.L., 3=17653

Kagan,Yu. Inelastic scattering of slow neutrons on arbitrary crystals and the general problem of reconstruction of the phonon spectrum, 3=6474
Kagan,Yu. and Afanas'ev,A.M. Contribution to the kinetic theory of gases with rotational degrees of freedom, 3=1727
Kagan,Yu. and Iosilevskiĭ,Ya. The Mössbauer effect for an impurity nucleus in a crystal. II, 3=22627
Kagan,Yu. and Iosilevskiĭ,Ya. Neutron scattering on crystals with impurity nuclei and the problem of reconstruction of the vibrational spectrum, 3=25187
Kagan,Yu. and Iosilevskiĭ,Ya.A. The Mössbauer effect for an impurity nucleus in a crystal, 3=6461
Kagan,Yu.and Maksimov,L. Transfer phenomena in a paramagnetic gas, 3=171
Kagan,Yu. See Afanas'ev,A.M., 3=15430
Kagan,Yu. See Zhdanov,V., 3=5463
Kagan,Yu.M. and Lyagushchenko,R.I. Theory of photoelectric currents in gases, 3=7250
Kagan,Yu.M. and Lyagushchenko,R.I. Energy distribution of electrons in a positive discharge column, 3=21746
Kagan,Yu.M.,Lyagushchenko,R.I. and Khakhaev,A.D. Excitation of inert gases in the positive column of a discharge at medium pressures, 3=24238
Kaganov,M.,Mikhailov,I. and Rashba,E. VIIIth All-Union Conference on Low-temperature Physics (Kiev, October 13-20, 1961), 3=24124
Kaganov,M.A. and Rozenshtok,Yu.L. The accuracy of heat flow measurements using heat flux meters of various shapes, 3=9635
Kaganov,M.I. Inelastic scattering of particles and the Cherenkov radiation, 3=7828
Kaganov,M.I. and Chupis,I.E. Threshold absorption of magnetic energy in a uniaxial antiferromagnetic, 3=25551
Kaganov,M.I. and Tsukernik,V.M. Contribution to the theory of nonresonance absorption of an alternating magnetic field by a ferromagnetic dielectric at low temperatures, 3=8661
Kaganov,M.I. and Tsukernik,V.M. Concerning a mechanism of absorption of the longitudinal magnetic field by a ferromagnetic dielectric, 3=8662
Kaganov,M.I. and Yui Lu [Yu Lu]. Effect of the boundary condition for the magnetic moment on spin-wave resonance in metals, 3=13289
Kaganov,M.I. See Agranovich,V.M., 3=2767
Kaganov,M.I. See Bar-yakhtar,V.G., 3=9821
Kaganov,M.I. See Bass,F.G., 3=17240
Kaganov,M.I. See Lifshitz,I.M., 3=25218
Kaganskii,M.G. See Badalov,N.B., 3=22347
Kageyama,K. See Kimura,M., 3=22376
Kageyama,K. See Mutsuro,N., 3=4615
Kageyama,K. See Mutsuro,N., 3=4616
Kageyama,K. See Mutsuro,N., 3=19832
Kagiwada,R. See Stern,R., 3=12040
Kahalas,S.L. On the frequency cut-off hydromagnetic waves in the upper atmosphere, 3=16304
Kahalas,S.L. Coupling of magnetohydrodynamic to electromagnetic waves at a plasma discontinuity. II. The non-propagating field, 3=16963
Kahalas,S.L. and Nesbet,R.K. Electronic structure of LiH and quadrupole moment of Li^7, 3=25099
Kahalas,S.L. See Ullah,N., 3=9818
Kahan,T. See Basu,D., 3=7517
Kahan,T. See Cairo,L., 3=5849
Kahan,T. See Maroni,P., 3=369
Kahan,T. See Maroni,P., 3=16912
Kahana,S. Positron annihilation in metals, 3=8412
Kahana,S. See Lafleur,M.S., 3=24693
Kahane,A. Polarization waves in solids, 3=25388
Kahane,A. See Magnan,D., 3=22980
Kahle,W. See Berger,H., 3=8924
Kahn,A.H. See Hernandez,W.C.,Jr, 3=25317
Kahn,H.L. and Slavin,W. An atomic absorption spectrophotometer, 3=24025
Kahn,J.S. and Wadleigh,W. Preliminary observations on the sintering of BeO, 3=18368
Kahn,P.B. Energy level spacing distributions, 3=9362
Kahn,P.B. See Dresden,M., 3=535
Kahneman,D. See Flom,M.C., 3=21171
Kahng,D. Conduction properties of the Au–N-type–Si Schottky barrier, 3=20355
Kahng,D.,Thomas,C.O. and Manz,R.C. Anomalous impurity diffusion in epitaxial silicon near the substrate, 3=22824
Kahng,D.,Thomas,C.O. and Manz,R.C. Epitaxial silicon junctions, 3=23418
Kahng,D. See Johnson,L.F., 3=3875
Kahng,D. See Thomas,C.O., 3=10650
Kai,K. Linear polarization of solar radio emission of spectral type IV, 3=23707
Kai-da Chsian. See Kondorsky,E.I., 3=832
Kaidanovskii,N.L. See Zakharenkov,V.F., 3=13933
Kaigorodov,V.R. Einstein spaces with maximum mobility, 3=5346
Kaila,T.R. See Rama Krishna Rao,V., 3=9604
Kainuma,S. and Tsuya,N. Domain patterns in electrodeposited nickel-iron thin films, 3=11085
Kainuma,T. See Karashima,S., 3=2812
Kainuma,T. See Karashima,S., 3=3256
Kainuma,Y. See Fujimoto,F., 3=1311
Kainuma,Y. See Yoshioka,H., 3=1296
Kainz,J. See Buser,R.G., 3=24510
Kaipov,D.K.,Shubnȳi,Yu.K.,Begzhanov,R.B. and Islamov,A.A. Resonance scattering of γ-quanta on Sn^{116} nuclei, 3=2429
Kaipov,D.K. See Akkerman,A.F., 3=15149
Kaipov,D.K. See Batalin,S.S., 3=24200
Kaipov,D.K. See Begzhanov,R.B., 3=22303
Kaiser,H. A laboratory apparatus for electron diffraction on thin films, 3=6901
Kaiser,H.J. Trace calculation on electronic computer, 3=16488
Kaiser,H.J. See Barashenkov,V.S., 3=571
Kaiser,T.R. The admittance of an electric dipole in a magneto-ionic environment, 3=2121
Kaiser,T.R. The behaviour of an electric dipole in a magneto-ionic environment, 3=16262
Kaiser,W. The optical maser, 3=9965
Kaiser,W. and Lessing,H. Effects of an electric field on the laser emission of ruby, 3=19485
Kaitmazov,S.D. and Prokhorov,A.M. E.S.R. spectra of HO_2, OH, DO_2 and OD radicals, 3=20012
Kaji,I. See Ozawa,Y., 3=14611
Kajiwara,S. See Nishiyama,Z., 3=25736
Kajiyama,M. The propagation of sound waves in a rectangular duct with porous material, 3=14260
Kakac,S. A reflected ractor with a flat thermal flux distribution in the core, 3=10407
Kakigi,S. See Yanabu,T., 3=22418
Kakinoki,J. One dimensionally disordered crystal with a special reference to the anti-phase domain structures, 3=810
Kakinuma,T. and Swarup,G. A model for the sources of the slowly varying component of microwave solar radiation, 3=3618
Kakinuma,T. See Swarup,G., 3=16424
Kakinuma,U. Electron as a fundamental elementary particle. I. 3=10030
Kakutani,T. Hydromagnetic flow due to a rotating disk, 3=479
Kakuyama,T. See Kumagi,H., 3=460
Kalabukhov,N.P.and Yurachkovskii,P.A. Ultraviolet absorption of X-rayed KCl crystals, 3013
Kalashnikov,S.G. See Eliseev,P.G., 3=17847
Kalashnikov,S.G. See Karpova,I.V., 3=10785
Kalashnikov,S.G. See Karpova,I.V., 3=17848
Kalashnikov,S.G. See Kurova,I.A., 3=2976
Kalashnikov,S.G. See Landsberg,E.G., 3=17853
Kalashnikov,V.P. See Zȳryanov,P.S., 3=402
Kalashnikova,I.V. See Magnitsky,V.A., 3=13648
Kalashnikova,V.I. See Samoilovich,D.M., 3=2180
Kalbach,R.M. and Piserchio,R.J. Nucleon–pion Q-values, 3=19624
Kalbach,R.M. See Abraham,F.F., 3=2259
Kalbach,R.M. See Piserchio,R.J., 3=2260
Kalbfleisch,G.R.,Alexander,G., Dahl,O.I., Miller,D.H., Rittenberg,A. and Smith,G.A. Study of the $I = 2\Sigma\pi$ system in $\pi+N$ interactions, 3=17349
Kalbfleisch,G.R. See Alexander,G., 3=7924
Kalbfeisch,G.R. See Alvarez,L.W., 3=15039
Kalbfleisch,G.R. See Lynch,G.R., 3=19633
Kalbfleisch,G.R. See Lynch,G.R., 3=19634
Kalbfleisch,G.R. See Miller,D.H., 3=19698
Kalbitzer,S. Experiments on the diffusion of rare gases in alk halide single crystals, 3=15508

Kalboryanu,A. and Mynzatu,I. Calculation of fast neutron polarization angular distribution in elastic scattering on C^{12}, 3=19857
Kalckar,J. SU_3 symmetry and the existence of a ninth vector meson, 3=24612
Käld,L. See Simons,L., 3=4591
Kalebin,S.M. and Vladimirskii,V.V. Mechanical neutron chopper suspended in a magnetic field, 3=2279
Kalejis,J. See Magarvey,R.H., 3=14133
Kalibjian,R. See Wouters,L.F., 3=4180
Kalimbet,A.Z. See Gobov,G.V., 3=18043
Kalinenkov,N.D. and Stolov,A.L. An intensity-recording microphotometer, 3=11485
Kalinichenko,S.S. See V'yugov,P.N., 3=4411
Kalinin,V.A. and Trubitsyn,V.P. Attenuation of surface waves in a layer on a half-space, 3=14240
Kalinin,V.A. See Zharkov,V.N., 3=3430
Kalinin,V.A. See Zharkov,V.N., 3=4827
Kalinin,V.M. See Dunaev,F.N., 3=3116
Kalinin,V.M. See Dunaev,F.N., 3=6712
Kalinin,Yu.S. See Rudnevskii,N.K., 3=25840
Kalinkin,B.N. and Pustyl'nik,B.I. Elastic scattering of heavy ions in the quasiclassical approximation, 3=15232
Kalinkin, B.N. See Grabowski, J., 3=17448
Kalinkin,B.N. See Ivanova,S.P., 3=24978
Kalinkin,B.N. See Ivanova,S.P., 3=24979
Kalinkin,I.P.,Sergeeva,L.A.,Aleskovskii,V.B. and Strakhov,L.P. Investigation of the structure of thin cadmium selenide films deposited on the (100) and (110) faces of rocksalt monocrystals, 3=18378
Kalinkin,I.P. See Strakhov,L.P., 3=23014
Kalinkin,L.F.,Melioranskii,A.S. and Estulin,I.V. Cascade γ—quanta in the $Rh^{103}(n,\gamma)Rh^{104}$ reaction, 3=6272
Kalinkin,L.F.,Melioranskii,A.S. and Estulin,I.V. Remarks on the excited energy states of the odd-odd nuclei Ho^{166} and Cs^{134}, 3=12600
Kalinkin,L.F. See Éstulin,I.V., 3=15215
Kalinkina, I.N. Magnetic specific heat of antiferromagnetic Co, Ni, Mn and Fe carbonates, 3=17659
Kalinkina,I.N. See Borovik-Romanov,A.S., 3=3145
Kalinovich,D.F., Korenskiĭ,I.I. and Smolin,M.D. Electron transport of tungsten in cobalt, 3=17782
Kalinovich,D.F. See Frantsevich,I.N., 3=20235
Kalinovich,D.F. See Frantsevich,I.N., 3=20237
Kalish,R. See Rosner,B., 3=14966
Kalish,Y. A proposal for a new type of gamma scintillation spectrometer, 3=19606
Kaliski,S. Propagation of magneto-elastic and plastic waves in a dielectric semi-space under mechanical impulse, 3=5824
Kaliski,S. Magnetoelastic vibration of perfectly conducting plates and bars assuming the principle of plane sections, 3=16679
Kaliski,S. Magnetoelastic resonance vibration of a perfectly conducting plate in a magnetic field, 3=16680
Kaliski,S. Waves produced by a mechanical impulse on the surface of a semi-space constituting a real conductor in magnetic field, 3=16691
Kaliski,S. Rayleigh waves in an elastic dielectric in a magnetic field, 3=19435
Kaliski,S. and Michalec,J. The resonance amplification of a magnetoelastic wave radiated from a cylindrical cavity, 3=18890
Kaliski,S., Plochocki,Z. and Rogula,D. The asymmetric stress tensor and the angular momentum conservation law in the equations of combined mechanical and electromagnetic field in a continuous medium, 3=19420
Kaliski,S. and Solarz,L. Aero-magneto-flutter of a plate flown past by a perfectly conducting gas in a magnetic field with isotropic action, 3=24449
Kaliski,S. and Solarz,L. Aero-magneto-flutter of a plate flown past by a perfectly conducting gas in a magnetic fluid with anisotropic action, 3=24450
Kaliszewski,T. Laboratory observations of the Luxembourg effect in free space plasma columns, 3=9805
Kaliszewski,T. On the use of an asymmetric model in the theory of radio echo from meteor trails, 3=11599
Kaliszewski,T. On the scattering of short waves from low density meteor trails, 3=23709
Kaliteevskii,N.I.,Fradkin,E.E. and Chaika,M.P. Quadrupole moments and isotope shifts of barium isotopes, 3=12562
Kalkstein,M.I. Rhodium-102 high altitude tracer experiment, 3=3457
Kalkstein,M.I. Movement of material from high altitude deduced from tracer observations, 3=25906
Kallmann,H.,Gallagher,J. and Wotherspoon,N. Paramagnetic resonance of trapped electrons in ZnCdS phosphors, 3=23238
Kallmann,H. See Furst,M., 3=5902
Kallmann,H.P. See Furst,M., 3=1702
Kallmann,H.P. See Luchner,K.M., 3=6677
Kallmann,H.P. See Pope,M., 3=18051
Kallmann-Bijl,H.K. Variations of atmospheric properties with time and solar activity, 3=1426
Kalmus,G.E. See Birge,R., 3=22192
Kalmus,G.E. See Ely,R.P., 3=19703
Kalmus,P.I.P. See Barbier,M., 3=17002
Kalmus,P.I.P. See Burleson,G.R., 3=17145
Kalmus,P.I.P. See Burleson,G.R., 3=17146
Kalmus,P.I.P. See Burleson,G.R., 3=17149
Kalmykov,A. See Fisher,P.S., 3=19846
Kalmykov,A. See Measday,D.F., 3=19838
Kalmȳkov,A.A.,Terëshin,V.I.,Trubchaninov,S.A. and Safronov,B.G. Interaction of plasmoids with a spatially periodic magnetic field, 3=7547
Kalmykov,N.N. Application of the Kolmogorov–Dmitriev method to calculation of nuclear cascades, 3=22233
Kal'na,H.I. See Kuz'menko,P.P., 3=23479
Kal'na,H.I. See Kuz'menko,P.P., 3=23480
Kalnins,A. Remarks on "flexural vibration of shallow orthotropic spherical shells", 3=7265
Kalogeropoulos,T.E. See Ferbel,T., 3=4395
Kalos,M.H. Monte Carlo calculations of the ground state of three- and four-body nuclei, 3=2358
Kalos,M.H. Importance sampling in Monte Carlo shielding calculations. I. Neutron penetration through thick hydrogen slabs, 3=22456
Kalos,M.H. On the estimation of flux at a point by Monte Carlo, 3=24739
Kalshoven,J. See Hermans,M.E.A., 3=2538
Kalter,H. See Bölger,B., 3=9982
Kalust'yan, R.T. See Dombrovskii,R.V., 3=16716
Kalvius,M.,Kienle,P.,Eicher,H.,Wiedemann,W. and Schüler,C. Magnetic and quadrupole moments of the 8.42 keV state of Tm^{169} from the hyperfine structure splitting in Tm metal, 3=8006
Kalvius,M.,Wiedemann,W.,Koch,R.,Kienle,P. and Eicher,H. Hyperfine structure splitting of recoilless gamma lines. V. Temperature dependence of the hyperfine structure splitting of the 8·42 keV state in Tm^{169} in the temperature region between 300° and 14°K, 3=2416
Kalvius,M. See Hüfner,S., 3=24841
Kalvius,M. See Zinn,W., 3=25522
Kalyamin,A.V.,Murin,A.N. and Preobrazhenskii,B.K. Concerning the yields of the spallation reaction of Bi^{209}, 3=10348
Kalyamin,A.V. See Belyaev,B.N., 3=10316
Kalyamin,A.V. See Belyaev,B.N., 3=10317
Kalyamin,A.V. See Belyaev,B.N., 3=22317
Kalyamin,A.V. See Belyaev,B.N., 3=24914
Kamadzhiev,P.R. See Elistratov,A.M., 3=23486
Kamaev,B.D. See Kosterin,S.I., 3=14197
Kamal,A.A. and Rao,G.K. A note on Castagnoli's formula, 3=4484
Kamal,A.A. See Rao,G.K., 3=4483
Kamath,G.S., Craig,R.S. and Wallace,W.E. Order–disorder transformation in Cd-rich Mg–Cd alloys, 3=16103
Kambe,K. Intensity measurement of medium velocity electrons by means of the conductivity effect in CdS and application to electron diffraction in amorphous germanium, 3=4198
Kamberský,V. and Gontarz,R. Easy axis reversal in oblique-incidence iron films, 3=11087
Kamberský,V. See Frait,Z., 3=20596
Kambour,R.P. Optical properties and structure of crazes in transparent glassy polymers, 3=8579
Kamdar,M.H. See Westwood,A.R.C., 3=16006
Kameda,T., Toyoda,Y. and Maeda,T. Cloud chamber study of extensive air showers near the sea-level, 3=4512
Kamefuchi,S. and Strathdee,J. A generalization of field quantization and statistics. II. Interacting fields, 3=12388
Kamegai,M. Studies of alpha particles from the Li^6—Li^6 nuclear reaction, 3=22430
Kamegai,M. See Huberman,M.N., 3=6300

Kamei,O., Kobayashi,T. and Namiki,M. Many-body theoretical approach to the fire-ball model in multiple production of particles, 3=4545

Kamei,O.,Kobayashi,T. and Namiki,M. Many-body theoretical approach to the fire-ball model in multiple production of particles, 3=22156

Kamei,T. See Kumagi,H., 3=460

Kamel,R. Natural pitting on cleaved surfaces of zinc crystals, 3=22787

Kamel, R. and Bessa, F.A. Anomalous creep in polycrystalline zinc, 3=18190

Kamel, R. and Bessa, F.A. Observations on work-hardening and fracture of pure polycrystalline zinc in tension, 3=18200

Kamenetskaya,D.S.,Rakhmanova,E.P. and Spektor,E.Z. Crystallization of supercooled binary alloys, 3=21624

Kamenetskaya,D.S. See Aptekar',I.L., 3=25663

Kamenetskii,V.D. The collision of slow electrons with hydrogen atoms, 3=2578

Kameswara Rao,A. Laminar natural convection flow with suction or injection, 3=99

Kameswara Rao,N. See Ganguli,S.N., 3=19757

Kamhi,S.R. On the structures of vaterite, $CaCO_3$, 3=25727

Kami,H. See Umemura,T., 3=9883

Kamigaki,K. See Kayano,H., 3=8353

Kamigaki,K. See Koda,S., 3=22650

Kamijo,F. A theoretical study on the long period variable star, 3=5262

Kamijo,F. A theoretical study on the long period variable star. II. A cause of the semiregular variability, 3=16399

Kamilov,I.K. A study of the thermal conductivity of solids in the range 80 - 500°K, 3=4831

Kamilov, I.K. Thermal conductivity of nickel—zinc ferromagnetic semiconductors in the temperature range 80-500°K, 3=17669

Kamilov,I.K. See Mikryukov,V.E., 3=4825

Kamimura,H. Anisotropic spin—orbit coupling of d^3 and d^8 solutes in corundum, 3=2694

Kamimura,H. Selection rules for cyclotron resonance of holes in germanium and silicon, 3=6506

Kamimura,H. and Tanabe,Y. Antiferromagnetic ordering effect on the infrared absorption spectrum of CoF_2, 3=15673

Kamimura,H. See Dillon,J.F.,Jr, 3=919

Kamimura,H. See Dillon,J.F.,Jr, 3=15656

Kamimura,H. See Ferguson,J., 3=19993

Kaminishi,T. Scattering of gamma-rays. III. A monochromatic gamma-ray source using Compton scattering, 3=4369

Kaminishi,T.and Kojima,C. Production of nuclear isomers. II. Precise measuring equipment for half-life of second order, 3=645

Kaminishi,T. and Kojima,C. Production of nuclear isomers. IV. Some irradiating conditions affecting activation rate, 3=8067

Kaminishi,T. and Kojima,C. Production of nuclear isomers from stable nuclides with bremsstrahlung, 3=24856

Kaminker,D.M. See Dukarevich,Yu.V., 3=17483

Kaminow,I.P. Splitting of Fabry—Perot rings by microwave modulation of light, 3=22024

Kaminow,I.P. and Harding,G.O. Complex dielectric constant of KH_2PO_4 at 9.2 Gc/sec, 3=8553

Kamińska,U. See Głowacki,J., 3=7212

Kaminskiĭ,D.L. See Badalov,N.B., 3=22347

Kaminskii,V.A. and Orlov,Yu.V. Interaction in the initial and final states in direct nuclear reactions, 3=15164

Kaminsky,V.A. and Orlov,Yu.V. Interaction in the initial and final states in direct nuclear reactions, 3=22352

Kamiryo,K., Hozumi,H., Shibata,Y. and Fukushima,Y. Traveling-wave tube experiments at six millimeter wavelengths. II. Measurements of field patterns for a comb-type slow-wave structure, 3=2131

Kamiryo,K. See Hozumi,H., 3=2130

Kamiya,Y. The east—west asymmetry of cosmic rays with high energy and positive excess, 3=24828

Kamiya,Y. Effect of inelastic scattering on mean and anomalous absorption coefficients of electrons in magnesium oxide crystals studied by electron microscope, 3=25802

Kamiya, Y.and Uyeda, R. Effect of incoherent waves on the electron microscopic images of crystals, 3=1298

Kamiya,Y. and Uyeda,R. Absorption of electrons in crystals, 3=20965

Kamiya,Y. See Itoh,J., 3=1208

Kamiyama,H. Intensity variation of oxygen red line in the night airglow, 3=1468

Kamiyama,M., Haradome,M. and Kukimoto,H. High-voltage photovoltaic effect in evaporated CdTe films, 3=2973

Kamiyama,M. See Karube,N., 3=13600

Kamiyama,M. See Karube,N., 3=23516

Kamke,D. and Krüger,H. Density of deuterons in a self-target in gold, 3=12514

Kamke,D. and Richter,F.W. On the mechanism of the canal-ray discharge. II, 3=21729

Kamke,D. See Dehnhard,D., 3=8061

Kamm, G.N. and Bohn, H.V. Magnetoacoustic measurements of the Fermi surface of aluminum, 3=17682

Kammash,T. and Heckrotte,W. Stable longitudinal oscillations in anisotropic plasma, 3=24309

Kammerer,O.F. See Kelsch,J.J., 3=13015

Kammerer,O.F. See Kelsch,J.J., 3=17802

Kammuri,T. Semiclassical analysis of the multinucleon transfer reactions between complex nuclei, 3=8066

Kammuri,T. Angular momentum effect on neutron evaporation, 3=17499

Kamper,R.A. A.C. loss in superconducting lead-bismuth, 3=3956

Kamper,R.A. The critical current of a superconductor of the second kind, 3=19112

Kampermann,H. See v.Fragstein,C., 3=11943

Kamphusmann,J. On the initial value problem of the Dirac equation, 3=16529

Kamprath,W. The optical absorption of amorphous selenium with additions of tellurium, arsenic and bismuth, 3017

Kamshilina,V.M. Quenching of the resonance radiation of mercury in a gaseous discharge, 3=19938

Kan Chan—Khé. See Eliseev,P.G., 3=20179

Kan,S.V. See Ivlev,V.F., 3=20600

Kan,S.V. See Kirenskii,L.V., 3=11081

Kanai,T., Nii,R. and Watanabe,N. Electrical properties of lead telluride, 3=867

Kanai,Y. Helicon oscillation in PbTe, 3=2920

Kanai,Y. Helicon waves in PbTe, 3=13079

Kanai,Y. and Shohno,K. Dielectric constant of PbTe, 3=13106

Kanamori,J. and Minatono,H. The magnetic anisotropy constant in the case of strong anisotropy, 3=8658

Kanamori,J. and Tachiki,M. Collective motion of spins in ferro- and antiferromagnets, 3=984

Kanamori,J. and Tachiki,M. Collective motion of spins in ferro- and antiferromagnets, 3=985

Kanasaki,K. See Iizuka,T., 3=20170

Kanasaki,K. See Iizuka,T., 3=20171

Kanasaki,K. See Iizuka,T., 3=25667

Kanasewich,E.R. Approximate age of tectonic activity using anomalous lead isotopes, 3=7024

Kanavatz,V.P., Levintov,I.I. and Morosov,B.V. Comparison of π—p and p—p elastic scattering on the basis of a model with three Regge poles, 3=14983

Kanavets,V.P. and Morozov,B.V. A photomultiplier output stage, 3=24185

Kanaya,K.,Kawakatsu,H. and Matsui,S. Electron beam trajector tracing by caustic and shadow image, 3=24360

Kanayama,M. See Kiyono,S., 3=21918

Kanazawa,A. and Sakuma,T. Electromagnetic form factors of nucleon, 3=22115

Kanazawa,A. See Tokuda,N., 3=19675

Kanda,E. See Haseda,T., 3=1060

Kanda,E. See Ohtsubo,A., 3=1059

Kanda,E. See Ohtsubo,A., 3=14709

Kanda,F.A. See Wang,F.E., 3=11266

Kanda,F.A. See Wang,F.E., 3=20838

Kanda,S. See Kobayashi,H., 3=11103

Kane,D.C. Bismuth—antimony thermojunctions, 3=15640

Kane,E.O. Energy bands in impure semiconductors, 3=10742

Kane, E.O. Thomas—Fermi approach to impure semiconductor band structure, 3=17678

Kane,E.O. Perturbation-moment method: application to band structure of impure semiconductors, 3=22683

Kane,E.O. See Braunstein,R., 3=2753

Kane,G.,McDaniel,R.E.,Barkow,A.G. and O'Friel,Z. Flux density of primary cosmic rays at the geomagnetic equator, 3=7946

Kane,G. See Barkow,A.G., 3=17312

Kane,G.L. and Spearman,T.D. Modified phase shift analysis of pion–nucleon scattering data, 3=24779

Kane,J.A. Re-evaluation of ionopheric electron densities and collision frequencies derived from rocket measurements of refractive index and attenuation, 3=6983

Kane,J.A.,Jackson,J.E. and Whale,H.A. R.F. impedance probe measurements of ionospheric electron densities, 3=6972

Kane,J.R.,Siegel,R.T. and Suzuki,A. Improved noble liquid scintillation counter, 3=22034

Kane,R.A.,McGarvey,J.J. and McGrath,W.D. Vibrational energy distribution of the molecular oxygen produced by the reaction of atomic oxygen with NO$_2$, 3=25818

Kane,R.A. See Dixon,T.E., 3=23413

Kane,R.P. Correlated changes between the daily mean intensity and the daily variation of cosmic ray intensity during the I.G.Y., 3=7958

Kane,R.P. Energy spectrum of variations of cosmic-ray daily mean intensity recorded during the I.G.Y., 3=7960

Kane,R.P. On the temperature-effect of the daily variation of cosmic ray meson intensity, 3=22244

Kane,T.R. and Shore,S. A generalized principle of virtual work, 3=9386

Kane,W.E. See Palmer,D.W., 3=12673

Kane,W.R. See Emery,G.T., 3=10313

Kaneda,E. See Nagata,T., 3=23634

Kaneda,H.,Nagata,S.,Otsuki,S. and Sumi,Y. On p–He^4 effective potential and nuclear forces, 3=22256

Kanekar,C.R. See Dharmatti,S.S., 3=738

Kaneko,S. Transport coefficients of a magnetoplasma in an alternating electric field, 3=9774

Kaneko,T. See Hirone,T., 3=11026

Kaneko, T. See Miyake, S., 3=17369

Kaneko,Y. See Nagakura,S., 3=20884

Kanematsu,K. See Yasukōchi,K., 3=1005

Kaner,É.A. Theory of acoustic cyclotron resonance in metals, 3=8416

Kaner,É.A. and Yakovenko,V.M. The theory of transition radiation, 3=5681

Kanetzyan,A.R. See Arustamova,M.E., 3=24849

K'ang Ch'ang–ho. See Kan Chan–Khé, 3=20179

Kang,G. See Blitzer,L., 3=18665

Kang,I.-J. and Brown,L.M. Higher born approximations for the Coulomb scattering of a spinless particle, 3=4341

Kang,I.K. See Howlett,B.W., 3=25764

Kang Il Koo. See Entwistle,K.M., 3=6796

Kang,Y., Takahashi,T. and Hamada,T. Externally quenched hydrogen counter for tritium measurement and its application to absolute assay of tritiated water, 3=644

Kang,Y.H. See Yuzuri,M., 3=1024

Kang,Y.W.,Kwak,N.,Schneps,J. and Smith,P.A. Lifetime of helium hyperfragments, 3=15088

Kankeleit,E. See Muir,A.H.,Jr., 3=19814

Kankeleit,E. See Zinn,W., 3=25522

Kanki,T. Use of the generalized Jost function in quantum field theory. An extension of the Levinson theorem, 3=10061

Kanki,T. and Ogimoto,T. Restriction on the coupling constant from analyticity and unitarity of the S-matrix, 3=10062

Kannangara,M.L.T. See Dahanayake,C., 3=19722

Kannelaud,J. See Culshaw,W., 3=2145

Kanno,Y. See Katsuki,Y., 3=3683

Kano,Y. and Wolf,E. Temporal coherence of black body radiation, 3=1784

Kantardzhyan,L.T. See Adamov,V.S., 3=3032

Kantele,J. Gamma spectrometry with high-efficiency sum-peak coincidence spectrometer, 3=2234

Kantele,J. Isomeric state in Yb^{176}, 3=4579

Kantele,J. Radioactive decay of Sc^{48}, Sc^{50} and Sc^{50m}, 3=12622

Kantele,J. and Fink,R.W. Disintegration of Te^{119} isomers, 3=15151

Kantele,J. and Karras,M. New isotope In^{122}, 3=4593

Kantele,J. See Karras,M., 3=24894

Kantelhardt,D. and Schott,O. Determination of the mass-thickness of metallic evaporation films by electron scattering, 3=21280

Kanter,H. and Feibelman,W.A. Electron emission from thin Al–Al$_2$O$_3$–Au structures, 3=4177

Kantola,M. and Hämäläinen,M. X-ray diffraction method for studying the interdiffusion in Cu–Ni powder compacts, 3=2823

Kantola,M. and Sutela,V. Decay scheme of Fe^{59}, 3=648

Kantor,F.W. Image force velocity selector for charged particles, 3=4379

Kántor,K. See Erdökürti,Z., 3=19009

Kántor,K. See Erdökürti,Z., 3=19010

Kántor,K. See Erdökürti,Z., 3=21562

Kantrowitz,A.R. See Camac,M., 3=12216

Kantůrek,J. and Suk,K. Scattering patterns in NaCl crystals containing Ni as impurity, 3=20451

Kantůrek,J. See Bohun,A., 3=813

Kantúrek,J. See Bohun,A., 3=4985

Kantůrek,J. See Bohun,A., 3=18008

Kantz,A.D. Average neutron energy of reactor spectra and its influence on displacement damage, 3=17517

Kantz, A.D. See Pierce, C.B., 3=17918

Kanzaki,H.,Kido,K. and Ohzora,S. Equilibrium of vacancies with dislocations in alkali halides, 3=22749

Kanzaki,H. See Ninomiya,T., 3=10891

Kanzler,R.J. See Glasser,L.G., 3=5175

Kao,K.C. The measurement of surface resistance, 3=9692

Kao,S.-K. and Hurley,W.P. Variations of the kinetic energy of large-scale eddy currents in relation to the jet stream, 3=9029

Kao Ts'ao-Lang. See Li Hsien-Shu , 3=17553

Kao,Y.H. Cyclotron resonance studies of the Fermi surfaces in bismuth, 3=8413

Kapanadze,B.N. See Kvartskhava,I.F., 3=12157

Kapany,N.S. and Burke,J.J. Various image assessment parameters, 3=1800

Kapany,N.S, Burke,J.J. and Shaw,C.C. Fiber optics. X. Evanescent boundary wave propagation, 3=17060

Kapany,N.S. and Pontarelli,D.A. Photorefractometer. I. Extension of sensitivity and range, 3=11897

Kaparthi,R. and Licht,W. Deformation and oscillation of liquid drops falling through water, 3=7196

Kaparthi,R. See Sadasiva Rao,P., 3=23856

Kapitonova,M.M. See Grum-Grzhimailo,S.V., 3=3001

Kapitsa,P.L. and Danilov,I.B. Cascade compression helium liquifier with no external refrigeration, 3=5560

Kapitsa,S.P. Absolute measurements of electromagnetic energy, 3=14762

Kapitsa,S.P. and Vainshtein,L.A. Radiation of electron bunches in the microtron, 3=5800

Kaplan,D.E. See Cowen,J.A., 3=1195

Kaplan,H. and Sullivan,J.J. Lattice vibrations of zincblende structure crystals, 3=10580

Kaplan,J.I. Perturbation theory using a reduced set of states, 3=5360

Kaplan,L.D. The structure of the Venus atmosphere, 3=16357

Kaplan,L.D. See Chase,S.C., 3=18617

Kaplan,L.D. See Spinrad,H., 3=23674

Kaplan,M. See Barrett,P.H., 3=25220

Kaplan,N.,Ofer,S. and Rosner,B. The g-factor of the 2.083 MeV 4^+ state of the Ce^{140} nucleus, 3=8002

Kaplan R. and Bray,P.J. Electron-spin paramagnetic resonance studies of neutron-irradiated LiF, 3=11114

Kaplan,S.A. The theory of light scattering in a non-steady state medium, 3=82

Kaplan,S.N.,Paulikas,G.A. and Pyle,R.V. Electron detachment from neutral hydrogen by a magnetic field, 3=19176

Kaplan,S.N.,Paulikas,G.A. and Pyle,R.V. Electron detachment from 20-MeV D$^-$ ions by a magnetic field, 3=24213

Kaplan,S.N. See Diaz,J.A., 3=8145

Kaplan,T.A. Theory of the effects of anisotropy on spiral spin-configurations with application to rare earth metals, 3=974

Kaplan,T.A. Thermodynamic self-consistent theory of indirect exchange in metals, 3=15406

Kaplan,T.A. and Lyons,D.H. Theory of indirect exchange interactions in rare-earth metals, 3=10642

Kaplan,T.A. See Lyons,D.H., 3=11100

Kaplon,M.F. See Appa Rao,M.V., 3=7948

Kaplon, M.F, See Duthie, J.G., 3=17363

Kaplow,R. and Averbach,B.L. X-ray diffractometer for the study of liquid structures, 3=14704

Kaplyanskii,A.A.and Feofilov,P.P. Spectra of the bivalent rare earth ions in the crystals of alkaline-earth fluorides. II. Europium and ytterbium, 3=3000

Kaplyanskii,A.A.,Medvedev,V.N. and Feofilov,P.P. Spectra of trivalent cerium ions in alkaline-earth fluoride crystals, 3=25452

Kaplyanskii,A.A. and Moskvin,N.A. Piezospectroscopic effect in lithium fluoride crystals activated by hexavalent uranium, 3=8619

Kaplyanskii,A.A. and Moskvin,N.A. Combined magneto-electric dipole transitions in the spectra of crystals of alkali fluorides with hexivalent uranium, 3=20516

Kaplyanskii,A.A. and Moskvin,N.A. Piezospectroscopic study of luminescence centres in alkali fluoride crystals activated by hexavalent uranium, 3=25478

Kaplyanskii,A.A. and Przhevuskii,A.K. Deformation splitting of lines in the spectra of alkali-earth fluoride crystals activated bv Sm and Eu divalent ions. 3=18025

Kaplyanskii, A.A. See Agekyan, V.T., 3=18001

Kaplyanskii,A.A. See Gross,E.F., 3=15650

Kaplyanskii,A.A. See Gross.E.G., 3=3005

Kaplyanskii,A.A. See Kaplyansky,A.A.

Kaplyansky,A.A. See Gross,E.F., 3=10631

Kapoor, S.S., Ramanna, R. and Rama Rao, P.N. Emission of prompt neutrons in the thermal neutron fission of U^{235}, 3=17504

Kapoor,S.S. See Ramanna,R., 3=8144

Kaporskii,L.N.,Pedos,F.Z.,Sventitskii,N.S. and Shlepkova,Z.I. Atlas of vacuum discharge spectra, 3=25035

Kaporskii,L.N. and Sventitskii,N.S. Excitation of ionic spectra by a low-voltage discharge in vacuum, 3=24230

Kappallo,W.,Lund,N. and Schäfer,K. Intermolecular forces between molecules of the same and different kinds derived from virial coefficients, 3=25154

Kaprielian,Z.A. See Stewart,G.E., 3=4147

Kaprielian,Z.A. See Yeh,C., 3=7703

Kaprielian,Z.A. See Yeh,C., 3=24431

Kapteyn,Th.S. See Verheul,H., 3=14963

Kapur,J.N. Pressure—temperature curve for the ideal solid-propellant rocket motor, 3=1546

Kapur,J.N. The motion of a power-law fluid past a suddenly accelerated plane wall, 3=11756

Kapur,J.N. Some aspects of superposability and self-superposability of fluid motions in gas dynamics, 3=14098

Kapur,J.N. A note on the boundary layer equations for power-law fluids, 3=14109

Kapur,J.N. Flows of power-law fluids past a flat plate with uniform suction and between two parallel plates with uniform suction and injection, 3=14110

Kapur,J.N. A substitution principle for steady magnetogas-dynamic flows, 3=14748

Kapur,J.N. Flow of a non-Newtonian fluid between rotating cylinders with suction and injection, 3=16589

Kapur,J.N. and Jain,R.K. Parallel flow in an annular channel in hydromagnetics. I, 3=7685

Kapur,J.N. and Shashi Goel. A stability theorem for general non-Newtonian fluid, 3=14097

Kapur,J.N. and Srivastava,R.C. Axially-symmetric and two-dimensional stagnation point flows of a certain visco-elastic fluid, 3=11770

Kapustin,A.P. and Dmitriev,L.M. Effects of ultrasonics on the domain structures of liquid crystals, 3=18798

Kapustin,A.P. and Kovalyunaite,V.E. The growth of potash alum crystals in an ultrasonic field, 3=25668

Kapustina,O.A. Ultrasonic absorption in a three-component system, 3=14262

Kapuy,E. Derivation of orthogonal many-electron group orbitals and the effect of small external perturbation on a system consisting of loosely coupled electron groups, 3=6338

Kapuy,E. On the correlation problem in the theory of atoms and molecules, 3=12743

Kapy̆shev,A.G. See Ivanova,V.V., 3=20851

Kar,K.C. Theory of pair production without assuming Dirac's hole, 3=22112

Kar,K.C. and Purkayastha,S. Wavestatistics and the theory of wave field, 3=40

Karabaševa,V. See Simova,P., 3=731

Karabekov,I.P. and Martirosyan,M.A. The design and construction of signal electrodes in accelerators, 3=5726

Karabin,M. See Saha,A.K., 3=16243

Karachentsev,I.D. Intergalactic absorption, 3=3610

Karachentseva,Z.V. See Zaslavskii,A.I., 3=20846

Karadzev,K.V. See Gavrilovskii,B.V., 3=24733

Karadzhev,K.V.,Mar'ko,V.I. and Chukreev,F.E. Angular distribution of particles from the $O^{18}(p,\alpha_0)N^{15}$ reaction, 3=24932

Karageorgiev,K. See Purika,I., 3=25011

Karagounis,G.and Issa.R.M. I.R. and Raman spectra of adsorbed molecules, 3=5152

Karagounis,G. and Issa,R. Raman spectra of adsorbed molecules: quenching of fluorescence by adsorption, 3=8932

Karakushan, E.I. See Vorob'ev, L.E., 3=17909

Karal,F.C.,Jr and Karp,S.N. Diffraction of a plane wave by a right-angled wedge which sustains surface waves on one face, 3=5847

Karam,H.J. Viscometers and their use, 3=14113

Karamara,A. Permanent magnetic effects due to repeated impacts, 3=3099

Karamyan,A.S. and Pleve,A.A. Investigation of the $V^{51}(C^{12},2n)Cu$ reaction, 3=4674

Karan,A.A. See Vitman,V.D., 3=8012

Karan,A.A. See Vitman,V.D., 3=8054

Karapetyan,G.O.,Lunter,S.G. and Yudin,D.M. Luminescence of chromium-activated glasses, 3=25483

Karapetyan,G.O. and Yudin,D.M. Investigation of the effect of ionizing radiation on glasses of the $Na_2O.B_2O_3.SiO_2$ system using electron spin resonance, 3=17795

Karapetyan,V.A. See Khrimyan,A.V., 3=2158

Karapetyan,V.E.,Maksakov,B.I. and Feofilov,P.P. Absorption and luminescence of divalent samarium in alkali-halide single crystals, 3=23079

Karaseva, N.L. See Galavanov, V.V., 3=17883

Karashima,S. Electron microscope studies of deformed α-brass. I. General arrangements of dislocations, 3=17738

Karashima,S. and Kainuma,T. Anomaly observed in boundary- and stacking-fault fringes, 3=2812

Karashima,S. and Kainuma,T. Change in the crystal orientation due to dislocation array on slip plane, 3=3257

Karasik,V.R. Strong magnetic fields (review), 3=24428

Karasik,V.R., Akchurin,R.Sh. and Akhmedov,S.Sh. Superconduct magnet with induction excitation, 3=19410

Karaskiewicz,E. and Kwiek,M. Acoustic quality of halls and the Haas effect, 3=14293

Karataev,V.I. See Ionov,N.I., 3=4222

Karataev,V.I. See Ionov,N.I., 3=5632

Karavaev,G.F.,Kudryactseva,N.V. and Chaldy̆shev,V.A. Structure of the electron energy spectrum in Th_3P_4—type crystals, 3=22678

Karayianis,N. The phenomenological description of a relativistic three-particle emission, 3=22066

Karban,O. See Bém,P., 3=2444

Karbon,J.A. See Aler,G.A., 3=3212

Karchevskii,A.I. and Buryak,E.M. Magnetization and the magnetocaloric effect in uranium hydride and deuteride, 3=8673

Karchevskii, A.I. and Nikolaev, V.I. Hall effect in the metamagnetic alloy $MnAu_2$, 3=2854

Karchevskii,A.I. See Babichev,A.P., 3=1958

Karchevskii,A.I. See Babichev,A.P., 3=1960

Karchevskii,A.I. See Babichev,A.P., 3=12089

Karchevskii,A.I. See Babichev,A.P., 3=12108

Karchevsky,A.I. and Buryak,E.M. The magnetic properties of the β-modification of uranium hydride and deuteride, 3=6692

Karczewski,B. Degree of coherence of the electromagnetic field, 3=19437

Kard,P.G. New formulae for the calculation of multi-layer films, 3=14360

Kardashev,N.S. Non-stationarity of spectra of young sources of nonthermal cosmic radio emission, 3=3614

Kardashev,N.S. See Lozinskava,T.A., 3=13915

Kardashev.N.S. See Lozinskava.T.A., 3=23712

Kardonskii,V.M. X-ray diffraction topography of crystals, 3=17752

Kardonskii,V.M. and Perkas,M.D. Disordering of quenched and plastically deformed iron, 3=8903

Karekar,R.N. See Chiplonkar,M.W., 3=9046

Karekar,R.N. See Chiplonkar,M.W., 3=9048

Karel,F. and Soucková,L. Cathodoluminescence of aluminium nitride, 3=13213

Karelin,N.A. Variation in thermoelectric force of iron during plastic deformation, 3=13141

Karelin,N.A. See Gladkovskii,V.A., 3=13357

Kargin,V.A. See Vinogradov,G.V., 3=21351

Karimov,Yu.S. and Shchegolyev,I.F. Nuclear resonance of Sn^{119} in metallic tin, 3=5052

Kariss,Ya.E. and Feofilov,P.P. The absorption, luminescence and laser action of neodymium in SrF_2 crystals, 3=20482

Karkhanin,Yu.I., Peka,G.P. and Yarmola,T.M. Quenching of infrared luminescence of cuprous oxide by hydrogen ions, 3=18028

Karkhanin,Yu.I.and Vorob'ev,Yu.V. Relaxation time of the short-wavelength luminescence bands of Cu_2O, 3=3041

Karkhanin,Yu.I. See Peka,G.P., 3=22942

Karkhanin,Yu.I. See Vorob'ev,Yu.V., 3=18029

Karkhov,A.N. See Bazhanova,A.E., 3=12202

Karklin',A.Yu. See Sauka,Ya.Ya., 3=16083

Karklina,É.A. See Zaidel',A.N., 3=24250

Karl,G. and Polanyi,J.C. Infrared emission arising from electronic-vibrational energy transfer; Hg* + CO, 3=10506

Karlikov,V.P. See Korobeinikov,V.P., 3=21485

Karlov,N.V. and Prokhorov,A.M. Sensitivity of quantum electromagnetic radiation receivers, 3=19478

Karlov,N.V. See Emel'yanova,E.N., 3=25569

Karlov,N.Y. See Zverev,G.M., 3=24505

Karlson,E.T. Streaming of a plasma through a magnetic dipole field, 3=16935

Karmanov,F.V. See Afonin,I.P., 3=19283

Karmasin,M. See Zhuravlev,A.A., 3=9889

Karnaukhov,V.A. Anomalous α-emitters in the Po-Ra region, 3=6193

Karnaukhov,V.A. See Donets,E.D., 3=8138

Karnaukhov,V.A. See Polikanov,S.M., 3=6315

Karnik,M.B. A new explanation of the generation of electrical oscillation in a.c. discharge, 3=9740

Karo,A.M. and Hardy,J.R. Lattice dynamics and specific-heat data for rocksalt-structure alkali halides, 3=8350

Karo,A.M. See Allen,L.C., 3=12814

Karo,D. Extension of the field of use of the ballistic galvanometer, 3=24163

Karovič,K., Bolf,J. and Kubáček,L. A new method for the experimental investigation of the position of the line of sight for an optical telescope system, 3=18973

Karp,S.N. Systematic improvement of quasistatic calculations, 3=24461

Karp,S.N. See Karal,F.C.,Jr., 3=5847

Karpacheva,G.P. See Volkov,D.I., 3=3081

Karpenko,I.K. See Demirkhanov,R.A., 3=8215

Karplus,M. Variation-perturbation approach to the interaction of radiation with matter, 3=7129

Karplus,M. and Kolker,H.J. Magnetic susceptibility of diatomic molecules, 3=10494

Karplus,M. and Parr,R.G. An approach to the internal rotation problem, 3=12801

Karplus,M. and Shavitt,I. Multi-center Pi-electron integrals for the benzene molecule, 3=12847

Karplus, M. and Pople, J.A. Theory of carbon N.M.R. chemical shifts in conjugated molecules, 3=17557

Karplus,M. See Brown,T.H., 3=12860

Karplus,M. See Brown,T.H., 3=25151

Karplus,M. See Mukherji,A., 3=8256

Karplus,R.,Francis,W.E. and Dragt,A.J. The attenuation of hydromagnetic waves in the ionosphere, 3=9074

Karpman,V.I. Nonlinear effects in the electrodynamics of a transparent medium, 3=24468

Karpman,V.I. See Galeev,A.A., 3=21844

Karpman,V.I. See Zakharov,V.E., 3=2006

Karpova,I.V. and Kalashnikov,S.G. Lifetime of electrons and holes in heavily doped germanium, 3=10785

Karpova,I.V. and Kalashnikov,S.G. Electron and hole lifetimes in strongly doped germanium, 3=17848

Karpukhin,V.T. See Bazhanova,A.E., 3=12202

Karpushkina,E.I. See Sokolov,Yu.L., 3=21807

Karr,H.,Knapp,E. and Reisenfeld,W. Plasma resonance interaction with a spatially rotating static magnetic field, 3=12223

Karr,H.J. See Dreicer,H., 3=12122

Karr,P.R. Generalized "cross-correlation" field quantities as solutions of field equations, 3=21203

Karras,H. See Görlich,P., 3=2837

Karras,H. See Görlich,P., 3=6541

Karras,H. See Görlich,P., 3=8593

Karras,H. See Görlich,P., 3=20406

Karras,H. See Görlich,P., 3=20470

Karras,H. See Görlich,P., 3=25298

Karras,M., Andersson,G. and Nurmia,M. Search for alpha activity in neutron deficient isotopes of Pb, Tl, Hg, Pt, and Te, 3=659

Karras,M. and Kantele,J. New nuclear species Sc^{50m} and Rh^{110}, 3=24894

Karras,M. See Kantele,J., 3=4593

Karstens,G.E. See Alekseevskii,N.E., 3=4909

Kartaschoff,P. Operation and improvements of a cesium beam standard having 4-meter interaction length, 3=13992

Kartashev,A.I. See Bataruchkova,N.R., 3=16797

Kartashov,G.R.,Burgov,N.A. and Davydov,A.V. Shape of the β-spectrum of Ar^{41}, 3=6202

Kartashov,G.R. See Burgov,N.A., 3=2418

Kartmazov,G.N. See Vasyutinskii,B.M., 3=5100

Karube,N.,Yamamoto,K. and Kamiyama,M. Thermal oxidation of silicon, 3=13600

Karube,N.,Yamamoto,K. and Kamiyama,M. Investigations of films of silicon dioxide obtained by thermal oxidation of silicon, 3=23516

Karule,E.M. See Damburg,R.Ya., 3=17542

Karvelis,M.D. See Lutz,H.F., 3=14924

Karyagin,S.V. A possible cause of the asymmetry of the doublet components of the Mössbauer absorption spectrum in certain powdery compounds of tin, 3=20059

Karyagin,S.V. and Korst,N.N. Calculation of the paramagnetic relaxation time in viscous media, 3=1713

Karyagin,S.V. See Gol'danskii,V.I., 3=8340

Karyakin,A.V. Spectral investigation of the luminescence of malignant tumours, 3=11618

Karzas,W.J. and Latter,R. The electromagnetic signal due to the interaction of nuclear explosions with the earth's magnetic field, 3=7717

Karzhavin,Yu.A. See Almazov,V.Ya., 3=17120

Kasabov,I.D. See Mikhailova,D.N., 3=2833

Kasabov,J. Vacuum apparatus without quartz tube for floating zone melting of silicon, 3=25677

Kasahara,K. Radiation mode of S waves from a deep-focus earthquake as derived from observations, 3=18476

Kasai,P.H. Electron spin resonance studies of donors and acceptors in ZnO, 3=13309

Kasai,P.H. See Otomo,Y., 3=23112

Kasai,P.H. See Otomo,Y., 3=23131

Kasai,T. See Tsurumi,S., 3=16224

Kasal, P.H. See Blukis, U., 3=17596

Kasatkin,A.M. See Aver'yanov,I.R., 3=23566

Kasatkin,A.P.,Petrov,T.G. and Treivus,E.B. Crystallization of KIO_3, 3=23405

Kasatochkin, V.I. and Finkel'shtein, G.B. Homogeneous and heterogeneous crystallization of carbon, 3=18256

Kasen,M.B. and Polonis,D.H. The role of lattice vacancies in the $\alpha \rightarrow \kappa$ transformation of a copper–silicon alloy, 3=1353

Kasha,M.A. See Ashby,D.E.T.F., 3=16954

Kashcheev,V.D.,Kabanov,B.N. and Leikis,D.I. The anodic activation of iron, 3=13611

Kashcheev,V.N. Theory of magneto-vibrational scattering of slow neutrons in a uniaxial antiferromagnetic, 3=3149

Kashcheev,V.N. Theory of inelastic magnetic scattering of slow neutrons in impurity ferromagnetics, 3=15857

Kashcheev,V.N. Theory of the infrared absorption of light in crystals, allowing for the three-phonon interaction, 3=20460

Kashcheev,V.N. Effect of spin–spin interaction on the scattering of slow neutrons in ferrites, 3=25541

Kashcheev,V.N. Effect of the spin–phonon interaction on one-quantum scattering of slow neutrons in ferrites, 3=25542

Kashchlik,K. See Eckardt,A., 3=24536

Kashihabara, S. See Kimura, Y., 3=17652

Kashirin,V.B. See Shvets,A.D., 3=2087

Kashtan,M.S. and Khlopina,T.N. Discharge tube with hollow cathode, 3=7469

Kashtanova,A.M. See Gubkin,A.N., 3=15620

Kashyap,B.M.S. See Joshi,S.K., 3=772

Kasimov,R.M. See Shakhparonov,M.I., 3=21386

Kasimov,S. See Averkin,A.A., 3=22948

Kask,N.E.,Kornienko,L.S. and Smirnov,A.I. Paramagnetic relaxation of the Fe^{3+} ion in corundum, 3=20649

Kašpar,J. See Hruby,A., 3=13407

Kasper,B.I. See Sheiman,B.A., 3=23920

Kasper,J.E. See Ray,E.C., 3=473

Kasper,J.S. See Kouvel,J.S., 3=13284

Kassimatis,C., Surdin,M. and Weill,J. On the measurement of low reactivities by source modulation, 3=15257

Kassner,D.A. See Androulakis, J.G., 3=17125

Kastal'skii,A.A. Method for determining trapping-level parameters in CdS-type semiconductors, 3=25231

Kasteleyn,P.W. Dimer statistics and phase transitions, 3=14043

Kastler,A. Atoms inside a Perot—Fabry interferometer, 3=7352

Kastler,A. The dispersion effects connected with resonant fluorescence absorption in atomic nuclei, 3=10911

Kastler,A. Displacement of energy levels of atoms by light, 3=17539

Kastler,A. Recent developments of optical methods of magnetic resonance, 3=21985

Kastler,A. See Decomps,B., 3=9359

Kastler,D. See Souriau,J.M., 3=10031

Kastner,J. See Potter,R.M., 3=13207

Kastner,S.O. and Neupert,W.M. Image construction for concave gratings at grazing incidence, by ray tracing, 3=24055

Kastrup,H.A. The physical significance of conformal space-time transformations, and the analysis of their representation theory, 3=3712

Kastrup,H.A. On the relationship between the scale transformation and the asymptotic Regge-behaviour of the relativistic scattering amplitude, 3=12429

Kastrup,H.A. Some experimental consequences of conformal invariance at extermely high energies, 3=12430

Kasuta,T. and Kojima,T. Internal motions of hydrazine, 3=10509

Kasuya,T. See LeCraw,R.C., 3=11043

Kasuya,T. See LeCraw,R.C., 3–15886

Kas'yankov,P.P. and Dutova,K.P. Concerning aberration of electron-optical systems, 3=2029

Kasymov,A.Kh. See Arifov,U.A., 3=12240

Katada,K. Electron diffraction study of thin films of polymers of para-halogeno-styrene, 3=1368

Katagiri,S. and Tadano,B. Properties of astigmatism in electron lens, 3=21879

Kataja,E. See Oksman,J., 3=9070

Katamadze,I.M. Measurement of the power of the reactor IRT-2000 by using gamma-activity of the coolant, 3=25032

Katana,P.K. Many-particle quantum Green's functions in the theory of many-phonon transitions, 3=6485

Katasev,L.A. The theory of the determination of the height of the homogeneous atmosphere and the extra-atmospheric velocity of a meteor, 3=5220

Katayama, M. Electron spin resonance of gamma-irradiated single crystal of acetyl-L-glutamic acid, 3=3164

Katayama,Y. On the mass levels of particles and resonance states, 3=541

Katayama,Y.,Matumoto,K.,Tanaka,S. and Yamada,E. Possible unified models of elementary particles with two neutrinos, 3=543

Katayama,Y.,Vigier,J.P. and Yukawa,H. An approach to the unified theory of elementary particles, 3=19542

Katayama,Y.,Vigier,J.P. and Yukawa,H. A theory of weak interaction based on a rotator model, 3=19543

Kathavate,Y.V. and Rihani,G.D. Volatilization of boron in the direct current arc, 3=19220

Kato,H., Lobayashi,T. and Kato,T. Single-crystallization of Si by floating zone in vacuum, 3=18276

Kato,H. and Muta,T. Shot peening. IV. Electronic characters of microcapacity circuit. 3=3976

Kato,H. and Takayanagi,S. Diffusion of indium in cadmium telluride, 3=22806

Katō,K. See Tatsuta,H., 3=14820

Kato,M. and Kawaguchi,M. Photopion production and $(\gamma, 3\pi)$ interaction. II. Polarization of the recoil proton, 3=2296

Kato,N. Recent development of dynamical theory of diffraction of waves in crystals, 3=1301

Kato,N. Dynamical diffraction theory of waves in distorted crystals. I. General formulation and treatment for perfect crystals, 3=13440

Kato,N. Dynamical diffraction theory of waves in distorted crystals. II. Perturbation theory, 3=13441

Kato,R. and Kono,T. Rupture of foam by nuclear ionized particles, 3=17122

Katō, R. See Kōji Uo,K., 3=1990

Kato,R. See Uchida,Y., 3=13178

Kato,S. Joule heating and temperature in the upper atmosphere, 3=9064

Kato,S. Theory of movement of irregularities in the upper atmosphere, 3=23605

Kato,S. On the generation of acoustic noise from turbulent atmosphere. II, 3=25914

Kato,S. The scattering of sound waves in atmospheric turbulent media, 3=25915

Kato,S. See Unno,W., 3=11540

Kato,T. See Kato,H., 3=18276

Kato,Y. and Mugibayashi,N. Regular perturbation and asymptotic limits of operators in quantum field theory, 3=24579

Kato,Y. See Tatsumoto,E., 3=6700

Katoh,T.,Gotoh,H. and Yoshizawa,Y. Decay of In^{108}, 3=15150

Katona,G.P. The effect of the phosphor-embedding medium on the performance of electroluminescent cells, 3=967

Katori,K. See Yagi,K., 3=12583

Katorski,A. and White,D. Theory of isotope separation of homo and heteronuclear diatomic molecules by adsorption at low temperatures, 3=22513

Kats,A. See van Wieringen,J.S., 3=22832

Kats,M.L. Absorption and emission of activator trapping centres in alkali halide phosphors, 3=20504

Kats,M.L. See Andrianov,A.S., 3=948

Katsanis,D.J. A generalised flow equation, 3=21296

Katsenelenbaum,B.Z. Diffraction by a large object in a broad waveguide, 3=496

Katser, Ya. [J.Kaczer]. Hexagonal anisotropy and magnetization curves of antiferromagnetic $CoCO_3$, 3=18112

Katser,Ya. and Kreines,N.M. Hexagonal anisotropy in $MnCO_3$ and $CoCO_3$, 3=3098

Katsev,I.L. See Stepanov,B.I., 3=488

Katsnel'son,A.A. Effect of relief and the surface adjustment of specimens on the intensity of diffuse scattering, 3=11251

Katsnel'son,A.A. See Iveronova,V.I., 3=8906

Katsnel'son,L.B.,Kogan,F.I. and Shorin,E.L. A device for measuring the voltage at a given point on a periodic waveform, 3=24153

Katsuki,A. See Shimizu,M., 3=8363

Katsuki,A. See Shimizu,M., 3=13228

Katsuki,A. See Shimizu,M., 3=23143

Katsuki,A. See Shimizu,M., 3=25509

Katsuki,Y., Suga,N., and Kanno,Y. Neural mechanism of the peripheral and central auditory system in monkeys. 3=3683

Katsura,S. Tables of representations of permutation groups for molecular integrals, 3=22525

Katsura,S. See Nomura,Y., 3=493

Katsuragi,H. See Miyake,S., 3=1280

Katsuraki,H.,Takada,H. and Suzuki,K. Neutron diffraction study of κ phase Cu—Mn—Al alloys, 3=11093

Katti,M.R. and Batra,D.P. Potential-energy function for diatomic molecules, 3=12812

Katti,M.R. and Batra,D.P. On the potential energy function of diatomic molecules, 3=22537

Katti,P.K. See Ramakrishna,V., 3=16839

Katykhin,G.S. See Dzhelepov,B.S., 3=24910

Katy̆shev,Yu.V. See Van Gan-chan [Wang Kang-ch'ang], 3=2302

Katz,A. Boson-like behaviour of pairs of fermions. I, 3=14061

Katz,A. Boson-like behaviour of pairs of fermions. II, 3=14062

Katz,A. Corrections to the Goldstone expansion, 3=14063

Katz,E. See Bychkov,Yu.A., 3=17160

Katz,E.J. Initial wave scattering by an inhomogeneous medium and its application to shallow water waves, 3=7272

Katz,J.E. See Talbot,L., 3=12184

Katz,L. See Martin,J.P., 3=22252

Katz,M.J. Piezoresistance in degenerate n-type, 3=10787

Katz,S. See Ahrens,T.J., 3=223

Katz,S. See Freeman,M.P., 3=24004

Katz,S. See Raziunas,V., 3=25093

Katz,U. Cloud-chamber investigations of the ice nucleating activity of some selected materials, 3=1273

Katzin,G.H. See Davis,W.R., 3=19

Kauder,L.N. See Monse,E.U., 3=13592

Kauer,E. See Ford,R.A., 3=20072

Kauer,E. See Grath,R., 3=6642

Kauer,E. See Groth,R., 3=23993

Kauffman,J.W. See Bauer,W., 3=2846

Kaufman,A.M. Elimination of the background integral in the Regge formula, 3=7796

Kaufman,A.N. and Soda,T. Microscopic basis of macroscopic magnetostatic energy, 3=2089

Kaufman,A.S. See Goldsmith,S., 3=10459

Kaufman,F. Studies of atomic recombination of nitrogen, hydrogen, and oxygen by paramagnetic resonance, 3=25068

Kaufman,J.V.R. and Clark,C.D. Identification of color centers in lithium fluoride, 3=10694

Kaufman,J.V.R. and Clark,C.D. The colour centres in lithium fluoride, 3=22836

Kaufman,L.,Clougherty,E.V. and Weiss,R.J. The lattice stability of metals. III. Iron, 3=13523

Kaufman,L. and Rock,I. The moon illusion, 3=1570

Kaufman,L. See Clougherty,E.V., 3=25746

Kaufman,L. See Radcliffe,S.V., 3=5122

Kaufman,M. Semiempirical electron affinities, 3=17519

Kaufman,R.N. Complete system of solutions of the linearized Navier—Stokes equations and its application to boundary value problems involving flow about spheres, 3=23836

Kaufman,S. Nuclear charge distributions in the interaction of 2.9 GeV protons with heavy elements, 3=8149

Kaufman,S. See Cumming,J.B., 3=6252

Kaufman, S.A. See Buryak, E.V., 3=17852

Kaufmann,C. and Naumann,R. Semiconductor detectors for nuclear radiation, 3=12375

Kaufmann,C. See Schintlmeister,J., 3=10356

Kaufmann,H.H. A current stabilizer with positive feedback in the regulator amplifier, 3=21693

Kaufmann,R. Experimental tests for the acceleration of trapped particles, 3=11458

Kaufmann,R.L. See Welch,J.A.,Jr, 3=16291

Kaul,O.N. α-particles emitted from 14 MeV neutron interactions with light and medium-weight nuclei, 3=6265

Kaul,R.K. and Mindlin,R.D. Vibrations of an infinite, monoclinic crystal plate at high frequencies and long wavelengths, 3=5480

Kaul,R.K. and Mindlin,R.D. Frequency spectrum of a monoclinic crystal plate, 3=5481

Kaula,W.M. Tesseral harmonics of the gravitational field and geodetic datum shifts derived from camera observations of satellites, 3=11375

Kaulgud,M.V. Ultrasonic velocity in liquid binary mixtures, 3=9455

Kauppila,J.E. Cadmium sulfide unipolar surface transistor, 3=13097

Kaus,P. Regge trajectories for potential scattering at negative angular momenta, 3=24630

Kaus,P. and Pearson,C.J. Jost functions and determinantal method in potential scattering, 3=14902

Kautzleben,H. and Lucke,O. Shock waves, 3=18892

Kautzleben,H. and Mundt,W. On the derivation of analytic models for the geomagnetic field from observational data on the earth's surface, 3=18565

Kauzmann,W. See Sovers,O., 3=10533

Kavadas,A. Absorption measurements near the auroral zone, 3=5872

Kavanagh,R.W. See Parker,P.D., 3=24809

Kavanagh,R.W. See Seeger,P.A., 3=12581

Kavečanský,V. See Hajko,V., 3=23158

Kavtaradze,N.N. and Sokolova,N.P. Adsorption of carbon monoxide on copper and the structure of its surface compounds, based on the results of infrared spectra, 3=11322

Kawabata,A. See Toyoda,K., 3=25406

Kawabata,H. Changes on the human electroretinogram during early dark adaptation, 3=7071

Kawabata,S. On the atmosphere of the late-type component of Zeta Aurigae-type stars, 3=9237

Kawabe,K. Pleochroism in aniline hydro-bromide and -iodide, 3=4965

Kawabe,K. See Watanabé,T., 3=3259

Kawada, S. See Ida, M., 3=17950

Kawaguchi,M. Hypothesis of isotopic spin independence, peripheral and central interactions in the high energy limit, 3=7808

Kawaguchi,M. and Yokomi,H. Effects of the pion—pion interaction on photonuclear reactions, 3=15016

Kawaguchi,M. See Kato,M., 3=2296

Kawaguchi,Y. See Tadokoro,H., 3=10557

Kawaharada,H. The fine structure in the K-absorption spectrum of germanium, 3=6659

Kawai,H. See Fujino,K., 3=15978

Kawai,H. See Nishiwaki,Y., 3=2156

Kawai,N. and Ōtsuki,T. On the acoustic field by a vibrating source arbitrarily distributed on a ribbon plate. II, 3=21495

Kawai,N. See Takada,T., 3=1095

Kawai,T. A study of the effect of high energy irradiation upon the internal motion of polyethylene by pulsed n.m.r. method, 3=13546

Kawai,T. and Keller,A. On the density of polyethylene single crystals, 3=20766

Kawai, T., Sugimoto, M., Kondo, H. and Iwamoto, M. Report on the toroidal pinch experiments with some discussions on the problems of switching ignitrons, 3=4143

Kawai,T. See Suzuki,Y., 3=14022

Kawakami,I. See Sato,M., 3=21778

Kawakatsu,H. Caustic and shadow images due to asymmetrical aberrations and their measuring and compensating methods, 3=4196

Kawakatsu,H. See Kanaya,K., 3=24360

Kawakubo,T. See Nomura,S., 3=8864

Kawamata,Y. See Hibi,T., 3=22708

Kawamura,H.,Fukai,M.,Imai,I. and Tomishima,K. Cyclotron resonance of hot electrons in germanium, 3=10776

Kawamura,H., Fukai,M., Sekido,K. and Imai,I. Measurement of the relaxation time for electrons in silicon by cyclotron resonance, 3=15580

Kawamura,N. See Kimura,M., 3=22376

Kawamura,N. See Shoda,K., 3=15172

Kawamura,T. and Hayashi,K. The preparation of silicon carbide single crystals, 3=5085

Kawarabayashi,K. and Sato,A. Electromagnetic structure of the nucleon. II. Upper limits for contributions from the three-pion state, 3=2255

Kawarabayashi,K. and Sato,A. Decay rates of the ω-meson and γ-3 π interaction, 3=6077

Kawarabayashi,K. and Sato,A. A note on the effects of multi-pion resonances for electron—positron colliding beam experiments, 3=7833

Kawarabayashi,K. and Sato,A. Isoscalar electromagnetic structure of the nucleon, 3=14968

Kawarabayashi,K. and Sato,A. Isoscalar nucleon structure and multi-pion resonances, 3=24710

Kawarabayashi,K. See Nakamura,S., 3=5933

Kawasaki,K. On the behaviour of thermal conductivity near the magnetic transition point, 3=20121

Kawasaki, K. On the collective motion of spins at finite temperatures, 3=20571

Kawaski,K. and Mori,H. On the Green's functions of the Heisenberg spin systems, 3=1136

Kawasaki,K. and Mori,H. Ultrasonic attenuation in liquid helium, 3=7399

Kawasaki, K. and Senzaki, K. Permeation of helium gas through glass, 3=2826

Kawasaki,K. and Sugita,T. Ultra-high vacuum technology technology, 3=179

Kawasaki,K., Sugita,T., Kohno,I. and Watanabe,J. Study of pumping action of a diode type getter ion pump for inert gases by the tracer technique, 3=14224

Kawasaki,K. See Mori,H., 3=988

Kawasaki,K. See Mori,H., 3=8704

Kawasaki,K. See Sugita,T., 3=18864

Kawasaki,S. and Yamaguchi,A. On the solar daily variation of cosmic rays observed with inclined counter telescopes, 3=12536

Kawasaki,T. See Tomita,K., 3=20640

Kawashima,K. See Inada,T., 3=12241

Kawashima,N. and Ishizuka,H. Interaction of a plasma stream with a three-dimensional magnetic dipole, 3=24288

Kawashima,T. See Maeda,K., 3=12261

Kawatra,M.P. See Pathria,R.K., 3=5379

Kawazu,A. See Aoki,M., 3=2979

Kawcyn,R.A. See Marshall,T., 3=7443

Kawski,A. and Polacka,B. Fluorescence polarization spectra of some dyestuffs in polymethyl methacrylate, 3=15713

Kawski,A. and Polacka,B. On the influence of the solvent on the electronic spectra of POPOP, 3=25127

Kawski,A.,Polacka,B. and Czyż,P. Influence of solvent mixture on the absorption and fluorescence spectra of dyestuffs, 3=21378

Kawski,A. See Bilot,L., 3=18823

Kawski,A. See Bilot,L., 3=20010

Kawski,A. See Bilot,L.J., 3=2604

Kay,E. Magnetic field effects on an abnormal truncated glow discharge and their relation to sputtered thin-film growth, 3=9750
Kay,H.F. and Dunn,J.W. Thickness dependence of the nucleation field of triglycine sulphate, 3=6619
Kay,L. A Van De Graaff beam as a source of atomic emission spectra, 3=19918
Kay,M.I. and Behrendt,D.R. The structure factor for a harmonic quasi-torsional oscillator, 3=11256
Kay,M.I.,Frazer,B.C. and Ueda,R. X-ray and neutron study on the phase transformation of $NaNO_2$, 3=1336
Kay,R.B. See Hughes,R.H., 3=8208
Kay,R.H. See Bannister,W.J., 3=9699
Kayali,A.A. See Page,D.J., 3=861
Kayama,T. See Suzuki,Y., 3=14022
Kayano,H.,Kamigaki,K. and Koda,S. Ultrasonic attenuation in magnesium at low temperatures, 3=8353
Kayano,H. See Koda,S., 3=22650
Kayas,G. See Brandt,S., 3=17324
Kaye,G. See Blackman,M., 3=1098
Kaye,J. See Freedman,S.I., 3=18854
Kayurin,Yu.P. See Broder,D.L., 3=24675
Kazachkovskiĭ,O.D. See Bagdasarov,Yu.E., 3=4681
Kazak,B.N. See Alekseevskii,N.E., 3=4909
Kazakov,V.A. See Dvoretski,A.S., 3=17159
Kazanskii,G.S., Kuznetsov,A.B., Mikhailov,A.I., Rubin,N.B. and Tsarenkov,A.P. A study of the shaping of a beam of particles in a synchrotron by means of induction electrodes, 3=19387
Kazanski,G.S.,Mikhailov,A.I.,Mȳznikov,K.P. and Tsarenkov,A.P. Methods of varying the time of interaction between the beam and the target in the 10 GeV proton synchrotron, 3=24416
Kazanskii,V.B., Pariiskii,G.B. and Burshtein,A.I. Electron paramagnetic resonance study of the properties of hydrogen atoms formed when silica gel is irradiated with γ-rays, 3=3419
Kazanskii,V.B. and Stepin,L.D. A method of computing the dielectric constants of substances measured by the use of a cylindrical H_{01n} cavity with the samples in axial arrangement, 3=21678
Kazanskii,Yu.A. The angular and energy distribution of γ-radiation scattered in water and iron, 3=14936
Kazanskii,Yu.A. See Bakov,A.T., 3=22409
Kazanskii,Yu.A. See Dulin,V.A., 3=2274
Kazantsev,A.P. Stationary plasma flow in a magnetic field, 3=24280
Kazantsev,A.P. See Matskevich,T.L., 3=7631
Kazantsev,A.P. See Matskevich,T.L., 3=14616
Kazarinoff,N.D. See Goodrich,R.F., 3=4274
Kazarinov,N.M. See Blinov,M.V., 3=6311
Kazarinov,N.M. See Blinov,M.V., 3=15242
Kazarinov,R.F. and Skobov,V.G. Theory of nonlinear galvanomagnetic phenomena in semiconductors, 3=6576
Kazarinov,R.F. and Skobov,V.G. The possibility of amplifying ultrasound in semi-metals in an electric field, 3=5495
Kazarinov,R.F. and Skobov,V.G. On the theory of the amplification of ultrasound by semi-metals in electric and magnetic fields, 3=15433
Kazarinov,R.F. and Skobov,V.G. Theory of the electrical conductivity of ionic semiconductors in strong electric and magnetic fields, 3=25339
Kazarinov,Yu.M.,Legar,F. [Leȟar] and Silin,I.N. Application of conformal mapping to the extrapolation into the unphysical region of relations observed in the scattering of high energy particles, 3=22081
Kazarinov,Yu.M. and Silin,I.N. Phase shift analysis of nucleon–nucleon scattering at 210 MeV, 3=2257
Kazarinov,Yu.M. and Silin,I.N. Phase-shift analysis of nucleon–nucleon scattering at 40, 95, 147, and 310 MeV, 3=14977
Kazarinov,Yu.M. and Simonov,Yu.N. Scattering of 200 MeV neutrons by protons, 3=7866
Kazarnovskii,M.V. and Stepanov,A.V. Theory of resonance scattering on atomic systems. I. Deduction of general formulae, 3=6368
Kazarnovskii,M.V. and Stepanov,A.V. The observed probabilities for elastic scattering of neutrons and the Mössbauer effect in degenerate systems and some new possibilities of creating such systems, 3=17286
Kazarov,R.E. See Andronikashvili,E.L., 3=4505
Kazarov,R.E. See Andronikashvili,É.L., 3=19731
Kazes,E. Soluble models in many-body scattering and complex angular momenta, 3=7125
Kazes,E. See Barger,V., 3=15002
Kazes,E. See Barger,V., 3=15027
Kazes,I. See Boischot,A., 3=16431
Kazes,I. See Boischot,A., 3=25983
Kazmazovskaya,T.S. See Tatarinova,L.I., 3=13515
Kazuno,M. See Imaeda,K., 3=7949
Kê,T.S., Chuang,Y.H. and Wan,Y.K. Metallographic observations and hardness measurements on mixed metal whiskers, 3=20796
Kê,T.S.,Huang,Y.S. and Wang,C.K. Effect of ageing, intermittent loading and resolution treatment upon the fatigue behaviour of aluminium—copper alloys, 3=25611
Kê,T.S. and Wan,Y.K. Mechanism of growth of metal whiskers by means of vapour reduction, 3=18277
Kê,T.S. and Wan,Y.K. Growth and strength of metal whiskers containing impurities, 3=20726
Kê,T.S. and Wang,C.K. Basic processes taking place in aluminium during fatigue loading, 3=25609
Kê,T.S. and Wang,C.K. Pinning and unpinning of dislocations in Al—4% Cu alloy under fatigue loading, 3=25610
Keane,A. See Wilkins,C.A., 3=12725
Keane,J.R. See Peirson,D.H., 3=8024
Kear,B.H. Antiphase boundaries in the Cu_3Au alloy, 3=18334
Kear,B.H. Glide polygonization in aluminium strained at elevated temperatures in the electron microscope, 3=22793
Kear,B.H. See Mendelson,S., 3=7351
Kearney,J.P. and Thaxton,H.M. Interesting anomaly in the propagation of 5 Mc pulses through tantalum rod, 3=1772
Kearns,D.R. and El-Bayoumi,M.A. Comparison of exciton and molecular orbital calculations on N → π^* transitions, 3=12804
Keating,D.T. Interpretation of the neutron or X-ray scattering from a liquid-link binary, 3=11282
Keating,D.T. See Walker,C.B., 3=16105
Keating,D.T. See Walker,C.B., 3=23465
Keating,J.D. and Barker,W.A. Calculation of the normalized population distribution of multilevel maser systems by the inspection method, 3=9993
Keating,J.D. See Barker,W.A., 3=7732
Keating, P.N. Hole injection into CdS from Cu_2S, 3=25382
Keay,C.S.L. See Ellyett,C., 3=13873
Kebarle,P. and Avrahami,M. Primary reactions in the mercury photosensitized decomposition of butene-2 at low pressures, 3=8971
Keck,J. Statistical investigation of dissocation cross-sections for diatoms, 3=6423
Keck,P.H.,Redmann,J.J.,White,C.E. and Bowen,D.E. Performance of a continuous-wave neodymium laser, 3=22014
Keck,P.H.,Redmann,J.J.,White,C.E. and DeKinder,R.E.,Jr. A new condenser for a sun-powered continuous laser, 3=21534
Keddy,R.J. See Mouton,W.L., 3=4564
Kedem,D. See Goldring,G., 3=4555
Kedem,D. See Goldring,G., 3=24837
Keedy,D.A. See Stein,R.S., 3=10915
Keefe,D., Kerth,L.T., Noble,C.M., Thresher,J.J. and Wenzel,W.A. A magnetic spectrometer using spark chambers to obtain large solid angle and high resolution in $\pi-\pi$ interaction studies, 3=17326
Keefe,D. See Beall,E.F., 3=6083
Keefe,D. See Beall,E.F., 3=24790
Keefe,D. See Cook,V., 3=10171
Keefe,R.T. Investigation of the fluctuating forces acting on a stationary circular cylinder in a subsonic stream and of the associated sound field, 3=1770
Keefer,D. and Wert,C. The clustering of N in b.c.c. iron, 3=20166
Keefer,D. and Wert,C. Clustering of N and C in Fe, 3=22759
Keeler,R.N. See Joon Sang Moon, 3=1846
Keeling,C.D. See Bolin,B., 3=25867
Keen,B.E., Mathews,P.W. and Wilks,J. The acoustic impedance of liquid He^3 and zero sound, 3=19093
Keenan,A.G. and Dimitriades,B. Mechanism for the chloride-catalyzed thermal decomposition of ammonium nitrate, 3=3398
Keenan,A.G. See Colvin,C.I., 3=20988
Keepin,G.R. Neutron data for reactor kinetics, 3=17509
Keer,H.V. See Rao,R.V.G., 3=3795
Keer,H.V. See Rao,R.V.G., 3=8365

Keesom,P.H. and Van der Hoeven,B.J.C.Jr. Specific heat of lead between 0.3 and 4°K, 3=10601
Keesom,P.H. See van der Hoeven,B.J.C.,Jr, 3=12925
Keffer,F. See Davis,J.A., 3=15838
Kegel,W. See Baschek,B., 3=9201
Kegeles,G. See Faucher,J.A., 3=6932
Kegeles,G. See Kim,H., 3=5434
Keh,A.S. and Johnson,C.A. Ferromagnetic domain structures in cementite, 3=23163
Keh,A.S. See Leslie,W.C., 3=3232
Kehoe,B. Isobar production by 910-MeV/c K^+ mesons, 3=22200
Kehoe,B. See Courant,H., 3=17346
Keil,E. See Harigel,G., 3=5983
Keil,G. See Ruge,I., 3=14946
Keil,K. On the phase composition of meteorites, 3=9186
Keilhacker,M. See Chodura,R., 3=12179
Keiper,D.A. Dynamic mechanical properties tester for low audio and subaudio frequencies, 3=3783
Keirim-Markus,I.B., Kovalev,E.E. and Uspenskii,L.N. Measurement of radiation doses on the second, fourth and fifth [dog-carrying] spaceship-satellites, 3=3634
Keirim-Markus,I.B. See Bochvar,I.A., 3=6685
Keirim-Markus,I.B. See Ivanov,V.I., 3=3633
Keisch,B. Yield ratios of isomers produced by neutron activation, 3=6271
Keith,H.D. and Padden,F.J.,Jr. A phenomenological theory of spherulitic crystallization, 3=23390
Keith,J.C. Gravitational radiation and aberrated centripetal force reactions in relativity theory. II. Retarded cohesive forces, 3=21224
Keith,J.C. Magnetic torques and coriolis effects on a magnetically suspended rotating sphere, 3=21929
Keith,J.E. and Turkevich,A.L. Radioactivity induced in Discoverer 17 by solar-flare protons, 3=7951
Keith,R.L.G. See Watt,D.E., 3=22351
Kekalo,I.B. and Livshits,B.G. A new magnetodiffusion effect in Invar, studied by the internal friction method. I. 3=3216
Kekalo,I.B. and Livshits,B.G. Internal friction of Invar: dependence on temperature, carbon content, magnetization and the time factor, 3=3217
Kekalo,I.B. and Livshits,B.G. On the magneto-diffusion effect in invar, investigation by the method of internal friction, 3=11090
Kekalo,I.B. and Livshits,B.G. Dependence of the damping capacity and shear modulus of nickel on the magnetizing field, 3=11141
Kekalo,I.B. and Livshits,B.G. Magnetic diffusion effect in invar, studied by the damping capacity method. II., 3=15977
Kekk,Kh. Calculation of the characteristics of magnetic spectrometers, 3=7652
Kekk,Kh. See Polikanov,S.M., 3=24984
Kelber,C.N. Resonance integrals for gold and indium foils, 3=17485
Keldÿsh,L.V. Optical characteristics of electrons with a band energy spectrum in a strong electric field, 3=782
Keldÿsh,L.V. Effect of ultrasound on the electron spectrum of a crystal, 3=15459
Keldÿsh,L.V. and Kopaev,Yu.V. Energy spectrum of a degenerate semi-conductor with an ionic lattice, 3=20129
Kelkar,M.G. See Kher,V.G., 3=1941
Kelkar,M.G. See Kher,V.G., 3=1942
Kelkar,V.N. Size distribution of raindrops. IV. 3=1435
Kell,R.C. Modern applications of ferroelectricity, 3=13110
Keller,A. On the electron microscopy of crystallinity effects in polymers, 3=20966
Keller,A. See Kawai,T., 3=20766
Keller,D.A. See Barrett,P.H., 3=25220
Keller,D.V. and Trulio,J.G. Mechanism of spall in Lucite, 3=11180
Keller,H. and Segmüller,A. Automatized X-ray line profile analysis, 3=19392
Keller,J.B. Reaction kinetics of a long chain molecule, 3=5157
Keller,J.B. Reaction kinetics of a long-chain molecule. II. Arends' solution, 3=8951
Keller,J.B. Conductivity of a medium containing a dense array of perfectly conducting spheres or cylinders or nonconducting cylinders, 3=9711
Keller,J.B. Geometrical methods and asymptotic expansions in wave propagation, 3=21463
Keller,J.B., Rubinow,S.I. and Goldstein,M. Zeros of Hankel functions and poles of scattering amplitudes, 3=17053
Keller,J.B. See Levy,B.R., 3=7793
Keller,J.B. See Lewis,R.M., 3=1962
Keller,J.B. See Rubinow,S.L., 3=23765
Keller,J.M. Resistivity of vacancy–impurity pairs, 3=25320
Keller,J.M. See Townsend,J.R., 3=17562
Keller,R. See Kim,H., 3=6411
Keller,R.A. Electronic conductivity in molecular crystals: an alternative to the Bloch-function approach, 3=10710
Keller,R.A. See Hadley,S.G., 3=23115
Keller,W.E. See Craig,P.P., 3=7398
Kellermann,K.I., Long,R.J., Allen,L.R. and Moran,M. A correlation between the spectra of non-thermal radio sources and their brightness temperature, 3=1541
Kellermann,K.I. See Conway,R.G., 3=13930
Kellers,C.F. See Weinstock,H., 3=315
Kelley,G.G. See Bell,P.R., 3=12203
Kelley,G.G. See Gauster,W.F., 3=12154
Kelley,P.L. Nonlinear effects in solids, 3=15641
Kelley,P.L. Second harmonic generation in solids, 3=25430
Kellman,S., Kovacik,W.P. and Romanowski,T.A. Elastic scattering of negative pions by protons at 152 and 226 MeV, 3=4441
Kellner,H.A. and Nonnenmacher,Th. Yvon approximation method. IV, 3=22146
Kellner,L. Microwave spectroscopy, 3=21981
Kellogg,E.M. and Eklund,K.E. Plasma and ion beam characteristics of the dynamag ion source, 3=5717
Kellogg,P.J. Flow of plasma around the earth, 3=9287
Kellogg,P.J. Auroral X rays, electron bombardment and trapped radiation, 3=13792
Kellogg,R.E. Valence-bond structures and matrix elements for any multiplicity, 3=6382
Kelly,A. and Nicholson,R.B. Precipitation hardening, 3=20893
Kelly,A. See Baker,C., 3=17705
Kelly,A. See Bonar,L.G., 3=20894
Kelly,A. See Freise,E.J., 3=25627
Kelly,A. See Groves,G.W., 3=16000
Kelly,A. See Groves,G.W., 3=25277
Kelly,A. See Groves,G.W., 3=25283
Kelly,A. See Groves,G.W., 3=25310
Kelly,A. See Price,R.J., 3=3222
Kelly,A. See Price,R.J., 3=23315
Kelly,B.T., Jones,D. and James,A. Irradiation damage to pile grade graphite at 450°C, 3=10433
Kelly,E.L. General description and operating characteristics of the Berkeley 88-inch cyclotron, 3=5732
Kelly,E.M. Maxwell's equations as properties of the vortex sponge, 3=24430
Kelly,F.J. See Janz,G.J., 3=22663
Kelly,H.P. Correlation effects in atoms, 3=19921
Kelly,J. Reversed field focusing systems for electron beams with appreciable space charge densities, 3=9857
Kelly,J.C. See Tille,J., 3=23853
Kelly,J.W. Semiautomatic single crystal orienter, 3=8798
Kelly,J.W. The texture of hot-pressed beryllium oxide, 3=25648
Kelly,K.L. Lines of constant correlated color temperature based on Macadam's (u,v) uniform chromaticity transformation of the Cie diagram, 3=16729
Kelly,P.S. and Armstrong,B.H. Theoretical oscillator strength for the N I $2p^2 3s(^4P)-2p^3(^4S)$ transition, 3=4708
Kelly,P.S. See Roothaan,C.C.J., 3=19942
Kelly,R. See Bergström,I., 3=12608
Kelly,W.H. See Beard,G.B., 3=17412
Kelly,W.H. See Horen,D.J., 3=8001
Kelly,W.H. See Horen,D.J., 3=17416
Kelm,S. and Schlüter,D. Measurement of two series limit continua of calcium, 3=12758
Kel'man,V.M., Peregud,B.P. and Skopina,V.I. A precision prism beta spectrometer. I. Electron-optical system and construction, 3=19363
Kel'man,V.M., Peregud,B.P. and Skopina,V.I. A precision prism beta spectrometer. II. Resolving power, effective aperture, accuracy of measurements of energies and relative intensities, 3=19364
Kel'man,V.M. and Rodnikova,I.V. New schemes for mass spectrometers, 3=453

Kel'man,V.M. and Rodnikova,I.V. An electrostatic-prism energy analyser for charged particles, 3=4209
Kel'man,V.M. See Ankudinov,V.A., 3=2092
Kelsall,D. An automatic emissivity-compensated radiation pyrometer, 3=7383
Kelsch,J.J.,Kammerer,O.F. and Goland,A.N. Electron microscopy of fission fragment damage in aluminium-uranium fuel, 3=13015
Kelsch,J.J., Kammerer,O.F. and Goland,A.N. Electron microscopy of the effects of the passage of energetic particles through solids, 3=17802
Kelsey,C.A. The polarization of neutrons from the Be^9(p, n)B^9 reaction, 3=19848
Kelsey,C.A.,Lietz,G.P.,Trevino,S.F. and Darden,S.E. Polarization and angular distribution measurements on the neutrons from the Be^9(p,n)Be^9 reaction, 3=6243
Kelsey,C.A. See Walter,R.L., 3=19645
Kemeny,G. See Walsh,P., 3=9972
Kemp,J.C. and Neeley,V.I. Optical and e.s.r. spectra of irradiated CaO crystals, 3=13169
Kemp,J.C. and Neeley,V.I. Wave functions for F centres in MgO, 3=25301
Kemp,J.G. See Adhav,R.S., 3=7384
Kemp,M.A.R. See Chadwick,G.B., 3=2261
Kemp,M.A.R. See Fujii,T., 3=2262
Kemp,M.A.R. See Galbraith,W., 3=2297
Kempis,E.B. See Talbot,J.H., 3=8918
Kempis,E.B. See Talbot,J.H., 3=16128
Kemplay,J.R. Measurement of noise pulses generated by SCI corona discharge tubes, 3=21745
Kenan,R.P.,Glasser,M.L. and Milford,F.J. Spin-wave contribution to the heat capacity of magnetite, 3=25200
Kench,J.R.,Chamberlain,J. and Young,A.G. Incremental collapse in α-uranium subjected to thermal cycles while undergoing creep, 3=8908
Kendall,H.W. and Oeser,J . Inelastic electron scattering studies: Cu^{63},In^{115},Ta^{181},Pb^{208}, and Bi^{209}, 3=10333
Kendall,H.W. and Talmi,I. Inelastic electron scattering from V^{51}, 3=664
Kendall,H.W. See Friedman,J.I., 3=10178
Kendall,P.C. On the detailed shape of the Chapman-Ferraro surface, 3=1476
Kendall,P.C. Geomagnetic control of diffusion in the F2-region of the ionosphere. II. Numerical results, 3=9093
Kendall,P.C. C—F hollows for solar streams partially incident on the earth, 3=9120
Kendall,P.C. See Chapman,S., 3=5826
Kendall,P.C. See Ferraro,V.C.A., 3=13757
Kendall,P.C. See Gliddon,J.E.C., 3=6986
Kendall,P.W. See Cusack,N.E., 3=1710
Kendall,P.W. See Cusack,N.E., 3=9476
Kenderdine,S. A survey of galactic radiation at 38 Mc/s. I. Declinations + 10° to + 45°, 3=21133
Kenderdine,S. Radio emission from the Cygnus Loop, 3=21134
Kendig,P.M. See Stumpf,F.B., 3=9567
Kenefick,R.A. See Sheline,R.K., 3=22285
Kenemuth,J.R. and Stein,P.C. Polarization of the proton from the $\gamma+n\rightarrow p+\pi^-$ reaction, 3=10115
Keneshea,F.J.,Jr and Fredericks,W.J. Diffusion of lead ions in potassium chloride, 3=15510
Kenjo,T. and Hatta,Y. Moving striations in the tapered discharge tubes, 3=24234
Kenknight,C. See Wehner,G.K., 3=23667
Kennedy,A.J. Characteristics of fatigue-activated creep in an aluminium—magnesium alloy, 3=13365
Kennedy,A.J. A creep model, 3=23330
Kennedy, A.J. and Clifton, T.E. A versatile combined creep and fatigue apparatus with programme facilities, 3=18188
Kennedy,G.C. See Jayaraman,A., 3=6814
Kennedy,G.C. See Jayaraman,A., 3=14417
Kennedy,G.C. See Jayaraman,A., 3=16016
Kennedy,G.C. See Jayaraman,A., 3=16834
Kennedy,G.C. See Jayaraman,A., 3=20887
Kennedy,G.C. See Klement,W.,Jr, 3=8795
Kennedy, G.C. See Klement, W.Jr., 3=18227
Kennedy,G.C. See Klement,W.,Jr, 3=19067
Kennedy,J.M. See Gabrysh,A.F., 3=23129
Kennedy,R.M. and Paolini,A,Jr. A variable three-step sector rotating filter, 3=16756
Kennedy,S.W. and Schultz,P.K. Kinetics of phase growth in the structure change in silver nitrate crystals, 3=13401
Kenney,A.S. See Young,J.D., 3=5766
Kenney,G.N.,Cameron,J.R. and Zimmerman,D. Thermoluminescent dosimeter reading system, 3=19511
Kenney, J.F. See Willard,H.R., 3=21058
Kenney,R.W. A multichannel coincidence system, 3=16895
Kenney,V.P. See Biswas,N.N., 3=4434
Kenney,V.P. See Biswas,N.N., 3=17133
Kenney,V.P. See Fabian,B.N., 3=14836
Kenshalo,D.R. Improved method for the psychophysical study of the temperature sense, 3=21601
Kent,G. A particular solution of the linearized Boltzmann equation, 3=14565
Kent,R.P. and Wells,T.C. The creep behaviour of the magnesium—zirconium alloy ZA at 400° and 450°C in carbon dioxide containing ≈ 200 p.p.m. moisture, 3=25629
Kenty,C. Evidence for a long-lived metastable state of N_2 at about 8 eV, 3=2619
Kenty,C. Dissociative recombination and the construction of the positive column, 3=4059
Kenyon,I.R. A photometric device for track profile measurement in nuclear emulsion, 3=534
Kenyon,I.R. The emission og heavy hypernuclei from 800 MeV/c K^- interactions in nuclear emulsion, 3=24789
Kenyon, I.R, Key, A.W. and Lokanathan, S. Unstable fragment emission from 25 GeV/c proton stars in nuclear emulsion, 3=17270
Kenyon,I.R. See Ismail,A.Z.M., 3=10228
Kenyon,I.R. See Ismail,A.Z.M., 3=22274
Kenyon,K.E. See Cook,J.C., 3=14402
Keown,S.R. See Pickering,F.B., 3=18359
Kepler,R.G., Caris,J.C., Avakian,P. and Abramson,E. Triplet excitons and delayed fluorescence in anthracene crystals, 3=18041
Keppel,E. See Bondàr,L., 3=19678
Keppler.E.,Ehmert,A.,Pfotzer,G. and Ortner,J. Sudden increase of radiation intensity coinciding with a geomagnetic storm sudden commencement, 3=11471
Keppler,U. Synthetic single crystals of β-$Ca_2P_2O_7$, 3=6827
Kerecman,A.J. See Cook,C.F.,Jr., 3=18411
Kerecman,A.J. See Gualtieri,J.G., 3=8813
Kerker,M.,Farone,W.A. and Matijevic,E. Applicability of Rayleigh—Gans scattering to spherical particles, 3=19447
Kerker,M. See Matijevic,E., 3=13626
Kerkhoff,,F.,Martienssen,W. and Sander,W. Electron spin resonance and photochemistry of the U_2-centre of alkali halide crystals, 3=10696
Kerler,W.,Neuwirth,W. and Fluck,E. Isomeric shift and quadrupole splitting in the Mössbauer effect of Fe^{57} in iron compounds, 3=22629
Kerler,W.,Neuwirth,W.,Fluck,E.,Kuhn,P. and Zimmermann,B. Study of complex and covalent iron bonds using the Fe^{57} Mössbauer effect, 3=12894
Kern,B. See Gilberg,E., 3=20499
Kern,B.D. See Gabbard,F., 3=2476
Kern,C.D. Desert soil temperature and infrared radiation received by Tiros. III., 3=18493
Kern,E. Effect of the reflector on the temperature coefficients of a reactor, 3=12720
Kern,J. Parameters of the Geiger discharge, 3=12365
Kern,J.W. A charge separation mechanism for the production of polar auroras and electrojets, 3=1470
Kern,J.W. A note on the generation of the main-phase ring current of a geomagnetic storm, 3=9131
Kern,J.W. See Lamar,D.L., 3=9008
Kern,R. Gas determination methods in metals, 3=11370
Kern,R. See Bienfait,M., 3=16042
Kern,R. See Gindt,R., 3=21339
Kern,R. See Grand-Jean,D., 3=1339
Kern,S. See Heller,G.S., 3=15906
Kern,R. See Simon,B., 3=16056
Kern,W. Neutron-activation study of gallium arsenide contamination by quartz, 3=1274
Kernan,A. See Birge,R., 3=22192
Kernan,W.,Novey,T.B.,Warshaw,S.D. and Wattenberg,A. Measurement of the magnetic moment of the Λ^0 hyperon, 3=6084
Kernchen,W. See Hahn,D., 3=23125
Kernchen,W. See Hahn,D., 3=23126

Kernohan,R.H. See Schindler,A.I., 3=22729
Kernohan,R.H. See Wechsler,M.S., 3=11291
Kerns,Q.A. See Birk,M., 3=24175
Kerps,D. See Dietrich,I., 3=5587
Kerr D.R. and Milnes,A.G. Piezoresistance of diffused layers in-cubic semiconductors, 3=10753
Kerr,E.C. and Taylor,R.D. Molar volume and expansion coefficient of liquid He^3, 3=5563
Kerr,E.C. Bigeleisen,J., 3=21626
Kerr,I.S. Possible structures related to mordenite, 3=20856
Kerr,L.W.,Wilson,J.W.G. and Gillen,C.H. A wide-band electronic integrator, 3=24168
Kerr,R.J. See Ard,W.B., 3=19913
Kerr,R.J. See Becker,M.C., 3=12209
Kerridge,J.F.,Sheinin,S.S.,Johnson,A.A.and Matthews,H.I. On the mechanism of vacancy annihilation in neutron irradiated molybdenum, 3=2787
Kerrigan,M.A. See Gustafson,P.F., 3=9058
Kerst,D.W. The influence of errors on plasma-confining magnetic fields, 3=9801
Kerst,D.W. See Ohkawa,T., 3=19247
Kerst,D.W. See Schupp,A.A., 3=21814
Kersta,L.G. Voiceprint identification, 3=9292
Kersten,J.A.,Went,J.J. and van Zolingen,J.J. Physical aspects of an aqueous homogeneous suspension reactor, 3=2537
Kerswell,A.G. See Swanson,K.M., 3=7668
Kerth,L.T. See Beall,E.F., 3=24790
Kerth,L.T. See Cook,V., 3=10171
Kerth,L.T. See Keefe,D., 3=17326
Kervalidze,K.N. See Kvartskhava,I.F., 3=12157
Kerwin,L. and McGowan,W. Aston bands in atmospheric gases, 3=4020
Kerwin,L. See McGowan,W., 3=7439
Kerwin,L. See McGowan,W., 3=21719
Kerwin,L. See McGowan,W., 3=24391
Keržar,B. See Agdur,B., 3=383
Keržar,B. See Agduri,B., 3=19204
Kesava-Murthy,M.J. Studies on sporadic-E relationship with thunderstorms and magnetic disturbances, 3=21059
Kessel,A.R. Effect of motion on acoustic resonance, 3=16708
Kessel,A.R. Nuclear acoustic resonance absorption in metals, 3=20088
Kessel',A.R. and Kopvillem,U.Kh. A quantum counter of phonons, 3=15424
Kessel',A.R. and Morocha,A.K. Equations of motion for the effective spin, 3=20667
Kesselring,P. High-sensitivity coaxial bridge for spin resonances in the metre wavelength region, 3=7724
Kessenikh,A.V. The use of methyldichlorosilane for determining the resolution of N.M.R. spectrometers, 3=19471
Kessenikh,A.V., Lushchikov,V.I., Manenkov,A.A. and Taran,Yu.V. Relaxation and dynamic polarization of protons in polyethylenes, 3=20064
Kessenikh, A.V. and Manenkov, A.A. Dynamic polarization of nuclei on saturation of nonuniformly broadened lines of electron paramagnetic resonance, 3=18146
Kessler,D. See Eisenberg,Y., 3=15310
Kessler,D. See Eisenberg,Y., 3=17547
Kessler,F.R. and Metzger,H.J. Infrared structure analysis of microperiodic impurity inhomogeneities in InSb, 3=22762
Kessler,F.R. and Sutter,E. Contribution to the question of infrared absorption by free carriers in selenium, 3=13188
Kessler,H.C.,Jr. Equivalent Eulerian boundary conditions for finite-amplitude piston radiation, 3=5496
Kessler,H.C.,Jr. Extension of the concept of equivalent Eulerian boundary conditions, 3=21464
Kessler,J. See Fink,M., 3=12256
Kessler,J. See Fink,M., 3=16984
Kessler,J.O. and Moore,A.R. Long range energy transport and light generated magnetic susceptibility in germanium, 3=3082
Kessler,J.O., Tompkins,B.E. and Blanc,J. Variable-characteristics p—n-junction devices based on reversible ion drift, 3=20349
Kessler,J.O. See Sinclair,R.M., 3=19269
Kessler,J.O. See Yoshikawa,S., 3=19268
Kessler,K.G. See Madden,R.P., 3=9591
Kessler,P. Experimental applications of the method of quasi-real processes, 3=2193
Kessler,P. On an experimental possibility of comparing muons and electrons at very high energy, 3=22157
Kessler,T. See Reichardt,H., 3=16798
Kessler,W.V. See Christian,J.E., 3=6186
Kestemont,E. See Bellemans,A., 3=2715
Kesten,H. On the number of self-avoiding walks, 3=18745
Kester,J.E. and Minardi,J.E. Thermal radiation from a hemispherical source in contact with an infinite Lambert plane, 3=19059
Kestigian,M. See Holloway,W.W.,Jr, 3=23102
Kestin,J. and Persen,L.N. The effect of a standing sound field on a slow stream discharged from a porous wall, 3=23833
Kestin,J. and Richardson,P.D. Heat transfer across turbulent incompressible boundary layers, 3=11968
Kestin,J. and Whitelaw,J.H. A relative determination of the viscosity of several gases by the oscillating disk method, 3=14189
Kestin,J. See Gardner,G.O., 3=11970
Kestner,N.R. and Sinanoğlu,O. Study of electron correlation in helium-like systems using an exactly soluble model, 3=4703
Kestner,N.R. and Sinanoğlu,O. Effective intermolecular pair potentials in nonpolar media, 3=12880
Keszthelyi,L. See Berkes,I., 3=6242
Keszthelyi,L. See Berkes,I., 3=15193
Ketelaar,J.A.A. and Rettschnick,R.P.H. Induced infrared absorption in the spectral region of the first overtone of hydrogen, 3=9512
Ketiladze,G.D. See Almanov,G.A., 3=20657
Ketskeméty,I. Kirchhoff's law for the case of strongly absorbing media, 3=9653
Ketskeméty,I., Dombi,J. and Horvai,R. Fluorescence, absorption and temperature radiation of solutions, 3=1695
Ketskeméty,I. See Budó,A., 3=3806
Ketteringham,J.M. See Barrow,R.F., 3=10525
Ketterson,J.B. Ultrasonic attenuation in antimony. II. De Haas—Van Alphen oscillations, 3=4818
Keussler,V.v. See Dold,B., 3=20433
Keutel,M. See Meyer,K., 3=8785
Kevan,L. and Libby,W.F. Chemistry of positive ions. II. Ion-molecule reactions on radiolysis of n-hexane at low temperatures, 3=6927
Kevan,L. and Libby,W.F. Chemistry of positive ions. III. The radiation chemistry of solid N-hexane at 77°K, 3=25838
Kevane, C.J, Holverson, E.L. and Watson, R.D. Electrolytic conduction in calcium-doped solid cerium oxide, 3=17870
Kever,H. Theory of dynamical behaviour of plasmas with internal magnetic fields during magnetic compression: comparison with experiments, 3=12167
Kever,H. See Beerwald,H., 3=12164
Kevorkian,H.K. See Passaglia,E., 3=10597
Kevorkian,J. See Lagerstrom,P.A., 3=11493
Kevorkian,J. See Lagerstrom,P.A., 3=25991
Key,A.W. See Ismail,A.Z.M., 3=10228
Key,A.W. See Ismail,A.Z.M., 3=22274
Key, A.W. See Kenyon, I.R., 3=17270
Keyes,R.J. See Quist,T.M., 3=9971
Keyes,R.T. See Cook,M.A., 3=1751
Keyes,R.W. Elastic properties of diamond-type semiconductors, 3=1214
Keyes,R.W. See Pomerantz,M., 3=4811
Keys,J.D. The use of a pulse-height analyser as a curve plotter, 3=9392
Keys,J.D. and Dutton,H.M. Diffusion and solid solubility of silver in single-crystal bismuth telluride, 3=12998
Keys,J.D. and Dutton,H.M. Diffusion and solid solubility of gold in single-crystal bismuth telluride, 3=17781
Khabakov,A.V. The nature of some characteristic details on the chart of the reverse side of the moon, 3=9176
Khabibullin,B.M. Effect of spin—spin interaction on scattering of neutrons in a paramagnetic, 3=6694
Khabibullin,B.M. Scattering of slow neutrons by the spin system of a paramagnetic, 3=6695
Khabibullina,E.M. See Azimov,S.A., 3=6007
Khachaturyan, A.G. Application of the method of two-time green functions to the problem of ordering alloys, 3=11292
Khachaturyan,A.G. Nonlinear integral equations and their application to the problem of orderable alloys, 3=18347

Khachaturyan,A.G. Application of the Green's functions method to the thermodynamics of interstitial solutions, 3=18362
Khachaturyan,A.G. The problem of determining the elastic energy of pair interactions of impurity atoms in a crystal lattice, 3=20168
Khachaturyan,A.G. Nonlinear equations of integral type and their application to the study of the crystal symmetries of interstitial solutions, 3=25271
Khachaturyan,M.N. See Dunaitsev,A.F., 3=24769
Khachaturyan,M.N. See Ozhdyani,L., 3=6004
Khachaturyan,M.N. See Ozhdyani,L., 3=24338
Khachaturyan,M.N. See Ozhdyan,L., 3=24549
Khachaturyan,M.N. See Pantuev,V.S., 3=6257
Khadim,A.H.K. and Nawab,M.A. Kinetic energy correction term in capillary viscometers, 3=109
Khadzhi,P.I. See Moskalenko,S.A., 3=20142
Khaikin,A.S. See Vil'ner,L.D., 3=262
Khaikin,M.S. Direct measurement of the momentum of conductivity electrons in a metal, 3=4835
Khaikin,M.S. Investigation of the Fermi surface in tin by the cyclotron resonance technique, 3=6493
Khaikin,M.S. Investigation of the shape of a cross-section of the Fermi surface of tin, 3=8403
Khaikin,M.S. and Mina,R.T. Investigation of the Fermi surface in lead by the cyclotron resonance technique, 3=6494
Khaikin, M.S, Mina, R.T. and Edel'man, V.S. Cyclotron resonance and quantum oscillations of the surface resistance of bismuth, 3=17697
Khaĭkin,S.É. See Korol'kov,D.V., 3=16426
Khaimov-Mal'kov,V.Ya., Zhmurova,Z.I., Bagdasarov,Kh.S. and Akulyonok,E.M. Sectorial growth of crystals, 3=20785
Khaimov-Mal'kov,V.Ya. See Manenkov,A.A., 3=20048
Khainatskii,S.S. See Dalkhsuren,B., 3=8048
Khakhaev,A.D. See Kagan,Yu.M., 3=24238
Khalatnikov,I.M. See Lifshitz,E.M., 3=3724
Khalatnikov,I.M. See Lifshitz,E.M., 3=23661
Khalatnikov,I.M. See Pokrovskii,V.L., 3=4210
Khaldeeva,I.V. See Andronikashvili,É.L., 3=19731
Khaldeiva,I.I. See Andronikashvili,E.L., 3=4505
Khalfin,L.A. The supposed relation between the pole position and residue in the pole for the scattering amplitude, 3=568
Khalil,R.B. See Elyutin,V.P., 3=25612
Khalilov,Kh.M. Some results of an investigation of the viscosity of organic liquids, 3=21312
Khalimonova,I.M. See Lisitsya,M.P., 3=21376
Khalimonova,I.N. On the role of the symmetry of a vibration in the temperature dependence of absorption band intensity, 3=22577
Khalimonova,I.N. Frequencies and intensities in the infrared spectrum of tolane, 3=25469
Khalkin,V.A. See Abdurazakov,A.A., 3=10307
Khalkin,V.A. See Strigachev,A.T., 3=10302
Khalkin,V.A. See Zaĭtseva,N.G., 3=15202
Khan,A.A. See Deshpande,V.T., 3=25202
Khan,A.U. See Oster,G., 3=7213
Khan,I.H.,Hobson,J.P. and Armstrong,R.A. Reflection and diffraction of slow electrons from single crystals of tungsten, 3=7645
Khan,M.A. The anisotropy of magnetic susceptibility of some igneous and metamorphic rocks, 3=1493
Khan,Y. See Chaudhri,R.M., 3=7657
Khan-Magometova,Sh.D. See Zhevandrov,N.D., 3=2691
Khandel,P. A new approach to the theory of low-frequency noise in semiconductors, 3=20280
Khandelwal,G.S. and Merzbacher,E. Displacement cross sections for fast electrons incident on gold, 3=15523
Khanin,Ya.I. See Fain,V.M., 3=2141
Khankina,S.I. See Bass,F.G., 3=14746
Khanna,F.C. and Rohrlich,F. Gauge invariance and integration rules, 3=24585
Khanna, R.K. Molecular structure, force constants and thermodynamic quantities of iodine and bromine pentafluorides, 3=2631
Khao Bai Lin'. See Hao Pai Lin.
Khapalyuk,A.P. Circular optic axes in absorbing crystals, 3=23033
Khapalyuk,A.P.,Stepanov,B.I. and Sot-skii,B.A. Electromagnetic field within a plane-parallel layer under self-excitation, 3=5843
Khapalyuk,A.P. See Stepanov,B.I., 3=9605
Khapov,V.V. See Gol'danskii,V.I., 3=13977
Kharadly,M.M.Z. A new millimetre-wave method for determination of electron-density profiles in a linear discharge, 3=19229
Kharadly,M.M.Z.,Howatson,A.M. and Brown,R. Millimetre-wave diagnostics of a pinched linear discharge, 3=19230
Kharaga,K. See Udrya,I., 3=25008
Kharchenko,I.F.,Hrishayev,I.A. and Nekrashezich,A.M. Energy and phase characteristics of a linear electron accelerator with the wave phase velocity equal to the velocity of light, 3=21908
Kharchenko,V.F. See Sitenko,A.H., 3=22353
Kharchenko,V.N. See Romanenko,P.N., 3=23919
Khare,S.P. See Ghosh,S.N., 3=7638
Kharitonov,A.V. Free-atmosphere spectrophotometric standards. Energy distribution in the spectra of selected stars in C.G.S. units, 3=16316
Kharitonov,E.V. See Antun'ev,V.V., 3=3178
Kharitonov,E.V. See Korovin,L.I., 3=20448
Kharitonov,Y.Y. and Buslaev,Y.A. Determination of the force constant of the U—O bond in the UO$_2^{2+}$ ion, 3=22575
Kharitonov,Yu.I. See Band,I.M., 3=640
Kharitonov,Yu.I. See Sliv,L.A., 3=22311
Kharitonova,I.A. See Vil'dgrube,G.S., 3=2020
Kharitonova,L.S. See Geguzin,Ya.E., 3=20214
Kharitonova,O.P. Spectra of vapours of organic compounds. III. Thionaphthene, 3=15368
Kharitonova,Z.V. See Meiklyar,P.V. 3=9631
Khar'kov,E.I. See Vasilenko,T.V., 3=21331
Kharlamov,S.P. See Adamovich,M.I., 3=4428
Khartmann,É. See Esenski,B., 3=20804
Khartsiev, V.E. Properties of the compounds CdSb and ZnSb (answer to V. Frei and B. Velitski), 3=17685
Khartsiev,V.E. See Nasledov,D.N., 3=17990
Khaskind,M.D. Scattering of electromagnetic waves by meteor trails, 3=19448
Khaskind,M.D. Attenuation function of waves scattered by meteor trails, 3=25984
Khas'minskii,R.Z. On the stability of the trajectory of Markov processes, 3=18736
Khastgir,S.R. See Manoranjan Rao, 3=13683
Khastgir,S.R. See Rao,M., 3=9049
Khatanova,N.A. See Zakharova,M.I., 3=20906
Khatkevich,A.G. Elastic constants of crystals, 3=13324
Khatkevich,A.G. Internal conical refraction of elastic waves, 3=20098
Khatkevich,A.G. Determination of the elastic constants of crystals by the ultrasonic pulse method, 3=20692
Khatkevich,A.G. The acoustic axis in crystals, 3=22655
Khatukaeva,Zh.M. and Gutman,L.N. The problem of a cold air mass spilling over a mountain ridge considering air density decrease with height, 3=9032
Khazanov,B.I. Vacuum tube-transistor stages for economical radiometric apparatus, 3=24176
Khazen,É.M. Theory of turbulence in non-uniform flow, 3=5414
Khazov,D. See Samson,A.M., 3=19481
Kheifets,M.I. See Grishaev,I.A., 3=14812
Kheifets,M.I. See Grishaev,I.A., 3=14813
Kheifets,S.A. See Barȳshev,A.I., 3=19376
Kheifets,S.A. See Barȳshev,A.I., 3=24397
Kheifets,S.A. See Bayer,V.N., 3=24694
Kheifets,S.A. See Orlov,Yu.F 3=9891
Kheiker,D.M.,Zevin,L.S.,Konstantinov,I.E. and Alekseev,V.A. Proportional counter for X-ray diffraction studies, 3=23427
Khemani,L.T. See Biswas,K.R., 3=13669
Khëne,E.[Höhne]. A more accurate determination of the crystal structure of anhydrite, CaSO$_4$, 3=23453
Kher,V.G. and Hirde,J.P. A linear ohmmeter, 3=16884
Kher, V.G. and Kelkar, M.G. High frequency electrodeless discharge and the influence of irradiation. I. Mechanism of electrodeless discharge in air at low pressure, 3=1941
Kher, V.G. and Kelkar, M.G. High frequency electrodeless discharge and the influence of irradiation. II. Mechanism of Joshi effect, 3=1942
Khesin, Yu.D. See Moroz, L.S., 3=18193
Khil'ko,G.I. See Tolstoĭ,N.A., 3=15711
Khil'mer,W.[Hilmer]. An X-ray investigation of strontium germanate SrGeO$_3$, 3=23456

Khimich,I.V.,Lomsadze,Yu.M. and Kry̆vs'ky̆i,I.Yu. Certain physical consequences of the theory of the quantized field of probability amplitude, 3=19588
Khimitch,I.V. See Lomsadze,Yu.M., 3=5361
Khimitch,I.V. See Lomsadze,Yu.M., 3=14019
Khimunin,A.S. See Isaev,A.A., 3=14089
Khitrova,V.I. Thin films of rhombohedral tungstem nitride, 3=13460
Khitrova,V.I. The chemical crystallography of rhombohedral tungsten nitride II in relation to other nitrides, 3=20842
Khitrova,V.I. Superlattice and disordered phases in the W—N system, 3=23451
Khitrova,V.I. and Pinsker,Z.G. Chemical crystallography of tungsten nitrides and of some other interstitial phases, 3=13462
Khizhnvakov,V.V. See Rebane,K.K., 3=20077
Khizhnyakov,V.V. See Rebane,K.K., 3=20456
Khlebnikov,G.I. See Druin,V.A., 3=4676
Khlebnikov,N.S., Melamid,A.E. and Kovaleva,T.A. Amplitude distribution of photomultiplier output current pulses, 3=19320
Khlebnikova,L.Ya. See Dvorzhetskaya,L.A., 3=941
Khlebnikova,V.N. and Motozov,V.P. A comparative study of force constants of ammonia in crystalline, liquid and gaseous states, 3=22566
Khlopina,T.N. See Kashtan,M.S., 3=7469
Khmel'nitskaya,É.M. See Baru,V.G., 3=6598
Khodakov, A.L. and Sholokhovich, M.L. Single crystals of ferroelectrics with high piezoelectric moduli, 3=17939
Khodovoi,V.A. See Aleksandrov,E.B., 3=15296
Khody̆rev,Yu.S. See Demirkhanov,R.A., 3=14579
Khoe,T.K. A method to increase the duty factor of an isochronous cyclotron, 3=5794
Khofmokl,T. See Wang Kang-Ch'ang, 3=19702
Khofmokl',T.K. See Veksler,V.I., 3=22211
Khoi,Le Dang.,Bertaut,F. The nuclear magnetic resonance of Fe^{57} in the hyperfine field of ordered lithium ferrite, 3=1204
Khokhlov,R.V. See Akhmanov,S.A., 3=7301
Khokhlov,R.V. See Soluyan,S.I., 3=14258
Khokhlova,V.L. Formation of K_3 and H_3 type absorption components on the emission line background of the solar spectrum, 3=9197
Khokhlova,Z.S. See Berkovich,I.B., 3=24848
Khokley,W.S. and van Vliet,K.M. Escape mechanism of secondary electrons in polar crystals, 3=2021
Khokonov,Kh.B. See Zadumkin,S.N., 3=10573
Kholinov,Yu.M. Liquid level indicator for opaque cryostats, 3=24127
Kholmogorov,V.E. See Baranov,E.V., 3=6751
Kholmogorov,V.I. Electron paramagnetic resonance signals in crystalline phthalocyanine dyes, 3=20653
Kholmovskii,Yu.A. See Arzumanov,A.A., 3=9888
Kholmovskii,Yu.A. See Babichev,A.P., 3=21913
Khol'nov,Yu.V. See Voinova,N.A., 3=12601
Khol'nova,E.A. A mercury gamma-calorimeter, 3=7820
Kholodar',G.A. See Vorob'ev,Yu.V., 3=20403
Kholodenko,L.P. Theory of domainless, nonhomogeneous, spontaneous polarization of ferroelectric plates near the Curie point, 3=25397
Kholopov,P.N. See Artyukhina,N.M., 3=9230
Kholuyanov,G.F. Photoconductivity relaxation and the charge carrier lifetime in silicon carbide, 3=15634
Khomazyuk,V.G. Fresnel diffraction at the edge of a transparent half-plane of finite thickness, 3=24054
Khomchenko,A.I. See Bezugly̆i,P.A., 3=6469
Khomskii,D.I. See Nemenov,L.L., 3=5994
Khorasanov,G.L. See Alikhanov,S.G., 3=14592
Khorasanov,G.L. See Alikhanov,S.G., 3=19239
Khorassanov,G.L. See Demirkhanov,R.A., 3=7522
Khoroshev,G.A. Wall-effects in the collapse of cavitation bubbles, 3=23861
Khorosheva,V.V. The study of a waveguide on a solid two-dimensional model with sharp boundaries, 3=7711
Khosla,P.K. Effect of rotation and a magnetic field on Rayleigh—Taylor stability, 3=24444
Khosov,G.V. See Berkovskii,F.M., 3=16885
Khotin,B.A. See Bonch-Osmolovskaya,N.A., 3=24912
Khotin,B.A. See Grigor'ev,E.P., 3=8052
Khotin,B.A. See Kryukova,L.N., 3=8053
Khotin,B.A. See Maly̆sheva,T.V., 3=10273
Khotkevich,V.I. and Zabara,M.Ya. A new arrangement of the induction method of measuring electrical conductivity, 3=19127
Khotkevich,V.I. See Gindin,I.A., 3=20945
Khotkevich,V.I. See Kogan,V.S., 3=6842
Khotkevich,V.I. See Pervakov,V.A., 3=4862
Khotkevich,V.I. See Sirenko,G.A., 3=20704
Khotkevich,V.I. See Zaitsev,G.A., 3=4907
Khoury,F. Crystal habits and morphology of n-tetranonacontane (n-$C_{94}H_{190}$), 3=11236
Khozhainov,A.I. See Ryabinin,A.G., 3=21957
Khramov,L.V. See Vasin,I.G., 3=15625
Khrapko,R.I. Stationary quasi-one-dimensional magnetogasdynamic flow with finite conductivity, 3=17044
Khrapov,V.V. See Gol'danskii,V.I., 3=2996
Khrapov,V.V. See Gol'danskii,V.I., 3=8340
Khrapov,V.V. See Goldanskii,V.I., 3=10570
Khrashko,P. See Adam,A., 3=24750
Khrenov,B.A. Investigation of the high energy μ-meson flux of broad air showers, 3=2338
Khrenov,B.A. Investigation of the flux of high-energy muons in extensive air showers at sea level, 3=19732
Khrenov,B.A. See Belyaeva,I.F., 3=19726
Khrenov,B.A. See Khristiansen,G.B., 3=4513
Khrenov,B.A. See Vernov,S.N., 3=4500
Khrenov,B.A. See Vernov,S.N., 3=6118
Khrenov,B.A. See Vernov,S.N., 3=19719
Khrenova,R.A. See Demina,N.V., 3=22162
Khrgian,A.Kh. Investigation of cloud structures and scientific problems of the international year of the quiet sun, 3=18505
Khrimyan,A.V.,Avakyan,V.V.,Nalbandyan,N.A.,Egiyan,K.Sh. and Pleshko,M.P. Composition of nuclear active particles with momenta above 1.8 BeV/c in the cosmic radiation at an altitude of 3050 m above sea-level, 3=6097
Khrimyan,A.V., Egiyan,K.Sh., Nalbandyan,N.A., Avakyan,V.V. and Karapetyan,V.A. Measurement of the masses of charged particles by means of scintillation counters, 3=2158
Khriplovich,I.B. On the mass of a complex vector field, 3=14887
Khristiansen,G.B., Belyaeva,I.F., Abrosimov,A.T., Atrashkevich,V.I Dmitriev,V.A., Nechin,Yu.A., Khrenov,B.A., Kulikov,G.V. and Soloviyeva,V.I. The structure of extensive air showers at sea-level, 3=4513
Khristiansen,G.B. See Belyaeva,I.F., 3=19726
Khristiansen,G.B. See Dmitriev,V.A., 3=22243
Khristiansen,G.B. See Fomin,Yu.A., 3=22241
Khristiansen,G.B. See Vedeneev,O.V., 3=22240
Khristiansen,G.B. See Vernov,S.N., 3=4500
Khristiansen,G.B. See Vernon,S.N., 3=4525
Khristiansen,G.B. See Vernov,S.N., 3=6118
Khristiansen,G.B. See Vernov,S.N., 3=19719
Khristiansen,G.B. See Vernov,S.N., 3=19738
Khristov,V. and Sabéu,M. Self-shielding coefficient for thick gold foils for activation by resonance neutrons, 3=4407
Khromov,G.S. Masses and forms of planetary nebulae, 3=3608
Khromykh,N.E. See Kotel'nikov,K.A., 3=6096
Khrushchev,V.G., Margulis,U.Ya. and Stepanov,S.M. Method of increasing the coefficient of effective use of radiation of a γ-installation, 3=2396
Khrustaler,Yu.A. See Sokolina,G.A., 3=20300
Khrustalev,A.F. Heat conduction of a continuous cylinder, 3=19043
Khrustalev,O.A. See Logunov,A.A., 3=17202
Khrustalev,O.A. See Logunov,A.A., 3=19560
Khrustalev,O.A. See Okonov,E.O., 3=6073
Khu Shi-Ké. See Barashenkov,V.S., 3=6040
Khu Shi-ké [Hu Shih-k'o]. See Wang Yung, 3=4467
Khuan De-Tsyan. See Azhgireĭ, L.S., 3=4630
Khuan De-Tsyan. See Azhgireĭ,L.S., 3=22374
Khuan tszu-chzhan'. See Barashenkov,V.S., 3=6040
Khubchandani,P. and Sanatani,S. Scattering of cold neutrons in beryllium oxide, 3=20099
Khudaverdian, A. See Vartapétian, H., 3=17420
Khudaverdyan,A.G. See Vartapetyan,G.A., 3=4577
Khukhareva,I.S. Superconducting properties of freshly deposited mercury films, 3=327
Khukhareva,I.S. The superconducting properties of thin aluminium films, 3=14447
Khulamkhanov,V.Kh. See Zadumkin,S.N., 3=20073
Khulelidze,D.E.,Chikhladze,V.L.,Vartanov,N.A. and Ryukhin,Yu.A. Decay scheme for Te^{117}, 3=24902

Khulelidze,D.E. See Chikhladze,V.L., 3=2408
Khulelidze,D.E. See Selinov,I.P., 3=10291
Khulubei,Kh.,Auslender,I.,Fridlender,E. and Tsitseika,Sh. [Hulubei,H.,Ausländer,J.,Friedländer,E. and Titeica,S.]. Angular distribution of μ-mesons in π-μ decay, 3=6029
Khulubei,Kh.,Nyamu,I.,Frants,I.,Martalogu,N.,Skŷntei,N., Ivashka,M. and Berinde,A. Scattering of low energy protons on S^{32}, 3=6240
Khurana,C.S. See Govil,I.M., 3=19787
Khuri,N.N. Extension of the Regge representation, 3=10049
Khuri,N.N. Crossing-symmetric Watson–Sommerfeld transformation, 3=17220
Khuri,N.N. and Udgaonkar,B.M. Nucleon as a Regge pole and the $J = \frac{1}{2}$, $T = \frac{1}{2}$ πN phase shifts, 3=14969
Khutsishvili,G.R. Spin diffusion and magnetic relaxation of nuclei, 3=6764
Khutsishvili,G.R. Spin diffusion, magnetic relaxation and dynamic polarization of nuclei, 3=15957
Khutsishvili, G.R. Spin structure of hole levels in the degenerate band and saturation of cyclotron resonance [in Ge], 3=17850
Khutsishvili,G.R. See Baramidze,G.A., 3=20150
Khvashchevski,S. [Chwaszczwski,S.]. Coaxial plasma gun, 3=12197
Khvashchtevski,S. Interaction of an h.f. electromagnetic field with a plasma cylinder, 3=1981
Khvastunov,M.S. See Dvoretski,A.S., 3=17159
Khvoshchev,A.N. See Basov,N.G., 3=4924
Khvoshchev,A.N. See Osipov,B.D., 3=15590
Khvostikova,V.D. See Voronov,B.K., 3=25671
Kiang,D. See Preston,M.A., 3=15097
Kiang Tung-Chen. See Sun Chia-Chung, 3=22613
Kibal'chich,G.A. See Belogurov,Yu.P., 3=24001
Kibal'chich,G.A. See Tsirlin,Yu.A., 3=2162
Kibble,B.P. and Series,G.W. Further studies of modulated light in a double resonance experiment, 3=22474
Kibble,T.W.B. Feynman rules for Regge particles, 3=24658
Kibler,L.U. A high-speed point contact photodiode, 3=886
Kidd,D.E. See Cox,A.J., 3=5731
Kidd, J. See Abraham, F., 3=17379
Kidd,J.M. A study of high-energy gamma rays at the top of the atmosphere, 3=7944
Kidd,R.G. See Figgis,B.N., 3=148
Kidd,W. See Aarons,J., 3=13712
Kidder,R.E. See Ree,F.H., 3=19248
Kidin,I.N. and Shtremel',M.A. The formation conditions of large-angle boundaries, 3=20213
Kido,K. See Kanzaki,H., 3=22749
Kidron,A. and Rudman,P.S. An X-ray diffuse scattering study of local order in an h.c.p. Mg–In alloy, 3=25744
Kielich,S. Influence of intermolecular forces on the magnetic birefringence of imperfect gases and their mixtures, 3=172
Kielich,S. Molecular refraction of dense mixtures, 3=1709
Kielich,S. A molecular theory of magnetic birefringence in diamagnetic media, 3=3815
Kielich,S. Second refractivity virial coefficients for gas mixtures, 3=3835
Kielich,S. A statistical theory of the Kerr effect in multicomponent systems, 3=7249
Kielich,S. On non-linear light scattering in gases, 3=11834
Kielich,S. Orientation polarization. I. Dipolar systems, 3=15394
Kielich,S. Orientation polarization. II. Quadrupolar systems, 3=15395
Kielich,S. Orientation polarization. III. Octopolar systems, 3=15396
Kielich,S. Light scattering by a gas in the presence of an inhomogeneous electric field, 3=23931
Kielich,S. On the scattering of light in the presence of an intense electric or magnetic field, 3=24059
Kienle,P. and Wien,K. Investigation of the decay of F^{21}, 3=12621
Kienle,P. See Hüfner,S., 3=24841
Kienle,P. See Kalvius,M., 3=2416
Kienle,P. See Kalvius,M., 3=8006
Kienle,P. See Steichele,E., 3=24906
Kienle,P. See Walter,H.K., 3=24839
Kienle,P. See Wiedemann,W., 3=12568
Kienle,P. See Zinn,W., 3=25522
Kieu Van Con and Suchet,J. Crystallographic study and electrical properties of some alloys of composition $CrTe_x$, 3=23464
Kihara,M. See Muto,J., 3=24936
Kihara,T. and Aono,O. Unified theory of relaxations in plasmas. I. Basic theorem, 3=21758
Kihara,T.,Aono,O. and Dodo,T. Quantum theory of the Cerenkov radiation in plasmas, 3=12436
Kihara,T. See Honda,N., 3=12103
Kihō,H. See Ishii,K., 3=25658
Kihō,H. See Ishii,K., 3=25659
Kijewski,L.J. See Ness,N., 3=21776
Kikoin,I.K. and Nikolaev,I.N. Photomagnetic effect in p–n junctions, 3=2980
Kikoin, I.K. See Gridin, V.A., 3=17966
Kikuchi,A. See Sawaguchi,E., 3=4946
Kikuchi, A. See Sawaguchi, E., 3=17940
Kikuchi,C. and Azarbayejani,G.H. Spin resonance properties of ZnTe:Mn and of other A B compounds, 3=1192
Kikuchi,K. See Nonaka,I., 3=8100
Kikuchi,K. See Sato,S., 3=25828
Kikuchi,M. Negative resistance in the forward direction of semiconductor point contact diodes, 3=2935
Kikuchi,M. Observations of negative resistance and oscillation phenomena in the forward direction of point contact semiconductor diodes, 3=10855
Kikuchi,M., Suzuki,M. and Shibuya,T. Observations of oscillatio in CdSe single crystals compensated with Cu, 3=2936
Kikuchi,M. See Fukui,T., 3=23722
Kikuchi,M. See Iizima,S., 3=8532
Kikuchi,M. See Iizuka,T., 3=20170
Kikuchi,M. See Iizuka,T., 3=20171
Kikuchi,M. See Iizuka,T., 3=25667
Kikuchi,M. See Nagakura,S., 3=20884
Kikuchi,R. See Hecht,C.E., 3=19086
Kikuchi,R. See Sines,G., 3=22697
Kikuchi,S. See Suzuki,M., 3=10807
Kikuchi,S. See Tsukada,K., 3=6680
Kikuchi,T. See Block,M.M., 3=12508
Kikuchi,T. See Block,M.M., 3=12570
Kikuchi,T. See Gray,L., 3=15042
Kikuchi,T. See Kuyama,T., 3=16620
Kikuchi,T.T. See Marshall,S.A., 3=1187
Kikuchi,Y. See Tokuyasu,T., 3=20955
Kilb,E. See Führer,C., 3=11776
Kilb,R.W.,Hurwitz,H.,Jr. and Westendorp,W.F. Wall stabilizati effects in theta-pinch configurations, 3=412
Kilb,R.W.,Hurwitz,H., Jr and Westendorp,W.F. Wall stabilizati effects in theta-pinch configurations, 3=21798
Kilby,G.E. The scattering of X-rays by N_2, 3=19985
Kilcher,P. See Jastrzebski,J., 3=22350
Kildal,A. On linear and non-linear hydromagnetic fluid motion generated by oscillating solid boundaries. I, 3=5831
Kildal,A. On the relation between Landau damping and energy absorption, 3=7617
Kildal,A. On drift instabilities in a collisionless electron–proton plasma from the point of view of energy absorption of resonant particles, 3=21846
Kilgore,B.F. and Roberts,R.W. Preparation of evaporated silicon films, 3=8926
Kilgour,A.E. See Scag,D.T., 3=12187
Kilham,J.K. See Smith,T.J.B., 3=14289
Kilimov,A.P. and Voloshina,V.V. The photoluminscence and absorption of acridone in solution, 3=141
Kilin,S.F. The duration of photo- and radioluminescence of organic compounds, 3=15716
Kilin,S.F.,Murguliya,G.E. and Rozman,I.M. Recording of puls X-rays with capacitor-type ionization chambers, 3=24420
Killeen,J.,Heckrotte,W. and Boer,G. Energy transfer from ho ions to cold electrons in a plasma, 3=12121
Killeen,J. See Furth,H.P., 3=12177
Killeen,J. See Futch,A.H.Jr., 3=1964
Killpatrick,D.H. and Balluffi,R.W. Diffusion rates in face-centered cubic copper–zinc alloys during torsional deformation, 3=12999
Kim,D.J. See Kubo,R., 3=986
Kim,H.,Keller,R. and Gwinn,W.D. Dipole moment of formic a HCOOH, and HCOOD, 3=6412
Kim,H.,Patel,B.S. and Kegeles,G. Interference optical studies of restricted diffusion, 3=5434
Kim,H.J. Low energy (p, n) reactions on Mn^{55} and the excited states of Fe^{55}, 3=17473

Kim,H.J. and Shrader,E.F. Neutron-producing reactions by deuteron bombardment of B^{11}, 3=8126
Kim,H.J. and Shrader,E.F. Angular correlation in the $B^{11}(d,n\gamma_{15.11\ MeV})C^{12}$ reaction, 3=24967
Kim,H.Y. See Kim,J.S., 3=6970
Kim,J.S. and Kim,H.Y. Atmospheric conductivities over White Sands, New Mexico, 3=6970
Kim,J.S. and Volkman,R.A. Thickness of zenithal auroral arc over Fort Churchill, Canada, 3=21065
Kim,J.S. See Jarnagin,R.C., 3=23549
Kim khi In. See Belyakov,V.A., 3=24764
Kim Khi In. See Belyakov,V.A., 3=24798
Kim Khi-In. See Van Gan-Chan, 3=19709
Kim Khi In. See Veksler,V.I., 3=22211
Kim-Khi In. See Wang Kang-Ch'ang, 3=19702
Kim,P.D. and Rodichev,G.M. Large Barkhausen jumps in thin ferromagnetic films, 3=11080
Kim,S. See Henderson,D., 3=11783
Kim,Y.B., Hempstead,C.F. and Strnad,A.R. Critical persistent currents in hard superconductors, 3=3951
Kim,Y.B.,Hempstead,C.F. and Strnad,A.R. Magnetization and critical supercurrents, 3=5575
Kim,Y.E. Low-energy states in Y^{90}, 3=22304
Kim,Y.E. and Rasmussen,J.O. Energy levels of Bi^{210} and Po^{210} and the shell-model residual force, 3=24875
Kim,Y.N. Coulomb disintegration of μ-mesonic atoms, 3=4729
Kim,Y.S. Spin rotation coefficients in π—N scattering, 3=6048
Kim,Y.S. Quasi-deuteron model and the internal momentum distribution of nucleons in C^{12}, 3=7965
Kim,Y.S.,Liu,F.F.,Loeffler,F.J. and Palfrey,T.R.,Jr. High-energy photoprotons from light nuclei, 3=8079
Kim,Y.S. See Jaffe,A.M., 3=10055
Kim,Y.S. See Liu,F.F., 3=4624
Kim,Y.W. and France,P.W. Electron paramagnetic resonance absorption studies of neutron-irradiated α, α-diphenyl-β-picryl hydrazine, 3=15371
Kim,Y.W. and Hearn,D.D. Electron paramagnetic resonance absorption of thermally annealed Cr_2O_3 below Curie temperature, 3=20643
Kimball,C.,Gerber,W.D. and Arrott,A. Antiferromagnetism in f.c.c. and h.c.p. iron—manganese alloys: Mössbauer effect, 3=15907
Kimbell,G.H. See Gaydon,A.G., 3=14246
Kimoto,S.,Sato,M. and Shimazaki,H. Specimen current image of electron probe X-ray microanalyzer, 3=23531
Kimpara,A. Some characteristics of the dispersion of whistlers, 3=11412
Kimpara,A. Occurrence of whistlers and solar activity, 3=13682
Kimura,H. The effect of suprathermal particles on interstellar dust, 3=11508
Kimura,H. and Hasiguti,R.R. Resoftening of quench-hardened copper, 3=8907
Kimura,H.,Hasiguti,R.R. and Maniwa,H. Reduced mobility of divacancies in ordered Cu_3Au type alloys, 3=12961
Kimura,H., Kuhlmann-Wilsdorf,D. and Maddin,R. The growth mechanism of stacking-fault tetrahedra in quenched gold, 3=20203
Kimura,H. and Sasaki,Y. The phase diagram of the niobium—carbon system, 3=18342
Kimura,H. See Akahori,H., 3=19355
Kimura,K. See Bauer,S.H., 3=444
Kimura,H. See Haga,E., 3=23071
Kimura,K. and Hasiguti,R.R. Interaction of vacancies with tin atoms in aluminum, 3=22744
Kimura,M. and Ozawa,M. Measurement of shock velocity, 3=14252
Kimura,M.,Shoda,K.,Mutsuro,N.,Sugawara,M.,Abe,K.,Kageyama,K. Mishina,M.,Ono,A.,Ishizuka,T.,Mori,S.,Kawamura,N., Nakagawa,T. and Tanaka,E. Structure of giant resonance in the $P^{31}(p,\gamma)$ reaction, 3=22376
Kimura,M. See Mutsuro,N., 3=4615
Kimura,M. See Mutsuro,N., 3=4616
Kimura,M. See Mutsuro,N., 3=19832
Kimura,M. See Shoda,K., 3=15172
Kimura,M. See Sugawara,M., 3=12653
Kimura,R. and Nosé,H. Spin wave resonance in Ni and its alloy films, 3=1169
Kimura,R. See Flock,A., 3=3656
Kimura,T. Molecular weight distribution of irradiated polymers, 3=8325
Kimura, T. See Nariai,H., 3=39
Kimura,T. See Nariai,H., 3=11503
Kimura,T. See Nariai,H., 3=21085
Kimura, Y. and Kashihabara, S. Ultrasonic wave propagation velocity in ferrite and its elastic constant, 3=17652
Kimura,Y. See Ogawa,S., 3=8733
Kin Pong Chik. See Seeger,A., 3=20164
Kinch, M.A. and Rollin, B.V. Detection of millimetre and sub-millimetre wave radiation by free carrier absorption in a semiconductor, 3=25385
Kind,A. and Rossi,G. A simplified model for the determination of the thermal neutron spectrum in a fuel element, 3=10408
Kind,A. and Rossi,G. Coolant temperature coefficient and two-thermal group diffusion model, 3=15259
Kinder,H. A demonstration experiment of travelling-wave amplification, 3=21191
Kindermann,M.R. See Garrod,R.I., 3=1740
King,A.B. and Gatz,C. Comment on a letter by Kenty: "Evidence for a long-lived metastable state of N_2 at about 8 eV", 3=2618
King,A.D.,Jr. and Robertson,W.W. Solubility of naphthalene in compressed gases, 3=304
King,A.H. Investigation of small cyclic strains by etch pits at dislocation sites, 3=12984
King,A.J. See Wang,F.E., 3=11266
King,A.J. See Wang,F.E., 3=20838
King,D.E.N. See Ehrenberg,W., 3=10701
King,G. and Ash,E.A. Measurement of klystron cavity gap voltage using a retarding field technique, 3=14645
King,G.J. See McMillan,R.C., 3=3418
King,G.W. and Moule,D. The ultraviolet absorption spectrum of nitrous acid in the vapor state, 3=6403
King,H.W. and Massalski,T.B. The determination of accurate lattice parameters in tetragonal metals and alloys, 3=6837
King,H.W. See Massalski,T.B., 3=6856
King, J. Sound of change in the American schoolhouse, 3=14297
King,J.I.F. Meteorological inferences from satellite radiometry. I, 3=25865
King,J.S. See Knoll,G.F., 3=17494
King,J.W. Investigations of the upper ionosphere deduced from top-side sounder data, 3=13733
King,J.W. Some relationships between magnetic and ionospheric variations, 3=13759
King,L.A. The voltage gradient of the free burning arc in air or nitrogen, 3=4072
King,R.C. See Kleppa,O.J., 3=6872
King,R.E.J. See Eaton,G.K., 3=2917
King,R.J. Instrument problems in spectropolarimetry, 3=16806
King,R.W.P. See Gooch,D.W., 3=19453
King,R.W.P. See Iizuka,K., 3=21977
King,W.H. Comments on the article "peculiarities of the isotope shift in the samarium spectrum", 3=15294
King,W.J. See Wolfson,J.L., 3=24702
King,W.L. See Gruber,H.E., 3=11628
King,W.R. See Horton,C.W., 3=5500
King-Hele,D.G. Predicting the life-times of artificial satellites in theory and practice, 3=7057
King-Hele,D.G.,Cook,G.E. and Rees,J.M. Earth's gravitational potential: evaluation of even zonal harmonics from the 2nd to the 12th, 3=13639
King-Hele,D.G. and Rees,J.M. Scale height in the upper atmosphere, derived from changes in satellite orbits, 3=3480
King-Hele,D.G. See Cook,G.E., 3=25992
Kingery,W.D. and Coble,R.L. A review of the effect of microstructure on mechanical behavior of polycrystalline ceramics, 3=23357
Kingery,W.D. See Tokuda,T., 3=20224
Kingslake,R. Automatic predesign of the Cooke triplet lens, 3=16735
Kingsley,J.D. See Hall,R.N., 3=4966
Kingsley,J.D. See Prener,J.S., 3=8522
Kingston,A.E. See Bates,D.R., 3=364
Kingston, A.E. See Bates, D.R., 3=21779
Kingston,R.H. Solid-state microwave devices, 3=6556
Kington,J.D. See Macklin,R.L., 3=2504
Kinloch,C.D.,Lee,D.F. and Ventress,G.B. Automatic helical-spring stress relaxometer for intermittent or continuous relaxation measurements, 3=13339

Kinman,T.D. Limiting radii of stellar systems in the neighbourhood of the galaxy, 3=11581

Kinney,J.A.S. Factors affecting induced color, 3=11644

Kino,G.S. and Allen,M.A. The effects of fluctuations on propagation through a plasma medium, 3=4134

Kino,G.S. and Paik,S.F. Circuit theory of coupled transmission systems, 3=503

Kino,G.S. See Butler,H.S., 3=21800

Kino,G.S. See Colburn,D.S., 3=21872

Kino,G.S. See Crawford,F.W., 3=21803

Kino,G.S. See Crawford,F.W., 3=21804

Kino,G.S. See Crawford,F.W., 3=21839

Kino,G.S. See Jha,S.S., 3=12134

Kino,T.,Kabemoto,S. and Yoshida,S. An experimental study on vacancy—impurity interaction in aluminum, 3=22746

Kino,T. See Yoshida,S., 3=22891

Kinoshita,K. See Tsurumi,S., 3=16224

Kinoshita,T, Loeffel, J.J. and Martin, A. New upper bound for the high-energy scattering amplitude at fixed angle, 3=17221

Kinoshita,T. See Bethe,H.A., 3=2214

Kinoshita,T. See Contogouris,A.P., 3=22088

Kinoshita,Y. See Jeffrey,G.A., 3=8868

Kinsel,T., Lynton,E.A. and Serin,B. Magnetic properties of a superconductor of the second kind, 3=3954

Kinsel,T. See Chang,G.K., 3=19124

Kinsey,K.F. See Knapp,D.E., 3=22178

Kinzig,B.J. See Bueche,F., 3=18809

Kippenhahn,R. Differential rotation in stars with convective envelopes, 3=11565

Kirchenmayer,A. Effective resonance integral dependence on the moderator slowing down properties, 3=8156

Kirchhoff,W.H. and Wilson,E.B.,Jr. The microwave spectrum and structure of NSF, 3=22563

Kirchmayr,H.R. Calculation of the equilibrium potential of amalgam electrodes, 3=25832

Kirei,G.G. and Lisitsa,M.P. Effect of temperature on the infrared spectra of organosilicon compounds. III. Octamethyltrisiloxane, 3=14169

Kirenkow,I.I. Thermodynamic and international practical temperature scale, 3=11981

Kirenskii, L.V. and Afoshin, V.S. Rotational hysteresis of magnetostruction in ferromagnetics, 3=18094

Kirenskii,L.V.,Drokin,A.I.,Dȳlerov,V.D.,Sudakov,N.I. and Zagirova,E.K. Temperature dependence of the first anisotropy constant and the magnetic structure of Fe—Mn ferrites, 3=13273

Kirenskii,L.V.,Kan,S.V. and Savchenko,M.K. Behaviour of the domain structure of thin ferromagnetic films at different temperatures, 3=11081

Kirenskii,L.V. See Spivak,G.V., 3=13266

Kirgetov,V.I. Analytical method of mechanics in the theory of a perfectly elastic impact of material systems, 3=1645

Kirgintsev,A.N. Motion of an impurity in the zone melting of an infinite ingot, 3=20802

Kirgintsev,A.N. and Avvakumov,E.G. Investigation of the capture of a nonisomorphous impurity by a crystal growing from the melt, 3=23389

Kirgintsev,A.N.,Kudrin,V.D. and Kudrina,K.N. Electronic computer solution for impurity movement during zone melting of a finite ingot, 3=25674

Kirgintsev,A.N.,Kudrin,V.D. and Kudrina,K.N. Mathematical theory of zone recrystallization of a two-component system, 3=25675

Kirichenko,A.P. Methods of narrowing spectral lines for interference measurements of length, 3=24037

Kirichenko,A.P. See Bataruchkova,N.R., 3=16797

Kirichenko,G.S. See Gabovich,M.D., 3=5686

Kirichenko,G.S. See Gabovich,M.D., 3=14543

Kirillov,P.L. See Subbotin,V.I., 3=3909

Kirillov, V.S. See Garber, P.I., 3=17988

Kirillov-Ugryumov,V.G. See Demidov,V.S., 3=6059

Kirillov-Ugriumov,V.G. See Demidov,V.S., 3=24781

Kirillova,L.F. See Azimov,S.A., 3=6007

Kirillova,L.F. See Do In Seb, 3=4393

Kirillova,L.F. See Do In Seb, 3=24571

Kirillova,L.F. See Do In Seb, 3=24727

Kirillova,M.M.,Noskov,M.M. and Charikov,B.A. Effect of heat treatment on the optical properties of metallic layers, 3=13146

Kirillova, M.M. See Bolotin, G.A., 3=17977

Kirilyuk,Z.O. and Moroz,L.P. Effect of stray light on the diffraction image of single line objects, 3=9620

Kiritani,M. See Yoshida,S., 3=2804

Kiritani,M. See Yoshida,S., 3=10667

Kiritani,M. See Yoshida,S., 3=22891

Kiritani,M. See Yoshida,S., 3=23407

Kirk,J. See García,A., 3=2493

Kirkaldy,J.S. Further remarks on the uniqueness of the Boltzmann Matano solution of the diffusion equation, 3=11733

Kirkham,D. See Ligon,J.T., 3=7191

Kirkpatrick,H.A. A 42-ft grazing-incidence vacuum spectrograph, 3=7339

Kirkpatrick,P. Batting the ball, 3=21268

Kirov,K. Method for determining the trapping-level parameters in CdS-type crystals, 3=20326

Kirsanov,V.P., Gavanin,V.A. and Marshak,I.S. Luminosity of tubular and spherical pulse lamps, 3=1807

Kirsanov,V.P, Marshak,I.S. and Epshtein,M.I. New data on spectral characteristics of impulsive lamps, 3=16760

Kirsanova,T.S.,Shul'man,A.R. and Dement'eva,A.V. Work function of thin layers of barium oxide deposited on hot tungsten, 3=19296

Kirsanova,T.S.,Shul'man,A.R. and Gerasimova,A.P. Adsorption of barium oxide on the (110) face of a tungsten single crystal, 3=19297

Kirsch, J. and Miller, P.B. Doppler shifted cyclotron resonance and Alfvén wave damping in bismuth, 3=4854

Kirschner,I. Computation of the working cycle of an adiabatic magnetic refrigerating process, 3=14431

Kirshenbaum,M.S. See Cerny,J., 3=17279

Kirson,M.W. and Levinger,J.S. Statistical analysis of electron—proton scattering, 3=14957

Kirstein,P.T. On the variation of beam boundaries in linear beam transport elements and the computation of space-charge effects, 3=14654

Kirsten,C. Plasticity of intermetallic compounds: the deformation of $CuAl_2$, 3=20718

Kirsten,F.A. See Maglić,B.C., 3=2178

Kirtman,B. Interactions between ordinary vibrations and hindered internal rotation. I. Rotational energies, 3=4736

Kirtman, B. See Yaris, R., 3=1705

Kir'yanova, L.A., Pivovarov, V.M. and Yakovlev, S.A. Excitatio of Raman effect in the orange and red spectrum regions, 3=1821

Kir'yashkin,S.I. See Bakhrakh,L.E., 3=21875

Kir'yashkina, Z.I., Nozova, V.A. and Luchanskaya, N.M. Effect of temperature on the electrical conductivity of thin films of CdS, 3=25363

Kirz,J., Schwartz,J. and Tripp,R.D. Reaction $\pi^- + p \rightarrow \pi^- + \pi^+ + n$ from 360 to 800 MeV, 3=17316

Kirzhnits,D.A. See Vagradov,G.M., 3=15083

Kisdi,D. The space-time correlation function for a system of identical particles at zero temperature, 3=5382

Kiselev,A.A. Theory of the β-band in the absorption spectrum of the NaCl crystal, 3=20487

Kiselev,A.V. and Poshkus,D.P. Statistical calculation of thermo dynamic functions of an absorbed substance on graphite. I. Adsorption of monatomic molecules on graphite, 3=13572

Kiselev,A.V. and Poshkus,D.P. Statistical calculation of thermodynamic functions of a substance adsorbed on graphite. II. Adsorption of benzene on graphite, 3=18398

Kiselev,A.V. See Davȳdov,V.Ya., 3=8922

Kiselev,S.V., Ozerov,R.P. and Zhdanov,G.S. Neutron diffraction detection of magnetic ordering in the ferroelectric $BiFeO_3$, 3=5018

Kiselev,V.A. See Zolototrubov,I.M., 3=1757

Kiseleva,K.V. An X-ray diffraction investigation of strontium—bismuth titanates over a wide range of temperatures, 3=2565

Kiseleva, M.N. See Oksman, Ya.A., 3=17959

Kiselevskii,L.I. and Sventitskii,N.S. Mechanism of emission of the electrode material in arcs for spectroscopic analysis, 3=24252

Kiser,R.W. See Pannbacker,R.G., 3=14816

Kishita,M. See Inoue,M., 3=23374

Kishkin,S.T. See Bokshtein,S.Z., 3=6801

Kisiel,A. Intensity ratios in doublets of the fine structure in the Al III and Si IV spectra, 3=10446

Kislik,M.D. See Kotel'nikov,V.A., 3=9272

Kislov,A.N. See Vlasov,A.G., 3=459

Kislova,G.K. See Ivanov,R.D., 3=8674
Kislyak,H.M. and Lisenko,H.M. Phosphorescence of boron-phthalic phosphors, 3=23113
Kislyak,H.M. and Lisenko,H.M. Effect of temperature on the phosphorescence of phthalic acid in alums, 3=23116
Kislyakov,A.G., Kuzmin,A.D. and Salomonovich,A.E. Radio emission of Venus at 4 mm, 3=3622
Kislyakov,A.G. and Salomonovich,A.E. Radio emission of solar active regions in the millimetre range, 3=13921
Kislyakov,A.I. See Afrosimov,V.V., 3=24996
Kispéter, J. See Gombay, L., 3=17892
Kiss,I.,Matus,L. and Opauszky,I. On the relation between isotope effects on vapour pressure and molecular structure, 3=21632
Kiss,J. See Jeszenszky,B., 3=890
Kiss,Z.J. Zeeman tuning of the CaF$_2$:Tm^{2+} optical maser, 3=9975
Kiss,Z.J. Crystal field splitting in CaF$_2$:Nd^{3+}, 3=13167
Kiss,Z.J,Lewis,H.R. and Duncan,R.C,Jr. Sun-pumped continuous optical maser, 3=17088
Kiss,Z.J. See Duncan,R.C.,Jr, 3=22016
Kissener,H.R. See Alexander,K.F., 3=15112
Kisslinger,L.S. Particle model of scattering from collective states of nuclei, 3=7985
Kistemaker,J. The spheroidal state of a waterdrop. The Leidenfrost phenomenon, 3=7389
Kistemaker, J. See Babeliowsky, T.P.J.H., 3=1875
Kistemaker,J. See Fluit,J.M., 3=4217
Kistemaker,J. See Fluit,J.M., 3=10705
Kistemaker, J. See Van Eck, J., 3=2560
Kistemaker,J. See van Eck,J., 3=4005
Kistemaker,J. See van Eck,J., 3=12770
Kistner,A.M. and Kistner,O.C. Temperature regulator and sample changer for neutron total cross-section measurements at low temperatures, 3=12478
Kistner,O.C. See Kistner,A.M., 3=12478
Kitaeva,V.F., Kolesnikov,V.N., Obukhov-Denisov,V.V. and Sobolev,N.N. Structure of the column in an argon arc. I. Local electrical characteristics of the column, 3=14558
Kitagaki,T. and Nakayama,K. e–μ transitions induced by electromagnetic interactions, 3=592
Kitagaki,T. and Nakayama,K. μ-e pair production by e$^+$-e$^-$ collision, 3=7878
Kitaigorodskii,A.I. The Debye approximation for organic crystals, 3=15440
Kitaigorodskii,A.I. and Mirskaya,K.V. Calculation of the lattice energy of a molecular crystal. I, 3=12897
Kitaigorodskii,I.I. and Kopytov,L.N. The influence of environment on the incidence and growth of micropores in deformed glass, 3=18365
Kitaigorodskii,S.A. and Strekalov,S.S. Contribution to an analysis of the spectra of wind-caused wave action. I, 3=9012
Kitamira,N. See Honjo,G., 3=18414
Kitamura,N. and Harada,J. Structure and phase transition of solid hydrogen sulphide, 3=1325
Kitamura,N. See Kodera,S., 3=18297
Kitamura,S. See Matsumoto,M., 3=23752
Kitamura,T. See Higashi,S., 3=4499
Kitamura,T. See Higashi,S., 3=4523
Kitamura,T. See Higashi,S., 3=4530
Kitamura,Z. and Mizutani,H. Stepping diode, 3=10857
Kitano,Y. See Nagamiya,T., 3=976
Kitao,K. Coulomb interaction in a plasma in a uniform magnetic field, 3=386
Kitao,K. Coulomb interaction in a plasma in a uniform magnetic field, 3=7509
Kitayeva,V.F. and Sobolev,N.N. On the broadening of hydrogen lines in the plasma of arc and shock tube, 3=18861
Kitazoe,T. and Ogimoto,T. Subtraction of dispersion relation in multichannel scattering, 3=10063
Kito,M. See Ozawa,Y., 3=14611
Kitova,A.I. See Varshavskii,Ya.M., 3=7333
Kitovskii,N.A., Mashovets,T.V. and Rȳvkin,S.M. The problem of determining the activation energies of levels of impurity centers and structural defects in semiconductors, 3=20294
Kitsenko,A.B. Interactions of charges with electron plasma in a magnetic field, 3=7534
Kitsenko,A.B. See Akhiezer,A.I., 3=4171
Kitt,G.P. See Cuninghame,J.G., 3=19895
Kittel,C. Present status of the theory of ferromagnetic relaxation, 3=1162
Kittel,C. Internal magnetic field in the De Haas–Van Alphen effect in iron, 3=20558
Kittel,C. Some aspects of the interaction of magnons in ferromagnets, 3=23144
Kittl,P. and Rodriguez,G. Electron microscopy, by the replica technique, of aluminium deformed by impact, 3=23534
Kivel,B. Ultraviolet radiation from strong shocks, 3=7274
Kivel,J. See Prosen,R.J., 3=15840
Kivelson,D.,Bayes,K.D. and Wong,S.C. Measurements by cyclotron resonance of molecular cross sections for collisions with thermal electrons, 3=22462
Kivelson,D. See Holmes,J.R., 3=9449
Kivelson,D. See Ingalls,R.B., 3=15372
Kivelson,M.G. See DuBois,D.F., 3=9788
Kiyanskaya,L.A. See Sveshnikov,B.Ya., 3=16632
Kiyono,S.,Kanayama,M.,Konno,T. and Nagashima,N. The designing of rotating-target X-ray tube and discussion of its maximum safe loading, 3=21918
Kiyono,S. and Sugiura,C. X-ray K-absorption spectra of chlorine in LiCl, NaCl, KCl, RbCl and CsCl, 3=6660
Kjöllerström,B. Calculation of some Slater integrals for argon II with wave functions based on the Thomas–Fermi–Dirac statistical model for the atom, 3=6349
Klabunde,C.E. See Coltman,R.R.,Jr., 3=2847
Kladlitskaya,E.N. See Belyakov,V.A., 3=24764
Kladnitskaya,E.N. See Arbuzov,B.A., 3=6086
Kladnitskaya,E.N. See Belyakov,V.A., 3=24798
Kladnitskaya,E.N. See Van Gan-chan [Wang Kang-ch'ang], 3=2302
Kladnitskaya,E.N. See Van Yun-chan [Wang Yung-chang], 3=2305
Kladnitskaya,E.N. See Van Gan-Chan, 3=19709
Kladnitskaya,E.N. See Veksler,V.I., 3=22211
Kladnitskaya,E.N. See Wang Kang-Ch'ang, 3=22208
Klamut,J. and Zietek,W. On the pseudo-dipolar coupling in the quantum theory of ferromagnetic domain structures, 3=20588
Klanberg,F.,Hunt,J.P. and Dodgen,H.W. Line broadening of the P^{31} n.m.r. absorption in phosphoric acid produced by paramagnetic ions, 3=13316
Klarmann,H. On the Mössbauer effect, 3=6144
Klarsfeld,S. Extension of a reduction formula for the vertex function, 3=18724
Klauder,J.R. Restricted variations of the quantum mechanical action functional, and their relation to classical dynamics, 3=1615
Klauder,J.R. Continuous-representation theory. I. Postulates of continuous-representation theory, 3=21230
Klauder,J.R. Continuous-representation theory. II. Generalized relation between quantum and classical dynamics, 3=21231
Klebanov,Yu.D. and Sinitsȳn,V.I. Injection of a plasma from a powerful pulsed discharge into vacuum, 3=1996
Klebe,J. and Nitz,R. Study of the effect of changes of refractive index on the spherical aberration of an optical system, 3=1792
Kleber,W., Ickert,L. and Vollstädt,H. Epitaxy of camphor on quartz, 3=20805
Kleber,W. and Witzke,H.D. Spiral growth and polytypical investigations in aluminium nitride single crystals, 3=18255
Kleczek,J. and Hansen,R.T. Some associations between rising prominences and the solar corona, 3=16375
Kleczek,J. See Hansen,R., 3=13703
Kleef,T.A.M. van. See Fred,M., 3=703
Kleesattel,C. "Vibrator ampullaceus": a shape vibrating in length for the production of maximum sound velocity and transducer output, 3=5493
Kleiman,H. and Davis,S.P. Hyperfine structures, isotope shifts, and nuclear moments of Hg^{195}, Hg^{195m} and Hg^{194}, 3=17529
Kleimenov,G.F. See Simonov,V.A., 3=12107
Kleimenova,N.G. See Vladimirov,N.P., 3=9121
Klein,A. See Bludman,S.A., 3=23787
Klein, A. See Giu Do Dang, 3=16553
Klein,A.F. Some results using optical interferometry for plasma diagnostics, 3=12183
Klein,C.A. Pyrolytic graphites: their description as semimetallic molecular solids, 3=826
Klein,C.A. See Guentert,O.J., 3=20778
Klein,D. See Hardy,J.,Jr, 3=6261
Klein,D. See Hardy,J.,Jr, 3=6262
Klein,D.L. See Sullivan,M.V., 3=23501
Klein,E. The theory of the photographic sensitivity, 3=11951

Klein,E. and Moisar,E. Electron microscopic and nephelometric studies on grain growth of silver halide crystals, 3=25839
Klein,E. See Honerjäger,R., 3=2140
Klein,H. Thermal emission of metals into semi-infinite space, 3=286
Klein,J. See Laustriat,G., 3=9470
Klein,J.M. See Thomas,D.E., 3=22957
Klein,M.A. See Kressel,H., 3=25273
Klein,M.J. The Onsager conference, 3=7131
Klein,M.L. See Barron,T.H.K., 3=20081
Klein,M.P. and Barton,G.W.,Jr. Enhancement of signal-to-noise ratio by continuous averaging: application to magnetic resonance, 3=19473
Klein,M.V. Phonon scattering by lattice defects, 3=20080
Klein,O. See Alfvén,H., 3=3532
Klein,R. and Leder,L.B. Field-emission observations of carbon on tantalum, 3=14622
Klein,R. and Leder,L.B. Field-emission study of carbon monoxide on tantalum, 3=14623
Klein,R. and Wolfenstein,L. Total muon capture ratios and the universal Fermi interaction, 3=4656
Klein,S. The direct conversion of thermal energy into electrical energy, 3=3996
Klein,S. and Prévé,J. A process for the conversion of ionization energy to electricity, 3=5617
Klein,S. See Bacconnet,E., 3=19181
Klein,S. See Debiesse,J., 3=7449
Klein,S.S. See De Boer,Th.J., 3=19603
Klein,W. Low-noise microwave input amplifiers, 3=4187
Klein,W.R. and Hiedemann,E.A. An investigation of light diffracted by wide, high-frequency ultrasonic beams, 3=24057
Kleiner, W.H. See Zwerdling,S. 3=10924
Kleinerman,M., Azarraga,L., and McGlynn,S.P. Emissivity and photoconductivity of organic molecular crystals, 3=3060
Kleinerman,M. and McGlynn,S.P. Photoconductivity of organic molecular crystals and the triplet state, 3=4951
Kleinert,P. See Manzel,M., 3=23190
Kleinman,D.A. Theory of second harmonic generation of light, 3=1839
Kleinman,L. Deformation potentials in silicon. I. Uniaxial strain, 3=4797
Kleinman,L. Covalent bonding in semiconductors, 3=10566
Kleinman, L. Deformation potentials in silicon. II. hydrostatic strain and the electron–phonon interaction, 3=17646
Kleinman,L. See Phillips,J.C., 3=6578
Kleinstück,K. The possibilities of structural investigations with neutrons in the Central Institute for Nuclear Physics at Rossendorf, 3=20822
Kleinwächter,H. and Geerk,J. Production of a free-space gas discharge at the focal point of a spherical standing e.m. wave, 3=7592
Kleinwächter,H. See Geerk,J., 3=21726
Klema,E.D. See Reich,C.W., 3=19804
Klemens,P.G. The thermal resistivity of ruby in the optically excited state, 3=10612
Klemens,P.G. Electron–phonon interactions induced by lattice defects in metals, 3=22674
Klemens,P.G. See Castle,J.G.,Jr, 3=13009
Klement,A.,Jr. See Jayaraman,A., 3=16834
Klement,F.D. Crystal structure of alkali halide and ammonium halide phosphors, 3=23100
Klement,W.,Jr. Hexagonal close-packed structures in Bi–Pb alloys and the polymorphism of lead at high pressure, 3=8883
Klement,W.,Jr,Jayaraman,A. and Kennedy,G.C. Phase transformations in uranium at high pressures, 3=8795
Klement, W.Jr, Jayaraman, A. and Kennedy, G.C. Transformations in mercury at high pressures, 3=18227
Klement,W.,Jr, Jayaraman,A. and Kennedy,G.C. Phase diagrams of arsenic, antimony, and bismuth at pressures up to 70 kbars, 3=19067
Klement,W.,Jr. See Jayaraman,A., 3=6814
Klement,W.,Jr. See Jayaraman,A., 3=14417
Klement,W.,Jr. See Jayaraman,A., 3=16016
Klement,W.,Jr. See Jayaraman,A., 3=20887
Klement'ev,V.N. See Berlovich,É.E., 3=12595
Klement'ev,V.N. See Berlovich,É.E., 3=12596
Klemm,A. On the transverse transport coefficient in liquid metals, 3=3814
Klemm,A. Phenomenology of the isothermal diffusion in electrolytes, 3=5167
Klemm,A. See Fischer,W., 3=5433
Klemm,A. See Lodding,A., 3=21330
Klemm,H. and Wiegmann,K. On the calibration of the Bollenrath type of Leitz dilatometer, 3=14398
Klemola,A.R. Mean absolute magnitude of the blue stars at high galatic latitude, 3=7034
Klemperer,D.F. See Caldwell,B.A., 3=7255
Klemperer,O. and Shepherd,J.P.G. On the measurement of characteristic energy losses of electrons in metal films, 3=5712
Klemperer,O. and Shepherd,J.P.G. Characteristic energy losses of electrons in alloys, 3=6508
Klemperer,W. See Goodisman,J., 3=8169
Klemperer,W. See Sage,G., 3=25121
Klemperer,W. See Wharton,L., 3=4752
Klemperer,W. See Wharton,L., 3=10510
Klemperer, W. See Wharton, L., 3=17570
Klemperer,W.K. Characteristics of spread F at high geomagnetic latitude, 3=21062
Klenine,S. See Jacob,M., 3=9454
Klepikov,N.P. "Necessary experiment" in proton–proton scattering, 3=22125
Klepikov,N.P. and Fedorov,V.V. Certain threshold singularities in total interaction cross-sections, 3=14928
Klepikov,N.P. and Smorodinskii,Ya.A. Spirality inversion in nuclear reactions, 3=15166
Klepikov,N.P. See Azhgirey,L.S., 3=24723
Kleppa,O.J. Aspects of the thermodynamics of metallic solutions, 3=8885
Kleppa,O.J. and King,R.C. Heats of formation of the solid solutions of zinc, gallium and germanium in copper, 3=6872
Kleppa,O.J. See Darby,J.B.,Jr., 3=16614
Klett,C. See Hübner,W., 3=5624
Klevtsov, P.V. and Zamozhskii, V.D. Selective etching of magnetic garnet crystals, 3=18240
Kley,W. See Peretti,J., 3=12917
Klick,C.C. Mechanism for coloration of alkali halides at low temperatures, 3=812
Klick,C.C. and Kabler,M.N. Excited states of the F center, 3=20244
Klick,C.C. and Patterson,D.A. Low-temperature coloration in KCl and KBr near the fundamental edge, 3=15517
Klick,C.C.,Ritz,V.H. and Patterson,D.A. Radiation effects in alkali halides at low temperatures, 3=22835
Klier,E. Negative photoeffect in the long-wavelength absorption region of cuprous oxide, 3=2971
Klier,M. See Luck,W., 3=13622
Klier,M. See Luck,W., 3=13623
Klima,K. See Vanek,L., 3=3429
Klima,R. and Teichmann,J. Damping of the vibrations of particles general field with periodic structure. II. 3=9911
Klima,R. See Ďatlov,J., 3=9886
Klimishin,I.A. Determination of the radiation intensity increase before the exit of a shock wave to the surface of a star, 3=9228
Klimishin,I.A. On the theory of steller shock waves, 3=23690
Klimishin,I.A. and Kravchuk,A.L. The rise in the intensity of radiation before the emergence of a shock wave on the surface of a homogeneous medium, 3=21480
Klimontovich,Yu.L. Kinetic description of quasi-equilibrium turbulent processes in a plasma, 3=396
Klimontovich,Yu.L. Kinetic description of quasi-equilibrium turbulent processes in a plasma, 3=5662
Klimontovich,Yu.L. and Silin,V.P. Fluctuations in a collisionless plasma, 3=5653
Klimontovich,Yu.L. and Silin,V.P. Theory of fluctuations of particle distribution in a plasma, 3=5669
Klimov,B.M. and Rivin,A.N. Sound absorbing phenopolyurethane wedge coatings, 3=16717
Klimov,Yu.G. The deflection of light rays in the gravitational fields of galaxies, 3=21119
Klingberg,C.L. See Onley,J.W., 3=11642
Klingelhöfer,R. See Becker,E.W., 3=2678
Klingen,T.J. and Choppin,G.R. Excitation functions for nuclear reactions between complex nuclei. II. Charged particle emission, 3=15234
Klingen,T.J. See Choppin,G.R., 3=15233
Klingensmith,R.W. See Redmond,R.F., 3=4678

Klinger,D.,Langkau,R. and Walter,H. Scintillation and particle discrimination properties of CsBr:Tl and RbI:Tl crystals, 3=24551

Klinger,M.I. Contribution to the theory of kinetic effects in NiO type semiconductors, 3=8526

Klinger,M.J. Low mobility transport phenomena in semiconductors 3=10738

Klinger,M.I. Theory of transport phenomena in semiconductors with low mobility (general approach and criteria of the theory of transport processes), 3=15562

Klinger,M.I. Theory of transport phenomena in semiconductors with low carrier mobility (singularities of the energy spectrum of the system), 3=15563

Klinger,M.I. Hall effect in low-mobility semiconductors, 3=155

Klinskikh,N.A. See Rȳbalko,F.P., 3=20684

Klinskikh,N.A. See Volkov,S.D., 3=5056

Klipping,G. and Mascher,W. Production of vacuum by condensation on low-temperature surfaces. I. Cryogenic pumps, 3=11841

Klokholm,E. and Gadziala,C. An electron microscope investigation of Cu—Pd alloys, 3=20870

Klontz,E.E. and MacKay,J.W. Production and alteration of defects induced by electron irradiation of germanium, 3=22724

Klose,G. Theory of indirect spin-spin coupling, across several bonds, between protons and heavy isotopes of spin $\frac{1}{2}$, 3=719

Klose,G. Exchange integrals between functions of the K- shell and L- and O- shells respectively for the same effective nuclear charge, 3=2589

Klose,G. High resolution proton resonance spectra of n-propyl compounds of Cd, Sn, Hg and Pb, 3=22598

Klose,W. The symmetry behaviour of hot electrons in cubic semiconductors, 3=13054

Kloss,H.G. and Wendel,G. Calculation of the centre of gravity of light for an electron beam fluorometer, 3=1804

Kloss,H.G. and Wendel,G. New phase-sensitive fluorometer, 3=3869

Kloss,H.G. and Wendel,G. Construction of a phase fluorometer, 3=3870

Kloss,H.-G. See Hess,H., 3=16920

Kloss,H.G. See Hess,H., 3=19225

Klots,C.E. and Benson,B.B. Isotope effect in the solution of oxygen and nitrogen in distilled water, 3=9450

Klotsman,S.M.,Timofeev,A.N. and Trakhtenberg,I.Sh. Possibility of finding the thickness of grain boundaries in semiconductor bicrystals, 3=2816

Klotsman,S.M.,Timofeev,A.N. and Trakhtenberg',I.Sh. Investigation of the diffusion properties of monochalcogenides of transition metals. I. Self-diffusion of nickel and sulphur in monocrystals of nickel monosulphide, 3=8451

Klotsman,S.M.,Timofeev,A.N. and Trakhtenberg,I.Sh. Mechanism of impurity diffusion in germanium, 3=20222

Klotsman,S.M. See Arkharov,V.I., 3=20221

Klotz,A.H. On the motion of the perihelion of a planet in the electromagnetic theory of gravitation, 3=23737

Klozenberg,J.P. Energy equipartition in an electromagnetic wave propagation through a fully ionized gas in a uniform magnetic field, 3=7556

Klucharev,A.P. See Remaev,V.V., 3=15134

Klucher,T.M. See Morokuma,T., 3=9608

Klug,H.P. See Sears,D.R., 3=6480

Kluge,W. and Thielo,W. The use of magnetic probes for the measurement of high-density plasmas, 3=7583

Kluge,W. See Boersch,H., 3=7354

Kluitenberg, G.A. On rheology and thermodynamics of irreversible processes, 3=1658

Kluitenberg,G.A. On the thermodynamics of viscosity and plasticity, 3=18766

Kluk, E. Theory of electric birefringence for gases consisting of non-rigid molecules, 3=174

Kluk,E. Kerr's constant of a "gaseous" chain polymer of the $(-CR_2^{(1)}-CR_2^{(2)}-)_n$ type, 3=5437

Klumpp,R.G. and Webster,J.C. Physical measurements of equally speech-interfering Navy noises, 3=25996

Klumpp,R.G. See Webster,J.C., 3=25997

Klupsch,T. and Haubenreisser,W. Nonlinear effects of the isolated uniform precession mode in the main ferromagnetic resonance, 3=1170

Klüver,J.W. Potential form of the small signal power theorem, 3=434

Klüver,J.W. See Bobroff,D.L., 3=433

Klyakotko,M.A. and Kozhevnikov,N.I. Nature of large-scale motions in the solar photosphere, 3=9196

Klyakotko,M.A. See Kozhevnikov,N.I., 3=11536

Klyarfel'd,B.N. See Pokrovskaya-Soboleva,A.S., 3=5638

Klȳshko,D.N.,Tumanov,V.S. and Ushakova,L.A. Effect of cross relaxation on the inversion of the level population in ruby, 3=9983

Klyucharev,A.P. Scattering of 6·9 MeV protons on Mg^{24}, 3=19840

Klyucharev,A.P.,Nikolaichuk,A.D. and Nazarova,T.S. Obtaining hafnium and germanium foil for nuclear work, 3=19501

Klyucharev,A.P.and Rutkevich,N.Ya. Elastic scattering of

Klyucharev,A.P. See Berezhnoi,Yu.A., 3=15235

Klyucharev,A.P. See Chursin,G.P., 3=22410

Klyucharev,A.P. See Golovnya,V.Ya., 3=24930

Klyucharev,A.P. See Medyanik,V.N., 3=24533

Klyucharev,A.P. See Remaev,V.V., 3=6173

Klyucharev,A.P. See Val'ter,A.K., 3=12589

Klyucharev, A.P. See Val'ter, A.K., 3=17457

Klyucharev,A.P. See Val'ter,A.K., 3=22220

Klyucharev,V.A.,Val'ter,A.K.,Zalubovskii,I.I. and Afans'ev,V.D. Measurement of the gyromagnetic ratio of the W^{182} nucleus in the first excited state, 3=24873

Klyuev,Yu.A. Sodium chloride as a pressure transmitting medium in optical studies, 3=5308

Klyuev,Yu.A. and Oksengorn,B. Influence of pressure on the infrared absorption spectrum of benzene, 3=25116

Klyushin,V.V. See Doroshenko,A.V., 3=5019

Knab,O.D. Stimulated photoeffect in some dielectrics and its relationship with the phenomenon of afteremission, 3=14634

Knable,N. See Cummins,H., 3=7210

Knable,N. See Cummins,H.Z., 3=21508

Knaflich,H. See Manring,E., 3=9062

Knapp,D.E. and Kinsey,K.F. $\pi\pm-p$ elastic scattering at 31.4 MeV, 3=22178

Knapp,D.G. and Gettemy,J.W. A new longitude effect in the geomagnetic solar daily variation, 3=25942

Knapp,E. See Karr,H., 3=12223

Knapp,E.A. See Dreicer,H., 3=12122

Knapp,O. Expansion and structure of soda silicate glasses, 3=22668

Knapp,V. Equality of velocity of gamma-rays of opposite circular polarization in a transverse magnetic field, 3=12434

Knapp,V. See Ilakovac,K., 3=14987

Knappwost,A. Coulomb's friction law and the properties of solids, 3=13388

Knauer,W. Mechanism of the low-pressure penning discharge, 3=7453

Knauer,W. and Lutz,M.A. Measurement of the radial field distribution in a Penning discharge by means of the stark effect, 3=21730

Knauer,W. See Stack,E.R., 3=14226

Knecht,R.W. See Calvert,W., 3=16246

Knechtli,R.C. and Wada,J.Y. Quiescent cesium plasmas in steady state, 3=4107

Knechtli,R.C. See Wada,J.Y., 3=21821

Kneip,G.D., Jr., Betterton,J.O., Jr. and Scarbrough,J.O. Low-temperature specific heats of titanium, zirconium, and hafnium, 3=15437

Kneip,G.D., Jr,Betterton,J.O., Jr and Scarbrough,J.O. Specific heats of zirconium alloys at low temperatures, 3=25199

Kneller,E. See Methfessel,S., 3=15776

Kneller,E.F. and Luborsky,F.E. Particle size dependence of coercivity and remanence of single-domain particles, 3=11088

Kneser,H.O. See Danielmeyer,H.C., 3=9458

Knetcht,R.W. and Van Zandt,T.E. Some early results from the ionospheric top-side sounder satellite, 3=13734

Kneubühl,F.K. Unsymmetric G-tensors in paramagnetic resonance, 3=3163

Kneubühl,F.K. Erratum: anisotropic spin—orbit coupling in paramagnetic resonance, 3=20641

Knewstubb,P.F., Dawson,P.H. and Tickner,A.W. Mass spectrometry of ions in glow discharges. V. Oxygen, 3=14552

Knewstubb,P.F. and Tickner,A.W. Mass spectrometry of ions in glow discharges. III. Nitrogen and its mixtures with hydrogen and oxygen, 3=5643

Knewstubb,P.F. and Tickner,A.W. Mass spectrometry of ions in glow discharges. IV. Water vapor, 3=7480

Kniffen,D.A. See Fichtel,C.E., 3=10189

Knight,C.A. Migration of liquid inclusions parallel to the C axis in ice single crystals, 3=8789
Knight,H.De B. The relation of arc-back to ion density and inverse field in arc-discharge rectifiers, 3=4083
Knight,J.D. See Bryant,E.A., 3=12702
Knight,J.D. See Cochran,D.R.F., 3=2497
Knight,R.E. and Scherr,C.W. Helium atom : a fifth order wave function, 3=4706
Knight,R.E. and Scherr,C.W. Two-electron atoms. I. Perturbation study of the ground state, 3=6346
Knight,R.J., Che-Yu Li and Spencer,C.W. Monotectic reaction in the bismuth–selenium system, 3=16107
Knight,W.D. See Schone,H.E., 3=11122
Knippenberg,W.F. See Van Daal,H.J., 3=6603
Knippenberg,W.F. See Van Daal,H.J., 3=10838
Knittner,G. See Garreta,D., 3=2043
Knobloch,J.,Riehl,N. and Sizmann,R. Reversible luminescence centre diffusion in ZnS—CdS phosphors. II, 3=6678
Knoepfel,H. See Jarczyk,L., 3=6670
Knoepfel,H. See Linhart,J.G., 3=12173
Knoepfel,H. See Somon,J.P., 3=12218
Knoll,G.F., King,J.S. and Parkinson,W.C. $O^{16}(d,n)F^{17}$ and $Ca^{40}(d,n)Sc^{41}$ reactions by time of flight, 3=17494
Knöll,H. and Macherauch,E. The temperature dependence of the recognition criteria of the early stages in the polycrystalline hardening curves of Al and Cu, 3=3230
Knollman,G.C. See Beardsley,G.F., Jr., 3=14126
Knollman,G.C. See Gersch,H.A., 3=5388
Knollman,G.C. See Hartog,J.J., 3=11794
Knop,G. Contour map of the cross section for photoproduction of Pi-mesons, 3=22167
Knop,G. See Backenstoss,G., 3=10097
Knop,G. See Backenstoss,G., 3=10139
Knop,G. See Backenstoss,G., 3=17101
Knop, G. See Febel, A., 3=17699
Knopoff,L. Higher order Born approximations for the inversion of Love wave dispersion, 3=5485
Knopoff,L. The theory of finite strain and compressibility of solids. 3=20705
Knopp,A.N. Some comments on thermal etching of silicon surfaces treated in sealed quartz tubes, 3=16030
Knopp,C.F.,Gottschlich,C.F. and Cambel,A.B. The spectroscopic measurement of temperature in transparent argon plasmas, 3=7502
Knopp,C.F. See Drellishak,K.S., 3=21819
Knopp,R. See Witzmann,H., 3=25479
Knor,Z. Low gas pressures obtained by means of sorbents, 3=18866
Knorn,M. See Bewilogua,L., 3=16472
Knorr,T.G. Fission fragment damage in LiF surfaces, 3=17804
Knorr,T.G. Surfaces structure resulting from fission fragment damage in LiF crystals, 3=22863
Knorr,T.G. See Tuerpe,D.R., 3=821
Knörzer,G. See Fendler,H.G., 3=17511
Knott,K. See Ehhalt,D., 3=25897
Knox,F.B. Reflection of an electromagnetic wave from a moving boundary between two independently moving ionized media, 3=5844
Knox,K.,Shulman,R.G. and Sugano,S. Covalency effects in $KNiF_3$. II. Optical studies, 3=12892
Knox,K. See Ferguson,J., 3=25453
Knox,K. See Wood,D.L., 3=25454
Knox,R.S. The fine structure of absorption in NaCl : Ag, 3=23078
Knudsen, D.B. See Haase, E.L., 3=17428
Knudsen,E. and Norinder,H. Different types of musical atmospherics and their relations to lightning discharges, 3=13680
Knudsen,E. See Norinder,H., 3=23599
Knudsen,F.P. See Spinner,S., 3=13331
Knudsen,F.P. See Spinner,S., 3=23283
Knudsen, V.O. From architectural acoustics to molecular physics. I. Architectural acoustics and sound absorption in air, 3=14302
Knudsen,V.O. From architectural acoustics to molecular physics. II, 3=18860
Knudson,A.R. See Wolicki,E.A., 3=5610
Knutsen,A.B. See Bisgard,K.M., 3=10271
Knutsen,A.B. See Bisgard,K.M., 3=10318
Knutsen,A.B. See Bjørnholm,S., 3=12604
Knuth,E.L. Use of reference states and constant-property solutions in predicting mass-, momentum-, and energy-transfer rates in high-speed laminar flows, 3=7176
Knyazyatov,A.S. See Afanas'ev,I.I., 3=4206
Knyazyatov,A.S. See Afanasev,I.I., 3=21892
Knyazyatov,A.S. See Babichev,A.P., 3=21913
Ko,H.C. On the reception of quasi-monochromatic, partially polarized radio waves, 3=489
Koba, Z. Three pion wave functions. Method of "effective angular momentum", 3=4444
Koba,Z. and Krzywicki,A. On the multi-peripheral model of particle production in superhigh energy nuclear collisions. I, 3=24615
Koba,Z. and Krzywicki,A. On the multi-peripheral model of particle production in superhigh energy nuclear collisions. II, 3=24616
Koba,Z. See Grynberg,M., 3=12422
Koba,Z. See Grynberg,M., 3=14999
Kobayakawa, K, Mori, K, Daiyasu, K. and Yokomi, H. Some statistical and kinematical comments on high-energy jets, 3=17366
Kobayakawa,K. See Daiyasu,K., 3=4531
Kobayakawa,K. See Daiyasu,K., 3=12530
Kobayakawa,M. See Shinji,K., 3=7644
Kobayakawa,M. See Titani,T., 3=12785
Kobayashi,A. Elastocaloric effect in many-valley semiconductors, 3=4832
Kobayashi,A.,Sugiyama,K. and Inamura,T. Strain-induced change in conductivity in antimony- and arsenic-doped germanium, 3=22931
Kobayashi,A. See Sugiyama,K., 3=13058
Kobayashi,A. See Tadokoro,H., 3=10557
Kobayashi,H. and Haseda,T. The magnetic properties of cupric formate tetrahydrate at low temperatures, 3=15780
Kobayashi,H.,Haseda,T.,Kanda,E. and Kanda,S. Studies of the linear antiferromagnets: magnetic susceptibilities of cupric quinone complex salts at low temperatures, 3=11103
Kobayashi,H. See Haseda,T., 3=1060
Kobayshi,J. and Yamada,N. Optical birefringence of ferroelectri $Ca_2Sr(C_2H_5CO_2)_6$, 3=20445
Kobayashi,K. Magnetization-blocking process by volume development of ferromagnetic fine particles, 3=1096
Kobayashi,K.,Hashimoto,H.,Suito,E.,Shimadzu,S. and Iwanaga,M. Construction of 300 kV electron microscope and its electron-microscopy, 3=11334
Kobayashi,K.and Kurokawa,M. Small-angle diffraction of polyethylene, 3=5153
Kobayashi,K. See Hashimoto,H., 3=1285
Kobayashi,K. See Kumagi,H., 3=460
Kobayashi,K. See Nagata,T., 3=11479
Kobayasi,K. See Takizawa,E.I., 3=25638
Kobayashi,M. See Saburi,Y., 3=12347
Kobayashi,M. See Tadokoro,H., 3=10557
Kobayashi,N. See Takeuchi,H., 3=13643
Kobayashi,R. See Durbin,L., 3=1720
Kobayashi,S. and Hayakawa,S. Fluorescence of solution scintillators with naphthalene as a solvent, 3=18821
Kobayashi,S.,Yabuki,S. and Aoki,M. Microwave harmonic generation with hot electrons in n-germanium, 3=21969
Kobayashi,S. See Asayama,K., 3=15959
Kobayashi,S. See Itoh,J., 3=15960
Kobayashi,S. See Nisimura,K., 3=24720
Kobayashi,S. See Sakamoto,M., 3=11172
Kobayashi,S. See Shigenari,T., 3=25122
Kobayashi,T. See Daiyasu,K., 3=12530
Kobayashi,T. See Kamei,O., 3=4545
Kobayashi,T. See Kamei,O., 3=22156
Kobayashi,T. See Terada,J., 3=529
Kobayashi,Y. See Kumagi,H., 3=460
Kobayasi,K. See Takizawa,E.I., 3=23986
Kobe,D.H. and Cheston,W.B. Green's functions for fermion systems with pairing correlations, 3=3767
Kobelev,L.Ya. See Vonsovskii,S.V., 3=2744
Kobelev,L.Ya.,Nikulin,V.K. and Pomortsev,R.V. Representation of the electrical conductivity tensor by means of continual integrals. I, 3=8482
Kobelev,V.V, A new method of measuring anisotropy of ferromagnetic films, 3=12284
Kobelev,V.V. and Korsunskii,A.A. Simple null-indicator for a magnetic field using a ferromagnetic film, 3=24425
Kobes,W. See Wimmer,F.T., 3=15993

Kobett,D.R. See Jones,G.L., 3=7269
Kobiashvili,M.Ya. Noncoherent scattering of electrons on nuclei and the magnetic radius of the neutron, 3=2438
Kobler,A.L. See Johnson,D.L., 3=5324
Kobozev,N.I. See Krȳlova,I.V., 3=956
Kobyshev,G.J. See Lyalin,G.N., 3=20534
Kobzarev,I.Yu. and Okun',L.B. On heavy neutral pseudoscalar mesons, 3=4450
Kobzarev,I.Yu. and Okun',L.B. Gravitational interaction of fermions, 3=14068
Kobzarev,I.Yu. and Okun',L.B. A model for anomalous muon interaction, 3=593
Kobzarev,I.Yu. and Okun',L.B. New particles and the Sakata model, 3=5928
Kobzarev,I.Yu. and Okun',L.B. Unitarity symmetry and universal weak interaction, 3=5959
Kobzarev,I.Yu. and Okun',L.B. Possible decays of new mesons, 3=14992
Kobzev,V.A. See Takibaev,Zh.S., 3=19623
Koc,S. New interpretation of slow surface relaxations on germanium, 3=2895
Koch,D, Otto,G, and Saur,E. On the superconductivity of V−Si and V−Ga diffusion films and of V_3Si and V_3Ga core wires, 3=16880
Koch,E.F. See Luborsky,F.E., 3=23412
Koch,E.F. See Walter,J.L., 3=23468
Koch,E.F. See Walter,J.L., 3=25739
Koch,F.B. See Haakana,C.H , 3=14710
Koch, H. Electrical studies of impurity-free tin dioxide films of high electron concentration in the temperature region 90°−290°K, 3=17897
Koch,H. and Schlegel,H. On a simple liquid scintillation counter for the measurement of C^{14}-labelled compounds, 3=5901
Koch,H. and Schminder,R. Rate of descent of the height of reflection for long waves on the underside of the E-layer at the time of sunrise, 3=3500
Koch,H.,Schminder,R. and Kürschner,D. New automatic recording device for ionospheric drift measurements, 3=18530
Koch,K.M. See Schmidt,A.J., 3=20427
Koch,L. See Van Dong,N., 3=2884
Koch,R. See Kalvius,M., 3=2416
Koch,W. See Jauneau,L., 3=12511
Koch,W. See Jauneau,L., 3=19708
Kochanov,É.S. Analytical determination of the trajectories of charged particles in plane electrostatic fields, 3=438
Kochanova,L.A. See Shchukin,E.D., 3=23316
Kochanovská,A. Use of fluorescent X-rays for contact microradiography, 3=1844
Kochanovská,A. Influence of plastic deformation on the character of extinction and retained lattice defects in pure powdered aluminium, 3=20195
Kochanovská,A.,Kraus,I. and Maršák,Z. Contribution to the X-ray measurement of micro-stresses in sintered carbides, 3=25619
Kochanski,A. Circulation and temperatures at 70- to 100-kilometer height, 3=11394
Kocharov,G.E. Total ionization produced by alpha-particles in gas mixtures, 3=7424
Kocharov,G.E. and Korolev,G.A. A high-resolution ionization alpha-spectrometer, 3=12524
Kocharov,G.E. See Abrosimov,N.K., 3=12525
Kocharov,G.E. See Korolev,G.A., 3=7743
Kocharov,G.E. See Korolev,G.A., 3=19824
Kocharov,G.E. See Volkov,Yu.M., 3=8023
Kochelaev,B.I. Resonant rotation of the plane of polarization of sound in a paramagnetic, 3=2724
Kochelaev,B.I. Antiferromagnetism due to spin—phonon interaction, 3=23193
Kochelaev,B.I. See Al'tshuler,S.A., 3=20097
Kochelaev,B.I. See Aminov,L.K., 3=3162
Kochelaev,B.I. See Aminov,L.K., 3=6756
Kochelaev, B.L. See Aminov, L.K., 3=17647
Kochenov,I.S.,Voinov,N.L. and Ershova,N.N. Calculation and analysis of the thermodynamic cycle parameters of a nuclear power plant, 3=2513
Kochetkova,N.M. and Rezukhina,T.N. The specific heat of gallium, antimony, and their intermetallic compound at high temperatures, 3=22659
Kochina, N.N. The dynamical disintegration of equilibrium in some ideal media in absence of any gradient of temperature, 3=16696
Kochkin,V.A. See Glazov,A.A., 3=7665
Kochnev,V.A. See Simonov,V.A., 3=12107
Kocian,P. See Kracík,J., 3=19199
Kočiński,J. The decay of thermodynamical fluctuations in magnetisation in the constant coupling approximation for a Heisenberg ferromagnet, 3=23145
Kockarts,G.and Nicolet,M. The aeronomical problem of neutral helium and hydrogen, 3=5209
Koczkás,M.E. See Mátrai,T., 3=259
Kocian,P. New studies of hollow beam discharges, 3=1946
Kocian,P. See Kracik,J., 3=7468
Koda,S.,Kamigaki,K. and Kayano,H. Low temperature ultrasonic attenuation in magnesium and magnesium alloys, 3=22650
Koda,S.,Matsuura,K. and Takahashi,S. Direct observation of the interaction of dislocations with θ' precipitation in an aluminium—3.8 Wt.% copper alloy, 3=12977
Koda,S.,Nomaki,K. and Nemoto,M. Stacking faults of copper—germanium alloys, 3=22797
Koda,S. See Kayano,H., 3=8353
Koda,S. See Matsuura,K., 3=23305
Koda,T. and Shionoya,S. Optical symmetry of the self-activated luminescence centre in ZnS single crystal, 3=20531
Koda,T. See Shionoya,S., 3=22705
Kodama,K. See Suzuki,Y., 3=14022
Kodama, M. Cosmic-ray latitude knee around Cape Town anomaly, 3=17375
Kodera,H. Precipitation of antimony in heavily doped silicon identified by X-ray microanalyser, 3=18361
Kodera,H. Diffusion coefficients of impurities in silicon melt, 3=18803
Kodera,H., Iida,S. and Tauchi,S. Diffusion of impurities in the semiconductor melt. III. Experimental determination of thickness of the solute diffusion layer in the melting process, 3=18805
Kodera,H. and Tauchi,S. Diffusion of impurities in the semiconductor melt. II. Dynamical analysis of impurity redistribution in the melting process, 3=18804
Kodera, S., Kitamura, N. and Honjo,G. Streak pattern from single crystals, 3=18297
Kodera, Y. See Sawaguchi,E., 3=4946
Kodera, Y. See Sawaguchi, E., 3=17940
Kodeš,J., Kroczek,J. and Slavík,J.B. Diffusion effects in selenium rectififers demonstrated at a thallium—selenium boundary layer, 3=15512
Kodzhespirov,F.F. See Kolomoitsev,F.I., 3=8685
Koechlin,F. See Alidieres,M., 3=9777
Koechlin,Y.,Raviart,A. and Furst,M. Study of non-radiative transfer in liquid scintillators, 3=10001
Koechlin,Y. See Agrinier,B., 3=19525
Koechlin,Y. See Furst,M., 3=16629
Koedam,M.,Kruithof,A.A. and Riemens,J. Energy balance of the low-pressure mercury-argon positive column, 3=19218
Koehler,D.R. and Alford,W.L. Decay of scandium 50, 3=10287
Koehler,D.R. See Alford,W.L., 3=6174
Koehler, D.R. See Alford, W.L., 3=17441
Koehler,J.S.,de Long,M. and Seitz,F. Some simple situations described by the equations governing the kinetics of point defects, 3=22719
Koehler,J.S.,Langreth,D. and Turkovich von,B. Charged dislocations in ionic crystals, 3=798
Koehler,J.S. and Leibfried,G. The interstitial configuration in the noble metals, 3=22755
Koehler,J.S. See Bauer,W., 3=2846
Koehler,J.S. See de Jong,M., 3=4864
Koehler,J.S. See Parsons,J.R., 3=6553
Koehler,J.S. See Simmons,R.O., 3=8420
Koehler,P.F.M.,Slack,L. and Gove,N.B. Decay energy of Tb^{161}, 3=12636
Koehler,W.C.,Cable,J.W.,Wollan,E.O. and Wilkinson,M.K. Recent progress in magnetic structure determinations of rare earth metals, 3=1108
Koehler,W.C., Child,H.R., Wollan,E.O. and Cable,J.W. Some magnetic structure properties of terbium and of terbium—yttrium alloys, 3=15742
Koehler,W.C. See Cable,J.W., 3=6729

Koehler,W.C. See Cable,J.W., 3=15737
Koehler,W.C. See Child,H.R., 3=20609
Koehler,W.C. See Felcher,G.P., 3=23185
Koehler,W.C. See Wilkinson,M.K., 3=1107
Koehler,W.C. See Wollan,E.O., 3=1110
Koehler,W.C. See Wollan,E.O., 3=25709
Koehler,W.C. See Yakel,H.L., 3=25722
Koelbloed,D. and Kuperus,M. On the electron concentration in a prominence, observed during the total solar eclipse of October 2nd, 1959, 3=16382
Koeler,J.S. See de Jong,M., 3=4863
Koen,J.W. See Meyer,M.A., 3=24543
Koency,J. See Berlad,A.L., 3=9658
Koenig,L.R. The glaciating behavior of small cumulonimbus clouds, 3=9038
Koenig,S.H. Recent developments in transport (experimental), 3=10730
Koenig,S.H.,Brown,R.D.,III. and Schillinger,W. Electrical conduction in n-type germanium at low temperatures, 3=2894
Koenig,S.H. See Aubrey,J.E., 3=15582
Koenig,S.H. See Brown,R.D., 3=8549
Koenuma,S. See Itagaki,K., 3=9053
Koerber,B.W. See Crosby,P., 3=6963
Koerts,K. The crystal structure of $Cu_{0.65}NbS_2$ and some related compounds, 3=16078
Koerts,L.A.C. See Udo,F., 3=17491
Koerts,L.A.Ch. See Ammerlaan,C.A.J., 3=17115
Koester,K.J.,Jr. See Berman,B.L., 3=19716
Kofanov,V.I. Critical equation of heat transfer of a liquid suspension, 3=19039
Koffer,H. See Kortüm,G., 3=13574
Kofoid,M.J. and Cleva,H.V. Bursting of electron beams with electron trapping, 3=4190
Kofstad,P. Thermogravimetric studies of the defect structure of rutile (TiO_2), 3=2786
Kofstad,P. Studies of electrical conductivity of Nb_2O_5 as a function of oxygen pressure at 600–1200°C, 3=2923
Kofstad,P. and Butera,R.A. Internal friction in the tantalum–hydrogen system, 3=18168
Kofstad,P. and Ruzicka,D.J. On the defect structure of ZrO_2 and HfO_2, 3=12957
Kofstad,P. See Butera,R.A., 3=23286
Koga,H. See Matumura,O., 3=23239
Koga,I. Radio-frequency vibrations of rectangular at-cut quartz plates, 3=21470
Koga,K. See Abe,H., 3=20644
Koga,T. A radio wave in a plasma in a uniform magnetic field, 3=4133
Koga,T. Interaction between a radio wave and a high-temperature plasma, 3=7554
Koga,T. Reply to comments by Pieter Schram, 3=12111
Koga,Y. See Mori,S., 3=13073
Kogan,A.V.,Kul'kov,V.D.,Nikitin,L.P.,Reinov,N.M.,Stel'makh,M.F. and Shott,M. Asymmetry of the β-radiation from some nuclei polarized in an alloy containing iron, 3=2417
Kogan,F.I. See Katsnel'son,L.B., 3=24153
Kogan,Sh.M. A theory of photoconductivity based on variation of the carrier mobility, 3=6624
Kogan,Sh.M. The electrodynamics of nonlinear media, 3=7682
Kogan,Sh.M. Theory of hot electrons in semiconductors, 3=17828
Kogan,Sh.M. Electron temperature fluctuations and the noise caused by them, 3=17835
Kogan,Sh.M. See Lifshits,T.M., 3=6634
Kogan,V.I. A gas filter for cutting off particles from radiation, 3=24274
Kogan,V.I. See Vasilev,A.P., 3=12137
Kogan,V.S. Isotope effects in the structural properties of solids, 3=23439
Kogan,V.S. and Bulatov,A.S. The temperature dependence of the isotopic effect in the nickel lattice, 3=6482
Kogan,V.S. and Khotkevich,V.I. The temperature dependence of the isotope effect on the lattice parameters in Li, 3=6842
Kogan,V.S.,Lazarev,B.G. and Bulatova,R.F. Phase diagram of solid–liquid systems formed by hydrogen isotopes, 3=21612
Kogan, V.S. See Ozerov, R.P., 3=18306
Kogelnik,H. See Rigrod,W.W., 3=7318
Kogure,T. Stationary shock waves in a plane stellar atmosphere. II. The propagation, 3=5263
Kogure,T. and Ōsaki,T. Propagation of shock waves in inhomogeneous medium, 3=3848
Koh,J.C.Y. Film condensation in a forced-convection boundary-layer flow, 3=300
Kohane,T. and Schlömann,E. D.C. magnetic moment induced by a strong r.f. magnetic field applied parallel to the d.c. field, 3=13280
Kohin,R.P.,Müller,K.A. and Hoegl,H. Electron spin resonance in the carbazole–chloranil charge transfer complex, 3=8708
Kohl,D.A. See Strand,T.G., 3=23732
Kohl,H. The influence of neutral air on semidiurnal and diurnal drifts in the F-region, 3=13764
Köhler,B. See Helmis,G., 3=25012
Kohler,D. See Paul,P., 3=10383
Köhler,F. See von Ardenne,M., 3=12786
Köhler,H.-J. See Pettig,M., 3=24496
Köhler,H.S. Reaction matrix theory for a finite nucleus by the separation method, 3=2357
Kohler,I. Experiments with goggles, 3=1568
Kohler,M. The meaning of symmetry in physics, 3=3709
Kohlhaas,R. Basic methods of evaluation in calorimetry. Derivation of the thermodynamic functions of pure iron on the basis of measurements on an iron–manganese system by the method of delayed-mix calorimetry, 3=21604
Kohlhaas,R. and Lange,H. Thermodynamics of the Curie point of nickel and iron, 3=13244
Kohlhaas,R. See Jaensch,P., 3=13260
Kohlmaier,G.H. and Rabinovitch,B.S. Collisional transition probabilities for vibrational deactivation of chemically activated sec-butyl radicals. The rare gases, 3=12878
Kohlmaier,G.H. and Rabinovitch,B.S. Collisional transition probabilities for vibrational deactivation of chemically activated sec-butyl radicals. Diatomic and polyatomic molecules, 3=12879
Kohn,H. Electronic determination of isogradients, 3=16727
Kohn,J.A. and Eckart,D.W. A new series of "hexagonal ferrite" structures, 3=23458
Kohn,J.A. See Tauber,A., 3=3277
Kohn,J.A. See Tauber,A., 3=15878
Kohn,W. and Luming,M. Orbital susceptibility of dilute alloys, 3=20556
Kohnke,E.E. Electrical and optical properties of natural stannic oxide crystals, 3=2924
Kohno,I. See Kawasaki,K., 3=14224
Kohno,I. See Sugita,T., 3=18864
Kohno,N. See Shimoda,K., 3=519
Kohonen,T. Depolarization of arbitrarily polarized electrons and positrons in Møller and Bhabha scattering, 3=14960
Kohra,K.,Molière,K.,Nakano,S. and Ariyama,M. Anomalous intensity of mirror reflection from the surface of a single crystal, 3=1294
Kohra,K.,Nakano,S. and Yoshimatsu,M. X-ray studies on lattice defects in silicon by diffraction microscopy and double crystal spectrometer, 3=22707
Kohra,K. See Watanabe,H., 3=1299
Kôi,Y.,Tsujimura,A.,Hihara,T. and Kushida,T. Nuclear magnetic resonance in ferromagnetic metals and alloys, 3=1199
Kôi,Y. See Hihara,T., 3=3198
Kôi,Y. See Hihara,T., 3=15961
Koički,S.D.,Kukoc,A.H.,Radojević,M.P. and Simić,J.M. Investigation of 5.5 hours ^{180m}Hf isomeric state decay, 3=6179
Koidan,W. Hydrogen retention system for pressure calibration of microphones in small couplers, 3=11869
Koide,S. and Takei,H. Electrical properties of the $Ni_{1-x}O$ system, 3=13077
Koike,M. Radiation effect in dimethyl-diphenyl siloxane copolymer. II. Effect of temperature on crosslinking during irradiation, 3=10563
Koiranskaya,E.Yu. See Lyubimov,V.N., 3=22992
Koizumi,H.,Osaki,K and Watanabe,T. Crystal structure of cupric benzoate trihydrate $Cu(C_6H_5COO)_2 3H_2O$, 3=11273
Koizumi, N. See Hanai, T., 3=3414
Koizumi,T. and Ohyama,H. Study in the stratification of F region, 3=21063
Kojima,C. See Kaminishi,T., 3=645
Kojima,C. See Kaminishi,T., 3=8067
Kojima,C. See Kaminishi,T., 3=24856
Kojima,H. and Goto,K. Temperature dependence of domain width in thin layers of $BaFe_{12}O_{19}$, 3=1014
Kojima,K.,Nishimaki,N. and Kojima,T. A-centers in alkali halide crystals, 3=22838

Kojima,M.,Hibino,M. and Maruse,S. Variation of image contrast in the electron emission microscope with aperture, 3=24367
Kojima,M. See Ueta,M., 3=4983
Kojima,S., Hagiwara,S. and Takayama,K. Oscillation in a dark plasma, 3=4160
Kojima,T. See Kasuta,T., 3=10509
Kojima,T. See Kojima,K., 3=22838
Koji Uo,K., Mōri,A., Oshiyama,H., Katō,R. and Ishii,K. Experiment on the spatial confinement of plasma in the heliotron B magnetic field, 3=1990
Kokalas,J.J. See Vratny,F., 3=13154
Kokkedee, J.J.J. On the one-particle green function of a system of interacting phonons, 3=17645
Kokkedee,J.J.J. See Nijboer,B.R.A., 3=20829
Kokochashvili,V.I.,Mirianashvili,G.M.,Burchuladze,A.A. and Dzhaparidze,K.G. A proportional counter and a system of protection against background for dating by the radiocarbon method, 3=24538
Kokorev,D.T. Method for determining size and shape of optically black emitting systems, 3=287
Kokorev,D.T. and Kovtonyuk,N.F. Analysis of the homogeneity of semiconductor materials by using the method of the volume photo-e.m.f., 3=15567
Kokorin,G.A. See Vitkin,A.I., 3=5146
Koks,H.L.T. See Geus,J.W., 3=17020
Kokubun,S. See Nagata,T., 3=9129
Kokushkin,O.A. See Baram,A.A., 3=21496
Kolachevskii,N.N. Experimental investigation of the influence of elastic stresses, heat treatment and crystal structure in a ferromagnetic specimen on the intensity of magnetic noise, 3=3104
Kołakowski,B. Structure of rhombohedral complicated modification of boron, 3=13449
Kolb,A.C.,Griem,H.R.,Lupton,W.H.,Phillips,D.T.,Ramsden,S.A., McLean,E.A.,Faust,W.R. and Swartz,M. A high energy magnetic compression experiment, 3=12159
Kolb,A.C. See Griem,H.R., 3=7506
Kolb,A.C. See Griem,H.R., 3=12158
Kolb,A.C. See Hain,K., 3=12160
Kolb,G.A. See Sullivan,M.V., 3=23501
Kolb,K. and Mecharauch,E. On the reliability of X-ray internal stress measurements in heterogeneous materials, 3=13346
Kolb,K. See Freeman,M.P., 3=20935
Kolb,W. See Baumgärtel,K., 3=25905
Kolbasov,V.A.,Mukhina,M.M. and Nazarov,V.P. E.S.R. spectrometer with high-frequency field modulation, 3=14788
Kolchin,A.M.,Krivko, N.I. and Reinov,N.M. Experimental investigation of a superconducting Nb—Zr alloy at 9250 Mc/s, 3=21666
Kolchin,A.M., Mikhailov,Yu.G., Reinov,N.M., Rumyantseva,A.V., Smirnov,A.P. and Totubalin,V.N. Destruction of superconductivity in thin tin films, 3=3966
Kolers,P.A. Intensity and contour effects in visual masking, 3=3692
Kolesar,D.F. See Ehlers,H.H., 3=25772
Kolesnik,L.I. Recombination at edge dislocations in germanium, 3=2898
Kolesnikov,L.Ya. See Vatset,P.I., 3=4672
Kolesnikov,L.Ya. See Valter,A.K., 3=4673
Kolesnikov,N.L. See Krasnushkin,P.E., 3=3492
Kolesnikov,N.V. See Zhitnikov,R.A., 3=15948
Kolesnikov,N.V. See Zhitnikov,R.S., 3=25575
Kolesnikov,V.I. See Palatnik,L.S., 3=2881
Kolesnikov,V.N. and Obukhov-Denisov,V.V. Effective electron scattering cross-section on hydrogen atoms, 3=6360
Kolesnikov,V.N. and Sobolev,N.N. Structure of the column in an argon arc. II. Radius of the column and shape of the radial distributions, 3=14559
Kolesnikov,V.N. See Kitaeva,V.F., 3=14558
Kolesnikova,A.N. See Kormer,S.B., 3=6787
Kolesov,G.M. See Lavrukhina,A.K., 3=15153
Kolesov,I.V. See Dvoretski,A.S., 3=17159
Kolesov,V.E. and Stavinskii,V.S. Calculation of the neutron cross-section for U^{238} on the basis of the optical model of the nucleus, 3=4650
Kolga,V.V. Compensation of non-linear resonances in a relativistic cyclotron, 3=12273
Kolk,A. and White,H. Magnetic properties of 97 Fe—3 Ni thin film electroplate, 3=13259
Kolk,A.J. and Orlovic,M. Increasing the Kerr magneto-optic effect in thin films, 3=15654
Kolka,W. Corona stabilizer tube with regulated voltage, 3=9747
Kolka,W. and Mościcki,W. Corona discharge in air between wire and plate as a voltage stabilizer, 3=5640
Kolker,H.J. See Karplus,M., 3=10494
Kolkunov,V.A. Calculating the invariant phase volume of N particles, 3=14885
Kolkunov,V.A. See Gribov,V.N., 3=4376
Koller,E.L., Taylor,S., Huetter,T. and Stamer,P. Evidence for $K^+ \rightarrow \pi^+ + \pi^- + e^+ + \gamma$ decay mode, 3=4455
Koller,E.L.,Taylor,S.,Huetter,T. and Stamer,P. Radiative τ^+ decay, 3=7925
Koller,E.L.,Taylor,S. and Huetter,T. Mean life-time of the neutral pion, 3=10143
Koller,E.L. See Bierman,E., 3=19689
Kolmakov,M.V. and Zelentsov,I.A. The construction of induction pick-ups for magnetotelluric investigations, 3=9122
Kolobova,K.M. See Nemnonov,S.A., 3=20041
Kołodziejczak,J., Lax,B. and Nishina,Y. Semiclassical dispersion theory of interband magneto-optical effects, 3=4963
Kolodziejczak,J.,Sosnowski,L. and Zawadzki,W. A theory of thermoelectric and thermomagnetic effects, 3=10892
Kołodziejczak,J. and Żukotyński,S. On the transport theory for semiconductors with warped energy surfaces, 3=20286
Kolodziejczak,J. See Bartenback,M., 3=10898
Koloziejczak,J. See Lax,B., 3=10744
Kolodziejczak,J. See Sosnowski,L., 3=10892
Kołodziejczak,J. See Zukotyński,S., 3=17840
Kolomenskii,A.A. and Lebedev,A.N. Autoresonant motion of particles in a plane electromagnetic wave, 3=7681
Kolomenskii,A.A. and Lebedev,A.N. Use of random modulation of parameters in orbital accelerators and analogous systems, 3=14697
Kolomenskii,A.A. and Lebedev,A.N. Resonance effects associated with particle motion in a plane electromagnetic wave, 3=21943
Kolomets,I.D. and Smirnov,A.A. Theory of the residual electrical resistivity of a binary non-ordering alloy with periodically variable composition. I, 3=20260
Kolomiec,B.T.[Kolomiets],Nazarova,T.F. and Shilo,V.P. On the short-range order of As_2Se_3 in the glassy and the crysalline state, 3=10802
Kolomiet',I.D. and Smÿrnov,A.A. Theory of the residual resistivity of a binary disordered alloy with periodically varying composition, 3=20261
[Kolomiets] See Kolomiec,B.T.,
Kolomiets, B.G. See Burdiyan, I.I., 3=25352
Kolomiets,B.T. and Mal'kova,A.A. Absorption and photomagnetic effect spectra of Cd_xHg_{1-x} Te solid solutions, 3=17997
Kolomiets,B.T. See Andriesh,A.M., 3=15635
Kolomiets,B.T. See Andriesh,A.M., 3=20418
[Kolomiets],B.T. See Kolomiec,B.T.
Kolomoets,L.A. See Moizhes,B.Ya., 3=2985
Kolomiitsov,Yu.V. Contrast of interference fringes of equal inclination in the presence of wave front deformations, 3=24049
Kolomoitsev,F.I.,Kodzhespirov,F.F.,Yakunin,A.Ya. and Sinyakov,E.V. Some possibilities of improving the quality of microwave ferrites, 3=8685
Kolonko,N., Lewandowski,Z.,Makowska-Rzeszutko,M., Niewodniczanski,H.,Wiktor,S. and Wróbel,Z. Energy and angular distributions of the neutrons from the stripping reactions $^{12}C(d,n)^{13}N$, 3=10376
Kolontsova,E.V. The degree of perfection of aluminium single
Kolontsova,E.V., Krokhina,A.I. and Vakhomchik,L.P. Selective etching of aluminium crystals, 3=20202
Kolontsova,E.V. and Kulyavik,A. Effect of X-ray irradiation on the structure of crystals of NaCl type, 3=20185
Kolontsova,E.V. and Telegin,I.V. Radiational disturbance in quartz, 3=8473
Kolontsova,E.V. and Telegina,I.V. Unusual effects in the X-ray patterns of irradiated and deformed monocrystals of LiF, 3=20948
Kolos,W. and Kosek,S. Čerenkov radiation in the ^{60}Co gamma irradiation unit, 3=2239
Koloskova,N.G. Effect of dislocations on the shape of the paramagnetic resonance lines, 3=15933
Kolosov,I.E. See Parshin,A.M., 3=23349
Kolosov,S.G. Correlation of earth's and the troposphere's upward radiation field with the temperature field, 3=23585
Kolosov,Yu.A. See Vil'dgrube,G.S., 3=9586

Kolosova,V.M. Use of emission analysis in forensic medicine, 3=25853
Kolosowski,W. Analysis of surface waves over a dielectric guiding surface; the reflection coefficient, 3=24469
Kolot,V.Ya. See Fogel',Ya.M., 3=14663
Kolot,V.Ya. See Kozlov,V.F., 3=24380
Kolotov,O.S.,Nikitina,T.N. and Solanskii,N.M. Problem of the anisotropy dispersion in thin ferromagnetic films, 3=20601
Kolotov,O.S. See Telesnin,R.V., 3=23173
Koloty,V.V. See Vertebny,V.P., 3=19657
Koloty,V.V. See Vertebny,V.P., 3=19658
Kolpakov, I. F. Transistorized digital comparator and reversible binary scaler, 3=1917
Kolpakov,I.F. Transistor decade scaler with 10^{-7} second resolution, 3=24181
Kolsky,H. Stress waves in anelastic solids, 3=21477
Koltay,E. Ion-optical behaviour of inclined field acceleration tubes, 3=14690
Koltun,D.S. and Wilets,L. Nuclear many-body problem with nonuniform density. I. Theory, 3=6131
Kołtun,S. See Frąckowiak,D., 3=20492
Kolybasov,V.M. See Shapiro,I.S., 3=22411
Komar,A. Positive-definite energy density and global consequences for general relativity, 3=7106
Komar,A.A. See Baldin,A.M., 3=556
Komar,A.A. See Baldin,A.M., 3=4431
Komar,A.A. See Komar,A.P., 3=8219
Komar,A.P.,Bochagov,B.A. and Fadeev,V.I. U^{238} fission by continuous spectrum ($E\gamma_{max}$ = 35 MeV) photons and 14 MeV neutrons, 3=8143
Komar,A.P. and Komar,A.A. Theory of the waveguide properties of metal-like molecules and their complexes, 3=8219
Komar,A.P.,Kruglov,S.P. and Lopatin,I.V. Determination of the sensitivity of a dosimeter in the range from 15 to 300 MeV. 3=5977
Komar,A.P.,Kulikov,A.V.,Chizhov,V.P.,Yavor,I.P. and Volkov,Yu.M. Emission of fast deuterons in the photo-disintegration of O^{16}, 3=15178
Komar,A.P. and Shrednik,V.N. Atomic structure of W micro-crystals with dimensions up to 60 A, 3=3296
Komar,A.P. See Bochagov.B.A., 3=15248
Komar,A.P. See Volkov,Yu.M., 3=8023
Komar,A.P. See Vorob'ev,A.A., 3=2152
Komar,E.G. See Vladimirskii.V.V., 3=12275
Komarov,G.V. and Regel',A.R. Oscillation conditions of the boundary between the solid and liquid phases of bismuth, 3=25664
Komarov,L.I. and Fisher,I.Z. Theory of Rayleigh scattering of light by liquids, 3=14166
Komarov,V.I. See Akimov.Yu.K., 3=4390
Komarov,V.V. See Vasil'ev,S.S., 3=2458
Komarov,V.V. See Vasilyev,S.S., 3=2495
Komarov,V.V. See Vasil'ev,S.S., 3=4671
Komarov,V.V. See Vasilyev,S.S., 3=8091
Komarov,V.V. See Vasil'ev,S.S., 3=10345
Komarovskii,A.G. See Buyanov,N.V., 3=25848
Komatsu,H.,Wakiya,K. and Suzuki,T. Proton magnetic resonance in piled up crystals of cetyl alcohol, 3=15958
Komastubara,K. and Kurono,H. The effect of magnetic field on the low-temperature breakdown in highly compensated germanium, 3=20310
Komatuzaki,T. See Kumabe,I., 3=4669
Komatuzaki,T. See Kumabe,I., 3=24934
Komatuzaki,T. See Kumabe,I., 3=24935
Kombarov,A.K. See Borodich,V.D., 3=21667
Komelkov,V.S.,Skvortsov,Y.,Tereshenko,V.N. and Zerevitinov,S.S. A dynamical current filament, 3=7560
Komesaroff,M.M. and Mathewson,D.S. Measuring the linearity of radio astronomy receivers, 3=13918
Komin.A.V. See Alikhanov,S.G., 3=14592
Komin,A.V. See Demirkhanov,R.A., 3=7522
Komissarchik,Ya.Yu. and Mashanskii,V.F. Evaluation of the performance of the UMT-2 ultramicrotome, 3=3696
Komiya,H. See Ibuki,S., 3=13219
Komiyama,J. See Yoshino,T., 3=11812
Komnik,S.N. See Bengus,V.Z., 3=12971
Komnik,S.N. See Bengus,V.Z., 3=12982
Komnik,Yu.F. Measurement of thermal effects during condensation of thin films, 3=19074
Komnik,Yu.F. See Palatnik,L.S., 3=2881
Komnik,Yu.F. See Palatnik,L.S., 3=13513
Komnik,Yu.F. See Palatnik,L.S., 3=20297
Komoda,T. Energy levels of $f_{7/2}$ nuclei and configuration interaction, 3=15092
Komoda,T. See Tokuyasu,T., 3=20955
Komolova,V.Ye. See Kopylov,G.I., 3=24671
Komoto,T. See Sparks,J.T., 3=1023
Komoto,T. See Sparks,J.T., 3=15748
Komova,E.M. See Mirgalovskaya,M.S., 3=25732
Kompaneets,A.S. Regularization of the classical equations of electrodynamics, 3=17166
Kompaneets,A.S. Diffusion from an instantaneous source in a gravity field, 3=21427
Kompaneets,A.S. and Lantsburg,E.Ya. Heating of a gas by radiation, 3=1855
Kompaneyets,A.S. and Lantsburg,E.Ya. Analysis of the propagation of a nonequilibrium heat wave by taking into account the finiteness of the velocity of light, 3=7382
Komura,S. and Kunitomi,N. Diffusion of thallium in single crystals of copper, 3=22826
Komura,S. and Shikazono,N. Hyperfine field in $ZrFe_2-UFe_2$ ternary system, 3=15412
Komura,S. See Hamaguchi,Y., 3=1113
Komura,S. See Kunitomi,N., 3=6829
Kon,H. See Maruyama,T., 3=23128
Koňák,C. Some optical properties of cadmium telluride, 3=23067
Koňák,Č. See Höschl,P., 3=20977
Koňák,Č. See Höschl,P., 3=25823
Konakhovich,Yu.Ya. and Saksonov,Yu.G. A neutron diffraction study of a manganese–zinc ferrite, 3=23184
Kondaiah,E. See Lingappa,N., 3=639
Kondilenko,I.I., Verlan,É.M., Korotkov,P.A. and Strizhevskii, V.L. Raman scattering function for light in a crystal medium, 3=20463
Kondilenko,I.I. See Babich,I.L., 3=10487
Kondilenko,I.I. See Babich,I.L., 3=21372
Kondilenko,L.I.,Porogelov,V.E. and Strizhevskii,V.L. Intensities of Raman overtones, 3=10486
Kondo,H. and Miyahara,S. Magnetic properties of some synthetic olivines, 3=23142
Kondo,H. See Kawai,T., 3=4143
Kondo,J. Electrical resistivity of ferromagnetic metals, 3=827
Kondo,J. g-shift and anomalous Hall effect in gadolinium metals, 3=8400
Kondo,J. Spin–lattice interaction of a Mn^{++} ion in MgO, 3=8724
Kondo,J. Superconductivity in transition metal, 3=9678
Kondo,K. See Hirone,T., 3=11026
Kondo,M.,Yamazaki,T. and Yamabe,S. Angular distributions of (α,n) reactions on Be and C, 3=10388
Kondo,M. See Yamazaki,T., 3=19883
Kondoh,H. Multiple twin domains and domain walls in NiO crystal, 3=1146
Kondoh, H. A new birefringence pattern of antiferromagnetic NiO crystal, 3=18109
Kondorsky,E.I.,Galkina,O.S.,Chernikova,L.A. and Kai-da Chsian. The electrical properties of thin films of nickel at very low temperatures, 3=832
Kondorskii,E.I. See Galikina,O.S., 3=4905
Kondrashov,N.G., See Ermakov,V.S., 3=10411
Kondratenko,A.M. Nonlinear theory of a plasma waveguide, 3=19455
Kondrat'ev,I.G. See Gil'denburg,V.B., 3=24290
Kondrat'ev,K.Ya. Satellites and meteorology, 3=18492
Kondrat'ev,K.Ya. and Fedorova,M.P. An attempt at handling and analysis of some measurements of the components of the radiation balance of the "earth surface–atmosphere" system on the satellite Tiros II, 3=23567
Kondrat'ev,K.Ya. and Fedorova,M.R. Fluxes of outgoing long wave radiation on to differently orientated surfaces, 3=23569
Kondrat'ev,K.Ya. and Gaevskaya,G.N. Vertical profile of the radiation balance and its components in the free atmosphere during daytime, 3=23584
Kondrat'ev,K.Ya. and Yakushevskaya,K.E. Angular distribution of outgoing thermal radiation in different spectral regions. 3=23564
Kondrat'eva.M.A. See Grigorov,N.L., 3=9163

Kondurar,V.T. Perturbations in the rotational-translational motion of a satellite and planet, resulting from their flattening, 3=3525
Kondurar,V.T. Presence of resonance phenomena in the motion of a sputnik due to its shape and the form of its orbit, 3=9284
Konenko,L.D. See Ofengenden,R.G., 3=1922
Konenkov,Yu.K. Waves in a viscous liquid, 3=14124
Konenkov,Yu.K. Calculating the plate-wave phase velocities associated with flexual oscillations of an elastic strip, 3=18873
König,E. and Fischer,H. E.S.R. investigation of the anion radical of 2,2'-dipyridyl, 3=20020
König,H. Solubility of inert gases in sea water, 3=23877
König,H. See Hintenberger,H., 3=13877
König,H.W. The kinetic power theorem for electrons, 3=5702
Konijn,J. See Malmskog,S., 3=2403
Koning,H.N. and van Senden,K.G. Determination of the order of a reaction and calculation of the initial rate by absorption spectroscopy, 3=6908
Konishi,G. and Yamamoto,K. Baryon number conservation and the Jost—Lehmann—Dyson representation, 3=7786
Konishi,T. See Fernández,C., 3=3684
Konisi,G. The mass spectral condition and anlytic properties of the vertex function II, 3=14890
Konisi,G. and Ogimoto,T. Analyticity in coupling constant, angular momentum and energy of the S-matrix for potential scattering, 3=19581
Kon'kov,A.A. and Ionov,V.P. Study of radiation spectrum of gases heated by strong shock waves, 3=11835
Konno,H. See Gōndo,Y., 3=469
Konno,H. See Gondō,Y., 3=15919
Konno,H. See Usami,S., 3=20630
Konno,T. See Kiyono,S., 3=21918
Kono,N. Frequency response of probe microphone and its equalizer, 3=1782
Kono,T. See Kato,R., 3=17122
Kono,T. See Takahashi,M., 3=1068
Konobeev,Yu.V. The role of defects in exciton luminescence of molecular crystals, 3=23099
Konobeev,Yu.V. See Agranovich,V.M., 3=20139
Konobeev,Yu.V. See Galanin,M.D., 3=8626
Konobeevskii,S.T. See Feinberg,S.M., 3=10421
Kononov,V.N. See Stavisskii,Yu.Ya., 3=2478
Kononovich,E.V. Probability of hydrogen ionization by electron impact, 3=7433
Konopasek,F. and Connor,R.D. An automatic system for beta-ray spectrometer control, 3=24703
Konopasek,F. See Standing,K.G., 3=5745
Konopka,J. See Leibler,K., 3=10868
Konopka,J. See Leibler,K., 3=22986
Konorov,P.P. and Romanov,O.V. Investigation of the changes in electrical properties of the surface of germanium on etching in hydrogen peroxide, 3=2899
Konorov,P.P. See Romanov,O.V., 3=16027
Konovalenko,B.M. See Rȳvkin,S.M., 3=6583
Konovalenko,B.M. See Ryvkin,S.M., 3=10769
Konovalov,E.G. and Germanovich,I.N. Temperature effect on lifting-height of a liquid in a capillary undergoing high-frequency vibrations, 3=23855
Konovalov,I.I. See Safronov,B.G., 3=21822
Konovalov,Yu.N. and Magidson,V.V. Electron density and temperature in a water-stabilized plasmatron jet, 3=2000
Konovalova,L.P., Okhrimenko,L.S. and Strugal'skii,Z.S. Determination of γ-ray energy in xenon bubble chamber, 3=2174
Konozenko,I.D. See Galushka,A.P., 3=4917
Konstantinov,A.A.,Sokolova,I.A. and Sazenova,T.E. Determination of the K fluorescence coefficients of V^{51}, Mn^{55}, Cu^{65} and Ga^{71}, 3=7993
Konstantinov,B.P. See Anisimov,A.I., 3=14591
Konstantinov,B.P. See Dragnev,T.N., 3=6226
Konstantinov,I.E. See Kheiker,D.M., 3=23427
Konstantinov,I.O. See Babenko,N.P., 3=22417
Konstantinov,I.O. See Blinov,V.A., 3=531
Konstantinov,L.V, Reshetin,L.V. and Serebrennikov, Yu.M. Small fission chamber, 3=17098
Konstantinov, N.I. See Kuznetsov, V.V., 3=3245
Konstantinov,O.V. and Perel',V.I. A more precise determination of the kinetic coefficients of a plasma, 3=385
Konstantinov,O.V. See Zaidel',A.N., 3=1999
Konstantinova,A.F. See Fedorov,F.I., 3=20447
Konstantinova,M.P.,Myakinin,E.V.,Petrov,A.M. and Romanov,A.M. Angular distribution of protons from the (α, p)-reactions induced by 13-15 MeV α-particles, 3=2500
Konstantinova,M.P. See Romanov,A.M., 3=10387
Konstantinova,V.P. The application of selective etching to the study of twin and dislocation structures in triglycine sulphate, 3=22790
Kontorova, T.A. Effect of impurities on the mechanical and thermal properties of semiconductors with covalent binding, 3=17664
Kontorovich,V.M. and Glutsyuk,A.M. Transformation of sound and electromagnetic waves at the boundary of a liquid conductor in a magnetic field, 3=208
Konwent,H. See Jaśkiewicz,A., 3=2950
Kónya,A. The statistical atom model in momentum space. I, 3=22465
Konyakhin,I.R. and Mitrofanov,B.P. Shear stress under pressure, 3=13354
Konyakhin,N.V. See Brodskii,V.B., 3=24307
Konyukhov,V.K.,Kulevskiĭ,L.A. and Prokhorov,A.M. The investigation of a ruby optical generator at liquid nitrogen temperatures, 3=19488
Koo,R.C. Observations on the ductility of polycrystalline tungsten as affected by annealing, 3=23307
Koo,R.C. Effect of purity on the tensile properties of tungsten single crystals from −196°C to 29°C, 3=25617
Kooi,C.F. Interaction of phonons and spin waves, 3=20569
Kooi,C.F.,Holmquist,W.R.,Wigen,P.E. and Doherty,J.T. Surface spin pinning in permalloy by an oxide layer, 3=1168
Kooi,C.F.,Horst,R.B.,Cuff,K.F. and Hawkins,S.R. Theory of the longitudinal isothermal Ettinghausen cooler, 3=14408
Kooi,C.F. See Cuff,K.F., 3=22938
Kooi,C.F. See Wigen,P.E., 3=15839
Koomen,M.J.,Gulledge,I.S.,Packer,D.M. and Tousey,R. Night airglow observations from orbiting spacecraft compared with measurements from rockets, 3=18556
Koonce,S.E. See Sylwestrowicz,W.D., 3=23360
Koozekanani, S., Ciftan, M. and Krutchkoff, A. Observation of quasi c.w. operation of an optical ruby maser, 3=4283
Koozekanani,S.,Ciftan,M. and Krutchkoff,A. Observation of quasi c.w. operation of an optical ruby maser, 3=5896
Kopaev,Yu.V. See Keldysh,L.V., 3=20129
Kopal,Z. The internal constitution of the moon, 3=3547
Kopal,Z. The effects of convection in the mantle on the gravitational field of the earth, 3=16188
Kopaleshvili,T.I. and Dzhibuti,R.I. Investigation of the $He^4(\gamma,np)D^2$ photonuclear reaction, 3=6093
Kopaleishvili,T.I. and Jibuti,R.I. Photonuclear reaction $(\gamma$, np) and nucleon—nucleon correlations in light nuclei, 3=19834
Kopanets,E.G. See Antuf'ev,Yu.P., 3=6246
Kopanets,E.G. See Antuf'ev,Yu.N., 3=7746
Kopanets,E.G. See Antuf'ev,Yu.P., 3=8087
Kopanets,E.G. See Val'ter,A.K., 3=2456
Kopanets,E.P. See Val'ter,A.K., 3=12586
Kopelman,T. See Gray,L., 3=15042
Kopitzki,K. and Stier,H.E. Velocity measurements on particles emitted from copper single crystals upon cathode sputtering for investigation of the focusing energies of the crystal, 3=25315
Kopp,I. See Barrow,R.F., 3=25090
Kopp,J.K. See Baltay,C., 3=22209
Kopp,J.K. See Baltay,C., 3=24805
Kopp,M. D.C. electrical conductivity of snow, 3=6612
Koppe,H. On a special representation in quantum theory, 3=21241
Koppel,D. Partition function for a generalized Tonks' gas, 3=16550
Koppel,J. See Starr,E., 3=6016
Koppel,J.U. A method of solving the time dependent neutron thermalization problem, 3=24738
Koppelmann,G. Microwave Fabry—Perot interferometer as a model for the laser resonator, 3=12360
Koppen,G. See Engel,A., 3=20957
Koppenaal,T.J. Comments on the Rosenfield and Averbach theory for initial yielding in f.c.c. metals and alloys, 3=11151
Koppenaal,T.J. Primary and cross slip lines in alpha Cu—Al single crystals, 3=15999

Koppenaal,T.J. Microstraining in αCu–Al single crystals, 3=20706

Koppenaal,T.J. The strain rate dependence of the flow stress in neutron irradiated copper single crystals, 3=20719

Kopstik,V.A. Symmetry changes during the direct and inverse piezoelectric responses of a crystal, 3=20390

Kopstik, V.A. and Sirotin, Yu.I. The symmetry of piezoelectric and elastic tensors and the symmetry of the physical properties of crystals, 3=17948

Koptsik,V.A. See Strukov,B.A., 3=15621

Koptsik, V.A. See Strukov, B.A., 3=17941

Kopvillem,U.Kh. Impulse excitation of a system of weakly interacting particles, 3=5384

Kopvillem,U.Kh. and Shubina,R.V. The possibility of obtaining absolute polarization of magnetic nuclei by a pulse method, 3=6686

Kopvillem, U.Kh. See Bashkirov, Sh.Sh., 3=17648

Kopvillem,U.Kh. See Kessel',A.R., 3=15424

Kopvillem,U.Kh. and Mineyeva,R.M. Free nuclear induction in the absence of magnetic field, 3=11021

Kopylov,G.I. and Komolova,V.Ye. Statistical background of resonance states, 3=24671

Kopylova,D.K.,Lyuibimov,V.B.,Podgoretskii,M.I.,Rizaev,Kh. and Trka,Z. Inelastic π^-p interactions at an energy of 7 BeV, 3=24774

Kopȳlova,D.K. See Van Gan-chan [Wang Kang-ch'ang], 3=2302

Kopȳlovskii,B.D. and Bogdanov,S.V. The effect of surface recombination on the phase displacement between photoconductivity and the exciting illumination, 3=20393

Kopȳlovskii,B.D. See Adirovich,É.I., 3=6606

Kopytov,L.N. See Kitaigorodskii,L.L., 3=18365

Koral,M. See LuValle,J.E., 3=11950

Korbel,H. and Monahan,T.I. Radiant exposure, 3=11990

Korbel,Z.F. See Do In Seb, 3=24571

Korchevoi,Yu.P. See Morgulis,N.D., 3=4000

Korchevoi,Yu.P. See Morgulis,N.D., 3=12186

Korchevoi,Yu.P. See Morgulis,N.D., 3=24206

Korchovei,A., Gika,G. and Greku,D. Distribution of atoms displaced in a solid by a primary atom excited by radiation, 3=17799

Korda,Yu.S. See Remaev,V.V., 3=15134

Korda,Yu.S. See Remaev,V.V., 3=24911

Kordes,E. Ultraviolet absorption spectrum of the noble gases and the isoelectronic salts LiH, NaF, KCl, RbBr and CsI, 3=13179

Korenberg,E.B. See Kotel'nikov,V.A., 3=9272

Korenblit,I.Ya. Solution of the transport equation for scattering of electrons on impurities, 3=2867

Korenev,N.A. See Kotel'nikov,N.V., 3=5013

Korenskiĭ,I.I. See Kalinovich,D.F., 3=17782

Koreshkova,V.A. See Venediktov,Yu.P., 3=24193

Korin,V.I. See Dolbilkin,B.S., 3=24684

Korman,M. See Bariaud,A., 3=9800

Kormer,S.B.,Funtikov,A.I.,Urlin,V.D. and Kolesnikova,A.N. Dynamic compression of porous metals and equation of state with a variable specific heat at high temperatures, 3=6787

Kormer,S.B. See Al'tshuler,L.V., 3=1756

Korneeva,I.V. The hexagonal modification of zinc selenide, 3=16070

Korneff,T. See Moses,K.G., 3=21672

Kornegay,R.L. See Nelson,L.S., 3=18997

Kornegay,W.M. and Johnston,H.S. Kinetics of thermal ionization. II. Xenon and krypton, 3=14515

Kornelis,Y. See Amato,G., 3=17135

Kornelsen,E.V. See Redhead, P.A., 3=3840

Körner,H.J.,Gerdau,E.,Günther,C.,Auerbach,K.,Mielken,G., Strube,G. and Bodenstedt,E. Magnetic moment of the 2.083 MeV two-proton level of the even–even nucleus Ce^{140}, 3=12560

Körner,H.J.,Radeloff,J. and Bodenstedt,E. Determination of the g_R factor of the 2+ rotational level of W^{183} by differential $\gamma-\gamma$ angular correlation measurements in an external magnetic field, 3=8013

Körner,H.J. See Bodenstedt,E., 3=2391

Kornetzki,M. See Röss,E., 3=13277

Korneva,L.A. Some results of a study of wave attenuation with depth, 3=16199

Kornfel'd, M.I. and Lemanov, V.V. Local distortions of a crystal lattice by impurity ions, 3=17713

Kornfel'd,M.I.and Lemanov,V.V. Distortions of the NaCl lattice by Ag^+, Br^- and K^+ impurity ions, 3=2791

Kornfel'd,M.I. See Devyatkova,E.D., 3=6473

Kornfel'd,M.I. See Devyatkova,E.D., 3=10584

Kornfel'd,M.I. See Devyatkova,E.D., 3=22644

Kornienko,L.C. and Feshchenko,G.A. Calculation of the transfer energy matrix for Fe^{3+} ions in corundum for a special case of practical importance, 3=13230

Kornienko,L.S. and Feshchenko,G.A. Calculation of matrix elements of transition between levels of Fe^{3+} ion in corundum in a case of practical importance, 3=23230

Kornienko,L.S.,Pashinin,P.P. and Prokhorov,A.M. The spin-lattice relaxation time for the Ti^{3+} ion in corundum, 3=6752

Kornienko,L.S. and Prokhorov,A.M. Electron paramagnetic resonance of the Fe^{3+} ion in corundum, 3=5039

Kornienko,L.S. See Kask,N.E., 3=20649

Kornienko,L.S. See Zverev,G.M., 3=24505

Kornilov, B.V. Determination of the effective cross-sections for capture of the majority carriers by copper atoms in germanium from the transient impurity photoconductivity, 3=17859

Kornilov,I.I. and Matveeva,N.M. The rate of creep of the $MnNi_3$ compound as a function of the equilibrium state, 3=6790

Kornilov,V.A. See Dubovoi,L.V., 3=7614

Kornreich,P. and Pollack,S.R. Variable delay magnetic strip line, 3=14732

Kornstein,E. An optical selection device, 3=16745

Korobeinikov,V.P. and Karlikov,V.P. Determination of shape and of parameters of shock-wave fronts caused by an explosion in a nonuniform medium, 3=21485

Korobeinikova,I.E. and Rodigin,N.M. Possibility of measuring plate parameters from a conducting magnet by the eddy current method, 3=9902

Korobkin,V.A. See Tereshchenko,A.I., 3=4267

Korobkin,V.V. and Malyavkin,L.P. Use of the superopticon to obtain a time sweep of a rapidly occurring event, 3=24352

Korobko,G.V. See Deigen,M.F., 3=17797

Korobochko,Yu.S. and Shilkov,K.S. Model of a cylindrical betatron (containing no steel) with axial magnetic focusing, 3=14698

Korobov,M.A. Dependence of the form factor on the boundary condition criterion for certain potential fields, 3=21207

Korolev,A.M. Collective interaction of neutrons with spherical nuclei, 3=24943

Korolev,B.M. See Voronkov,R.M., 3=5727

Korolev, F.A., Ershov,A.G. and Kulikov,O.F. Variation of the axial and radial dimensions of an electron cluster during synchrotron acceleration, 3=4193

Korolev,F.A.,Kromskii,G.I. and Skokov,I.V. The amplitude method of multiple beam interferometry, 3=21564

Korolev,G.A. and Kocharov,G.E. Concerning the operation of proportional counters, 3=7743

Korolev,G.A. and Kocharov,G.E. Energies of alpha-particles from long-lived Th^{232} and Bi^{210m}, 3=19824

Korolev,G.A. See Kocharov,G.E., 3=12524

Korolev,G.A. See Volkov,Yu.M., 3=8023

Korolev,V.A. See Vorob'ev,A.A., 3=2152

Korolev,V.N. See Gorbachev,V.M., 3=24192

Koroleva,K.P. and Skugarevskaya,O.A. The later stage of the establishment of a magnetic field in a layered medium, 3=2081

Korol'kov,A.P. See Stekhanov,A.I., 3=15692

Korol'kov,D.V.,Pariĭskiĭ,Yu.N.,Timofeeva,G.M. and Khaĭkin,S.É. High-resolution radio-astronomical observations of Venus, 3=16426

Korolyov,F.A.,Kulikov,O.F. and Yarov,A.S. Investigation of the polarization properties of synchrotron radiation from high-energy electrons, 3=14954

Korolyuk,A.P.and Prushchak,T.A. A new type of quantum oscillation of the coefficient of absorption of ultrasound in zinc, 3=2723

Korolyuk, S.L. Phenomenon of exciton drag by charged quasiparticles, 3=17691

Korostȳleva,L.A. Optical hyperfine structure and magnetic moment of Pu^{239}, 3=15289

Korostȳleva,L.A. Hyperfine and isotopic structure in the spectrum of plutonium, 3=15290

Korostȳshevskii,I.Z. See Gol'denfel'd,I.V., 3=2053

Korotaev,A.D. and Nikitina,A.K. The effect of quenching conditions and plastic deformation on the kinetics of K-state formation in Ni–Fe–Mo, 3=13531

Korotkov,K.A.,Kabachenko,A.P.,Lysikov,Yu.A. and Dobrov,Yu.V. Internal bremsstrahlung accompanying the beta decay of Ca^{45}, 3=22327
Korotkov,P.A. See Kondilenko,I.I., 3=20463
Korotkov,S.M. See Neporent,B.S., 3=1703
Korovin,L.I. and Kharitonov,E.V. Faraday effect in crystals in a strong magnetic field in the fundamental absorption-edge region, 3=20448
Korovina,L.I. See Ternov,I.M., 3=437
Korovina,V.M. See Al'perovich,L.I., 3=16627
Korringa,J. and Yoshimori,A. Theory of relaxation of a two-spin system, 3=1624
Korringa,J. See Yoshimori,A., 3=1623
Korshunov,V.A. and Gel'd,P.V. The electrical properties of the higher silicide of manganese, 3=871
Korshunov,Yu.V. and Meleshko,E.A. Magnetic belt for measuring the ion current in beams emerging from cyclotrons, 3=2061
Korst,N.N.,Savel'ev,V.A. and Sokolov,N.D., Averaging over fundamental oscillations to calculate and second moment of a nuclear magnetic resonance signal, 3=10538
Korst,N.N. See Karyagin,S.V., 3=1713
Korsunskii,A.A. See Kobelev,V.V., 3=24425
Korsunskii, M.I. and Genkin, Ya.E. Determination of the Fermi level from X-ray emission bands, 3=4838
Korsunskii,M.I. and Genkin,Ya.E. Corrected $L\beta_2$ emission band in the spectra of pure niobium and its compounds, 3=4978
Korsunskii,M.I. and Genkin,Ya.E. Computer for correcting the shape of emission spectra, 3=5601
Korsunskii,M.I.,Genkin,Ya.E. and Lukashenko,L.I. L_{III} and L_{II} absorption edges of niobium, 3=23095
Korsunskii,M.I. See Zashkvara,V.V., 3=7661
Kortüm,G. and Koffer,H. Diffuse reflection spectra of adsorbed iodine, 3=13574
Koryakina,V.V. See Geguzin,Ya.E., 3=20214
Korytko,L.A. See Bryukhanov,V.A., 3=744
Korÿtko,L.A. See Gol'danskii,V.I., 3=8340
Koryupin,V.A.S. See Babykin,M.V., 3=16948
Kosaganova,M.G. See Kurov,G.A., 3=23398
Kosály,G. and Turner,R.E. Quasi-classical approximation in neutron scattering, 3=4400
Kosály,G.,Vértes,P. and Weiss,A. Some problems concerning the theory of pulsed neutron experiments, 3=25006
Kosek,S. See Kolos,W., 3=2239
Koseki,T. See Kuriki,I., 3=21054
Kosenko,V.E. See Ignatkov,V.D., 3=2825
Kosevich,A.M. Equation of motion of a dislocation, 3=799
Kosevich,A.M. Deformation field in an isotropic elastic medium with moving dislocations, 3=6785
Kosevich,A.M. and Pastur,A.L. A thin twin at the plane surface of an anisotropic solid, 3=3258
Kosevich,A.M. See Andreev,V.V., 3=2778
Kosevich, A.M. See Pastur, L.A., 3=17716
Kosevich,V.M. Formation of dislocations on cleavage of a bismuth crystal, 3=12983
Kosevich,V.M. See Palatnik,L.S., 3=12969
Kosevich, V.M. See Pastur, L.A., 3=17716
Koshiba,M.,Lohrmann,E.,Aizu,H. and Tamai,E. Nuclei of the primary cosmic radiation with $Z \geq 2$ at high latitudes, 3=24815
Koshiba, M. See Abraham, F., 3=17379
Koshkarev,D.G. See Vladimirskii,V.V., 3=12275
Koshkin,N.I. See Gorbunov,M.A., 3=21355
Koshkin,V.M. See Palatnik,L.S., 3=2881
Koshkin,V.M. See Palatnik,L.S., 3=18350
Koshkin,Y.M. See Palatnik,L.S., 3=20297
Koshliakov,V.N. and Liashenko,V.F. A certain integral in the theory of a horizontal gyrocompass, 3=23821
Kosiačenko,L.A. See Vereščagin,I.K., 3=11014
Kosiek,R. See Dosch,H.G., 3=16892
Kosiek, R. See Finckh, E., 3=17451
Kosiek, R. See Finckh, E., 3=17452
Koskelin,M. See Simons,L., 3=8097
Koskelin,M. See Simons,L., 3=12668
Koski,W.S. See Yodzis,P.P., 3=23227
Kosman,M.S. and Nesmelova,L.I. Negative photoconductivity of cuprous oxide near a point contact, 3=20402
Kosourov,G.I. The efficiency of a counter immersed in an active medium, 3=24534
Kosovtsova,N.A. See Shavlo,S.T., 3=3328
Kosower, E.M. Ultraviolet absorption of tetramethyl-1, 3-cyclobutanedione, 3=17606
Kossel,F.and Krebs,K. Dynamic multiplication of secondary electrons in the decimetre wavelength region, 3=428
Kossel,F. and Krebs,K. Pendulum multiplication of secondary electrons (multipacting effect) as breakdown condition of high-frequency discharges, 3=24264
Kössler,H.J. Losses and hysteresis loops of ferrites with rectangular-shaped loops in the frequency range up to 5 Mc/s, 3=15894
Kossoff,G. Design of narrow-beamwidth transducers, 3=18919
Kostenko,P.P. See Potapenko,A.E., 3=7373
Koster,G.F. See Statz,H., 3=3167
Koster,G.F. See Statz,H., 3=22005
Kosterin,S.I., Yushchenkova,N.I., Belova,N.T. and Kamaev,B.D. An investigation of the performance of pitot tubes in rarefied supersonic flows, 3=14197
Kostin,N.F.,Lubenets,S.V. and Aleksandrov,K.S. Selective etching of sodium chloride crystals, 3=13408
Kostin, N.F. See Lubenets, S.V., 3=18242
Kostina,T.I. See Alekseyevskii,N.E., 3=4904
Kostochkin,O.I. See Graudŷnya,L.Ya., 3=6256
Kostomarov,D.P. See Dnestrovskii,Yu.N., 3=2008
Kostomarov,D.P. See Dnestrovskii,Yu.N., 3=4138
Kostomarov,D.P. See Dnestrovskii,Yu.N., 3=7642
Kostomarov,D.P. See Dnestrovsky,Yu.N., 3=21830
Kostya, T, Dema, I. and Méntesku, K. Kinetics of the thermal annealing of crystalline defects produced by (n, γ) reactions, 3=17700
Kostyrko,I.I. Allowing for the selection rules for the scattering of particles with unequal masses in determining analyticity domains for contributions from diagrams, 3=22080
Kostyukov,N.S. Soret coefficient in two component solids, 3=20217
Kostyukova,E.P. and Rovinskii,B.M. On the determination of the substructural characteristics of crystallites in coarse-grained materials, 3=20942
Kosuge,K., Takada,T. and Kachi,S. Phase diagram and magnetism of $V_2O_3-V_2O_5$ system, 3=15779
Kosut,B.S. See Bierlein,T.K., 3=22457
Koswig, H.D. Optical studies on CdS-doped AgBr crystals at low temperatures, 3=18006
Koswig,H.D. and Kunze,I. Investigations on Ni dosed silver halides. I. Absorption spectra, 3=6654
Koswig,H.D. and Kunze,I. Studies of Ni-doped silver halides. II. Behaviour of AgBr:Ni, 3=13187
Koswig,H.D. See Böttger,H., 3=8554
Kosyachenko,L.A. See Bereshchahin,I.K., 3=20345
Kosyachenko,L.A. See Vereshchagin,I.K., 3=18049
Kosyakov,V.I. See Zhitnikov,R.A., 3=15948
Kosyakov,V.I. See Zhitnikov,R.S., 3=25575
Kosyi,A.I. See Demirkhanov,R.A., 3=5670
Kot, M.V. and Kretsu, I.V. Electrical properties of ZnSb monocrystals, 3=25373
Kot, M.V., Tÿrziu, V.G., Simashkevich, A.V., Maronchuk, Yu.E. and Mshenskii, V.A. Dependence of the activation energy on the molar composition of some $A^{II}B^{VI}-A^{II}B^{VI}$ systems in the form of thin layers, 3=2882
Kot,M.V. See Andronik,I.K., 3=25356
Kotadia,K.M. Lunar tidal variation of midday critical frequencies of the F2-layer of the ionosphere in low latitudes, 3=3501
Kotadia, K.M. The great magnetic storm of 11 February 1958 and associated changes in the F2-layer of the ionosphere in low and middle latitudes, 3=3519
Kotadia,K.M. On the F1½-layer of the ionosphere, 3=11444
Kotajima,K. Decay of a new nucleide promethium 153, 3=4595
Kotajima,K. See Takahashi,K., 3=8018
Kotański,A. Consistent formulation of the Chew—Low theory for meson—nucleon scattering, 3=24776
Kotański,A. and Namysłowski,J. The C.D.D. poles and the agreement of a solution of the low equation with the experimental results, 3=19680
Kotelchuck,D.,McEwen,J.G. and Orear,J. Elastic μ^- scattering in nuclear emulsion, 3=6028
Kotel'nikov,K.A.,Ogurtsov,O.F. and Khromykh,N.E. Utilization of plutonium alpha-specimens in "ionization calorimeters", 3=6096
Kotelnikov,K.A. See Güseva,V.U., 3=6100
Kotel'nikov,K.A. See Guseva,V.V., 3=19618

Kotel'nikov,N.V., Korenev,N.A., Malinen,P.A. and Ermolina,T.D. Magnetic properties and structure of layers of nickel produced by a chemical method, 3=5013
Kotel'nikov,R.B. See Meerson,G.A., 3=7079
Kotel'nikov,V.A.,Dubrovin,V.M.,Kislik,M.D.,Korenberg,E.B., Minashin,V.P.,Morozov,V.A.,Nikitskii,N.I.,Petrov,G.M., Rzhiga,O.N. and Shakhovskoi,A.M. Radar observations of Venus, 3=9272
Kotenko,L.P.,Kuznetsov,E.P.,Merzon,G.I. and Sharov,Yu.B. Elastic scattering of 2·8 BeV/c π^--mesons on hydrogen, 3=6051
Kotenko,L.P. See Bannik,B.P., 3=2481
Kotera,Y. and Yonemura,M. Kinetics of the transformation of germanium oxide, 3=13400
Kothari,L.S. and Tewary,V.K. Calculations on the low-temperature specific heat of selenium and tellurium, 3=8362
Kotik,E.M. See Gol'tsov,V.A., 3=18344
Kotin,L. See Hook,L., 3=7356
Kotin,L. See Yamakawa,H., 3=14158
Kötitz,G. See Görlich,P., 3=25298
Kotlyar,S.M. Heat conduction of a plane parallel layer, 3=19042
Kotov,V.I. See Zhuravlev,A.A., 3=9889
Kotov,V.I. See Zhuravlev,A.A., 3=24403
Kotov,V.I. See Zhuravlev,A.A., 3=24404
Kotov,Yu.D. and Rozental',I.L. The origin of high-energy cosmic-ray muons and photons and the hyperon hypothesis, 3=15059
Kotov,Yu.I. and Tatevskii,V.M. The vibrational Raman spectrum of gaseous tetrafluorohydrazine N_2F_4, 3=22569
Kotrbová,M. See Hauptman,Z., 3=5090
Kottis,P. and Lefebvre,R. Calculation of the electron spin resonance line shape of randomly oriented molecules in a triplet state. I. The $\Delta m = 2$ transition with a constant linewidth, 3=25135
Kou Tsing-tsuan and Huang Shu-shun. The analytic wave functions for atoms, 3=25034
Kouloumdjian,J. and Lafoucriére,J. Compensation of the earth's magnetic field in an iron-free double focusing spectrometer with a radius of one metre, 3=19399
Koumoutsos,N.G. and Kovitz,A.A. Detonation wave structure near the hot boundary, 3=18896
Koutecký,J. and Cízek,J. A remark on the general perturbation theory, 3=1614
Kouts,H. Beam-tube design for the high-flux beam reactor, 3=22450
Kouts,H. [Ed.]. See Henley,E.J., 3=2511
Kouvel,J.S. A ferromagnetic–antiferromagnetic model for copper–manganese and related alloys, 3=20585
Kouvel,J.S., Hartelius,C.C. and Osika,L.M. Magnetic properties and crystal-structure transformation of the ordered alloy (MnRh), 3=15752
Kouvel,J.S. and Kasper,J.S. Long-range antiferromagnetism in disordered Fe–Ni–Mn alloys, 3=13284
Kouvel,J.S. See Jacobs,I.S., 3=1003
Kovač,B.J.,Muždeka,S.D. and Šobajić,M.V. G.M. counters as switching elements in the coincidence and anticoincidence circuit, 3=19155
Kovacik,W.P. See Kellman,S., 3=4441
Kovacs,A. See Shafer,J.B., 3=15028
Kovács,I. Similarity between the spin–spin and spin–orbit interactions in the diatomic molecules, 3=722
Kovács,I. On the anomalous splittings of the multiplet Σstates in diatomic molecules. I, 3=6388
Kovács,I. Investigation of an arbitrary screw dislocation in a cylindrical elastic body, 3=6513
Kovács,I. The critical shear stress needed for the operation of a dislocation segment as a Frank–Read source in anisotropic crystals, 3=6522
Kovács,I. Electrical resistivity change in silver deformed by torsion, 3=8490
Kovács,I. On the anomalous splitting of the multiplet Σ states in diatomic molecules. II, 3=12796
Kovács,I. and Nagy,E. Electrical resistivity change of silver and gold due to large plastic strains, 3=13036
Kovacs,J.S. Statistical model for strange particle and isobar production in proton–antiproton annihilation, 3=7858
Kovács,P. and Szabó,J. Experiments on the preparation of ZnS monocrystals, 3=6826
Kovács,P. See Lendvay,E., 3=4989
Kovacs,P. See Lendvay,E., 3=10997
Koval,L.R. Note on the effect of dynamic asymmetry on the vibration of cylindrical shells, 3=9432
Koval'chuk,V.S. See Kuz'menko,P.P., 3=8433
Koval'chuk,V.S. See Kuz'menko,P.P., 3=22830
Kovalenko,E.S. See Didenko,A.N., 3=21911
Kovalenko,V.A. See Borovik,E.S., 3=21456
Kovalenko,V.A. See Demina,N.V., 3=22162
Kovalenko,V.S. See Bronshtein,I.M., 3=14659
Kovalev,E.E. See Ivanov,V.I., 3=3633
Kovalev, E.E. See Keirim-Markus, I.B., 3=3634
Kovalev,G.N. See Geguzin,Ya.E., 3=20232
Kovalev,G.N. See Geguzin,Ya.E., 3=22821
Kovalev,I.F. Potential functions of molecules in the $(CH_3)_n SiF_{4-n}$ (n = 1 – 4) series, 3=20011
Kovalev,V.P. Methods for producing a plane electromagnetic wave under laboratory conditions, 3=21970
Kovalev,V.P. and Stavinskii,V.S. Correlation between the mean number and mean energy of fission neutrons and the properties of the fissioning nucleus, 3=686
Kovalev,V.P. See Stavinskii,V.S., 3=6306
Kovaleva,T.A. See Khlebnikov,N.S., 3=19320
Koval'skii,A.E. and Pivovarov,L.Kh. Deformation errors in the packing in the cobalt cementing phase in hard alloys, 3=16117
Koval'skii,A.E. See Ivensen,V.A., 3=6775
Koval'skii,A.E. See Ivensen,V.A., 3=13497
Kovalskii,N.G.,Luk'yanov,S.Yu. and Podgornyi,I.M. Investigation of behaviour of plasma in the "Orekh" magnetic trap, 3=12148
Kovalevsky,J. Calculation of apparent positions of circumpolar stars, 3=13898
Kovalevsky,J. See Debarbat,S., 3=13863
Kovalyunaite,V.E. See Kapustin,A.P., 3=25668
Kovan,I.A.,Patrushev,B.I.,Rusanov,V.D.,Tilinin,G.N. and Frank-Kamenetskii,D.A. Spatial amplification of variable magnetic fields during magnetoacoustic resonance, 3=7544
Kovan,I.A. See Borodin,A.V., 3=21831
Kovanova,A.N. See Uvarova,V.M., 3=24064
Kovarskii,V.A. Theory of radiationless transitions in the non-condon approximation. Low temperatures, 3=2747
Kovarskii,V.A. and Sinyavskii,É.P. Theory of nonradiative transitions in crystals in the "non-condon approximation". High temperatures, 3=15455
Kovba, L.M. See Pashinkin, A.S., 3=18233
Kovchik,S.E. See Panasyuk,V.V., 3=6879
Kovenskii,I.I. Electrical transport in interstitial solid solutions, 3=20236
Kovenskii,I.I. See Frantsevich,I.N., 3=20235
Kovenskii,I.I. See Frantsevich,I.N., 3=20237
Kovitz,A.A. See Koumoutsos,N.G., 3=18896
Kovrizhÿkh,L.M. Helical magnetic field inside a conducting, slotted-cylindrical shell, 3=5811
Kovrizhnÿkh,L.M. Influence of perturbations on the structure of a helical magnetic field, 3=5812
Kovrizhnÿkh,L.M. Magnetic surfaces of a toroidal helical field, 3=24427
Kovrizhnykh,L.M.,Lovetskii,E.E.,Rukhadze,A.A. and Silin,V.P. Hydrodynamical oscillations of a low-pressure non-uniform plasma in a magnetic field, 3=19288
Kovrizhnÿkh, Yu.T. See Zavadskii, É.A., 3=17958
Kovtonyuk,N.F. See Kokorev,D.T., 3=15567
Kovtun,E.F. and Mil'ner,A.S. Temperature dependence of the low-field magnetization of manganese ferrites, 3=13271
Kowalczyński,J.K. Spinless interaction of slow neutrons with a particular type of rectangular complex cavity, 3=10352
Kowalewski,V.J. and de Kowalewski,D.G. Proton magnetic resonance spectra of 2-pyridines. The strong-coupled AA'KL system, 3=4780
Kowalski,K.L. and Feldman,D. Elastic nucleon–deuteron scattering, 3=10108
Kowalski,K.L. and Feldman,D. Transition matrix for nucleon–nucleon scattering. II, 3=14975
Kowalski,L.,Stephan,C.,Langevin-Joliot,H. and Radvanyi,P. Kinematical effect in fission induced by 156 MeV protons in the nuclei of U, Bi and Au, 3=10400
Kowalski,S. See Bertozzi,W., 3=12513
Kownacki,J. See Jasinski,A., 3=10310
Koyama,M. See Nishiwaki,Y., 3=2156
Koyama,S. Extreme ultraviolet solar emission lines and the transition layer between the chromosphere and the corona, 3=16386
Kozai,Y. Secular perturbations of asteroids with high inclination and eccentricity, 3=5242

Kozak,O.V. See Pasichnўk,L.L., 3=21772
Kozawa,S. On the flare of flat glass plates and lenses, 3=16801
Kozawa,S. See Masuda,T., 3=21528
Kožešnik,J. Dimensional analysis of non-linear rheological problems, 3=23843
Kozhevnikov,D.A. See Guberman,Sh.A., 3=18488
Kozhevnikov,N.I. and Klyakotko,M.A. Determination of large-scale motion parameters in the solar photosphere, 3=11536
Kozhevnikov,N.I. See Klyakotko,M.A., 3=9196
Kozhokaru,V. [Cojocaru] and Petrashku,M. [Petrascu]. Angular correlation of cascade γ-quanta of the 440-337 keV transition in the Sm^{150} nucleus, 3=24870
Kozima,K. See Schatz,P.N., 3=16790
Kozinets,O.I.,Shapiro,F.L. and Shtranikh,I.V. A linear ion buncher, 3=24378
Kozinets,V.V. See Gindin,I.A., 3=20945
Kozirovski,Y. and Folman,M. Surface hydrogen bonds and the elastic properties of a solid adsorbent, 3=6897
Kozlenkov,A.I. Theory of the fine structure of X-ray absorption spectra. I. Physical basis of the theory of short-range order, 3=6657
Kozlov,V.F.,Kolot,V.Ya. and Sun Chzhei-chein' [Sung Chei-chin]. Production of silicon and germanium ion beams by means of a high-frequency source, 3=24380
Kozlov,V.F. and Rozhkov,A.M. A method of measuring the [effective] double-charging cross-section of singly-charged low-energy [0.1-5 keV] positive ions, 3=21705
Kozlov,V.F. and Zemlyanskii,M.G. Design details of the VVR-S experimental nuclear reactor, 3=12730
Kozlov,V.I. See Fabrikov,V.A., 3=6738
Kozlov,V.P. and Fedorova,E.O. The spatial distribution of brightness in the lower deck clouds, 3=18509
Kozlovskii,M.I. The question of the influence of an electric field on the nucleation of crystallization centres, 3=18246
Kozłowski,L. and Kubiak,S. Influence of cathodic hydrogen on the magnetic moment of electrolytically deposited nickel films, 3=20606
Kozubsky,E.V. See Belonogov,A.V., 3=17127
Kozuka,T. See Hukuo,N., 3=1857
Kozulin,Yu.N. A reflection method for computing the electromagnetic field above horizontal lamellar structures, 3=21946
Kozўrev,B.M. See Fedotov,V.N., 3=15946
Kozyrev,B.P. and Kropotkin,M.A. Study of diffuse reflection from white coatings which strongly absorb infrared radiation, 3=16786
Kozȳrev,B.M. See Garifyanov,N.S., 3=150
Kozўrev,B.M. See Garif'yanov,N.S., 3=5451
Kozyrev,Yu.P. Influence of a magnetic field on the photocurrent of a germanium photodiode, 3=20408
Kozȳrskii,G.Ya. A high-temperature region of the beneficial effect of polygonization on creep, 3=20715
Kraak,W. Sound absorption and sound isolation of porous absorbers with very light elastic frameworks, 3=9572
Krachino,T.V. See Matskevich,T.L., 3=7631
Krachino,T.V. See Matskevich,T.L., 3=14616
Kracik,B.,Miligui,Z.,Brabec,V.,Vejs,M.,Mastalka,A. and Kucarova,T. Decay of Sm^{155}, 3=12635
Kracîk,J. Acceleration of shock-wave in plasma, 3=18897
Kracik,J. and Kocian,P. The influence of a magnetic field on the rotation and shape of threads in a thread discharge, 3=7468
Kracîk,J. and Kocian,P. The influence of a magnetic field on the rotation and shape of threads in a thread discharge, 3=19199
Kraemer,R. See Shafer,J.B., 3=15028
Krafft,O. See Franke,H.G., 3=23952
Kraft,L.Jr. See Shapiro,I., 3=18664
Kraft,O.E. See Bonch-Osmolovskaya,N.A., 3=10303
Kraft,O.E. See Bonch-Osmolovskaya,N.A., 3=24912
Kraft,R.P. Exploding stars, 3=1525
Kraft,R.P. and Schmidt,M. Galactic structure and galactic rotation from cepheids, 3=9246
Kraftmakher,Ya.A. and Strelkov,P.G. The energy of formation and the density of vacancies in tungsten, 3=15482
Krag,W.E. See Galeener,F.L., 3=20542
Krag,W.E. See Quist,T.M., 3=9971
Kraichman,M.B. Induction in a small loop moving with a magnetostatic dipole toward a conducting half space, 3=5810
Kraichman,M.B. A dipole approximation of the backscattering from a conductor in a semi-infinite dissipative medium, 3=21976
Kraichnan,R.H. Turbulent thermal convection at arbitrary Prandtl number, 3=1853
Kraihanzel,C.S. See Cotton,F.A., 3=6397
Krainer,E. The elastic constants of various steels and their dependence on temperature, 3=13328
Krainer,E. See Pater,M., 3=16090
Krainik,N.N. See Smolenskii,G.A., 3=6614
Kraĭnov,B.N. See Rode,V.E., 3=20617
Krainyukov,N.I. See Sysoev,L.A., 3=20528
Krajewski,B. Approximate determination of flow and temperature-field in pebble-bed gas-cooled reactor, 3=10414
Kralik,G. A comparative investigation of exo-electron emission using a geiger counter and electron multiplier, 3=24329
Kralina,A.A. See Esin,V.O., 3=11223
Krall,A.D. The microwave measurement of narrow line width ferromagnets by radiated fields, 3=12335
Krall,N.A. and Rosenbluth,M.N. Trapping instabilities in a slightly inhomogeneous plasma, 3=1988
Krall,N.A. and Rosenbluth,M.N. Low-frequency stability of nonuniform plasmas, 3=9816
Krall,N.A. See Rosenbluth,M.N., 3=12151
Kramarenko,A.V. See Roshchȳna,H.P., 3=21364
Kramer,B. and Turner,A. Infrared effects on luminescence and conductivity of u.v. excited ZnS phosphors, 3=23110
Kramer,B. See Luchner,K.M., 3=6677
Kramer,G. See Stichel,P., 3=12502
Krämer,H., Porschen,W. and Solari,P.A. Reactivity measurements at the FRJ-1 Merlin reactor, 3=15261
Kramer,I.R. and Podlaseck,S. Stress—strain behaviour of aluminium crystals at low temperatures, 3=13340
Kramer,J. Detection of ionizing radiation with exo-electrons, 3=12229
Kramer,J.J. See Foster,K., 3=16108
Kramer,K. See Haupt,J., 3=23909
Kramer, K.H. See Bernstein, R.B., 3=17619
Kramer,L. A measuring equipment for thermal receivers, 3=3920
Kramer,P. Functions classified by symmetry for a system of three particles with different masses, 3=17182
Kramer,P. See Alff,C., 3=4432
Kramer,P. See Alff,C., 3=4433
Kramer,P. See Dehnhard,D., 3=8061
Kramer,P.R. See Colley,D., 3=2322
Kramers,H.C. See Wiebes,J., 3=21649
Kranitz,M. and Seal,M. A modified platinum—carbon replica technique, 3=18420
Kranjc,A. Calculations of the orbits of double stars. VII. Conveyance of the successive approximations obtained by the method of least squares, 3=13851
Kranz,A.Z. Production of a barium plasma, 3=392
Kranz,E. Spectral measurements of the carbon arc in the visible and infrared region, 3=21539
Kranz,E. A recording spectrograph for absolute and relative measurements in the quartz transmission range, 3=24035
Kranz,F.W. Audiometer: principles and history, 3=16452
Kranz,J. and Hubert,A. The possibilities of the Kerr technique for the observation of magnetic domains, 3=20590
Kranz,J. and Thomas,H.C. Kerr-optical observation of magnetic domains in ferrites, 3=15864
Krasilnikov,D.D. Large bursts under 10·5 cm of lead in ionisation, 3=4524
Krasilnikov,D.D., Efimov,N.N. and Nifontov,M.A. Atmospheric effects of extensive air showers of various mean sizes, 3=4502
Krasilnikov,D.D. See Efimov,N.N., 3=4503
Krasil'nikov,K.G. See Kvlividze,V.L., 3=11127
Krasil'nikov,V.A. See Burov,V.A., 3=15426
Krasil'nikov,V.A. See Gedroĭts,A.A., 3=15434
Krasilnikov, V.A. See Gedroitz, A.A., 3=17654
Krasil'nikov,V.A. See Gedroĭts,A.A., 3=25182
Krasil'Nikov,V.N. On the excitation of gravitational flexure waves, 3=1422
Krasil'nikov,V.N. Scattering of flexure waves on an inhomogeneous elastic plate, 3=14235
Krasko,G.L. and Lyubov,B.Ya. A continuum theory of the elastic interaction between atoms in interstitial solid solutions, 3=20177

Krasnaya,A.R., Nosenko,B.M., Revzin,L.S. and Yaskolko,V.Ya. Exoelectronic emission of the phosphors CaSO$_4$, CaSO$_4$–Mn, CaSO$_4$–Sm, 3=2013
Kraśnicki, S., Pawelczyk, J. and Rapacki, H. The Cracow neutron crystal spectrometer, 3=1281
Kraśnicki, S. See Bajorek, A., 3=2652
Krasnoperov,G.V. and Polovnikova,L.A. The kinetics of ordering in the iron–aluminium alloy Yu16, 3=3327
Krasnopevtsev,V.V. Dielectric relaxation in coloured KBr crystals, 3=6613
Krasnov,L.V. See Berlovich,É.E., 3=12595
Krasnov,L.V. See Berlovich,E.E., 3=12596
Krasnushkin,P.E. On the propagation of long and very long radio waves around the earth, 3=19456
Krasnushkin,P.E. and Kolesnikov,N.L. Investigation of the lower ionosphere by means of long radiowaves and low-frequency radiosondes placed on a rocket. Detection of a new ionospheric layer, 3=3492
Krasnȳi,Yu.P. Dispersion of light in the exciton absorption region of ionic crystals containing microdefects, 3=23034
Krasovskii,V.I. Some results of I.G.Y. and I.G.C. research on the aurora and night glow, 3=16282
Krassovsky,V.I. Hydroxyl emission in the upper atmosphere, 3=13785
Krassovsky,V.I.,Shefov,N.N. and Yarin,V.I. Atlas of the airglow spectrum 3000-12400 A, 3=9098
Kratsik,B. See Brabets,V., 3=8050
Kratsikova,T. See Brabets,V., 3=8050
Krauklis,P.V. Influence of a thin layer on the wave-field of a reflected wave, 3=16689
Krauklis,P.V. On some low-frequency vibrations of a liquid layer in an elastic medium, 3=23960
Kraus,G. See Bondâr,L., 3=19678
Kraus,I. See Kochanovská,A., 3=25619
Kraus,J.D. and Tiuri,M.E. Observations of satellite-related ionization effects between 1958 and 1960, 3=515
Kraus,K.,Müller-Duysing,W. and Neuert,H. Charge exchange phenomena of negative ions in some gases, 3=7444
Krause,B.H. X-ray induced particle size changes in thallous azide, 3=22873
Krause,B.H.,Hook,A.B. and Wawner,F. X-ray powder diffraction studies of YI$_3$, 3=25714
Krause,B.R. Device for measuring the change in remanent magnetic moment of rocks with temperature, 3=14708
Krause,F. See Steenbeck,M., 3=16932
Krause,G. New technique for production of the heating and Wehnelt voltages for 100 kV electron guns, 3=14652
Krause,I.Y. Nuclear g factor of the first excited state in V^{51}, 3=7994
Krause,J.T. Differential path method for measuring ultrasonic velocities in glasses at high temperatures, 3=7294
Krause,L. and Neville,R.A. Photoelectric grating spectrometer, 3=18996
Kraush,L.Ya. See Dokuchaeva,O.D., 3=7361
Kraushaar,J.J. See Dillman,L.T., 3=12623
Kraushaar,J.J. See Lind,D.A., 3=5735
Kraushaar,J.J. See Ristinen,R.A., 3=19812
Kraushaar,R.J. See Kronstein,M., 3=11882
Kraushaar,W.L.and Clark,G.W. Gamma-ray astronomy, 3=617
Krauskopf,J. Effect of target oscillation on contrast resolution, 3=3689
Krauskopf,J. Effect of retinal image stabilization on the appearance of heterochromatic targets, 3=13975
Krauskopf,J. See Speelman,R.G., 3=21176
Krauss,G.,Jr. Fine structure of Austenite produced by the reverse martensitic transformation, 3=20866
Krauss,M. Hartree—Fock approximation of CH$_4$ and NH$_4^+$ 3=1053
Krausz,A.S. The creep of ice in bending, 3=8770
Kraut,E.A. See Harrison,J.C., 3=13637
Kraut,J. and Jensen,L.H. Refinement of the crystal structure of adenosine-5'-phosphate, 3=8871
Krautz,E. and Schulz,H. The influence of lattice defects on the electrical resistivity amd the Hall effect of tungsten and tantalum, 3=13037
Krauze,A.R. Preparation of selenium mirrors, 3=24060
Krauzman,N. Measurement of the birefringence $[\Delta N]$ of a crystal of nickel sulphate hexahydrate, in the ultraviolet, visible and near infrared, 3=20446
Kravchenko,A.F. and Fan,H.Y. Galvano- and thermomagnetic effects of n-type GaAs, 3=10817
Kravchenko,V.Ya. A contribution to the theory of nuclear spin-lattice relaxation in ionic crystals, 3=6758
Kravchuk,A.L. See Klimishin,I.A., 3=21480
Kravtsov,N.V.,Lazukin,V.N. and Shanditsev,V.A. "Many-quantum transitions" in electron paramagnetic resonance, 3=25559
Kravtsov,V.A. Spacing of nuclear energy surfaces, 3=4562
Kravtsov,V.A. Relative nuclidic masses and binding energies for $84 \leq A \leq 104$ and $111 \leq A \leq 125$, 3=10220
Kravtsova,N.F. and Tsvetkov,V.P. Experimental investigation on the atomic scattering factor of nickel, 3=25704
Kravtsova,N.F. See Tsvyetkov,V.P., 3=19934
Krawetz,A.A. and Tovrog,T. Determination of vapour pressure by differential thermal analysis, 3=9660
Krawinkel,G.H. On the movement of some polar liquid dielectrics in inhomogeneous electric fields, 3=3812
Kraybill,H.L. See Foelsche,H., 3=7913
Krebs,K. See Kossel,F., 3=428
Krebs,K. See Kossel,F., 3=24264
Krebs,K.H. Experimental investigations of the distribution function of secondary electrons released by positive ions on metal surfaces, 3=12239
Kregar,M. and Povh,B. The (γ, α) reactions on medium weight nuclei, 3=15179
Kreijci,V. and Popovici,C. Propagation of moving striations in the case of a luminous discharge with two cathodes, 3=4044
Kreiken,E.A. Representation of stellar systems by polytropic gas spheres. II, 3=1524
Kreiken,E.A. The dynamical properties of the spherical system, 3=13911
Kreimer,G.S. and Alekseeva,N.A. Mechanism of fracture in sintered tungsten-cobalt carbides, 3=11178
Kreimer, G.S, Vakhovskaya, M.R, Tumanov, V.I. and Pavlova, Z.L. Principal mechanical properties and structure of sintered hard alloys, 3=18184
Kreines,N.M. See Katser,Ya., = 3098
Kreingol'd, F.I. Photoconductivity of HgS monocrystals, 3=17962
Kreingol'd,F.I. Investigation of the photoconductivity spectrum of CdS single crystals excited with modulated light, 3=23012
Kreith,F. See Bunting,L.S., 3=14118
Krejčí,V. and Popovici,C. The influence of a hollow cathode upon the striation of a glow discharge, 3=7477
Krejčí,V. See Pekárek,L., 3=4043
Krejčí,V. See Pakarek,L., 3=9735
Krejci,V. See Pekarek,L., 3=12100
Krejčí,V. See Pekárek,L., 3=19196
Kremen,J. Proposed pumping scheme for continuous laser, 3=22010
Kremenchuhs'kȳi,L.S.,Maln'iev,A.F. and Roitsina,O.V. Investigation of the dynamic characteristics of vacuum metal bolometers, 3=21610
Křemének,J.,Skřivánkova,M. and Šimková,J. Measurement of angular distribution of protons from Al^{27} (p,p') Al^{27}, 3=22375
Kremlev,M.G. See Borodich,V.D., 3=21667
Krén,E. See Szabó,P., 3=11246
Kren,J.G. See Glang,R., 3=23508
Krentsel',B.A. See Airapetyants,A.V., 3=20341
Krentsis,R.P. and Gel'd,P.V. Thermal capacity of iron silicides in the range 55-300°K, 3=8360
Kresin,K. Rectangular loops with ring-shaped elements with thin ferromagnetic layers made by application of mechanical stresses, 3=20598
Kresin,O.M. See Ankudinov,V.A., 3=2092
Kresin,V.Z. The problem of electrodynamics of superconductors, 3=19096
Kresin,V.Z. See Geilikman,B.T., 3=330
Kresnin,A.A. Generalized model of the nucleus and some questions of β-decay theory, 3=19808
Kresnin,A.A. See Tishchenko,B.I., 3=10203
Kressel, H. and Blicher, A. Breakdown voltage of graded gallium arsenide p–n junctions, 3=25376
Kressel,H. and Klein,M.A. Determination of epitaxial—layer impurity profiles by means of microwave—diode measurements, 3=25273
Krestnikov,Yu.S. See Barmin,V.V., 3=15007
Krestnikov,Yu.S. See Barmin,V.V., 3=24792
Kretsu, I.V. See Kot, M.V., 3=25373
Kretzschmann,G. See Wetzel,K., 3=715
Kreye,W.C. Effects of a guardring upon low-energy sputtering yields of flat, single-crystal gold targets, 3=22876

Krienen,F. A ditigized spark chamber, 3=19527

Krienen,F. See Faissner,H., 3=24690

Krigbaum,W.R. See Subirana,J.A., 3=10555

Krikorian,N.H.,Witteman,W.G. and Bowman,M.G. The mutual solid solubility of hafnium carbide and uranium monocarbide, 3=25759

Krikorian,O.H. The vapor pressure of scandium metal, 3=24119

Krikorian,O.H. See Borg,R.J., 3=22811

Krikorian,O.H. See Sands,D.E., 3=8839

Krimmel,E. See Lenz,F., 3=24368

Krinchik,G.S. and Chetkin,M.V. Exchange interaction and magneto-optical effects in garnets, 3=918

Krinchik,G.S. and Nuralieva,R.D. Magneto-optical resonance in ordered alloys and the intracrystalline field of a ferromagnetic metal, 3=6645

Krindach,N.I., Kudryavtsev,R.M., Sobolev,N.N., Tunitskii,L.N. and Faizullov,F.S. Determination of the electronic transition moments of the Schumann—Runge band system in oxygen. I, 3=19987

Krinsky,A. See Parker,R.L., 3=22902

Kripyakevich,P.I. The structures of ThAl, PuNi, ThCo, CaAg and their relation to CrB(TaB) and TlI (yellow modification) structure types, 3=18338

Kripyakevich,P.I. A structure of the Th_3P_4 type as an arrangement of polyhedra, 3=23450

Kripyakevich,P.I. and Evdokimenko,V.I. Crystal structures of the compounds Ba_2Mg_{17} and Sr_2Mg_{17}, 3=20837

Kripyakevich,P.I., Gladyshevskii,E.I. and Pylaeva,E.N. Compounds of the W_6Fe_7 type in the Ta—Ni and Nb—Ni systems, 3=16093

Kripyakevich,P.I. and Kuz'ma,Yu.B. Compounds of rhenium and aluminium and crystal structures of some of them, 3=18339

Kripyakevich, P.I. See Gladyshevskii, E.I., 3=18313

Krishchyan,V.M. See Alikhanyan,A.I., 3=24824

Krishchyan,V.M. See Alikhayan,A.I., 3=4519

Krishna,B. and Srivastava,A.N. Electric dipole moment of n-amylamine and hydrogen bonding in amines, 3=2638

Krishna,P. and Verma,A.R. Anomalies in silicon carbide polytypes, 3=11212

Krishna,V.G. See Goodman,L., 3=8245

Krishnaji and Chandra,S. Molecular interaction and linewidth of asymmetric molecule SO_2. I. SO_2—N_2 collisions, 3=8279

Krishnaji and Chandra,S. Molecular interaction and linewidth of the asymmetric molecule SO_2. II. SO_2—CO_2 collisions, 3=12841

Krishnaji and Chandra, S. Molecular interaction and linewidth of asymmetric molecule SO_2. III. SO_2—CH_3Br and SO_2—SO_2 collisions, 3=17621

Krishnamurthi,M. and Suryanarayana,M. Errata: "Ultrasonic studies in chemically active liquid media", 3=5439

Krishnamurthy,B.V. and Ramachandra Rao,B. Lunar variations of spread-F, 3=2133

Krishnamurthy,B.V. and Ramachandra Rao,B. The nocturnal and seasonal variations of spread-F, 3=9087

Krishnamurthy,B.V. and Ramachandra Rao,B. Effect of magnetic activity and F-region height changes on equatorial spread-F, 3=13766

Krishnamurthy,B.V. and Ramachandra Rao,B. Fading characteristics of spread-F echoes, 3=18540

Krishnamurthy,B.V. and Ramachandra Rao,B. Time of onset of spread-F in relation to post sunset h'F variations, 3=18543

Krishna Murthy,P.V. and Prahallada Rao,B.S. An all-metal spectrometer for the isotopic analysis of hydrogen at natural concentration levels, 3=13634

Krishnamurti,S.,Kumar,R.,Datta,R.L. and Kuloor,N.R. Measurement of bubble volume by soap film motion, 3=9435

Krishna Murty,B. See Satyanarayana Murty,M., 3=9456

Krishnamurty,Bh. See Subrahmanyam,B., 3=23276

Krishnamurty,Bh. See Subrahmanyam,B., 3=23277

Krishnamurty,V.V.G.,Dakshinamurty,P. and Venkata Rao,C. Methods for testing the thermodynamic consistency of activity coefficient data of binary solutions, 3=11788

Krishnamuthy,N. See Krishnan,R.S., 3=25465

Krishnan,A.A. See Dwarakadasa,E.S., 3=13499

Krishnan,A.A. See Ramana Rao,A.V., 3=13552

Krishnan,K. Urey—Bradley potential function for the in-plane vibrations of boric acid, 3=22555

Krishnan,R. See Makram,H., 3=8699

Krishnan,R. See Makram,H., 3=13274

Krishnan,R. See Makram,H., 3=20800

Krishnan,R.S. and Krishnamurthy,N. Raman spectrum of sodium iodide, 3=25465

Krishnan,R.S. and Narayanan,P.S. Raman spectrum of barium fluoride, 3=23065

Krishnan,T. See Mullaly,R.F., 3=11589

Krishna Pillai,M.G. and Curl,R.F.,Jr. Microwave spectrum of chlorine dioxide. IV. Determination of centrifugal distortion effects and potential constants, 3=6398

Krishna Rao,S.V. and Tiruvenganna Rao,P. The spectrum of CoBr in the visible (λ 4300-λ 4700 A), 3=12818

Krishna Swamy Chetty,S.T. See Venkateswara Rao,V., 3=14365

Krishtal,M.A. and Baranova,V.I. Damping capacity and electrical resistivity of iron—chromium alloys, 3=5060

Krishtal,M.A. and Golovin,S.A. Internal friction in hardened steel, 3=20696

Krishtal,M.A. and Mokrov,A.P. A method of treating reaction diffusion data, 3=22818

Krishtal,M.A. See Zhukhovitskiĭ,A.A., 3=20709

Krispin,P. On the photodielectric effect in ZnS phosphors, 3=13105

Kristian,J. Hydromagnetic oscillations of a fluid sphere about the equipartition state, 3=9912

Kristian,J. Perturbations of the equipartition state in hydromagnetics: The tensor virial approximation, 3=9913

Kristiansson,K.,Mathiesen,O. and Stenman,A. The relative abundance of nuclei heavier than lithium in primary cosmic radiation, 3=7942

Kristofel',N.N. and Zavt,G.S. Condon's approximation and optical properties of impurity centres, 3=20458

Kristofel',N.N. See Zavt,G.S., 3=3044

Kristoffel,N.N. and Rebane,K.K. Some questions of the theory of luminescent centres in crystalline phosphors, 3=18018

Kritzinger,J.J. Impulse corona and the pre-breakdown mechanism of long sparks, 3=24246

Krivchenkov,V.D. and Pil'shchikov,A.I. Magnetostatic types of precession in an anisotropic sphere, 3=1173

Krivchenkov, V.D. See Gershtein, S.S., 3=4701

Krivko,N.I. See Guts,Z.A., 3=19115

Krivko,N.I. See Kolchin,A.M., 3=21666

Krivoglaz,M. The theory of the damping of elastic vibrations in systems containing solute particles or micro-cavities, 3=2727

Krivoglaz,M.A. Effect of diffusion on the scattering of neutrons and photons by crystal imperfections and on the Mössbauer effect, 3=4859

Krivoglaz,M.A. Theory of the thermal diffuse scattering of X-rays on solid solutions, 3=11250

Krivoglaz,M.A. and Tikhonova,E.A. Influence of thermal oscillations in solid solutions on the intensity of regular reflections of X-rays and neutrons and on the intensity of Mossbauer lines, 3=3339

Krivoglaz,M.A. and Tekhonova,E.A. Effect of anharmonicity of the Debye factor of line weakening in an X-ray diffraction pattern, 3=13437

Krivonosova,E.G. and Livshits,B.G. Anisotropy of the hysteresis of deformed silicon iron crystals, 3=20578

Krivov, M.A. See Presnov, V.A., 3=25364

Krivsky,I.Yu. Matrix elements in the theory of the quantized field of probability amplitude, 3=11692

Krivsky,I.Yu. See Lomsadze,Yu.M., 3=5361

Krivsky,I.Yu. See Lomsadze,Yu.M., 3=14019

Krivsky,L. Cosmic-ray flare of 1961 July 18 and Y-shaped stage of flares development as phase-conditioning ejection, 3=12527

Krizan,J.E. and Havas,P. Relativistic corrections in the statistical mechanics of interacting particles, 3=3760

Krizhanskii,L.M. See Gol'danskii,V.I., 3=8340

Krizhanskii, L.M. See Gorodinskii, G.M., 3=17635

Krjukov,P.G. See Basov,N.G., 3=17073

Krmpotic,F. See Bosch,H., 3=19616

Krochin,O.N. See Basow,N.G., 3=4928

Krochuk,A.S. See Brodin,M.S., 3=15678

Krochuk,A.S. See Brodin,M.S., 3=20494

Kroczek,J. See Kodeš,J., 3=15512

Kroepelin,H. Temperature determinations of arcs in hydrocarbon atmospheres, 3=7484

Kröger,F.A. New mechanisms of native atomic disorder in compounds, 3=2788

Kroger,H. and Tomboulain,D.H. Far ultraviolet absorption spectrum of magnetium, 3=10956

Krogh-Moe,J. Structural interpretation of melting point depression in the sodium borate system, 3=1361

Krogh-Moe,J. An X-ray study of barium borate glasses, 3=11269
Krogstad,R.S.,Moss,R.W. and Vali,V. Note conerning the Mössbauer study of the order—disorder transformation in Ni$_3$Mn, 3=13528
Krohmer,J.S. See Bonte,F.J., 3=21147
Krohn,V.E.,Jr. Emission of negative ions from metal surfaces bombarded by positive cesium ions, 3=4205
Kroitoru,E. See Manzheron,D., 3=16563
Krokhin,O.N. See Basov,N.G., 3=2863
Krokhin,O.N. See Basov,N.G., 3=7467
Krokhin.O.N. See Basov,N.G., 3=21214
Krokhina,A.I. See Kolontsova,E.V., 3=20202
Krolevets',K.M. See Androsyuk,N.H., 3=21531
Krolevets,K.M. See Gorbach,T.Ya., 3=23024
Królikowski, W. Universal Fermi interaction and rotational symmetry, 3=4333
Królikowski,W. Note on unitary symmetry and leptonic hyperon decays, 3=15035
Kroll,N.M.,Lamb,W.E.,Jr and Carnahan,C.W. The effect of an ether drift on the oscillation frequency of a beam type maser, 3=12357
Kroll,W. Electronic contribution to the specific heat of metals in a magnetic field, 3=22664
Kröll,W. See Ecker,G., 3=7604
Kröll,W. See Ecker,V.G., 3=9804
Kromholtz,K.L. See Sands,D.E., 3=8839
Kromminga,A.J. and Bolsterli,M. Perturbation theory of many-boson systems, 3=3768
Kromskii,G.I. See Korolev,F.A., 3=21564
Kronast,B. A very rapid pulsed source for fast neutrons, 3=19659
Kronast,B. See Funfer,E., 3=19256
Krone,R.W. See Prosser,F.W.,Jr, 3=8094
Kronenberg,K.J.,Fulton,H.M. and Quear,R.E. An unexpected gross structure in submicron particle magnets, 3=20920
Krongauz,V.G. See Parfianovich,I.A., 3=25303
Kronick,P.L. and Labes,M.M. Conduction in hexamethyl benzene
Kronick,P.L. See Mainthia,S.B., 3=4936
Kronig,R. and Boukema,J.I. Non-linear effects in the reflection and refraction of light, 3=11940
Kronmüller,H. Micromagnetic theory of initial susceptibility and its application to magnetic uniaxial crystals, 3=13225
Kronmüller,H.,Seeger,A. and Wilkens,M. Depolarization and small-angle scattering of neutrons by lattice defects in ferromagnetic crystals, 3=4871
Kronmüller,H. See Boser,O., 3=20576
Kronmüller,H. See Essmann,U., 3=20720
Kronmüller, H. See Seeger, A., 3=18187
Kronstein,M.,Kraushaar,R.J. and Deacle,R.E. Sulfur as a standard of reflectance in the infrared, 3=11882
Krook,M. A perturbation method for non-gray stellar atmospheres, 3=13904
Krook,M. See Avrett,E.H., 3=13905
Kropholler,H.W. and Carr,A.D. The prediction of heat and mass transfer coefficients for turbulent flow in pipes at all values of the Prandtl or Schmidt number, 3=5411
Kropotkin,M.A. See Kozyrev,B.P., 3=16786
Kropp, J. L. and Burton, M. Effect of added quenchers in organic scintillator solutions: aromatic halides, 3=1699
Kropp,J.L. and Burton,M. Effect of added quenchers in organic scintillator solutions: organometallics, 3=1700
Krotikov,V.D. and Shchuko,O.B. Thermal behaviour of the moon's surface layer during a lunation, 3=16331
Krotikov,V.D. and Troitskii,V.S. Radiation properties of the moon at centimetre wave-lengths, 3=9264
Krotikov,V.D. and Troitskii,V.S. The thermal conductivity of lunar material from data of precise measurements of lunar radio emission, 3=11512
Kroto,H.W. See Dixon,R.N., 3=25092
Krotova,L.V. See Levshin,V.L., 3=14173
Krotova,M.D. See Pleskov,Yu.V., 3=10781
Krotova,N.A. See Polyakov,A.M., 3=24330
Krotova,N.A. See Sokolina,G.A., 3=20300
Krotter,W. See Flietner,H., 3=20332
Krötzsch,M. Pressure dependence of the electric resistance of Ni—Zn ferrites, 3=4940
Krötzsch,M. See Dietzmann,G., 3=4939
Krouser,H. See Hamilton,J.H., 3=2411
Krueger,P.J. On the C—N stretching frequencies in para-substituted anilines, 3=2639
Krueger,E.R. and Di Prima,R.C. Stability of nonrotationally symmetric disturbances for inviscid flow between rotating cylinders, 3=1714
Krueger,H.H.A.,Cook,W.R.Jr.,Sartain,C.C. and Yockey,H.P. Radiation damage and the ferroelectric effect in Rochelle salt, 3=10883
Krueger,H.H.A. See Austermann,S.B., 3=10884
Krueger,P.J. and Schulze,G.H. Beckman IR-7 infrared spectrophotometer modifications, 3=7342
Krueger,T.K. See Czyzak,S.J., 3=25055
Kruel.M. See Suhrmann.R., 3=13062
Kruel,M. See Suhrmann,R., 3=20309
Kruel,M. See Suhrmann,R., 3=25346
Krüger,A. Investigation of solar radio emission bursts in the centimetre and lower decimetre range, 3=25977
Krüger,H. See Kamke,D., 3=12514
Krüger,H.G. and Volkmann,H. The detection by infrared spectroscopy of very small amounts of substance by means of a new micro attachment 6:1 for a Leitz infrared spectrograph, 3=11919
Krüger,J.E. and Bryden,J.G. An apparatus for combined thermogravimetric and differential thermal analysis, 3=11367
Kruger,O.L. Preparation and some properties of arc-cast plutonium monocarbide, 3=10431
Kruglov, E.M. See Gorodinskii, G.M., 3=17635
Kruglov,S.P. and Lopatin,I.V. Investigation of the leakage of energy of a bremsstrahlung beam from a calorimeter absorber, 3=14950
Kruglov,S.P. See Komar,A.P., 3=5977
Kruh,R.F.,Clayton,G.T.,Head,C. and Sandlin,G. Structure of liquid mercury, 3=7198
Kruh, R.F. See Willett, R.D., 3=18314
Kruithof,A.A. See Koedam,M., 3=19218
Krull, W. See Gerdau, E., 3=17419
Krumbiegel,J.,Petzolt,E. and Ruckpaul,K. A polarimetric measuring arrangement with automatic assistance, 3=5534
Krumbiegel,J. and Rattay,M. On the temperature dependence of the luminescence of air-equivalent emitters, 3=17117
Krumhansl,J A. See Conway,J.M., 3=10965
Krupička,S. Study of relaxation spectrum of $Mn_xFe_{3-x}O_4$, γ ferrites, 3=1037
Krupička,S. On the origin of the magnetic anisotropy in the $Mn_xFe_{3-x}O_4$ system, 3=11056
Krupke,W.F. and Gruber,J.B. Absorption and fluorescence spectra of $Er^{3+}(4f^{11})$ in LaF_3, 3=25457
Krupnikov,K.K.,Brazhnik,M.I. and Krupnikova,V.P. Shock compression of tungsten, 3=5487
Krupnikova,V.P. See Krupnikov,K.K., 3=5487
Krupp,D.M. See Vlasov,A.G., 3=2028
Kruschwitz,W.H. Some aspects of physics research in non-Ph.D. granting institutions, 3=5
Kruse,F.H. The crystal structure of $KI.Hg(CN)_2$, 3=8855
Kruse,O.E. Beats and beat notes, 3=212
Kruskal,M. Asymptotic theory of Hamiltonian and other systems with all solutions nearly periodic, 3=11669
Kruske,A. See Bloess.D., 3=9406
Kruszewski,A. Polarisation: wavelength dependence and ratio to absorption, 3=24061
Krutchkoff,A. See Koozekanani.S., 3=4283
Krutchkoff,A. See Koozekanani,S., 3=5896
Krÿlov,M.K. The selection of an equivalent circuit for determining the resistivity, dielectric constant and magnetic permeability of rocks, 3=19135
Krylov,V.D. X-ray investigation of changes in the crystalline structure of carbonyl iron powders during annealing, 3=20873
Krylov,V.S. Distribution of the potential and the electric field intensity in the dense part of the electrical double layer, 3=1392
Krylov, Ya. and Iveronova, V.I. Study of plastic deformation of germanium single crystals (by indentation), 3=18186
Krÿlova,I.V.,Shashkov,A.S. and Kobozev,N.I. Investigation of ZnS:Cu crystal phosphors by the exoelectron emission method, 3=956
Krylova,T.N. See Sokolova,R.S., 3=14359
Krylova,T.N. See Sokolova,R.S., 3=19027
Krylovetskii,A.G. See Rapoport,L.P., 3=16556

Krylovich,B.I. Temperature field of the cooled electrode of a fixed arc heater, 3=24087
Krynicki,K. and Powles,J.G. Proton spin relaxation in liquid hydrogen chloride and hydrogen bromide, 3=21408
Krynicki,K. See Blicharski,J.S., 3=11808
Krynicki,K. See Blicharski,J.S., 3=21416
Kryter,K.D. Methods for the calculation and use of the articulation index, 3=3651
Kryter,K.D. Validation of the articulation index, 3=3652
Kryter,K.D. and Pearsons,K.S. Some effects of spectral content and duration on perceived noise level, 3=18674
Kryukov,P.G. See Basov,N.G., 3=522
Kryukov,P.G. See Basov,N.G., 3=7740
Kryukova,L.N.,Murav'eva,V.V.,Duda,L.,Malȳsheva,T.V. and Khotin,B.A. Investigation of the conversion electron spectrum of neutron deficient platinum isotopes, 3=8053
Krȳvs'kȳi,I.Yu. See Khimich,I.V., 3=19588
Krzhivanek,M. See Bzranova,G., 3=8140
Krzhivanek,M. See Zvara,I., 3=21006
Krzywicki,A. and Wrzecionko,J. On the dispersion theory of pion—nucleon diffraction scattering, 3=10156
Krzywicki,A. See Koba,Z., 3=24615
Krzywicki,A. See Koba,Z., 3=24616
Krzywoblocki,M.Z. Scattering and attenuation of electromagnetic waves in a turbulent medium, 3=12315
Ksanformaliti,L.V. Choosing the operating mode for a photomultiplier, 3=16977
Ksendzov,Ya.M., Ansel'm,L.N., Vasil'eva,L.L. and Latȳsheva,V.M. Investigation of the carrier mobility in NiO with Li impurity, 3=20337
Ksilyakov,A.G. See Bibinova,V.P., 3=21127
Ku Shu-chao. See Gu Shu-chshao.
Kuang-Chao,Chou. See Tso-hsiu,Ho., 3=17319
Kuang Wei-yen. See Guan Bei'-Yan', 3=5570
Kubáček,L. See Karovič,K., 3=18973
Kubaschewski,O. See Dench,W.A., 3=10598
Kubát,J. Studies on the stress relaxation in crystalline high polymers. I. Rubber hydrochloride, 3=1133
Kubátová,J. and Pátek,K. Direct evidence for the presence of delayed recombination in the electroluminescence of ZnS, 3=8631
Kubatová,J. and Pátek,K. Microscopic observations of electroluminescence of ZnS-Cu single crystals, 3=11016
Kuběna,J. A contribution to measuring the integrated intensities of diffraction lines by photographic methods, 3=9615
Kubiak,S. See Kozłowski,L., 3=20606
Kubin,R.F. See Rabinovitch,B.S., 3=8965
Kubo,H. See Tanaka,S., 3=9787
Kubo,I. See Shibata,N., 3=25801
Kubo,K. and Ozawa,K. Radiation effects in LiF crystals, 3=22868
Kubo,M. See Inoue,M., 3=23374
Kubo,M. See Terada,J., 3=529
Kubo,R. Stochastic Liouville equations, 3=11731
Kubo,R.,Izuyama,T.,Kim,D.J. and Nagaoka,Y. Magnetic behaviour of band electrons, 3=986
Kubo,R. See Fukuda,E., 3=19088
Kubo,R. See Izuyama,T., 3=25540
Kubo,U. and Inuishi,Y. Measurement of gaseous discharge plasma with microwave interferometer. II. 3=9795
Kubose,D.A. and Hamill,W.H. Velocity dependence of ion—molecule reaction cross sections in a mass spectrometer, 3=14514
Kubota,B.,Nishikawa,T. and Yanase,A. Magnetic properties of chromium oxide modified by vanadium oxide, 3=11054
Kubota,B.,Yanase,A.,Tawara,Y.,Neichi,Y. and Hirota,E. Induced anisotropy in iron-rich nickel ferrite with a small cobalt substitution, 3=1035
Kubota,H. On the aberration of spectacle lens, 3=11886
Kubota,Y. and Wallace,W.E. Magnetic characteristics of praseodymium, neodymium, and samarium hydrides, 3=15744
Kubota,Y. and Wallace,W.E. Magnetic characteristics of dysprosium, erbium, and thulium hydrides, 3=25507
Kubozoe,M. See Akahori,H., 3=19355
Kucarová,T. See Kracík,B., 3=12635
Kučera,J. Diffusion in polycomponent alloys just below melting point, 3=20231
Kuchaev,V.L. and Boreskov,G.K. Catalysis and adsorption of hydrogen on germanium films, 3=3397
Kuchař,K. and Langer,J. On energy transfer by gravitational waves, 3=21210
Kuchela,K.S. A fast transistor scaler for decimal counting, 3=351
Kuchela,K.S. and Prasanna Kumar,A. Simplified linear selection memory for use in nuclear pulse analyzers, 3=24198
Kucher, T.I. Similarity of the dispersion curves of the normal frequencies of diamond-type crystals, 3=17642
Kucherav,R.Ya. See Amirkhonova,I.B., 3=15307
Kucheriaev,Yu.A. and Panov,D.A. On the cause of the anomalously fast loss of electrons from the plasma in "OGRA", 3=21812
Kucherov,R.Ya.,Rikenglaz,L.É. and Tsulaya,T.S. Kinetic theory of condensation transfer at low temperature difference, 3=14427
Kucherov,R.Ya. and Rikenglaz,L.É. Kinetic theory of the low-density plasma diode, 3=14511
Kucheryaev,Yu.A. See Bogdanov,G.F., 3=12201
Kucheryavenko,N.S. Nuclear magnetic resonance in concentrated aqueous solutions of VO^{++}, 3=14187
Kuchin,I.A. and Usik,P.A. Inelastic nucleon—nucleon interactions, 3=14972
Kuchinka,Yu. Dependence of certain mechanical properties of synthetic polymer fibres on the temperature, 3=23358
Kuchowicz,B. A simplified method of obtaining the infinitesimal operators of the homogeneous Lorentz group. II. Calculations, 3=13
Kuchȳnka,M.Yu. See Golȳk,O.Z., 3=20732
Kuckes,A.F. See Motley,R.W., 3=4106
Kucsman,M.E. See Sieglaff,C.L., 3=11192
Kuczkowski,R.L. and Wilson,E.B.,Jr. Microwave spectrum, structure, and dipole moment of "cis" –N_2F_2, 3=25111
Kudielka-Artner,E. and Argent,B.B. Magnetic and other properties of some binary palladium alloys, 3=1126
Kudinov,E.K. and Pavlov,S.T. One-particle excitations in a non-degenerate electron gas, 3=6502
Kudinov,E.K. and Samoilovich,A.G. Energy spectrum of current carriers in ferro- and antiferromagnetics, 3=6605
Kudinskaya,L.V. See Gotlib,Yu.Ya., 3=10556
Kudman, I. A nondestructive measurement of carrier concentration in heavily doped semiconducting materials and its application to thin surface layers, 3=17878
Kudman,I. and Vieland,L. Absorption edge in degenerate n-type gallium arsenide, 3=23070
Kudman,I. See Vieland,L.J., 3=12942
Kudo,S. See Murakami,K., 3=24826
Kudo,S. See Murakami,K., 3=24827
Kudo,S. See Wada,M., 3=12535
Kudo,Y. See Honda,T., 3=17496
Kudrin,L.P. and Sholin,G.V. Concerning the asymmetry of spectral lines of hydrogen in a plasma, 3=12753
Kudrin,L.P. and Tarasov,Yu.A. Energy-level shifts and the equation of state of a plasma, 3=14566
Kudrin,V.D. See Kirgintsev,A.N., 3=25674
Kudrin,V.D. See Kirgintsev,A.N., 3=25675
Kudrina,K.N. See Kirgintsev,A.N., 3=25674
Kudrina,K.N. See Kirgintsev,A.N., 3=25675
Kudrjavtseva,N.M., See Derjaguin,B.V., 3=3415
Kudryashov,E.I. See Yurova,L.N., 3=2271
Kudryavtsev,N.T. and Golovchanskaya,R.G. On the mechanism of electrodeposition of titanium from aqueous solutions, 3=16176
Kudryavtsev,R.M. See Krindach,N.I., 3=19987
Kudryavtsev,V.D. See Fabrikov,V.A., 3=6738
Kudryavtsev,V.D. See Fabrikov,V.A., 3=8687
Kudryavtseva,A. See Abdumalikov,A., 3=22345
Kudryavtseva,A. See Van Fu-tszyun', 3=8045
Kudryavtseva,A.V. See Gromov,K.Ya., 3=10304
Kudryavtseva,L.A. See Sukhovarov,V.F., 3=20722
Kudryavtseva,L.A. See Yakovleva,A.V., 3=23581
Kudryavtseva,N.V. See Karavaev,G.F., 3=22678
Kuebler,J.K. See Wiseman,G.G., 3=25403
Kuebler,N.A. See Nelson,L.S., 3=18982
Kuebler,N.A. See Nelson,L.S., 3=18997
Kuebler,N.A. See Nelson,L.S., 3=21628
Kuebler,N.A. See Nelson,L.S., 3=24117
Kuehlthau,J.L. See Sealey,W.C., 3=12189
Kuehner,J.A.,Almqvist,E. and Bromley,D.A. Elastic scattering of oxygen ions by carbon, magnesium, and aluminum, 3=19891

Kuehner,J.A.,Prentice,J.D. and Almqvist,E. High-spin resonances in $C^{12}(C^{12}, \alpha)Ne^{20}$, 3=19889
Kuehner,J.A. See Almqvist,E., 3=12704
Kuehner,J.A. See Evans,J.E., 3=19771
Kuehner,J.A. See Evans,J.E., 3=22422
Kuffel, E., Mulcahy, M.J. and Guelke, C.B. The breakdown voltage between spheres in sulphur hexafluoride and in mixtures of air and sulphur hexafluoride, 3=4095
Kuffel,E. See Mulcahy,M.J., 3=1870
Kuflewicz,A. and Rytel,M. Force constants of type H_2X hydrogen compounds of oxygen, sulphur and selenium, 3=8277
Kufner,M. Materials for photoelastic models of joined structures, 3=5396
Kugaevskii,A.F. Measuring the complex permittivity and permeability of materials with a Q-meter, 3=14471
Kugler,M. Nuclear vibrations, rotations and the shell model. II, 3=4554
Kuglin,C.D. See Cuff,K.F., 3=10830
Kuhlmann-Wilsdorf,D. A new theory of work-hardening in crystals, 3=23342
Kuhlmann-Wilsdorf,D. and Sezaki,K. Improved method for the experimental determination of smallest density changes, 3=9400
Kuhlmann-Wilsdorf,D. and Sezaki,K. Precision density measurements as a tool for the investigation of point defects, 3=22722
Kuhlmann-Wilsdorf,D. and Wilsdorf,H.G.F. On the origin of tangled dislocations and narrow prismatic dislocation loops in deformed metals, 3=17743
Kuhlmann-Wilsdorf,D. and Wilsdorf,H.G.F. Discussion to "Dislocations and fission damage in platimum foils" by Ruedl, Delavignette and Amelinckx, 3=25275
Kuhlmann-Wilsdorf,D. See de Meester,P., 3=1367
Kuhlmann-Wilsdorf,D. See Girifalco,L.A., 3=22741
Kuhlmann-Wilsdorf,D. See Kimura,H., 3=20203
Kuhlmei,H. See Bartels,H., 3=7557
Kuhn, A. See Eckstein, J., 3=17704
Kühn,B. and Schlenk,B. Angular distributions of the reaction $O^{16}(t, p)O^{18}$, 3=19887
Kühn, E. and Seeger, K. Mobility anisotropy of hot electrons in n-type germanium at 35 Gc/s, 3=17854
Kuhn,G. Magnetic and thermal behaviour of the superconducting state of a niobium single crystal, 3=5589
Kühn,G.J. See du Plooy,N.F., 3=22251
Kuhn,H. See Drexhage,K.H., 3=13195
Kuhn,P. See Kerler,W., 3=12894
Kuhn,P.M. Soundings of observed and computed infrared flux, 3=13678
Kuhn,V.V. Side waves, diffracted and refracted at a vertical contact (from modeling data), 3=18477
Kuhn, W. The optical system of the 200/3000/4000 coronograph, 3=11490
Kuhn,W. and Toth,I. Reaction and reaction equilibrium of polyvinyl alcohol-Cu^{++} complex, 3=16163
Kuhn,W. See Thürkauf,M., 3=23529
Kuiper,B. See Giesch,M., 3=17243
Kuiper,G.P. Photometry of the infrared spectrum of Venus, 1-2·5 microns, 3=16353
Kujanová - Zentková,A. Correction for energy of large nuclei in Brueckner's theory, 3=10201
Kujawa,R.v. Production of high-purity tellurium, 3=18684
Kujawski,A. On the Kirchhoff—Young diffraction theory of electromagnetic waves, 3=19445
Kukaarenko,Yu.A. See Aleksandrov,I.B., 3=21263
Kukanov,A.B. Simple method of calculating Cherenkov losses in a transparent uniaxial crystal, 3=17241
Kukharchik,M.V. See Semenov,E.I., 3=18325
Kukhareva,R.P. See Baladin,M.P., 3=17126
Kukhto, O.L. See Ozerov, R.P., 3=18306
Kukimoto,H. See Hioko,R., 3=23016
Kukimoto,H. See Kamiyama,M., 3=2973
Kukin,V.D. and Frenkin,A.R. A model of quantum field theory, 3=4309
Kukoč,A.H. See Koički,S.D., 3=6179
Kuks,I.M. See Zhdanov,A.P., 3=19729
Kuksa,L.V. See Gur'yev,A.V., 3=8764
Kukurezyanu,I. See Agarbichanu,I., 3=15287
Kukushkin,L.S. Temperature dependence of optical and nonradiative transitions in semiconductors, 3=23032
Kulakov,B.A. See Vovenko,A.S., 3=6042
Kulakov,B.A. See Vovenko,A.S., 3=14826
Kulakov, V.M. See Baranov,S.A., 3=2420
Kulakov,V.M. See Baranov,S.A., 3=2421
Kulakov,V.M. See Baranov,S.A., 3=4605
Kulakov,V.M. See Baranov,S.A., 3=10319
Kulakov,V.M. See Baranov,S.A., 3=15160
Kulakov,V.M. See Baranov,S.A., 3=15162
Kulchitskii,L.A. and Volkov,Yu.M. Photodisintegration of Li^7, 3=24921
Kul'chitskii,L.A. See Holkov,Yu.M., 3=6225
Kulda,J. Magnetic field of a conductor embedded in an iron frame, 3=7674
Kuleshova, L.V. See Al'tshuler, V.L., 3=18179
Kulevskiĭ,L.A. See Konyukhov,V.K., 3=19488
Kulgawczuk,D.S. See Bara,J., 3=575
Kulgein,N.G. Nonequilibrium flow over a reactive surface, 3=21423
Kuliev,A.A. See Ibragimov,N.L, 3=17791
Kuliev,A.A. See Ibragimov,N.I., 3=25345
Kuliev,A.A. See Shakhtakhtinskii,M.K., 3=24116
Kulik,I.O. The momentum distribution function of a Fermi-particle gas in the high-density limit, 3=3766
Kulik,I.O. Some features of collective energy losses. In an anisotropic plasma, 3=5684
Kulik,I.O. Heat anomaly of superconductors, 3=14445
Kulik,I.O. and Gogadze,G.A. Quantum oscillations of the tunnel contact current of two metals in a magnetic field, 3=22908
Kulik,S.I. See Vovk,V.N., 3=25849
Kulikov,A.V. and Volkov,Yu.M. Stabilization of the amplification coefficient of a scintillation counter, 3=3983
Kulikov,A.V. See Komar,A.P., 3=15178
Kulikov,A.V. See Volkov,Yu.M., 3=6224
Kulikov,G.V. See Khristiansen,G.B., 3=4513
Kulikov,G.V. See Vernov,S.N., 3=19719
Kulikov, K.M. See Buryak, E.V., 3=17852
Kulikov,O.F. and Shoshin,P.B. An experimental investigation of the size of an electron bunch during a special mode of operation of a synchrotron, 3=5797
Kulikov,O.F. See Korolev, F.A., 3=4193
Kulikov,O.F. See Korolyov,F.A., 3=14954
Kulikovskii,A.G. The structure of shock waves in magnetohydrodynamics with an arbitrary dissipation law, 3=17041
Kulin,S.A. See Radcliffe,S.V., 3=11286
Kulkarni,R.J. and Swamy,N.V.V.J. Brueckner's charge density and electron scattering cross-sections, 3=22367
Kulkarni,R.N. Comparison of ozone variations and of its distribution with height over middle latitudes of the two hemispheres, 3=5194
Kulkarni,V.G., Panat,C.V. and Thosar,B.V. Longitudinal polarisation of beta electrons from Pm^{147}, 3=653
Kulkarni,P.V. An all-sky photometer, 3=18547
Kul'kov,V.D. See Kogan,A.V., 3=2417
Kulonen,G.A. Application of the Kochin—Loitsyanskii method to the problem of the laminar boundary layer with a separation surface, 3=11760
Kuloor,N.R. See Krishnamurti,S., 3=9435
Kulp,B.A. and Detweiler,R.M. Threshold for electron radiation damage in ZnSe, 3=8476
Kulp,B.A.,Detweiler,R.M. and Anders,W.A. Temperature dependence of edge emission in single-crystal cadmium sulfide, 3=25480
Kulshrestha,P.K. Helical flow of an idealized elastico-viscous liquid. I, 3=18789
Kulshrestha, S.M. Hot weather angels associated with high level temperature inversions, 3=1452
Kulshrestha,S.M. See Mull,S., 3=13674
Kulshrestha,S.M. See Mull,S., 3=16214
Kulsrud,R.M. The interchange instability in the stellarator, 3=19284
Kulyavik,A. See Kolontsova,E.V., 3=20185
Kulÿgin,Yu.F. See Bolotin,L.I., 3=2046
Kulyukin,M.M. See Falomkin,I.V., 3=7881
Kulyukin,M.M. See Zaimidoroga,O.A., 3=4417
Kulyukin,M.M. See Zaimidoroga,O.A., 3=7883
Kulyukin,M.M. See Zaimidoroga,O.A., 3=24770
Kumabe,I., Komatuzaki,T., Tomita,S., Yamaki,T. and Yamada,Y. Protons from several elements bombarded with 30-MeV alpha particles, 3=4669

Kumabe,I.,Ogata,H.,Komatuzaki,T.,Inoue,N.,Tomita,S.,Yamada,Y., Yamaki,T. and Matsumoto,S. (p,α) reactions on the even nuclei Ni^{58}, Ni^{60} and Fe^{56}, 3=24934
Kumabe,I.,Ogata,H.,Komatuzaki,T.,Inoue,N.,Tomita,S.,Yamada,Y., Yamaki,T. and Matsumoto.S. (p,α) reactions on the odd-mass nuclei Cu^{63}, Cu^{65}, As^{75} and Rh^{103}, 3=24935
Kumagai,M. and Tsukishima,T. Buildup of electron density in neon—argon gas discharges in pulsed microwave fields, 3=12086
Kumagi,H.,Yamaguchi,S.,Kobayashi,Y.,Nishikawa,T.,Kamei,T., Ikeda,H.,Sasaki,H.,Miyahara,A.,Tanaka,J.,Murata,Y., Horikoshi,G.,Yamada,R.,Baba,H.,Yamakawa,T.,Ishii,K., Kakuyama,T.,Itō,I. and Kobayashi,K. On the operation of electron synchrotron at the institute for nuclear studies, Tokyo, 3=460
Kumar, C.K. See Sarma, N., 3=17461
Kumar,K.,Le Couteur,K.J. and Roy,M.K. A Fermi—Thomas type K-matrix method for nuclei, 3=15074
Kumar,R. See Krishnamurti,S., 3=9435
Kumar,R.C. See Danysz,M., 3=22276
Kumar,S.S. The structure of stars of very low mass, 3=16396
Kumar,S.S. The Helmholtz—Kelvin time scale for stars of very low mass, 3=16397
Kumar,V. See Puranik,P.G., 3=25087
Kumazawa,A. See Takizawa,E.I., 3=23986
Kume,S. See Fukushima,S., 3=10389
Kumekin,Yu.P., Mesceryakov,M.G., Nurushev,S.B. and Stoletov,G.D. Triple scattering of 660 MeV protons. III. Angular dependence of parameter R, 3=14982
Kumekin,Yu.P. See Azhgireĭ,L.S., 3=4630
Kumekin, Yu.P. See Azhgirey,L.S., 3=15189
Kumekin,Yu.P. See Azhgireĭ,L.S., 3=17265
Kumekin,Yu.P. See Azhgireĭ,L.S., 3=22374
Kumekin,Yu.P. See Azhgirey,L.S., 3=24723
Kümmel,U. and Palme,D. Apparatus for cinematography of microscopic objects with simultaneous recording of some measured quantities, 3=1845
Kummer, J.T. Ortho-para-hydrogen conversion by metal surfaces at 21°K, 3=1128
Kummer,M. On one-dimensional and quasi-one-dimensional gas models, 3=1631
Kummer,W. Production of an additional pion and the one-meson-approximation in the static pion—nucleon model, 3=24765
Kummer,W. See Flamm,D., 3=12442
Kump,H.J. and Green,T.G. Magnetization of uniaxial cylindrical thin films, 3=21928
Kump,P. See Horvat,P., 3=19773
Kumpf,G. See Donets,E.D., 3=8138
Kumpf,H. and Donets,E.D. Some transfer reactions occurring during the irradiation of thorium by Ne^{22} ions, 3=24983
Kun Huang, The long wave modes of the Cu_2O lattice, 3=2720
Kun Pal Lee. See Shields,F.D., 3=9506
Kuncir,G.F. See Hinman,G.W., 3=19649
Kündig,W. Measurement of the transverse Doppler effect in an accelerated system, 3=9332
Kundt,W. Exact solutions of the field equations: twist-free pure radiation fields, 3=3732
Kundt,W. Note on the completeness of spacetimes 3=9343
Kundu,M.R. Association of centimeter-wave bursts with different spectral types of meter-wave bursts of solar radio emission, 3=1540
Kundu,M.R. and Spencer,C.L. Spectral characteristics of solar continuum radiation in the 500-1000 Mc/s range, 3=11588
Kundu,S.K. Resistivity in a fully ionized gas, 3=9811
Kundu,S.K. On nucleon magnetic moments, 3=10104
Kundu,S.K. and Yonezawa,M. The η-meson and scalar boson contributions to the photon—proton elastic scattering, 3=17233
Kunetz,G. and d'Erceville,I. Certain properties of an acoustic plane compression wave in a stratified medium, 3=9537
Kunetz,G. See d'Erceville,I., 3=5184
Kung Hsüch-hui. Electromagnetic form factor of the K_0 meson, 3=24785
Kunin,N.F.,Kunin,V.N. and Grishkevich,A.E. Thermal ionization in a benzene flame, 3=5623
Kunin,N.F. and Nilov,A.S. Recovery of an induced thermal force in copper deformed at various different rates, 3=8777
Kunin,V.N. Device for electrodeless measurement of electric conductivity, 3=1907
Kunin,V.N. See Kunin,N.F., 3=5623
Kunin,V.Ya. and Tsikin,A.N. Electrical ageing of rutile single crystals, 3=23000
Kunisz,M.D. Applicability of the coulomb approximation to the calculation of transition probabilities in atoms and of oscillator strengths of spectral lines, 3=2548
Kunitomi,N.,Hamaguchi,Y. and Anzai,S. Fictitious transitions of the crystallographic structure in manganese telluride at high temperatures, 3=23469
Kunitomi,N.,Hamaguchi,Y.,Sakamoto,M. and Komura,S. Neutron diffractometer J.A.E.R.I., 3=6849
Kunitomi,N. See Hamaguchi,Y., 3=1113
Kunitomi,N. See Komura,S., 3=22826
Kunkel,W.B. Hydromagnetic ionizing waves, 3=7684
Kunkel,W.B.,Baker,W.R.,Bratenahl,A., and Halbach,K. Boundary effects in viscous rotating plasmas, 3=16934
Kunkel,W.B. and Gardner,A.L. Free electrons in active nitrogen, 3=1935
Kunkel,W.B. See Pearson,G.A., 3=12079
Kunnmann,W., Ferretti,A. and Wold,A. Flux growth of $NiFe_2O_4$ crystals by the Czochralski method, 3=16043
Kunnmann,W. See Ferretti,A., 3=11230
Kunz,K.S. T.E.M. modes and circular polarization, 3=9936
Kunz,P.D. Inelastic electron scattering from Be^9 and C^{12}, 3=2437
Kunz,W.E. See Gorbics,S.G., 3=22338
Kunze,C. See Heimann,W., 3=11996
Kunze,H. On the theory of space dependent neutron spectra in heterogeneous reactors, 3=8157
Kunze,H.J. See Fünfer,E., 3=19256
Kunze,I. See Koswig,H.D., 3=6654
Kunze,I. See Koswig,H.D., 3=13187
Kunzler,J.E.,Hsu,F.S.L.and Boyle,W.S. Magnetothermal oscillations. The oscillatory dependence of temperature on magnetic field, 3=2743
Kunzler,J.E. and Tanenbaum,M. Superconducting magnets, 3=339
Kunzler,J.E. See Hsu,F.S.L., 3=14721
Kunzlová,I. See Bohun,A., 3=813
Kunzlová,I. See Bohun,A., 3=4985
Kunzlová,I. See Bohun,A., 3=18008
Kuo Chang Wang. Instability of a vortex sheet in nonequilibrium flows, 3=1715
Kuo,H.L. Perturbations of plane Couette flow in stratified fluid and origin of cloud streets, 3=9412
Kuo, J.T. and Nafe, J.E. Period equation for Rayleigh waves in a layer overlying a half space with a sinusoidal interface, 3=193
Kuo,L.G. See Ilakovac,K., 3=4652
Kuo,L.G. See Ilakovac,K., 3=17350
Kuo,T.K. Low-energy photoproduction of Λ^0 and K^+ from protons, 3=10175
Kuo,T.K. Low-energy process $\gamma + p \rightarrow K^+ + \Sigma^0$, 3=17334
Kupatt,H.D. See Waldmann,L., 3=23134
Kupec,P. See Harloff,H.J., 3=19415
Kuper,A.B. Surface dependence of Ge high-frequency high-gain transistors, 3=13098
Kuperus,M. See Koelbloed,D., 3=16382
Küpper,F.P. See Fünfer,E., 3=12178
Kuppermann,A. and Raff,L.M. Determination of electronic energy levels of molecules by low-energy electron impact spectroscopy, 3=4740
Kuppermann,A. See Belford,G.G., 3=424
Kuprevich,N.F. Experiments on the photography of the moon carried out at Pulkovo Observatory at wavelengths 0.8-2.3 μ, 3=9167
Kupriyanov,M.F. and Fesenko,E.G. An X-ray study of the phase transition in Sr_2FeTaO_6, 3=18226
Kupriyanov,M.F. and Fesenko,E.G. An X-ray study of the phase transition in Sr_2FiNbO_6, 3=20773
Kupriyanov,S.E.,Perov,A.A. and Tunitskii,N.N. Cross-sections for dissociation of D_3^+ ions into D_2^+ and D^+ ions in collisions with deuterium molecules, 3=1931
Kuprianov,S.E., Perov,A.A. and Tunitskiĭ,N.N. Cross-section for dissociation of 3·5—100 keV D_2^+ ions in collisions with D_2 molecules, 3=15391
Kuptsov,A.V. See Egorov,L.B., 3=2593
Kuptsov,A.V. See Egorov,L.B., 3=15312
Kuraev,E.A. and Sannikov,S.S. Coalescence of photons in the Coulomb field of nuclei, 3=24672
Kuranov,A.A. Concerning the mechanism of a globular arc, 3=24254

Kurashov,A.A. and Sidorov,V.A. Millimicrosecond multichannel time analyser, 3=3984
Kurashov,A.A. See Glukhov,Yu.A., 3=14497
Kurath,D. Strong M1 transitions in light nuclei, 3=12578
Kurdgelaidze,D.F. See Ivanenko,D.D., 3=22056
Kurdyumova,R.N. and Semiletov,S.A. Some aspects of the structure of γ−CuI, 3=20835
Kurepa,M.V. See Asundi,R.K., 3=9719
Kurepa,M.V. See Asundi,R.K., 3=19173
Kurepin,A.B. See Balashko,Yu.G., 3=22130
Kuri,Z. See Arai,S., 3=4778
Kuridze,R.V. See Andronikashvili,E.L., 3=4505
Kuridze,R.V. See Andronikashvili,É.L., 3=19731
Kurihara,K. See Takasu,S., 3=1085
Kuriki,I.,Uchikura,K.,Koseki,T. and Tanohata,K. Some observations of the V.H.F. pulse wave scattered from the ionosphere, 3=21054
Kurilko,V.I. and Miroshnichenko,V.I. Reflection of electromagnetic waves from a moving plasma, 3=12141
Kurilov, V.A. Small-size electrometer using sub-miniature tubes, 3=3978
Kurioka,Y.,Satone,H.,Nayatani,Y.,Hitani,S.,Yamanaka,T., Satsutani,T. and Miyawaki,K. The automatic apparatus to measure light intensity distribution, 3=23997
Kuriyama,K. Cross-sections of $Cl^{35}(\gamma,n)Cl^{34}$ and $S^{32}(\gamma,n)S^{31}$ reactions, 3=8071
Kuriyama,M.,Hosoya,S. and Suzuki,T. Electron number of the nitrogen atom in Mn_4N, 3=12890
Kurkchi,G.A. and Ioganse n,A.V. Determination of the solubility of gases and vapours in liquids by gas chromatography, 3=3798
Kurkin,M.I. Theory of spin waves based on the collective electron model. I. Energy spectrum, 3=25517
Kurkin, V.P. Oblique-shock gas-jet sound radiator, 3=16703
Kurnakov,K.V. See Gusev,A.A., 3=14086
Kurnosova,L.V., Logachev,V.I., Razorenov,L.A. and Fradkin,M.I. Energy spectra of various groups of cosmic-ray nuclei according to measurements with Cherenkov counters mounted on spaceship-satellites, 3=2343
Kurnosova,L.V.,Logachev,V.I.,Razorenov,L.A. and Fradkin,M.I. Energy spectra of various groups of cosmic-ray nuclei according to measurements with Cherenkov counters mounted
Kurnosova,L.V., Razorenov,L.A. and Fradkin,M.I. A short-period increase in the flux of heavy nuclei during the flight of the third spaceship-satellite, 3=2333
Kurnosova,L.V.,Razorenov,L.A. and Fradkin,M.I. A short-period increase in the flux of heavy nuclei during the flight of the third spaceship-satellite, 3=22230
Kurnosova,L.V. See Ginzburg,V.L., 3=9119
Kuroda,P.K. and Crouch,W.H.,Jr. On the chronology of the formation of the solar system. II. Iodine in terrestrial rocks and the xenon 129/136 formation interval of the earth, 3=9166
Kuroda,P.K. and Manuel,O.K. On the chronology of the formation of the solar system. I. Radiogenic xenon 129 in the earth's atmosphere, 3=9165
Kuroda,T. See Nagao,S., 3=21734
Kurokawa,M. See Kobayashi,K., 3=5153
Kuroki,K. On a new measuring method of Rockwell hardness, 3=1246
Kurono,H. See Komastubara,K., 3=20310
Kurosawa,T. Motion of strongly coupled electron-lattice systems, 3=10587
Kurosawa,T. An interpretation of the bistable cryosar, 3=13060
Kurov,G.A. Preparation of germanium layers by the iodide method, 3=23417
Kurov,G.A.,Vasil'ev,V.D. and Kosaganova,M.G. Experiments on the growing of germanium crystals in thin films, 3=23398
Kurova,I.A., Kalashnikov,S.G. and Tyapkina,N.D. Kinetics of the impurity of n-type germanium containing gold, 3=2976
Kurrey,T.J.,Jr. and Roy,R.R. K/(L + M) conversion ratios in the decay $Pm^{148} \rightarrow Sm^{148}$, 3=19821
Kürschner,D. See Koch,H., 3=18530
Kurskii,Yu.A. On the nature of the neutralization of surface recombination centres in germanium, 3=22709
Kursunoğlu,B. Relativistic plasma, 3=7612
Kurt,V.G. An investigation of the spectrum of the solar corona in the region of wavelengths 7800-12 000 A obtained during the total solar eclipse of February 15, 1961, 3=3580
Kurt,V.G. On the relative intensities of the coronal lines Fe XIII λ 10 747 and λ 10 798, 3=23687
Kurth,R. Statistical considerations of the empirical mass-luminosity relationship, 3=16410
Kurtz,A.D. See Gravel,C.L., 3=20361
Kurtz,D.R. See Lee,T.H., 3=21453
Kurtz,S.K. and Nilsen,W.G. Paramagnetic resonance spectra of Cr^{3+} in $ZnWO_4$, 3=3169
Kurtz, S.K. See Geusic, J.E., 3=17936
Kur'yanov,B.F. Scattering of sound at a rough surface with two types of irregularity, 3=14273
Kurylenko,C. Polymorphic varieties of Fe and the K X-ray absorption spectra, 3=15691
Kuryshev,V.S. See Vladimirskii,V.V., 3=12275
Kurzrok, R.M. See Bossard, B. B., 3=1908
Kuščer,I. Reciprocity theorems for thermal neutrons, 3=12466
Kuščer,I. Thermal diffusion of neutrons, 3=14988
Kusev,V.G. See Belikova,G.S., 3=20399
Kushida, T. and Silver,A.H. Electrically induced nuclear resonance in Al_2O_3 (Ruby), 3=15962
Kushida, T. See Cole, T., 3=17609
Kushida,T. See Koi,Y., 3=1199
Kushida,T. See Silver,A.H., 3=10541
Kushneriuk,S.A. and Jirlow,K. The linear extrapolation length and blackness for infinite cylinders, 3=10405
Kushnir,I.P. Observation of dislocations in iron microcrystals by the etch method, 3=15498
Kushnir,Yu.M. Electron microscopy (a state-of-the-art survey: construction of instruments, some areas of application and related problems of electron optics), 3=21881
Kushnir,Yu.M., Fetisov,D.V., Raspletin,K.K., Pochtarev,B.I., Spektor,F.U., Kabanov,A.N. and Anisimov,V.F. Scanning electron microscope and X-ray microanalyser, 3=2035
Kushnir,Yu.M. and Kabanov,A.N. Use of an analyser for investigating the energy distribution of electrons reflected from metals, 3=2040
Kushnir,Yu.M. See Der-Shvarts,G.V., 3=2038
Kushnir,Yu.M. See Kabanov,A.N., 3=2039
Kushnirenko,E.A. See Budagov,Yu.A., 3=4474
Kushnirenko,E.A. See Budagov,Yu.A., 3=6039
Kushnirenko,E.A. See Dzhelepov,V.P., 3=6371
Kushta,H.V. See Mȳkhaĭlyuk,I.P., 3=20864
Kushtan,V.I. Some considerations in favour of the existence of a scalar neutral meson, 3=2288
Kushwaha,R.S. See Anand,S.P.S., 3=1506
Kushwaha,R.S. See Anand,S.P.S., 3=4255
Kushwaha,R.S. See Anand,S.P.S., 3=7543
Kushwaha,R.S. See Bhatnagar,M.S., 3=9235
Kushwaha,R.S. See Duorah,H.L., 3=1532
Kushwaha,R.S. See Duorah,H.L., 3=11563
Kushwaha,R.S. See Duorah,H.L., 3=11568
Kushwaha,R.S. See Gupta,M.M., 3=1535
Kushwaha,R.S. See Nagaratnam,A., 3=11558
Kuskowski,R.L. See Burleson,G.R., 3=17145
Kuskowski,R.L. See Burleson,G.R., 3=17146
Kuskowski,R.L. See Burleson,G.R., 3=17149
Kusnetsov,E.V. and Shalamov,Ya.Ya. On resonances in the baryon system with strangeness $|S| = 1$, 3=17315
Kusnezov,N. Limiting critical field in thin superconductors, 3=16866
Kusov,V.A. See Zverev,G.N., 3=19417
Kussmann,A. Jessen,K. Invar-behaviour and magnetic moments of the γ-phase of iron−palladium alloys, 3=998
Kustaanheimo,P. and Lehti,R. A new astronomical effect of the general theory of relativity: the dilatation of the sidereal period of orbits with great eccentricity, 3=21221
Kustaanheimo,P. and Lehti,R. Single-body problem in the various theories of gravitation, 3=23739
Küster,R. See Maching,O., 3=5546
Kusumoto,H. and Shoji,M. Paramagnetic centers produced at the silicon surface by heat-treatment in atmosphere containing no oxygen. 3=5045
Kusumoto,H. See Otomo,Y., 3=23131
Kutateladze,S.S. Some problems of heat exchange and frictional resistance in turbulent flows, 3=9490
Kutikov,I.E. See Apalin,V.F., 3=8151
Kutikov,I.E. See Apalin,V.F., 3=10401
Kutikov,I.E. See Apalin,V.F., 3=12713
Kutikov,I.E. See Apalin,V.F., 3=17502
Kutikov,I.Y. See Apalin,V.F., 3=2509
Kutkin, I.A. See Finkel', V.M., 3=3243
Kutkin,I.O. See Finkel',V.M., 3=3242
Kutliroff,D. Time dilation derivation, 3=9333

Kutsaeva,L.S. See Kuz'minov,B.D., 3=6314

Kutschale,H. See Hunkins,K., 3=13652

Kutsko,M. See Lindmayer,J., 3=23043

Kutsyna,L.M. and Verkhovtseva,É.T. Effect of 1-methylnaphthalene on the optical characteristics of certain substituted oxazoles and oxadiazoles, 3=18815

Kuttruff,H. Simple correlation measurements of room acoustics, 3=18947

Kuttruff,H. and Carstensen,H.R. Sound distribution in a reverberation chamber at low frequencies, 3=1776

Kuttruff,H. and Wille,P. Absolute calibration of various kinds of water-borne transducers in the range 5-250 kc/s, 3=7291

Kuttruff,H. See Hund,M., 3=7295

Kuttruff,H. See Meyer,E., 3=5499

Kuttruff,H. See Meyer,E., 3=23991

Kutukov,G.P. See Simonov,V.A., 3=12106

Kutuzov,A.A. See Broder,D.L., 3=17515

Kutuzov,A.A. See Broder,D.L., 3=24675

Kuvshinskii,E.V. and Sidorovich,A.V. Ways of constructing a quantitative theory of vitrification, 3=23491

Kuwababa,S. Similarity solutions for transient pinched plasma, 3=19263

Kuwabara,S. Variation of electron diffraction intensities with tilting angle and λH, 3=1295

Kuwabara,S. Variation of electron diffraction intensities of BiOCl films with tilting angle and λH, 3=1372

Kuwahara,K. See Goto,M., 3=21926

Kuwahara,K. See Nishimura,A., 3=22907

Kuwahara,K. See Tatsumoto,E., 3=1082

Kuyama,T. and Kikuchi,T. The transmission of sound waves in shallow water, 3=16620

Kuyatt,C.E. and Jorgensen,T., Jr. Energy and angular dependence of the differential cross section for production of electrons by 50—100 keV protons in hydrogen gas, 3=14641

Kuyatt,C.E. See Simpson,J.A., 3=12245

Kuypers,J. See Hermans,M.E.A., 3=2538

Kuzikova,N.S. See Zoré,V.A., 3=18687

Kuzin,L.A. See Bannik,B.P., 3=2481

Kuzin,N.N.,Semerchan,A.A.,Vereshchagin,L.F. and Drozdova,L.N. Temperature dependence of the electrical resistance of iodine at pressures up to 200 000 kg/cm^2, 3=8524

Kuzin,N.N. See Semerchan,A.A., 3=6557

Kuzin,N.N. See Vereshchagin,L.F., 3=2902

Kuz'ma, Yu.B. See Gladyshevskii, E.I., 3=18313

Kuz'ma,Yu.B. See Kripyakevich,P.I., 3=18339

Kuźma,W. Construction and gas-filling of high-pressure BF$_3$ neutron proportional counters, 3=14817

Kuz'menko,P.P. Scattering cross-sections and effective charges of ions in metals, 3=17813

Kuz'menko,P.P. and Grinevich,G.P. Diffusion and mobility of Sb^{124} in nickel, 3=15511

Kuz'menko,P.P. and Kal'na,H.I. X-ray structural investigations of ordered Mg—Cd alloys, 3=23479

Kuz'menko,P.P. and Kal'na,H.I. Long-range order parameter and arrangement of atoms on lattice points in Mg—Cd alloys, 3=23480

Kuz'menko,P.P. and Koval'chuk,V.S. Electrical transfer of antimony in aluminium, 3=22830

Kuz'menko,P.P., Novikov,N.N. and Gorid'ki,N.Ya. Photomechanical effect in antimony, 3=18218

Kuz'menko,P.P. and Ostrovskii,L.F. Mobility of Ag^{110} in magnesium, 3=22831

Kuz'menko,P.P. and Suprunenko,P.O. Nature of certain anomalous properties of α-Ti, 3=20127

Kuz'menko,P.P.,Ostrovskii,L.F. and Koval'chuk,V.S. Mobility of small tin impurities in copper and silver, 3=8433

Kuzmin,A.D. and Salomonovich,A.E. Observations of the radio emission of Venus and Jupiter at 8 mm, 3=5273

Kuz'min, A.D. and Salomonovich,A.E. Determination of the period and direction of rotation of Venus from radio astronomical data, 3=11518

Kuzmin,A.D. and Salomonovich,A.E. Some conclusions about physical conditions on Venus according to radioastronomical observations at P.N.Lebedev Physical Institute, 3=21128

Kuz'min,A.D. See Bibinova,B.P., 3=9271

Kuzmin,A.D. See Bibinova,V.P., 3=21127

Kuzmin,A.D. See Kislyakov,A.G., 3=3622

Kuz'min,R.N. See Zhdanov,G.S., 3=13518

Kuz'min,V.A. V—A characteristics of semiconductor devices of the p—n—p—n type in the "on" state, 3=10850

Kuzmin,V.A., Markov,M.A., Zatsepin,G.T. and Zheleznykh,I.M. On high energy neutrino physics in cosmic rays, 3=4527

Kuz'min,V.A. See Zatsepin,G.T., 3=4493

Kuz'min,V.A. See Zheleznykh,I.M., 3=22253

Kuz'mina,I.P. See Belyaev,L.M., 3=20791

Kuz'mina, I.P. See Shternberg, A.A., 3=18244

Kuz'minov,B.D. A simple method for measuring the continuous spectra of fast neutrons, 3=17289

Kuz'minov,B.D.,Kutsaeva,L.S. and Bondarenko,I.I. Angular anisotropy and energy distribution of Th 232 fission fragments, 3=6314

Kuz'minov,Yu.S.,Yamzin,I.I. and Belov,N.V. Neutron diffraction investigation of an yttrium—neodymium ferrite with a garnet structure, 3=23183

Kuz'minov,Yu.S.,Yamzin,I.I. and Belov,N.V. Magnetic structure of yttrium ferrite, 3=23186

Kuz'minov,Yu.S.,Yamzin,I.I.,Mal'tsev,E.I. and Belov,N.V. Coherent-scattering amplitude for thermal neutrons and yttrium nuclei, 3=22391

Kuz'miny̆kh,V.D. Study of the facula—photosphere contrast in the spectral region λλ 3755-6800 A, 3=9194

Kuznetsov,A.A. See Belyakov,V.A., 3=24764

Kuznetsov,A.A. See Belyakov,V.A., 3=24798

Kuznetsov,A.A. See Van Gan-Chan, 3=19709

Kuznetsov,A.A. See Van Yun-chan [Wang Yung-chang], 3=2305

Kuznetsov,A.A. See Veksler,V.I., 3=22211

Kuznetsov,A.A. See Wang Kang-Ch'ang, 3=19702

Kuznetsov,A.A. See Wang Kang-Ch'ang, 3=22208

Kuznetsov.A.B. and My̆znikov,K.P. Proton beam characteristics in a 10 GeV synchrophasotron, 3=7667

Kuznetsov,A.B. See Kazanskii,G.S., 3=19387

Kuznetsov,A.M. See Levich,V.G., 3=5426

Kuznetsov,A.P. See Yakovleva,A.V., 3=23581

Kuznetsov,A.V. The applicability of corrective formulae allowing for secondary extinction, 3=8825

Kuznetsov,A.V. Correction for secondary extinction in monocrystals, 3=20824

Kuznetzov,A.V. Broadening of X-ray lines due to secondary extinction, 3=25784

Kuznetsov,A.V. and Shivrin,O.N. Mutual interference of X-rays reflected from different mosaic blocks of a crystallite, 3=20210

Kuznetsov,B.S. and Silant'ev,A.N. Measurement of the number of gamma-rays per decay of Ba^{140} and Pr^{144}, 3=8039

Kuznetsov,B.S. See Silant'ev,A.N., 3=8041

Kuznetsov,E.P. See Bannik,B.P., 3=2481

Kuznetsov,E.P. See Kuznetsov,E.V., 3=6075

Kuznetsov,E.P. See Kotenko,L.P., 3=6051

Kuznetsov,E.V.,Kuznetsov,E.P.,Shalamov,Ya.Ya. and Grashin,A.F. Experimental data on the existence of a resonance in the $K^0\,\Lambda^0$-system at the energy of 1650 MeV, 3=6075

Kuznetsov,E.V. See Barmin,V.V., 3=15007

Kuznetsov,E.V. See Barmin,V.V., 3=24792

Kuznetsov,E.V. See Grashin,A.F., 3=22197

Kuznetsov,E.V. See Ivanovskaya,I.A., 3=2484

Kuznetsov,E.V. See Ivanovskaya,I.A., 3=24796

Kuznetsov,F.O. See Voitenko,A.E., 3=24000

Kuznetsov,I.V. S.I.Vavilov's works on philosophy and the history of natural science, 3=16482

Kuznetsov,N.I. Stabilizer of photoluminescence light flux, 3=1806

Kuznetsov,R.I. and Pavlov,V.A. Position of the jumps on the stress-strain diagram of polycrystalline tin, 3=3218

Kuznetsov, V.A. See Shternberg, A.A., 3=18244

Kuznetsov,V.D. and Gribanov,S.A. Low-temperature cyclic heat treatment of metals with hexagonal structure, 3=3233

Kuznetsov,V.G.,Eliseev,A.A.,Shpak,Z.S.,Palkina,K.K. Sokolova,M.A. and Dimitriev,A.V. Phase diagrams of the Ni—S, Ni—Se and Co—S systems and the electrical conductivity of the different phases, 3=25734

Kuznetsov,V.M. See Gulyaev,A.I., 3=23555

Kuznetsov,V.V. Production of tritium in lead and aluminium by high-energy protons, deuterons and α-particles, 3=4637

Kuznetsov, V.V., Konstantinov, N.I. and Frolov, V.A. Influence of electrolytic hydrogen on microhardness in certain metals, 3=3245

Kuznetsova,E.M. See Adirovich,É.I., 3=2865

Kuznetsova,E.M. See Adirovich,É.I., 3=8500

Kuznetsova,M.K. See Dunaev,F.N., 3=3114

Kuznetsova,M.Ya.,Pokrovskii,V.N. and Rȳbakov,V.N. Investigation of the $Al^{27}(p,p\pi^+)Mg^{27}$ reaction, 3=6247
Kuznetsova,M.Ya. See Zaĭtseva,N.G., 3=15202
Kuznetsova,R.I. See Pines,B.Ya., 3=23510
Kuznetsova,T.I. and Rautian,S.G. The theory of quantum generators [Masers], 3=14796
Kvartskhava,I.F.,Kervalidze,K.N.,Gvaladze,Yu.C. and Kapanadze,B.N. Some new data on self-compressed discharges, 3=12157
Kventsel',G.F. and Pekar,S.I. Allowance for surface excitons in the theory of electromagnetic waves and crystals, 3=20465
Kvitek,J. See Dlouhy,Z., 3=6017
Kvitka,S.S. See Belov,K.P., 3=15867
Kvittner,P. See Adam,A., 3=24750
Kvlividze,V.L. and Krasil'nikov,K.G. Investigation of the state of water, sorbed on calcium hydrosilicate, by nuclear magnetic resonance, 3=11127
Kvlividze,V.I. and Rashkovich,L.N. Nuclear magnetic resonance in various calcium hydrosilicates and in calcium hydroxide, 3=6767
Kwak,N. and Schneps,J. Hyperon resonance states and K^--meson capture on complex nuclei, 3=19871
Kwak,N. See Kang,Y.W., 3=15088
Kwang Yu. See Lomont,J.S., 3=11697
Kwei,T.K. and Arnheim,W. Linear free-energy relationship in the diffusion of gases through polymer films, 3=2821
Kwieciński,J. On the theory of (γ,d) reactions, 3=15177
Kwiek,M. Reverberation in coupled halls. II, 3=21504
Kwiek,M. See Karaskiewicz,E., 3=14293
Kwo Cheng-Hsiao. Compound model of baryons and strangeness, 3=17173
Kycia,T.F. and Riley,K.K. Some emperical systematics of the pion—nucleon system, 3=22184
Kycia,T.F. See Baker,W.F., 3=10169
Kycia,T.K. See Diddens,A.N., 3=22183
Kyker,Jr.G.C. and Williamson,R.M. Van Der Graaff energy resolution, 3=457
Kynaston,D. and Mulvey,T. The correction of distortion in the electron microscope, 3=9862
Kynaston,D. and Mulvey,T. Distortion-free operation of the electron microscope, 3=19351
Kȳnev, S, Pirinchieva, R. and Marinova, K. Potential distribution and motion of minority carriers in CdS monocrystals, 3=17872
Kynev,St., Sheinkman,M.K., Shul'ga,I.B. and Fursenko,V.D. Contactless method for measuring the parameters of certain semiconductors, 3=15566
Kyogoku,H. See Yoshino,T., 3=11812
Kyun,B., Salatskii,V.I. and Sizov,I.V. Investigation of the $C^{12}(t,p)C^{14}$ reaction, 3=15237
Kyung Tae Chung. Einstein's connection in terms of $*g^{\lambda\mu}$, 3=9340
Kyurkchieva,D.T. See Zlateva,A.I., 3=24726
Kyyntsel,I.A. See Grechishkin,V.S., 3=15968

Laakso,I. See Bizzarri,R., 3=6026
LaBar,F.E. and Baldwin,R.L. A study by interference optics of sedimentation in short columns, 3=6933
Labat,J. See Barrault,M.R., 3=24299
Labău,V. See Nicolae,M., 3=5165
Labău,V. See Spacu,P., 3=19992
Labaw,L.W. Striations in superposed diffraction images from organic single crystals, 3=18405
Labes,M.M. See Kronick,P.L., 3=10873
Labes,M.M. See Mainthia,S.B., 3=4936
Labeyrie,J. and Lambert,G. Existence of a diffusion barrier between the tropospheres of the north and south hemisphere, 3=25874
Labkovskiĭ,Ya.M. See Mokhov,N.V., 3=21322
Laborie,P. and Blanc,D. Theoretical and experimental study of the influence of the auxiliary circuit on the pulse shape and resolution time of Rosenblum-type spark counters, 3=24544
LaBotz,R.J. and Mason,D.R. The thermal conductivities of Mg_2Si and Mg_2Ge, 3=12931
LaBotz,R.J.,Mason,D.R. and O'Kane,D.F. The thermoelectric properties of mixed crystals of $Mg_2Ge_xSi_{1-x}$, 3=13142
Labs,D. and Neckel,H. Absolute radiation intensity at the centre of the solar disk in the spectral region $6389 < \lambda < 12480$ A, 3=21106
Labuda,A.A. See Nekrashevich,I.G., 3=25845
Labuntsov,D.A. Mechanism of bubble growth at a heating surface, 3=23863
Labusch,R. Electrical resistivity of zone-hardened Al—Ag and Al—Zn, 3=10717
Labusch,R. Residual resistance of aluminium alloys at unmixing, 3=25321
Labzin,V.A. See Bazhenov,V.V., 3=5088
Labzov,B.A. See Vladimirskii,K.V., 3=14794
Lacaze,A. See Bon Mardion,G., 3=3957
Lacaze,A. See Dreyfus,B., 3=10614
Lacaze,J. See Dargent,R., 3=11387
Lacaze,J. See Fontan,J., 3=9052
Lach,J.T. See Auerbach,L.B., 3=22160
Lachinov,V.M. High-speed storage-type scalers, 3=24183
Lachkar,J. See Barjon,R., 3=19145
Lachowicz,H.K. See Hoffman,G.R., 3=23157
Lacina,J. A solution of the motion of a charged particle in magnetic mirror systems, 3=24435
Lacmann,R. Heterogeneous systems of small dimensions. I. Crystal nuclei formation in small drops, 3=5081
Lacmann,R. Heterogeneous systems of small dimensions. II. Nuclear formation in water drops, 3=5082
Lacombat,M. See Raoult,G., 3=25567
Lacombe,P. See Aucouturier,M., 3=1257
Lacombe,P. See Desmarescaux,P., 3=25831
Lacombe,P. See Guiraldenq,P., 3=13494
Lacombe,P. See Lemogne,A., 3=15989
Lacombe,P. See Mondon,J., 3=6528
Lacombe,P. See Pascal,J., 3=22899
Lacombe,P. See Penelle,R., 3=13359
LaCoste,L.J.B. See Nettleton,L.L., 3=8996
Lacroix,R. and Emch,G. Covalency and paramagnetic resonance, 3=8705
Lacroix,R. See Germanier,A.M., 3=2695
Lacroute,M.P. and Timores,M.M. Abundances of isotopes synthesized [in stars] by a rapid neutron capture process $(70 \leqslant A \leqslant 110)$, 3=21113
Ladany,I. Thermoelectric thermostat, 3=285
Laddha,G.S. See Chandramouli,V.V., 3=23841
Lade,R.W. and Jordan,A.G. On the dynamic behaviour of high-low junction devices, 3=4931
Lade,R.W. See Jordan,A.G., 3=20347
Ladefoged,P. and McKinney,N.P. Loudness, sound pressure, and subglottal pressure in speech, 3=13945
Ladenbauer-Bellis,I. See Anderson,C.E., 3=19888
Ladik,J. Some remarks on the energy band structure of protein, 3=12886
Ladikov,Yu.P. Properties of plane and axisymmetrical stationary flows in magnetohydrodynamics, 3=19434
Ladu,M.,Pelliccioni,M. and Rotondi,E. On the response to fast neutrons of a BF_3 counter in a paraffin spherical-hollow moderator, 3=24749
Ladu,M. See Corazza,M.L., 3=12368
Ladyzhenskii,M.D. Analysis of the equations of hypersonic flow and the solution of the Cauchy problem, 3=16645
Ladyzhenskii,M.D. Magnetohydrodynamic hypersonic flow past a wedge, 3=24451
Lafferty,D.L. See Stetson,R.F., 3=9855
Lafferty,J.M. Hot-cathode magnetron ionization gauge with an electron multiplier ion detector for the measurement of extreme ultra-high vacua, 3=14227
Lafferty,W.J. and Plyler,E.K. Molecular parameters of ethane, 3=4766
Lafferty,W.J. and Plyler,E.K. Infrared spectrum of the $\nu_2 + \nu_6$ band of $C^{13}C^{12}H_6$, 3=20007
Lafferty,W.J., Plyler,E.K. and Tidwell,E.D. Infrared spectrum of acetylene-d_1, 3=2637
Laffon,J.L.,Servoz-Gavin,P. and Uchida,T. A heterodyne spectrometer for electron paramagnetic resonance with homodyne detection, 3=19468
Lafleur,M.S.,Kahana,S.,Morris,T.F. and Yaffe,L. Backscattering and self-absorption of β^--particles, 3=24693
La Force, R.C, Toth, L.E. and Ravitz, S.F. The temperature dependence of the nuclear magnetic resonance of Co^{59}, 3=18150
La Force,R.C. See Budnick,J.I., 3=23258

La Force,R.C. See Streever,R.L., 3=3199
La Force,R.C. See Streever,R.L., 3=15967
Laforce,R.P. See Mackenzie,J.D., 3=8919
Lafouchriere,J. See Maguin,C., 3=14658
Lafoucrière,J. See Elbaz,E., 3=6286
Lafoucriére,J. See Kouloumdjian,J., 3=19399
Lafoucriere,J. See Le Pipec,C., 3=20068
Lafoucrière,J. See Lucenet,G., 3=19614
Lagarde,F.,Vinh Tuong,N.P.,Courtel,R. and Sorin,P. Temporary viscosity change of lubricants exposed to shearing stresses of as much as 10^8 dyn/cm^2., 3=9422
Lagar'kov,A.N. and Yakubov,I.T. Effect of radiation on the state of a gas ahead of a shock-wave front, 3=14243
Lagarrigue,A. See Bellini,G., 3=7899
Lagarrigue,A. See Fretter,W.B., 3=2301
Lagarrigue,A. See Veillet,J.J., 3=10163
Lagarrigue,A. See Veillet,J.J., 3=17313
Lagerqvist,A. See Andersén,E., 3=25103
Lagerstrom,P.A. and Kevorkian,J. Matched-conic approximation to the two fixed force-center problem, 3=11493
Lagerstrom,P.A. and Kevorkian,J. Earth-to-moon trajectories in the restricted three-body problem, 3=25991
Lagnaux,J.P., Lemonne,J., Sacton,J., Bishara,L., Davis,D.H. Hussain,M.A. Production of hyperfragments from the interactions of 50-300 MeV/c K^- mesons with emulsion nuclei, 3=17489
Lagos,A. See Goldfarb,J., 3=3417
Lagrange,J.M. See Basile,R., 3=19365
LaGrange,L.D. See Dixon,J.M., 3=20376
Lahiri,A. See Mukherjee,P.N., 3=19164
Lahiri,J. See Sinha,S.K., 3=8732
Lahmani,A. See Fiquet-Favard,F., 3=12069
Lai,D.Y.F. See Borg,R.J., 3=22810
Lai,D.Y.F. See Borg,R.J., 3=22811
Lai,K.W. See Bertanza,L., 3=12507
Lai,K.W. See Connolly,P.L., 3=17330
Laidler,K.J. See Sacher,E., 3=14178
Laikin,M. An unusual property of MgF_2 films in the infrared, 3=9601
Laikin,M. New double-beam fluorometer, 3=21013
Laing,T.F. See Findlay,J.R., 3=10427
Laird,M.J. See Sonnerup,B.U.Ö., 3=11464
Laitai,A. Scintillation detector of fast neutrons with high resolution, 3=14990
Laitinen,H.A. and Morinaga,K. Double layer capacity studies of adsorption at mercury-solution interfaces. Effects of expanding and receding surfaces. Stability of oriented Langmuir monolayers, 3=1380
Laity,R.W. Diffusion of ions in an electric field, 3=21000
Lajtai,A. See Dési,S., 3=6307
Lajtai,A. See Dési,S., 3=12711
Lajzerowicz,J. Short range dipole-dipole interactions dielectric relaxation, 3=8542
Lajzerowicz,J.,Ducros,P. and Deville-Cavellin,J. Dielectric admittance of adsorbed water on lithium fluoride, 3=10880
Lakatos,B. See Szabó,Z.G., 3=7386
Lakatosh,G. and Bito,I. [Lakatos,G. and Bito,J.]. The influence of external resistance on the moving striations of the positive column, 3=12094
Lakatos,G. and Szemző,E. Cathode sputtering by ignition of a low-pressure discharge, 3=7654
Lakatos,G. See Lakatosh,G.
Lake,G.J.,Lindley,P.B. and Thomas,A.G. High vacuum sliding seal, 3=7256
Lakin,L.R. See Fuller,H,W., 3=15833
Lakomkin,Yu.A. See Litvin,V.F., 3=4220
Lakshmana Rao,S.K. Axisymmetric solutions of the equations of motion of non-linear viscous flows, 3=5408
Lakshmana Rao,S.K. Comment on "non-Newtonian fluids and the second law of thermodynamics", 3=11769
Lakshmanan,T.K. Optical and electrical properties of semi-conducting cadmium oxide films, 3=25359
Lakshminarayan,K.N. Short term "time" characteristics of impulsive atmospheric noise, 3=3472
Lakshminarayana,V. See Rama Rao,J., 3=12655
Lal,K.C. and Srivastava,H.N. Calculation of relaxation times of polar molecules in solutions, 3=1708
Lal,M. See Griffiths,G.M., 3=15045
Lal,S., Pal,Y. and Raghavan,R. A study of nuclear interactions at 20 to 150 GeV in carbon, 3=4533
Lal,S, Raghavan, R, Streekantan,B.V, Subrahranian,A. and Verma,S.D. Characteristics of high-energy nuclear interactions, 3=17200
Lal,S. and Subramanian,A. On the growth and decay of electron-photon showers in materials of high atomic number, 3=6104
Lalevic,B. Fluctuations of the resistance and resistance levels in the intermediate state of superconductors, 3=1889
Lallement,R. Measurement of the Young's modulus of α-plutonium at low temperatures, 3=20691
Lallement,R. Examination of the crystal structure of alpha—plutonium at low temperature, 3=20833
Lally,J.S. See Hirsch,P.B., 3=17732
Lally,J.S. and Partridge,P.G. Observations in thin foils of quenched magnesium, 3=17751
Lal Narchal,M. and Barker,W.A. Overhauser and Jeffries—Abragam effect in a four-level system, 3=22490
Laloë,F. See Haubert,A., 3=23624
Lam,D.G.,Jr. See Wachtman,J.B.,Jr, 3=6772
Lam,D.J.,Van Ostenburg,D.O.,Nevitt,M.V.,Trapp,H.D. and Pracht,D.W. Magnetic susceptibilities and nuclear magnetic resonance measurements in V-Fe alloys, 3=23141
Lam, D.J. See Van Ostenburg, D.O., 3=3204
Lamar,D.L. Comments on paper by W.H.Munk and G.J.F.MacDonald, "Continentality and the gravitational field of the earth", 3=9001
Lamar,D.L. and Kern,J.W. Stability of the earth's axis of rotation and phase changes, 3=9008
Lamb,G.L.,Jr. The attenuation of waves in a dispersive medium, 3=7093
Lamb,W.E.,Jr. See Kroll,N.M., 3=12357
Lamb,W.E,Jr. See McFarlane,R.A., 3=17092
Lambe,E.D. See Fowler,J.M., 3=4201
Lambe,J. See Jaklevic,R.C., 3=15719
Lambeck, M. Optical investigations on ferromagnetic layers, 3=18092
Lambeck,M. See Boersch,H., 3=15806
Lambert,G. On the discontinuous nature of transfer between the stratosphere and troposphere, 3=21032
Lambert,G. and Polian,G. On the diffusion at low altitude of continental and oceanic air masses in each hemisphere, 3=21034
Lambert,G. See Fontan,J., 3=21042
Lambert,G. See Labeyrie,J., 3=25874
Lambert,J.D.,Edwards,A.J.,Pemberton,D. and Stretton,J.L. Intermolecular transfer of vibrational energy, 3=6434
Lambert,J.C. See Amato,G., 3=19141
Lambert,J.M. See Bardwick,J., 3=5744
Lambert,L.M. Impact ionization of impurities in heavily compensated germanium, 3=2890
Lambert,M.,Lefebvre,S. and Guinier,A. Comparison between the effects of neutron irradiation at −195°C and at 100°C on LiF crystals, 3=22870
Lambert,M. and Simon,M. Excess thermodynamic properties of the liquid systems $A-CH_4$ and $CO-CH_4$, 3=1682
Lambert,M. See Bousquet,C., 3=25660
Lambert,M. See Cohen-Ganouna,J., 3=7988
Lambert,M. See Cohen-Ganouna,J., 3=7991
Lambert,M. See Cohen-Ganouna,J., 3=12582
Lambert,R.F. See Park,G.L., 3=5477
Lambert,R.F. See Smits,T.I., 3=5479
Lambert,R.H. and Pipkin,F.M. Pressure shifts of the hyperfine structure of atomic nitrogen, 3=8188
Lambert,V.L. See Weik,H., 3=10652
Lamberts,R.L. The production and use of variable-transmittance sinusoidal test objects, 3=18966
Lamborizio, C. See Castagnoli,C., 3=17262
Lamborizio,C. See Ciurlo,S., 3=8120
Lamborn,B.N.A. See Stetson,R.F., 3=9855
Lamd,R.C. and McEllistrem,M.T. Spin assignments in Mn^{55} via inelastic neutron scattering, 3=22302
La Mer,V.K. See Edwards,G.R., 3=8806
La Mer,V.K. See Healy,T.W., 3=6891
Lami,H. See Pfeffer,G., 3=18979
Lamm,O. Elements of a macro-dynamical theory of transport by diffusion and sedimentation, for fluid systems, including a weak gel character, 3=9377
Lämmermann,H. and Conway,J.G. Absorption spectrum of Pu^{3+} in lanthanum trichloride and lanthanum ethylsulfate, 3=8601
Lampert,M.A. See Ando,K., 3=25334
Lampert,M.A. See Steele,M.C., 3=8535

Lampert,M.A. See Hirota,R., 3=17838

Lamphere,R.W. Fission cross-section and fragment angular distribution for fast neutron-induced fission of U^{234}, 3=2505

Lancaster,J.K. Elastic deformation and the wear of electrographite, 3=6806

Lancaster,J.K. The formation of surface films at the transition between mild and severe metallic wear, 3=16011

Lancaster,J.K. The relationship between the wear of carbon brush materials and their elastic moduli, 3=20761

Lancman,H. See Jasinski,A., 3=10310

Lanczos,C. The splitting of the Riemann tensor, 3=5353

Lanczos,C. Undulatory Riemannian spaces, 3=18719

Land,E.H. and Daw,N.W. Binocular combination of projected images, 3=3691

Land,E.H. and Daw,N.W. Colors seen in a flash of light, 3=7075

Land,G.A. See Dietz,L.A., 3=22337

Land,R.I. See Emmons,H.W., 3=7587

Landahl,H.D. Applications of neural net theory to the problem of colour vision, 3=3694

Landahl,H.D. Discrimination and learning in terms of neutral net models, 3=3640

Landahl,H.D. Mathematical models for the representation of neutral interaction, 3=3638

Landahl,H.D. Miscellaneous applications of neutral net theory to psychological phenomena, 3=3639

Landahl,H.D. Some mathematical models for pharmacological systems, 3=3641

Landahl,H.D. Some aspects of the role of diffusion in biological phenomena, 3=3642

Landahl,H.D. On the retention of air-borne particles in the human respiratory tract, 3=3643

Landau,A. and Rumer,Y. Miniature time machine, 3=11659

Landau,A.I. The problem of the friction force acting on a moving dislocation, 3=17728

Landau,A.I. See Pariiskii,V.B., 3=20201

Landau,L.D. and Lifschits,E.M. Textbook of Theoretical Physics. I. Mechanics, 3=1642

Landaud,G. Calculation of a correlation function for the study of the dead-time of a detector, 3=14832

Landauer,G. Magnetic field dependence of microwaye radiation in a He gas discharge, 3=4031

Landauer,G. Generation of harmonics of the electron-gyrofrequency in a penning discharge, 3=7465

Landauer,R. Velocity modulation of propagating waves, 3=16981

Lande,K., Mann,A.K. and White,D.H. A simple optical system for using standard magnets with spark chambers, 3=17147

Lande,K., Mann,A.K. and White,D.H. Range measurement and particle identification in a plate-loaded filamentary chamber, 3=17331

Landecker,K. See Idnurm,M., 3=15639

Lander,J.J.,Gobell,G.W. and Morrison,J. Structural properties of cleaved silicon and germanium surfaces, 3=23383

Lander,J.J. and Morrison,J. Structure of clean surfaces of germanium and silicon. I, 3=13554

Lander,J.J. and Morrison,J. Low-energy electron-diffraction study of the surface reactions of germanium with oxygen and with iodine. II, 3=13555

Lander,R.L. Test of mass spectra, 3=24596

Landmark,B. and Lied,F. Observations of the D-region from a study of ionospheric cross modulation, 3=6982

Landmark,B. See Holt,C., 3=5878

Landmark,B. See Holt,O., 3=6978

Landmark,B. See Ortner,J., 3=9135

Landon,A.J. See Stevenson,M.J., 3=9588

Landon,D.O. Use of platinum or gold grating surface at grazing incidence, 3=20943

Landovitz,L. and Marshall,L. Stimulated electron spin-flip transition as the source of 18 megacycle radiation on Jupiter, 3=7046

Landovitz,L.F. See Durand,L.,III, 3=12404

Landovitz,L.F. See Haller,K., 3=17161

Landry,P. and Stevenson,R. The effects of pressure on the paramagnetic-antiferromagnetic transition of dysprosium, 3=20552

Landsberg, E.G. and Kalashnikov, S.G. Recombination properties of manganese in germanium, 3=17853

Landsberg,L.G. See Alikhanov,A.I., 3=6024

Landsberg,L.G. See Babaev,A.I., 3=6025

Landsberg,L.G. See Babaev,A.I., 3=17298

Landsberg,P.T. Supplementary remarks to the paper on intermediate statistics by Guénault and MacDonald, 3=18741

Landsberg,P.T. See Antončík,E., 3=22684

Landsberg,P.T. See Evans,D.A., 3=13090

Landsberg,P.T. See Hearn,C.J., 3=10749

Landsberg,R.,Nitzsche,R. and Geissler,W. The galvanostatic measurement of the adsorption of iodine on graphite, 3=20940

Landshoff,P.V. Anomalous singularities in physical regions, 3=5953

Landshoff,P.V. Poles and thresholds and unstable particles, 3=12394

Landshoff,P.V. See Fairlie,D.B., 3=4351

Landshoff,P.V. See Islam,J.N., 3=17203

Landstrom,D.K. Voltage reference sources in electron microscopy, 3=20956

Landwehr,G. Piezoresistive effect in silicon, 3=2965

Landwehr,G. Interpretation of the electric conductivity of grain boundaries in germanium bicrystals, 3=8508

Landwehr,G. Negative magnetoresistance in a germanium bicrystal, 3=10774

Lane,A.M. and Soper,J.M. Isobaric spin purity and isobaric correspondence between nuclear states in the heavier nuclei, 3=633

Lane,H. Foreign accent and speech distortion, 3=13949

Lane,J.A. and Meadows,R.W. Simultaneous radar and refractometer soundings of the troposphere, 3=9051

Lane,N.F. and Lin,C.C. A semiempirical method for the calculation of the Slater–Condon parameters, 3=2552

Lane,R.D.G. See Hendra,P.J., 3=21543

Lane,R.K.,Nordheim,L.W. and Sampson,J.B. Resonance absorption in materials with grain structure, 3=6263

Lane,R.O. See Elwyn,A.J., 3=587

Lang,A.R. Recent studies of lattice defects by X-ray diffraction topography, 3=22782

Lang,A.R. See Polcarová,M., 3=5011

Lang,C.E. See Rack,E.P., 3=11359

Lang,C.T. On diffraction losses in laser interferometers, 3=24045

Lang,D.W. Nucleon correlations and nuclear level densities, 3=12550

Lang,F.M. and Magnier,P. Study of the gases adsorbed on the surface of the closed pores of nuclear graphites, 3=13569

Lang,G. Measurement technique and instrumental problems of X-ray fluorescence analysis, 3=13633

Lang,G. See Jha,S., 3=2367

Lang,I.G. and Firsov,Yu.A. Kinetic theory of semiconductors with a low mobility, 3=15557

Lang, J. See Gombay, L., 3=17892

Lang,J. See Jarczyk,L., 3=6670

Lang,L.G., DeBenedetti,S. and Ingalls,R.I. Interaction between Fe^{57} and its crystalline surroundings, 3=996

Lang,W. and Herrmann,R. Signal-to-noise ratio for flame photometric absorption measurements, 3=21548

Lang,W. and Herrmann,R. Quantities flowing through pneumatic annular atomizers for flame photometers, 3=21549

Langbein D. A prior anschauliche discussion of the qualitative properties of magnetoelectric coefficients, 3=1071

Langberg,E, Naylor,M. and Heckscher,H. An image-forming, resonance scatter filter, 3=16780

Lange,F. Investigations of superconducting Nb_3Sn, 3=14458

Lange,F. Investigations on superconducting Nb_3Sn specimens. V, 3=19116

Lange,F. and Lippold,H. A simple adsorption leak detector, 3=14228

Lange,F.K. A method for preparing a superconducting compound Nb_3Sn, 3=5590

Lange,H. Investigations on the magnetic properties of thin layers of γ-Fe_2O_3 when submitted to magnetizing fields for short times, 3=13256

Lange,H. See Gutsch,E., 3=11007

Lange,H. See Gutsche,E., 3=8632

Lange,H. See Kohlhaas,R., 3=13244

Lange,J.N.,Jr. Bending wave propagation in rods and plates, 3=9531

Lange,K.R. Adsorption isotherms by a rapid flow method, 3=11325

Lange,W. and Bergner,D. Measurement of grain boundary self-diffusion in polycrystalline tin, 3=2830

Lange,W.,Pippel,W. and Schönherr,M. Application of double tracing method for determining self diffusion coefficients in liquid metals, 3=5432
Lange-Hesse,G. Long-range propagation of v.h.f. waves over central Europe by backscattering at aurorae, 3=9080
Langelaar,J. See Aten,A.H.W.,Jr, 3=24680
Langenberg,D.N. See Burstein,E., 3=785
Langenberg,D.N. See Burstein,E., 3=10638
Langenberg,D.N. See Marcus,S.M., 3=15553
Langenberg,D.N. See Stiles,P.J., 3=784
Langenberg,D.N. See Stiles,P.J., 3=10831
Langenecker,B. and Frandsen,W.H. The influence of sound waves on the growth of zinc single crystals, 3=6828
Langer,D. The effect of pressure on the edge emission and the conductivity in CdS, 3=931
Langer,D.W. See Ibuki,S., 3=13210
Langer,J. See Kuchař,K., 3=21210
Langer, J.S. See Davies, R.W., 3=17638
Langer,L.M. See Camp,D.C., 3=8046
Langer,L.M. See Howe,D.A., 3=4592
Langer, L.M. See Wortman, D.E., 3=17430
Langer,R.E.[Ed.]. Nonlinear problems, 3=7084
Langeseth,B. See Giesch, M., 3=17243
Langevin-Joliot,H. See Kowalski,L., 3=10400
Langevin,M. and Loiseaux,J.M. Study of the resonant scattering of bremsstrahlung by magnesium, 3=6166
Langford,J.I. and Wilson,A.J.C. Counter diffractometer: the effect of specimen transparency on the intensity, position and breadth of X-ray powder diffraction lines, 3=8817
Langham,E.J. Magnetostriction of polycrystalline silicon iron sheet, 3=8679
Langhoff,H.,Weigmann,H. and Flammersfeld,A. Single-quantum annihilation of positrons, 3=12445
Langier,J. See Dautreppe,D., 3=11056
Langkau,R. See Klinger,D., 3=24551
Langmuir,R.V. Scattering of laser light, 3=14372
Langner,G. Investigations regarding the measurement of the modulation transfer function and possibilities for its designation by a numerical value, 3=21577
Langreth,D. See Koehler,J.S., 3=798
Langsdorf,A.Jr. See Elwyn,A.J., 3=587
Langsford,A. See Bowen,P.H., 3=2278
Langsford,A. See Bowen,P.H., 3=8105
Langsford,A. See Bowen,P.H., 3=10349
Langsford,A. See Scanlon,J.P., 3=10120
Langton,N.H. and Vaughan,P. Ultrasonic cavitation in polymer solutions, 3=23878
Lanius,K. and Meier,H.W. The direct electron—positron pair production by a highly energetic α-particle, 3=6111
Lanius,K., Meier,H., Pernegr,J. and Suk,M. Description of a cosmic ray jet in terms of the two-centre model, 3=4485
Lankard,J.R. See Sorokin,P.P., 3=23052
Lanning,W.D. Application of the spherical harmonics technique to problems in gamma transport, 3=12736
Lannutti,J.E. See Lynch,G.R., 3=19634
Lanore, J.C. and Schuttler, R. Measurement of the recombination time of minority carriers in a semiconductor in the light of neutron measurements in connection with the Wigner effect, 3=17905
Lanore,J.C. See Dulieu,P., 3=10423
Lanou,R.E., Jr. See Bulos,F., 3=17130
Lanou,R.E., Jr. See Chrétien,M., 3=24787
Lanovoi,V.N. and Men',A.V. Tunable standard noise generator, 3=24162
Lanshina,L.V. See Shakhparonov,M.I., 3=21354
Lansing,D.L. See Maglieri,D.J., 3=16693
Lansraux,G. A representation of instrumental diffraction, 3=265
Lansraux, G. and Delisle, C. Iterative diffraction of the figure sin X/X by an infinite reseau, 3=266
Lantsburg,E.Ya. See Kompaneets,A.S., 3=1855
Lantsburg,E.Ya. See Kompaneyets,A.S., 3=7382
Lantwaard,L.J. A simple method for the time recording of photographic satellite observations, 3=21142
Lanyon,H.P.D. Electrical and optical properties of vitreous selenium, 3=13081
Lanyon,H.P.D. See Spear,W.E., 3=873
Lapidus,L.I. Threshold singularities in exchange pion–nucleon scattering, 3=2316
Lapidus,L.I. Scattering of gamma-quanta and polarizability of nuclei and nucleons, 3=15170
Lapidus,L.I. Effect of inelastic processes on the scattering of electrons by positrons and electrons, 3=24697
Lapidus,L.I. and Chzhou Guan-'chzhao [Chou Kuang-chao]. The $\overline{K} + N \rightarrow \Lambda(\Sigma) + \gamma$ process, 3=607
Lapidus,L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. On scattering of γ-quanta by nucleons, 3=2240
Lapidus,M.E. See Tolstoi,N.A., 3=20510
Lapin,A.D. Reflection of normal modes at the closed end of a waveguide, 3=14266
Lapin,A.D. Note on the scattering of a plane wave on a periodically uneven surface, 3=16711
Lapin, A.D. Note on the reflection of normal waves from the closed end of a waveguide, 3=19449
Lapin,Yu.V. The turbulent boundary layer in a dissociating gas, 3=3819
Lapir,G.M. See Berkovich,S.Ya., 3=24140
Laponsky,A.B. Electron ejection from tantalum by singly ionized helium, 3=21862
Laporte,M. and Godart,J.. Comparison of the starting levels in a microwave switching tube operating with cold electrodes or with a hot cathode, 3=7490
Lapostolle,P. See Barbier,M., 3=5778
Lapostolle,P. See Fer,F., 3=24399
Lapp,M. and Rich,J.A. Electrical conductivities of seeded flame plasmas in strong electric fields, 3=19241
Lappe,F. Some physical properties of sputtered PbO_2 films, 3=2919
Laptei,D.A. and Cherkashin,V.S. Effect of ultrasonic vibration and alternating magnetic fields on the domain structure of silicon steel, 3=11069
Laptei,D.A. See Vlasov,A.Ya., 3=11053
Laputina,I.P. See Narbutt,K.I., 3=23558
Lapworth,K.C. See Pusey,P.S., 3=21752
Laquer,H.L. An electrical flux pump for powering superconducting magnet coils, 3=14463
Larach,S. See Goldsmith,G.J., 3=25496
Lardner,R.W. Complex Yukawa potentials, 3=4339
Lardner,R.W. Scattering in two dimensions, 3=19563
Lardner,R.W. See Ching-Kung Woo, 3=17170
Larenz,R.W. Nyquist formula, Debye length and microfield in a plasma, 3=7525
Large,L.N. The effect of absorbed gases on proton induced electron emission from titanium, 3=4183
Large,L.N. Secondary electron emission from a clean tungsten surface bombarded by various positive ions, 3=24346
Large,R.S. See O'Connor,L.P., 3=22110
Larikov,L.N.,Zasimchuk,E.É. and Shkirov,V.S. Effect of small carbon additions on the kinetics of recovery and recrystallization of α-iron, 3=23484
Larikov,L.N. and Zasȳmchuk,O.E. Effect of molybdenum and tantalum admixtures on the rate of grain growth in nickel, 3=20904
Larikov,L.N. See Dubovits'ka,N.V., 3=20794
Larionova,V.G. See Adamovich,M.I., 3=4428
Larkin, A.I. Solution of the Bethe–Salpeter equation for the Fermi–Yang model [of a nucleon and an antinucleon], 3=17260
Larkin,A.I. and Migdal,A.B. Theory of a superconducting Fermi fluid. Application to the nucleus, 3=23795
Larkin,A.I. See Baz,A.I., 3=2320
Larkin,A.I. See Baz',A.I., 3=7912
Larkin,A.I. See Vaks,V.G., 3=1897
Larkin,A.I. See Vaks,V.G., 3=4330
Larkin,A.I. See Vaks,V.G., 3=5383
Larkin, D.M. and Gordy, W. Stark effect and dipole moment of methyl fluoride, 3=17601
Larkin,F.S. and Thrush,B.A. Heterogeneous recombination of free atoms, 3=8224
Larkins,J. See Ballinger,E.R., 3=21151
Larrabee,J.C. See Huffman,R.E., 3=7462
Larrabee,J.C. See Huffman,R.E., 3=14220
Larrabee,J.C. See Huffman,R.E., 3=16782
Larrabee,J.C. See Huffman,R.E., 3=23934
Larrabee,J.C. See Huffman,R.E., 3=25056
Larrabee,J.C. See Huffman,R.E., 3=25101
Larrabee,J.C. See Tanaka,Y., 3=7246
Larrabee,R.D. Conditions existing at the onset of oscillator action, 3=10758
Larroque,P. and Baylac,P. Electron diffraction in the study of superficial contraction of a crystalline lattice, 3=16057

Larroque,P. See Le Lann,A., 3=16026
Larsen,C. See Lassen,N.O., 3=12700
Larsen,N.T. Low-level low-frequency detection system, 3=3980
Larsen,N.T. See Case,W.E., 3=24172
Larsen,R. See Bacastow,R., 3=17307
Larsen,S.H.H. Interferometric measurements of the 5200/02 A [NI]-doublet in the aurora, 3=9105
Larsen,S.Y. Quantum-mechanical calculation of the third virial coefficient of He^4, 3=14206
Larsen,S.Y. See Blatt,J.M., 3=25109
Larsen,W.L. See McMasters,O.D., 3=8896
Larson,A.C. and Cromer,D.T. The crystal structure of $CE_{24}Co_{11}$, 3=8844
Larson,A.C. See Boyd,R.G., 3=8194
Larson,D. See Gardner,J.H., 3=24492
Larson,D.A. See Walsh,P.J., 3=21749
Larson,E.G.,Arnott,R.J. and Wickham,D.G. Preparation, semiconduction and low-temperature magnetization of the system $Ni_{1-x}Mn_{2+x}O_4$, 3=13078
Larson,F.R. See Nunes,J., 3=6789
Larson,J.D. See Spear,R.H., 3=10390
Larsson,K.E. and Singwi,K.S. Cold neutron scattering and diffusive motions in hydrogen bonded liquids, 3=5428
Larsson,T. and Neuhaus,H. On the band spectrum of TlH, 3=8270
Lary,E.C. See Meyerand,R.G.,Jr., 3=4120
Lary,E.C. See Olson,R.A., 3=5677
Larÿkov,L.N. See Hertsriken,S.D., 3=20885
Lasek,A. and Collins,R. On the functioning of a plasma "gun", 3=9808
Lasher,D.R. and Redhead,D.L. High-current operation of RCA type 2059 photomultiplier tubes, 3=9840
Lasher,G. See Nathan,M.I., 3=7735
Lasher,G.J. and Nethercot,A.H.,Jr. Theory of optical frequency mixing in bulk photoconductors, 3=20397
Lashko,A.S. See Romanova,A.V., 3=21308
Lashko,N.F. A ternary phase of the alpha-manganese structural type in alloys of the Fe–Ni–Cr–Ti stystem, 3=3314
Laskar,A. See Tucker,R., 3=10687
Laskar,A. See Tucker,R., 3=22817
Laskar,A.L. On the determination of activation energy of diffusion through dislocations, 3=2827
Laskar,A.L. See Ghosh,S.K., 3=25238
Laski,W.R. amd Tice,W.K. Determination of the surface population of copper oxide whiskers by electron microscopy techniques, 3=13581
Lasko,W.R, Tice,W.K., and Thayer,M.M. Oxide whisker formations on copper, 3=18280
Lass,H. Accelerating frame of reference and the clock paradox, 3=9334
Lassen,N.O. α-induced fission of neon 20, 3=2507
Lassen,N.O. and Larsen,C. The reaction $Ca^{40}(\alpha, p)Sc^{43}$ with α-particles of maximum energy 20 MeV, 3=12700
Lassen,N.O. and Olsen,J.S. The reaction $Ne^{20}(\alpha,C^{12})C^{12}$, 3=24975
Lassen,N.O. and Sørensen,G. Search for α-induced fission of silicon 28, 3=2508
Lassettre,E.N. and Peek,J.M. One-electron potential function for H_2, 3=17575
Lassettre,E.N. See Peek,J.M., 3=17573
Lassettre,E.N. See Peek,J.M., 3=17574
Lassila,K.E. Interference of K-capture, gamma transitions through a virtual state, and inner Bremsstrahlung transitions, 3=19816
Lassila,K.E. See Breit,G., 3=584
Lassila,K.E. See Hull,M.H., Jr, 3=585
Laster,S.J. See Gilbert,F., 3=1416
Lastovka,J.B. and Carome,E.F. Experimental study of dispersion in ultrasonic waveguides, 3=18925
Lastovka,J.B. See Carome,E.F., 3=14263
Latham,J. Electrification produced by the asymmetric rubbing of ice on ice, 3=19158
Latham,J. The electrification of frost deposits, 3=21040
Latham,J. See Mason,B.J., 3=6957
Latham,R. See Folkierski,A., 3=12170
Latière,H.J. and Michaud,R. Discontinuous displacement of the boundaries of large crystals by prolonged annealing, 3=6809
Latmiral,G.,Franceschetti,G. and Vinciguerra,R. Analysis and synthesis of nonuniform transmission lines or stratified layers, 3=19451
Latner,N.,Graveson,R.T. and Cassidy,M.E. A variable coincidence unit HASL type TL-9, 3=24199
Latorre,V.,Young,F.C. and Armstrong,J.C. A simple charged-particle detector for magnetic analyzers, 3=19508
Latorre,V.R. See Barker,B.A., 3=21154
Latour,P.L. Visual threshold during eye movements, 3=1571
Lats'ko,E.M. See Zykov,V.G., 3=14724
Latter,R. and LeLevier,R.E. Detection of ionization effects from nuclear explosions in space, 3=13727
Latter,R. See Karzas,W.J., 3=7717
Lattes,C.M.G.,Orsini,C.Q.,Pacca,I.G.,Da Cruz,M.T.,Okuno,E., Fujimoto,Y. and Yokoi,K. Observation on extremely-high energy nuclear events with emulsion chambers exposed on Mt.Chacaltaya. I, 3=15058
Latynina, L.A. Differences in the course of displacements at near points on the earth's surface, 3=3441
Latÿsh,V.G. The equilibrium shape of atomic nuclei, 3=6138
Latÿsheva,V.M. See Ksendzov,Ya.M., 3=20337
Lau,E. An attempt to establish a new theory of light and colour perception, 3=16461
Lau,E. Phase object studies with the double microscope, 3=21525
Lau,E. See Rosenhauer,K., 3=14319
Laud,B.B. On the relation between dissociation energy and molecular constants, 3=12871
Laudise, R.A. Growing oxide crystals, 3=18247
Laudy,J.H.A. and de Wolff,P.M. X-ray investigation of the $\gamma-\beta$ transformation of MnO_2, 3=23376
Lauer,E.J. See Gibson,G., 3=7567
Lauer,E.J. See Gibson,G., 3=7568
Lauer,E.J. See Gibson,G., 3=12199
Lauer,K.F. and Verdingh,V. Preparation by electro-spraying of thin uranium, plutonium and boron samples for neutron cross-section measurements in 4π geometry, 3=11321
Läuger,P. See Thürkauf,M., 3=23529
Laughlin,C.D. See O'Brien,B.J., 3=1472
Laughlin,C.D. See O'Brien,B.J., 3=5224
Laughlin,C.D. See Rosser,W.G.V., 3=9115
Laughlin,R.D. Needle temperature measurement by infrared pyrometry, 3=14403
Laugier,J. See Paulevé,J., 3=8900
Launay,L.,Touitou,J. and Grenet,G. Electrical conductivity of the outer mantle, 3=23573
Launois,D. See Biquard,P., 3=10592
Laurencin,R. Absorption experiments in an ammonia cell near 23·86 Gc/s, 3=3837
Laurenson,L. See Holland,L., 3=14229
Laurenti,F. Relationships between Huyghens principle and geometrical optics, 3=16496
Laurie,V.W. and Herschbach,D.R. Influence of vibrations on molecular structure determinations. II. Average structures derived from spectroscopic data, 3=2597
Laurie,V.W. and Pence,D.T. Microwave spectrum of F_2CO: excited vibrational states and Coriolos coupling, 3=12836
Laurie, V.W. and Pence, D.T. Microwave spectra and structures of difluoroethylenes, 3=17595
Laurie,V.W.,Pence,D.T. and Jackson,R.H. Microwave spectrum, structure, and dipole moment of carbonyl fluoride, 3=6410
Laurie,V.W. See Herschbach,D.R., 3=2596
Laurie,V.W. See Muenter,J.S., 3=25132
Lauriente,M. See Bagrowski,J., 3=20602
Laurikainen,K.V.,Lyytikäinen,S. and Perko,A. Two-nucleon interaction at low energies and the nucleon core, 3=4383
Laustriat,G.,Klein,J. and Coche,A. Effect of γ-radiation on the characteristics of liquid scintillators, 3=9470
Laustriat,G. See Pfeffer,G., 3=18979
Lauter,E.A. See Sprenger,K., 3=6979
Lauterbur,P.C. C^{13} nuclear magnetic resonance spectroscopy. II Iodobenzene and methyliodobenzenes, 3=10543
Lauterbur,P.C. C^{13} nuclear magnetic resonance spectroscopy. IV Aniline, N,N-dimenthylaniline, and their methyl derivatives: steric inhibition of conjugation, 3=10544
Lauterbur,P.C. C^{13} nuclear magnetic resonance spectroscopy. V. Nitrobenzene and methylnitrobenzenes: steric inhibition of conjugation, 3=10545
Lauterjung,K.H., Pokar,J., Schimmer,B. and Stäudner,R. Boundary-layer counter for position and energy determination, 3=14828
Lauterjung,K.H. See Gruhle,W., 3=12619
Lauterjung,K.H. See Ostertag,H., 3=353
Lautman,D. See Colombo,G., 3=11743

Lautz,G. and Pilkuhn,M. Fluctuations in the formation of impulse ionization avalanches in Ge single crystals between 5° and 10°K, 3=853

Lauvstad,V. and Tjötta,S. Nonlinear interaction of two soundbeams, 3=18932

Lavakare,P.J. and Sudarshan,E.C.G. The study of spurious scattering in nuclear emulsions and the effect of higher order differences in scattering measurements, 3=14843

Lavakare,P.J. See Appa Rao,M.V.K., 3=2335

Lavakare,P.J. See Appa Rao,M.V.K., 3=24808

Laval,J. Elasticity of the crystalline medium and of metallic crystals of cubic symmetry, 3=13322

Laval,J. On Grüneisen's constant in relation to the cubic crystals formed by metals, 3=15446

Laval,J. Thermal stress in metallic crystals of cubic symmetry and the thermal expansion of these crystals, 3=20112

Lavallard,P. See Benoit à la Guillaume,C., 3=10825

Laverriere,R. and Philbert,G. Particle production in π^-—p reactions at 5 GeV. II. Discussion of results, 3=12487

Laves,F. See Brown,W.L., 3=16019

Laves,M.M. See Scott,H., 3=11228

Lavik,M.T. See Shaw,G., 3=18423

LaVilla,R. and Mendlowitz,H. Optical constants of aluminium in vacuum ultraviolet, 3=914

Lavin,M.L. See Haviland,J.K., 3=1730

Lavine,J.M. and Iannini,A.A. Experiments on the metal-interface amplifier, 3=888

Lavine,J.M. See Schaufele,R.F., 3=25458

Lavine,M.C. See Kafalas,J.A., 3=3253

Lavrenchuk, V.N., Samoilov, L.N., Chulkov, P.M. and Gorbunov, V.F. Concentration of Be^7 in the Atmosphere above the Atlantic Ocean, 3=1454

Lavrenikov,V.D. and Rychev,A.S. A sound indicator for estimating the intensity of radioactive radiation, 3=2169

Lavrenko,V.A. and Frantzevich,I.N. The elementary stages in the process of recombination of hydrogen atoms on the surface of aluminium, heat of atomic absorption, 3=25780

Lavrenko,V.A. See Franshevitch,I.N., 3=20987

Lavrent'yev,F.F. and Startsev,V.I. Structure of the accommodation region in zinc and bismuth single crystals, 3=8801

Lavrentyev,O.O. Electrostatic plasma confinement. I, 3=19272

Lavrentyev,O.O. The reflection of a plasma by a magnetic field layer. II, 3=19273

Lavrentyev,O.O.,Ovcharenko,L.I.,Safronov,B.H.,Sȳdorkin,V.O. and Nemashkalo,B.O. Energy and density of ions in an electromagnetic trap. IV, 3=19274

Lavrov,V.A. See Neporent,B.S., 3=1703

Lavrov,V.P. See Abroyan,I.A., 3=16978

Lavrov,V.V. See Ugai,Ya.A., 3=15597

Lavrov,V.V. See Ugaĭ,Ya.A., 3=22956

Lavrukhina,A.K. and Kolesov,G.M. New neutron deficient isotopes of the rare earth elements of the cerium group, 3=15153

Lavrukhina,A.K.,Moskaleva,L.P.,Malȳshev,V.V. and Satarova,L.M. Production of light nuclei by bombarding heavy elements with 660 MeV protons, 3=8150

Lavrukhina,A.K.,Revina,L.D.,Malȳshev,V.V. and Satarova,L.M. Spallation of Fe nuclei induced by 150 MeV protons, 3=24940

Law,J. The ionisation of the atmosphere near the ground in fair weather, 3=11390

Law,M.E. See Burke,D.G., 3=8042

Law,M.E. See Chrétien,M., 3=24787

Lawden,D.F. An introduction to tensor calculus and relativity, 3=31

Lawergren,B.T. and Ophel,T.R. The 2·21 MeV level of Al^{27}, 3=4567

Lawergren.B.T. See Ophel,T.R., 3=24892

Lawley,A. and Gaigher,H. Dislocation arrangements in deformed single crystal molybdenum, 3=22772

Lawley,A. and Gaigher,H.L. Dislocations at isolated grains in a single-crystal matrix of molybdenum, 3=6529

Lawley,A. and Gaigher,H.L. Dislocation uncertainty in relation to observations on b.c.c. molybdenum, 3=20174

Lawley,A. and Schuster,S. Preparation and tensile testing of thin metal foils of rolled material, 3=5073

Lawley,A. and Schuster,S. Tensile and work-hardening behavior of copper foils prepared from rolled material, 3=23353

Lawley,A.,Van den Sype,J. and Maddin,R. Tensile properties of zone-refined molybdenum in the temperature range 4·2°-373°K, 3=1236

Lawley,K.P. and Smith,E.B. Contribution of off-centre dipoles to the second virial coefficients of polar gases, 3=14204

Lawrence,A.G. See Meadows,B.J., 3=6869

Lawrence,J.D.,Jr,Alexander,J.K.,Jr and Martin,J.D. On the distribution of ionospheric irregularities producing scintillation of signals from earth satellites, 3=23617

Lawrence,L.G. and Hay,H.J. Excitation functions and angular distributions of α particles from proton bombardment of ^{26}Mg, 3=17467

Lawrence,L.G. See Hay,H.J., 3=4478

Lawrence,M. Middle-ear mechanics and surgery for deafness, 3=3666

Lawrence,P.E. See Jacobs,I.S., 3=1003

Lawrence,R.S.,Posakony,D.J.,Garriott,O.K. and Hall,S.C. The total electron content of the ionosphere at middle lattudes near the peak of the solar cycle, 3=18526

Lawrence,T.R. Lasers, 3=14799

Lawrence,T.R., Anderson,C.H. and Ramsey,N.F. Rotational magnetic moments of lithium hydride and deuteride, 3=15337

Lawrence,T.R. See Edwards,D.H., 3=198

Lawrence,T.R. See Morokuma,Y., 3=9608

Lawrie,J.A. The spatial distribution of rapid geomagnetic fluctuations, 3=1487

Lawrie,J.A. The spatial distribution of rapid geomagnetic fluctuations. II, 3=13837

Lawrie,J.A. and Price,A.T. Motion of current systems in the ionosphere, 3=13836

Lawson,A.W. Weil,R., 3=8794

Lawson,E.M. See Lewis,G.M., 3=7889

Lawson,G.J. See Ebben,G.J., 3=18426

Lawson,J.D. Studies for a 70 inch versatile cyclotron, 3=5746

Lawson,R.D. and Zeidman, B. Seniority mixing in lf$_{7/2}$ nuclei, 3=626

Lax,B.,Mavroides,J.G. and Kolodziejczak,J. Dispersion theory interband and plasma effects, 3=10744

Lax,B. See Brown,R.N., 3=8581

Lax,B. See Kołodziejczak,J., 3=4963

Lax,B. See McWhorter,A.L., 3=12351

Lax,B. See Mavroides,J.G., 3=8402

Lax,B. See Quist,T.M., 3=9971

Lax,M. Formal theory of quantum fluctuations from a driven state, 3=9360

Lax,M. Influence of time reversal on selection rules connecting different points in the brillouin zone, 3=10745

Layer,H. and Slifkin,L. Studies of point defects in silver chloride, 3=12966

Layman,R.W. See Halbach,K., 3=4157

Layson,W.M. Interpretation of pion—nucleon scattering results in the resonance region, 3=7908

Layton,J.K. See Mahadevan,P., 3=4185

Layton,J.K. See Mahadevan,P., 3=22511

Layton,J.K. See Medved,D.B., 3=9842

Layton,R.G. and Harris,F.S., Jr. Nucleation of ice on mica, 3=16037

Layton,R.G. See Harris,F.S., Jr., 3=16038

Layzell,M.J. See Staveley,L.A.K., 3=12927

Layzer,A.J. Properties of the one-particle Green's function for nonuniform many-fermion systems, 3=5385

Layzer,A.J. Single-particle excitations in a dense electron gas containing a positive point charge, 2=5386

Layzer,D. On the fragmentation of self-gravitating gas clouds, 3=11498

Layzer,D. A preface to cosmogony. I. The energy equation and the virial theorem for cosmic distributions, 3=25967

Lazar,N.H. See Bell,P.R., 3=12203

Lazare,L. Reaction kinetics of a long chain molecule, 3=25817

Lazarev,A.N. and Tenisheva,T.F. Vibrational spectra of mixed crystals in the Li_2SiO_3—Li_2GeO_3 system, 3=10579

Lazarev,B.G.,Lazareva,L.S. and Makarov,V.I. Some singularities of the behaviour of the superconducting transition temperature of thallium under pressure, 3=21668

Lazarev,B.G, Lazareva,L.S, Ovcharenko, O.N. and Matsakova,A.A. The effect of hydrostatic compression on the superconducting transition temperature of Nb_3Sn, 3=16874

Lazarev, B.G., Lazareva, L.S., Sudovtsov, A.I. and Aliev, Yu.F. The jump in the thermal expansion coefficient of Nb_3Sn at the superconducting transition, 3=16875 transition, 3=16875

Lazarev,B.G. See Borovik,E.S., 3=182

Lazarev,B.G. See Esel'son,B.N., 3=3936
Lazarev,B.G. See Gindin,I.A., 3=3224
Lazarev,B.G. See Kogan,V.S., 3=21612
Lazarev,G.B. See Ozerov,R.P., 3=1319
Lazarev,V.B. and Pershikov,A.V. Experimental determination of the surface tension of molten neodymium, 3=5425
Lazarev,V.G.,Lazareva,L.S. and Makarov,V.I. On the difference between the effects of impurity and plastic deformation on the temperature of the superconducting transition of a metal, 3=19125
Lazarev,Yu.A. Line broadening in rotational and rotation-vibrational Raman spectra of gases, 3=7247
Lazareva,L.E. and Tulupov,B.A. Method for investigating optical anisotropy and shape of the surface of atomic nuclei, 3=15087
Lazareva,L.E. See Burgov,N.A., 3=8077
Lazareva,L.S. See Lazarev,B.G., 3=16874
Lazareva,L.S. See Lazarev,B.G., 3=16875
Lazareva,L.S. See Lazarev,V.G., 3=19125
Lazareva,L.V. and Filippova,T.F. Some characteristics of carbon and silica replicas made from polished surfaces, 3=3375
Lazareva,L.V. and Spivak,G.V. Electron-microscopic observation of magnetic microfields by means of replicas, 3=2075
Lazareva,L.V. See Spivak,G.V., 3=2034
Lazareva,M.B. See Gindin,I.A., 3=3224
Lazarević,D. See Vidoz,A.E., 3=23352
Lazarević,D.P. See Vidoz,A.E., 3=8775
Lazarevskii,V.S.,Stankevich,K.S. and Troitskii,V.S. Precise absolute measurements of the flux density of the Crab and Orion nebulae at 3.2 cm, 3=11607
Lazarova,L.S. See Lazarev,B.G., 3=21668
Lazarovici,C. See Grigorescu,L., 3=7822
Lazarre,F. See Durivault,J., 3=11352
Lazarus,A.J. See Bonetti,A., 3=25993
Lazarus,D. Diffusion studies of vacancies and impurities, 3=8456
Lazarus,D. High pressure studies of point defects, 3=22716
Lazarus,D. See Bass,J., 3=20234
Lazeeva,G.S., See Zaidel',A.N., 3=10988
Laziev,E.U. See Alikhanyan,A.I., 3=17242
Láznička,M. and Roubínek,F. Remark on the problem of chemoemission from copper, 3=2012
Lazukin,V.N. See Kravtsov,N.V., 3=25559
Lhov,A.A. See Zisin,Yu.A., 3=12714
Le Dang Khoi and Buyle-Bodin,M. Nuclear magnetic resonance of Fe^{57} in local fields of rare-earth iron garnets, 3=23260
Le Dang Khoi. See Buyle-Bodin,M., 3=3196
Lea,K.R.,Leask,M.J.M.and Wolf,W.P. The raising of angular momentum degeneracy of f-electron terms by cubic crystal fields, 3=2749
Lea.K.R. See Smith,E.B., 3=23925
Lea,R.M. See Bertanza,L., 3=12507
Lea,R.M. See Ferbel,T., 3=4395
Leader,E. Diffraction peaks and high energy cross sections, 3=19584
Leader.E. See Amati.D., 3=12453
Leak,G.M. See Barrand,P., 3=13333
Leak,G.M. See Barrand,P., 3=23300
Leal,M. See Coulson,C.A., 3=22753
Leang,C.-F. Determination of the energies of intense groups of α particles emitted by plutonium 238, 239, 240 nuclei and by americium 241, 3=15161
Learn,A.J. and Spriggs,R.S. Vapor sources for vacuum deposition of superconductive thin-film circuitry, 3=9525
Learn,A.J. and Spriggs,R.S. Behaviour of film conductance during vacuum deposition, 3=25327
Leask,M.J.M.,Orbach,R.,Powell,M.J.D. and Wolf,W.P. Crystalline-field splittings in cerous magnesium nitrate, 3=8333
Leask,M.J.M. and Wolf,W.P. Structural information from magnetic measurements on lanthanum cobalt nitrate, 3=8867
Leask,M.J.M. See Ball,M., 3=15436
Leask,M.J.M. See Garton,G., 3=15803
Leask,M.J.M. See Lea,K.R., 3=2749
Leask,M.J.M. See Wolf,W.P., 3=1052
Leask,M.J.M. See Wolf,W.P., 3=1057
Leaver,K.D. Dependence of the anisotropy axis dispersion on thickness of thin nickel—iron—cobalt films, 3=8675
Leaver,K.D. and Prutton,M. The effect of applied field inhomogeneity on the reversal behaviour of thin magnetic fields, 3=23171
Leavy,J.F. See Cutler,M., 3=10628
Le Bargy,R.C. and Barrow,R.F. An infra-red band system of PbTe, 3=22543
Le Bargy,R.C. See Barrow,R.F., 3=10511
Lebeau,A. and Bitoun,J. On the daily magnetic activity in high latitude regions and a property of the solar wind, 3=7003
Lebed',B.M. and Yakovlev,Yu.M. Investigation of the temperature and frequency dependences of the resonance curve width in polycrystalline ferrites, 3=6743
Lebed',B.M. and Yakovlev,Yu.M. A method for measuring the frequency and temperature dependence of ferromagnetic resonance parameters, 3=24502
Lebed'B.M. See Yakovlev,Yu.M., 3=23210
Lebed',G.G. See Gavrilenko,L.M., 3=3979
Lebedev,A.A. See Efremov,A.I., 3=9189
Lebedev,A.G. See Zhukovskii, V.M., 3=25371
Lebedev,A.I. See Baldin,A.M., 3=7890
Lebedev,A.I. See Baldin,A.M., 3=2298
Lebedev,A.I. See Gerasimov,S.B., 3=15204
Lebedev,A.I. See Govorkov,B.B., 3=24763
Lebedev,A.M. See Güseva,V.U., 3=6100
Lebedev,A.M. See Guseva,V.V., 3=19618
Lebedev,A.N. Phase stability in amplifiers with arbitrary high-frequency field configurations, 3=2060
Lebedev,A.N. See Kolomenskii,A.A., 3=7681
Lebedev,A.N. See Kolomenskii,A.A., 3=14697
Lebedev,A.N. See Kolomenskii,A.A., 3=21943
Lebedev,N. See Abdumalikov,A., 3=22345
Lebedev,N.A. See Božek,E., 3=24905
Lebedev,N.N. and Skal'skaya,I.P. Force acting on a conducting sphere in the field of a parallel-plate capacitor, 3=1924
Lebedev,N.N. and Skal'skaya,I.P. A new method for solving the problems of a diffraction of electromagnetic waves by a wedge with finite conductivity, 3=14771
Lebedev,O.V. and Timofeev,V.V. A universal counting unit, 3=1915
Lebedev,P.N. See Georgobiani,A.N., 3=11006
Lebedev,R.M. See Belonogov,A.V., 3=17127
Lebedev,S.V. See Il'in,V.E., 3=9746
Lebedev,V.I. See Apalin,V.F., 3=2509
Lebedev,V.I. See Apalin,V.F., 3=8151
Lebedev,V.I. See Apalin,V.F., 3=10401
Lebedev,V.I. See Apalin,V.F., 3=17502
Lebedev,V.I. See Danilov,G.S., 3=24737
Lebedev,V.V. See Ivanov,V.E., 3=12930
Lebedeva,F.V. See Shamina,O.G., 3=3433
Lebedeva,I.V. Reverberation chamber techniques in the measurement of acoustic absorption coefficient, 3=14279
Lebedinskii, A.I. and Salova, G.I. The amount of water in a free state on Mars, 3=3549
Le Bellac,M. Hyperfine structure of μ-mesic atoms, 3=10208
Lébl,M. See Bohun,A., 3=813
Lébl,M. See Bohun,A., 3=4985
Lébl,M. See Bohun,A., 3=18008
LeBlanc,F.J. Electronic states of Hopfield's oxygen emission bands, 3=8267
Le Blanc,J.M. See Ashby,V.J., 3=8112
Le Bot,J. Dielectric studies of samples of hydrated alumina, 3=4938
Le Bourgeois,A. See Fortini,A., 3=9691
Lebovitz,N.R. See Chandrasekhar,S., 3=1592
Lebovitz,N.R. See Chandrasekhar,S., 3=1593
Lebovitz,N.R. See Chandrasekhar,S., 3=3591
Lebovitz,N.R. See Chandrasekhar,S., 3=3592
Lebovitz,N.R. See Chandrasekhar,S., 3=3593
Lebovitz,N.R. See Chandrasekhar,S., 3=16681
Lebovitz,N.R. See Chandrasekhar,S., 3=16682
Lebovitz,N.R. See Chandrasekhar,S., 3=16683
Lebovitz,N.R. See Chandrasekhar,S., 3=25968
Lebowitz,J.L. and Percus,J.K. Statistical thermodynamics of nonuniform fluids, 3=7135
Lebowitz,J.L. and Percus,J.K. Asymptotic behavior of the radial distribution function, 3=11722
Lebowitz,J.L. and Rubin,E. Dynamical study of Brownian motion, 3=23772
Lebowitz,J.L. and Shimony,A. Statistical mechanics of open systems, 3=1625
Lebowitz,J.L. See Bak,T.A., 3=6422
Lebowitz,J.L. See Bak,T.A., 3=20027
Lebowitz,J.M. See Engelke,C.E., 3=4399

Lebrun,A.,Fontaine,J. and Risbourg,A. Anomalous microwave and dipolar spectra of silica gels and zeolites, 3=22984
Lecegard,J. See Bariaud,A., 3=9800
Leciejewicz,J. and Padlo,I. Note on the oxygen parameter in tetragonal PbO$_2$, 3=1329
Le Claire,A.D. The analysis of grain boundary diffusion measurements, 3=15504
Leclipteur,J. Preparation of a scintillation mixture for the determination of the tritium activity of benzene (tritiated) synthesized from water, 3=4292
Lecoin,M.,Robert,J. and Picq,M. Microcalorimetric measurements of γ-radiation, 3=10078
Lecomte,J. See Vincent-Geisse,J., 3=10905
Lecomte,M. Study of the crystalline anisotropy of artificial graphite by neutron diffraction, 3=5101
Lecoustey,P. See Bariaud,A., 3=9800
Le Couteur,K.J. See Kumar,K., 3=15074
LeCraw,R.C. and Kasuya,T. Long-wavelength collective excitations in ferromagnetic insulators. I. Strong coupling of acoustic modes to spin wave modes, 3=11043
LeCraw,R.C. and Kasuya,T. Magnetoelastic coupling constants of terbium and europium iron garnets, 3=15886
LeCraw,R.C. and Spencer,E.G. Intrinsic relaxation of the uniform precession in ferromagnetic resonance of yttrium iron garnet, 3=1163
LeCraw, R.C. See Comstock, R.L., 3=18096
LeCraw,R.C. See Comstock,R.L., 3=23958
Leder,L.B. See Klein,R., 3=14622
Leder,L.B. See Klein,R., 3=14623
Lederer,M. See Bjørnholm,S., 3=15129
Lederer,S. On identities deduced from an action-integral and their application to the Euclidean theory of gravitation, 3=9329
Lederer,S. See Tonnelat,M.A., 3=9330
Lederman,L.M. See Danby,G., 3=14952
Lee,A.R. See Gilbody,H.B., 3=19185
Lee,A.R. See Gilbody,H.B., 3=21698
Lee,B.E. and Snyder,D.D. Reflecting prism for an optical bench screen, 3=243
Lee,B.W. and Swift,A.R. On the mathematical structure of the multiperipheral equation, 3=12415
Lee,B.W. See Brown,L., 3=24636
Lee,B.W. See Swift,A.R., 3=22086
Lee,C.H. Nuclear potential in quantum field theory, 3=15069
Lee,D. Modified Bayard—Alpert gauge with X-ray suppression, 3=21458
Lee,D.F. See Kinloch,C.D., 3=13339
Lee,D.M. See Weinstock, H., 3=315
Lee,E.L. and Gutmacher,R.G. The absorption spectrum of manganese atoms in solid argon at 4^0 K, 3=23074
Lee, E.W. A note on the magnetostriction of holmium, 3=18118
Lee,E.W. and Ackers,J.K. A note on the demagnetizing energy of a uniformly magnetized cube, 3=9899
Lee,E.W. See Bishop,J.E.L., 3=831
Lee,H.S. See Ferraro,A.J., 3=16269
Lee,H.W. See Brown,B.S., 3=16741
Lee,J. and Brodkey,R.S. On Broszko's relations for turbulent flow, 3=116
Lee,J.A.,Mendelssohn,K. and Wigley,D.A. Accumulation of self-damage in plutonium, 3=22856
Lee,J.B. See Odencrantz,F.K., 3=9096
Lee,J.P. See Ashburn,E.V., 3=23650
Lee,K.S.H. See Papas,C.H., 3=7702
Lee Kun Pal. See Kun Pal Lee, 3=9506
Lee,L.L., Jr and Schiffer,J.P. A test of the statistical nature of fluctuations in nuclear cross-sections, 3=22370
Lee,L.L.,Jr.,Schiffer,J.P. and Gemmell,D.S. Measurement of spins of some states in Ca^{41}, 3=19777
Lee,L.L.,Jr. See Reay,N.W., 3=17464
Lee,P.M. and Pincherle,L. The electronic band structure of bismuth telluride, 3=10627
Lee,R.W. Diffusion of hydrogen in natural and synthetic fused quartz, 3=8452
Lee,T.D. Application of ξ-limiting process to intermediate bosons, 3=553
Lee,T.D. Lepton physics, 3=4359
Lee,T.D. and Yang,C.N. Theory of charged vector mesons interacting with the electromagnetic field, 3=552
Lee,T.D. See Danby,G., 3=14952
Lee,T.D. See Gürsey,F., 3=14882
Lee,T.H.,Kurtz,D.R. and Veras,D.J. Problems in detecting leaks with long time constants in long-life vacuum devices with sealed glass envelopes, 3=21453
Lee,T.-M. Method of determining dynamic properties of viscoelastic solids employing forced vibration, 3=13371
Lee,T.M. Vibration of sphere for determining the dilatational constants of viscoelastic materials, 3=21476
Lee,W. See Chinowsky,W., 3=4457
Lee,W. See Goldhaber,G., 3=24791
Lee,Y.K.,Mo,L.W. and Wu,C.S. Experimental test of the conserved vector current theory on the beta spectra of B^{12} and N^{12}, 3=15137
Lee,Y.K.,Mo,L.W. and Wu,C.S. Observation of the internal conversion line from the 6·052 MeV level in O^{16}. 3=15140
Lee-Whiting,G.E. Focusing of charged particles in a cylindrically symmetric magnetic field, proportional to r^{-1}, 3=9865
Leebeek,H.J. See Walraven,P.L., 3=16456
Leech,J.W. and Newman,D.J. (Transl.). Elements of tensor calculus, 3=5318
Leenhouts,H.P.,Endt,P.M. The spins of the second, third and fourth excited states in Ca^{40}, 3=19776
Lees,J.K. See Hoy,G.R., 3=22718
Lees,L. and Liu,C.-Y. Kinetic-theory description of conductive heat transfer from a fine wire, 3=1848
Leese,J.A. The role of advection in the formation of vortex cloud patterns, 3=6959
Leet,L.D. The detection of underground explosions, 3=1418
Le Febre, V. See Gabrysh, A.F., 3=3072
Lefebvre,R. See Kottis,P., 3=25135
Lefebvre,S. See Lambert,M., 3=22870
Lefebvre-Brion,H., Moser,C., Nesbet,R.K. and Yamazaki,M. Electric-field gradient at the oxygen nucleus in CO and the dipole moment of CO, 3=19977
Lefebvre-Brion,H. See Bessis,N., 3=12760
Lefever,R.A. Twinned cubes of nickel, 3=5078
Lefever,R.A. Flame fusion growth of C-type rare-earth oxides, 3=8805
Lefevre,H.W. Demonstration of the zeros of a Fourier transform. 3=9320
Lefevre,H.W., Borchers,R.R. and Poppe,C.H. Neutrons from deuteron breakup on D, T, and He^4, 3=2327
Lefevre,H.W., Borchers,R.R. and Poppe,C.H. Fast neutron time-of-flight spectrometer, 3=4413
Lefkowitz,I. Comments on the neutron spectrum of ferroelectric and paraelectric BaTiO$_3$, 3=898
Lefkowitz,I. Radiation and acoustic excitation of anomalous layers on perovskite ferroelectrics, 3=22993
Lefkowitz,I. and Megaw,H.D. A device for taking x-ray photographs of single crystals at high temperatures, 3=18287
Le Floch,G. Study of the phenomena of dielectric absorption by a thermal method, 3=14468
Lefort,M. and Tarrago,X. α-particles produced by bombarding Bi by protons of 240-600 MeV, 3=22385
Lefort,M. See Gauvin,H., 3=6251
Lefort, M. See Gauvin, H., 3=17381
Lefrançois,J.,Hoffman,R.A.,Thorndike,E.H. and Wilson,R. Quasifree proton—neutron and proton—proton scattering at 140 MeV, 3=22126
Lefrançois,J. See Hoffman,R.A., 3=22127
Legar,F. See Kazarinov,Yu.M., 3=22081
Le Gardeur,R. See Consoli,T., 3=4042
Le Gardeur,R. See Consoli,T., 3=21795
le Gardeur,R. See Consoli,T., 3=14589
le Gardeur,R. See Consoli,T., 3=14590
Le Gardeur,R. See Consoli,T., 3=21794
Legatowicz,A. A method of solution of non-stationary motions of a plasma in an electromagnetic field, 3=12135
Legatowicz,A. Heating of plasma in a circularly polarized electromagnetic wave, 3=21786
Legay,F. and Barchewitz,P. Infrared emission of carbon dioxide and nitrous oxide initiated by active nitrogen, 3=25108
Legay,F. See Alamichel,C., 3=14345
Legendre,R. See Roy,M., 3=14102
Legentil,M. and Delcroix,J.L. Ion source with several holes, 3=7648
Leger,C. and Tamers,M.A. The counting of naturally -occurring radiocarbon in the form of benzene in a liquid scintillation counter, 3=12615
Legg,C.R.E. See Nixon,W.C., 3=19330
Legg,J.C. (p,d) and (p,t) reactions on B^{11}, C^{14}, O^{16} and O^{18}, 3=4636

Legget,R.D. See Bierlein,T.K., 3=22457
Legler,I. See Bothe,H.K., 3=3225
Legler,R. See Schmillen,A., 3=18042
Legler, W. Modified Wien filter as electron monochromator, 3=4195
Legler,W. Excitation of U.V. radiation in nitrogen and hydrogen by an electron swarm, 3=10515
Legouix, J.P. Changes in the cochlear microphonic of the guinea pig produced by mechanical factors in the inner ear, 3=3685
Legoupil,J. Two theorems for the study of regression and correlation of a random variable in terms of functions of such a variable, 3=5326
Legrand,A.P.,Auvray,J. and Uebersfeld,J. Study of the transient regimes of dynamic polarization in liquids, 3=21406
LeGrand,D.G. and Erhardt,P.F. Rhe-optical properties of polymers. III. Dynamic polarized light scattering, 3-10914
Legrand,E. See Plumier,R., 3=3138
Legrand,J.P. See Lepechinsky,D., 3=5873
Legros,M. See Amaldi,U.,Jr, 3=24717
Legvold,S., Alstad,J. and Rhyne,J. Giant magnetostriction in dysprosium and holmium single crystals, 3=20550
Legvold, S. See Hegland, D.E., 3=18113
Lehane,J.A. See Brennan,M.H., 3=24306
Lehar,F. See Legar,F.
le Héricy,J. Metallographic study of the polygonization of copper of different purities, 3=20897
Lehman,G.W. See Wolfram,T., 3=8346
Lehman,G.W. and De Wames,R.E. Comments on observing virtual localized modes using the Mössbauer effect, 3=4806
Lehman,G.W. and DeWames,R.E. Dynamical motion and gamma-ray cross section of an impurity nucleus in a crystal. I. Isolated impurities in germanium and aluminum, 3=20063
Lehman,G.W.,Wolfram,T. and De Wames,R.E. Axially symmetric model for lattice dynamics of metals with application to Cu, Al, and ZrH_2, 3=2711
Lehman,G.W. See Cape,J.A., 3=16819
Lehman,G.W. See DeWames,R.E., 3=20082
Lehman,G.W. See DeWames,R.E., 3=20083
Lehmann,C. and Leibfried,G. Higher order momentum approximations in classical collision theory, 3=11677
Lehmann,C. and Leibfried,G. Long-range channeling effects in irradiated crystals, 3=22874
Lehmann,G. See Berger,H., 3=8924
Lehmann,I. Recent studies of body waves in the mantle of the earth, 3=16191
Lehmann,J. See Azam,M.N., 3=5154
Lehmann,P. See Dudelzak,B., 3=2243
Lehmann,P. See Dudelzak,B., 3=12455
Lehmann,P. See Dudelzak,B., 3=14980
Lehmann,P. See Grossetete,B., 3=5985
Lehmann,P. See Grossetête,B., 3=14959
Lehmann,P. See Grossetête,B., 3=19612
Lehmann,R. The influence of the method of presentation of stimuli on the masking of speech by a white noise, 3=9296
Lehmann,R. and Pecastaings,J. Effect of acoustic coupling on the electrical impedance of receivers, 3=3653
Lehmann,R. See Görlich,P., 3=6541
Lehmann,R. See Görlich,P., 3=20470
Lehmpfuhl,G. and Molière,K. Study on the absorption of electron wave fields in ideal crystals by interference double refraction experiments, 3=1284
Lehner,F.E. Brief description of ranger lunar seismograph, 3=5241
Lehner,F.E.,Witt,E.O.,Miller,W. and Gurney,R.D. A seismograph for lunar experiments, 3=9168
Lehnert,B. Stability of an inhomogeneous plasma in a magnetic field, 3=12120
Lehnert,B. See Bergström,J., 3=9798
Lehnert,B. See Bergström,J., 3=12172
Lehovec,K. and Slobodskoy,A. Sub-eutectic solubilities of impurities in germanium and silicon, 3=20315
Lehovec,K.,Slobodskoy,A. and Sprague,J.L. Field effect-capacitance analysis of surface states on silicon, 3=10801
Lehr,C.G.,Lotus,J.W.,Silberman,I. and Gunther,R.C. Electron trajectories in a magnetron, 3=430
Lehrer,S.S. Rotatable anisotropy in negative magnetostriction Ni–Fe films, 3=15843
Lehrer-Ilamed,Y. See Goldberg,H., 3=14874
Lehti,R. See Kustaanheimo,P., 3=21221
Lehti,R. See Kustaanheimo,P., 3=23739
Lehtinen,A. See Salokangas,J., 3=23473
Leibfried,G. Higher order averages of primary recoil distributions, 3=4893
Leibfried,G. See Dederichs,P.H., 3=2844
Leibfried,G. See Koehler,J.S., 3=22755
Leibfried,G. See Lehmann,C., 3=11677
Leibfried,G. See Lehmann,C., 3=22874
Leibler,K. and Brański,W. Two-phase ferroelectric systems. II. Ferroelectrics—silver, 3=13109
Leibler,K. and Konopka,J. On the microwave behaviour of dielectric constants of dielectric—metal mixtures, 3=10868
Leibler,K. and Konopka,J. Properties of heterogeneous dielectric-metal mixtures in the microwave region, 3=22986
Leibovici,I. and Grecescu,M. On the principle of ionometric methods in X- and γ-ray metrology, 3=21279
Leibovici,I. See Burea,V., 3=17009
Leibovitz,M. See Halperin,A., 3=3917
Leibowitz,M.A. Moments of the neutron time-energy distribution and the use of random functionals, 3=12468
Leibowitz,M.A. Statistical behavior of linear systems with randomly varying parameters, 3=16492
Leicknam,J.P. See Ceccaldi,M., 3=18999
Leider,M. See Nathans,M.W., 3=5554
Leidheiser,H.,Jr. Coefficients for the diffusion of lead, tin and copper into single crystals of gold in boiling 2M HCl, 3=4888
Leifer,A. See LuValle,J.E., 3=11950
Leighton,R.B. See Neher,H.V., 3=9383
Leikin,E.M. See Zapevalov,V.A., 3=19156
Leikis,D.I. See Kascheev,V.D., 3=13611
Leimdörfer,M. See Fräki,R., 3=24539
Leinbach,H. See Basler,R.P., 3=16267
Leinbach,H. See Ortner,J., 3=9135
Leinbach,H. See Reid,G.C., 3=5877
Leipold,H. The application of the tandem principle to the construction of copy lenses, 3=11958
Leisi,H.J. and Deck,R.T. Angular correlation perturbed by an anisotropic hyperfine interaction, 3=10245
Leistner,M. Flow counter operating in the discharge region with technical purity argon, 3=5898
Leistner,M. and Diettrich,M. Absolute determination of the activity of $C^{14}O_2$ in a gas counter with subdivided counter wire, 3=24535
Leite,R.C.C. See Archer,R.J., 3=20543
Leite,R.C.C. See Bond,W.L., 3=10852
Leite,R.C.C. See Yariv,A., 3=10851
Leith,D.W.G.S. See Lewis,G.M., 3=7889
Leitmann,G. On some optimum rocket trajectories, 3=3778
Leitner,J., Moneti,G. and Samios,N.P. Performance of the A.G.S. separated beam with high-energy kaons, 3=17000
Leitner,J. See Bertanza,L., 3=7935
Leitner,J. See Connolly,P.L., 3=17330
Leitner,J. See Gray,L., 3=15042
Leitz,C. See Diehl,J., 3=23340
Lejeune,G. Limitations of solar stills of green-house type and possible improvement of its output by separation of operations, 3=5555
Lejeune,J. See Garron,R., 3=9835
Leksin,G.A. See Bayukov,Yu.D., 3=4440
Leksin,G.A. See Bayukov,Yu.D., 3=4443
Leksin,G.A. See Bayukov,Yu.D., 3=7911
Leksin,G.A. See Bayukov,Yu.D., 3=24541
Leksin,G.A. See Bayukov,Yu.D., 3=24563
Leksina,I.E. and Novikova,S.I. Investigation of thermal expansion of copper, silver and gold in a wide range of temperatures, 3=17663
Leksina,I.E. and Penkina,N.V. Optical properties of dilute palladium–silver solid solutions, 3=2991
Leksina,I.E. and Penkina,N.V. Optical properties of dilute solid solutions of rhodium—platinum, 3=13153
Leksina,I.E. See Gurov,K.P., 3=15467
Le Lann,A., Garigue,J. and Larroque,P. Observation of twinning in zinc induced by plastic deformation, 3=16026
Lelek,V. and Úlehla,I. Single-nucleon model of nucleus. II., 3=19744
Lelekov,V.S. See Zheludev,I.S., 3=23008
LeLevier,R.E. See Latter,R., 3=13727
Leloup,C. See Waelbroeck,F., 3=12207
Lelyakov,A.V. See Moskalenko,S.A., 3=20142
Lemaire,B. See Courtois,L., 3=20612

Lemaire,J.,Bernard,J.L.,Cibois,E. and Weisz,M. The effects of irradiation on the mechanical properties of zircaloy-2, 3=11170
Lemaire,J.,Cibois,E. and Weisz,M. A study of neutron-irradiation induced embrittlement of weldable manganese—molybdenum steels, 3=11182
Lemaire,N.A. See Flynn,G.P., 3=7223
Lemaire,R. See James,W., 3=8682
Leman,G. Study of covalent structures of the cubic diamond type using a simplified strong-coupling method, 3=10618
Leman,G. and Friedel,J. On the description of covalent bonds in diamond lattice structures by a simplified tight-binding approximation, 3=22622
Lemanov,V.V. and Smirnov,I.A. Thermal conductivity of NaCl single crystals containing Ca impurities, 3=20120
Lemanov,V.V. See Devyatkova,E.D., 3=10584
Lemanov,V.V. See Kornfel'd,M.I., 3=2791
Lemanov, V.V. See Kornfel'd, M.I., 3=17713
Lemay,C.Z. Constitutional supercooling and facet formation of GaAs, 3=12980
Lemberg,I.K. See Afonin,O.F., 3=15098
Lemberg, I.Kh. See Afonin, O.F., 3=17409
Lemberg,I.Kh. See Andreev,D.S., 3=10237
Lemberg,I.Kh. See Erokhina,K.I., 3=10260
Lemberg,I.Kh. See Gangrskii,Yu.P., 3=6160
Lemberg,I.Kh. See Gangrskii,Yu.P., 3=10261
Lembra,Yu.Ya. Methods for extracting a beam from synchrocyclotron, 3=21917
Le Mee,J. See Martin,A.V.J., 3=10865
Lemeille,C.,Marquez,L. and Saunier,N. Possibility of the existence of a nuclear molecule with structure $Li^6 + Li^6$, 3=22431
Lemeille,C. See Garin,A., 3=8137
Lemke,H. See Eckart,F., 3=18275
Lemlich,R. See Crawford,L., 3=11978
Lemmens,M.L. Continuous emission spectra and series limits of caesium and mercury, 3=25050
Lemmer,H.R. See Friedland,E., 3=19796
Lemmer,R.H. Classical description of deuteron stripping in a Coulomb field, 3=6287
Lemmer,R.H. Effects of particle—hole excitations in nuclear scattering, 3=22360
Lemogne,A. and Lacombe,P. Plastic deformation and fracture of uranium single crystals by tension at −196° C, 3=15989
Lemonne,J. See Danysz,M., 3=22276
Lemonne,J. See Davis,D.H., 3=6147
Lemonne,J. See Fletcher,E.R., 3=10232
Lemonne,J. See Lagnaux,J.P., 3=17489
Lemonnier,P.É. See Ducasse,M., 3=7224
Lemons,J.F. See Jackson,J.A., 3=9481
Le Montagner,S. See Goulpeau,L., 3=2956
Le Montagner,S. See Le Traon,A., 3=10877
Lempicki,A. and Samelson,H. Optical maser action in europium benzoylacetonate, 3=17084
Lempicki,A. and Samelson,H. Stimulated processes in organic compounds, 3=23886
Lempicki,A. See Samelson,H., 3=20513
Lenander,C.J. Parametrized Slater modified Hartree—Fock method applied to actinide ions, 3=12767
Lenander, C.J. and Wong E.Y. Crystal-field shielding in $PrCl_3$, 3=17629
Lenard,A. Exact statistical mechanics of a one-dimensional system with Coulomb forces. III. Statistics of the electric field, 3=11713
Lenchek,A.M. and Singer,S.F. Effects of the finite gyroradii of geomagnetically trapped protons, 3=16292
Lenchenko,V.M. Coulomb collisions of fast electrons in a polarizing medium, 3=24371
Lend'el, V.I., Lomsadze, Yu.M. and Ernst, B.M. A more exact determination of parameters of the effective radius theory by using the Mandelstam dispersion relations, 3=2265
Lendinara,L. See Block,M.M., 3=12508
Lendinara,L. See Block,M.M., 3=12570
Lendinara,L. See Gray,L., 3=15042
Lendvay,E. Theory of fluorescein-activated $Al_2O_3 \times H_2O$ layer phosphors, 3=3036
Lendvay,E., Schanda,J., Richter,K., Kovács,P. and Somogyi,M. Luminescent properties of ZnS phosphors prepared at room temperature, 3=4989
Lendvay,E.,Schanda,J.,Richter,K.,Kovacs,P. and Somogyi,M. On the luminescent properties of ZnS phosphors prepared at room temperature, 3=10997
Lendyel,V.I. and Ernst,B.M. Use of analytical properties of proton—proton scattering amplitude for the determination of the nucleon—meson coupling constant, 3=19625
Lendyel,V.I. and Mathews,J. Some remarks about a second Pomeranchuk trajectory, 3=19576
Leng,M. and Benoft,H. A study of the interactions at long distance in macromolecular chains, 3=4793
Leng,M., Strazielle,C. and Benoit,H. Study of a characteristic behaviour of a sequence copolymer observed by scattering of light, 3=18443
Leng,M. See Gallot,Y., 3=11791
Leng Zhung-ang. See Zhao Yu-zhi, 3=25549
Lengeler,B. and Ludwig,W. Localized vibration states of point defects in simple cubic lattices, 3=2784
Lengeler,H.,Deutschmann,M. and Tejessy,W. Measurements of electron cascades in copper and lead at energies up to 400 MeV, 3=22369
Lengeler,H.,Tejessy,W. and Deutschmann,M. Measurement of electron showers in lead or copper with a bubble cham chamber, 3=22242
Lengyel,B.A. See Wagner,W.G., 3=17082
Lengyel,L.L. The magnetic torque exerted on a finite cylindrical conductor slab by a "rotating" magnetic field, 3=7679
Lenk,H. The gradient of the positive column in a mercury vapour discharge in the middle pressure range, 3=19210
Lenk,R. Spin densities in three-electron binding systems, 3=12791
Lenk,R. Changes in e.p.r. spectrum of free radical species in γ-irradiated polyformaldehyde, 3=12858
Lenk,R. Spin densities in $CH_2-(CH)_3 = CH_2$ radical, 3=15393
Lenk,R. The variation with radiation dose of e.p.r. spectra of free radical species in polymethylmethacrylate, 3=25563
Lenk,R. See Heinrich,D., 3=12959
Lenker,E.S. See Van Hook,H.J., 3=16120
Lennon,J.J. See Mulcahy,M.J., 3=4064
Lennuier,R. See Cassignol,C., 3=22484
Lenoble,J. See Blouin,F., 3=11941
Lenoir,M. See Costa de Beauregard,O., 3=36
Lent,E.M. See Ankenbrandt,C.M., 3=19507
Lenz,F. Zone plate for correction of spherical aberrations [Öffnungsfehler] and for contrast enhancement, 3=9863
Lenz,F. and Krimmel,E. Images of local surface charges in the electron mirror microscope, 3=24368
Lenz,F. See Möllenstedt, G., 3=439
Lenz, K. The scattered spectrum of the atmosphere, 3=1448
Lenz,K. Specific qualities of monochromators, 3=14352
Lenz, K. See Foitzik, L., 3=1447
Lenzo,P.V. See Spencer,E.G., 3=25547
Leonard,A. See Ferziger,J.H., 3=6013
Leonard,A. See Ferziger,J.H., 3=15258
Léonard,A. See Piret-Meunier,J., 3=16086
Leonard,J. See Walker,P.M.B., 3=9595
Leonas,V.B. Detection of neutral molecular beams, 3=4789
Leonidova,G.G. and Polandov,I.N. Transition of barium titanate to the paraelectric state at high pressures, 3=22994
Leonidova, G.G, Polandov, I.N. and Golentovskaya, I.P. Effect of hydrostatic pressure on the phase-transition temperature of triglycine sulphate, 3=17938
Leonov,A.I. See Ioffe,V.A., 3=6617
Leont'ev,A.K. A simple method for determining the temperature of a heat-transfer surface, 3=19034
Leont'ev,A.K. On the steady distribution of temperature in a flat wall heated by electric current, 3=21596
Leont'ev,N.I. See Demirkhanov,R.A., 3=5670
Leont'ev,N.I. See Demirkhanov,R.A., 3=14579
Leont'ev,N.I. See Demirkhanov,R.A., 3=14585
Leontic,B. See Barbier,M., 3=17002
Leontic,B. See Dowell,J.D., 3=17110
Leontic,B. See Meunier,R., 3=2163
Leontic,B. See Meunier,R., 3=2164
Leontovich,A.M. See Galanin,M.D., 3=7739
Leontovich,A.M. See Galanin,M.D., 3=19487
Leont'yev,A.I. See Romanenko,P.N., 3=14100
Lepard,D.W., Sweeney,D.M.C. and Welsh,H.L. The Raman spectrum of ethane-d_6, 3=4765
Lepechinski,D. See Consoli,T., 3=4145

Lepechinsky,D.,Cartron,S.,Freon,A. and Legrand,J.P. Ionospheric blackouts observed at Terre Adelie in 1957 and 1958, 3=5873
Lepekhin,F.G. and Makarov,M.M. Search for angular correlations in stars with fragments produced by 9 GeV protons, 3=22388
Lepekhin,F.G. See Berkovich,I.B., 3=24848
Le Petit,J.P. Measurement of the dielectric anisotropy of blocks of paper with oriented fibres at 3000 Mc/s, 3=22990
Lepie,M.P. See Belforti,D.A., 3=16598
Le Pipec,C. and Lafoucrière,J. Use of correlation functions in the study of neutron capture in crystals, 3=20068
Le Pipec, C., Michaudon, A. and Ribon, P. Measurement of the Doppler effect in resonant interaction of slow neutrons with a crystal structure at low temperature, 3=4801
Le Pipec,C. See Michaudon,A., 3=6259
Lepnev,G.P. See Baranov,A.I., 3=25773
Lepore,J.V. and Ridell,R.J.,Jr. Essential singularity of a partial-wave amplitude, 3=22077
LePrince-Ringuet,F. See Galtier,F., 3=7590
Lequeux,J. Interferometric observations of the radio-galaxy M 82 at 1420 Mc/s, and a comparison with similar objects, 3=3627
Lequeux,J. High resolution interferometric measurements of the diameter and structure of the principal radio sources at 1420 Mc/s, 3=11600
Leray,T. See Crozon,M., 3=24960
Lerche,M. See Gobrecht,H., 3=20304
Lerfald,G.M. See Little,C.G., 3=5881
Lerner,E.,Moscati,G.,Silva,E. and Goldemberg,J. Measurement of the circular polarization of high-energy collimated γ-ray beam, 3=5976
Lerner,J. See Fields,P.R., 3=19825
Lerner,L.S. Inexpensive, highly linear Hall magnetometer, 3=5806
Lerner,L.S. Shubnikov–de Haas effect in bismuth. II, 3=15586
Lerner,S. See Robbins,M., 3=18222
Leroux-Hugon, P. Study of InAs–$CdSnAs_2$ alloys, 3=2915
Leroux-Hugon,P. Properties of some ternary semiconductor compounds, 3=8518
Leroux-Hugon,P. Thermal conductivity of the compounds $CdSnAs_2$, $CdGeAs_2$, $ZnSnAs_2$, and $ZnGeAs_2$, 3=20118
Leroux-Hugon,P. and Weill,G. Measurement of thermal diffusivity at acoustic frequencies, 3=11976
Leroy,C.C.,Parkes,D.J and Sirovich,E.M. Some acoustical characteristics of underwater explosions of hydrogen–oxygen mixtures, 3=9552
Leroy,J.L., Barkan,S., Dumazert,M. and Jousseaume,C. Diffusion cloud-chamber to measure the polarization of fast neutrons, 3=19654
Leroy,Y. See Liebaert,R., 3=21395
Lertes,K. See Hahn,D., 3=3047
Leś,F. and Leś,Z. Metallic-dielectric mirrors with high reflectivity in the near ultra-violet for the Fabry–Perot interferometer, 3=3889
Leś,F. and Leś,Z. Isotope shift in the ultraviolet lines of Zn II, 3=19949
Les,F. See Gable,L., 3=11315
Leś,F. See Leś,Z., 3=9576
Leś,Z. See Leś,F., 3=3889
Leś,Z. See Leś,F., 3=19949
Lesbats,P. Study of the evolution of the polygonization substructure of aluminium, 3=10670
Lesensky,L. and Neurath,P.W. NbZr superconducting critical current dependence on dI/dt, 3=12034
Leslie,D.C. The calculation of removal cross sections between overlapping thermal groups, 3=2530
Leslie,D.H. See Hake,R.R., 3=9686
Leslie,R.T. See Thwaite,E.G., 3=9390
Leslie,R.T. See Thwaite,E.G., 3=25770
Leslie,W.C. and Keh,A.S. An electron transmission study of the strain ageing of iron, 3=3232
Le Squeren,A.-M. Study of solar radio storms at 169 Mc/s by means of the cross–interferometer at Nancay, 3=18650
Lessing,H. See Kaiser,W., 3=19485
Lessing,I.J. See Meyer,M.A., 3=24543
Lessing,N.v.d.W. Thin lens aberrations of four-lens anamorphotic telescopes, 3=7309
Lessing,N.v.d.W. Consideration on thin lens design of anamorphotic telescopes, 3=21529
Lester,G.R. Theory of mass spectra, 3=19375
Lestrade,J.C. and Epelboin,I. Study at 9500 Mc/s of the gyromagnetic resonance of γ-Fe_2O_3, 3=23201
Leś,Z.,Leś,F and Gabla,L. Semitransparent metallic–dielectric mirrors with low absorption coefficient in the ultra-violet region of the spectrum (3200-2400 A), 3=9576
Lestz,S.S. A method for measuring the sound wavelength in gases, 3=5502
Lestz,S.S. Acoustic isotherms for nitrogen, argon, and krypton, 3=16659
Leteurtre,J. A dislocation reaction in α-uranium, 3=2794
Le Traon,A.,Le Traon,F. and Le Montagner,S. On the existence o dipoles of low activation energy in the ferroeleectric structure of $BaTiO_3$, 3=10877
Le Traon,A. See Le Traon,F., 3=894
Le Traon,F.,LeTraon,A. and Le Montagner,S. Dielectric absorption in the rhombohedric phase of barium titanate, 3=894
Le Traon,F. See Le Traon,A., 3=10877
Leushin,A.M. Acoustic paramagnetic resonance in crystals with ions in the S-state, 3=2725
Leushin,A.M. Theory of paramagnetic spin–lattice relaxation in crystals with ions in the S-state. Raman scattering of phonons, 3=25562
Leushin,A.M. See Al'tshuler,S.A., 3=20097
Leuta,T.M. See Vovk,V.N., 3=25849
Leutwyler,H. Generally covariant Dirac equation and associated boson fields, 3=5930
Lev,D. See Barakat,R., 3=5512
Levanone,I. See Chavet,I., 3=926
Levashev,A.E. and Ivanitskaya,O.S. Generalized tetrad formulation of general relativity theory, 3=21226
Levashev,A.E. and Vorontsov,V.I. The orientability of the physical tetrad in relativistic electrodynamics, 3=21227
Levchenko,A.A. See Palatnik,L.S., 3=12969
Levchenko,M.A. See Semenova,O.P., 3=12096
Levchenko,M.A. See Semenova,O.P., 3=24269
Levenberg,I.,Pokrovsky,V. and Yutlandov,I. Simple nuclear reactions on Ca^{48} induced by high energy protons, 3=10351
Levenberg,I., Pokrovskiĭ,V. and Yutlandov,I. Simple nuclear reactions on Ca^{48} induced by high energy protons, 3=15201
Levenberg,I.Yu. See Dalkhsuren,B., 3=8048
Levengood,W.C. Systematics of defect structures in glasses with ionic substitutions, 3=22768
Levenson,G.I.P. The development of a silver halide grain, 3=11954
Levenson,M. See Hummel,H.H., 3=22458
Leventhal, M. See Bray, P.J., 3=18148
Levesque,D. See Verlet,L., 3=5417
Levèque,A. See Barloutaud,R., 3=7888
Levéque,A. See Barloutaud,R., 3=7904
Levi,E. and Sandler,M. Hydromagnetic flow, 3=24458
Levi,F.A. Some experimental results on transmission electron microscope observation of dislocation and precipitation in Si and Ge, 3=22784
Levi,H., Rogers,A.W., Bentzon,M.W. and Nielsen,A. On the quantitative evaluation of autoradiograms, 3=17158
Levi,L. Photographic emulsions as computer storage media — especially with c.r.t. readout, 3=11962
Levi,M. See Poivilliers,J., 3=4300
Levi,P. See Englman,R., 3=8345
Levialdi,A. and Schoijet,M. On rejuvenation of a $Ba_{0.72}Sr_{0.28}TiO$ ceramic, 3=8561
Levialdi,A. and Spinolo,G. Cu-doping in thermal treatment of some alkali halide single crystals, 3=6667
Levich,V.G. and Golovin,A.M. Theory of heavy rain, 3=11388
Levich,V.G. and Grafov,B.M. Alternating current in a binary electrolyte, 3=13610
Levich,V.G. and Grafov,B.M. Effect of the irreversibility of a reaction on the Faraday impedance in a binary electrolyte, 3=16174
Levich,V.G. and Grafov,B.M. The rectification effect of an ideally-polarizable electrode, 3=16179
Levich,V.G. and Kuznetsov,A.M. Movement of drops in liquids, caused by surface-active substances, 3=5426
Levikov,S.I. and Shishatskaya,L.P. . New deuterium discharge tubes, 3=24232
Levin,A.A. On the classification and splitting of levels in the external field, 3=15276
Levin,B. Fragmentation of meteor bodies, 3=5251
Levin,B.A.,Marchenko,E.V. and Timoshuk,D.V. The effect of neutron inelastic scattering on the slowing down length in water, 3=2275

Levin,B.J. Comparative analysis of the internal constitution and development of planets, 3=16336
Levin,B.Yu. The structure of icy cometary nuclei, 3=5250
Levin,B.Yu. Fragmentation of meteoric bodies, 3=16364
Levin,E. See Barakat,R., 3=5511
Levin,F.K. and Ingram,J.D. Head waves from a bed of finite thickness, 3=6945
Levin,G.L.,Markov,A.A.,Plakhov,A.G.,Smolkin,G.E.,Sofiev,C.N., Stepanov,G.N. and Shapkin,V.V. A generator for the linear andframe sweep in electron-optical light amplifiers, 3=24361
Levin,G.V. and Carriker,A.W. Life on Mars 3=21102
Levin,M.L. and Rabinovich,M.S. Strong focusing technique for stabilization of linear and toroidal discharges, 3=24295
Levin,M.L. See Askar'yan,G.A., 3=12174
Levin,V.V. See Broder,D.L., 3=17515
Levina,D.A. See Dekhtyar,I.Ya., 3=3097
Levina,D.A. See Dekhtyar,I.Ya., 3=6699
Levina,D.A. See Dekhtyar,I.Ya., 3=8668
Levina,S.S.,Novogrudskii,V.N. and Fakidov,I.G. Galvanomagnetic properties of the ferromagnetic compound Mn_5Ge_2, 3=13028
Levina,S.S., Novogrudskii,V.N. and Fakidov,I.G. Magnetic properties of the intermetallic compound Mn_5Ge_2, 3=15775
Levine,D. Unresolved fine structure of the nitric oxide γ 0—0 band for the determination of temperature, 3=10516
Levine,E.P. See Wachtman,J.B.,Jr, 3=25614
Levine, I.N. Structure of formaldoxime, 3=17598
Levine,M.A. and Hegarty,J.C. Shadowgraph of self-luminous objects, 3=9579
Levine,M.A. and Rubin,A.G. Very low pressure gas breakdown using secondary electrons, 3=4090
Levine,M.A. See Rubin,A.G., 3=2066
Levine,P.H.,Tollestrup,A.V. and Webb,F.H.,Jr. Electrical conduction in rapidly exploded wires, 3=8488
Levinger,B.W. See Conwell E.M., 3=10741
Levinger,J.S. An analysis of electron–proton scattering, 3=2244
Levinger,J.S. Analysis of electron—He^3 scattering, 3=24695
Levinger,J.S. See Kirson,M.W., 3=14957
Levinson,C.A., Lipkin,H.J. and Meshkov,S. Unitary symmetry and nucleon–antinucleon annihilation, 3=582
Levinson,C.A. See Banerjee,M.K., 3=12552
Levinson,C.A. See Banerjee,M.K., 3=12553
Levinson,C.A. See Flamm,E., 3=4553
Levinson,C.A. See Meshkov,S., 3=14927
Levinson,L.S. Heat content of uranium dicarbide from 1484° to 2581°K, 3=15438
Levinstein,H.J. and Robinson,W.H. Etch pits at dislocations in silver single crystals, 3=806
Levintov,I.I. Polarization and charge exchange interaction in the high energy π—p scattering, 3=6054
Levintov,I.I.,Okorokov,V.V.,Smotryaev,V.A.,Tolchenkov,D.L. and Trostin,I.S. Gross structure of the neutron energy spectrum and polarization in (d,n) reactions on intermediate mass nuclei, 3=24963
Levintov,I.I. and Pavlovskii,F.A. An attempt to detect the polarization of recoil nuclei in stripping reactions, 3=24964
Levintov,I.I. and Trostin,I.S. Neutron polarization in the reaction $C^{12}(d,n)N^{13}$, 3=4666
Levintov,I.I. See Kanavatz,V.P., 3=14983
Levi Setti,R. and Skjeggestad,O. Properties of a stack of thick nuclear emulsions processed without glass backing, 3=14842
Levi Setti, R. See Abraham, F., 3=17379
Levi-Setti,R. See Ammar,R.G., 3=10229
Levi Setti,R. See Davis,D.H., 3=6147
Levi-Setti,R. See Davis,D.H., 3=10230
Levitas,F.I. See Dneprovskaya,I.A., 3=16232
Levitin,R.Z. and Nikitin,S.A. The magneto-elastic and elastic properties of dysprosium, 3=6711
Levitin,R.Z. See Belov,K.P., 3=5017
Levitin,R.Z. See Belov,K.P., 3=11091
Levitin,R.Z. See Evtushenko,L.A. 3=6774
Levitin,R.Z. See Goryaga,A.N., 3=5061
Levitskii,C.M. See Morgulis,N.D., 3=24207
Levitskii,S.M. and Gvozdetskii,V.S. Effect of constant electrical field upon the formation of a superhigh frequency pulse discharge in gas, 3=19215
Levitsskii,L.S. See Deoryashin,A.S., 3=3579
Levitt,B.P. Thermal emission from nitgoren dioxide, 3=726
Levitt,B.P. Energy distribution amongst reacting molecules: dissociation of electronically excited nitrogen dioxide, 3=12872
Levitt,L.S. The viscosity of liquids from the half-time of rise in a fine vertical capillary, 3=1662
Levitt,R.S. See Weiser,K., 3=19493
Levkin,A.P. See Shevchenko,V.G., 3=24923
Levkovtseva,L.V. See Mikho,V.V., 3=1395
Levshin,V.L. Energy migration in solutions and the association theory of luminescence quenching, 3=9466
Levshin,V.L. Opening address [to Tenth All-Union Conference of Luminescence], 3=10978
Levshin,V.L. Excitation energy storage and transfer in crystal phosphors, 3=15699
Levshin,V.L. The significance of luminescence research in light of the decisions of the twenty-second Communist Party Congress, 3=15701
Levshin,V.L. The development of S.I.Vavilov's ideas in the field of luminescence, 3=16481
Levshin,V.L. and Krotova,L.V. The asociative nature of the concentration quenching of the luminescence of Na-fluorescein in aqueous and glycerin solutions, 3=14173
Levshin,V.L. and Rÿzhikov,B.D. Effect of the size of natural and crushed crystals on the luminescence of zinc sulphide phosphors, 3=954
Levshin, V.L, Terenin, A.N. and Frank, I.M. The development of S.I. Vavilov's work in physics, 3=16479
Levshin,V.L., Voronov,Yu.V., Gutan,V.B., Fridman,S.A., and Shaenko,V.V. Investigation of the effect of double activation by silver and samarium on trapping levels in and the luminescence of zinc sulphide phosphors, 3=3057
Levy,B.R. and Keller,J.B. Low-energy expansion of scattering phase shifts for long-range potentials, 3=7793
Levy.H.A. See Burns,J.H., 3=12844
Levy,H.A. See Danford,M.D., 3=9444
Levy,H.A. See Smith,H.G., 3=8857
Levy,H.B. See Hicks,H.G., 3=688
Levy,H.H. and Agron,P.A. The crystal and molecular structure of xenon difluoride by neutron diffraction, 3=16074
Levy,M. High-energy behavior of scattering amplitudes in quantum electrodynamics, 3=12390
Levy,M. Ultrasonic attenuation in superconductors for $ql < 1$, 3=21654
Levy,M., Rudnick,I. and Stern,R. Simple modification of attenuation equipment to measure velocity, 3=3858
Levy,M. See Stern,R., 3=12040
Levy,P.W. Radiation effects in glass and other materials, 3=6549
Levy,P.W. Direct measurement of the vacancies produced in sodium chloride by fast reactor neutrons, 3=8427
Levy,R.H. Exact solutions to a class of linearized magnetohydrodynamic flow problems, 3=2103
Levy,R.H. and Petschek,H.E. Magnetohydrodynamically supported hypersonic shock layer, 3=18901
Levy,R.M. and Shirley,D.A. The g-factor of the 2·083 MeV 4^+ state of Ce^{140}, 3=4574
Levy,R.M. and Shirley,D.A. Erratum: the g-factor of the 2·083 MeV 4^+ state of Ce^{140}, 3=15115
Levy,S. Form of analytical expressions for mechanical impedance and mobility, 3=7259
Levy,S. and Folman,M. Surface conductivity of high surface area adsorbent due to the presence of adsorbed molecules, 3=25318
Levy-Leblond,J.-M. Galilei group and nonrelativistic quantum mechanics, 3=16523
Lew,H. See Bauer,R.K., 3=22550
Lewandowski,A. See Poppelbaum,C., 3=8104
Lewandowski,Z. See Huber,P., 3=10131
Lewandowski,Z. See Kolonko,N., 3=10376
Lewartowicz,E. See Bonnemay,M., 3=8969
Lewellen,W.S. Comment on "Flow of an incompressible fluid in an hydromagnetic capacitor", 3=7687
Lewin,G. and Martin,G. Fast ion gauge with modulated emission for the measurement of neutral gas density near a magnetically confined plasma, 3=24297
Lewins,J. The weighting functions of reactor physics, 3=22443
Lewis,B. See Brown,A., 3=3343
Lewis,B. See Delves,R.T., 3=13543
Lewis,C.T. Photometric observations from the southern hemisphere of 5577 A emission from the aurora on October 28, 1961, 3=13802
Lewis,C.T. A search for rapid fluctuations in the airglow, 3=25932

Lewis,C.W. Be^9(Li^7,Li^8)Be^6 reaction in a Coulomb distorted-wave approximation, 3=24980
Lewis,D. and Pearson,H. Parameter changes with cold work in lithium fluoride, 3=8838
Lewis,D. and Pearson,H. X-ray line broadening in the alkali halides, 3=8934
Lewis,E.A. and Rasmussen,J.E. Relative phase and amplitude shift of v.l.f. signals received on two paths almost parallel with the sunrise line, 3=9946
Lewis,F.A. See Barton,J.C., 3=22896
Lewis,F.H.,Jr.,Walecka,J.D.,Goldemberg,J. and Barber,W.C. Electromagnetic structure of the giant dipole resonance, 3=19769
Lewis,G.I. See Brown,A.R.G., 3=11132
Lewis,G.I. See Clark,D., 3=13502
Lewis,G.M.,Leith,D.W.G.S.,Thomas,D.L.,Little,R. and Lawson,E.M The angular distribution of the photoproduction of positive pions from hydrogen by 187 MeV γ-rays, 3=7889
Lewis,G.M. See Joshi,B.R., 3=24547
Lewis,H.R. and Sabisky,E.S. Paramagnetic resonance of divalent holmium in calcium fluoride, 3=13301
Lewis,H.R. See Kiss,Z.J., 3=17088
Lewis,J. and Huang,S. High temperature furnace with a sharp temperature gradient, 3=11988
Lewis,J.C., Redfern,B. and Cowlard,F.C. Vitreous carbon as a crucible material for semiconductors, 3=21181
Lewis,J.T. See Arthurs,A.M., 3=51
Lewis,J.T. See Judge,D., 3=18735
Lewis, M.H. and Martin,J.W. The morphology of some oxide phases in copper examined by transmission electron microscopy, 3=18221
Lewis,N.W. and Hauser,T.V. Microconstrast and blur in imaging systems, 3=11955
Lewis,R.M. Quantum statistics and the Boltzmann equation, 3=5375
Lewis,R.M. and Keller,J.B. Conductivity tensor and dispersion equation for a plasma, 3=1962
Lewis,R.R. Discussion of electron optics limit of optically pumped alkali vapor, 3=12771
Lewis,T.B. See Hunter,J.L., 3=11793
Lewis,T.G. See Dewey,M.A.P., 3=20933
Lewis,T.J. See Heylen,A.E.D., 3=5628
Lewis,T.J. See Ward,B.W., 3=14180
Lewisch,R. See Escoubès,B., 3=19630
Lewowska,L. and Sujak,B. Ultraviolet luminescence of an aluminium oxide layer during its electrolytic formation, 3=8615
Lewowski,T. Luminescence of aluminium electrodes in the process of a.c. electrolytic oxidation, 3=10983
Ley,R.P. See Weiher,R.L., 3=20111
Lhermitte, R.M. Note on wind variability with Doppler radar, 3=1433
Lhote,G. and Théobald,J.G. The harmonic analysis of electron magnetic resonance signals in strong fields, 3=14787
Li,A.C. and Schwarzschild,A. Lifetimes of 4+ and 2+ states in the rotational nuclei Dy^{160}, Dy^{166}, Er^{166}, and Hf^{180}, 3=10267
Li,A.C. See Schmorak,M., 3=12593
Li,C.H. Epitaxial growth of silicon, 3=16046
Li,C.H. See Bonfield,W., 3=20190
Li,C.H. See Speerschneider,C.J., 3=25800
Li,C.Y. See Miller,G.R., 3=13500
Li Don Khva. See Vernov,S.N., 3=6118
Li Ga En. See Govorov,A.M., 3=6091
Li Ho-Nian, See Wang Ao., 3=17255
Li Hsien-Shu, Yü yung-an and Kao Ts'ao-Lang, Molecular analysis for Raman spectra, 3=17553
Li,J.C.M. Stable steady state and the thermokinetic potential, 3=1878
Li,J.C.M. The interaction of parallel edge dislocations with a simple tilt dislocation wall. II. Nonparallel burgers vectors, 3=17726
Li,J.C.M. Petch relation and grain boundary sources, 3=17777
Li,J.C.M. and Chalmers,B. Energy of a wall of extended dislocations, 3=10656
Li Ka Yen. See Govorov,A.M., 3=6091
Li Yin-yoan, Xu Zheng-yi and Liu Da-qian. Theory of parametrically coupled oscillations in ferrite, 3=17047
Lias,S.G. See Ausloos,P.J., 3=16182
Liashenko,V.F. See Koshliakov,V.N. 3=23821
Libby,W.F. Electron transfer among the transition elements; the controlling role of the Franck—Condon principle on rates, 3=8943
Libby,W.F. Theory of metallic diamond, 3=12895
Libby,W.F. See Bömmel,H.E., 3=12031
Libby,W.F. See Darnell,A.J., 3=13517
Libby,W.F. See Kevan,L., 3=6927
Libby,W.F. See Kevan,L., 3=25838
Libchaber,A. and Veilex,R. Helicon wave propagation in indium antimonide at room temperature, 3=10827
Liberman,A. See Green,M., 3=3365
Liberman,M. See Garron,R., 3=6626
Liberov,Yu,P. See Oding,I.A., 3=23347
Libman,G. See Blokhintseva,T.D., 3=6044
Libman,G. See Blokhintseva,T.D., 3=22176
Libman,G. See Blokhintseva,T.D., 3=22177
Libman,G. See Blokhintseva,T.D., 3=24558
Liboff,R.L. Linearized three-component magnetohydrodynamics, 3=9923
Liboff,R.L. Errata: Long wavelength phenomena in a plasma, 3=12139
Liboff,R.L. Relaxation phenomena in plasmas, 3=21757
Liboff,R.L. A note on gravitational instability 3=23742
Liboff,R.L. Kinetic approach to condensation, 3=24115
Libov,N.S. See Baxshiev,N.G., 3=23884
Libov,V.S. See Bakhshiev,N.G., 3=18986
Libov,V.S. See Bakhshiev,N.G., 3=19958
Libov,V.S. See Bakhshiev,N.G., 3=25077
Libovicky,S. See Šesták,B., 3=20176
Lichnerowicz,A. Propagators and commutators in general relativity, 3=3733
Lichnerowicz,A. Elements of tensor calculus, 3=5318
Licht,A.L. See Greenberg,O.W., 3=14846
Licht,W. See Kaparthi,R., 3=7196
Lichten,W. Some new metastable states of molecules, 3=4742
Lichten,W. Resonant charge exchange in atomic collisions, 3=16909
Lichtenberg,D.B. Classification of mesons in a compound model, 3=7871
Lichtenberg,D.B. A possible method to obtain evidence on the spins and parities of excited baryons, 3=19597
Lichtenstein,M. Spatio-temporal factors in cessation of smooth apparent motion, 3=11633
Lichtenstein,M.,Gallagher,J.J. and Cupp,R.E. Millimeter spectrometer using a Fabry—Perot interferometer, 3=21984
Lichter,B.D. Electrical properties of Mg$_2$Sn crystals grown from nonstoichiometric melts, 3=2922
Lichtman,D. and Ready,J.F. Laser beam induced electron emission, 3=19304
Lichtman,S. See Bertanza,L., 3=7935
Lichtman,S. See Connolly,P.L., 3=17330
Lichtman,S.W. and Andersen,E.J. Ionospheric effects of nuclea detonations in the atmosphere, 3=13762
Lide,D.R., Jr. Microwave studies of butadiene derivatives, 3=2641
Lide,D.R., Jr. Microwave spectrum and structure of difluoramine, 3=8274
Lide,D.R., Jr. Microwave spectrum of aluminium monofluoride, 3=19973
Lide,D.R., Jr and Jen,M. Microwave spectrum of tertiary butyl chloride. A comparison of tertiary butyl structures, 3=12849
Lide,D.R., Jr. See Comeford,J.J., 3=8275
Lidén,B. and Auleytner,J. Displacement of the short wave limit of the continuous X-ray spectrum in semiconductors, 3=4919
Lidén,B. See Auleytner,J., 3=8611
Liden,K. See McCall,R., 3=8021
Lider,K.F.and Solov'ev,L.E. Optical and photoelectric propertie of GeS and GeS$_2$, 3=2990
Lider,V.V., Berezhkova,G.V. and Rozhanskii,V.N. Luminescent sodium chloride whisker crystals, 3=20518
Lidiard,A.B. See Boswarva,I.M., 3=10772
Lidiard,A.B. See Foreman,A.J.E., 3=8364
Lidiard,A.B. See Howard,R.E., 3=22803
Lidofsky,L.J. The utilization of multiparameter analysers in nuclear physics, 3=24187
Lidov,M.L. Evolution of the orbits of artificial satellites of planets under the action of gravitational perturbations due to external bodies, 3=3629

Lieb,E. New method in the theory of imperfect gases and liquids, 3=14208
Lieb,E.H. Exact analysis of an interacting Bose gas. II. The excitation spectrum, 3=14065
Lieb,E.H. Simplified approach to the ground-state energy of an imperfect bose gas, 3=16552
Lieb,E.H. and Liniger,W. Exact analysis of an interacting Bose gas. I. The general solution and the ground state, 3=14064
Liebaert,R. and Leroy,Y. Effect of solvent on intermolecular association of normal saturated alcohols, 3=21395
Lieberman,A. and Rosinski,J. Behavior of an aerosol cloud in a plastic chamber, 3=8986
Lieberman,P. Some acoustic measures of the fundamental periodicity of normal and pathologic larynges, 3=11621
Liebermann,L.N. Analysis of rough surfaces by scattering, 3=18374
Liebertz,J. See Recker,K., 3=3003
Liebl,H. See Samson,J.A.R., 3=5525
Liebl,H.J. and Herzog,R.F.K. Sputtering ion source for solids, 3=21894
Liebmann,W.K. and Miller,E.A. Preparation, phase-boundary energies, and thermoelectric properties of InSb—Sb eutectic alloys with ordered microstructures, 3=23401
Liebmann,W.K. See Abrahams, M.S., 3=1223
Lied,F. See Holt,C., 3=5878
Lied,F. See Holt,O., 3=6978
Lied,F. See Landmark,B., 3=6982
Liehr,A.D. Topological aspects of the conformational stability problem. I. Degenerate electronic states, 3=19955
Liehr,A.D. Topological aspects of the conformational stability problem. II. Non-degenerate electronic states, 3=19956
Liehr,A.D. The three electron (or hole) cubic ligand field spectrum, 3=25166
Liemohn,H.B. and Scarf,F.L. Whistler attenuation by electrons with an $E^{-2.5}$ distribution, 3=9050
Liemohn,H.B. and Scarf,F.L. Dispersion function for a plasma with a Cauchy equilibrium distribution, 3=9794
Liemohn,H.B. and Scarf,F.L. First- and second-order perturbations of plasmas with Cauchy equilibrium distributions, 3=12222
Lienard,G. See Coekelbergs,R., 3=23544
Lienesch, J.H. See Wark, D.Q., 3=1411
Lienhard,J.H. A semi-rational nucleate boiling heat flux correlation, 3=14419
Liepmann,H.W., Narasimha,R. and Chahine,M.T. Structure of a plane shock layer, 3=1754
Lietz,G.P. See Behof,A.F., 3=19637
Lietz,G.P. See Kelsey,C.A., 3=6243
Lietzke,A.F. See Rom,F.E., 3=16434
Lifschits,E.M. See Landau,L.D., 3=1642
Lifshit,I.M. Contribution to the theory of diffusion-viscous flow in polycrystalline bodies, 3=25288
Lifshits,I.M. Kinetics of ordering during phase transitions of the second kind, 3=6864
Lifshits,I.M. Structure of the energy spectrum of impurity bands in disordered solid solutions, 3=25242
Lifshits,I.M. and Slezov,V.V. The dynamical equilibrium of a cloud of mist over the surface of a liquid, 3=5556
Lifshits,I.M. and Tanatarov,L.V. Elastic interaction of impurity atoms in a crystal, 3=2704
Lifshits,T.M.,Kogan,Sh.M.,Výstavkin,A.N. and Mel'nik,P.G. Some phenomena induced in n-type indium antimonide by radiofrequency radiation, 3=6634
Lifshitz,A.,Bauer,S.H. and Resler,E.L.,Jr. Studies with a single-pulse shock tube. I. The cis-trans isomerization of butenes-2, 3=16160
Lifshitz,E.M. and Khalatnikov,I.M. Investigations in relativistic cosmology, 3=23661
Lifshitz,E.M., Sudakov,V.V. and Khalatnikov,I.M. The singularities of cosmological solutions of gravitational equations. III. 3=3724
Lifshitz,I.M., Azbel',M.Ya. and Slutskin,A.A. Theory of quantum cyclotron resonance in metals, 3=15477
Lifshitz,I.M. and Kaganov,M.I. Some problems of the electron theory of metals. II. Statistical mechanics and thermodynamics of electrons in metals, 3=25218
Ligeon,E. See Longequeue,J.P., 3=11319
Light,J.C. and Arnstein,R. Dissociation of gaseous diatomic molecules. II. Effect of anharmonicities, 3=2667
Light,J.C. and Shuler,K.E. On ionic catalysis of hydrogen-atom recombination, 3=16164
Lighty,P.E.,Shanefield,D.,Weissmann,S. and Shrier,A. X-ray studies of epitaxial copper electrocrystallization, 3=23415
Ligon,J.T.,Johnson,H.P. and Kirkham,D. Unsteady-state drainage of fluid from a vertical column of porous material, 3=7191
Likeš,J. On the problem of particle number and size determination in opaque bodies, 3=23367
Likhachev,M.F. See Barkov,L.M., 3=6080
Likhachev,M.F. See Vovenko,A.S., 3=14826
Likhachev,V.A. and Malygin,G.A. Variation in the density of zinc under thermal cycling, 3=6868
Likhachev,V.A. Textural thermal stresses, 3=2736
Likhatchev, M. F. and Stavinsky, V.S. Angular gas Cherenkov counter, 3=17107
Likhtman,V.I. See Troitskii,O.A., 3=8781
Likhtman, V.I. See Troitskii, O.A., 3=18174
Likhtman,V.J. See Troitskii,O.A., 3=20178
Liley,B.S. A generalization of a sufficient condition for hydromagnetic stability, 3=1975
Liley,B.S. See Allen,N.L., 3=7596
Lilga,K.T. See Box,H.C., 3=15942
Liljeblad,R. Neutron flux flattening in thermal reactors, 3=4686
Liller,W. Concave gratings for astronomical spectrographs and spectrometers, 3=9147
Liller,W. The Harvard solar satellite project, 3=9286
Liller,W. and Aller,L.H. Photoelectric spectrophotometry of planetary nebulae, 3=21122
Lilley,A.E. See Barath,F.T., 3=18618
Lilley,A.E. See Meeks,M.L., 3=13679
Lilley,J.S. See Craig,R.M., 3=8085
Lillicrap,S.C.,Wills,R.D. and Turver,K.E. The distribution of energy in the electron—photon component of extensive air showers, 3=19734
Lilliequist,C.G. See Billings,D.E., 3=9210
Lilly,A.C.,Jr, Weismann,T.J., and Lowitz,D.A. Numerical determination of ion paths in nonhomogeneous magnetic fields, 3=9874
Lim,K.L. and McCarthy,I.E. (p, 2p) angular correlations in the distorted-wave Born approximation, 3=19841
Lim,Y.K. Meson production in the interactions of 26.7 GeV/c protons with emulsion nuclei, 3=6249
Lim,Y.K. "Effective target-mass" in inelastic interactions of 26·7 GeV/c protons with nucleons. 3=19627
Limar',A.G. See Borovik,E.S., 3=17026
Limentani,S. See Bellière,J., 3=24775
Limentani,S. See Chadwick,G.B., 3=10117
Limentani,S. See Lynch,G.R., 3=19633
Limić,N. Theory of scattering on highly singular potentials, 3=2206
Limić,N. On the existence of the scattering operator, 3=16536
Limovchenko,V.G. See Primachenko,V.E., 3=20415
Lin,C.C. and St. John,R.M. Collisional excitation transfer to the 4^1 D state in helium by multiple state mechanism, 3=2580
Lin,C.C. See Brumage,W.H., 3=20548
Lin,C.C. See Lane,N.F., 3=2552
Lin,C.C. See Quade,C.R., 3=8288
Lin,C.C. See St.John,R.M., 3=2575
Lin'Chzhan-da [Ling Changta]. See Goryaga,A.N., 3=5061
Lin,C.J. and Neaves,A. Ferromagnetic resonance in very fine particle ferrites, 3=1161
Lin,C.L. See Yoshida,H., 3=6177
Lin,E.K. See Jolly,R.K., 3=6281
Lin,E.K. See Jolly,R.K., 3=15220
Lin,H.E. See Corinaldesi,E., 3=15336
Lin,H.E. See Corinaldesi,E., 3=17540
Lin,S. See Hughes,R.H., 3=15278
Lin,S.C. Radio echoes from a manned satellite during re-entry, 3=11613
Lin,S.-C.,Neal,R.A. and Fyfe,W.I. Rate of ionization behind shock waves in air, 3=7431
Lin,S.C. and Teare,J.D. Rate of ionization behind shock waves in air. II. Theoretical interpretations, 3=12074
Lin,S.T. Magnetic properties of αFe_2O_3 single crystals, 3=1019
Lin,S.T. and Ogilvie,R.E. Ferromagnetism of UFe_2 and comparison with the ferromagnetic theories, 3=15791
Lin,W.C. See Akasofu,S.-I., 3=13810
Lin Wei-guan. Properties of ridge coaxial waveguides, 3=17059

Lin,Y.K. Nonstationary response of continuous structures to random loading, 3=9534

Linares,R.C.,Ballman,A.A. and Van Uitert,L.G. Growth of beryl single crystals for microwave applications, 3=1264

Linares,R.C. and Mills,A.D. Growth of $7ZnO.Sb_2O_5$ spinel crystals, 3=3274

Linares,R.C. See Spencer,E.G., 3=25547

Lincoln,J.V. See Hakura,Y., 3=16303

Lind,D.A.,Kraushaar,J.J.,Smythe,R. and Rickey,M.E. General design features of the University of Colorado 52-inch cyclotron, 3=5735

Lind,D.A.,Rickey,M.E. and Bardin,B.M. Magnetic field design and measurement for the Colorado 52 inch cyclotron, 3=5749

Lind,D.L. See Cence,R.J., 3=24724

Lind,E.L. and Bube,R.H. Photoconductivity in cubic cadmium sulphide, 3=6631

Lind,E.L. See Bube,R.H., 3=906

Lind,V.G. See Good,M.L., 3=17342

Lindberg,L. and Danielsson,L. Magneto-acoustic oscillations in a cylindrical plasma column, 3=16966

Lindblad,B. On the possibility of a quasi-stationary spiral structure in galaxies, 3=23700

Lindblad,N.R. and Semonin,R.G. Collision efficiency of cloud droplets in electric fields, 3=13677

Linde,H. Cellular free interfacial convection for mass transfer at fluid boundaries in narrow capillary slits, 3=21587

Linde,H. and Loeschke,K. Free interfacial convection for heat transfer at fluid boundaries, 3=21586

Linde,H. and Thiessen,D. Dynamic behaviour of the liquid phase boundary under the conditions of material transfer, 3=3800

Linde,P.F.and Manning,J.S. On the critical properties of dimethyl oxalate, 3=306

Lindeman,H. and Mornel,E. Time interval and resolving time measurements using scaling circuits, 3=7175

Lindeman,H. See Bar-Avraham,E., 3=12531

Lindenbaum,S.J. A counter hodoscope system with digital data handler and on-line computer for elastic scattering and other experiments at Brookhaven A.G.S., 3=19506

Lindenbaum,S.J.,Love,W.,Ozaki,S.,Russell,J. and Yuan,L.C.L. Focusing gaseous Cherenkov counters for particle indentification at the Brookhaven A.G.S., 3=17106

Lindenbaum,S.J. See Foley,K.J., 3=17323

Lindenbaum,S.J. See Foley,K.J., 3=19688

Lindenbaum,S.J. See Melissinos,A.C., 3=6034

Lindenberger, K.H. See Finckh, E., 3=17451

Lindenberger,K.H. See Fuchs,H., 3=662

Lindenfeld,P. See Dubeck,L., 3=12032

Lindenmeyer,P.H. and Hosemann,R. Application of the theory of paracrystals to the crystal structure analysis of polyacrylonitrile, 3=11276

Linder,A. See Hjalmars,S., 3=21208

Linder,B. See Need,J.L., 3=8092

Lindgren,A. See Öhman,Y., 3=9222

Lindgren,E.R. Liquid flow in tubes. VI. Viscosity data on flows of distilled water through cylindrical pipes, 3=108

Lindgren,E.R. Liquid flow in tubes. VII. Momentum perturbation and breakdown of steady flow in relation to wall roughness, 3=5420

Lindgren,E.R. Liquid flow in tubes. VIII. Influence of roughness upon the transition process, 3=14119

Lindgren,I., Olsen,B., Pettersson,G. and Schneider,W. A Monte-Carlo technique for investigations of the focusing properties of long magnetic lenses, 3=19342

Lindgren,I.,Pettersson,G. and Schneider,W. The focusing properties of long magnetic lenses. II, 3=14674

Lindgren,I. and Schneider,W. The focusing properties of long magnetic lenses. I, 3=14673

Lindgren,U. See Öhman,Y., 3=9222

Lindhard,J. and Thomsen,P.V. Sharing of energy dissipation between electronic and atomic motion, 3=8463

Lindholm,E. See Pettersson,E., 3=10549

Lindholm,E. See Sjögren,H., 3=14520

Lindley,B.C. and McNab,I.R. Microwave diagnostics for helium –cesium plasmas, 3=4135

Lindley,D.H. and Banbury,P.C. The trapping of injected carriers at the surface of germanium, 3=22925

Lindley,P.B. See Lake,G.J., 3=7256

Lindley,T.C. and Smallman,R.E. The plastic deformation of polycrystalline vanadium at low temperatures, 3=13351

Lindley,T.C. and Smallman,R.E. The determination of the yield stress parameters K_y and σ_i by grain-size and extrapolation methods, 3=23312

Lindmayer,J. Surface charge and surface potential in arbitrarily doped crystals, 3=13049

Lindmayer,J. and Kutsko,M. Reflection of microwaves from semiconductors, 3=23043

Lindmayer,J.,Reynolds,J. and Wrigley,C. One-carrier space-charge-limited current in solids, 3=10709

Lindmayer,J.and Wrigley,C. Some generalities of the transit-time mode for two-barrier devices, 3=431

Lindmayer,J. and Wrigley,C. A new aspect of the semiconductor diode, 3=13092

Lindmayer,J. and Wrigley,C. Determining the injection efficienc of metal–semiconductor contacts, 3=22961

Lindmayer,J.,Wrigley,C. and Schoeni,K. Equilibrium charge, field and potential distributions in semiconductors 3=10757

Lindner,M. See Miskel,J.A., 3=4651

Lindquist,R.E. and Ewald,A.W. Optical constants from reflectance ratios by a geometric construction, 3=6640

Lindquist,R.H. See Howard,D.G., 3=13297

Lindquist,R.W. Initial-value problem of Einstein-Rosen manifolds, 3=18705

Lindquist,R.W. See Brill,D.R., 3=16518

Lindqvist,T. See Matthias,E., 3=10224

Lindqvist,T. See Salomon,M., 3=20069

Lindsay,J.B. A fast linear gate, 3=19151

Lindsay,P.A. Velocity and potential distribution in a linear, smooth anode magnetron (magnetic diode), 3=429

Lindsay,P.A. and Sims,G.D. Electron "temperature" in crossed fields, 3=14646

Lindsay,R.B. See Fujii,Y., 3=18857

Lindsay,R.H. See Neuzil,E.F., 3=22383

Lindsay,R.W. See Benford,J.G., 3=16112

Lindsay,R.W. See Graham,A.H., 3=13450

Lindskog,J. and Sundström,T. Improved experimental methods for measurements of nuclear lifetimes down to 10^{-11} seconds, 3=12605

Lindskog,J.,Sundström,T.,Lindström,J.O. and Sparrman,P. Determination of the electromagnetic transition probabilities in the ground state decay of Au 199, 3=12642

Lindskog,J., Sundström,T. and Sparrman,P. Delayed coincidence measurement of the lifetime of the 129-keV level in Ir 191, 3=2394

Lindskog,J.,Sundström,T. and Sparrman,P. Experimental studies of the electromagnetic transitions from the first excited states in Hf^{177}, Lu^{175} and Lu^{177}, 3=6178

Lindskog,J. See Bäckström,G., 3=6170

Lindskog,J. See Gerholm,T.R., 3=14962

Lindstrem,I.S. See Grigorova,V.S., 3=25851

Lindström,B. See Bergvall,P., 3=12640

Lindström,B. See Marklund,I., 3=8004

Lindström,J.O. See Bäckström,G., 3=6170

Lindström,J.O. See Lindskog,J., 3=12642

Línek,A. The atomic coordination of the complex anion in $Na_7H_4[Mn^{IV}(IO_6)_3]\cdot 17\,H_2O$, 3=23460

Línek,A. and Novák,C. Spacial representation of the atomic distribution in a crystal lattice from a limited number of X-ray diffraction data, 3=6836

Lines,M.E. Antiferromagnetism in the face-centred cubic lattice by a spin-wave method, 3=5030

Lines,M.E. Antiferromagnetism in a layer structure by Green function techniques, 3=20625

Lines,M.E. Magnetic properties of $CoCl_2$ and $NiCl_2$, 3=20626

Lines, R.A.G. See Cameron, J.A., 3=17636

Linev,A.F. See Indreash,G., 3=24419

Linevsky,M.J. Infrared absorption spectra of LiF and Li_2F_2 in solid argon, krypton, and xenon matrices, 3=8261

Linevsky,M.J. See Sommer,A., 3=8272

Lineweaver,J.L. Oxygen outgassing caused by electron bombardment of glass, 3=16124

Linfoot,E.H. On the best fine-correction of photographic lenses with 2-term spherical aberration, 3=7363

Lingappa,N., Kondaiah,E., Badrinathan,C., Deshpande,M.D. and Balakrishnan,M. Width of the first excited state of Sn^{116}, 3=639

Lingenfelter, R.E. Production of carbon 14 by cosmic-ray neutrons, 3=17378

Linhard,J.,Nielsen,V.,Scharff,M. and Thomsen,P.V. Integral equations governing radiation effects (notes on atomic collisions. III), 3=25305

Linhart,J.G.,Knoepfel,H. and Gourlan,C. Amplification of magnetic fields and heating of plasma by a collapsing metallic shell, 3=12173

Linhart,J.G. See Maisonnier,C., 3=11219

Linhart,J.G. See Somon,J.P., 3=12218

Liniger,W. and Odeh,F. Susceptibilities and critical fields of superconducting films, 3=9680

Liniger,W. See Lieb,E.H., 3=14064

Link,F. Four-century cycle in solar activity, 3=9202

Link,F. The Martian atmospheric boundary, 3=18605

Link,L.E. See Hummel,H.H., 3=22458

Link, R. Electrical behaviour of purified tellurium single crystals, 3=17898

Link,S. See Gruber,H.E., 3=11628

Linke,K.H. See Fehér,F., 3=3300

Lin'kova,T.I. Some results of paleomagnetic investigations of Devonian sedimentary rocks, 3=21078

Linn,H.J. Determination of the initial distribution of the field for beam injection into periodic magnetic fields, 3=5707

Linnett,J.W. See Barber,M., 3=21441

Linnett,J.W. See Barber,M., 3=21902

Linnett,J.W. See Bowen,H.C., 3=19982

Linnett,J.W. See Dickens,P.G., 3=6433

Linnett,J.W. See Gould,R.D., 3=22571

Linschitz,H. See Eloranta,J., 3=16180

Linsley,J. and Scarsi,L. Arrival times of air shower particles at large distances from the axis, 3=6106

Linton,M. See Barker,J.A., 3=14205

Linzen,D. See Haubenreisser,W., 3=3160

Linzen,D. See Haubenreisser,W., 3=6742

Linzen, D. See Haubenreisser, W., 3=18121

Linzer,M. See Radford,H.E., 3=19988

Liou De-sen. See Chen Shih-kang, 3=25230

Lipaeva,G.A. Temperature dependence of the complex permittivity of some titanates between 20 and 1000°C, 3=2953

Lipas,P.O. Perturbation corrections to energies of collective states in deformed even nuclei, 3=6154

Lipas,P.O. Vibrational E1, E2 and E3 transitions in deformed even nuclei, 3=10241

Lipkin,H.J. Some simple features of the Mössbauer effect. III. The f-factor for an impurity source in a crystal, 3=20058

Lipkin,H.J. See Bhattacherjee,S.K., 3=4603

Lipkin,H.J. See Levinson,C.A., 3=582

Lipkin,H.J. See Meshkov,S., 3=14927

Lipman,N.H. See Auerbach,L.B., 3=22160

Lipmanov,E.M. A model of universal weak interaction. 3=2198

Lipmanov,E.M. On γ_5-symmetry in weak interactions and decays with $\Delta S = -\Delta Q$, 3=24626

Lipnik,P. See Deutsch,J.P., 3=22309

Lipnik,P. See Hess,R., 3=22270

Lippert,E. Hydrogen bond and proton magnetic resonance, 3=25140

Lippert,W. Applicability of the Born approximation in calculating electron scattering in the conditions of electron microscopy, 3=16150

Lippert,W. Ratio of inelastic to elastic scattering total cross-sections for electrons in the operating conditions of electron microscopy, 3=20974

Lippert,W. and Friese,W. The representation of contrast with the aid of the Lenz theory, 3=21884

Lippincott,E.R. See Powell,F.X., 3=7350

Lippincott,E.R. See Schroeder,R.A., 3=746

Lippincott,E.R. See Stutman,J.M., 3=22524

Lippmann,B.A. See Bjorklund,F.E., 3=12419

Lippold,H. See Bewilogua,L., 3=19079

Lippold,H. See Lange,F., 3=14228

Lipps,F.B. Stability of jets in a divergent baratropic fluid, 3=16216

Lipschultz,F.P. See Weinstock,H., 3=315

Lipscomb, W.N. See Dickens, B., 3=2643

Lipscomb,W.N. See Dobrott,R.D., 3=3303

Lipscomb,W.N. See Hoffmann,R., 3=6396

Lipscomb,W.N. See Lohr,L.L., 3=13163

Lipscomb,W.N. See Lohr,L.L., Jr., 3=15355

Lipscomb,W.N. See Simpson,P.G., 3=5109

Lipscomb,W.N. See Simpson,P.G., 3=19990

Lipscomb,W.N. See Stevens,R.M., 3=8560

Lipscomb,W.N. See Streib,W.E., 3=6839

Lipsett,F.R. and Horita,R. Photomultiplier cryostat, 3=19316

Lipsett,F.R. See Szabo,A., 3=521

Lipsett,M.S. and Mandel,L. Quasi-continuous output from a ruby optical maser, 3=9988

Lipsicas,M. and Hartland,A. Nuclear spin–lattice relaxation in hydrogen gas, 3=20023

Lipsicas,M. See Hartland,A., 3=8312

Lipsky,S. Evidence for triplet–triplet transfer from benzene to biacetyl in cyclohexane solution, 3=18820

Lipson,H. Diffraction, 3=1834

Liptay,W. See Czekalla,J., 3=22528

Liquori, A.M. See De Santis, P., 3=3351

Lisenko,H.M. See Kislyak,H.M., 3=23113

Lisenko,H.M. See Kislyak,H.M., 3=23116

Lisgarten,N.D. See Blackman,M., 3=9138

Lishanskii,G.Ya. Electronically controlled source unit for emission analysis, 3=25842

Lisitano,G. Microwave polar interferometer for plasma [electron] density measurements, 3=4148

Lisitano,L. See von Gierke,G., 3=4030

Lisitsa,M.P. See Kirei,G.G., 3=14169

Lisitsya,M.P.,Strizhevs'kiĭ,V.L. and Khalimonova,I.M. Temperature dependence of the intensities of vibration absorption bands of molecular liquids, 3=21376

Lisitsyn,L.M. See Basov,N.G., 3=20538

Liskien,H. See Cranberg,L., 3=15225

Liskovich,O.B. See Vishnevs'kyi,V.N., 3=23107

Lisle,J.C.,Newton,J.O.,Phillips,W.R. and Read,F.H. The $C^{13}(d,p)C^{14}$ reaction, 3=24969

Lisnyak,S.S. See Belikov,A.M., 3=16081

Lisnyanskii,L.I. and Vuks,M.F. Light scattering in solution and its relation to diffusion and ultrasonic wave absorption, 3=21368

Lissayou,J. Measurements of the permittivities of different solid substances in the 8 mm band, 3=22973

List,B.H. See Green,A.W., Jr, 3=13821

List,R. Influences on the growth of hailstones, 3=1443

List,R. General heat and mass exchange of spherical hailstones, 3=18506

Listengarten,M.A. Calculation of the probability of the Auger effect, 3=8198

Listengarten,M.A. Calculations of the Auger effect probability for heavy elements, 3=10467

Liszka,L. Satellite scintillation observed in the auroral zone, 3=12325

Liszka,L. A study of ionospheric irregularities using satellite transmissions at 54 Mc/s, 3=13725

Litchfield,E.L. See Bruszak,A.E., 3=21290

Litherland, A.E, Yates, M.J.L, Hinds, B.M. and Eccleshall, D. Lifetimes of the low-lying levels of O^{18} and F^{18}, 3=17402

Litherland,A.E. See Broude,C., 3=6165

Litherland,A.E. See Evans,J.E., 3=19771

Litherland,A.E. See Gove,H.E. 3=10255

Litinetskii,I.B. The achievement of M.V.Lomonosov in the field of automation of measurements, 3=16485

Litov,E. See Russell,A.M., 3=8509

Litovchenko,P.G. and Ust'yanov,V.I. Kinetics of gamma-conductivity in cadmium sulphide crystals, 3=6629

Litovchenko, S.G. See Dekhtyar, I.Ya., 3=17694

Litovchenko,T.A. See Milner,A.S., 3=24424

Litovchenko,V.G. and Lyashenko,V.I. Trapping of nonequilibrium carriers on the surface of germanium, 3=15569

Litovitz,T.A. and McDuffie,G.E., Jr. Comparison of dielectric and mechanical relaxation in associated liquids, 3=21390

Litovitz,T.A. See McDuffie,G.E., 3=1704

Litster,J.D. and Benedek,G.B. Observation of the nuclear resonance in ferromagnetic iron to 65 000 atmos-

Littauer,R.M. See Berkelman,K., 3=14958

Little,A.C. Evaluation of single-number expressions of color difference, 3=5509

Little,A.G. Observations at 9.1 cm of Taurus A, the Orion Nebula, Virgo A, Centaurus A, Sagittarius A, and the Omega Nebula, with 2'.3 fan beam, 3=9278

Little,A.G. See Twiss,R.Q., 3=3626

Little,C.G.,Lerfald,G.M. and Parthasarathy,R. Some observations of 2.89 Mc/s equivalent antenna temperatures at the auroral zone, 3=5881

Little,D.J. See Forrest,J.S., 3=7450

Little,E.M. and Quinn,W.E. Effects of added hexapole magnetic fields and preionization in theta pinch experiments, 3=19266
Little,E.M.,Quinn,W.E.,Ribe,F.L. and Sawyer,G.A. Studies of stability and heating in the Scylla magnetic compression experiment, 3=12206
Little,L.H. and Amberg,C.H. Infrared spectra of carbon monoxide and carbon dioxide adsorbed on chromia-alumina and on alumina, 3=3359
Little,P.F. Acoustic waves in a plasma, 3=7548
Little,R. See Lewis,G.M., 3=7889
Little,R.C., Carpenter,F.G. and Deitz,V.R. Heat transfer in intensively outgassed powders, 3=3907
Little,R.N. See Norwood,J.M., 3=24740
Little,R.P. and Whitney,W.T. Electron emission preceding electrical breakdown in vacuum, 3=21850
Little,W.A. Quantum periodicity in the transition temperature of a rotating Bose—Einstein gas, 3=14067
Little,W.A. See Johnson,R.C., 3=12017
Little,W.J. See Neuringer,L.J., 3=10795
Littler,D.J.[Ed.]. Properties of reactor materials and the effects of radiation damage, 3=12716
Littlewood,J.E. Lorentz's pendulum problem, 3=11744
Littlewood,J.E. On Van Der Pol's equation with large K, 3=18689
Littlewood,J.E. Celestial mechanics over a very long time, 3=23656
Litvak,M.M. See Camac,M., 3=12216
Litvak-Gorskaya,L.B. See Gershenzon,E.M., 3=20278
Litvak-Gorskaya,L.B. See Gershenzon,E.M., 3=20301
Litvin,D.F. See Goman'kov,V.I., 3=20608
Litvin,D.F. See Goman'kov,V.I., 3=23195
Litvin,D.F. See Goman'kov,V.I., 3=23478
Litvin,D.F. See Lyashchenko,B.G., 3=13506
Litvin,D.F. See Lyashenko,B.G., 3=1355
Litvin,V.F. Possibility of using a wide-band spectrograph with double focusing, 3=19500
Litvin,V.F. and Lakomkin,Yu.A. Double focusing in wide energy intervals, 3=4220
Litvin,V.F. See Blinov,V.A., 3=531
Litvin,V.F. See Guseva,M.I., 3=24971
Litvin,V.F. See Zherebtsova,K.I., 3=4667
Litvin,V.F. See Zherebtsova,K.I., 3=8128
Litvinov,R.O. and Syui Dun-Lyan [Hsu Tun-liang]. A study of excess reverse currents and the effect of a field on silicon p—n junctions, 3=22960
Litwiniszyn,J. The expected value of the coordinates of the subsidence trough in a granular body, 3=14073
Liu,C.S. and Cambel,A.B. One-dimensional magnetogasdynamic flow with wall friction, 3=19431
Liu,C.-Y. See Lees,L., 3=1848
Liu,D.C. and Roberts,W.K. Positron annihilation in condensed gases, 3=17254
Liu Da-qian. See Li Yin-yoan, 3=17047
Liu,F.F.,Loeffler,F.J.,Palfrey,T.R. and Kim,Y.S. Polarization of high-energy photoprotons from light elements, 3=4624
Liu,F.F. See Kim,Y.S., 3=8079
Liu Han-chou. Kinematical properties of deformed nuclei and the Hill—Wheeler integrals. I. The first approximation of the g_R factor, 3=12546
Liu,I.D. Spectra associated with high-speed projectiles in rarefied air obtained with a large-aperture slitless spectrograph, 3=7335
Liu Jo-Yang. The process $\Sigma^0 \rightarrow \Lambda + \gamma$ and parity conservation, 3=22213
Liu Lu Sun. See Lu Sun Liu.
Liu,S.H. Spin ordering in the superconducting state, 3=12023
Liu,S.W. Hartunian,R.A., 3=9488
Liu Shun-Fu. See Lyu Shun'-fu , 3=20509
Liu Shun-fu. See Lyu Shun'-fu
Liu Shun-Fu. See Tolstoi,N.A., 3=20512
Liu,T. See Hori,G., 3=16421
Liu Tê-Shên. See Hao Pai-Lin, 3=20035
Liu,V.C. On "The transitional aerodynamic drag of meteorites", 3=13776
Liu Yüan. See Lyu Yuan'.
Liubimov,V.A. See Kaftanov,V.S., 3=17148
Livanov,V.A.,Gorokhov,V.P.,Golofaev,T.I. and Malyavkina,M.P. Analysis of aluminium alloys by means of the applied research laboratories multichannel spectrometer, 3=25850
Liventsov,A.V., Markov,M.N., Merson,Ya.I. and Shamilev,M.R. Experimental determination of the radiation leaving the earth, 3=3437
Liventsov,A.V. See Aver'yanov,I.R., 3=23566
Liverios,D.T. See Androulakis,J.G., 3=17125
Livingston,J.D. Magnetic properties of superconducting lead base alloys, 3=9684
Livingston,J.D. Superconductivity in lead-base solid solution alloys, 3=14449
Livingston,J.D. Precipitation and superconductivity in lead—tin and lead—cadmium alloys, 3=24145
Livingston,J.D. See Phillips,V.A., 3=1222
Livingston,R. See Zeldes,H., 3=11116
Livingston,R.S.,Hudson,E.D.,Jones,R.J.,Lord,R.S.,Mann,J.E., Martin,J.A.,Russell,F.M.,Ziegler,N.F. and Zucker,A. Concepts of an Mc^2 cyclotron, 3=5779
Livingston,R.S. See Boom,R.W., 3=19409
Livingston,R.S. See Jones,R.J., 3=5734
Livshits,A.I. See Gross,E.F., 3=25467
Livshits,B.G.,Eliseev,S.A.,Samarin,B.A. and Somenkov,V.A. Phase equilibrium in the Fe_2O_3-BaO system, 3=6812
Livshits,B.G. and Rymashevskii,G.A. K state and binding forces of single-phase Ni-base solid solutions, 3=5114
Livshits,B.G. See Kekalo,I.B., 3=3216
Livshits,B.G. See Kekalo,I.B., 3=3217
Livshits,B.G. See Kekalo,I.B., 3=11090
Livshits,B.G. See Kekalo,I.B., 3=11141
Livshits,B.G. See Kekalo,I.B., 3=15977
Livshits,B.G. See Krivonosova,E.G., 3=20578
Livshits,L.D., Genshaft,Yu.S. and Markov,V.K. Phase diagram of cerium in the range 20—350°C up to pressures of 80×10^3 kg/cm², 3=16014
Livshits,M.A. A facula model, 3=11535
Lizurej,H. See Bara,J., 3=575
Lleó,A. See Catalá,J., 3=24716
Llewellyn,J.P. See Poulis,J.A., 3=24497
Llewellyn,P.M.,Whittlestone,P.P. and Williams,J.M. A superheterodyne paramagnetic resonance pulse spectrometer, 3=7725
Llewellyn Jones,F. and Nicholas,D.J. Mechanism of field induced emission from cold electrodes in gases, 3=7628
Llewellyn-Jones,F. See Davies,P.G., 3=7437
Llewellyn Jones,F. See Dutton,J., 3=4017
Llewellyn-Jones,F. See Dutton,J., 3=19174
Llewellyn Jones,F. See Dutton,J., 3=24215
Llewellyn Jones,F. See also Jones,F.Llewellyn.
Llosá,R. See Catalá,J., 3=24716
Lloyd,E.A. See Schweitzer,G.K., 3=14831
Lloyd,L.J. See Crawford,F.S.,Jr, 3=19691
Lloyd,L.J. See Fowler,E.C., 3=12496
Lloyd,L.J. See Gavin,M.R., 3=12253
Lloyd,P. and O'Dwyer,J.J. The thermal expansion of an almost linear chain, 3=17665
Lloyd,P. and O'Dwyer,J.J. A quantum mechanical correction to the statistics of the almost one-dimensional chain, 3=23773
Lloyd,W.G. See Alfrey,T.,Jr, 3=8949
Lo Liau-fu and Shue Sin. K^+—N elastic scattering, 3=24795
Lobachev,A.N. and Vainshtein,B.K. Electron diffraction study of urea-$CO(NH_2)_2$, 3=3310
Lobachev, A.N. See Vainshtein, B.K., 3=18293
Lobanov,Yu.V. See Indreash,G., 3=24419
Lobanov,Yu.V. See Oganesian,Yu.Ts., 3=24986
Lobashov,V.M. and Nazarenko,V.A. A $\beta\gamma$-correlation investigatic of Pr^{144} decay, 3=2410
Lobashov,V.M. and Nazarenko,V.A. β—γ-correlation in β-decays of Mn^{56} and F^{20}, 3=6203
Lobashov,V.M. and Nazarenko,V.A. Investigation of the dependence of β—γ-correlation on electron velocity in the β-decay of Co^{60} and Au^{198}, 3=6204
Lobashov,V.M.,Nazarenko,V.A. and Saenko,L.F. Determination of the spin of Eu^{152m}, 3=15085
Lobayashi,T. See Kato,H., 3=18276
Lobikov,E.A. and Nastyukha,A.I. Energy distribution of electrons and ions in a strong toroidal discharge, 3=14541
Lobikov,E.A. and Nastyukha,A.I. Energy spectrum of the electrons in the toroidal discharge device beta, 3=21817
Lobko,A.S. See Nazarov,N.I., 3=7622
Lobo,P.W. See Van Meerssche,M., 3=6852
Lobo,P.W. See Van Meerssche,M., 3=8848
Lobo,P.W. See Van Meersche,M., 3=8859

Lobov,G.A. Radiative capture of μ^--mesons by nuclei, 3=17488
Lobov,G.A. and Shapiro,I.S. Radiative capture of μ^--meson by a proton, 3=14996
Lobov, S.I. and Kanunov, M.A. Controlled double-trigger spark gap, 3=1920
Lochak, G. Non-linear theory of quantum transitions, 3=16531
Lochak,G. See Andrade e Silva,J., 3=14691
Lochak,G. See Andrade Silva,J., 3=24408
Locher,M. See Gorge,V., 3=7777
Lochet,R. and Rousset,Y. Revolving frame for a spectrograph with catadioptric objective, 3=21553
Lochkob,B. See Dolgoshein,B., 3=4521
Lochner,J.P.A. and Meffert,P. Analysis of reflection patterns in auditoria, 3=23990
Löchtermann,E. Thermal conductivity of liquid neon, 3=18802
Lock, J.M., Parkinson, D.H. and Roberts, L.M. A proposal for a fast random-access computer store based on the superconducting device known as the Crowe cell, 3=340
Lock,J.M. and Roberts,L.M. Thermal propagation of a boundary between the normal and superconducting phases in a thin evaporated film of tin, 3=16877
Lock,M.H. Axially symmetric elastic waves in an unbounded inhomogeneous medium with exponentially varying properties, 3=16685
Lock,W.O. See de Carvalho,H.G., 3=8146
Locker,D. See Dorain,P.B., 3=13295
Lockett,A.M. See Masterson,K.S., Jr., 3=6129
Lockett,A.M. See Smith,D.B., 3=7939
Lockwood,G.E.K. Plasma and cyclotron spike phenomena observed in top-side ionograms, 3=11430
Lockwood,G.E.K. A ray-tracing investigation of ionospheric Z-mode propagation, 3=23615
Lockwood,G.E.K. and Petrie,L.E. Low-latitude field-aligned ionization observed by the alouette topside sounder, 3=25926
Lockwood,H. See Black,J.,, 3=10853
Lockwood,H.F. Polarization in junction luminescence, 3=23120
Lockwood,J.A. and Razdan,H. Asymmetries in the Forbush decreases of the cosmic radiation. I. Differences in onset times, 3=15063
Lockwood,J.A. and Razdan,H. Asymmetries in the Forbush decreases of the cosmic radiation. II. Superimposed intensity variations during a Forbush decrease, 3=15064
Lockwood,J.A. See Webber,W.R., 3=10192
Lockwood,W.H. See Bovey,L., 3=698
Lodding,A. and Klemm,A. Effective diffusion in liquid metals by isotope transfer, 3=21330
Lodding,A. See Rohlin,J., 3=16610
Loden,K. A study of tangential velocities for 1,319 stars in 19 selected areas, 3=11555
Lodi,E.A. and Crowther,D.L. Some new results from low-energy proton irradiation of silicon solar cells, 3=14508
Loeb,A.L. and Pearsall,G.W. Moduledra crystal modules. A teaching and research aid in solid-state physics, 3=11653
Loeb, H.W. An analogue method for the determination of potential distributions in semiconductor systems, 3=17907
Loeb,L.B. and El-Bakkal,J.M. Breakdown of argon in glass cells with external electrodes at steady and 60-cycle alternating potentials, 3=4092
Loeb,M. and Binford,J.R. Some factors influencing the effective auditory intensive difference limen, 3=18675
Loeb,M. and Hawkes,G.R. Auditory intensity discrimination as a function of stimulus presentation method, 3=1559
Loeb,M. See Fletcher,J.L., 3=1557
Loebenstein,M. See Rosner,B., 3=14966
Loebenstein,W.V. Batch adsorption from solution, 3=6895
Loebner,E.E. See Hegyi,I.J., 3=16072
Loeffel,J.J. See Kinoshita,T., 3=17221
Loeffler,F.J.,Palfrey,T.R.,Jr and White,T.O.,Jr. Polarization of protons from the high-energy photodisintegration of deuterium, 3=22217
Loeffler,F.J. See Kim,Y.S., 3=8079
Loeffler,F.J. See Liu,F.F., 3=4624
Loeliger,H. See Brun,E., 3=25571
Loeschke,K. See Linde,H., 3=21586
Loewenstein,A. See Sasson,M., 3=9958
Loewenstein,E.V. On the correction of phase errors in interferograms, 3=14363
Loewenstein,J.C. See Gaulard,M.L., 3=16621
Loferski,J.J. See Flicker,H., 3=6551
Loferski,J.J. See Flicker,H., 3=22858
Lofquist,K. Rotational micromanometers, 3=3782
Lofthus,A. Molecular two-centre integrals. II. Some one-electron integrals, 3=12792
Logachev,V.I. See Ginzburg,V.L., 3=9119
Logachev,V.I. See Kurnosova,L.V., 3=2343
Logachev,V.I. See Kurnosova,L.V., 3=22229
Logan, R.A. and Chynoweth, A.G. Effect of degenerate semiconductor band structure on current–voltage characteristics of silicon tunnel diodes, 3=17679
Logan,R.A.,Chynoweth,A.G. and Cohen,B.G. Avalanche breakdown in gallium arsenide p—n junctions, 3=6574
Logan,R.A. See Trumbore,F.A., 3=3342
Logan, R.A. See White, H.G., 3=17912
Loges,F. Concluding notes on the theory of diffraction at a slit, 3=267
Logunov,A.A. and Tavkhelidze,A.N. Quasi-optical approach in quantum field theory, 3=24577
Logunov,A.A.,Tavkhelidze,A.N. and Khrustalev,O.A. Quasi-potential character of the Mandelstam representation, 3=19560
Logunov,A.A.,Todorov,I.T. and Chernikov,N.A. Generalization of Symanzik's theorem on majorization of Feynman diagrams, 3=5958
Logunov,A.A, van Hieu,N, Tavkhelidze,A.N. and Khrustalev,O.A. Regge poles in quantum electrodynamics, 3=17202
Logunov,A.A. See Arbuzov,B.A., 3=4347
Logunov,A.A. See Arbuzov,B.A., 3=14891
Logunov,A.A. See Arbuzov,B.A., 3=22087
Logunov,V.N. and Semenov,S.S. The effect of focusing in the injector on the intensity of gamma-rays from a betatron, 3=24417
Logvinov,V.V. See Demirkhanov,R.A., 3=14585
Loh,E. Reverse-bias-dependence of spectral photoresponse of Si and GaAs shallow p—n junctions near the band edge, 3=10848
Loh,E. Spectral photo response of Si, GaAs and Ge shallow junctions in the region 1-5 eV, 3=13134
Loh,E. and Phillips,J.C. Band structure effects in photoconductivity of semiconductors, 3=13135
Loh,E. See Stiening,R.F., 3=19601
Loh,E.C. See Boyarski,A.M., 3=6065
Lohff,J. Characteristic energy losses in the scattering of medium energy electrons at aluminium surfaces, 3=4858
Lohmann,A. A new Fourier–spectrometer consisting of a two-gratings-interferometer, 3=16770
Lohmann,A. See Gärtner,W., 3=14322
Lohmann,W. On the statistics and the structure of globular star clusters, 3=23701
Lohr,L.L.,Jr. and Lipscomb,W.N. Molecular orbital theory of spectra of Cr^{3+} ions in crystals, 3=13163
Lohr,L.L.,Jr. and Lipscomb,W.N. Molecular symmetry of XeF_2 and XeF_4, 3=15355
Lohrmann,E. See Ciok,P., 3=8084
Lohrmann,E. See Escoubès,B., 3=19630
Lohrmann,E. See Koshiba,M., 3=24815
Lohrmann,E. See Meyer,H., 3=19628
Lohse,J.M. A visible latent image in photopolymer, 3=5538
Lohse,P. See Becker,E.W., 3=2678
Loinger, A. Galilei group and Liouville equation, 3=15
Loinger,A. New concept of presentation of a Lie algebra, 3=21194
Loinger,A. Symmetry groups and equations of motion, 3=23730
Loinger,A. See Bocchieri,P., 3=1612
Loiseaux,J.M. See Langevin,M., 3=6166
Lokan,K.H. See Cuninghame,J.G., 3=19895
Lokan,K.H. See Firk,F.W.K., 3=19655
Lokanadham,B. See Rao,M.S., 3=9184
Lokanadham,B. See Rao,M.S., 3=16365
Lokanathan,S. See Ismail,A.Z.M., 3=10228
Lokanathan,S. See Ismail,A.Z.M., 3=22274
Lokanathan, S. See Kenyon, I.R., 3=17270
Loken,J.G. and Derrick,M. Some low-energy proton—antiproton cross-sections, 3=10110
Lokhin,V.V. System of determining parameters characterizing geometrical properties of anisotropic media, 3=20765
Lokhin,V.V. General expressions for relating tensor fields in an anisotropic continuous medium whose properties can be described by vectors, tensors of the second rank and by antisymmetrical tensors of the third rank, 3=22619

Loktionov,A.A. and Takibaev,Zh.S. Showers produced by nuclei with energies $\gtrsim 5 \times 10^{10}$ eV per nucleon, 3=19727

Lomakin,Yu.F. See Budagov,Yu.A., 3=17131

Loman,D. (Transl.). An electromagnetic isotope separator with small magnetic field volume, 3=12786

Lomax,R.J. An analogue method of determining electrode shapes of electron guns having curved trajectories, 3=24349

Lombardo,J.J. See Graves,H.W.,Jr, 3=6336

Lomelin,J.M. and Neubert,T.J. Electrical conductivity of potassium thiocyanate, 3=22983

Lomer, J.N. The effect of electron irradiation on the internal friction of copper between 10°K and 80°K, 3=18169

Lomer,J.N. and Hiblett, D.H. Some effects of electron irradiation on the internal friction of copper, 3=1218

Lomer,J.N.,Mitchell,E.W.J. and Niblett,D.H. Some effects of electron irradiation on the internal friction of copper, 3=8758

Lomer,J.N. See Faulkner,E.A., 3=6746

Lomer,W.M. Transition metal alloys, 3=8393

Lomer,W.M. Seminar and conference on neutron beam research, London, September 1962, 3=10128

Lomer,W.M. See Denbigh,J.S., 3=20561

Lommel,J.M. See Graham,C.D.,Jr, 3=1072

Lomon,E.L. See Au,W.W.S., 3=19676

Lomon,E.L. See Goldberg,H., 3=19685

Lomont,J.S.,Moses,H.E. and Kwang Yu. Equivalence and anti-equivalence of irreducible sets of operators. I. Finite dimensional spaces, 3=11697

Lomsadze,Yu.M.,Krivsky,I.Yu. and Khimitch,I.V. A consistently relativistically invariant formulation of the quantized probability-amplitude field theory, 3=5361

Lomsadze,Yu.M., Krivsky,I.Yu. and Khimitch,I.V. A possible experimental determination of the universal constant I in the quantized probability amplitude field theory, 3=14019

Lomsadze,Yu.M. See Khimich,I.V., 3=19588

Lomsadze,Yu.M. See Lend'el,V.L., 3=2265

Loncke,P. Angular correlations and polarization in (p,p'γ) reactions, 3=15191

London,G. See Connolly,P.L., 3=17330

London,H.,Clarke,G.R. and Mendoza,E. Osmotic pressure of He^3 in liquid He^4, with proposals for a refrigerator to work below 1°K, 3=5565

London,J. and Haurwitz,M.W. Ozone and sunspots, 3=13658

London,J. and Matsushita,S. Periodicities of the geomagnetic variation field at Huancayo, Peru, 3=16301

Long,A.R. and Thomas,J.O. Titeridge coefficients for the polynomial method of deducing electron density profiles from ionograms, 3=9081

Long,D. Ionized-impurity scattering mobility of electrons in silicon, 3=10800

Long,D. See Nussbaum,A., 3=835

Long,D. See Tufte,O.N., 3=887

Long,D. See Tufte,O.N., 3=22969

Long,D.A. and Bailey,R.T. Spectroscopic studies of solvent systems. I. Solutions of $AlCl_3$ in $SOCl_2$, 3=14170

Long,D.A.,Carrington,R.A.G. and Gravenor,R.B. Vibrational spectra and structure of the tricyanomethanide ion $(C/CN)_3^-$, 3=6407

Long,D.A. and Chau,J.Y.H. Root mean square amplitudes of vibration in some group 4 tetrahalides. II. Calculation of normal coordinate transformations and force constants, 3=6376

Long,D.A. and Chau,J.Y.H. Vibrational frequencies and force constants in the mercuri-iodide ion HgI_4^{2-}, 3=6402

Long,D.A., Gravenor,R.B. and Milner,D.C. Intensities in Raman spectra. VIII. Intensity measurements in $ChCl_3$ and $CdCl_3$, 3=20006

Long,D.A. and Jones,D.T.L. Force constant calculations. V. In-plane vibrations of chlorine trifluoride ClF_3, 3=15344

Long,D.A. and Jones,D.T.L. Force constant calculations. VI. In-plane vibrations of thiophosgene, $SCCl_2$, 3=19998

Long,D.A. and Jones,D.T.L. Force constant studies. VII. In-plane vibrations of NH_2CN, ND_2CN and NHDCN, 3=22570

Long,D.A. and Thomas,E.L. Raman intensities. IX. Vibrational intensities for spherically symmetric modes of CH_4, CD_4, CF_4, SiF_4, SF_6, SeF_6 and TeF_6, 3=22559

Long,F.A. See Bernecker,R.R., 3=25822

Long,G. See Davies,D., 3=22440

Long,G. See Davies,D., 3=22441

Long,R.J.,Haseler,J.B. and Elsmore,B. A survey of radio sources at 408 Mc/s, 3=13931

Long,R.J. See Conway,R.G., 3=13930

Long,R.J. See Kellermann,K.L, 3=1541

Long,R.R. The use of the governing equations in dimensional analysis, 3=16578

Long,W.L. Simplified observation of photomultiplier pulses with a sampling oscilloscope, 3=24340

Longequeue, J.P.,Longequeue,N.,Beaumevieille,H.,Ligeon,E. Demartiny,F. and Fontenille,J. Preparation of thin boron films (several μg/cm²) on thin carbon backings, 3=11319

Longequeue,J.P. See Beaumevieille,H., 3=2452

Longequeue,J.P. See Beaumevieille,H., 3=12664

Longequeue,N. See Beaumevieille,H., 3=2452

Longequeue,N. See Beaumevieille,H., 3=12664

Longequeue,N. See Longequeue,J.P., 3=11319

Longin,P. Luminescence of some aromatic aldehydes and ketones in the vapour phase and in crystalline solutions at 77°K, 3=961

Longman,I.M. A Green's function for determining the deformation of the earth under surface mass loads. II. Computations and numerical results, 3=13635

Longman,I.M. See Harrison,J.C., 3=13637

Longo,M.J. and Moyer,B.J. Total cross-sections of negative pions in the momentum range 2 to 5 BeV/c, 3=6049

Longo,M.J. See Helland,J.A., 3=10161

Longuet-Higgins,H.C. The statistical thermodynamics of transport processes, 3=7151

Longuet-Higgins,H.C. The symmetry groups of non-rigid molecules, 3=22518

Longwell,A.P. See Muraca,R.F., 3=14130

Lönnqvist,O. Further aspects on the diurnal temperature variation at the surface of the earth, 3=16189

Lonsdale, K. Further comments on attempts by H.Moissan, J.B.Hannay and Sir Charles Parsons to make diamonds in the laboratory, 3=5080

Lönsjö,O. See Borgi,A.W., 3=2453

Looms,J.S.T. See Boylett,F.D.A., 3=4046

Loos,J. On the theory of saturation effects in ferromagnetic resonance, 3=15916

Loos,J.S. See Jarmie,N., 3=15047

Looyenga,H. Direct calculation of the bond order matrix in the molecular orbital theory of conjugated systems, 3=8237

Lopatin,I.V. See Komar,A.P., 3=5977

Lopatin,I.V. See Kruglov,S.P., 3=14950

Lopes Cardozo,B. See Schouten,J.F., 3=3670

Lopez,F. See Culshaw,W., 3=2145

Łopuszański, J. A criterion for the free character of fields. II, 3=4307

Łopuszánski,J.T. On the functional formalism of the S-matrix, 3=24646

Lord,N.W. Precise calibration of sea-going velocimeters, 3=3860

Lord,R.S. See Hudson,E.D., 3=5752

Lord,R.S. See Jones,R.J., 3=5734

Lord,R.S. See Livingston,R.S., 3=5779

Lorenz,E.N. Deterministic nonperiodic flow, 3=14108

Lorenz,M.R. Preparation of CdTe crystals from near stoichiometric and Cd-rich melt compositions under constant Cd pressure, 3=1267

Lorenz,M.R. The solid-vapor equilibrium of CdTe, 3=1877

Lorenz,M.R.,Aven,M. and Woodbury,H.H. Correlation between irradiation and thermally induced defects in II-VI compounds, 3=25268

Lorenz, M.R. and Woodbury, H.H. Double acceptor defect in CdTe, 3=17874

Lorenz,M.R. See Ludwig,G.W., 3=20646

Lorenz,M.R. See Segall,B., 3=8519

Lorenz,W. Application of the Gibbs adsorption thermodynamics to adsorption reactions with partial charge transfer, 3=5168

Lorenz,W.,Mayer-Böricke,C.,Santo,R. and Schmidt-Rohr,U. Elastic and inelastic scattering of deuterons from silicon and sulphur at 11.8, 10.9 and 10.0 MeV, 3=19873

Lorenz,W., Schmidt-Rohr,U. and Vater,O. Elastic and inelastic scattering of deuterons on Sr, Zr, Nb, Pd and Ag at 11·8 MeV, 3=17490

Lorenzelli,V. Study of the hydrogen bond in organic substances by spectrometry in the far infrared. Preliminary considerations, 3=6378

Lorenzelli,V. Spectrometer for the far infrared (40–170 μ), 3=21545
Lorenzelli,V. See Delorme,P., 3=3879
Loria,A. See Bellière,J., 3=24775
Loriers,J. See Grosvald,G., 3=8552
Loriers,J. See Villers,G., 3=3124
Loriers,J. See Villers,G., 3=3125
Lőrinczy,A.,Németh,T. and Szebeni,P. Micro-inhomogeneities in Ge single crystals, 3=22786
Lorinczy,A. and Pataki,G. On the reverse characteristics of silicon diodes, 3=10858
Lorquet,J.C., ElKomoss,S.G. and Magee,J.L. Energy-transfer phenomena and dissociation processes in electronically excited molecules, 3=2664
Los,J. See Ghozlan,A.I., 3=21431
Losev,S.A. and Osipov,A.I. The study of nonequilibrium phenomena in shock waves, 3=16695
Losev,S.A. See Generalov,N.A., 3=12881
Loshmanov,A.A. See Doroshenko,A.V., 3=5019
Loshmanov, A.A. See Goman'kov, V.J., 3=18110
Loshmanov,A.A. See Goman'kov,V.I., 3=20608
Loshmanov,A.A. See Goman'kov,V.I., 3=23195
Loshmanov,A.A. See Goman'kov,V.I., 3=23478
Loskevich,E.S. See Babayan,Kh.P., 3=19595
Loskevich,E.S. See Babetski,S.Yu., 3=4487
Łoskiewicz,J.,Massalski,J.,Nizioł,B. and Oles,A. Analysis of the integral spectrum of ionization pulses caused by nuclear active particles at mountain altitudes, 3=7956
Loskiewicz,J. See Babayan,H.P., 3=6103
Łoskiewicz,J. See Czyżewski,O., 3=2483
Łoskiewicz,J. See Czyzewski,O., 3=7892
Łoskiewicz,J. See Grigorov,N.L., 3=10197
Loskutov,Yu. and Popov,Yu. The theory of vector particles with spins, 3=7774
Loskutov,Yu.M. See Ternov,I.M., 3=437
Losovskii,B.Ya. See Salomonovich,A.E., 3=9266
Lössner,V. See Schmidt,G., 3=20389
Lo Surdo,C. Approximate iterative methods applied to "non-separable" multiplying systems in the fundamental symmetries, 3=10122
Lotgering,F.K. See Smit,J., 3=1028
Lothrop,R.P. See Hansen,W.L., 3=22042
Lotkova,E.N. and Shustov,A.M. Illumination device for a two-beam infrared spectrometer for use with semiconductor crystals at low temperatures, 3=24038
Lotkova,É.N.,Vavilov,V.S.and Sobolev,N.N. Infrared absorption spectrum of silicon irradiated by fast neutrons, 3=3018
Lott,S.A. See de Morton,M.E., 3=20697
Lotte,B.,Bon,M. and Romand,J. Study of the spatial distribution of the continuous emission spectrum in the far ultraviolet afforded by a spark of a particular type in vacuum, 3=24249
Lottin,A. See Michaudon,A., 3=15241
Lotus,J.W. See Lehr,C.G., 3=430
Lotz,W. See Grossmann-Doerth,U., 3=7569
Louage,F. Automatic bridge with wide frequency band for the study of dielectrics, 3=24155
Louat,N. Solution of boundary value problems in plane strain, 3=7160
Louat,N. The distribution of dislocations in stacked linear arrays, 3=20186
Louat,N. and Johnson,C.A. The behaviour of jogs in dislocations, 3=6521
Louat,N. See Chou,Y.T., 3=795
Louat,N. See Gillin,L.M., 3=6870
Louck,J.D. Special nature of orbital angular momentum, 3=11689
Louck,J.D. Trace formulas for a rigid asymmetric rotator-type Hamiltonian, 3=14029
Loude,J.F. See Joseph,C., 3=2266
Loudon,R. Theory of non-linear optical processes in semiconductors and insulators, 3=927
Loudon,R. Theory of stimulated Raman scattering from lattice vibrations, 3=23060
Loudon,R. Theory of the first-order Raman effect in crystals, 3=25448
Loudon,R. See Elliott,R.J., 3=8588
Louedec,C. See Barloutaud,R., 3=7888
Louedec,C. See Barloutaud,R., 3=7904
Loughhead,R.E. See Bray,R.J., 3=13883
Louisell,W.H. See Gordon,J.P., 3=4264
Louisell,W.H. See Gordon,J.P., 3=12356
Lounasmaa,O.V. Specific heat of holmium metal between 0·38 and 4·2°K, 3=2730
Lounasmaa,O.V. Specific heat of gadolinium and ytterbium metals between 0.4 and 4°K, 3=8368
Lounasmaa,O.V.,Cheng,C.H. and Beck,P.A. Nuclear magnetic specific heat of ferromagnetic iron alloys with Sb and Re, 3=6479
Lounasmaa,O.V. Pressure coefficient and compressibility of liquid He^4 very close to the λ curve, 3=12018
Lounasmaa,O.V. and Roach,P.R. Specific heat of terbium metal between 0·37 and 4·2°K, 3=771
Loupias,G.,Sirugue,M. and Trotin,J.C. A scheme for strong interactions based on the group B_3. 3=12397
Lourens,J.A.J. See Baker,J.M., 3=1055
Lourens,W. See Hazewindus,N., 3=19775
Louttit, R.I. See Androulakis, J.G., 3=17125
Louttit,R.I. See Baltay,C., 3=22209
Louttit,R.I. See Baltay,C., 3=24805
Lovas,I. and Zámori,Z. Gamma—gamma angular correlations in the $Cl^{35}(n,\gamma)Cl^{36}$ and $Mo^{95}(n,\gamma)Mo^{96}$ reactions, 3=6268
Lovchikova,G.N. Scattering of fast neutrons by nuclei, 3=2463
Love,D.L. See Greendale,A.E., 3=24885
Love,G. and Shewmon,P.G. Self-diffusivity of silver in twist boundaries, 3=22820
Love,H.M. and Dyer,G.L. Work function of the (311) plane of tungsten, 3=7626
Love,H.M. and McCracken,G.M. The diffusion of lithium in tungsten, 3=8455
Love, W. See Lindenbaum, S.J., 3=17106
Love,W.A. See Foley,K.J., 3=17323
Love,W.A. See Foley,K.J., 3=19688
Lovejoy, C.A. See Judd, B.R., 3=3173
Lovejoy,D.R. Detection limits in radiation and optical pyrometry, 3=1859
Lovejoy,D.R. Some boiling and triple points below 0°C, 3=9659
Lovejoy,D.R. See Berry,R.J., 3=5551
Lovelace, C.and Masson, D. Calculation of Regge poles by continued fractions. I, 3=2204
Lovell,A.C.B. The physical basis of the research programmes at Jodrell Bank, 3=11587
Lovell,A.C.B.,Whipple,F.L. and Solomon,L.H. Radio emission from flare stars, 3=18659
Lovell, B.W. and Epstein,D.J. Dynamic squareness in polycrystalline garnets, 3=15868
Lovell,R.J. and Herget,W.F. Lorentz parameters and vibration—rotation interaction constants for the fundamental band of HF, 3=2617
Lovering,E.G. See Buckingham,A.D., 3=6419
Lovering,J.F. See Greenland,L.P., 3=9015
Lovetskii,E.E. and Rukhadze,A.A. Hydrodynamics of a non-isothermal plasma, 3=4126
Lovetskii,E.E. See Kovrizhnykh,L.M., 3=19288
Lovett,J.R. Comment on errors due to temperature and read-out systems for sing-around velocimeters, 3=14281
Lovitch,L. and Rosati,S. Isobaric spin purity in heavy nuclei, 3=10223
Løvseth,J. On the angular distribution of the Brook-Haven 1962 neutrino experiment, 3=19610
Løvseth,J. The scattering of slow neutrons by diatomic molecules, 3=25074
Løvseth,J. Positronium formation and dynamics in aluminium oxide, 3=25264
Low,B. Low-temperature specific heat anomaly in manganese ferrites, 3=15435
Low,F.E. See Gell-Mann,M., 3=14862
Low,G.G.E. and Collins,M.F. Magnetic moment distributions in dilute nickel alloys, 3=15858
Low,G.G.E. and Okazaki,A. On measuring the neutron scattering form factors associated with spin waves, 3=17288
Low,W. Paramagnetic resonance spectra of rare earth ions in the crystal field of calcium fluoride, 3=3172
Low,W. and Rubins,R.S. Electron spin resonance in the cubic crystalline field of calcium oxide, 3=3181
Low,W. and Rubins,R.S. Evidence for covalent bonding from electron spin resonance spectra of some rare-earth ions in single crystals of calcium oxide, 3=25576
Low,W. and Zusman,A. Paramagnetic resonance spectrum of gadolinium in La AlO_3, 3=11112
Low,W. See Mahlab,E., 3=20658

Low,W. See Makovsky,J., 3=953
Lowde,R.D. and Wheeler,D.A. A technique for measuring the magnetic disorder scattering of neutrons, 3=1101
Lowde,R.D. See Collins,M.F., 3=1106
Lowder,R.S. and Hoh,F.C. Fast gas valve for plasma research, 3=4158
Löwdin,P.O. Studies in perturbation theory. IV. Solution of eigenvalue problem by projection operation formalism, 3=44
Löwdin,P.O. The normal constants of motion in quantum mechanics treated by projection technique, 3=3748
Löwdin,P.O. Studies in perturbation theory. I. An elementary iteration-variation procedure for solving the Schrödinger equation by partioning technique, 3=7115
Löwdin,P.O. Studies in perturbation theory. V. Some aspects on the exact self-consistent field theory, 3=6340
Lowe,H.,Topper,T. and Turner,P. The measurement of cyclic plastic deformations in metals, 3=13347
Lowe,I.J. and Barnaal,D.E. Radio-frequency bridge for pulsed nuclear magnetic resonance, 3=9961
Lowe,J. See McClelland,C.L., 3=12585
Lowenthal,G.C. The specific heat of metals between 1200°K and 2400°K, 3=10596
Lowenthal,S. and Tournois,P. Radiation impedance of membranes and plates: Their acoustic coupling with the propagating medium, 3=23982
Lowitz,D.A. See Lilly,A.C.Jr., 3=9874
Lowke,J.J. The drift velocity of electrons in hydrogen and nitrogen, 3=9729
Lowrie,P.H.,Jr. Oil baths for saturated standard cells, 3=19055
Lowry,E.S. The clock paradox, 3=5339
Lowys,J.P. See Bellière,J., 3=24775
Loy,B. See Hawley,R., 3=12236
Lozgachev,V.I. The theory of molecular flow at low pressures, I. The flow of rarefied gases through tumes with diaphragm ends, 3=9502
Lozgachev,V.I. Distribution of molecular flow on a surface during evaporation in vacuum, 3=12011
Lozgachev,V.I. The theory of molecular flow. II. Passage through ducts of arbitrary form, 3=18852
Lozhkin,O.V. and Rimskii-Korsakov,A.A. Possible observation of the nucleus He^6, 3=4475
Lozhkin,O.V. See Gorichev,P.A., 3=24573
Lozinskaya,T.A. and Kardashev,N.S. The thickness of the gas disk of the Galaxy from observations at 21 cm, 3=13915
Lozinskaya,T.A. and Kardashev,N.S. Deformation of the gas disk of the galaxy, 3=23712
Lozinskii,M.G., Antipova,E.I., Assonova,E.A. and Nikitina,I.I. The influence of the special structural state caused by high temperature thermomechanical treatment on the strength of nickel at normal and elevated temperatures, 3=3234
Lozykowski,H. Electroluminescence at p—n junctions in ZnSe, 3=11011
Łożykowski,H. See Gutsze,A., 3=12965
Lu,D.C. and Dingus,R.S. E2 internal conversion coefficients for rotational transitions, 3=4586
Lu King and Wang Ta-Cheng. Some problems of photomultiplier tubes, 3=16976
Lü Min [Lyni Min'] and Prokoshkin,Yu.D. Angular distributions of pions produced in nucleon—nucleon collisions and the isotopic invariance hypothesis, 3=15006
Lu,M.T. See Chuang,L.S., 3=22433
Lu Sun Liu and Tanaka,K. Regge trajectory in field theory, 3=7759
Lubach,B. See van Elst,H.C., 3=5010
Luban,M. Statistical mechanics of a nonideal boson gas: pair Hamiltonian model, 3=78
Lubat,F. See Gouskov,L., 3=20305
Lubbinge,K. See Rautenbach,W.L., 3=17008
Lubchenko,A.F. and Pavlik,B.M. Raman and Rayleigh scattering of light by impurity centres in a solid, 3=20464
Lubchenko,A.F. See Dzyub,I.P., 3=8337
Lubchenko,A.F. See Dzyub,I.P., 3=8338
Lubchenko,A.F. See Dzyub,I.P., 3=8339
Lubchenko,A.F. See Dzyub,I.P., 3=15414
Lubchenko,A.F. See Dzyub,I.P., 3=25173
Lübcke,E. Remarks on the work of W.Reichardt "Should the sound-power output or the sound pressure level be used for machinery noise", 3=7298
Lubell,M.S. and Mazelsky,R. Carrier compensation in germanium telluride, 3=25365
Lübelsmeyer,K. See Freitag,C., 3=22164
Lubenets,S.V. and Kostin,N.F. The selective etching of potassium halides, 3=18242
Lubenets,S.V. See Kostin,N.F., 3=13408
Lubkin,E. See Charap,J.M., 3=7842
Lubliner,J. Cylindrical wave in a viscoelastic solid, 3=1748
Luborsky,F.E. Effect of cobalt content on the properties of elongated iron particles, 3=15850
Luborsky,F.E.,Koch,E.F. and Morelock,C.R. Crystallographic orientation and oxidation of submicron whiskers of iron, iron—cobalt, and cobalt, 3=23412
Luborsky,F.E. and Opie,J.D. Adsorption of metals on iron particles in mercury, 3=15773
Luborsky,F.E. See Kneller,E.F., 3=11088
Lubowe,A.G. and Mindlin,R.D. Extensional vibrations of thin quartz disks, 3=5482
Luc,H. See Bariaud,A., 3=9800
Luca,E.,Luca,I. and Visiliu,A. Action of ultrasound on several dielectric liquids and heterogeneous mixtures: Ferrite-paraffin oil, glycerine—paraffin oil, and monochlorobenzene—paraffin oil, 3=9471
Luca,I. See Luca,E., 3=9471
Lucas,C.B. See Heddle,D.W.O., 3=4719
Lucas,G.,Phillips,R. and Teare,P.W. A precision goniometer stage for the electron microscope, 3=8936
Lucas,J. A theoretical and experimental study of short duration breakdown times in low pressure gases, 3=4089
Lucas,J. An electrostatically compensated, null deflection electron beam probe for the measurement of discharge electric fields, 3=24154
Lucas,J. The electric field distribution during the transition from Townsend to glow discharge in low pressure argon gas, 3=24242
Lucas,J.H. See Agar,A.W., 3=25793
Lucas,L.D. and Urbain,G. Density of silicon, germanium, antimony and bismuth in the liquid state, 3=3793
Lucas,L.D. and Urbain,G. Density of tellurium in the liquid state, 3=9436
Lucassen-Reynders,E.H. Contact angles and adsorption on solids, 3=23519
Lucasson,A. See Budin,C., 3=15481
Lucasson,P. See Budin,C., 3=15481
Lucchini,M. See Amar,V., 3=12398
Luccio,A.,Pavanati,G.,Resmini,F.,Succi,C. and Tagliaferri,G. Relativistic cyclotron for the University of Milan, 3=5738
Lucenet,G., Riche,T. and Lafoucriere,J. Theoretical study and realisation of the model of a β spectrograph having a large luminosity, 3=19614
Lucero,S.C. See Denton,E.H., 3=9453
Luchanskaya, N.M. See Kir'yashkina, Z.I., 3=25363
Lucherov, N.N. See Val'ter, A.K., 3=17457
Luchkov,B. See Dolgoshein,B., 3=6116
Luchkov,B.I. See Borisov,A.A., 3=17151
Luchkov,B.I. See Dolgoshein,B.A., 3=24823
Luchner,K.M.,Kallmann,H.P.,Kramer,B. and Wachter,P. Infrared light stimulation and quenching in ZnS phosphors, 3=6677
Luchsinger,E.B. See Yosim,S.J., 3=23904
Lucioni,D. See Colli,L., 3=19865
Luck,W.,Klier,M. and Wesslau,H. Bragg reflections with visible light on monodisperse plastics lattices. I, 3=13622
Luck,W.,Klier,M. and Wesslau,H. Bragg reflections with visible light on monodisperse plastics lattices. II, 3=13623
Lücke,K. Ultrasonic measurements of interaction between dislocations and point imperfections, 3=23326
Lücke,K. See Bühler,S.E., 3=15501
Lucke,O. Artificial injection of fast electrons into the outer atmosphere as an aid to geophysical research, 3=16238
Lucke,O. See Kautzleben,H., 3=18892
Lucken,E.A.C. Zeeman effect on the ^{35}Cl nuclear quadrupole resonance of trimeric phosphonitrile chloride (PNCl$_2$)$_3$, 3=23264
Luckey,D. See Gorenstein,P., 3=11896
Luckhurst,G.R. See Francis,P.G., 3=14211
Luders,G. and Schmidt-Ott,W.D. The existence of two types of neutrino, 3=24687
Lüders,K. See Hasse,J., 3=12036

Ludford,G.S.S. and Singh,M.P. The motion of a non-conducting sphere through a conducting fluid in a magnetic cross-field, 3=19429
Ludford,G.S.S. and Singh,M.P. On the motion of a sphere through a conducting fluid in the presence of a magnetic field, 3=19430
Lüdke,W. See Görlich,P., 3=8593
Ludlam.F.H. See Browning,K.A., 3=11400
Ludman,J.E. Analysis of transients and stability in an idealized two-level laser system, 3=24511
Ludwick,J.D. High geometry gas cell proportional counter, 3=5900
Ludwig,G. Explanation of thermodynamics on the basis of quantum mechanics, 3=11715
Ludwig,G. Thermodynamics based on quantum mechanics, 3=18739
Ludwig,G.H. See Scull,W.E., 3=5176
Ludwig,G.W. and Lorenz,M.R. Paramagnetic resonance of chromium in CdTe, 3=20646
Ludwig,W. Photo e.m.f. in single crystals of CdS, 3=2974
Ludwig,W. See Lengeler,B., 3=2784
Ludziejewski,J. See Jasinski,A., 3=10310
Lüers,D. See Biswas,N.N., 3=4434
Lüers,D. See Biswas,N.N., 3=17133
Lüers,D. See Bondâr,L., 3=19678
Lufburrow,R.A. Inverse-square law experiment, 5803
Lufburrow,R.A. Classes of Carnot cycles, 3=21639
Lugovoi,V.N. Cyclotron resonance in a varying magnetic field, 3=2776
Luhmann,S. Slot absorbers for centimetre electromagnetic waves, 3=24474
Luhrs,H.N. and Spence,H.R. Influence of shock-machine loading on shock spectra, 3=201
Luikov,A.V. Heat transfer bibliography — Russian works, 3=11972
Luizzo,F. See Alexander,W.A., 3=13982
Lukanina,I.G. See Bagaryatskii,Yu.A., 3=20909
Lukantsever,Yu.L. See Sidlyarenko,V.I., 3=4890
Lukashenko,L.I. See Korsunskii,M.I., 3=23095
Lukaszewski,G.M. See O'Donnell,A., 3=6943
Lukaszewsjki,G.M. See O'Donnel,E.A., 3=16065
Luke,C.L. See Trumbore,F.A., 3=3342
Lukens,H.R.Jr. Film thickness determination with a scintillation counter, 3=96
Lukeš,F. and Schmidt,E. Fine structure of the reflectivity spectrum of Ge and GaSb in the near ultra-violet, 3=4961
Lukeš,F. and Schmidt,E. The fine structure and the temperature dependence of the reflectivity and optical constants of Ge,Si and III-V compounds, 3=10909
Lukirskii,A.P. Use of X-ray bremsstrahlung for investigation of absorption spectra in the ultrasoft region, 3=4232
Lukirskii,A.P. Spectrometer of ultrasoft X-ray radiation with combined detection by means of secondary electron multipliers and Geiger counter, 3=9895
Lukirskii,A.P. and Savinov,E.P. Use of diffraction gratings and echelettes in the ultrasoft X-ray region. (Echelettes is term used for diffraction gratings having a special stria profile and providing a concentration of radiation), 3=14705
Lukirskii,A.P. and Savinov,E.P. Reflection of ultrasoft X-radiation from glass and titanated surfaces, 3=14706
Lukirskii,A.P. See Rumsh,M.A., 3=3902
Lukirskii,A.P. See Rumsh,M.A., 3=5802
Lukosz,W. Transmission of non-negative signals through linear filters, 3=3892
Lukosz,W. Effect of aberrations on the optical transmission function for low spatial frequencies, 3=7308
Luk'yanov,A.V., Orlov,Yu.V. and Turovtsev,V.V. Optical model of a nucleus with a polynomial potential, 3=2354
Luk'yanov,S.Yu. See Kovalskii,N.G., 3=12148
Lukyanov,V.K. On the transfer of charged particles in reactions with heavy ions, 3=6296
Lumb,M.D. See Birks,J.B., 3=9464
Luming,M. See Kohn,W., 3=20556
Lumley,J.L. See Nestlerode,J.A., 3=21952
Lund,N. See Kappallo,W., 3=25154
Lundberg,J.L. See Hefele,J.R., 3=3863
Lundby,A. See Barbier,M., 3=17002
Lundby,A. See Dowell,J.D., 3=17110
Lundby,A. See Meunier,R., 3=2163
Lundby,A. See Meunier,R., 3=2164
Lunde,J.E. Burn-up of composite control-rod materials in a nuclear reactor, 3=4695
Lundén,A. See Gustafsson,S., 3=131
Lundergan, C.D. and Herrmann, W. Equation of state of 6061-T6 aluminum at low pressures, 3=17667
Lundgren,G. See Hellstrand,E., 3=17484
Lundgren,T.S. Hamilton's variational principle for a perfectly conducting plasma continuum, 3=19234
Lundgren,T.S. Equations of motion of a current-carrying plasma filament, 3=21796
Lundgren,T.S. See Chang,C.C., 3=7688
Lundin, A.G., Mikhailov, G.M. and Gabuda, S.P. Investigation of reorientation of the guanidinium ion in the ferroelectric $C(NH_2)_3.Al(SO_4)_2.6H_2O$ by the nuclear magnetic resonance method, 3=4941
Lundin,A.G. See Mikhailov,G.M., 3=3194
Lundquist,C.A.,Naumann,R.J. and Weber,A.H. Directional flux densities and mirror-point distributions of trapped particles from satellite 1958ε measurements, 3=9111
Lundquist,N. On the electronic structure of MnB, 3=6488
Lundquist,N.,Myers,H.P. and Westin,R. The paramagnetic properties of the monoborides of V, Cr, Mn, Fe, Co and Ni, 3=1124
Lundquist,P.G. See Flock, A. 3=3656
Lundquist,S. and Weissglas,P. A method for determination of spatial stability, 3=15256
Lundqvist,S. See Brandt,W., 3=10470
Lundy,R.A. 100-Mc digitron—a digital time analyzer, 3=9407
Lung Ch'i-Wei and Wang Kuei-Win. An analysis of interatomic bond strength of metals as a function of electronic structure, 3=20045
Luniev,V.V. Hypersonic flows around thin blunted power-law shapes, 3=16644
Lunke,C., See Nussbaum,C., 3=10130
Lun'kin,Yu.P. See Bao-Khan'-Lin', 3=23969
Lunn,B. See Fochs,P.D., 3=16041
Lunter,S.G. See Karapetyan,G.O., 3=25483
Luo,H.L. and Duwez,P. Metastable amorphous phases in tellurium base alloys, 3=20877
Luo,H.L. See Chao,C.C., 3=18336
Lupton,R.A. See Nier,A.O., 3=1407
Lupton,W.H. Fast triggered spark switches for a two megajoule capacitor bank, 3=7471
Lupton,W.H.,McLean,E.A. and Phillips,D.T. Plasma temperatures and densities in the early stages of magnetic compression experiment, 3=7563
Lupton,W.H. See Griem,H.R., 3=12158
Lupton,W.H. See Kolb,A.C., 3=12159
Lur'e,B.G.,Murin,A.N. and Brigevich,R.F. Diffusion and electrolytic migration of manganese ions in mixed $NaCl + MnCl_2$ crystals, 3=6535
Lurie,F.M. and Slichter,C.P. Spin temperature in nuclear double resonance, 3=20664
Lurio,A. See Gallagher,A., 3=8201
Lüscher,E. See Böhmer,H., 3=21900
Luscher,E. See Franz,F.A., 3=19941
Lüscher,E. See Propst,F., 3=14619
Lüscher, E. See von Goeler, E., 3=5149
Lush,G.J. See Griffith,T.C., 3=17275
Lushcheĭkin,G.A. See Gul',V.E., 3=20388
Lushcheikin,G.A. See Gul',V.E., 3=25409
Lushchik,Ch.B., Lushchik,N.E. and Yaék,I.V. Electronic–vibrational processes in luminescence centres of ionic crystals, 3=20501
Lushchik,N.E. See Lushchik,Ch.B., 3=20501
Lushchikov,V.I., Manenkov,A.A. and Taran,Yu.V. Dynamic polarization of protons in lanthanum-magnesium double nitrate, 3=20065
Lushchikov,V.I. See Kessenikh,A.V., 3=20064
Lusignan,B. Cosmic noise absorption measurements, 3=7723
Lüst,R. Observations of the comet Abell 1953g in connection with the solar wind, 3=18625
Lustig,E. Relative signs of proton spin-spin coupling constants, 3=8296
Luszczynski,K.,Norberg,R.E. and Opfer,J.E. Nuclear magnetic resonance in gaseous He^3, 3=178
Luszcynski,K. See Gaines,J.R., 3=19085
Lutes, O.S. Superconductive temperature controller, 3=1880
Luther,H. See Germershausen,R., 3=16662

Lüthi,B. Ferro-acoustic resonance in yttrium iron garnet, 3=11129
Lüthi,B. Ferroacoustic resonance, 3=23151
Lüthi,B. See Andres,K., 3=15852
Lutjens,G. See Biswas,N.N., 3=4434
Lütjens,G. See Biswas,N.N., 3=17133
Lutsenko,V.N. Excited levels of even-mass nuclei of the transitional region $82 < N < 92$, 3=24853
Lutsenko,V.N. See Groshev,L.V., 3=15118
Lutsenko,V.N. See Groshev,L.V., 3=24959
Lutsik,V.A. See Val'ter,A.K., 3=12589
Lutsik, V.A. See Val'ter, A.K., 3=17457
Lutskii,A.E. and Mikhailenko,S.A. Hydrogen bond and static dielectric constant of organic liquids, 3=21385
Luttinger,J.M. An exactly soluble model of a many-fermion system, 3=23799
Lüty,F. and Pick,H. Interaction between electronic and vibrational states of F- and F_A-centers in KCl, 3=22839
Lüty, F. See Fritz, B., 3=18005
Lutz,E. See Hardt,H.J., 3=22028
Lutz,H. and Sizmann,R. Super ranges of fast ions in copper single crystals, 3=20251
Lutz,H.F. and Karvelis,M.D. Numerical calculation of Coulomb wave functions for repulsive Coulomb fields, 3=14924
Lutz,H.F. and Mason,J.B. Some effects of form-factor distortion in the nuclear optical model, 3=22261
Lutz,H.F., Mason,J.B. and Paulson,C.T. The scattering of alpha-particles by carbon, oxygen, magnesium and gold, 3=17497
Lutz,M.A. See Knauer,W., 3=21730
LuValle,J.E.,Leifer,A.,Dougherty,P.H. and Koral,M. Investigation of spectral sensitization. I. Some properties of sensitizing and desensitizing dyes, 3=11950
Lux,B. See Petermann,L.A., 3=16147
Luyten,J.R.,Rood,H.P.C. and Tolhoek,H.A. On the theory of muon capture by complex nuclei. I. 3=10371
Luz,Z. and Meiboom,S. Nuclear magnetic resonance study of the protolysis of trimethylammonium ion in aqueous solution—order of the reaction with respect to solvent, 3=25812
Luzhinskaya, M.G. Determination of the character of the magnetic anisotropy of alloys with single domain structure from their residual magnetization, 3=18074
Luzhinskaya, M.G., Shur, Ya.S. and Serikov, V.V. Features of the magnetic structure of Vicalloy, 3=3115
Luzhinskaya,M.G. See Mogat,L.M., 3=5113
Luzzi-Ferro,M.,Alston,M.H.,Rosenfeld,A.H. and Wojcicki,S.G. Upper limit for the nonleptonic $\Delta S = 2$ decay mode of Ξ^-, 3=15043
L'vov,A.N. See Antuf'ev,Yu.N., 3=7746
L'vov,A.N. See Antuf'ev,Yu.P., 3=6246
L'vov,A.N. See Antuf'ev,Yu.P., 3=8087
L'vov,A.N. See Val'ter,A.K., 3=2456
L'vov,A.N. See Val'ter,A.K., 3=12586
L'vov,S.N.,Nemchenko,V.F. and Paderno,Yu.B. Thermal conductivities of the alkali and rare-earth metal hexaborides, 3=25210
L'vov,S.N. See Verkhoglyadova,T.S., 3=865
L'vova,E.Yu. See Georgobiani,A.N., 3=8630
Ly-Don-Khva. See Vernov,S.N., 3=4500
Lyagin,I.V. and Tsukerman,I.S. Photoproduction of charged vector meson pairs in the Coulomb field of nuclei, 3=6020
Lyagushchenko,R.I. See Kagan,Yu.M., 3=7250
Lyagushchenko,R.I. See Kagan,Yu.M., 3=21746
Lyagushchenko,R.I. See Kagan,Yu.M., 3=24238
Lyalin,G.N. and Kobyshev,G.I. The luminescence of a uranyl complex with phthalocyanine, 3=20534
Lyapidevskii,V.D. and Obodovskii,M.M. Diffusion cloud chamber controlled by a photoelectric multiplier, 3=2171
Lyapidevskii,V.K. and Falomkin,I.V. The influence of ultrasonics on directed crystallization, 3=16044
Lyapkalo,Yu.M. See Berezin,A.K., 3=14649
Lyashchenko,B.G. "Null matrix" in neutron diffraction, 3=13585
Lyashchenko,B.G.,Litvin,D.F. and Abov,Yu.B. Neutron diffraction study of iron—cobalt alloys. I, 3=13506
Lyashchenko,B.G. See Chernoplekov,N.A., 3=25185
Lyaschenko,B.G. See Goman'kov,V.I., 3=20608
Lyashchenko,B.G. See Goman'kov,V.I., 3=23195
Lyashchenko,B.G. See Goman'kov,V.I., 3=23478
Lyashchenko,N.Ya. See Strutinskii,V.M., 3=2355
Lyashchenko,V.A. See Yatsuk,K.P., 3=21675
Lyashenko,B.G. To the problem of the influence of the spontaneous magnetization of the crystal structure and the phase state of alloys, 3=1350
Lyashenko,B.G.,Litvin,D.F.,Puzey,I.M. and Abov,J.G. Neutron diffraction investigation of order–disorder in the alloys "Ferrum–Nickel" and "Ferrum–Cobalt", 3=1355
Lyashenko,N.I. See Deryugin,I.A., 3=20631
Lyashenko,V.I. See Brodoviĭ,V.A., 3=20398
Lyashenko,V.I. See Litovchenko,V.G., 3=15569
Lyashenko,V.I. See Primachenko,V.E., 3=20415
Lybchenko,A.P. and Ermolaev,V.N. Effect of cerium on the self-diffusion of iron, 3=22813
Lȳgin,V.I. See Davȳdov,V.Ya., 3=8922
Lykken,G.I. See Mitchell,E.N., 3=11084
Lyklema,J. Ionic components of charge in the electrical double layer in reversible systems, 3=18454
Lykos,P. See Arai,T., 3=22576
Lykos,P.G. The present status of π-electron calculations, 3=12813
Lykos,P.G. See Houser,T.J., 3=8255
Lykow,A.W. The heat and mass transfer bases for the theory of drying, 3=1866
Lyle,J.W. Refractive index of strontium molybdate synthetic single crystal, 3=13150
Lȳl'ka,V.A. Some isotopic relations for reactions involving four particles in the final state, 3=24617
Lynch,D.W. See McWilliams,D., 3=8576
Lynch,D.W. See McWilliams,D., 3=15653
Lynch,G.R., Eberhard,P., Kalbfleisch,G.R., Lannutti,J.E., Maglić,B.C., Shafer,J.B., Stevenson,M.L. and Nguyen-Huu Xuong. Two-meson annihilations of 1·61-BeV/c antiprotons in hydrogen, 3=19634
Lynch,G.R., Foulks,R.E., Kalbfleisch,G.R., Limentani,S., Shafer,J.B., Stevenson,M.L. and Nguyen-Huu Xuong. Interactions of 1·61-BeV/c antiprotons in hydrogen involving two outgoing charged particles, 3=19633
Lynch,G.R. See Xuong Nguyen-huu, 3=2258
Lynch,H.L. See Coward,D.H., 3=22094
Lynch,P.J. Backscatter from inhomogeneous media, 3=11676
Lynch,P.J. See Wagner,R.J., 3=17055
Lynch,R.T., Thomas,D.G. and Dietz,R.E. Growth and decoration of ZnTe crystals, 3=16049
Lynden-Bell,D. On the gravitational collapse of a cold rotating gas cloud, 3=7018
Lynden-Bell, D. See Eggen, O.J., 3=3607
Lyness,J.N. See Blatt,J.M., 3=25109
Lyness,J.N. See Delves,L.M., 3=19638
Lyngå,G. On some southern galactic clusters, 3=1533
Lynn,J.E. See Firk,F.W.K., 3=10357
Lynn,J.E. See Firk,F.W.K., 3=17486
Lynn,J.E. See Firk,F.W.K., 3=24955
Lynton,E.A. See Dubeck,L., 3=12032
Lynton,E.A. See Kinsel,T., 3=3954
Lynton,E.A. Superconductivity, 3=325
Lyon,A.G. See Sims,A.L., 3=16755
Lyon,A.J. The geomagnetic anomaly, 3=13758
Lyon,A.J. Diffusion of ionization in a dipole field, 3=23607
Lyon,A.J. and Thomas,L. The F2-region equatorial anomaly in the African, American and East Asian sectors during sunspot maximum, 3=25928
Lyon,A.J. See Skinner,N.J., 3=13719
Lyon,R.J.P. See Burns,E.A., 3=5240
Lyon,W.S. See Hahn,R.L., 3=12643
Lyon,W.S. See Macklin,R.L., 3=2504
Lyons,D.H.,Kaplan,T.A.,Dwight,K. and Menyuk,N. Classical theory of the ground spin-state in cubic spinels, 3=11100
Lyons,D.H. Note on critical concentrations in magnetism, 3=6690
Lyons,D.H. See Kaplan,T.A., 3=10642
Lyons,H. See Bhaumik,M.L., 3=11001
Lyons,L.,Lys,J.E.A. and Hopkins,H.W.K. Deuteron—deuteron scattering at 20-70 MeV, 3=12517
Lyons,L. See Davison,M., 3=12516
Lyons,L. See Davison,M., 3=22129
Lyons,L.A. and Platter,S. Effect of cutoff configuration on pure tones generated by small centrifugal blowers, 3=23978
Lys,J.E.A. See Lyons,L., 3=12517
Lysenko,I.A. Air currents in the meteor zone radio echo observations, 3=11520
Lysikov,Yu.A. See Korotkov,K.A., 3=22327

Lȳskovȳch,O.B., Vaidanych,V.I. and Huseva,N.K. Study of the absorption spectra of NaI crystals in their dependence on Tl concentration at various temperatures, 3=20490
Lȳskovȳch,O.B. See Vȳshnevs'kȳi,V.N., 3=20519
Lȳskovȳch,O.B. See Vȳshnevs'kȳi,V.N., 3=20520
Lysov,B.A. See Sokolov,A.A., 3=5819
Lyttleton,R.A. A cometary mechanism for the formation of tektites, 3=11522
Lyttleton,R.A. On the origin of mountains, 3=25860
Lyu I-Chen' and Todorov,I.T. Integral representation of vertex parts in perturbation theory, 3=14889
Lyu Shun'-fu. See Tolstoi,N.A., 3=13201
Lyu Shun'-Fu [Liu Shun-Fu]. See Tolstoi,N.A., 3=15707
Lyu Shun'fu. See Tolstoi,N.A., 3=20509
Lyu Shun'-fu. See Tolstoi,N.A., 3=20510
Lyu Shun'-fu. See Tolstoi,N.A., 3=20511
Lyu Yuan' [Liu Yüan] and Chu Lyan-yuan [Ch'u Liang-yüan]. The individual particle motion in strongly deformed nuclei, 3=6156
Lyu Yuian' [Lu Yang], Pyatov,N.I., Solov'ev,V.G., Silin,I.N. and Furman,V.I. The properties of some strongly deformed nuclei, 3=4561
Lyubavin,Yu.P. and Gubanov,V.G. Improvement of the operational stability of FEU-35 photomultipliers, 3=2019
Lyubchenko,A. See Bakakin,G.N., 3=1247
Lȳubchenko,A.P. and Mozharov,M.V. Diffusion and microdistribution of cerium in iron, 3=20229
Lyubchenko,A.V. See Pilat,I.M., 3=2740
Lyubimov,A.L. Remarks on $\pi^- \Lambda$ resonance, 3=4437
Lyubimov,A.L. See Vovenko,A.S., 3=6042
Lyubimov,A.L. See Vovenko,A.S., 3=14826
Lyubimov,V.A. See Alikhanov,A.I., 3=6024
Lyubimov,V.A. See Babaev,A.I., 3=6025
Lyubimov,V.A. See Babaev,A.I., 3=17298
Lyubimov,V.B., Mu Jun, Podgoretsky,M.I., Portnova,S.I., Streltsov,V.N. and Trka,Z. γ-quanta production in the interaction of 7 GeV π-mesons with nuclei, 3=7901
Lyubimov, V. B. See Van Gan-chan [Wang Kang-ch'ang], 3=2302
Lyubimov,V.N. and Venevtsev,Yu.N. Origin of dipole configurations in some structures with special dielectric properties, 3=25394
Lyubimov,V.N., Venevstev,Yu.N. and Koiranskaya,E.Yu. Calculation of electric-field gradients in ionic crystals, 3=22992
Lyubimov,V.N., Venevtsev,Yu.N., Solov'ev,S.P., Zhdanov,G.S. and Bakushinskii,A.B. Dipole structure and internal electric fields in PbZrO$_3$, 3=22997
Lyubimov,V.N., Venevtsev,Yu.N. and Zhdanov,G.S. Internal electric fields in crystals of NaTaO$_3$ and CdTiO$_3$, 3=12903
Lyubimov,V.N., Venevtsev,Yu.N. and Zhdanov,G.S. Calculation of electric fields in complex dipole structures, 3=15409
Lyubimov,V.N., Venevtsev,Yu.N. and Zhdanov,G.S. Ferroelectricity and antiferroelectricity in polar crystals, 3=15615
Lyubimov,V.V. See Vanyukov,M.P., 3=25444
Lyubimova,E.A. Distribution of thermoelastic stresses within the earth and their rate of accumulation, 3=23563
Lyubin,V.M. and Fedorova,G.A. High-voltage photo-e.m.f.'s in layers of antimony triselenide, 3=15629
Lyubomirova,K.S. Certain features of the attenuation of solar radiation in an ice layer, 3=3439
Lyuboshits,V.L. Multipole expansions in decay processes, 3=24625
Lyuboshits,V.L. and Smorodinskii,Ya.A. Covariant expansion of the electromagnetic field, 3=5818
Lyubov,B.Ya. See Aleksandrov,L.N., 3=20907
Lyubov,B.Ya. See Garkusha,I.P., 3=5127
Lyubov,B.Ya. See Krasko,G.L., 3=20177
Lyuibimov,V.B. See Kopylova,D.K., 3=24774
Lyuitȳĭ,A.I.,Nesterko,N.A.,Rossikhin,V.S. and Tsȳkora,I.L. Study of physical and chemical processes in the equilibrium
Lyul'ka,V.A. Decay of hypernuclei, 3=6148
Lyul'ka,V.A. and Startzev,A.A. Contributions of ρ^- and ω^- mesons to K−N scattering at low energies, 3=15034
Lyutomskii,V.A. See Brodskii,V.B., 3=24302
Lyutsau, G. V. See Rovinskii, B. M., 3=3288
Lyuttsay,V.G. See Rovinskii,B.M., 3=11187
Lyutyi,A.J. See Zhitkevich,V.F., 3=19925
Lyutȳĭ,A.I.,Nesterko,N.A.,Rossikhin,V.S. and Tsȳkora,I.L. Study of physical and chemical processes in the reaction zone of an acetylene flame, 3=23543
Lyytikäinen,S. See Laurikainen,K.V., 3=4383
Ma,C.H. and Makris,J. X-ray irradiation effects on potassium iodide, 3=13024
Ma,J.T.S. and Wang,P.K.C. Effect of initial air content on the dynamics of bubbles in liquids, 3=14135
Maas,A. See Vogt,K.J., 3=5205
Mabaret de Basty,W. Study of ion exchange of colloidal suspensions of the lamellar type application to clays, 3=11364
Mabis,A.J. Structure of mesomorphic phases, 3=128
MacAdam,D.L. Do oxygen and water vapour fluoresce? 3=9513
MacAdam,D.L. Nonlinear relations of psychometric scale values to chromaticity differences, 3=13976
MacAdam,D.L. and Altman,J.H. Simple method for photographic photometry, 3=18959
McAfee,K.B., Jr and Edelson,D. Identification and mobility of ions in a Townsend discharge by time-resolved mass spectrometry, 3=16905
McAleer,W.J. See Monchamp,R.R., 3=13404
McAllister,R.W. See Stein,P., 3=4397
McAloren,J.T. A reproducible magnesium oxide standard for reflectance measurement from 0·3 to 2·6 μ, 3=1786
McAlpine,J.L. See Hartz,T.R., 3=6976
MacArthur,D., Goodman,R., Artna,A. and Johns,M.W. The decay of Co^{58}, 3=649
McAvoy,N. See Filipescu,N., 3=4990
McBeth,R.L. See Carnali,W.T., 3=9462
McBreen,J. See Green, M., 3=17689
McBride,W.R. See Olsen,A.L., 3=20480
McCaa,D.J. and Shaw,J.H. Absorption by ozone in the 4.75-micron region of the solar spectrum, 3=18549
McCaldin,J.O. Solubility of zinc in gallium arsenide, 3=16122
McCaldin,J.O. and Widmer,A.E. Silicon heavily doped by energetic cesium ions, 3=25349
McCall,D.W. and Douglass,D.C. Self-diffusion of n-paraffins in dilute solution, 3=16606
McCall,D.W., Douglass,D.C. and Anderson,E.W. Self-diffusion studies by means of nuclear magnetic resonance spin-echo techniques, 3=24499
McCall,G.J.H. Distribution and origin of lunar craters, 3=11514
McCall,G.J.H. and Warner,B. Tensional stress and lunar patterns, 3=5239
McCall,R. and Liden,K. Standardization of point and distributed γ-ray sources, 3=8021
MacCallum,C. See Truby,F.K., 3=6416
McCallum,G.J. The spin of the 3·70-MEV level in Al^{25}, 3=19772
McCammon,R.D. and White,G.K. Thermal expansion of germanium, 3=15443
McCammon,R.D. See Crissman,J.M., 3=3211
McCamy,K., Meyer,R.P. and Smith,T.J. Generally applicable solutions of Zoeppritz' amplitude equations, 3=1417
McCargo,M., Brown,F. and Davies,J.A. A reinvestigation of the range of Na^{24} ions of keV energies in aluminum, 3=24385
McCargo,M., Davies,J.A. and Brown,F. Range of Xe^{133} and Ar^{41} ions of keV energies in tungsten, 3=22878
McCargo,M. See Davies,J.A., 3=19372
McCargo,M. See Piercy,G.R., 3=15521
McCarroll,B. Trapping and energy transfer in atomic collisions with a crystal surface. II. Impurities, 3=25769
McCarroll,B. and Ehrlich,G. Trapping and energy transfer in atomic collisions with a crystal surface, 3=8923
McCarthy,A.L. See Cohen,B.L., 3=19762
McCarthy,A.L. See Fulmer,R.H., 3=2390
McCarthy,A.L. See Fulmer,R.H., 3=24833
McCarthy,D.E. The reflection and transmission of infrared materials. I. Spectra from 2−50 microns, 3=16749
McCarthy,D.E. The reflection and transmission of infrared materials. II. Bibliography, 3=16750
McCarthy,I.E. Optical model in the interior of the nucleus, 3=2425
McCarthy,I.E. See Lim,K.L., 3=19841
McCarthy,K.A. See Sampson,J.L., 3=11218
McChesney,M. Vibrational relaxation in dissociating diatomic gases, 3=15388
McChesney,M. See Jones,N.R., 3=23973

McClain,E.F.,Nichols,J.H. and Waak,J.A. Investigation of variations in the decimeter-wave emission from Jupiter, 3=7047
McClay,D.B. and Johnson,H.M. Measurement of magnetic susceptibilities by the Quincke method, 3=17016
McClees,H.C. See Paik,S.F., 3=12091
McClellan,M.E. See Small,A.M.,Jr., 3=21166
McClelland,C.L. and Lowe,J. Lifetimes of the first excited states of Mg^{25} and Al^{25}, 3=12585
McClelland,J.D. and Whitney,D.L. Effect of pressures on the density of compacted tin powders, 3=6875
McCliment,E.R. and Nishijima,K. Dynamical approach to the selection rule $|\Delta| = \frac{1}{2}$, 3=2197
McClung,F.J. and Hellwarth,R.W. Giant optical pulsations from ruby, 3=9968
McClung,F.J. See Eckhardt,G., 3=5445
McClung, R.W. Techniques for low-voltage radiography, 3=2073
McClure,B.T. Statistics of particle diffusion in spherical geometry, 3=14199
McClure,D.S. Comparison of the crystal fields and optical spectra of Cr_2O_3 and ruby, 3=15675
McClure,F.T. See Cantrell,R.H., 3=11864
McClure,G.W. Charge exchange and dissociation of H^+, H_2^+, and H_3^+ ions incident on H_2 gas, 3=15390
McClure,J.J. See Ecker,G., 3=7573
McClure,J.W. The electronic structure of rare earth monosulfides, 3=20131
McClure,J.W. See Anderson,J.D., 3=10347
McClure,J.W. See Wong,C., 3=6255
McClure,N.R. See Herzberger,M., 3=16737
McCollum,D.C.,Jr. and Callaway,J. Spin-wave contribution to the specific heat of EuS, 3=2729
McCollum,D.C. See Callaway,J., 3=15781
McConnell,H.M. and Montgomery,C.G. Quantum states of a triplet exciton gas, 3=25252
McConnell,H.M. See Wood,D.E., 3=1184
McConnell,J. and Shapiro,J. Covariant statistical treatment of antiproton annihilation, 3=19632
McConnell,J.D.C. See Rickson,K.O., 3=20813
McConnell, J.R. See Anderson, D.W., 3=17453
McCormack,K. See Baker,D.D., 3=14257
McCormack,K. See Diercks,K.J., 3=5483
McCormick,B.H. and Narasimhan,R. Design of a pattern recognition digital computer with application to the automatic scanning of bubble chamber negatives, 3=19521
McCormick,J.L. and Baer,E. On the mechanism of heat transfer in dropwise condensation, 3=12009
McCory,L.D.,Paule,R.C. and Margrave,J.L. Infrared spectra of gaseous AlF_3, $LiAlF_4$, and $NaAlF_4$, 3=22553
McCourt,F.R. See Snider,R.F., 3=18846
McCoyd,G.C. and Milford,S.N. Born cross sections for inelastic scattering of electrons by hydrogen atoms. IV. Approximate values for allowed transitions up to n = 10, 3=10473
McCracken,G.M. See Love,H.M., 3=8455
McCrackin,F.L.,Passaglia,E.,Stromberg,R.R. and Steinberg,H.L. Measurement of the thickness and refractive index of very thin films and the optical properties of surfaces by ellipsometry, 3=24062
McCray,J.A. Elastic scattering of protons from Li^6 nuclei, 3=15188
MacCrone,R.K. Apparatus for obtaining X-ray extinction micrographs of single crystals, 3=5094
McCrum,N.G. and Morris,E.L. On the measurement of the activation energy for creep in anelastic solids, 3=8769
McCubbin,T.K.,Jr and Grosso,R.P. A white-type multiple-pass absorption cell of simple construction, 3=24022
McCue,J.C. Soft gamma radiography with minimum hazard radioisotope, 3=12280
McCullen,J.D. See Dillman,L.T., 3=12623
McCulloch,P.M. See Ellis,G.R.A., 3=18658
McCulloch,P.M. See Ellis,G.R.A., 3=25981
McCullough,C.M. See Muraca,R.F., 3=14130
McCullough,J.P. See Scott,D.W., 3=8291
McCullough,T.P. See Mayer,C.H., 3=18653
McCumber,D.E. Theory of cavity masers, 3=12355
McCumber,D.E. Comments on spin–lattice relaxation, 3=15428
McCumber,D.E. and Sturge,M.D. Linewidth and temperature shift of the R-lines in ruby, 3=15690
McCurley,E.P. See Blake,C., 3=24462
McCusker,C.B.A. and Winn,M.M. A new method of recording large cosmic-ray air showers, 3=12526
McCusker,C.B.A. See Brisbout,F.A., 3=6109
McCusker,C.B.A. See Day,G., 3=7849
McCusker,C.B.A. See Farrow,E., 3=19724
McCusker,C.B.A. See Gould, C.F., 3=17367
McCusker,C.B.A. See Reid,R.J., 3=4504
McDaniel,B.D. See Anderson,R.L., 3=12051
McDaniel,B.D. See Stein,P., 3=4397
McDaniel,E.W., Hooper,J.W., Martin,D.W. and Harmer,D.S. The ionization by H^+ ions in the energy range 0·15 - 1·1 MeV, 3=4006
McDaniel,R.E. See Kane,G., 3=7946
McDaniels,D. See Beurtey,R., 3=10374
McDermott,M.N., and Novick,R. Optical double resonance in radioactive atoms: spin and nuclear moments of the ground state of Cd^{109}, 3=19931
McDiarmid,I.B.,Burrows,J.R.,Budzinski,E.E. and Rose,D.C. Satellite measurements in the "Starfish" artificial radiation zone, 3=23635
MacDonald,A.D., Gaskell,D.U. and Gitterman,H.N. Microwave breakdown in air, oxygen, and nitrogen, 3=14560
McDonald,B. See Goetzberger,A., 3=15600
MacDonald,D.K.C. See Alkemade,C.T.J., 3=5369
MacDonald,D.K.C. See Guénault,A.M., 3=23027
MacDonald,D.K.C. See Guénault,A.M., 3=23771
MacDonald,D.K.C. See Guénault,A.M., 3=23805
McDonald,D.L. Low-temperature irradiation of beryllium oxide, 3=20255
McDonald,D.L. See Coltman,R.R.,Jr., 3=2847
McDonald,F.A. See Hull,M.H.,Jr, 3=585
McDonald,F.B. See Bryant,D.A., 3=7953
MacDonald,G.J.F. On the internal constitution of the inner planets, 3=1514
MacDonald,G.J.F. Circulation and tides in the high atmosphere, 3=13697
MacDonald,H.E. See Bube,R.H., 3=6632
MacDonald,H.E. See Bube,R.H., 3=6633
McDonald,I.R. See Clough,S., 3=20674
McDonald,J.E. Homogeneous nucleation of vapor condensation. I. Thermodynamic aspects, 3=3931
McDonald,J.E. Homogeneous nucleation of vapor condensation. II. Kinetic aspects, 3=3932
McDonald,J.E. Caustic of the primary rainbow, 3=9577
McDonald,J.E. Stratospheric cloud over Northern Arizona, 3=16220
McDonald,J.E. Intermolecular attractions and saturation vapor pressure, 3=18495
McDonald,J.E. See Mattox,D.M., 3=23505
Macdonald,J.R. Transient and temperature response of a distributed, thermally activated system, 3=9327
Macdonald,J.R. and Barlow,C.A.,Jr. Work function change on monolayer adsorption, 3=24328
MacDonald,J.R. See White,B.L., 3=4208
McDonald,M.P. and Ward,I.M. A nuclear magnetic resonance investigation of polypropylene, 3=3200
MacDonald,N. Statistical properties of the eigenvalues and eigenvectors of a nuclear model, 3=22262
Macdonald,N.J. and Ward,F. The prediction of geomagnetic disturbance indices. 1. The elimination of internally predictable variations, 3=25952
McDonald,R.K. and Deltenre,R.W. Cirrus infrared reflection measurements, 3=16219
MacDonald,R.N. and Baucom,H.H.,Jr. Nuclear data for reactor studies, 3=17510
McDonald,R.S. See Vedder,W., 3=13164
MacDonald,S.G.G. A rapid method of obtaining the third set of coordinates in a crystal structure analysis, 3=8832
McDonald, W.J.,Buchholz,E. and Haslam,R.N.H. Note on the reaction $P^{31}(\gamma,n)P^{30}$, 3=10323
McDonald,W.J. See Thompson,J.C., 3=25211
MacDonald,W.M. and Walt,M. Diffusion of electrons in the Van Allen radiation belt. II. Particles with mirroring points at low altitude, 3=9113
MacDonald,W.M. See Walt,M., 3=9112
MacDonald,W.M. See Walt,M., 3=11461
McDonnell,W.R. See Sturcken,E.F., 3=4898
McDowell,M.C.R. and Williamson,J.H. Electron detachment from H^- by electrons, 3=14521
McDowell,R.S. Centrifugal distortion corrections to calculated thermodynamic functions, 3=22522

McDuffie,G.E., Jr. and Litovitz,T.A. Dielectric relaxation in associated liquids, 3=1704
McDuffie,G.E.Jr. See Anderson,E.E., 3=1048
McDuffie,G.E., Jr. See Litovitz,T.A., 3=21390
Mace,R. See Viswanathan,S.P., 3=17300
Macedo,A.M.M. Diffraction of a pulse by a half-plane, treated by the Fourier method, 3=24470
Macefield,B.E.F., Middleton,R. and Pullen,D.J. The mechanism of the reaction Se^{76}(d, p)Se^{77}, 3=17495
Macek,W.M. and Davis,D.T.M.,Jr. Rotation rate sensing with traveling-wave ring lasers, 3=9401
McEllistrem,M.T. See Lamd,R.C., 3=22302
McElroy,M.B. Electron capture by fast protons and α-particles in hydrogen, 3=9732
McElroy,M.B. and Hirschfelder,J.O. Hypervirial theorem for collisions between electrons and atoms, 3=22500
McElroy,M.B. See Dalgarno,A., 3=25920
McElroy,M.B. See Dalgarno,A., 3=25931
McEvily,A.J., Jr. and Boettner,R.C. On fatigue crack propagation in f.c.c. metals, 3=20743
McEvoy,J.P., Jr and Decell,R.F. Accurate low magnetic field measurements on superconducting coils, 3=21923
McEwen,J.G. See Kotelchuck,D., 3=6028
MacEwan,J.R. See Robertson,J.A.L., 3=10432
McFarland,R.H. Cause of the observed polarization of electron-induced radiation from helium, 3=17543
McFarland, R.H. and Soltysik, E.A. Polarization of the $\gamma = 5876$ Å and $\gamma = 6679$ Å lines in helium excited by electrons, 3=2581
McFarland,R.H. and Soltysik,E.A. Magnetic field dependence of polarized helium light excited by electrons, 3=6362
McFarland,R.H. and Soltysik,E.A. Alternate method of measurement of the polarization of light emitted by helium atoms excited by energetic electrons, 3=8209
McFarland,R.H. and Tobey,W. Stability and improvement of Hoshino–Yoshida filters, 3=1823
Macfarlane,A.J. Invariant angular functions for a production reaction involving spinless particles, 3=2208
Macfarlane,A.J. On the restricted Lorentz group and groups homomorphically related to it, 3=5320
MacFarlane,A.J. Kinematics of the relativistic two-particle system, 3=11674
MacFarlane,A.J. See Dullemond,C., 3=22073
Macfarlane,M.H. See French,J.B., 3=677
McFarlane, R.A, Bennett,W.R,Jr. and Lamb,W.E,Jr. Single mode tuning dip in the power output of an He–Ne optical maser, 3=17092
McFarlane,R.A., Faust,W.L. and Patel,C.K.N. Oscillation of f–d transitions in neon in a gas optical maser, 3=14806
McFarlane,R.A., Patel,C.K.N., Bennett,W.R., Jr and Faust,W.L. New helium—neon optical maser transitions, 3=6358
McFarlane,R.A. See Patel,C.K.N., 3=9507
McFarlane,R.A. See Patel,C.K.N., 3=17074
McFarlane,R.A. See Faust,W.L., 3=17075
Macfarlane,R.D. and Griffioen,R.D. Alpha decay properties of some holmium isotopes near the 82-neutron closed shell, 3-12637
Macfarlane,R.D. and Griffioen,R.D. Alpha-decay properties of some erbium isotopes near the 82-neutron closed shell, 3=24907
Macfarlane,R.M. and Runciman,W.A. The absorption spectrum of trivalent chromium in guanadine aluminium sulphate hexahydrate, 3=936
McFarlane,W.K., Homer,R.J., O'Dell,A.W., Sacharidis,E.J. and Eaton,G.H. Absolute differential cross-section for elastic proton–proton scattering at 0·97 GeV, 3=17276
McFee,J.H. Ultrasonic amplification and non-ohmic behavior in CdS and ZnO, 3=12919
McGann,D.W. Development of a low loss, high precision permeameter for the evaluation of high energy permanent magnets, 3=14719
McGarvey,B.R. E.S.R. and optical spectrum of potassium perchromate, 3=3166
McGarvey,B.R. Electron spin resonance of titanium (III) acetylacetonate, 3=8715
McGarvey,J.J. See Kane,R.A., 3=25818
McGarvey,J.J. See McGrath,W.D., 3=2625
McGeagh,J. See Hedley,J.A., 3=25787
McGee,R.X.,Murray,J.D. and Milton,J.A. A sky survey of neutral hydrogen at λ 21 cm. II. The detailed distribution of low velocity, 3=11505
McGervey,J.D. Student measurement of Fermi energy by positron annihilation, 3=25263
McGervey,J.D. See Jackson,J.E., 3=8955
McGill,R.E. See Rosenstock,H.B., 3=22638
MacGillavry,C.H. See Stam,C.H., 3=8870
McGillem,C.D. and Miller,B.P. Lunar surface roughness from crater statistics, 3=9169
McGillem,C.D. and Miller,B.P. Reply to paper by J.W. Salisbury, 3=21095
McGilvray,J.P. The reflection coefficient of the night-time ionospheric F region, 3=18538
McGinn,J.H. A new type arc for producing high temperature, high purity plasma jets, 3=4156
McGlinn,W.D. and Albright,C.H. S-matrix and T-matrix zeros in two static models, 3=7790
McGlynn,S.P., Sunseri,R. and Christodouleas,N. External heavy-atom spin–orbital coupling effect. I. The nature of the interaction, 3=2608
McGlynn,S.P. See Azumi,T., 3=3062
McGlynn,S.P. See Azumi,T., 3=20535
McGlynn,S.P. See Kleinerman,M., 3=3060
McGlynn,S.P. See Kleinerman,M., 3=4951
McGlynn,S.P. See Nag-Chaudhuri,J., 3=15359
McGlynn,S.P. See Smith,F.J., 3=5518
McGonigal,P.J. A generalized relation between reduced density and temperature for liquids with special reference to liquid metals, 3=130
McGonigal,P.J. and Grosse,A.V. The density of liquid arsenic and the density of its saturated vapor, 3=23838
McGowan,F.K. See Ritter,R.C., 3=6297
McGowan,N.H. See Sloan,G.J., 3=8809
McGowan,W. and Kerwin,L. On the application of Aston bands and appearance potential measurements to ion collision studies, 3=7439
McGowan,W. and Kerwin,L. Some charge exchange and dissociation collisions of N_2^{2+} ions, 3=21719
McGowan,W. and Kerwin,L. Comparative mass spectra using carbon and tungsten filaments, 3=24391
McGowan,W. See Kerwin,L., 3=4020
McGrath,J.T., Buchanan,J.G. and Thurston,R.C.A. A study of fatigue and impact fractures with the scanning electron microscope, 3=3244
McGrath, W.D. and McGarvey, J.J. Absorption spectrum and dissociation energy of the SO radical, 3=2625
McGrath,W.D. See Kane,R.A., 3=25818
MacGregor,M.H.,Booth,R. and Ball,W.P. Nonelastic neutron cross-section measurements on Li^6, Li^7, U^{235}, U^{238} and Pu^{239} at 8.1, 11.9, and 14.1 MeV, 3=12683
McGregor,W.K. See Brewer,L.E., 3=8263
McGuckin,J.P. The pressure gradient in positive columns, 3=19208
McGuire,E.J. See Peterson,T.J.,Jr, 3=6350
McGuire,J.B. See Blitzer,L., 3=18665
McGuire,J.M. See Baker,C.E., 3=4012
McGuire,T.R., Argyle,B.E., Schafer,M.W. and Smart,J.S. Ferromagnetism in divalent europium salts, 3=3080
McGuire,T.R., Argyle,B.E., Shafer,M.W. and Smart,J.S. Magnetic properties of some divalent europium compounds, 3=15743
McGuire,T.R. and Ferebee,F.S. Magnetic properties of lithium-substituted manganese ferrite, 3=15891
McHargue,C.J. See Stiegler,J.O., 3=12991
McHargue,C.J. See Stiegler,J.O., 3=22780
MacHattie,L.E. Temperature measurement of textile fabrics under intense thermal irradiation, 3=11982
Macherauch,E. and Munz,D. Induced glide near grain boundaries in aluminium polycrystals, 3=5069
Macherauch,E. and Vöhringer,O. The effect of purity on the temperature dependence of the yield point of nickel, 3=5066
Macherauch,E. and Vöhringer,O. Strain ageing of nickel, 3=13350
Macherauch,E. See Hartmann,R.J., 3=6524
Macherauch,E. See Knöll,H., 3=3230
Machery,R.E. See Hummel,H.H., 3=22458
Machida,K. Modified sum rule for the vibrational frequencies of symmetrical isotopic molecules, 3=10493
Machida,S. Intermediate Boson theory of weak interactions with parity clash, 3=19552
Machida,S. See Hoshizaki,N., 3=10060
Machida,S. See Hoshizaki,N. 3=10113

Maching,O. and Küster,R. A method for the solution of the non-stationary, many-region heat conduction and diffusion problem with given boundary conditions, 3=5546
Machta,L. Radon and other radioisotopes in the atmosphere, 3=25900
Machta,L. See Friedman,I., 3=294
Machwe,M.K. Scattering of 14 MeV neutrons from molybdenum, 3=673
Maciag,R.J. See Hirschhorn,J.S., 3=1373
Maciel,A. See Matthias,E., 3=10224
McIlwain,C.E. and Pizzella,G. On the energy spectrum of protons trapped in the earth's inner Van Allen zone, 3=18563
McIlwain,C.E. See Pizzella,G., 3=11460
McIlwain,R.L. See Engels,E.,Jr, 3=7852
Macinante,J.A. and Waldersee,J. A vibration isolating mounting for a sensitive balance, 3=9397
Macinko,J. See Miller,C.E., 3=7183
McIntosh,B.A. Experimental study of the amplitude of radar meteor-head echoes, 3=9273
McIntosh,H.V. Symmetry adapted functions belonging to the crystallographic groups, 3=8797
McIntyre,D.,Wims,A, and Green,M.S. Critical opalescence of polystyrene solutions, 3=9459
McIntyre,J.A. and Tandon,G.K. A variable energy gamma ray beam for nuclear structure studies, 3=14938
McIntyre,J.A.,Watts,T.L. and Jobes,F.C. Characteristics of a [radioactive] heavy-ion detection system, 3=12609
McIntyre,J.A. See Jobes,F.C., 3=12610
Macintyre,W.M. A note on the absolute scaling of intensities by Kartha's method, 3=20823
Macintyre,W.M. See Cowan,J.P., 3=11244
Mack,J.E.,McNutt,D.P.,Roesler,F.L. and Chabbal,R. The Pepsios purely interferometric high-resolution scanning spectrometer. I. The pilot model, 3=24020
Mack,J.G. and Hansen,N.R. Calibration of X-ray film used in the detection of soft X-rays from the C.T.R. device sceptre, 3=2068
Mack,M. See Parrish,W., 3=23426
MacKay,A.G. See Fielding,P.E., 3=20495
Mackay,A.L. The micro-morphology of β-FeOOH, 3=1333
Mackay,A.L. and Pawley,G.S. Bravais lattices in four-dimensional space, 3=8815
McKay,C.D. Neutron flux distributions in cylinders by a variational method, 3=4402
MacKay,G.D.,Suzuki,M. and Mason,S.G. Approach of a solid sphere to a rigid plane interface. II, 3=13620
MacKay,J.W. See Klontz,E.E., 3=22724
McKay,M.H. and Pollard,J.P. Effect of temperature variation on "intermediate-resonance" formulas, 3=22147
Macke,W.,Pietrass,B. and Ziesche,P. Note on the perturbation calculation of the correlation energy of the electron gas of high density, 3=21768
McKeag,A.H. Some aspects of the activation of phosphors by tetravalent manganese, 3=3043
McKell,H.D. See Shaw,D., 3=13068
McKellar,J.F. See Allen,J.H., 3=16759
McKenna,J. The focusing of light by a dielectric rod, 3=18967
McKenna,J. and Platzman, P.M. Nonlinear interaction of light in a vacuum, 3=9573
McKenna,V.R. See Shute,G.G., 3=635
Mackenzie,J.D. and Cormia,R.L. Melting of gallium and bismuth, 3=24109
Mackenzie,J.D. and Laforce,R.P. High-pressure densification of glass and the effects of shear, 3=8919
Mackenzie,J.D. See Cormia,R.L., 3=21311
Mackenzie,J.D. See Cormia,R.L., 3=23420
Mackenzie,J.K. The estimation of an orientation relationship from traces of known planes, 3=1255
Mackenzie,J.S. See Holmes,J.R., 3=10540
Mackenzie,K.R.,Plunkett,S. and Petersen,E.L. Characteristics of the U.C.L.A. cyclotron radiofrequency system, 3=5754
MacKenzie,L.A. See Giori,F., 3=21857
McKeown,M. See Emery,G.T., 3=10313
Mackey,J.H.,Jr. An e.p.r. study of impurity-related color centers in germanium-doped quartz, 3=20239
Mackey,M.B. See Hazard,C., 3=13937
Mackey,R.C. and Pollack,S.A. Electronic chopper for spectral lamps, 3=21554
McKibbin,D.D. A direct measurement of charge density in the F_2 region, 3=13767
McKiernan,M.A. and Wessely,H.W. A method of inferring single-path band transmission factors from double-path measurements, 3=14338
Mackin,R.J.,Jr. and Bell,P.R. High energy injection for controlled fusion, 3=15270
Mackin,R.J.,Jr. See Bell,P.R., 3=12203
Mackin,R.J.,Jr. See Gauster,W.F., 3=12154
Mackin,R.J.,Jr. See Gibbons,R.A., 3=7498
McKinley,J.M. See Robinson,C.S., 3=4421
McKinney,C.M. See Baird,D.L., 3=206
McKinney,E.J. See Giori,F., 3=21857
McKinney,N.P. See Ladefoged,P., 3=13945
Mackinnon,D.J. See Swanson,M.L., 3=6554
Mackinnon,L. See Daniel,M.R., 3=22686
Mackintosh,A.R. Ultrasonic attenuation in lead, 3=4819
Mackintosh,A.R. Model for the electronic structure of metal tungsten bronzes, 3=15461
Mackintosh,A.R. Magnetoacoustic effects in longitudinal fields, 3=25192
Mackintosh,A.R. Energy gaps in spin—wave spectra, 3=25525
Mackintosh,A.R., Spanel,L.E. and Young,R.C. Magnetoresistance and fermi surface topology of thallium, 3=17826
Mackintosh,A.R. and Sill,L. The thermoelectric power in chromium and vanadium, 3=13140
Mackintosh,A.R. See Gustafson,D.R., 3=12954
Mackintosh,A.R. See Gustafson,D.R., 3=21306
Mackor,E.L. See de Boer,E., 3=22590
Mackor,E.L. See MacLean,C., 3=22600
Mackle,H. and O'Hare,P.A.G. Thermodynamic properties of six sulphur-containing molecules, 3=14210
Macklen,E.D. Electrical contact properties of granular carbon aggregates. III. Effects of prolonged air oxidation, 3=8545
Macklin,R.L.,de Saussure,G.,Kington,J.D. and Lyon,W.S. Manganese bath measurements of η of Pu^{239}, 3=2504
Macklin,R.L.,Gibbons,J.H. and Inada,T. Neutron capture in the samarium isotopes and the formation of the elements of the solar system, 3=10354
Macklin,R.L.,Gibbons,J.H. and Inada,T. Average radiative capture cross sections for 30- and 65-keV neutrons, 3=10364
Macklin,R.L., Gibbons,J.H. and Inada,T. Neutron capture cross-sections near 30 keV using a moxon—rae detector, 3=17478
Macklin,W.C. and Ryan,B.F. On the formation of spongy ice, 3=3928
Macklin, W.C. See Browning,K.A., 3=11400
McKnight,R.V. See Möller,K.D., 3=16775
Mackor,E.L. See de Boer,E., 3=15384
McKoy, V. and Sinanoğlu, O. Theory of dissociation pressures of some gas hydrates, 3=17618
McKracken,K.G. See Rao,U.R., 3=10196
McLachlan,A.D. Retarded dispersion forces between molecules, 3=6437
McLachlan,A.D. Spin—spin coupling Hamiltonian in spin multiplets, 3=19968
McLachlan,A.D. Three-body dispersion forces, 3=20032
McLachlan,A.D. Retarded dispersion forces in dielectrics at finite temperatures, 3=20368
McLachlan, L.A. The thermoluminescent emission spectra of X-ray irradiated alkali halides, 3=3073
McLaren,A.C. See Brown,R.N., 3=1252
McLaren,A.C. See Brown,R.N., 3=1253
McLaren,E.H. and Murdock,E.G. The freezing points of high-purity metals as precision temperature standards. VII. Thermal analyses of seven samples of bismuth with purities greater than 99/999 + %, 3=9642
McLaren,E.H. See Weinberg,F., 3=16838
McLaren,K.G. and Tabor,D. Friction of polymers: influence of speed and temperature, 3=16012
McLatchie,W. See Barber,R.C., 3=714
McLatchie,W. See Barber,R.C., 3=12627
McLatchie,W. See Barber,R.C., 3=22336
McLauchlan,K.A. The determination of the relative signs of proton—proton spin coupling constants, 3=21996
McLauchlan,K.A. See Freeman,R., 3=736
McLaughlin,E.F. See Mehr,D.L., 3=7396
McLaughlin,R.D. and Conway,J.G. Anion effects on the Pr^{3+} spectrum, 3=13181
Maclean,A. See Rowlands,J.L., 3=14
McLean,A.D. Extended basis-set LCSTO—MO—SCF calculations on the ground state of carbon dioxide, 3=10528
McLean,A.D. See Clementi,E., 3=25110

MacLean,C. and Mackor,E.L. Nuclear magnetic relaxation in hydrogen fluoride, 3=22600
McLean,D. See Hale,K.F., 3=20903
McLean,D. See Inman,M.C., 3=16096
McLean,E.A. See Kolb,A.C., 3=12159
McLean,E.A. See Lupton,W.H., 3=7563
McLean, T.P. and Paige, E.G.S. The effects of carrier—carrier scattering on mobility, 3=2857
McLean,T.P. and Paige,E.G.S. Optical absorption edge broadening in germanium, 3=10951
McLean,T.P. See Butcher,P.N., 3=8484
McLeish,C.W. See Burtnyk,N., 3=5215
McLellan,A. See Beard,D.B., 3=24834
McLellan,R.B. and Shuttleworth,R. The determination of the vibrational entropies of solute atoms in dilute copper solid solutions by the measurement of vapour pressures, 3=12922
McLeod,D. See Berkelman,K., 3=7914
Macleod,D.B. A theory of Helium II, 3=24129
MacLeod, D.E. See Van Ostenburg, D.O., 3=3204
Macleod,G.R. The development of data analysis systems for bubble chambers, for spark chambers and for counter experiments, 3=19519
MacLeod,M.A. and Waniek,R.W. Injection of high velocity charged particles into strong magnetic fields, 3=14653
Macleod,R.M. See Hawley,S.A., 3=20036
McLeroy,E.G. In situ measurements of the attenuation of high-frequency sonar pulses in sea water, 3=21029
McManus,G.M. Elastic properties of β-CuZn, 3=8752
McMasters,O.D.,Palmer,P.E. and Larsen,W.L. Thorium—molybdenum phase diagram, 3=8896
MacMillan,D.B. and Storm,M.L. Kinetics of low source reactor startups. III, 3=25005
MacMillan,D.B. See Hurwitz,H.,Jr, 3=12734
MacMillan,D.B. See Hurwitz,H.,Jr, 3=12735
McMillan,R.C., King,G.J., Miller,B.S. and Carlson,F.F. Temperature dependence of the electron spin resonance in colloidal sodium, 3=3418
McMillan,W.R. X-ray line scanner for the Philips diffractometer, 3=6830
McMorris,M.N. See Horne,R.W., 3=1268
McMullan,R.K. See Bonamico,M., 3=3308
McMullan,R.K. See Jeffrey,G.A., 3=3309
McMullin,P.G. See Cohen,R.L., 3=19514
McMurry,H.L. Calculation of partial differential scattering cross-sections for slow neutrons, 3=17282
McMurry,H.L., Gannon,L.J. and Hestir,W.A. Evaluation of techniques for computing partial differential scattering cross-sections, 3=17283
McMurtry,B.J. Investigation of ruby optical maser characteristics using microwave phototubes, 3=22012
McMurtry,B.J. and Siegman,A.E. Photomixing experiments with a ruby optical maser and a traveling-wave microwave phototube, 3=7320
McMurtry,B.J. See Harris,S.E., 3=5535
McMurtry,W.M. See Muirhead,J.C., 3=7169
McNab,I.R. See Lindley,B.C., 3=4135
McNally,D. Recent advances in science—astronomy. The magnetic field of the Galaxy. I, 3=11583
McNally,D. The magnetic field of the galaxy. II, 3=18646
McNally,J.R.,Jr and Skidmore,M.R. Spectroscopic line-profile studies of long magnetically confined high-current, steady-state vacuum arcs, 3=19930
McNally,J.R.,Jr,Skidmore,M.R.,Francis,J.E.,Jenkins,P.M. and Griffin,D.A. Preliminary spectroscopic results on a very long, high-current, magnetically confined, vacuum carbon arc, 3=14556
McNamara,D.H. The dependence of hydrogen line intensities on rotational velocities in B-type stars, 3=9241
McNaull,J. See Blair,D.T.A., 3=4085
McNeal,R.J. Disorientation cross sections in optical pumping, 3=8200
McNeely,D.R. See Spence,R.D., 3=1205
McNeil,E.B. Physics teaching: An anthropological angle, 3=23724
MacNeilage,P.F. Electromyographic and acoustic study of the production of certain final clusters, 3=13946
MacNeill,C. Infrared transmittance of rhombic sulfur, 3=8603
McNeill,D.J. Measurement of thermal conductivity using the Peltier effect, 3=5547
McNeill,K.G. See Mitchell,O.M.M., 3=19830
McNeill,K.G. See Mitchell,O.M.M., 3=24734
McNeill,K.G. See Mohindra,V.K., 3=23604
McNesby,J.R. and Jackson,W.M. On the isomerization of isobutyl radicals, 3=8948
McNesby,J.R. See Jackson,W.M., 3=3384
McNesby,J.R. See Jackson,W.M., 3=3390
MacNichol,E.F.,Jr. See Wagner,H.G., 3=5291
McNicol,R.W.E.,Mainstone,J.S. and Wilkie,J.R. Micropulsation studies at Brisbane, Queensland. II. Pulsations of the Pc and Pt type, 3=13834
McNicol,R.W.E. See Mainstone,J.S., 3=13833
McNiff,E.J.,Jr. and Shapiro,S. Nuclear magnetic resonance in metal hexaborides, 3=20677
McNish,A.G. The speed of light, 3=11878
McNulty,J. See Funk,E.G.,Jr, 3=6183
McNutt,D.P. See Mack,J.E., 3=24020
McPartland,J.O. A high-temperature stage for transmission electron microscopy, 3=25794
McPherson,R. See Taylor,H.W., 3=10295
McPherson,R. See Taylor,H.W., 3=12590
Macq,P.C. See Jodogne,J.C., 3=2494
McQuaid,R.W. Electro-optic properties of zinc selenide, 3=15657
McQuaid,R.W. The Pockels effect of hexamethylene-tetramine, 3=23049
McQuarrie,D.A. On the stochastic theory of chromatography, 3=8963
McQuarrie,D.A. Kinetics of small systems. I, 3=8964
McQueen, R.G, Fritz, J.N. and Marsh, S.P. On the equation of state of stishovite, 3=17666
McQuillan, A.D. See Jones, D.W., 3=3084
Macrae,A.U. Low-energy electron diffraction, 3=13579
Macrae,A.U. The epitaxial growth of NiO on a (111) nickel surface, 3=11240
MacRae,A.U. See Germer,L.H., 3=1378
McRickard,S.B. See Chow,J.G.Y., 3=8759
Macris,C.J. and Prokakis,T.J. On a difference in the dimensions of photospheric granules in the neighbourhood and at a distance from the penumbra of sunspots, 3=5259
McSkimin,H.J. and Andreatch,P.Jr. Elastic moduli of germanium versus hydrostatic pressure at 25.0°C and -195.8°C, 3=11133
McSwain,B.D.,Borrelli,N.F. and Gouq-Jen Su. The effect of composition and temperature on the ultra-violet absorption of glass, 3=13173
McSwain,B.D. See Borrelli,N.F., 3=13174
Macur,G.J. See Raziunas,V., 3=25093
McVittie, G.C. Photon density and the gamma-ray flux at a point in an expanding universe, 3=[illegible]233
McWeeny,R. and Sutcliffe,B.T. The density matrix in many-electron quantum mechanics. III. Generalized product functions for beryllium and four-electron ions, 3=10449
McWeeny,R. and Sutcliffe,B.T. Spin polarization effects in paramagnetic molecules. Calculations on the NH_2 radical, 3=22568
McWhan,D.B. See Geller,S., 3=19110
McWhirter,R.W.P. See Allen,T.K., 3=12147
McWhirter,R.W.P. See Bates,D.R., 3=364
McWhirter,R.W.P. See Griffin,W.G., 3=13767
McWhirter,R.W.P. See Hobbs,G.D., 3=7463
McWhorter,A.L.,Zeiger,H.J. and Lax,B. Theory of semiconductor maser of GaAs, 3=12351
McWhorter,A.L. See Hurwitz,C.E., 3=8504
McWhorter,A.L. See Quist,T.M., 3=9971
McWilliams,A.S. See Edwards,D.O., 3=323
McWilliams,D. and Lynch,D.W. Indexes of refraction of Mg_2Si, Mg_2Ge, and Mg_2Sn, 3=8576
McWilliams,D. and Lynch,D.W. Infrared reflectivities of magnesium silicide, germanide, and stannide, 3=15653
Macwood,G.E. and Böddeker,K.W. Endothermic conversion of para—hydrogen to adsorbed equilibrium hydrogen below 20° K, 3=20994
Maczuk,J. See Schwan,H.P., 3=13627
Madansky, L. See Dick, L. 3=10100
Madatova,E.G. See Dekhtyar,I.Ya., 3=11059
Madden,R.P.,Canfield,L.R. and Hass,G. On the vacuum-ultra-violet reflectance of evaporated aluminum before and during oxidation, 3=11883
Madden,R.P. and Codling,K. New autoionizing atomic energy levels in He, Ne and Ar, 3=19927
Madden,R.P. and Kessler,K.G. The absolute measurement of intensity and wavelength in the far ultraviolet, 3=9591
Madden,R.P. See Jacobus,G.F., 3=19005

Madden,T.C. and Gibson,W.M. Silicon dioxide passivation of p–n junction particle detectors, 3=7749
Maddin,R. See Kimura,H., 3=20203
Maddin,R. See Lawley,A., 3=1236
Maddin,R. See Ogawa,K., 3=22781
Maddin,R. See Westdorp,W., 3=22798
Maddix,H.S. See Allen,M.A., 3=21735
Maddock,A.G.,Treloar,F.E. and Vargas,J.I. Chemical effects of radiative thermal neutron capture. X. Influence of crystal defects on the retention, 3=22871
Maddock,A.G. See Andersen,T., 3=25311
Maddock,A.G. See Claridge,R.F.C., 3=22872
Madejski,J. Combined laminar flow forced and natural convection in vertical round tubes, 3=103
Mader,C.L. Shock and hot spot initiation of homogeneous explosives, 3=11348
Mader,J. Some external influences on the photo-stimulated exo-electron emission from stretched aluminium foil, 3=7627
Mader,S. and Thieringer,H-M. Dislocations in Ni and Ni–Co single crystals, 3=17744
Madey,R. Shielding against space radiation, 3=21139
Madhav Rao,L. See Begum,R.J., 3=12911
Madigan,J.R. Dependence of the thermoelectric figure of merit on orientation in uniaxial crystals, 3=2981
Madjid,A.H. See Busch,G., 3=12232
Madlow,M. Determination of the temperature distribution in the outermost layers of the solar photosphere from measurements of the intensity gradient in the continuum, 3=16374
Madsen,K.D. A 235 MW rock vessel reactor power plant, 3=4684
Madsen,V.H. See Giamati,C.C., 3=24729
Maechler,P. See Forrer,R., 3=9903
Maecker,H. [Ed.]. Proceedings of the fifth international conference on ionization phenomena in gases. Vol. I and II (Munich, 28 August - 1 September 1961), 3=1928
Maecker,H. Progress in arc physics, 3=7482
Maecker,H.,Steinberger,S. and Urban,M. A cascade arc chamber for very high outputs, 3=21751
Maeda,H. World-wide pattern of ionization drifts in the ionospheric F-region as deduced from geomagnetic variations, 3=13763
Maeda,H.,Sakurai,K.,Ondoh,T. and Yamamoto,M. A study of solar-terrestrial relationships during the I.G.Y. and I.G.C., 3=11475
Maeda,H. See Miyazawa,H., 3=25236
Maeda,H. See Ondoh,T., 3=1491
Maeda,H. See Shirgaokar,A.J., 3=21074
Maeda,K. Auroral dissociation of molecular oxygen in the polar mesosphere, 3=11450
Maeda,K. and Kawashima,T. Power supply for ion source of mass spectrometer in electrotechnical laboratory, 3=12261
Maeda,K. and Matsumoto,H. Conductivity of the ionosphere and current system, 3=11428
Maeda,K. and Matsumoto,H. Conductivity of the ionosphere and the dynamo current system, 3=13709
Maeda,K. and Oya,H. A calculation of the penetration of v.l.f. radiowave energy through the ionosphere, 3=16259
Maeda,K. and Oya,H. Penetration of v.l.f. radio waves through the ionosphere, 3=23613
Maeda,K. and Suzuki,K. Microplasmas in silicon p–n junctions, 3=2929
Maeda,S. See Sato,K., 3=1004
Maeda,S. See Schatz,P.N., 3=16790
Maeda,T. See Kameda,T., 3=4512
Maeda,T. See Tino,Y., 3=25607
Maeda,Y. On the heavy primary cosmic ray interactions in nuclear emulsions, 3=24817
Maeder,D. High-resolution cathode ray tubes for investigation of nuclear track photographs, 3=12242
Maeder,D. Scanning patterns for automatic track and event recognition, 3=19516
Maeder,D. See Anders,H., 3=19528
Maehlum,B. and O'Brien,B.J. Study of energetic electrons and their relationship to auroral absorption of radio waves, 3=13812
Maekawa,S. Diffusion of phosphorus into silicon, 3=2832
Maestro,M. See Guidotti,C., 3=8225
Maestro,M. See Morandi,M.C., 3=22532
Maeta,H. See Yoshida,S., 3=22891
Magarvey,R.H. and Kalejis,J. Internal circulations within liquid drops, 3=14133
Magda,T. See Minzatu,I., 3=8089
Magdeburg,H. Measurement of temperature distribution on the outer surface of thermal radiators, 3=11998
Magee,E.M. Photolysis of methane by vacuum-ultraviolet light, 3=25834
Magee,J.L. See Lorquet,J.C., 3=2664
Mager,A. and Pfeiffer,I. On carbide precipitation in silicon iron, 3=16101
Magidson,V.V. See Konovalov,Yu.N., 3=2000
Magill,J.H. Techniques for following rates of crystallisation in high polymers, 3=11234
Magistrelli,F. See Allen,J.E., 3=4068
Magistrelli,F. See Allen,J.E., 3=7487
Magistrelli,F. See Boschi,A., 3=24300
Maglić,B.C. The sonic spark chamber and some of its experimental aspects, 3=17142
Maglić,B.C. and Kirsten,F.A. Acoustic spark chamber, 3=2178
Maglić,B.C. See Lynch,G.R., 3=19634
Maglieri,D.J. and Lansing,D.L. Sonic booms from aircraft in maneuvers, 3=16693
Magnan,C. Roll of charge-transfer in the dispersion of energy of a beam of protons, 3=21896
Magnan,D. and Kahane,A. Conductivity of ice at low temperatures, 3=22980
Magnante,P. See Pope,M., 3=18051
Magnaval,J. See Janin,J., 3=22547
Magnien,C. Measurements of the velocity of ultrasonic waves in sea water made with the Bathyscape F.N.R.S. III in the Mediterranean in January 1961, 3=3442
Magnier,P. See Lang,F.M., 3=13569
Magnitsky,V.A. and Kalashnikova,I.V. On the general direction of development of the earth's crust, 3=13648
Magno,M.S.and Dieke,G.H. Absorption and fluorescence spectra of hexagonal SmCl$_3$ and their Zeeman effects, 3=3016
Magnuson,G.D. and Carlston,C.E. Electron ejection from metals due to 1- to 10-keV noble gas ion bombardment. I. polycrystalline materials, 3=9843
Magnuson,G.D. and Carlston,C.E. Electron ejection from metals due to 1- to 10keV noble gas ion bombardment. II. Single crystal, 3=9844
Maguin,C. and Lafouchriere,J. Investigation and study of magnetic topographies with symmetry of revolution which give isochronous electron trajectories, 3=14658
Magyar,G. and Mandel,L. Interference fringes produced by superposition of two independent maser light beams, 3=16795
Mahadevan,P.,Layton,J.K.,Comeaux,A.R. and Medved,D.B. Discrepancy in energy transfer between medium energy noble-gas ions and neutral atoms bombarding metal surfaces, 3=22511
Mahadevan,P., Layton,J.K. and Medved,D.B. Secondary electron emission from clean surface of molybdenum due to low-energy noble gas ions, 3=4185
Mahadevan,P. See Medved,D.B., 3=9842
Mahaffey,D.W. Microwave propagation through a plasma in a magnetic field, 3=7551
Mahajan,K.K. See Saha,A.K., 3=16243
Mahajan,M.D. See Patwardhan,P.K., 3=24197
Mahan,A.I. and Bone,L.P. Far-field diffraction and polarization properties of a three-dimensional hollow homogeneous, isotropic cone, 3=12311
Mahan,B.H.and Solo,R.B. Carbon monoxide–oxygen atom reaction, 3=5159
Mahan,B.H. See Doering,J.P., 3=5622
Mahan,G.D. and Hopfield,J.J. Proposal for beating two optical masers, 3=14334
Mahanta,P.C.,Hatibarua,J. and Das,R.K. Thermal expansion of Thermal expansion of cerium dioxide by X-ray diffraction method, 3=8370
Mahanthappa,K. and Ramsey,W. Baryon mass splitting and weak and strong couplings, 3=10026
Mahanthappa,K.T. See Bakshi,P.M., 3=7782
Mahanthappa,K.T. See Bakshi,P.M., 3=7783
Mahanthappa,K.T. See Cornwall,J.M., 3=22090
Mahanthappa,K.T. See Fronsdal,C., 3=19558
Mahanty,J. Effect of imperfections on the dynamical correlations between the vibrational modes of a lattice, 3=22637
Mahanty,J. and Sharma,R.K. Discrete frequencies in a lattice perturbed by isotope defects, 3=22635
Mahapatra,S. and Hyde,F.J. Phase relationships in a parametric harmonic generator, 3=1912

Mahaux,C. One-level approximation in the theory of nuclear reactions, 3=22357

Mahaux,C. Applications of the one-level approximation in the theory of resonances at complex energies, 3=22358

Mahaux,C. Two-level approximation in the theory of nuclear reactions, 3=24917

Maheshwari,R.C. Absorption spectra of AgTe and AgSe molecules, 3=10524

Maheshwari,R.C. and Sharma,D. Emission spectra of the CuTe and AuTe molecules, 3=12819

Maheshwari,R.C. See Gupta,J.P., 3=11389

Mahieu,J.M. See Bécart,M., 3=25089

Mahlab,E.,Volterra,V.,Low,W. and Yariv,A. Orthorhombic electron spin resonance spectrum of U^{3+}in CaF_2, 3=20658

Mahler, R.J, Mahon, H.P, Miller, S.C. and Tanttila, W.H. Nonlinear acoustic excitation in GaAs, 3=17651

Mahler,R.J. See Brun,E., 3=8747

Mahmoud,K.A. and El-Nady,L. Angular distribution of back-scattering of gamma rays from shielding materials, 3=10077

Mahon,H. See Brun,E., 3=8747

Mahon, H.P. See Mahler, R.J., 3=17651

Mahon-Smith,D. See Carroll,P.K., 3=25102

Mahoux,G. See Deser,S., 3=22091

Mahr,H. Luminescent decay of localized optical excitations in KCl, 3=15709

Maidanik,G. Radiation efficiency of panels, 3=7300

Maidanyuk,V.K. See Dzhelepov,B.S., 3=24910

Maier,K. See Dosch,H.G., 3=16892

Maier, K. See Finckh, E., 3=17451

Maier,R.J. See Bilinski,J.R., 3=25308

Maier,W.B., II. See Giese,C.F., 3=21709

Maier-Leibnitz,H. Theory of a gravity neutron refractometer for the absolute determination of coherent scattering cross-sections, 3=6018

Maier-Leibnitz,H. and Springer,T. The use of neutron optical devices on beam-hole experiments, 3=22145

Mailing,L. A possible interpretation of experiments on inelastic scattering of fast protons on light nuclei, 3=6239

Maillard,R. See Beurtey,R., 3=10374

Maiman,T.H. Solid state laser and iraser studies, 3=7738

Main,I.G. Angular distributions in the reaction $^4He\ (\gamma,p)\ ^3H$, 3=6092

Main,P. and Woolfson,M.M. Accurate lattice parameters from Weissenberg photographs, 3=25699

Main,P. and Woolfson,M.M. Direct determination of phases by the use of linear equations between structure factors, 3=25702

Main,P See Evans,J.W., 3=11532

Maines, J.D. and Paige, E.G.S. Anisotropy of neutral and ionized impurity scattering of electrons in germanium, 3=17858

Mainsbridge,B. See Perry,R.R., 3=22378

Mainstone,J.S. and McNicol,R.W.E. Micropulsation studies at Brisbane, Queensland. I. Pearl pulsations and "screamers", 3=13833

Mainstone,J.S. See McNicol,R.W.E., 3=13834

Mainthia,S.B., Kronick,P.L. and Labes,M.M. Electrical measurements on polyvinylene and polyphenylene, 3=4936

Maisonnier,C.,Linhart,J.G. and Haegi,M. Generation of shocks in a collapsing cylindrical plasma shell, 3=12219

Maita,J.P. See Morin,F.J., 3=7405

Maitland,A. The influence of pressures within the range 10^{-6} - 10^{-3} mm Hg on breakdown between plane electrodes, 3=4091

Maitland,A. Spark conditioning equation for plane electrodes in vacuum, 3=14545

Maitland,A. A criterion for assessing methods of producing non-equilibrium ionization, 3=24210

Maitland,A. and Dunn,M.H. Thermal ionization in a system with a distribution of ionization potentials, 3=12075

Maitland,A. See Dunn,M.H., 3=5558

Maiya,P.S. and Newkirk,J.B. Metallographic etching by mono-energetic ion bombardment, 3=20976

Major,J.K. See Reber,J.D., 3=19513

Major,K.G. See Brailsford,A.D., 3=25325

Majoros,A. The new basic determinant of technical optics, 3=3864

Majumdar,N.K. and Chatterjee,A. 14.8 MeV neutron activation cross-section measurements of a few tellurium isotopes, 3=10358

Majumder,S.R. The motion of two spheres in contact parallel to the common line of centres in an incompressible, homogeneous non-viscous fluid, 3=9410

Mak,A.A. See Anan'ev,Yu.A., 3=14342

Mak,A.A. See Anan'ev,Yu.A., 3=24517

Makarov,A.I. See Rozenfel'd,L.B., 3=3695

Makarov,E.F. See Bryukhanov,V.A., 3=744

Makarov,E.F. See Bryukhanow,V.A., 3=6877

Makarov,E.F. See Gol'danskii,V.I., 3=8340

Makarov,E.F. See Goldanskii,V.I., 3=10570

Makarov,M.M. Calculation of the energy and angular characteristics of multicharged particles produced by high-energy protons, 3=24939

Makarov,M.M. See Lepekhin,F.G., 3=22388

Makarov,V.I. See Bar'yakhtar,V.G., 3=13025

Makarov,V.I. See Lazarev,B.G., 3=21668

Makarov,V.I. See Lazarev,V.G., 3=19125

Makarov, V.P. See Gross, E.F., 3=18002

Makedonskii,V.L. and Pustovoit,A.K. Secondary electron emission of antimony chalcogenides, 3=14636

Makeev,N.N. The collision of gaseous jets, 3=16646

Makeev,N.N. On one case of central motion, 3=21269

Maker,P.D. See Terhune,R.W., 3=12340

Makhanek,A.G. Antiscreening of nuclear quadrupole moments, 3=19923

Makhan'kov,V.G. Excitation of electromagnetic waves in a plasma where the electron velocity is directed with respect to the ions, 3=21849

Makhankov,V.G. and Rukhadze,A.A. Excitation of electromagnetic waves across a beam of charged plasma particles, 3=21788

Makhon'ko,K.P. Concerning the nature of the spectrum of particle sizes of radioactive dust of natural origin, 3=18519

Maki,A. Vibration-rotation spectra of Br Cn, 3=12834

Maki,A.,Plyler,E.K. and Thibault,R. Infra-red spectrum of carbon tetrafluoride, 3=6406

Maki,A.G. and Plyler,E.K. Method of measuring emissivities of metals in the infrared, 3=292

Maki,A.G., Plyler,E.K. and Thibault,R.J. Absorption bands of carbon dioxide from 5·3 to 4·6 microns, 3=19991

Maki,A.H. See Harriman,J.E., 3=22597

Maki,A.H. See Stone,E.W., 3=12861

Maki,A.H. See Stone,E.W., 3=15373

Maki,K. On the strength of the coupling constant and the stability of the vacuum, 3=7761

Maki,K. On persistent currents in a superconducting alloy, 3=9679

Maki,K. On persistent currents in a superconducting alloy. II, 3=16870

Maki,K. Magnetic moments and critical fields in superconducting thin films, 3=24142

Maki,Z.,Nakagawa,M. and Sakata,S. Remarks on the unified model of elementary particles, 3=7773

Makin,M.J. and Hudson,B. {012} loops in face-centred cubic metals, 3=17721

Makin,M.J. See Hudson,B., 3=22752

Makin,M.J. See Whapham,A.D., 3=822

Makin,M.J. See Whapham,A.D., 3=17805

Makino,F. See Hyodo,T., 3=3045

Makino,F. See Mukoyama,T., 3=15148

Makita,M. Physical states in sunspots, 3=23684

Makky,S.M. On the fracture theory of surfaces of maximum shear, 3=3773

Makovky,J. See Alexander,E., 3=9593

Makovsky,J., Low,W. and Yatsiv,S. Excitation of optical fluorescence spectra of transition elements by means of X-rays, 3=953

Makow,D.M. and Hurd,R.A. On the harmonic response of some nonlinear systems, 3=19133

Makowska-Rzeszutko,M. See Kolonko,N., 3=10376

Makram,H. and Krishnan,R. The preparation of single crystals of nickel ferrites and a study of their magnetic properties, 3=13274

Makram,H. and Krishnan,R. Preparation and properties of yttrium iron garnet single crystals containing indium, 3=20800

Makram,H.,Krishnan,R. and Berteaud,A.J. Effect of method of preparation on the properties of yttrium garnet single crystals, 3=8699

Makris,J. See Ma,C.H., 3=13024

Maksakov,B.I., Morozov,A.M. and Romanova,N.G. Absorption and luminescence spectra of lead molybdate single crystals, 3=20479
Maksakov,B.I. See Karapetyan,V.E., 3=23079
Maksimov,G.P. See Afonin,I.P., 3=19283
Maksimov,J.S. See Brezhnev,B.G., 3=7452
Maksimov,L. See Kagan,Yu., 3=171
Maksimov,M.Z. Concerning nuclear reactions involving exchange of surface nucleons, 3=8057
Makukha,V.I. Field emission from iridium, 3=21855
Malafi, H.T. See Minamoto, M.T., 3=17911
Malakhov,I.Ya. See Andreev,G.B., 3=5147
Malamud,E. and Weill,R. Positron—electron annihilation in flight at 600 MeV, 3=7834
Malamud,E. See Amato,G., 3=17001
Malan,O.G. See Decius,J.C., 3=25189
Malard,M. See Guennoc,H., 3=869
Malaroda,R., Poiani,G. and Pisent,G. On the D-wave contribution in the n–He^4 elastic scattering at 15 MeV, 3=19644
Malbwachs,F. See de Broglie,L., 3=2226
Malčić, S.S. See Herak, R.M., 3=18315
Malecki,J. Dielectric saturation in benzene—chloroform—hexanol-1 three-component mixtures, 3=23895
Malécot,G. See Eyraud,L., 3=6816
Malecot,G. See Eyraud,L., 3=20769
Maleev,E.M. and Ermakov,D.S. Single beam two-frequency pyrometer for measuring flame temperatures, 3=9644
Maleev,S.V. Properties of rarefied fermi-gas with attraction, 3=1037
Maleev,S.V.,Bar'yakhtar,V.G. and Suris,R.A. The scattering of slow neutrons by complex magnetic structures, 3=23182
Maleev, S.V. See Bar'yakhtar, V.G., 3=18097
Malein,A. See Cockroft,H.S., 3=21801
Málek, Z. and Schüppel,W. Magnetic anisotropy of thin films, 3=20604
Málek,Z. See Fousek,J., 3=2960
Málek,Z. See Frait,Z., 3=20596
Malengé,J. and Gosse,J. On the diffusion of heat and matter in turbulent flow, 3=7186
Malesani,G.,Mazzucato,E.,Rostagni,G. and Scimemi,B. Experiments on magnetically driven shock-waves in ionized gases, 3=7278
Maleval,C. and Collomby,J. Velocity of propagation of ionization in a column of neon excited by ultra-high frequencies at one end, 3=4037
Malevskaya,L.A. See Belov,K.P., 3=3150
Malevskaya,L.A. See Belov,K.P., 3=6721
Malhotra,G.L. See Bahadur,K., 3=2813
Malhotra,R.C. and Cermak,J.E. Wind-tunnel modeling of atmospheric diffusion, 3=18500
Mali,M. See Blinc,R., 3=25594
Malicskó,L. Studies on the layer growth of crystals, 3=25669
Malik,F.B. On the variational method for nonrelativistic scattering. I. Differential form, 3=5367
Malik,F.B. On the variational method of the non-relativistic scattering. II. The integral form, 3=7122
Malik,S.S. See Van Patter,D.M., 3=2466
Malikova,O. See Zaveta,K., 3=22949
Malikova,O.A. See Belov,K.P., 3=20334
Malinen,P.A. See Kotel'nikov,N.V., 3=5013
Maling,G.C., Jr. Simplified analysis of the Rijke phenomenon, 3=18933
Maling,G.C.,Jr. See Ingard,U., 3=21043
Malinofsky,W.W. See Wade,W., 3=16141
Malinovskii,T.I. and Simonov,Yu.A. Crystal structure of cadmium bromide dipyridnate, 3=6854
Malinowski,J. See Foldzińska,A. 3=1399
Malinowski,J. See Sterliński,S., 3=11368
Malisova, E.V. See Presnov, V.A., 3=25364
Malitson,I.H. Refraction and dispersion of synthetic sapphire, 3=2992
Malitson,I.H.,Cleek,G.W.,Stavroudis,O.N. and Sutton,L.E. Infrared dispersion of some oxide glasses, 3=20439
Malkevich,M.S. Angular and spectral distribution of the radiation reflected by earth into space, 3=23565
Malkevich,M.S.,Pokras,V.M. and Yurkova,L.I. Concerning the measurements of the radiation balance on the satellite Explorer VII, 3=23568
Malkiel',G.S. Origin of elements heavier than calcium, 3=15185
Malkin,B.Z. The theory of radiationless transitions in luminescent ionic crystals, 3=6646

Malkin,B.Z. Calculation of the probabilities of radiationless transitions of the Cr^{3+} ion in ruby, 3=15456
Malkin,B.Z. Calculation of the probability of a non-radiative transition for an ion of Sm^{2+} in fluorite, 3=20124
Malkmus, W. Infrared emissivity of carbon dioxide (4·3-μ band), 3=17584
Mal'kova,A.A. See Kolomiets,B.T., 3=17997
Malkovich,R.Sh. An absorption method of determining the diffusion coefficients of a volatile impurity, 3=20216
Malkovich,R.Sh. and Alimbarashvili,N.A. Effect of the electric field on the diffusion of zinc in silicon, 3=17790
Malkus,W.V.R. Precessional torques as the cause of geomagnetism, 3=21070
Mallard,W.C.,Gardner,A.B.,Bass,R.F. and Slifkin,L.M. Self-diffusion in silver—gold solid solutions, 3=6538
Mallett,G.R. See Thompson,M.A., 3=13434
Mallon,C.E. See Cutler,M., 3=3813
Mallory,H.D. and Plauson,R.A. Direct observation of detonation in compressed nitromethane, 3=8962
Mallozzi,P. and Margenau,H. Absorption coefficient and microwave conductivity of plasmas, 3=14577
Malm, J.G. See Chernick, C.L., 3=17634
Malme,C.I. See Smith,P.W., Jr, 3=7261
Malmjord,K. See Harang,L., 3=3493
Malmskog,S. and Konijn,J. Half-life measurements of ^{6}He, ^{16}N, ^{19}O, ^{20}F, ^{28}Al, ^{77}Se^{m} and ^{110}Ag, 3=2403
Malmskog,S. See Fräki,R., 3=24539
Malmskog,S. See Nygaard,K., 3=18977
Malner,L. See Broussaud,G., 3=9996
Maln'iev,A.F. See Kremenchuhs'kȳi,L.S., 3=21610
Malone,C.P. See Gill,S.J., 3=19406
Malone,D.P. See Wobschall,D., 3=21697
Malos,J. See Brisbout,F.A., 3=6109
Malos,J. See Farrow,E., 3=19724
Malos,J. See Reid,R.J., 3=4504
Malotsi,D. See Bonsignori,C., 3=19148
Malov,A.F. See Pelekhov,V.I., 3=7831
Malov,N.M. See Zoré,V.A., 3=18687
Malovetskaya,V.M. See Vavilov,V.S., 3=6590
Malsnes,B. See Blotekjaer,K., 3=12243
Maltby,P.,Matthews,T.A. and Moffet,A.T. The radio source Hercules A, 3=5284
Maltby,P.,Matthews,T.A. and Moffet,A.T. Brightness distribution in discrete radio sources. IV. A discussion of 24 identified sources, 3=13935
Mal'tsev,A.A. See Chernin,S.M., 3=1817
Mal'tsev,E.I. See Kuz'minov,Yu.S., 3=22391
Maltsev,V.M. See Barashenkov,B.V.S., 3=19700
Mal'tsev,V.M. See Barashenkov,V.S., 3=2461
Mal'tsev,V.M. See Barashenkov,V.S., 3=4366
Maltsev,V.M. See Barashenkov,V.S., 3=4635
Mal'tsev,Yu.V. See Ukhanov,Yu.I., 3=15658
Mal'tsev,Yu.V. See Ukhanov,Yu.I., 3=20333
Mal'tseva,N.S. See Belyaev,B.N., 3=15203
Malumyan,V.G. The radio emission spectrum of the galactic nucleus, 3=5279
Malur,J. The red luminescence of zinc sulphide, 3=18038
Malvano,R. See Bonfiglioli,G., 3=15541
Malvicini,A.,deBortoli,M.,Gaglione,P. and van der Stright,E. Yttrium-88 on high-activity zirconium-95, 3=12612
Malville,J.M. and Smith,S.F. Type IV radiation from flares covering sunspots, 3=21126
Malý,L. See Plajner,Z., 3=10312
Maly,M. See Belonogov,A.V., 3=17127
Maly,Ya. See Bzranova,G., 3=8140
Malyarova,G.V. See Shvidkovskiĭ,E.G., 3=19179
Malyavkin,L.P. Korobkin,V.V., 3=24352
Malyavkina,M.P. See Livanov,V.A., 3=25850
Malyeev,S.V. On the analytical properties of the single-fermion Green's function in quantum theory of many particles, 3=1633
Malyeev,S.V. See Izyumov,Yu.A., 3=3121
Malȳgin,G.A. See Likhachev,V.A., 3=6868
Malȳshev,G.M.,Razdobarin,G.T. and Sokolova,L.V. Use of a Fabry—Perot etalon with a monochromator and an electron-optical intensifier for spectral time scans, 3=24036
Malyshev,G.M. See Berezin,A.B., 3=7451
Malyshev,G.M. See Berezin,A.B., 3=24304
Malȳshev,G.M. See Zaidel',A.N., 3=1999
Malȳshev,G.M. See Zaidel',A.N., 3=24303
Malyshev,I.F. See Vladimirskii,V.V., 3=12275

Malyshev,K.I. See Gulin,É.P., 3=14269
Maly̆shev,V.A. Symmetric stationary isothermal gas diffusion, 3=21426
Maly̆shev,V.I. See Aref'ev,I.M., 3=2629
Malyshev,V.V. See Lavrukhina,A.K., 3=8150
Maly̆shev,V.V. See Lavrukhina,A.K., 3=24940
Maly̆sheva,T.V. and Khotin,B.A., Supplementary data on neutron-deficient osmium isotopes, 3=10273
Malysheva,T.V.,Moskaleva,L.P.,Chernov,G.M. and Filatova,L.V. Investigation of neutron deficient tantalum isotopes, 3=8051
Malysheva,T.V. See Bonch-Osmolovskaya,N.A., 3=24912
Maly̆sheva,T.V. See Grigor'ev,E.P., 3=8052
Maly̆sheva,T.V. See Kryukova,L.N., 3=8053
Malyuchkov,O.T. and Povitskii,V.A. Onvestigating the borides of transition metals by the nuclear magnetic resonance method, 3=11121
Malyuchkov,O.T. and Povitskii,V.A. Nuclear magnetic resonance method of studying CrB, LaB$_6$ and crystalline boron, 3=20678
Malyukov,B.A. See Barinskii,R.L., 3=23097
Malyuta,Yu.M. Analytic properties of partial amplitudes, 3=15022
Malyuta,Yu.M. Regge poles in quantum field theory, 3=24618
Malyuzhinets,G.D. and Tuzhilin,A.A. The electromagnetic field produced by an electric dipole in a wedge shaped region, 3=5845
Malz,D. See Böttcher,H., 3=251
Mamaev, S. See Nasledov, D.N., 3=17970
Mamalui,Yu.A. See Borovik,E.S., 3=23187
Mamasakhlisov,V.I. and Dzhibuti,R.I. High energy photodisintegration of Be^9 and C^{12} nuclei, 3=2435
Mamidzhanyan,Z.A. See Babayan,Kh.P., 3=19595
Mammi,M. and Carazzolo,G. Analytical determination of transmission factors in single crystals. II. High absorptivity prismatic single-crystals with parallelogram or hexagonal bases and sides two by two equal and parallel, 3=25696
Mammi,M. and Carazzolo,G. Analytical determination of transmission factors in single-crystals. III. Extension of the method to non-constant cross-section single-crystals and equi-inclination Weissenberg photographs, 3=25697
Mammi,M. See Nardi,V., 3=13419
Mamuro,T.,Seiyama,T.,Matsunami,T.,Fujita,A. and Yoshikawa,K. Electron microscopic examination of highly radioactive fall-out particles, 3=10280
Mamuro,T.,Yoshikawa,K.,Matsunami,T.,Fujita,A. and Aeuma,T. Fractionation phenomena in highly radioactive fall-out particles, 3=13688
Mamy̆rin,B.A. and Frantsuzov,A.A. A resonance mass spectrometer with a high resolution, 3=4221
Man,L.I. and Semiletov,S.A. Structure of thin films of TIBiSe$_2$, 3=20850
Manabe,Y. See Yoshino,T., 3=11812
Mănăilă,R. See Rosenberg,M., 3=8521
Manasse,F.K. Distortion in the metric of a small center of gravitational attraction due to its proximity to a very large mass, 3=16512
Manasse,F.K. and Misner,C.W. Fermi normal coordinates and some basic concepts in differential geometry, 3=16511
Manatt,S.L. See Elleman,D.D., 3=21995
Mancini,N. See Germagnoli,E., 3=25270
Mande,C. See Sinha,K.P., 3=25175
Mandel,G. See Jona,F., 3=8945
Mandel,J. Plastic waves in an infinite three dimensional medium, 3=1749
Mandel,L. Interference and the Alford and Gold effect, 3=1830
Mandel,L. Transient coherence in optics, 3=3861
Mandel,L. Intensity fluctuations of partially polarized light, 3=23994
Mandel,L. and Wolf,E. The measures of bandwidth and coherence time in optics, 3=233
Mandel,L. See Lipsett,M.S., 3=9988
Mandel,L. See Magyar,G., 3=16795
Mandel,M. Paramagnetic resonance of Yb^{3+} in yttrium oxide, 3=18135
Mandelberg,H.I. See Condell,W.J., 3=17086
Mandelbrojt,J. The π-meson as a bound nucleon–antinucleon state, 3=17302
Mandelkern,L. See Martin,G.M., 3=23421
Mandel'shtam,S.L. Some aspects of the theory of spectrochemical analysis, 3=25841
Mandel'shtam,S.L.,Tindo,I.P.,Voron'ko,Yu.K.,Shury̆gin,A.I. and Vasil'ev,B.N. Studies of solar X-ray emission. I, 3=9190
Mandel'shtam,S.L.,Tindo,I.P.,Voron'ko,Yu.K.,Vasil'yev,B.N. and Shurygin,A.I. Studies of the solar X-ray radiation. II, 3=23681
Mandelstam,S. Quantization of the gravitational field, 3=3719
Mandelstam,S. Regge poles as consequences of analyticity and unitarity, 3=10042
Mandel'tsveig,V.B. Scattering of neutrinos on nucleons in the anomalous muon interaction model, 3=5984
Mandel'tsveig,V.B. and Solov'ev,V.V. Effect of π-meson mass difference on the relations between the K$_{\pi 3}$-decay probabilities, 3=2318
Mandeville,C.E. See Hurley,J.P., 3=24899
Mandl,F. See Herzenberg,A., 3=22504
Mandl,V. See Bassi,P., 3=17480
Mandò,M. The ^{7}Li + p γ-radiation as a tool for the detection of nuclear cross-section fluctuations, 3=8072
Mandò,M. See Bizzeti,P.G., 3=8073
Mandriota,F.J., Mintz,D.E. and Notterman,J.M. Visual velocity discrimination: effects of spatial and temporal cues, 3=3690
Manduchi,C.,Russo-Manduchi,M.T. and Tornielli,G. The electron-neutrino angular correlation in β-decay of ^{91}Y, 3=8036
Manduchi,G. and Zannoni,G. Experimental results on orbital-electron capture, 3=8033
Mandzhavidze,A.G. See Baazov,N.G., 3=6014
Manenc,J. Alloys with "modulated" structure, 3=8879
Manenc,J.,Bourgeot,J. and Benard,J. Some observations concerning the structure of ferrous oxide, 3=11200
Manenkov,A.A., Popova,A.A. and Khaimov-Mal'kov,V.Ya. Investigation of the nonuniformity of the crystal field in ruby, 3=20048
Manenkov,A.A. and Prokhorov,A.M. Paramagnetic resonance of Mn^{2+} in SrS, 3=5042
Manenkov,A.A. and Prokhorov,A.M. Spin–lattice relaxation and cross-relaxation interactions in chromium corundum, 3=6753
Manenkov,A.A. and Prokhorov,A.M. The temperature dependence of the spin-lattice relaxation times, 3=6757
Manenkov,A.A. See Emel'yanova,E.N., 3=25569
Manenkov, A.A. See Kessenikh, A.V., 3=18146
Manenkov,A.A. See Kessenikh,A.V., 3=20064
Manenkov,A.A. See Lushchikov,V.I., 3=20065
Manenkov,A.A. See Zverev,G.M., 3=24505
Manes,M. On diagonalizing phenomenological matrices, 3=23776
Manfredini,A. See Amaldi,E., 3=14861
Manfredini,A. See de Carvalho,H.G., 3=24991
Mang,H.J. and Rasmussem,J.O. Shell model calculations of alphs decay rates of even–even spheroidal nuclei, 3=12617
Mangal,S.K., and Gill,P.S. Thermal neutron activation cross-sections for isomer production. II. 3=10361
Mangeron,D. and Croitoru,E. The general theory of reduced accelerations of arbitrary order, 3=18771
Mangialajo,M., Merzari,F. and Sona,P.G. Good resolution measurement of the fission excitation curve of U^{238} by fast neutrons around 14 MeV, 3=15244
Mangiarotty,R.A. Acoustic radiation damping of vibrating structures, 3=16673
Mangiarotty,R.A. Optimization of the mass distribution and the air spaces in multiple-element soundproofing structures, 3=18952
Mango,L. See Amman,F., 3=12267
Mangulis,V. Infinite array of circular pistons on a rigid plane baffle, 3=203
Mangulis,V. Mutual radiation impedance coefficients for pistons on a nonrigid baffle, 3=204
Mangulis,V. On the radiation of sound from a piston in a nonrigid baffle, 3=7288
Mangum,B. See Wolf,W.P., 3=1057
Mangum,B.W. See Cooke,A.H., 3=1194
Mangum,B.W. See Hudson,R.P., 3=23243
Mani,A.,Chacko,O. and Venkiteshwaran,S.P. Measurements of the total radiation from sun and sky in India during the I.G.Y., 3=9042
Mani,A.,Huddar,B.B.,Kachare,N.R.,Swaminathan,M.S., Srivastaya,G.P. and Venkiteshwaran,S.P. Variations in atmospheric electricity in the lower troposphere over Poona, 3=18513
Mani,A. See Venkiteshwaran,S.P., 3=18512

Mani,G.S.,Forsyth,P.D. and Perry,R.R. Levels in N^{15} from B^{11} $(\alpha, p_0)C^{14}$ reaction, 3=19770
Mani,G.S. See Jeronymo,J.M.F., 3=678
Mani, G.S. See Jeronymo, J.M.F., 3=17400
Mani, G.S. See Jeronymo, J.M.F., 3=17460
Mani,G.S. See Jeronymo,J.M.F., 3=24949
Maniwa,H. See Kimura,H., 3=12961
Manley,H.J. Analysis—synthesis of connected speech in terms of orthogonalized exponentially damped sinusoids, 3=13947
Manley,J.H. $C^{12}(He^3, n)O^{14}$ reaction at 19, 22, and 25 MeV, 3=12701
Mann,A.K. See Lande,K., 3=17147
Mann,A.K. See Lande,K., 3=17331
Mann,D.E. See Ames,L.L. 3=10527
Mann,D.E. See Comeford,J.J., 3=8275
Mann,D.E. See Sommer,A., 2=8272
Mann,H.M. and Janarek,F.J. Effect of forward-voltage ion-drift on the operation of lithium-drifted silicon junction detectors, 3=2930
Mann,K.C. and Chaturvedi,R.P. The decay of Ba^{133}, 3=19820
Mann,J.E. See Livingston,R.S., 3=5779
Mann,J.E. See Martin,J.A., 3=5782
Mann,R.A. See Garrett,W.R., 3=12776
Mannami,M. Electron microscopic images of lattice imperfections, 3=800
Mannami,M. See Tanaka,K., 3=1314
Mannami,M. See Tanaka,K., 3=11274
Mannami,M. See Tanaka,K., 3=13493
Mannami,M. See Tanaka,K., 3=22731
Mannari,I. A theory of lattice vibrations, 3=6464
Manneback,C. Summary of L.C.A.O. computations of energy and electronic structures of the molecule Li_2 in the ground state and in some excited states, 3=25098
Mannelli.I. and Donato,L. The periodic integrator: an instrument for recording rapid variations of counting rate, 3=7414
Mannelli,I. See Bartke,J., 3=22206
Mannerkoski.M. On the mechanism of formation of "dopetubes" in tungsten wire, 3=4880
Manning,F.S. See Hoch,R., 3=1622
Manning,G. See Galbraith,W., 3=2297
Manning,G. See Galbraith,W., 3=4297
Manning,G.W. See Walsh,P.J., 3=21749
Manning,J.R. Correlation factors for impurity diffusion—f.c.c. lattice, 3=6531
Manning,J.S. See Linde.P.F., 3=306
Manning,L.A. Discussions of Brysk's paper "Specular echoes from dense meteor trails", 3=16427
Manning,L.A. Ray-path calculation of over-dense meteor echo strength, 3=16428
Manning,R.J. See Einspruch,N.G., 3=8751
Mano,K. Eigenfunction form of the nonrelativistic Coulomb Green's function, 3=11701
Manojlović, Lj.M. See Herak, R.M., 3=18315
Manoranjan Rao,Bhattacharya,H. and Khastgir,S.R. Daytime studies of the waveforms of atmospherics, 3=13683
Manring,E.,Bedinger,J. and Knaflich,H. Measurement of winds in the upper atmosphere during April 1961, 3=9062
Manry,D. See Gerber,C.S., 3=122
Mansfield,E.H. On theoretical plasticity and crack propagation, 3=21275
Mansfield,P. and Powles,J.G. A microsecond nuclear resonance pulse apparatus, 3=14792
Mansfield,P. and Powles,J.G. Proton magnetic spin relaxation in glassy and in crystalline glycerol, 3=23250
Mansikka,K. and Pöyhönen,J. X-ray investigation of the transition $I \rightleftharpoons II$ of NH_4Cl, 3=6810
Manson,J.A. See Bovey,F.A., 3=25158
Manson,N. See Brochet,C., 3=3395
Mansour,T.M. A nondestructive method of measuring thickness of transparent coatings, 3=14087
Mansurova,Z.S. See Tolstoi,N.A., 3=3050
Mantescu,C. and Costea,T. Release of tritium from neutron-irradiated lithium salts, 3=23552
Mantis,H.T. The structure of winds of the upper troposphere at mesoscale, 3=16215
Manuel,A.J. and St.Quinton,J.M.P. The magnetic susceptibilities of palladium and palladium—rhodium alloys from 1.85 to 293°K, 3=13229
Manuel,J. and Cohen-Tannoudji,C. Optical detection of magnetic resonance via the modulation of the transverse paramagnetic Faraday effect at the Larmor frequency, 3=23943
Manuel,O.K. See Kuroda,P.K., 3=9165
Manukyan,M.M. See Arutyunyan,N.Kh., 3=3228
Manus,C. See Briffod, G., 3=388
Manz,R.C. See Kahng,D., 3=22824
Manz,R.C. See Kahng, D., 3=23418
Manz,R.C. See Thomas,C.O., 3=10650
Manzel,M.,Voigt,F. and Kleinert,P. Production and magneto-crystalline anisotropy of Ni—Zn—Co ferrite single crystals, 3=23190
Manzheron,D. and Kroitoru,E. Contribution to the general theory of induced accelerations in tangential coordinates, 3=16563
Mapleton,R.A. Electron capture from atomic nitrogen and oxygen by protons. I, 3=15303
Mapleton,R.A. Electron capture from He $(1s^2)$ by protons. II, 3=15304
Mapother,D.E. See Finnimore,D.K., 3=3963
Maradudin,A.A. Thermal expansion and phonon frequency shifts, 3=2717
Maradudin,A.A. On the lifetime of phonons in one-dimensional crystals, 3=4812
Maradudin,A.A. and Fein,A.E. Scattering of neutrons by an anharmonic crystal, 3=4822
Maradudin,A.A.,Fein,A.E. and Vineyard,G.H. On the evaluation of phonon widths and shifts, 3=2718
Maradudin,A.A. and Flinn,P.A. Anharmonic contributions to the Debye—Waller factor, 3=8827
Maradudin,A.A. See Coldwell-Horsfall,R.A., 3=12941
Maradudin, A.A. See Flinn, P.A., 3=17640
Maradudin,A.A. See Melngailis,J., 3=25442
Maradudin,A.A. See Wallis,R.F., 3=10926
Marais, A. The influence of deviation from stoichiometry and of sintering temperature on the magnetic dispersion of NiZnCo ferrites, 3=18100
Marais,A. and Merceron,T. The effect of the addition of lithium on the disaccommodation of Mn—Zn ferrites, 3=20611
Marais,A. See Bragiński,A., 3=1036
Marantz,S. See Armstrong,G.T., 3=8960
Maratalogu,N.,Iliescu,E. and Cenja,M. Polarization of 6.3 MeV protons elastically scattered by C^{12}, 3=22371
Marcaccio, W. See Pong, W., 3=16445
Marcazzan,G.M.,Tonolini,F. and Zetta,L. (n, α) reactions on heavy nuclei with 14·7 MeV neutrons, 3=19864
Marcazzan,M.G. See Colli,L., 3=2473
Marcazzan,M.G. See Colli,L., 3=15212
Marcelja, F. A simple fast—slow coincidence system for angular correlation measurements, 3=19870
March,N.H. International conference on crystal lattice defects, Kyoto, September, 1962 3=10643
March,N.H. and Boardman,A.D. Self-consistent density matrix treatment of single and interacting defects in metals, 3=22700
March,N.H. See Corless,G.K., 3=2789
March,N.H. See Johnson,M.D. 3=9439
March,P.V. See Danysz,M., 3=22276
March,R.H.,Erwin,A.R. and Walker,W.D. Resonances in the $\Sigma-K-\pi$ system, 3=6087
March,R.H. See Birge,R., 3=22192
March,R.H. See Erwin,A.R., 3=17317
March,R.H. See Woods,A.D.B., 3=2709
Marchal,R. and Servanty,P. Interaction of two shock waves propagated in the same direction, 3=14250
Marchand,A. On a modification of the Slonczewski and Weiss model applicable to pregraphitic carbons, 3=15457
Marchand,A.,Boy,F. and Forchioni,A. Magnetic susceptibility of anthracene carbons treated between 600° and 1200°C 3=11023
Marchand,A. and Delhaès,P. Paramagnetism of pregraphitic carbons, 3=15759
Marchand,A.,Pacault,A. and Forchioni,A. Increase of diamagnetism in graphite due to reduction of particle size, 3=1120
Marchand,E. and Phillips,R. Calculation of optical transfer function from lens-design data, 3=11888
Marchant,H. See Hinds,S., 3=637
Marchaterre,J.F. See Heineman,J.B., 3=14125
Marchello,J.M. and Toor,H.L. A mixing model for transfer near a boundary, 3=14104
Marchenko,E.V. See Levin,B.A., 3=2275

Marchenko,V.A. See Agranovich,Z.S., 3=2124
Marchi,R.P. and Mueller,C.R. Validity of the W.K.B. approximation in the interpretation of molecular beam scattering data, 3=8317
Marchi,R.P. See Muller,R.P., 3=8318
Marchin,J.M. and Wyon,G. Observation of spirals on electrolytically polished aluminium surfaces, 3=1261
Marchuk,P.M. See Vladimirov,V.V., 3=14593
Marcinkowski,C.J. and Felsen,L.B. On the geometrical optics of curved surfaces with periodic impedance properties, 3=7700
Marcinkowski,C.J. and Felsen,L.B. On the limitations of geometrical optics solutions for curved surfaces with variable impedance properties, 3=7701
Marcinkowski,M.J. and Brown,N. Martensite transformation in the Fe_3Al superlattice, 3=16102
Marcinkowski,M.J. and Fisher,R.M. Theoretical analysis of plastic deformation in supperlattices based on the body-centered cubic structure, 3=23319
Marcinkowski, M.J. and Poliak, R.M. Variation of magnetic structure with order in the Ni_3Mn superlattice, 3=18080
Marcinkowski,M.J. and Zwell,L. Transmission electron microscope study of the off-stoichiometric Cu_3Au super-lattices, 3=13495
Marcley,R.G. Apparatus drawings project. Report number 30A. A versatile RC-filtered low-voltage power supply and a calibrated direct-coupled amplifier, 3=346
Marcley,R.G. Apparatus drawings project report number 30. Atomic beam apparatus for determining the mean free paths of potassium atoms in argon, 3=6367
Marcu,M. See Friedländer,E.M., 3=8102
Marcum,A. See Chambers,B., 3=24531
Marcus,H. The permeability of a sample of an anisotropic porous medium, 3=7193
Marcus,J.A. See Reed,W.A., 3=13044
Marcus,P.M. See Schlosser,H., 2=25237
Marcus,R.A. Interaction in polar media. I. Interparticle interaction energy, 3=9472
Marcus,R.A. Free energy of nonequilibrium polarization systems. II. Homogeneous and electrode systems, 3=16169
Marcus,R.A. Interactions in polar media. II. Continua, 3=23894
Marcus,R.A. See Shilman,A., 3=25835
Marcus,R.A. See Wieder,G.M., 3=3386
Marcus,R.B. See Brockway,L.O., 3=10681
Marcus,S.M. and Langenberg,D.N. High-field magnetoresistance in nickel single crystals, 3=15553
Marcuse,D. Hydrogen cyanide molecular beam-type maser, 3=12344
Marcuvitz,N. Propagation of waves in plasma, 3=7539
Marden,A.J. See Hopkins,B.J., 3=12234
Maree,J.P. See du Plooy,N.F., 3=22251
Marezio,M.,Plettinger,H.A. and Zachariasen,W.H. Refinement of the calcium metaborate structure, 3=13467
Marezio,M.,Plettinger,H.A. and Zachariasen,W.H. The bond lengths in the sodium metaborate structure, 3=18322
Marezio,M.,Plettinger,H.A. and Zachariasen,W.H. The crystal structure of potassium tetraborate tetrahydrate, 3=25724
Marezio,M. See Walker,C.B., 3=13501
Marfaing,Y. and Courrier,G. Electrical and photoelectrical properties of p—n junctions in indium antimonide, 3=879
Margenau,H. and Jacobson,H.C. Theory of pressure shifts of HCl lines caused by noble gases, 3=11837
Margenau,H. and Jacobson,H.C. Theory of pressure shifts of HCl lines caused by noble gases, 3=12820
Margenau,H. See Mallozzi,P., 3=14577
Margerie,J. Identification of the components of the $^4A_2 \rightarrow {}^2F_1$ transition in ruby, 3=3015
Margolis,J.S., Stafsudd,O. and Wong,E.Y. Fluorescence in mixed crystals of $Ce:PrCl_3$, 3=15706
Margrave,J.L. See Blue,G.D., 3=21638
Margrave,J.L. See Iczkowski,R.P., 3=18851
Margrave,J.L. See McCory,L.D., 3=22553
Margrave,J.L. See Sathianandan,K., 3=22573
Margulis,U.Ya. See Khrushchev,V.G., 3=2396
Margulova,T.Kh. and Sterman,L.S. Raising the efficiency of gas-cooled power reactors, 3=8163
Margrave,J.L. See Grosser,A.E., 3=12883
Margrave,J.L. See Mezaki,R., 3=770
Marguier,G. and Juillard,A. Spectrum of internal conversion electrons of the disintegration $Pm^{151} \rightarrow Sm^{151}$, 3=12634
Margulies,S.,Debrunner,P. and Frauenfelder,H. Transmission and line broadening in the Mössbauer effect. II, 3=12566
Margulies,S. See Collin,W., 3=22308
Maria,H. and Zahlan,A. Exciton—phonon interaction in crystalline benzene, 3=10586
Maria,H.J. See Fritz,J.J., 3=9665
Mariam,S. See Venkateswarlu,K., 3=22578
Mariam,S. See Venkateswarlu,K., 3=22579
Mariam,S. See Venkateswarlu,K., 3=25115
Mariano,A.N. and Hanneman,R.E. Crystallographic polarity of ZnO crystals, 3=11259
Mariano,A.N. See Banus,M.D., 3=20771
Maricic,S.,Pravdic,V. and Veksli,Z. Proton conductivity in borax, $Na_2[B_4O_5(OH)_4] \cdot 8H_2O$, 3=2904
Maričič, S. See Blinc, R., 3=18153
Maričič,S. See Blinc,R., 3=23256
Marikhin,V.A.,Slutsker,A.I. and Yastrebinskii,A.A. Investigation of the structure of oriented polyethylene terephthalate, 3=18372
Marimont,R.B. Linearity and the Mach phenomenon, 3=9302
Marin,P. See Bernardini,C., 3=17005
Marin,P.C. See Backenstoss,G., 3=10139
Marinace,J.C. See Nathan,M.I., 3=6609
Marinaro,M. See Caianiello,E.R., 3=10012
Marinaro,M. See Carrelli,A., 3=6769
Mariner,T. Comments on impact noise measurement, 3=23989
Marinescu,N. See Grigorovici,R., 3=8507
Marinets, T.K. See Moroz, L.S., 3=18193
Marinets,T.K. See Parshin,A.M., 3=23349
Marini,G. See Alberigi-Quaranta,A., 3=7879
Marinković,M. See Pešić,D., 3=16774
Marinković,S. Solid solution formation in the $U_3O_8 \rightarrow UO_2$ transformation, 3=25765
Marinković, V. See Blinc, R., 3=18153
Marinković,V. See Navinšek,B., 3=9878
Marino,L.L.,Smith,A.C.H. and Caplinger,E. Charge transfer between positive cesium ions and cesium atoms, 3=5629
Marino,L.L. See Neynaber,R.H., 3=8207
Marinov,A. See Bauminger,R., 3=994
Marinov,M.S. A form-factor satisfying the unitarity condition, 3=14922
Marinova, K. See Kȳnev, S., 3=17872
Marion,J.B. See Figuera,A.S., 3=24929
Marion,J.B. See Young,F.C., 3=10346
Marion,J.B. See Young,F.C., 3=17465
Mariot,L. and Pigeaud,P. The scalar meson field in the Jordan—Thiry theory, 3=23759
Maripuu,S. See Dubois,J., 3=12665
Maris,Th.A.J. See Dillenburg,D., 3=22273
Marish,K.S. See Akomov,Yu.K., 3=4390
Mark,H. and Mirtich,M.J., Jr. Reply to comments by Emrich and Gion, 3=7284
Mark,H. See Anderson,J.D., 3=19750
Mark,H. See Eskind,N.A., 3=8991
Mark,H. See Jopson,R.C., 3=4711
Mark,H. See Jopson,R.C., 3=19953
Mark,H.F. and Atlas,S.M. Structural and rheological properties of glass, 3=6770
Mark,P. See Helfrich,W., 3=4844
Markali,J. An electron microscopic contribution to the oxidation of titanium at intermediate temperatures, 3=18434
Markestein,T. See Hermans,M.E.A., 3=2538
Markevich, N.N. and Putseiko, E.K. Effect of binders on the photoconductivity kinetics of zinc oxide, 3=17964
Markham,J.J. See Casselman,T.N., 3=15421
Markichev,E.N. Determination of the cosmic-ray contribution to the background of gas-filled counters, 3=24537
Markin,P.S. See Bolotin,L.I., 3=2045
Markin,P.S. See Bolotin,L.I., 3=2046
Markiv,V.Ya. See Teslyuk,M.Yu., 3=16091
Marklund,I. and Lindström,B. Precision determination of gamma energies of nuclei with A = 152-197, 3=8004
Mar'ko,V.I. See Karadzhev,K.V., 3=24932
Markov,A.A. Difference measurements with multichannel [γ-Ray] spectrometers, 3=2236
Markov,A.A. See Levin,G.L., 3=24361
Markov,A.V. and Shchegolev,D.E. Attempt at a photometric study of the nature of surface details of the reverse side of the Moon, 3=23672

Markov,B.N. See Indreash,G., 3=24419
Markov,B.N. See Oganesian,Yu.Ts., 3=24986
Markov,M.A. On the theory of weak interactions, 3=7780
Markov,M.A. and Nguen Van Kh'eu. Neutral baryon currents and single production of hyperons, 3=6085
Markov,M.A. A method of regularization in field theory, 3=7758
Markov,M.A. See Kuzmin,V.A., 3=4527
Markov,M.A. See Zheleznykh,I.M., 3=22253
Markov,M.N. See Aver'yanov,I.R., 3=23566
Markov,M.N. See Liventsov,A.V., 3=3437
Markov,P.K. See Do In Seb, 3=4393
Markov,P.K. See Zlateva,A.I., 3=24726
Markov,V.K. See Livshits,L.D., 3=16014
Marković,V. See Radak,B., 3=696
Markovitz,H. Free vibration experiment in the theory of linear viscoelasticity, 3=11165
Markowitz,D. and Kadanoff,L.P. Effect of impurities upon critical temperature of anisotropic superconductors, 3=19100
Markowitz,W. The atomic time scale, 3=11750
Marks,G.W. see Redin,R.D., 3=10876
Markuszewicz,M.,Wysłocki,B. and Stoiński,K. Influence of temperature and of some technological factors on the disaccommodation phenomenon in silicon iron, 3=8653
Marlborough,J.M. See Fernie,J.D., 3=11553
Marlor, G.A. and Woods, J. Space charge limited currents in cadmium sulphide crystals, 3=25362
Marmier,P. and Szostak,R. Activation and reaction analysis, 3=3423
Marmo,F.F. See Warneck,P., 3=18598
Marochnik, L.S. The plasma nature of the cometary head, 3=3553
Marochnik,L.S. Interaction of solar corpuscular streams with cometary atmospheres. I. Shock waves in comets, 3=9181
Marochnik,L.S. Wave motions in comet tails, 3=13869
Maroli,C. See Brocchieri,F.B., 3=21137
Maron,I. See Shapiro,I., 3=18664
Maronchuk,Yu.E. See Kot,M.V., 3=2882
Maroni,C. See Fuschini,E., 3=2389
Maroni,C. See Fuschini,E., 3=24893
Maroni,P.,Jancel,R.and Kahan,T. Analysis of the electron distribution function in a high-frequency discharge.I, 3=369
Maroni,P.,Jancel,R., and Kahan,T. Analysis of the electron distribution function in a high frequency discharge. II, 3=16912
Marotta,A.S. and Tauer,K.J. Ferromagnetic Hall effect of gadolinium, 3=15556
Marov,G.I.,Nemilov,Yu.A.,Selitskii,Yu.A. and Eĭsmont,V.P. Fission of uranium and thorium induced by sub-barrier deuterons, 3=24993
Marovich,E. and Roach,F.E. Distribution of a latitude of red arcs, 3=18558
Marple,D.T.F. Effective electron mass in CdTe, 3=10812
Marquart,J.R. and Berkowitz,J. Dissocation energies of some metal sulfides, 3=25806
Marquart,J.R. See Berkowitz,J., 3=2673
Marquart,J.R. See Berkowitz,J., 3=25805
Marques,A. Multiple scattering measurements in the presence of energy losses, 3=24667
Marquet,L.C. See Reader,J., 3=24026
Marquet,M. Universal method of testing photographic objectives, 3=7362
Marquez,L. See Garin,A., 3=8137
Marquez,L. See Garin.A., 3=10250
Marquez,L. See Lemeille,C., 3=22431
Marquis,D.C. See Ballard,S.S., 3=18666
Marquit,E. On the experimental verification of the single Regge-Pomeranchuk pole approximation for high-energy elastic scattering, 3=14917
Marquit,E. and Skrzypczak,E. Momentum measurements of high-energy particles in emulsion in a strong pulsed magnetic field, 3=12378
Marquit,E. See Cieślak,E., 3=7856
Marr, G.V. Photo-ionization cross section measurements on lithium, 3=4016
Marr,H.E.,III and Stanford,R.H.,Jr The unit-cell dimensions of silver azide [AgN_3], 3=11265
Marr,R.B. See Durand,L.,III, 3=12404
Marram,E.P. and Ragle,J.L. Pure quadrupole resonance in 1,2-dichloroethane-d_4, 3=8745
Marram,E.P. See Büchler,A., 3=25808
Marriekchi,A. See Hoffman,J.C., 3=12060
Marrone,M.J. See Isoya,A., 3=682
Marrone,P.V. and Treanor,C.E. Chemical relaxation with preferential dissociation from excited vibrational levels, 3=22604
Marrone,P.V. See Gibson,W.E., 3=5457
Marrus,R. See Doyle,W.M., 3=22479
Maršák,Z. See Kochanovská,A., 3=25619
Marsden,B.G. and Van Biesbroeck,G. The orbit of Comet 1944 I (Van Gent-Peltier-Daimaca), 3=16362
Marsden,P.L. See Meyer,M.A., 3=4526
Marsh,B.B. and Bilaniuk,O.M. Comparisons of the $C^{13}(d,\alpha)B^{11}$ and $B^{11}(He^3,p)C^{13}$ reactions, 3=15227
Marsh,H.W. Comments on "generalized form of the sonar equations" by R.J.Urick, 3=3854
Marsh,H.W. Sound reflection and scattering from the sea surface, 3=9559
Marsh,H.W. Origin of the Knudsen spectra, 3=16201
Marsh,H.W. and Mellen,R.H. Underwater-sound propagation in the Arctic Ocean, 3=13653
Marsh,J.B. See Farnsworth,H.E., 3=11312
Marsh,K.J. See Campbell,J.D., 3=1227
Marsh,K.V. See Miskel,J.A., 3=4651
Marsh,O.J. See Gudmundsen,R.A., 3=23889
Marsh,O.J. See Winston,H., 3=23888
Marsh, S.P. See McQueen, R.G., 3=17666
Marshak,H.,Postma,H.,Sailor,V.L.,Shore,F.J. and Reynolds,C.A. Spin assignments of low-energy resonances using polarized neutrons and polarized Sm^{149} nuclei, 3=2468
Marshak,I.S. Pulsed sources of light, 3=1812
Marshak,I.S. Strong-current probe (spark) discharges in gas, used in pulsed light sources, 3=14546
Marshak,I.S. Limiting parameters and generalized characteristics of xenon lamps, 3=21532
Marshak,I.S. See Kirsanov,V.P., 3=1807
Marshak,I.S. See Kirsanov,V.P., 3=16760
Marshak,R.E. See Okubo,S., 3=12400
Marshalek,E., Person,L.W. and Sheline,R.K. Systematics of deformations of atomic nuclei, 3=15073
Marshalek, E.R. and Rasmussen, J.O. Collective vibrations of spheroidal even nuclei, 3=17396
Marshall,D.C. See Cornwall,J.B., 3=13943
Marshall,D.J. See Smith,A.J., 3=24389
Marshall,F.R. and Roberts,D.L. Use of electro-optical shutters to stabilize ruby laser operation, 3=5890
Marshall,J. and Stratton,T.F. The collision of two plasmas, 3=12126
Marshall,J.H. See Groom,D.E., 3=3987
Marshall,L. Elements in region of platinum formed by fusion in fission explosions, 3=6318
Marshall,L. See Landovitz,L., 3=7046
Marshall,M.B. See Hudson,E.D., 3=5752
Marshall,M.B. See Jones,R.J., 3=5734
Marshall,R. Symposium on luminescence, Prague, September 1962, 3=6665
Marshall,R. On the conversion of green to blue copper centres in ZnS phosphors, 3=25488
Marshall,S.A.,Kikuchi,T.T. and Reinberg,A.R. Paramagnetic resonance absorption of divalent nickel in sapphire, 3=1187
Marshall,T. Surface recombination of nitrogen atoms upon quartz, 3=5151
Marshall,T. Intensity distribution in unresolved electronic bands of diatomic and symmetric-top molecules, 3=10482
Marshall,T. and Kawcyn,R.A. Thermal and radiative properties of recombining atomic nitrogen, 3=7443
Marshall,T.C. Reply to comments by Frederick Kaufman, 3=25069
Marshall,W. Recent theoretical work on magnetism at Harwell, 3=978
Marshall,W. and Johnson,C.E. Hyperfine field in metals and alloys, 3=8342
Marshall,W. See Gammal,J., 3=25516
Marsigny,L. See Pannetier,G., 3=4762
Marsigny,L. See Pannetier,G., 3=12846
Marsigny,L. See Pannetier,G., 3=12850
Marsigny,L. See Pannetier,G., 3=20990
Martalogu,N. See Hulubei,H., 3=6233
Martalogu,N. See Ivanov,E., 3=8098
Martalogu,N. See Khulubei,Kh., 3=6240
Martalogu,N. See Mînzatu,I., 3=8089
Martalogu, N. See Minzatu, I., 3=17462

Martell,E.A. On the inventory of artificial tritium and its occurrence in atmospheric methane, 3=25895
Martell,E.A. See Penn,S., 3=23602
Martellucci, S. See Ascoli-Bartoli, U., 3=4146
Martellucci,S. See Ascoli-Bartoli,U., 3=7585
Marten,A.E. See Thurlow,W.R., 3=7067
Martensen,E. Stability behaviour of a plasma torus with surface currents, 3=1976
Marti,C. and Senneville,M. Electroenhancement of photoluminescence excited by constant X-irradiation, 3=15710
Martienssen,W. On the interpretation of ultraviolet absorption in ionic crystals, 3=929
Martienssen,W. See Conway,J.M. 3=10965
Martienssen,W. See Kerkhoff,F., 3=10696
Martienssen, W. See Timusk, T., 3=3034
Martin, A. Constraints imposed on the Mandelstam representation by unitarity, 3=2211
Martin,A. Unitarity and high-energy behavior of scattering amplitudes, 3=7802
Martin,A. See Kinoshita,T., 3=17221
Martin,A.D. A study of K^--mesic atoms, 3=10480
Martin,A.V.J. and Le Mee,J. First order analysis of the operation of field-effect devices in the hypercritical field region, 3=10865
Martin,A.W. and Wali,K.C. Coupled channel approach to $J = \frac{3}{2}^{+}$ resonances in the unitary symmetry model, 3=17296
Martin,B. See Bate,R.T., 3=20273
Martin,C.R. See Damon,D.H., 3=25233
Martin,D.G. A study of stage II and III recovery in neutron irradiated gold and the influence of mercury impurity atoms, 3=2848
Martin,D.G. The investigation of structural disorder in materials by means of cold neutron scattering measurements, 3=13584
Martin, D.H. and Stone, C.D. Relaxation of ferroelectric phosphates (ADP and KDP) in the extreme infrared, 3=17942
Martin,D.L. See Filby,J.D., 3=8445
Martin,D.L. See Rosner,C.H., 3=19408
Martin,D.W. Musical scales since Pythagoras, 3=14275
Martin,D.W. Acoustics and the arts, 3=16712
Martin,D.W. See McDaniel,E.W., 3=4006
Martin,E.L. Theoretical problem of two bodies of decreasing mass and the orbital evolution of double stars, 3=13852
Martin,F. See Burnstein,R.A., 3=22214
Martin,F.L. and Wright, F.E. Radar-ray refraction associated with horizontal variations in the refractivity, 3=17061
Martin,F.W. and Northcliffe,L.C. Energy loss and effective charge of He, C, and Ar ions below 10 MeV/a.m.u. In gases, 3=1937
Martin,G. Vacuum properties of silver chloride, 3=18870
Martin,G. and Mavel,G. Study by nuclear magnetic resonance of organic phosphorus compounds. VI. Groups $(CH_3)_2NP$ and $(C_2H_5)_2NP$, 3=4782
Martin,G. See Lewin,G., 3=24297
Martin,G. See Mavel,G., 3=20669
Martin,G.E. Vibrations of longitudinally polarized ferroelectric cylindrical tubes, 3=11846
Martin,G.E. New standard for measurements of certain piezoelectric ceramics, 3=18942
Martin,G.M. and Mandelkern,L. Effect of hydrostatic pressures on the crystallization kinetics of natural rubber, 3=23421
Martin,G.W. See Dils,R.R., 3=8808
Martin, J. and Dailey, B.P. Proton n.m.r. spectra of disubstituted benzenes, 3=4779
Martin,J.A. and Mann,J.E. Beam characteristics in cyclotron analogue II, 3=5782
Martin,J.A. See Livingston,R.S., 3=5779
Martin,J.B. See Cooper,J.W., 3=19922
Martin,J.D. See Lawrence,J.D., Jr, 3=23617
Martin,J.E. See Smith,P.L., 3=13516
Martin,J.E. See Smith,P.L., 3=23443
Martin,J.J. See Morris,R.G., 3=22671
Martin,J.L. The Lorentz covariant Lee model, 3=5911
Martin,J.L. Covariant quantum field theories with indefinite metric, and the Lorentz covariant Lee model, 3=12384
Martin,J.L. An exact theory of relativistic scattering by a fixed point scatterer, 3=24640
Martin,J.P.,Witten,L. and Katz,L. Measurement of cosmic ray albedo neutron flux above the atmosphere, 3=22252
Martin,J.W. See Doherty,R.D., 3=25757
Martin,J.W. See Lewis,M.H., 3=18221
Martin,K.J. and Scrogham,K.G. Stoichiometric optimizer for propellant evaluation research, 3=16470
Martin,M.C. Effect of quenching on the electrical resistivity of a β-brass single crystal, 3=20268
Martin,N. Determination of absolute magnitudes by Ohman's method, 3=13899
Martin,P. See Stewart,D.T., 3=14492
Martin,P.C. A microscopic approach to superfluidity and superconductivity, 3=11730
Martin,W.C. Low energy levels of neutral cerium (CeI), 3=19933
Martin,W.H. See Ghosh,A.C., 3=12591
Martin-Löf,J. Maximum likelihood estimates of short lifetimes measured with background, 3=24669
Martinc,R. A method for determining the effectiveness of a group of symmetrically distributed absorber rods on the basis of the two-group diffusion theory, 3=6015
Martinček,G. Determination of elastic moduli from the natural vibrations of cubes and short prisms, 3=18876
Martinet,B. and Goël,J.J. Determination of stage of recovery of work-hardened tungsten by measurements of Young's modulus and internal friction using an inverted pendulum, 3=11174
Martinet,B. and Secrétan,B. Measurement of internal friction and Young's modulus of very pure aluminium at very low frequency and as a function of temperature, 3=11135
Martinet, B. See Vittoz, B., 3=18170
Martinet,L. See Bouvier,P., 3=16417
Martinez,A. Measurement of lifetime in the triplet state, 3=960
Martini,M. See Alberigi Quaranta,A., 3=21685
Martinides,H., Nienhuis,K. and van Duuren,K. The building up and the spread of the discharge in halogen counters, 3=4034
Martino,F. Role of crystal structure in the F-center spectrum of cesium halides, 3=20242
Martinola,M. On the reliability of extrapolation of phenomena of long duration, 3=5327
Martinson, B.M. See Oksman, Ya.A., 3=17959
Martinson,R.H. See Armstrong,W.M., 3=8773
Martinuk,G.K. See Shvidkovsky,E.G., 3=23324
Martinuzzi, S. See David, J.P., 3=17875
Martirosyan,M.A. See Karabekov,I.P., 3=5726
Martišovitš,V. High-frequency mass spectrometer, 3=24387
Marton,L. Electron energy losses in solids and their influence on the electron diffraction diagram, 3=2779
Marton,L. Optical constants in the vacuum ultraviolet and electron energy losses, 3=8578
Martone,M.U. and Segre,S.E. A framing image converter using magnetic deflection, 3=7640
Martone,M.U. See Allen,J.E., 3=12168
Martres,M.J. and Pick,M. Characteristics of chromospheric flares associated with radio emission, 3=1522
Martsinovskii,A.M.,Pikus,G.E.,Sonin,B.E. and Yur'ev,V.G. Effect of electrode film barriers on electrical conductivity of a caesium plasma, 3=21820
Marty,C. See Dargent,R., 3=11387
Martȳnenko,Yu.V.,Firsov,O.B. and Chibisov,M.I. Scattering of slow electrons on atoms, 3=22507
Martȳnkevich,G.M. Evaporation and viscous flow mechanisms and condensate structure, 3=21320
Martynkevich,G.M. See Shvidkovskiĭ,E.G., 3=19179
Martȳnov,A.I. See Venediktov,Yu.P., 3=24193
Martȳnov,D.Ya. The radius of Venus. II, 3=5243
Martynov,D.Ya. Physical conditions in the atmosphere of Venus, 3=21129
Martȳnov,G.A. See Deryagin,B.V., 3=1723
Martz,D.E. See Westphal,J.A., 3=21080
Martz,E.P., Jr. Optical problems of television recording of the moon and planets from approaching spacecraft, 3=7014
Marukawa,K. See Imura,T., 3=22796
Marukawa,K. See Tanaka,K., 3=13493
Maruse,S. See Kojima,M., 3=24367
Marutake,M. See Hamano,K., 3=10885
Marutyan,N.A. See Babayan,Kh.P., 3=24985
Maruyama,S. and Honjo,G. Anomalous transmission of X-rays through doped germanium single crystals, 3=10975
Maruyama,T.,Matsuda,Y.,Kon,H. and Yonemitsu,H. Thermoluminescence of γ-irradiated ruby, 3=23128
Maruyama,T. See Sakurai,K., 3=12043
Marvin,D. See Person,S., 3=14984
Marvin,J.W. See Bennett, F.D., 3=3981

Marvin,R.S. and Oser,H. A model for the viscoelastic behaviour of rubberlike polymers including entanglement effects, 3=11167

Marvin,R.S. See Oser,H., 3=23339

Marwaha,A.S. See Cusack,N.E., 3=1710

Marx,G. and Sauerbrey,G. Transit time investigations of photomultiplier tubes, 3=4181

Marx,G. See Shí,C., 3=17304

Marychev,V.V. See Vigdorovich,V.N., 3=3265

Marzari-Chiesa,A., Quassiati,B., Rinaudo,G., Trabucco,A., Vigone,M., Werbrouck,A.E., Bisi,V., Borreani,G., Cester,R., Debenedetti, A., Ferrero,M.I. and Garelli,C.M. Three examples of the $K^+ \rightarrow \pi^+ + \pi^- + e^+ + \nu$ decay mode, 3=19695

Marzari-Chiesa,A.,Rinaudo,G.,Ciurlo,S.,Picasso,E. and Cartacci,A.M. On the interactions of 25 GeV protons in nuclear emulsion. II, 3=7848

Marzari-Chiesa,A. and Wataghin,A. On multiple scattering in nuclear emulsions at large cell-sizes. 3=14844

Marzari-Chiesa,A. See Bizzeti,P.G., 3=7847

Marzullo,S. See Wachtman,J.B.,Jr, 3=13332

Mas,L. Application of the method of variation of parameters to the two-body problem, 3=3729

Masaike,A. See Yanabu,T., 3=22418

Masani,A. The propagation of shock waves in the inside of stars. II, 3=23692

Masani,A. See Cimino,M., 3=16398

Mascher,W. See Klipping,G., 3=11841

Mascheretti,P. See Bonera,G., 3=23545

Maschke,E.K. and Wild,W. Two-particle approximation for a fermion system with attractive interaction, 3=7148

Masci,E. See Ercoles,A.M., 3=3688

Masek,G.E.,Ewart,T.E.,Toutonighi,J.P. and Williams,R.W. Scattering of muons from hydrogen at large momentum transfer, 3=10140

Masek,G.E. See Davis,H.F., 3=24757

Masek,G.E. See Platner,E.D., 3=19530

Mash,D.I. and Ovechkin,A.P. An investigation into ferromagnetic resonance in some ferrites in the centimetre and millimetre

Mash,D.I. and Skvortsov,V.I. Frequency dependence of the magnetic permeability tensor components and the complex permittivity of certain ferrites in the u.h.f. range, 3=5024

Mashanskii,V.F. See Komissarchik,Ya.Yu., 3=3696

Masharov,S.I. Effect of low concentration impurities on the electrical resistivity of metals, 3=4902

Mashkevich,V.S. Electromagnetic waves in a medium with a continuous energy spectrum II, 3=4845

Mashkevich,V.S. Electromagnetic waves in a medium possessing a continuous energy spectrum. III, 3=6499

Mashkevich,V.S. Conditions for appearance of spatial dispersion in crystals, 3=15644

Mashkevich,V.S. Absorption and dispersion of light in the region of exciton transitions, 3=15668

Mashkova,E.S. and Molchanov,V.A. Angular distribution of fast particles leaving metal surfaces on bombardment with ion beams, 3=5720

Mashkovich,M.D. Dielectric losses of glasses at the wavelength of 8 mm, 3=20373

Mashkovich,M.D. Dielectric loss and dielectric constant of sitals of the cordierite system, 3=25393

Mashkovich,V.P. See Dulin,V.A., 3=2274

Mashkovich,V.P. See Dulin,V.A., 3=7865

Mashovets,T.V. See Kitovskii,N.A., 3=20294

Mashovets,T.V. See Vitovskii,N.A., 3=20316

Mashtalka,A. See Brabets,V., 3=8050

Masing, L., Vitins, J. and Young, L. Dielectric properties of anodic oxide films on tantalum with metal counter-electrodes, 3=17930

Masket,A.V. and Vastano,A.C. Interior value problems of mathematical physics, I. Wave propagation, 3=22

Masket,A.V. and Vastano,A.C. Interior value problems of mathematical physics. II. Heat conduction, 3=23

Maskrey,J.T. and Dugdale,R.A. Arc initiation on heated molybdenum exposed to a toroidal hydrogen discharge contaminated with impurity gases, 3=9756

Maslach,G.J. and Schaaf,S.A. Cylinder drag in the transition from continuum to free-molecule flow, 3=9486

Maslen,E.N. See Rae,A.I.M., 3=23434

Maslenkov,S.B. and Estulin,G.V. Effect of heat treatment on fine structural changes and properties of a creep-resistant alloy on nickel–chromium base, 3=18351

Maslennikov,M.V. On one inverse problem in the theory of passage of radiation through matter, 3=5848

Maslov,V. Scattering problem in a quasi-classical approximation, 3=23763

Maslov,V.N., Ovodova,A.V. and Nabatova,L.V. The anodic etching of n-type germanium single crystals, 3=16028

Maslov,V.P. and Tartakovskii,B.D. Propagation of flexure waves in nonuniform rods, 3=14236

Maslowski,S. See Boersch,H., 3=14804

Mason,A. See Aly,H.H., 3=19733

Mason,A. See Fisher,C.M., 3=8060

Mason, B.J, Bryant, G.W. and Van den Heuvel, A.P. The growth habits and surface structure of ice crystals, 3=18260

Mason,B.J., Jayaratne,O.W. and Woods,J.D. An improved vibrating capillary device for producing uniform water droplets of 15 to 500 μm radius, 3=14132

Mason,B.J. and Latham,J. Thunderstorm electrification, 3=6957

Mason,B.J. See Browning,K.A., 3=11401

Mason,B.J. See Fukuta,N., 3=18285

Mason,D.R. and O'Kane,D.F. Preparation and properties of some peritectic semiconducting compounds, 3=864

Mason,D.R. See LaBotz,R.J., 3=12931

Mason,D.R. See LaBotz,R.J., 3=13142

Mason, D.R. See Vin-Jang Lee, 3=22913

Mason,E.A. Molecular relaxation times from thermal transpiration measurements, 3=22608

Mason,E.A., Evans,R.B., III and Watson,G.M. Gaseous diffusion in porous media. III. Thermal transpiration, 3=14200

Mason,E.A. See Monchick,L., 3=9495

Mason,E.A. See Monchick,L., 3=21437

Mason,E.A. See Wendt,R.P., 3=11817

Mason,G.D. See MacKay,G.D., 3=13620

Mason,J.B. See Lutz,H.F., 3=17497

Mason,J.B. See Lutz,H.F., 3=22261

Mason,J.J. See Corner,W.D., 3=13263

Mason,P. Finite elastic wave propagation in rubber, 3=7270

Mason,S.F. The magnetic dipole character and the rotary power of the 3000 A carbonyl absorption, 3=728

Mason,S.G. See Goldsmith,H.L., 3=11777

Mason,W.P. and Bateman,T.B. Ultrasonic attenuation and velocity changes in doped n-type germanium and p-type silicon and their use in determining an intrinsic electron and hole scattering time, 3=13063

Mass, J. Total ionospheric electron content by Doppler integral of the satellite signal, 3=3494

Massa,R.J. See Goldstein,S., 3=16458

Massal'skii,E.I. See Babayan,Kh.P., 3=19595

Massal'ski,E.I. See Babetski,S.Yu., 3=4487

Massalski,J. See Babayan,H.P., 3=6103

Massalski,J. See Grigorov,N.L., 3=10197

Massalski,J. See Łoskiewicz,J., 3=7956

Massalski,T.B. Reply to comments, "On the order in the hexagonal ζ-phase in the system silver–aluminum", 3=6863

Massalski,T.B. Lattice spacing trends in close-packed hexagonal phases based on the noble metals, 3=8874

Massalski,T.B. and King,H.W. The lattice spacing relationships in h.c.p. ϵ and η phases in the systems Cu–Zn, Ag–Zn, Au–Zn and Ag–Cd, 3=6856

Massalski,T.B. See King,H.W., 3=6837

Massam,T. See Conversi,M., 3=19629

Massarotti,A. See Amman,F., 3=12267

Massen,C.H. See Poulis,J.A., 3=1015

Massen,C.H. See Poulis,J.A., 3=23907

Massen,C.H. See Poulis,J.A., 3=24487

Massey,H. See Bernstein,R.B., 3=22611

Massey,J.T. See Blau,E.J., 3=24518

Massimo,J.T. See Chrétien,M., 3=24787

Masson,D. See Lovelace,C., 3=2204

Masson,D.B. Remarks on the elastic constants and temperatures of martensitic transformation in the Li–Mg alloys, 3=5125

Massonet,L. See Charpak,G., 3=19532

Massoulier, A. Measurement of the depolarization of scattered light (Rayleigh effect) by methane and argon, 3=175

Maštalka,A. See Kracík,B., 3=12635

Mastel,B. See Bierlein,T.K., 3=3935

Mastel,B. See Bierlein,T.K., 3=17735

Mastel,B. See Bierlein,T.K., 3=22457

Mastenbroek,E. See Blok,L., 3=654
Mastenbrook,H.J. Horizontal soundings of the atmosphere, 3=3450
Masters,J.I.,Ward,J. and Hartouni,E. Laser Q-spoiling using an exploding film, 3=14809
Masterson,K.S. See Ecker,G., 3=7573
Masterson,K.S.,Jr and Lockett,A.M. Properties of finite nuclei, 3=6130
Masterson,K.S.,Jr. See Brueckner,K.A., 3=6127
Masterton,W.L., Bianchi,J. and Slowinski,E.J.,Jr. Surface tension and adsorption in gas—liquid systems at moderate pressures, 3=18795
Masuda,M. See Uchiyama,S., 3=15828
Masuda,S. and Murakami,Y. Thermoelectric cooling element (=TE) as thermal conductivity meter, 3=19044
Masuda,T.,Nishiyama,S.,Nakane,K. and Kozawa,S. Compensation of inhomogeneity in polishing fused silica prisms, 3=21528
Masuda,Y. See Itoh,J., 3=15960
Masumi,T. Mobility of electrons in silver chloride at high electric field, 3=8387
Matalin,L.A. See Ivanov,A.A., 3=14498
Matano,T. See Hasegawa,H., 3=4496
Mataré,H.F. General considerations concerning the double-crucible method to grow uniformly doped germanium crystals of high perfection, 3=13418
Mateescu,N. and Nahorniak,V. Determination of the parameters of thermal neutron diffusion in "poisoned" water, 3=22141
Mateescu,N. See Grigorescu,L., 3=7822
Matei,L. See Badareu,E., 3=17794
Matevosian,A.M. See Alikhanian,A.I., 3=17150
Matevosyan,E.M. See Alikhayan,A.I., 3=4519
Matevosyan,E.M. See Alikhanyan,A.I., 3=6114
Matevosyan,É.M. See Alikhanyan,A.I., 3=24824
Máthé,G. Method for the elimination of superposed pulses in nuclear spectroscopy, 3=24188
Máthé,G. and Voszka,R. A new method for mounting scintillation crystals with an improved energy resolving power, 3=528
Máthé,Gy. Investigation of the decay scheme of Cr^{51}, 3=22330
Mather,K.B. and Wescott,E.M. Conjugate point relationships at high latitudes, 3=13711
Matheson,A.J. See Cottrell,T.L., 3=6414
Matheson,A.J. See Cottrell,T.L., 3=22567
Mathews,J. and Buthala,D.A. Carbon films for electron microscopy, 3=16137
Mathews,J. See Lendyel,V.I., 3=19576
Mathews,J. See Peters,P.C., 3=16514
Mathews,M.V. See Pfafflin,S.M., 3=7066
Mathews,P.W. See Keen,B.E., 3=19093
Mathews, T. Characteristics of Forbush decreases in cosmic ray intensity observed underground, 3=17373
Mathewson, D.S., Healey, J.R. and Rome, J.M. A radio survey of the Southern Milky Way at a frequency of 1 440 Mc/s. I. The isophotes and the discrete sources, 3=3624
Mathewson, D.S., Healey, J.R. and Rome, J.M. A radio survey of the Southern Milky Way at a frequency of 1440 Mc/s. II. The continuum emission from the galactic disk, 3=3625
Mathewson,D.S. and Rome,J.M. Observations of radio emission from normal galaxies, 3=25986
Mathewson,D.S. See Komesaroff,M.M., 3=13918
Mathias,L.E.S. and Parker,J.T. Stimulated emission in the band spectrum of nitrogen, 3=19499
Mathiesen,O. See Kristiansson,K., 3=7942
Mathieson,A.McL. A device to demonstrate the reciprocal lattice concept in relation to single-crystal X-ray diffraction patterns, 3=5095
Mathieson,A.McL. See Fridrichsons,J., 3=1317
Mathieson,E. and Sanford,P.W. Point anode proportional counters, 3=22029
Mathieu,J. See Blanc,D., 3=19505
Mathieu,J. See Blanc,D., 3=19650
Mathieu,J.P. Recent progress in the study of Raman spectra of crystals, 3=937
Mathieu,J.P. See Moszynska,B., 3=15677
Mathiot,M. Experimental study of the isotropic term for the acoustic radiation pressure in argon, 3=16657
Mathot,V. Thermodynamic properties of solutions of liquefied gases, 3=14145
Mathur,D. See Hedgcock,F.T., 3=23135
Mathur,D.P. See Hedgcock,F.T., 3=4996
Mathur,K.C. See Rama Krishna Rao,V., 3=9604
Mathur,S.C. See Mookherji,A., 3=25505
Mathur,S.S. See Pancholy,M., 3=11795
Mathur,S.S. See Pancholy,M., 3=14159
Mathur, V.S., Panchapakesan, N. and Saxena, R.P. Magnetic-field dependence of the energy gap in superconductors, 3=3945
Mathur,V.S.,Saxena,R.P. and Nath,R. Form-factors for the axial vector n—p current, 3=7862
Mathurin,C. Application of linear algebra and analysis to the statics of elastic plates, 3=9381
Matick,R.E. Thick-film read-only memory device, 3=14733
Matijevic,E.,Espenscheid,W.F. and Kerker,M. Aerosols consisting of spherical particles of radium chloride, 3=13626
Matijevic,E. See Kerker,M., 3=19447
Matinyan,S.G. The sign of the K_1^0 and K_2^0-meson mass difference and their leptonic decays, 3=2317
Matinyan,S.G. and Tsilosani,N.N. Transformation of photons into neutrino pairs and its significance in stars, 3=2232
Matora,I.M. Phasing effect of the electric accelerating field in a cyclotron, 3=8990
Matossi,F. Electroluminescence and electrophotoluminescence in single crystals of zinc sulphide, 3=966
Matossi,F. Vibration spectrum of rutiles, 3=10583
Matossi, F. Atomic polarizabilities in III—V compounds, 3=17637
Matossi,F. Oscillation frequencies of titanates, 3=25180
Matossi,F. and Gutjahr,H. Electroluminescence in zinc and cadmium sulphides, 3=13220
Matovich,E. See Gudmundsen,R.A., 3=23889
Mátrai,T. and Koczkás,M.E. Experiment on the Wiener interference field, 3=259
Matricon,J. See Caroli,C., 3=9674
Matricon,J. See Caroli,C., 3=12028
Matricon,J. See Friedel, J., 3=16861
Matrosov,V.M. On the theory of stability of motion, 3=18769
Matsakova,A.A. See Lazarev,B.G., 3=16874
Matschinski,M. Several remarks on the theory of surface waves not infinitely small. Equation of state of the surface of the sea in the case where the large waves demolish the smaller, 3=9013
Matsen,F.A. and Browne,J.C. In defense of the use of atomic orbital configuration wave functions for small molecules, 3=12806
Matsen,F.A. See Reagan,P.N., 3=723
Matsen,J.M. Analog solutions for the growth of activation overpotential, 3=13613
Matskevich,T.L. Caesium vapour diode, 3=14628
Matskevich,T.L., Kazantsev,A.P. and Krachino,T.V. The thermionic emission of HfB_2, HfC, HfO_2, VC and a solid solution of $(UC)_1$ $(ZrC)_4$, 3=14616
Matskevich,T.L.,Krachino,T.V. and Kazantsev,A.P. Thermoelectronic emission of TaB_2, 3=7631
Matsubara, K. See Hashimoto, H., 3=18271
Matsubara,T. See Thompson,C.J., 3=14440
Matsuda,H. See Hasino,T., 3=10475
Matsuda,K. See Nonaka,I., 3=8100
Matsuda,Y. See Maruyama,T., 3=23128
Matsudaira,N. Interaction of solid state plasmon with radiation. I. Absorption of electromagnetic radiation, 3=2771
Matsudaira,N. Interaction of solid state plasmon with radiation. II. Optical absorption of thin metal films, 3=12952
Matsudaira,N. Optical absorption of thin metal films, 3=15666
Matsui,E. See Uchida,Y., 3=13178
Matsui,E. See Uchida,Y., 3=15717
Matsui,S. See Kanaya,K., 3=24360
Matsukawa,Y. Experimental studies on the properties of the air gap spark chamber, 3=19526
Matsumoto,H. See Maeda,K., 3=11428
Matsumoto,H. See Maeda,K., 3=13709
Matsumoto,M. Electromagnetic transitions for the photodisintegration of the deuteron, 3=7937
Matsumoto,M. Stability of positive column in a strong magnetic field, 3=21747
Matsumoto,M. and Kitamura,S. A special class of spherically symmetric space-times and their imbeddings, 3=23752
Matsumoto,S. Nucleon—nucleon interactions of energy around 100 GeV, 3=13105
Matsumoto,S. See Kumabe,I., 3=24934
Matsumoto,S. See Kumabe,I., 3=24935

Matsumura,C.,Hirota,E.,Oka,T. and Morino,Y. Microwave spectrum of acetonitrile-d_3, CD_3CN, 3=6408
Matsunami,T. See Mamuro,T., 3=10280
Matsunami,T. See Mamuro,T., 3=13688
Matsuoka,H. On the turbulent diffusion in the atmosphere, 3=9026
Matsuoka,M. See Hayakawa,S., 3=13860
Matsuoka,M. See Hayakawa,S., 3=22232
Matsushima,M. See Flynn,G.W., 3=15385
Matsushita,S. On geomagnetic sudden commencements, sudden impulses and storm durations, 3=9132
Matsushita,S. Ionospheric variations during geomagnetic storms, 3=13707
Matsushita,S. Reply, 3=25946
Matsushita,S. On the notations for geomagnetic micropulsations, 3=25953
Matsushita,S. See London,J., 3=16301
Matsuura, K. Effect of plastic deformation on clustering in an Al–Cu 4% alloy, 3=18182
Matsuura,K. and Koda,S. On the interaction between dislocations and decomposition products in an Al—4% Cu alloy, 3=23305
Matsuura,K. See Inuishi,Y., 3=22933
Matsuura,K. See Koda,S., 3=12977
Matsuura,K. See Nagao,S., 3=21734
Matsuzawa,H. See Inada,T., 3=12241
Matta,K.M. Electromechanical impedance of barium titanate transducer in a sandwich form, 3=9555
Mattana,N.,Sanna,S. and Serra,A. Atmospheric ozone at Cagliari in the period 1955-60, 3=1428
Mattes,B.L. Secondary piezoresistivity in oxygen deficient $BaTiO_3$ single crystals, 3=10879
Matthes,W. Statistical fluctuations and their correlation in reactor neutron distributions, 3=2528
Matthews,A.G. See Jelly,D.H., 3=5876
Matthews,G.G.,Satterthwaite,I.H.R. and Cameron,C. A versatile silica dilatometer, 3=7163
Matthews,H.L and Wronski,K.R. Size distribution of vacuum-condensed tin crystallites, 3=18380
Matthews,H.I. See Kerridge,J.F., 3=2787
Matthews,J.W. Defects in silver films prepared by evaporation of the metal onto mica, 3=1374
Matthews,J.W. and Allinson,D.L. A mechanism for the formation of twins in evaporated face-centred-cubic metal films, 3=20780
Matthews,J.W. and Isebeck,K. Dislocations in evaporated lead sulphide films, 3=17754
Matthews,P.T. Low-energy pion physics, 3=4419
Matthews,P.T. See Feldman,G., 3=14855
Matthews,T.A. See Greenstein,J.L., 3=13932
Matthews,T.A. See Maltby,P., 3=5284
Matthews,T.A. See Maltby,P., 3=13935
Matthias,B.T. Superconductivity and ferromagnetism, 3=9672
Matthias,B.T.,Geballe,T.H. and Compton,V.B. Superconductivity, 3=14438
Matthias,B.T.,Geballe,T.H.,Compton,V.B.,Corenzwit,E. and Hull,G.W.,Jr. Superconductivity of chromium alloys, 3=1900
Matthias,B.T.,Geballe,T.H.,Corenzwit,E. and Hull,G.W.,Jr. Intermediate isotope effect of molybdenum and Mo_3Ir, 3=7404
Matthias,B.T. See Alexander,S., 3=8737
Matthias,B.T. See Clogston,A.M., 3=993
Matthias,B.T. See Geballe,T.H., 3=3962
Matthias,B.T. See Olsen,C.E., 3=15783
Matthias,B.T. See Raub,Ch.J., 3=24148
Matthias,E.,Bostrom,L.,Maciel,A.,Salomon,M. and Lidqvust,T. Magnetic dipole interaction studies by the differential angular correlation method, 3=10224
Matthias,E.,Schneider,W. and Steffen,R.M. Some remarks on static electric quadrupole perturbations in angular correlations, 3=12563
Matthias,E. See Alder,K., 3=8025
Matthies,S., Neudachin,V.G. and Smirnov,Yu.F. Lower levels of O^{17} and F^{17} in the α-model of the nucleus, 3=636
Matthies,S. See Mattkhiz,Z.
Mattias,E.,Olsen,B. and Schneider,W. Influence of a combined magnetic dipole and non-axially symmetric electric quadrupole interaction on angular correlations, 3=12614
Mattig,W. Chromosphere of sunspots, 3=3574
Mattis,D. Ground state of interacting spins, 3=11044
Mattis, D. and Donath, W.E. Role of Fermi surface and crystal structure in theory of magnetic metals, 3=3094
Mattis,D.C. and Schultz,T.D. Theory of magnetothermomechanics, 3=5012
Mattis,D.C. See Horwitz,L.P., 3=20593
Mattkhiz,Z. [Matthies,S.],Neudachin,V.G. and Smirnov,Yu.F. Single-particle levels in O^{17} and F^{17} nuclei under the assumption of a strong coupling of the nucleon and core with the tetrahedral symmetry, 3=6163
Mattox,D.M. and McDonald,J.E. Interface formation during thin film deposition, 3=23505
Mattox,D.M. See Heckman,R.C., 3=22937
Mattuck,R.D. Dependence of paramagnetic susceptibility on short range order parameter in binary alloys, 3=3085
Matukura,Y. Electrical conduction along the tilt and twist grain boundaries in a n-type germanium, 3=854
Matukura,Y. Grain boundary states in silicon and germanium, 3=13064
Matulenko,Yu.A. See Vovenko,A.S., 3=6042
Matulenko,Yu.A. See Vovenko,A.S., 3=14826
Matumoto,K. See Katayama,Y., 3=543
Matumoto,S. See Huang,K.K., 3=17472
Matumoto,Z.,Yamada,M.,Wang,I-T. and Morita,M. Structure of low-lying 2^+ states in even–even nuclei and beta—gamma angular correlations, 3=7984
Matumura,O. and Koga,H. Magnetic resonance in irradiated zircon, 3=23239
Matumura,O. See Ikawa,H., 3=2908
Matus,L. See Kiss,I., 3=21632
Matusik,F.J. See Fitzgerald,J.V., 3=14091
Matuszek,J. See Beil,H., 3=24741
Matuszek,J.M.,Jr and Sugihara,T.T. The decay of 293 min Tc^{94}, 3=15145
Matuura,N. Thermal effect on the ionospheric F region disturbance, 3=21061
Matuura,N. and Nagata,T. Turbulent conditions in the upper atmosphere, 3=11420
Matuura,R. See Motomura,K., 3=11310
Matuura,R. See Motomura,K., 3=16126
Matuyama, E. X-ray diffractions of ground graphites, 3=18309
Matuzawa,T.,Asada,T.,Den,N. and Akamatu,K. Tripartite observations of microseisms, 3=18478
Matveev,V.V. and Sokolov,A.D. Determination of induced radioactivity in the second spaceship, 3=21135
Matveev,Yu.Ye. See Borisov,V.T., 3=13540
Matveeva,I.G. See Atsarkin,V.A., 3=15939
Matveeva,N.M. See Kornilov,I.I., 3=6790
Matviyishyna,N.M. See Vladymyrov,V.V., 3=19421
Matwiyoff,N.A. and Drago,R.S. Correlation of J_{c-H}^{13} with τ and the significance of this relationship, 3=20022
Matyáš,M. The connection between the magnetic susceptibility and the chemical binding of semiconducting compounds with the sphalerite structure, 3=20549
Matyáš,M. and Höschl,P. The semi-conducting properties of $CdSnAs_2$, 3=4920
Matyás, M. and Škácha, J. Magnetoresistance measurements on p-type GaSb, 3=2912
Matyáš,M. See Frei,V., 3=10811
Matyushenko,N.N. The relationship between the unit cell volumes of beryllides and the atomic volumes of the components, 3=23446
Matyushenko,N.N.,Verkhorobin,L.F.,Pugachev,N.S. and Sivokon',N.V. The crystal structure of the highest beryllides of molybdenum, tungsten and rhenium, 3=20839
Maurer,D.W. and Wiig,E.O. Excitation functions of the (p,pn) and (p,2p) reactions on Te^{130} at 60-233 MeV, 3=6248
Maurer,R.D. Operation of a Nd^{3+} glass optical maser at 9180 A, 3=12339
Maurin,J. A simple model of the transition in Poiseuille flow, 3=7179
Maurin,K. Mathematical structure of Wightman formulation of quantum field theory, 3=24575
Maurin,K. On some theorems of H.J.Borchers, 3=24576
Mavaddat,R. Varactor diode Q-factor measurements, 3=19131
Mavel,G. The role of hybridization of the second order and of the electronegativity of carbons in the transmission of spin–spin coupling in proton magnetic resonance, 3=4783

Mavel,G. and Martin,G. Nuclear magnetic resonance study of organo-phosphorus compounds. VII. N- and ISO-C_3H_7 groups, theoretical spectra of the type $A_3(A'_3)BX$, 3=20669
Mavel,G. See Freymann,M., 3=18825
Mavel,G. See Martin,G., 3=4782
Mavrides,S. Gravitational energy in the euclidean theory of the gravitational field, 3=3715
Mavroides,J.G.,Lax,B.,Button,K.J. and Shapira,Y. Oscillatory quantum effects in the ultrasonic velocity in bismuth, 3=8402
Mavroides,J.G. See Brown,R.N., 3=8581
Mavroides,J.G. See Lax,B., 3=10744
Mavroides,J.G. See Strauss,A.J., 3=10938
Mavroyannis,C. and Stephen,M.J. Dispersion forces, 3=6365
Maxim,I. and Braun,T. Effects of reactor radiations on the chemisorption equilibrium of oxygen on nickel oxide, 3=13567
Maximenko,V.M. See Chernavsky,D.S., 3=12541
Maxson,D.R. (p, α) reactions in Li^7, Be^9, and C^{12} at 15·0—18·6 MeV, 3=2454
Maxson,D.R. See Zatzick,M.R., 3=8111
Maxum,B.J. See Trivelpiece,A.W., 3=4162
Maxwell,A. Generation of radio waves and acceleration of particles by the class 3 solar flare of 1961 September 28, 3=25978
Maxwell,A.,Hughes,M.P. and Thompson,A.R. Catalog of Type II (slow-drift) and Type IV (continuum) solar radio bursts, 3=13919
Maxwell,A. See Thompson,A.R. 3=3617
Maxwell,E. and Strongin,M. Filamentary structure in superconductors, 3=16855
May,A.D. and Stryland,J.C. Optical cells for the observation of Raman scattering in gases at medium pressures, 3=24034
May,G.H. The annealing of a quenched uranium – 5 at % molybdenum alloy, 3=5135
May,T.H., Walter,R.L. and Barschall,H.H. Scattering of polarized neutrons by α-particles, 3=19636
May,W.D., Morris,E.L. and Atack,D. Dynamics of a viscoelastic wear particle between sliding surfaces, 3=16564
Mayaud,P.N. Equatorial electrojet and magnetic activity, 3=25939
Mayburg,S. Threshold currents for line narrowing in GaAs junction diodes, 3=15601
Mayburg,S. and Black,J. Dependence of recombination radiation on current in GaAs diodes, 3=13091
Mayburg,S. See Black,J., 3=10853
Maycock,J.,Swift-Hook,D.T.,Wright,J.K. and Ramsden,P. Permanent insulating duct walls for magnetohydrodynamic power generation, 3=5832
Maycock,J.N. See Jacobs,P.W.M., 3=22977
Maycock,P.D. See Shanks,H.R., 3=15449
Mayer,C.H. General report on planetary radio astronomy, 3=18652
Mayer,C.H.,Hollinger,J.P. and Allen,P.J. , A search for 3·15 cm wavelength, circularly polarized radiation from discrete sources, 3=18663
Mayer,C.H.,McCullough,T.P. and Sloanaker,B.M. 3·15 cm observations of Venus in 1961, 3=18653
Mayer,G. See Gires,F., 3=22020
Mayer,G. See Gires,F., 3=22475
Mayer,H. Review on recent results on properties of conduction and photoelectric electrons in thin alkali metal films, 3=15550
Mayer, H. and El Naby, M.H. Opitcal constants of potassium and the Drude theory, 3=17975
Mayer, H. and El Naby, M.H. Internal photoelectric effect (quantum jump absorption) of potassium, 3=17976
Mayer,H. and El Naby,H.M. Quantum jump absorption (inner photoelectric effect) in the alkali metal potassium, 3=22897
Mayer, L. Magnetic image contrast in electron mirror microscopy, 3=1066
Mayer, L. Photocontrol of growth rate of thin polymer films formed by electron bombardment, 3=18266
Mayer, L. Magnetic contrast in electron mirror microscopy, 3=20970
Mayer, L.,Rickett,R. and Stenemann,H. Design features of a new electron mirror microscope, 3=25790
Mayer, L. See Bodenstedt,E., 3=2391
Mayer, L. See Davis,H.T., 3=317
Mayer, L. See Gerdau, E., 3=17419
Mayer,S.W. Dependence of surface tension on temperature, 3=14129
Mayer, W. See Appel,H., 3=17407
Mayer,W. See Stuart,R.V., 3=14681
Mayer,W.G. Reflection and refraction of mechanical waves as solid—liquid boundaries, 3=9541
Mayer,W.G. Effects of transducer alignment on light diffraction by ultrasonic waves, 3=19020
Mayer,W.N. See Anderson,G.S., 3=450
Mayer-Böricke,C., Biswas,M.M. and Gentner,W. Gamma-spectroscopic investigations on stone meteorites, 3=3558
Mayer-Böricke,C. See Lorenz,W., 3=19873
Mayes,W.H. See Regier,A.A., 3=16438
Maynard,J.M. See Parzen,G., 3=5769
Maynard,N.C. See Smakula,A., 3=10693
Mayo,S. See Eisberg,R., 3=12518
Mayor,L., Walsh,A.D. and Warsop,P. The electronic absorption spectrum of phosphine, 3=19996
Mays,J.M. Nuclear magnetic resonances and Mn—O—P—O—Mn superexchange linkages in paramagnetic and antiferromagnetic $LiMnPO_4$, 3=18151
Mayser,B. See Geiger,W., 3=11855
Maze,R. See Firkowski,R., 3=2337
Maze,R. See Firkowski,R., 3=10188
Maze,R. See Firkowski,R., 3=22236
Mazelsky, R. See Lubell, M.S., 3=25365
Mazets,E.P. and Sergeenkov,Yu.V. Automatic prism-type beta-spectrometer, 3=10093
Mazey,D.J., Barnes,R.S. and Howie,A. On interstitial dislocation loops in aluminium bombarded with alpha-particles, 3=4870
Mazey,D.J. See Barnes,R.S., 3=10671
Mazey,D.J. See Barnes,R.S., 3=25314
Mazey,D.J. See Beevers,C.J., 3=2850
Mazières,C. See Yannaquis,N., 3=3301
Mazing,M.A. and Vrublevskaya,N.A. Broadening of spectral lines in a strongly ionized plasma, 3=10454
Mazo,R.M. Free energy of a system with random elements, 3=23778
Mazo,R.M. See Weissmann,M., 3=5416
Mazot,P., de Fouquet,J. and Jacquesson,R. Effect of ageing after quenching on the mechanical properties of extra-soft steels, 3=16111
Mazur,J. Some stochastic processes in polymer systems, 3=8320
Mazur,J. and Joseph,L. Statistical computation of configuration and free volume of a polymer molecule with solvent interaction, 3=10562
Mazur,P. Erratum: origin of oscillations in a low-pressure thermionic converter, 3=3995
Mazur,P. Comments on the Eichenbaum—Hernqvist model of a low-pressure diode, 3=9847
Mazur,P. Influence of ion reflection probability on potential distribution in low-pressure thermionic converters, 3=14509
Mazur,P. and van der Linden,J. Asymptotic form of the structure function for real systems, 3=11712
Mazurenko,Yu.T. Separation of active and nonactive absorption in the long-wavelength region of excitation of luminescence, 3=18822
Mazza,A. See Franchetti,S., 3=5561
Mazzucato,E. See Malesani,G., 3=7278
Mchedlov-Petrosyan, O.P. and Babushkin, V.I. Structure analogy and stoichiometry in thermodynamic studies of silicates, 3=18269
Mead,C.A. Complex refractive index of an ideal monatomic gas, 3=1733
Mead,C.A. Electron transport mechanisms in thin insulating films, 3=6611
Mead,C.A. and Spitzer,W.G. Fermi level position at semiconductor surfaces, 3=20134
Mead,C.A. and Spitzer,W.G. Photoemission from Au and Cu into CdS, 3=23013
Mead,C.A. See Spitzer,W.G., 3=25287
Mead,G.D. See Cence,R.J., 3=24724
Mead,W. See Sparks,J.T., 3=1023
Meadows,B.J. and Lawrence,A.G. The effect of intermediate heat—treatment on recrystallization temperature and tensile properties of aluminium—magnesium—silicon sheet, 3=6869
Meadows,J.W. and Whalen,J.F. $Ni^{58}(n, p)Co^{58m,g}$ cross section and isomer ratio from 1·04 to 2·67 MeV, 3=15214

Meadows,J.W. See Friedman,A.M., 3=19896
Meadows,J.W. See Johnson,V.J., 3=6616
Meadows,R.W. See Lane,J.A., 3=9051
Measday,D.F.,Fisher,P.S.,Kalmykov,A.,Nikolaev,F.A. and Clegg,A.B. The $^{12}C(p, p')^{12}C^*$ (12·71 and 15·11 MeV) reaction from threshold to 50 MeV, 3=19838
Measday,D.F. See Fisher,P.S., 3=19846
Mebkhout,M.M. and Halbwachs,F. Vector mesons in the relativistic rotator theory of elementary particles, 3=14884
Mecharauch,E. See Kolb,K., 3=13346
Mechel,F. and Mertens,P. Sound propagation in absorbing flow channels with high wind velocities, 3=18920
Meckback,W. Preparation of unbacked cadmium foils of approximately 50μg/cm^2, 3=11320
Mecke,P. X-ray determination of the polarity of the {111} faces in epitaxially grown A^{III}B^{V} layers, 3=20827
Mecke,R. The infrared spectrum of diamonds of types A and B, 3=23069
Meclewski,R.,Nikliborc,J. and Wojda,L. Surface migration measurements on nickel by the method of field emission, 3=7629
Mecs,B.M. See Bruner,L.J., 3=8757
Męczyńska,H. See Gutsze,A., 3=12965
Medaliev,Kh.Kh. See Vernidub,I.I., 3=8987
Medford,R.D.,Powell,A.L.T. and Fletcher,W.H.W. Existence of weak R-type ionization fronts, 3=7277
Medford,R.D.,Powell,A.L.T.,Hunt,A.G. and Wright,J.K. Interferometric measurements of electron density in deuterium plasma, 3=7582
Medford,R.D., Powell,A.L.T., Pottinger,R.C. and Richardson,B. Longitudinal shocks in unpinch geometries, 3=1991
Medford,R.D. See Wright,J.K., 3=7530
Medicus,G. Theory of probes with non-uniform work function, 3=7572
Medicus,G. and Jehn,W. Bakeable u.h.v. valves with long life, 3=3843
Medicus,G. See Branner,G.R., 3=12185
Medlin,W.L. Thermoluminescence in quartz, 3=11020
Medoks,V.G. See Bakhrakh,L.E., 3=19335
Medved,D.B.,Mahadevan,P. and Layton,J.K. Potential and kinetic electron from molybdenum by argon ions and neutral atoms, 3=9842
Medved,D.B. and Turnbull,W. Interaction of microwaves with exploding wires, 3=4103
Medved,D.B. See Mahadevan,P., 3=4185
Medved,D.B. See Mahadevan,P., 3=22511
Medved',S.V. and Ozerov,E.B. A method of calibrating the time base of an oscillograph, 3=24171
Medvedev, A.I. See Balalaev, V.A., 3=17415
Medvedev,A.I. See Dzhelepov,B.S., 3=4578
Medvedev,A.I. See Dzhelepov,B.S., 3=12641
Medvedev,B.V. and Polivanov,M.K. Role of counterterms in the dispersion approach to the quantum theory of fields, 3=563
Medvedev,M.N. See Butslov,M.M., 3=17108
Medvedev,M.N. See Butslov,M.M., 3=17157
Medvedev,V.K. See Gavrilyuk,V.M., 3=18394
Medvedev,V.K. See Vedula,Yu.S., 3=18395
Medvedev,V.N. See Kaplyanskii,A.A., 3=25452
Medyanik,V.N.,Klyucharev,A.P. and Nikolaichuk,A.D. Obtaining isotopic chromium foils for nuclear investigations, 3=24533
Mee,C.D. and Jeschke,J.C. Single-domain properties in hexagonal ferrites, 3=15880
Mee,C.H.B. Photoelectric emission from cathodes coated with strontium oxide, 3=12238
Mee,C.H.B. The spectral emissivity of cathodes coated with strontium oxide, 3=20440
Meecham,W.C. On noise produced by boundary layer turbulence, 3=9553
Meecham,W.C. On the use of pressure quadrupole in place of velocity quadrupole for aerodynamic noise, 3=9570
Meecham,W.C. Further discussion of noise produced by boundary-layer turbulence, 3=18915
Meechan,C.J. See Gonser,U., 3=23153
Meek,J.M. See Bhalla,M.S., 3=4029
Meeks,M.L. and Lilley,A.E. The microwave spectrum of oxygen in the earth's atmosphere, 3=13679
Meerson,G.A.,Kotel'nikov,R.B. and Bashlykov,S.N. Uranium monocarbide, 3=7079
Meffert,P. See Lochner,J.P.A., 3=23990
Meffroy,J. Integration of the differential equations of an asteroid, with negligible mass, moving in a plane along a nearly rectilinear path, 3=11496
Megaw,H.D. Refinement of the structure of BaTiO$_3$ and other ferroelectrics. 3=1331
Megaw, H.D. See Lefkowitz,I., 3=18287
Meggers,W.F. Review of reviews of atomic spectroscopy, 3=19916
Meggitt,S. See Van der Borght,R., 3=11557
Meghreblian,R.V. An approximate analytical solution for the radiation exchange between two flat surfaces separated by an absorbing gas, 3=288
Megill,L.R.,Rees,M.H. and Droppleman,L.K. Electric fields in the ionosphere and the excitation of the red lines of atomic oxygen, 3=23633
Megla,G.K. Some new aspects for laser communications, 3=19477
Megli,D.G. and Thwaites,T.T. Beta decay energies of V^{52} and Cr^{55}, 3=22329
Mehendru,P.C. See Jain,S.C., 3=20246
Mehl,W., Gossenberger,H.F. and Helpert,E. A method for the preparation of low-temperature alloyed gold contacts to silicon and germanium, 3=20360
Mehler,E.L. See Houser,T.J., 3=8255
Mehlhorn,W. and Albridge,R.G. KLL—Auger spectra of iron and vanadium. 3=24865
Mehling,O. See Collin,W., 3=22308
Mehling,O. See Daniel,H., 3=8038
Mehling,O. See Daniel,H., 3=22328
Mehlkopf,A.F. and Smidt,J. A 3 cm electron spin resonance spectrometer with a noise level equivalent to $3 \times 10^{10}\cdot\Delta H$ unpaired spins at room temperature, 3=24486
Mehr,D.L. and McLaughlin,E.F. Fabricating liquid-hydrogen targets from Mylar, 3=7396
Mehrotra,B.N. Lattice thermal conductivity of antiferromagnetic MnF$_2$ below its Neel temperature, 3=25212
Mehta,C.L. Coherence-time and effective bandwidth of blackbody radiation, 3=14411
Mehta,K.N. and Jain,R.K. Laminar hydromagnetic flow in a rectangular channel with porous walls, 3=9920
Mehta,K.N. See Jain,R.K., 3=2101
Mehta,K.N. See Rao,M.N., 3=11614
Mehta,K.R. See Rama Krishna Rao,V., 3=9604
Mehta,K.R. See Rao Ramakrishna,V., 3=236
Mehta,L.L. See Dyson,F.J., 3=14046
Mehta,M.L. and Dyson,F.J. Statistical theory of the energy levels of complex systems. V, 3=14047
Mehta,M.L. See Balian,R., 3=10053
Mehta,S. See Heineman,J.B., 3=14125
Mei Cheng'-Yüeh. See Wang Chao-Chün, 3=22346
Meiboom,S. and O'Brien,J.P. Level indicator for liquid helium, 3=21648
Meiboom,S. See Luz,Z., 3=25812
Meier,A.A. Potential of a direct-current point source in a half-space with linearly varying conductivity or resistivity, 3=90
Meier,F. See Wilkens,M., 3=12979
Meier,H. See Lanius,K., 3=4485
Meier,H. See Olsen,J.L., 3=14461
Meier,H.W. See Lanius,K., 3=6111
Meier,K. See Frank,D., 3=11048
Meiher,R. ENDOR study of lithium A-centres in KCl and KBr, 3=25299
Meijering,J.L. Usefulness of a 1/γ plot in the theory of thermal etching, 3=23384
Meijer,P.H.E. and Tanaka,T. Quantum mechanics of beats between weakly coupled oscillators, 3=11694
Meijer,P.H.E. See Tanaka,T., 3=989
Meiklyar,P.V.,Shvarts,V.M.,Kharitonova,Z.V.,Borin,A.V. Ryskina,S.I. and Siletskaya,N.V. Photographic films for spectroscopy and astronomy, 3=9631
Meiklyar,P.V. See Sadÿkova,A.A., 3=6636
Meiling,W.,Schintlmeister,J. and Stary,F. A nanosecond time-to-pulse-height converter of high stability for mV-pulses, 3=12052
Meil'man,M.L. See Tsukerman,B.I., 3=16022
Meiman,N. and Gokhfel'd,I. Solution of equations of the Chew—Mandelstam type, 3=7874
Meiman,N.N. Asymptotic equality of the total cross-sections of a particle and antiparticle, 3=17197
Meiman,N.N. Analytic expressions for the upper limits of the coupling constants in quantum field theory, 3=24649

Meinel,A.B. On the ultraviolet continuous spectrum of B stars, 3=9236
Meinel,A.B. Detection of molecular hydrogen in stellar atmospheres, 3=16407
Meiners,D. See Bartels,H., 3=19264
Meinhardt,O. See Gobrecht,H., 3=18444
Meinhardt,O. See Gobrecht,H., 3=18445
Meinhardt,O. See Gobrecht,H., 3=18446
Meinhardt,O. See Gobrecht,H., 3=20304
Meinhardt,O. See Gobrecht,H., 3=21001
Meinig,K.,Metz,J.and Teltow,J. Absorption tail of AgBr and AgCl mixed crystals at high temperatures, 3=3020
Meisel,E. See Görlich,P., 3=20406
Meisel,E. See Görlich,P., 3=20470
Meisel,W. Determination of appearance potentials by means of space charge compensation, 3=14664
Meisel,W. Appearance-potential measurement by space-charge compensation, 3=21700
Meister,H. Electronic measurement of the average amplitude [of a pulse spectrum], 3=19153
Meister,H. Pulsed neutron experiments on subcritical heavy water natural uranium lattices, 3=19909
Meister, H. See Armbruster, P., 3=2510
Meister,N. and Yennie,D.R. Radiative corrections to high-energy scattering processes, 3=12423
Meister,W. See Böttger,O., 3=20343
Meitzler,A.H. See Onoe,M., 3=7266
Meixner,J. Thermodynamics of electrical networks and the Onsager—Casimir reciprocal relations, 3=12039
Mekhedov,V.N. See Belyaev,B.N., 3=15203
Mekhtiev,R.F., Paritskiĭ,L.G. and Rȳvkin,S.M. Impurity photoconductivity kinetics in GaSe crystals, 3=20412
Meksyn,D. Differential integral equation for the spectrum of isotropic homogeneous turbulence 3=16584
Melamed,N.T. Optical properties of powders. I. Optical absorption coefficients and the absolute value of the diffuse reflectance. II. Properties of luminescent powders, 3=10901
Melamed,N.T. See Harrison,D.E., 3=10982
Melamed,S.G. and Zemskova,M.G. Atlas of rare-earth spectrum lines (for spectrographs DFS-3 and DFS-13), 3=25854
Melamed,V.G. Numerical integration of the classical Stefan problem in a case of phase transitions in the temperature spectrum, 3=24111
Melamid,A.E. See Khlebnikov,N.S., 3=19320
Melandri,C. See Busuoli,G., 3=17236
Melandri,C. See Cervellati,A., 3=9054
Melandri,C. See Cervellati,A., 3=9059
Melankholin,N.M. and Tsinober,L.I. The biaxial nature of synthetic amethyst crystals, 3=25691
Melas,C.M. Linear codes for error correction, 3=3708
Mel'chenko, E.N. See Presnov, V.A., 3=25364
Melcher,H. and Gerth,E. Model to demonstrate atomic and nuclear binding forces using superposition of potentials, 3=25036
Melcher,J.R. Electrohydrodynamic surface resonators, 3=475
Melekhim,V.N. Vertical focusing in a microtron, 3=5799
Meleshko,E.A. See Korshunov,Yu.V., 3=2061
Meleshkov,S.I. See Bolotin,L.I., 3=2045
Meleshkov,S.I. See Bolotin,L.I., 3=2046
Melhuish,W.H. Effect of solvent viscosity on excitation energy transfer between unlike molecules, 3=23887
Melhuish,W.H. and Murashige,R.H. Double-beam spectrofluorimeter, 3=3880
Melica,M. See Sanduloviciu,M., 3=19188
Meligy,A.S. and Gazzy,E.M.El, On Coulomb wave functions, 3=3757
Melik-Barkhudarov,T.K. See Gor'kov,L.P., 3=3940
Melik-Gaikazyan,I.Ya. See Grigoruk,L.V., 3=940
Melik-Gaikazyan,I.Ya. See Roshchina,L.I., 3=15513
Melioranskii,A.S. See Éstulin,I.V., 3=15215
Melioranskii,A.S. See Kalinkin,L.F., 3=6272
Melioranskii,A.S. See Kalinkin,L.F., 3=12600
Melissinos,A.C.,Yamanouchi,T.,Fazio,G.G.,Lindenbaum,S.J. and Yuan,L.C.L. π^- meson production in 2.9-BeV p—p collisions, 3=6034
Melkonian,E. See Engelke,C.E., 3=4399
Mellen,R.H. See Marsh,H.W., 3=13653
Mello,P.A. and Flores,J. Tensor forces and the energy levels of ^{210}Bi, 3=24874
Melmed, A.J. Field-electron and field-ion emission from single vapor-grown whiskers, 3=9829
Melmed,A.J. Epitaxial growth of Cu on W field emitters, 3=25681
Melngailis,I. Maser action in InAs diodes, 3=20452
Melngailis,I. and Rediker,R.H. Magnetically tunable C.W. InAs diode maser, 3=19494
Melngailis,J.,Maradudin,A.A. and Seeger,A. Diffraction of light by ultrasound in anharmonic crystals, 3=25442
Mel'nik,P.G. See Lifshits,T.M., 3=6634
Mel'nik,P.V. Nakhodkin,N.G., 3=21864
Mel'nik,V.A. See Galkin,A.A., 3=22693
Mel'nik, V.L. See Galkin, A.A., 3=17696
Mel'nikov,G.P. See Glukhov,Yu.A., 3=14497
Mel'nikov,N.P.,Ostroumov,G.A. and Shteinberg,A.A. Some features of electric breakdown in electrolytes, 3=9473
Mel'nikov,V.K. Lines of force of a magnetic field, 3=5823
Melnikov, V.N. See Galanin, A.D., 3=17266
Mel'nikov,V.N. See Grashin,A.F., 3=5920
Melnikova,N.N. See Belonogov,A.V., 3=17127
Mel'nikova, V.I. See Bogachev, I.N., 3=3329
Mel'nikova,V.I. See Boga.nev,I.N., 3=5133
Mel'nikova,V.V. See Plavov,V.A., 3=3226
Mel'nikova,V.V. See Pavlov,V.A., 3=23332
Meltzer,C. See Shafer,J.B., 3=15028
Meltzer,G. Minute resistivity variations in germanium crystals and their effect on devices, 3=15573
Memory,J.D. Ring currents in pentacyclic hydrocarbons, 3=10536
Memory, J.D. and Cobb, T.B. High-resolution n.m.r. spectrum of 1, 2-benzanthracene, 3=17614
Men',A.N. Thermodynamic theory of damping capacity due to the relaxation of the singular supplementary parameter, 3=8755
Men',A.N. Determination of the parameters characterizing the cation distribution in multiple component spinels, 3=8863
Men',A.N. Allowance for short-range order in structures of the spinel type, 3=18224
Men',A.N. and Cherepanov,V.I. Allowance for island symmetry in calculation of the energy spectrum of an impurity ion in a crystal, 3=20130
Men',A.N. and Naish,V.E. Term splitting in many-component disordered crystals, 3=22624
Men',A.N.,Polyakov,V.P.,Smolenskii,G.A. and Chufarov,G.I. Effect of short-range order on magnetic properties of ferromagnetics with garnet-type structure, 3=20616
Men', A.N. and Sokolov, A.V. Application of the theory of representations to orderable binary systems, 3=17688
Men',A.N. See Izyumov,Yu.A., 3=20830
Men',A.V. On the correlation of amplitude and phase fluctuations of radio waves propagated in the troposphere, 3=19458
Men',A.V. On the influence of the effect of transfer of inhomogeneities in space on radio wave fluctuation in a turbulent medium, 3=19459
Men',A.V. See Lanovoi,V.N., 3=24162
Men,A.V. See Sodin,L.G., 3=3619
Mén Syan'-Chzhen' [Mêng Hsein-Cheng]. Temperature dependence of the width of ferromagnetic resonance peaks, 3=6737
Mén Syan'-chzhen' [Mêng Hsien-chên]. Effect of magnetic anisotropy on the spin-wave spectrum, 3=20579
Men Syan'-chzhen'. See Mêng Hsien-chên.
Mén Syan'-chzhen'. See Pu Fu-cho, 3=15761
Menache,H. See Bernard,M., 3=6580
Mencarelli,E. Microfractographic features of creep fracture in specimens of aluminium, 3=8782
Mencuccini,C. See Bacci,C., 3=22187
Mendelsohn,A.R. The effect of heat loss on the flash method of determining thermal diffusivity, 3=21581
Mendelson,S. and Kear,B.H. Color contrast from birefringent arrays of edge dislocations using a full-wave plate, 3=7351
Mendelssohn,K. See Lee,J.A., 3=22856
Mendlowitz,H. See LaVilla,R., 3=914
Mendoza,E. See London,H., 3=5565
Meneghetti,D. Discrete ordinate quadratures for thin slab cells, 3=6326
Meneghetti,L. See Becchi,C., 3=4618
Menemenlis,C. Growth of positive channels in non-uniform fields during impulse breakdown, 3=4101

Menes,J. See Hutchinson,D.P., 3=15314
Menes,J. See Hutchinson,D.P., 3=19663
Menes,J. See Hutchinson,D.P., 3=19664
Mêng Hsien-chên. See Gurevich,A.G., 3=25558
Mêng Hsien-chên. See Mén Syan'-chzhen'.
Mêng Hsein-Cheng. See Men Syan'-Chzhen'.
Menichella,E.S. See Colli,L., 3=2473
Menichella,E.S. See Erba,E., 3=2426
Menkes,J. Stability of a heterogeneous shear layer in a magnetic field, 3=2104
Mennrath,P. See Gorodetzky,S., 3=19810
Menon,K.K. See Fry,L.M., 3=3477
Menon,M.G.K. Deep underground studies of muon intensities and investigations on the interactions of muons, 3=4532
Menon,M.G.K., Ramana Murthy,P.V., Sreekantan,B.V. and Miyake,S. On the possibility of experiments with natural neutrinos deep underground, 3=19608
Menoret,M. See Bernard,M., 3=6580
Menotti,P. See Hamilton,J., 3=2310
Menoud,C. and Racine,J. Atomic hydrogen maser, description and preliminary results, 3=9992
Men'shikov,A.Z. Problem of measuring the relative intensity of the $K\beta_s$ line of the X-ray spectrum, 3=23085
Men'shikov,A.Z. Nature of the short-wavelength X-ray satellites, 3=25471
Men'shikov,A.Z. and Nemnonov,S.A. Effect of the chemical bond on the X-ray emission line $K\beta_1\beta^I$ in chromium compounds, 3=23086
Méntesku, K. See Kostya, T., 3=17700
Mentesku,L. See Udrya,I., 3=25008
Menth,A. See Busch,G., 3=11027
Mentkovšký,Yu.L. Analytical properties of partial wave scattering amplitudes of charge particles. II. Arbitrary ι, 3=19587
Mentkovs'kȳi,Yu.L. Perturbation theory for large quantized systems. Review, 3=21256
Mentzoni,M.H. Effective electron recombination in heated nitrogen, 3=21717
Mentzoni, M.H. and Row, R.V. Rotational excitation and electron relaxation in nitrogen, 3=17578
Menyuk,N. See Lyons,D.H., 3=11100
Menzel,D.H. The atmosphere of Mars, 3=18603
Menzel,D.H. A new program of planetary photography, 3=16340
Menzel,D.H. and Jones,F.S. Solar prominence activity, 1944–1954, 3=3583
Menzel,D.H. See Ingrao,H.C., 3=16349
Menzel,E. Studies in the preparation and behaviour of nearly perfect metal surfaces, 3=23500
Menzel,E. See Menzel-Kopp,C., 3=1293
Menzel-Kopp,C. Anomalies in Kikuchi reflection diagrams I. Intensity anomalies, 3=1292
Menzel-Kopp,C. and Menzel,E. Anomalies in Kikuchi reflection diagrams II. Doubling of Kikuchi lines, 3=1293
Menzies,A.C. Atomic absorption spectroscopy and the flame mechanism, 3=699
Menzinger, F. and Paoletti, A. Coherent magnetic scattering of thermal neutrons by cobalt at high temperature, 3=18099
Mérard,R. and Pottier,J. An experiment on the confinement [of plasma] by a dipole magnetic field rotating at high frequency, normal to a static magnetic field, 3=4140
Mercer,R.A. and Miller,R.P. Thermal analysis by high temperature microscopy, 3=18683
Mercereau,J.E. and Crane,L.T. Temperature dependence of critical current density in superconducting tin thin films, 3=3965
Merceron,T. See Bragiński,A., 3=1036
Merceron,T. See Braginski,A., 3=3128
Merceron,T. See Braginski,A., 3=8689
Merceron,T. See Marais,A., 3=20611
Mercier,B. The influence of an external magnetic field on the nuclear magnetic resonance of powdered iron. 3=1203
Mercier,B. Study by nuclear resonance, of the suppression of Bloch walls in powdered iron and nickel under the action of a magnetic field, 3=15805
Mercier,C. Stability criterion of a hydromagnetic toroidal system with scalar pressure, 3=12129
Mercier,H. See Dreyfus,B. 3=10550
Mercier,M. See Bertaut,E.F., 3=20610
Mercier,M. See Cotsaftis,M., 3=12131
Merekov, Yu.P. See Bogachev,N.P., 3=17271
Merekov,Yu.P. See Bogashev,N.P., 3=15200
Merekov,Yu.P. See Bogachev,N.P., 3=22389
Mergelyan,O.S. See Bolotovskii,B.M.. 3=19607
Meric,J. and Truchasson,C. Geometrical notes on the distribution of velocities in a uniform plane undefined flow with velocity potentials after the introduction of a cylinder of different permeability, 3=7177
Mérinis,J. See Foucher,R., 3=2395
Mérinis,J. See Foucher,R., 3=22312
Meriwether,J.R. See Choppin,G.R., 3=24992
Meriwether,J.R. See Feldl,E.J., 3=17095
Merkel,G. See Blann,M., 3=19876
Merkl,W.A. See Boatwright,A., 3=4956
Merkle,K.L.,Singer,L.R. and Hart,R.K. Fission-fragment damage in gold films, 3=22864
Merkul'ev,Yu.A. See Antonov,A.V., 3=4401
Merkulov,L.G. Ultrasonic method of observing the behaviour of dislocations in NaCl crystals, 3=15491
Merkulov,L.G. and Yakovlev,L.A. A crystal ultrasonic delay line utilizing the phenomenon of ray deviation from the wave normal, 3=14264
Merl,W. and Coutts,M.C. Decoration of imperfections on cleaved germanium, 3=20172
Merle,M. Formation and development of shock waves in rarefied air, 3=14251
Merle, M. The influence of a baffle on the sound emission from a sonic jet of air, 3=16704
Merle,M. See Canac,F., 3=1769
Merlivat,L. See Facy,L., 3=25885
Mermin,N.D. Stability of the thermal Hartree–Fock approximation, 3=7144
Mermod,R. See Vivargent,M., 3=14825
Mermod,R. See Von Dardel,G., 3=12481
Merriam,J.D. See Eisenman,W.L., 3=14414
Merriam,M.F.,Jensen,M.A. and Coles,B.R. Superconductivity in the mercury–indium alloy system, 3=14453
Merriam,M.F. and Von Herzen,M. Superconductivity in the indium–tin system, 3=19111
Merrifield,R.E. Exciton impurity levels in molecular crystals, 3=10649
Merrihue,C.M. Excess xenon 129 in chondrules from the Bruderheim meteorite, 3=11524
Merrilees,P.E. See Hart,J., 3=18808
Merrill,J.A. See Reich,C.W., 3=19804
Merrill,J.R.,Taylor,M.T. and Goodman,J.M. Satellites in the magnetoplasma resonance in sodium, 3=25259
Merrill,J.R. See Taylor,M.T., 3=8409
Merrill,L. See Hall,H.T., 3=6817
Merson,Ya.I. See Aver'yanov,I.R., 3=23566
Merson, Ya.I. See Liventsov, A.V., 3=3437
Merten,U. See Dixon,J.M., 3=20376
Mertens,F.P.,Theroux,P. and Plumb,R.C. Some observations on the use of elliptically polarized light to study metal surfaces, 3=14357
Mertens,P. See Mechel,F., 3=18920
Merton, G. Tables for the perturbation-of-elements method, 3=3527
Merts,A.L. and Torrey,M.D. Some analytic solutions of the Hartree–Fock equations by an iterative least-squares method, 3=22468
Mertz,L. and Young, N.O. Fresnel transformations of images, 3=16742
Mertz,L, Young,N.O. and Armitage,J. Mock interferometry, 3=16771
Merzari, F. See Mangialajo,M., 3=15244
Merzbacher,E. See Khandelwal,G.S., 3=15523
Merzbacher,E. See Van Der Zwan,L., 3=19881
Merzon,G.I. See Bannik,B.P., 3=2481
Merzon,G.I. See Kotenko,L.P.. 3=6051
Mesceryakov,M.G. See Kumekin,Yu.P., 3=14982
Mescheryakov,M.G. See Azhgirey,L.S., 3=15189
Mescheryakov,M.G. See Azhgirey,L.S., 3=24723
Meshcherov,R.A. See Arzumanov,A.A.. 3=9888
Meshcherov,R.I. See Babichev,A.P.. 3=21913
Meshchervakov,M.G. See Azhgireĭ,L.S., 3=4630
Meshcheryakov,M.G. See Azhgirei,L.S., 3=17265
Meshchervakov,M.G. See Azhgireĭ,L.S.. 3=22374
Meshcheryakov,R.P. See Vlasov,A.G.. 3=459
Meshcheryakov,V.A. See Isaev,P.S., 3=15017

Meshkov,S., Levinson,C.A. and Lipkin,H.J. Verification of the tenfold assignment of the baryon resonances, 3=14927

Meshkov,S. See Banerjee,M.K., 3=12553

Meshkov,S. See Flamm,E., 3=4553

Meshkov,S. See Levinson,C.A., 3=582

Meshkov, S.I. See Shermergor, T.D., 3=18171

Meshkovskiĭ,A.G. See Barmin,V.V., 3=15007

Meshkovskii,A.G. See Barmin,V.V., 3=24792

Meshter, A. See Balalaev, V.A., 3=17415

Mesnard, G. Study of bound electron states at boundaries, impurities, and structural defects in models of solids, 3=17681

Mesnard,G. and Vasilescu,D. The semiconductivity and dielectric properties of guanine, 3=866

Mesnard,G. See Asch,G., 3=20654

Mesnard,G. See Déjardin,G., 3=4204

Messel,H., Smirnov,A.D., Varfolomeev,A.A., Crawford,D.F. and Butcher,J.C. Radial and angular distributions of electrons in electron—photon showers in lead and in emulsion absorbers, 3=4486

Messel,H. See Crawford,D.F., 3=6105

Messelyn,J. See Wertheimer,R., 3=19465

Messerle,H.K. Plasma converter performance characteristics, 3=7423

Messerly,J.F. See Scott,D.W., 3=8291

Messiaen,A.M. and Vandenplas,P.E. Comparison of experiments with the theoretical scattering behaviour of a cold plasma cylinder (or anisotropic dielectric rod) with a magnetically

Messiaen,A.M. and Vandenplas,P.E. Comparison between theoretical and experimental resonant behaviour of a hollow cylindrical plasma, 3=9771

Messiah,A. See Bloch,C., 3=3947

Messier,J. Resistivity changes produced in high resistivity p-type silicon by thermal neutrons, 3=6589

Messino,D., Sette,D. and Wanderlingh,F. Effects of uranium salts on sound cavitation in water, 3=18794

Mestel,L. and Roxburgh,I.W. On the thermal generation of toroidal magnetic fields in rotating stars, 3=3585

Mestvirishvili,M.A. and Todorov,I.T. Analytic properties of meson—nucleon vertex parts and the amplitudes for scattering of pseudoscalar mesons in perturbation theory, 3=15020

Metchnik,V. The ratio of characteristic Kα to white X-radiation from copper at 30 kV, 3=25473

Metchnik,V. and Tomlin,S.G. On the absolute intensity of emission of characteristic X-irradiation, 3=13193

Meth,I.M. and Graveson,R.T. Nuclear pulse current-sensitive amplifiers, 3=3982

Metherell,A.F. See Pusey,P.S., 3=21752

Metheringham,A.J. See Griffith,T.C., 3=17375

Methfessel,S. and Kneller,E. Gd_4Bi_3—A new ferromagnetic compound, 3=15776

Methfessel,S.,Middelhoek,S. and Thomas,H. A new method for the determination of the ferromagnetic exchange constant, 3=1076

Methfessel,S.,Segmüller,A. and Sommerhalder,R., Magnetic properties of thin films evaporated in ultrahigh vacuum, 3=1073

Metta,D. See Fields,P.R., 3=19825

Mette,H. See Boatwright,A., 3=4956

Metz,H.J. See Frieser,H., 3=11956

Metz,J. See Meinig,K., 3=3020

Metzdorf,W. See Hanke,I., 3=13276

Metze,W. See Geerk,J., 3=21726

Metzer,K. Vectors, tensors and differential geometry with special reference to elasticity, plasticity and dislocation I. Vectors, tensors and differential geometry, 3=15969

Metzger,A.E., van Dilla,M.A., Anderson,E.C. and Arnold,J.R. Ranger gamma-ray spectrometer, 3=21145

Metzger,A.E. See Arnold,J.R., 3=10185

Metzger,A.E. See Schrader,C.D., 3=21096

Metzger,F.R. Properties of the 319-keV excited state of Pd^{105}, 3=6169

Metzger,H.J. See Kessler,F.R., 3=22762

Meulen,D.R.v.d. See Rethmeier,J., 3=6011

Meunier,R., Stroot,J.P., Leontic,B. and Lundby, A. Disc: Cherenkov counter with velocity selection, 3=2163

Meunier,R., Stroot,J.P., Leontic,B., Lundby,A. and Duteil,P. Disc counter with liquid radiator, 3=2164

Meunier,R. See Barbier,M., 3=17002

Meunier, R. See Dowell, J.D., 3=17110

Meyer,A.F. Production of thin convertor foils and radioactive sources by cathode sputtering, 3=19801

Meyer,A.F. See Hentschel,E., 3=12283

Meyer,A.J.P. and Cadeville,M.C. Magnetic properties of iron-phosphorus compounds, 3=1018

Meyer,A.J.P. See Cadeville,M.C., 3=8637

Meyer,B. Vibration spectrum of trapped S_2, 3=2624

Meyer,C. See Arcas,P., 3=24023

Meyer,D.I. See Coffin,C.T., 3=17140

Meyer,E. and Eisfeld,D. Investigations on the propagation of electromagnetic waves over an absorbing surface, 3=12310

Meyer,E.,Helberg,H.W. and Roy,N. Measurement of power transmitted by aerials with the help of electromagnetic wave resonators, 3=4266

Meyer,E. and Kuttruff,H. The reflective properties of discontinuous ceilings (model experiments on the reflecting arrangement of the new Philharmonic Hall in New York) 3=23991

Meyer,E.,Kuttruff,H. and Rischbieter,F. Measurement of the sound scattering at surfaces with periodically changing impedance (phase lattices), 3=5499

Meyer,E. See Blauth,E., 3=4032

Meyer,G. See Horstmann,M., 3=22656

Meyer,H., Teucher,M.W. and Lohrmann,E. Interactions of 25 GeV protons with protons and heavy nuclei in nuclear emulsions, 3=19628

Meyer,H. See Rorer,D.C., 3=12029

Meyer,H. See Thomson,A.L., 3=1882

Meyer,H.J.G. See De Veer,S.M., 3=10925

Meyer,J. See Barloutaud,R., 3=7888

Meyer,J. See Barloutaud,R., 3=7904

Meyer,K. and Keutel,M. Study of elementary deformation processes in impulsive mechanical treatment of NaCl crystals, 3=8785

Meyer,K. See Helmis,G., 3=25012

Meyer,K.-O. See Czekalla,J., 3=22528

Meyer,L. A simple low-temperature camera for X-ray spectrography with a horizontal axis of rotation, 3=21921

Meyer,L. See Davis,H.T., 3=1677

Meyer,L. See Davis,H.T., 3=1678

Meyer,M.A. Properties of triggered multi-wire spark counters of the Rosenblum type and of parallel-plate spark counters, 3=24542

Meyer,M.A.,Koen,J.W. and Lessing,I.J. Accuracy of track location of charged particles in triggered multi-wire spark counters, 3=24543

Meyer, M.A., Wolfendale, A.W., Hughes, E.B. and Marsden, P.L. Neutron production by cosmic ray muons, 3=4526

Meyer,M.A, Wolmarans,N.S. and Van Der Walt,J.J. A new liquid scintillator, 3=17104

Meyer,M.F. Erratum: Neurological theory of beat tones, 3=13957

Meyer,N.I. See Bartelink,D.J., 3=13087

Meyer,O.L. See Harman,G.G., 3=10799

Meyer,P. and Vogt,R. Primary cosmic ray and solar protons. II. 3=10186

Meyer,P. See Bergmann,W.H., 3=17128

Meyer,R.E. and Ho,D.V. Notes on nonuniform shock propagation, 3=18898

Meyer,R.P. See McCamy,K., 3=1417

Meyer,V.,Pfeifer,W. and Staub,H.H. Reactions $Li^6(d,p)Li^7$ and $Li^6(d,\alpha)\alpha$ for deuteron energies of 3 to 5 MeV, 3=24966

Meyer,V.,Staub,J. and Staub,H. Efficiency of BF_3-counter with simple paraffin arrangement, 3=12473

Meyerand,R.G., Jr., Salz, F., Lary,E.C. and Walch,A.P. Electrostatic potential gradients in a nonthermal plasma, 3=4120

Meyer-Arendt,J.R. Three-dimensional wavefront reconstruction, 3=11895

Meyer-Arendt,J.R. Evaluation of plane mirrors by contrast transfer, 3=14310

Meyer-Arendt,J.R., Bayer,M.E. and Nelson,J.K. Reflecting surfaces as magnifiers, 3=1788

Meyer Arendt,J.R. and Miner,E.D. Jr. Angular measurements by means of ronchi ruling, 3=9583

Meyer-Berkhout, U. See Finckh, E., 3=17451

Meyer-Berkhout,U. See Fuchs,H., 3=662

Meyerhof,W.E. Threshold effect in elastic scattering according to the optical model, 3=6212

Meyerhof,W.E. Threshold effects in average cross sections according to R-matrix theory, 3=10320

Meyerhof,W.E. See Wells,D.O., 3=15143

Meyerhof,W.E. See Wells,J.T., 3=22394

Meyerhofer,D. and Ochs,S.A. Current flow in very thin films of Al_2O_3 and BeO, 3=22976

Meyerhoff,R.W. and Smith,J.F. The thallium–indium phase diagram as a function of composition, temperature and pressure, 3=20886

Meyer-Pundt,G. Quantum electrodynamics with non-vanishing photon mass, 3=7766

Meyers,L. See Chiltz,G., 3=11356

Meyerson,S. and Vander Haar,R.W. Multiply charged organic ions in mass spectra, 3=1933

Mezaki,R. and Margrave,J.L. Thermodynamic properties of inorganic substances. IV. The high temperature heat contents of TeO_2 and Na_2TeO_4, 3=770

Mezard,R. See Zarzycki,J., 3=3348

Mezard,R. See Zarzycki,J., 3=18370

Mezger,P.G. See Altenhoff,W., 3=18649

Mezzanares,F. See Baldoni,B., 3=5998

Mezzanares,F. See Emma,V., 3=6220

Mezzetti,L. See Beneventano,M., 3=19669

M'hirsi,A.,Saurel,J. and Vodar,B. Dispersion of sound in nitrogen, 3=7242

Miane,M. See Gavreau,V., 3=16901

Miąsek,M. Empty–lattice analysis for white tin, 3=4836

Miąsek,M. Band structure of white tin, 3=10624

Michael,P. See Corngold,N., 3=8167

Michaelis,W. Excited energy levels in Dy^{160}, 3=19790

Michaelis,W. Gamma–gamma angular correlations in Re^{187}, 3=22348

Michaelis,W.,Schmidt,H. and Weitkamp,C. Counting rate dependence of the gain and resolution of photomultipliers of the type RCA 6810 A, 3=9838

Michaels,A.S.,Vieth,W.R. and Barrie,J.A. Solution of gases in polyethylene terephthalate, 3=11305

Michaels,A.S.,Vieth,W.R. and Barrie,J.A. Diffusion of gases in polyethylene terephthalate, 3=11306

Michaelsen,J.D. See Zandstra,P.J., 3=25137

Michalec,J. See Kaliski,S., 3=18890

Michalski,L. A time marking device for electronic temperature recorders, 3=16889

Michard,R. Mechanical energy in the solar atmosphere, 3=3572

Michard,R. A possible difference of temperature between the solar poles and equator, 3=3571

Michard,R. See Bernière,G., 3=1520

Michard,R. See Evans,J.W., 3=3565

Michard,R. See Evans,J.W., 3=3566

Michard,R. See Evans,J.W., 3=11532

Michaud,R. See Latière,H.J., 3=6809

Michaudon,A. The production of moderated neutron beams from pulsed accelerators, 3=22138

Michaudon,A.,Derrien,H.,Le Pipec,C. and Ribon,P. Study of the resonant interaction of neutrons of energy about 6.7 eV with U^{238} nuclei in uranium oxide at low temperature, 3=6259

Michaudon,A., Lottin,A. and Paya,D. Contribution to the study of ternary fission of uranium-235 induced by slow neutrons, 3=15241

Michaudon,A. See Le Pipec,C., 3=4801

Michejda,L. See Hofmokl,T., 3=12488

Michel,A. See Frie,W., 3=12090

Michel,A. See Fruchart,E., 3=1134

Michel,A.E. and Walker,E.J. Interference between the infrared beams from opposite ends of a GaAs laser, 3=24528

Michel,E. See Grant,J., 3=1824

Michel,R.E. and Rosenblum,B. Magnetoplasma resonance in germanium, 3=2893

Micheletti,S. See Colli,L., 3=19865

Micheletti,S. See Isoya,A., 3=683

Michels,A.,De Graaff,W. and Wolkers,G.J. Thermodynamic properties of hydrogen and deuterium at temperatures between −175°C and 150°C and at pressures up to 2500 atmospheres, 3=23930

Michels,A. and Sengers,J.V. The thermal conductivity of carbon dioxide in the critical region. III. Verification of the absence of convection, 3=3834

Michels,A., Sengers,J.V. and van der Gulik,P.S. The thermal conductivity of carbon dioxide in the critical region. I. The thermal conductivity apparatus, 3=3832

Michels,A., Sengers,J.V. and van der Gulik,P.S. The thermal conductivity of carbon dioxide in the critical region. II. Measurements and conclusions, 3=3833

Michels,A.,Sengers,J.V. and van de Klundert,L.J.M. The therma conductivity of argon at elevated densities, 3=11832

Michelson,D. and Richardson,H.O.W. Particle focusing properties of the prolate spheroidal magnetic field and of the superposed spheroidal and uniform fields, 3=9875

Michie,G.M. See Wilson,G.W., 3=7678

Michie,R.W. On the distribution of high energy stars in spherical stellar systems, 3=9247

Michie,R.W. See Brandt,J.C., 3=3538

Michijima,M. Secondary electron multiplier as a detector of very feeble ion current down to 10^{-19} amperes, 3=454

Michiyoshi,I. See Sato,T., 3=9661

Mickelson,M.E. See Edse,R., 3=10504

Mickey,J.W.,Jr. See Orofino,T.A., 3=16616

Micu,M. Compound nucleus influence on Coulomb excitation, 3=12572

Middelhoek,S. Static reversal processes in thin Ni–Fe films, 3=13236

Middelhoek,S. The influence of the anisotropy variations on the domain behaviour of Ni–Fe films, 3=15818

Middelhoek,S. Domain walls in thin Ni–Fe films, 3=15829

Middelhoek,S. Relation between the thickness of thin metallic films and the coercive field for wall displacement, 3=20603

Middelhoek,S. See Methfessel,S., 3=1076

Middelkoop,W.C. See Bleuler,E., 3=24565

Middlemas,N. See Emmerson,J.McL., 3=24381

Middleton,D. Acoustic signal detection by simple correlators in the presence of non-Gaussian noise.I. Signal-to-noise ratios and canonical forms, 3=207

Middleton,R. See Hinds,S., 3=637

Middleton,R. See Hinds,S., 3=680

Middleton,R. See Macefield,B.E.F., 3=17495

Middleton,S.P. See Gebbie,H.A., 3=16769

Middleton,W.E.K. Note on the invention of photometry, 3=11879

Miedan-Gros,A. See Allain,Y., 3=19412

Miedema,A.R. See Haseda,T., 3=1060

Miedler,L.J. See Boettner,E.A., 3=5523

Mielenz,K.D. Focal curves of the Ebert and Ebert–Fastie spectrographs, 3=7334

Mielken,G. See Bodenstedt,E., 3=2391

Mielken,G. See Körner,H.J., 3=12560

Miescher,E. Spectrum and energy levels of the No molecule, 3=10517

Miescher,E. See Huber,K.P., 3=10518

Miescher,E. See Huber,K.P., 3=19986

Miesowicz,M. Recent studies on the fire ball model, 3=4539

Miesowicz,M. See Gierula,J., 3=4382

Miesowicz,M. See Gierula,J., 3=5993

Miesowicz,M. See Gierula,J., 3=7950

Miétska,I.B. See Bulakh,B.M., 3=23395

Mifsud,J.F. See Nolle,A.W., 3=23987

Migdal,A.B. Theory of a Fermi fluid consisting of two types of particles. Application to the nucleus, 3=15080

Migdal,A.B. See Larkin,A.I., 3=23795

Mighell,A.D. and Jacobson,R.A. Analysis of three-dimensional Patterson maps using vector verification, 3=18302

Migitaka,M. Silicon negative resistance diodes, 3=2937

Migotsky,E. See Neuringer,J.L., 3=21967

Mihailović,M.V. and Rosina,M. The influence of the configurations with two or more particle–hole pairs on the structure of the giant resonance, 3=8075

Mihailovic,M.V. See Cvelbar,F., 3=10366

Mihaljan,J.M. A rigorous exposition of the Boussinesq approximations applicable to a thin layer of fluid, 3=1660

Mihalov,J.D. See Mozer,F.S., 3=16288

Mihama,K. The effects of ion bombardment on molybdenite and graphite, 3=22851

Mihelich,J.W. See Funk,E.G.,Jr., 3=4596

Mihelich,J.W. See Harmatz,B., 3=2380

Mihran,T.G. and Yu,S.P. Nonlinear r.f. behavior of electron beams with velocity distribution. II. Application to rectangular velocity distribution. 3=24354

Mihran,T.G. See Yu,S.P., 3=24353

Mihul,A. See Balea,O., 3=17134

Mijnlieff,P.F. Sedimentation and diffusion of colloidal electrolytes. Equations for the molecular weight. I, 3=69

Mijnlieff,P.F. Sedimentation and diffusion of colloidal electrolytes. Equations for the molecular weight. II, 3=6939
Mijnlieff,P.F. Sedimentation and diffusion of colloidal electrolytes. Equations for the molecular weight. III, 3=6940
Mijnlieff,P.F. Sedimentation and diffusion of colloidal electrolytes. Equations for the molecular weight. IV, 3=6941
Mika,J.R. Asymptotic reactor theory in plane geometry, 3=2526
Mikaelyan,L.,Borovoi,A. and Denisov,E. Double Mott scattering of electrons, 3=24925
Mikaelyan,L.A.,Borovoi,A.A. and Denisov,E.I. Double Mott scattering of electrons, 3=24924
Mikaelyan,L.A. See Apalin,V.F., 3=2509
Mikaélyan,L.A. See Apalin,V.F., 3=8151
Mikaelyan,L.A. See Apalin,V.F., 3=10401
Mikaelyan,L.A. See Apalin,V.F., 3=12713
Mikaelyan,L.A. See Apalin,V.F., 3=17502
Mikgailov,I.V. See Borovik,E.S., 3=182
Mikhailenko,S.A. See Lutskii,A.E., 3=21385
Mikhailov,A.A. The astronomical unit of length, 3=5229
Mikhailov,A.I. See Gorshkov,V.G., 3=2587
Mikhailov,A.I. See Kazanskii,G.S., 3=19387
Mikhailov,A.I. See Kazanski,G.S., 3=24416
Mikhailov,B.M. See Nikitina,A.N., 3=23891
Mikhailov,G.M., Lundin,A.G. and Gabuda,S.P. Magnetic resonance in F^{19} nuclei in the ferroelectric $(NH_4)_2BEF_4$, 3=3194
Mikhailov,G.M. See Lundin,A.G., 3=4941
Mikhaĭlov, G.P. and Burshteĭn, L.L. Modern theories of dipole polarization of condensed molecular systems, 3=17925
Mikhailov,G.V. Raman scattering in methane at pressures from 15 to 250 ATM, 3=176
Mikhailov,H.C.,Akimovich,O.M. and Pronilna,I.H. Obtaining an ultra-high vacuum by means of an electronic oxide semiconductor pulverized by electron bombardment, 3=21457
Mikhailov,I. See Kaganov,M., 3=24124
Mikhailov,I.N. Use of the projection in solving the variational problems, 3=18698
Mikhailov,N.N. and Govor,A.Ya. Lead brass resistance thermometers for low-temperature measurements, 3=14430
Mikhailov,N.N. See Alekseevskii,N.E., 3=3968
Mikhailov,N.N. See Alekseevskii,N.E., 3=16873
Mikhailov, V.F. A simple multichannel pulse-height analyser, 3=3988
Mikhailov,V.F. The use of toluene-argon and N-heptane–argon mixtures as working gases of an ionization chamber, 3=4291
Mikhailov,V.I. The scattering of electromagnetic waves on uneven surfaces, 3=21975
Mikhailov,Yu.G. See Grigor'ev,A.D., 3=5148
Mikhailov,Yu.G. See Kolchin,A.M., 3=3966
Mikhailov,Yu.M. See Dorman,L.I., 3=2115
Mikhailova,D.N. The diffusion distribution of boron in silicon, 3=22822
Mikhailova,D.N. and Kasabov,I.D. Distribution of diffused phosphorus in silicon, 3=2833
Mikhailova,T.G. See Nesterov,V.M., 3=15609
Mikhailovskaya,L.V. and Mikhailovsky,A.B. Drift instability of a plasma in a helical magnetic field, 3=21829
Mikhailovskii,A.B. Convection instability and the stabilization effect in a rarefied high-temperature plasma, 3=1979
Mikhailovskii,A.B. Diamagnetic instability of a plasma with a large ion Larmor radius, 3=7546
Mikhailovsky,A.B. Dielectric properties of inhomogeneous plasma, 3=21787
Mikhailovskii,A.B. Transverse drift oscillations of an inhomogeneous plasma, 3=24316
Mikhailovskii,A.B. and Rudakov,L.I. The stability of a spatially inhomogeneous plasma in a magnetic field, 3=24314
Mikhailovskii,A.B. and Timofeev,A.V. Cyclotron instability of an inhomogeneous plasma, 3=24315
Mikhailovsky,A.B. See Mikhailovskaya,L.V., 3=21829
Mikhal'chenko,G.A.,Nichugovskii,G.F. and Rozhanovskaya,L.P. Plastic scintillators with a luminescence maximum in the region of 500 mμ, 3=4295
Mikhalchi,E.D. See Zatsepin,G.T., 3=4528
Mikhalenkov,V.S. See Dekhtyar,I.Ya., 3=8668
Mikhalenkov,V.S. See Dekhtyar,I.Ya., 3=17694
Mikheev,V.L. See Bredel',V.V., 3=2166
Mikheev,V.L. See Druin,V.A., 3=4675
Mikheev,V.L. See Polikanov,S.M., 3=24984
Mikheev,V.L. See Polikanov,S.M., 3=6315
Mikheev,V.S. and Aleksashin,V.S. Electrical volume resistivity of alloys of the titanium–chromium system up to temperatures of 1100°C, 3=22898
Mikhlin,É.Ya. See Agranovich,V.M., 3=2543
Mikho,V.V. On anode and cathode flash spectra of near-the electrode radiation in an electrolyte bath, 3=10984
Mikho,V.V. and Levkovtseva,L.V. The spectrum of the radiation emitted at an aluminium electrode in an electrolytic bath, 3=1395
Mikhul,A. See Belyakov,V.A., 3=24798
Mikhul,A. See Van Yun-chan [Wang Yung-chang], 3=2305
Mikhul,A. See Van Gan-Chan, 3=19709
Mikhul,É. See Belyakov,V.A., 3=24798
Mikhul,E.K. See Barashenkov,V.S., 3=2461
Mikhul,E.K. See Barashenkov,V.S., 3=6040
Mikirov,A.E. Investigation of the brightness of the sky and the scattering coefficient of the upper atmosphere, 3=23626
Miklowitz,J. Transient wave propagation in elastic rods and plates, 3=21472
Mikoshiba,N. Magnetic-field dependence of the acoustoelectric effect, 3=10591
Mikoshiba,N. Weak-field magnetoresistance of hopping conduction in simple semiconductors, 3=15564
Mikryukov,V.E. and Kamilov,I.K. An apparatus for the determination of the thermal expansion of solids in the temperature range 20-1000°C, 3=4825
Mikryukov,V.E. and Speranskiĭ,N.M. Thermal conductivity and electrical resistivity of nickel–zinc ferrites, 3=20618
Mikumo,T. See Beurtey,R., 3=10374
Mikumo,T. See Nonaka,I., 3=8100
Milagin, M.F. and Shishkin, N. I. Tensile strength and birefrigence of stretched (oriented) polymethyl methacrylate, 3=18207
Milagin,M.F. and Shishkin,N.I. Tensile strength and double refraction of capron and polypropylene fibers, 3=23045
Milagin, M.F. See Shishkin, N.I., 3=17982
Milanez, F. See Murphy, P.V., 3=17947
Milasin,N. See Johnson,A.A., 3=8784
Milazzo,M. See Colli,L., 3=2473
Milazzo,M. See Colli,L., 3=15212
Milberg,M.E. Application of the simplified cylindrical distribution function: Orientation in linear polyethylene, 3=11307
Milburn,R.H. Electron scattering by an intense polarized photon field, 3=12448
Milburn,R.H. See Chrétien,M., 3=24787
Mil'divskii,M.G. See Turovskii,B.M., 3=13411
Milekhin, G.A. Infrared asymptotics of the Green's function in some quantum field theory models, 3=2183
Milekhin,G.A. Nonlinear scalar fields and multiple production of particles, 3=19592
Miles,G.T. See Bigg,E.K., 3=25887
Miles,J.L. and Smith,P.H. Bubble formation at metal–metal interfaces and its effect on the superconducting characteristics of aluminium–indium laminate films, 3=19107
Miles,J.R.N. An improved correction to the Smoluchowski equation in the molecular theory of liquids, 3=21317
Miles,J.W. Conical flow and Rayleigh scattering techniques in elastic wave propagation, 3=23966
Mileshkin,A.G. See Simonov,V.A., 3=12107
Milevskii,L.S. Interaction of edge dislocations with vacancies in silicon, 3=6517
Milevskii,L.S. Discrete structure of elastic stresses produced by a chain of dislocations in silicon, 3=6518
Milevskii, L.S. Climb of edge dislocations in silicon under the action of gold, 3=17715
Milewski,J. and Śmigielski,J. Some experimental results concerning the possibility of direct conversion of thermal energy into electricity with M-G-D methods, 3=14759
Milford,F.J. and Glasser,M.L. Spin-wave dispersion curves for magnetite, 3=1152
Milford,F.J. See Glasser,M.L., 3=15782
Milford,F.J. See Kenan,R.P., 3=25200
Milford,F.J. See Wood,V.E., 3=2820
Milford,S.N. See McCoyd,G.C., 3=10473
Milhelich,J.W. See Funk,E.G.,Jr., 3=6183

Miligi,Z. See Brabets,V., 3=8050
Miligui,Z. See Kracík,B., 3=12635
Militaru,P. Determination of luminous flux from luminous bodies by graphical methods and with the aid of mechanical devices, 3=18975
Mil'kova,L.P. and Porai-Koshits,M.A. Lattice parameters, crystal symmetries and structural traits of some metafluoroberyllates, 3=20847
Mill,M.W. See Gardner,J.H., 3=24492
Mill',B.V. and Naumova,I.I. Syntheses in the Y_2O_3–FeO_3–H_2O system, 3=18272
Millar,D.D. See Brennan,M.H., 3=24306
Millar,D.D. See Reid,R.J., 3=4504
Millea,A. General method for calculating the alternating current resistance of conductors of arbitrary cross-section, 3=16900
Milledge,H.J. A diffraction technique for the study of crystals in conditions of instability, 3=11249
Miller,A., Williams,H.B. and Theimer,O. Secondary-electron-emission phase-angle distributions in high-frequency multipacting discharges, 3=14551
Miller,A.A. "Free volume" and the viscosity of liquid water, 3=11780
Miller,A.C. and Gary,B.L. Measurements of the decimeter radiation from Jupiter, 3=7048
Miller,A.F.,Daane,A.H.,Habermann,C.E. and Beaudry,B.J. Welding tantalum for high temperature applications, 3=18685
Miller,A.R. See Su,Gouq-Jen, 3=3019
Miller,B.P. See McGillem,C.D., 3=9169
Miller,B.P. See McGillem,C.D., 3=21095
Miller,C.E.,Jacobs,R.B. and Macinko,J. Instrument for the continuous measurement of the density of flowing fluids, 3=7183
Miller,C.F. See Dixon,J.M., 3=20376
Miller,D. See Alff,C., 3=4432
Miller,D. See Alff,C., 3=4433
Miller,D. See Dahl,O., 3=7921
Miller,D.B. and Bellamy,E.H. The photoproduction of π^0 mesons in hydrogen, 3=10147
Miller,D.B. See Walker,J.K., 3=4423
Miller,D.G. Graphical methods for determining a nonlinear constant in vapor pressure equations, 3=14421
Miller,D.H., Alexander,G., Dahl,O.I., Jacobs,L., Kalbfleisch,G.R. and Smith,G.A. A $K\pi$ resonant state at 726 MeV, 3=19698
Miller,D.H. See Alexander,G., 3=7924
Miller,D.H. See Alvarez,L.W., 3=15039
Miller,D.H. See Kalbfleisch,G.R., 3=17349
Miller,D.J. See Ely,R.P., 3=19703
Miller,D.P. and Taylor,H.L. Nuclear particle tracks in silicon, 3=15524
Miller,D.P.,Watelski,S.B. and Moore,C.R. Structure defects in pyrolytic silicon epitaxial films, 3=23515
Miller,D.S. See Chessin,H., 3=11030
Miller,E.A. See Liebmann,W.K., 3=23401
Miller,F.D. Objective-prism spectrograms of Comet Humason (1961e), 3=16363
Miller,G.H. and Pritchard,G.O. Grease-free apparatus for the collection and measurement of gases in high vacuum stystems, 3=9521
Miller,G.L, Wagner,S. and Yuan,L.C.L. Investigations on lithium-drift solid-state detectors for high-energy particle detection, 3=17114
Miller,G.R.,Li,C.Y. and Spencer,C.W. Properties of Bi_2Te_3—Bi_2Se_3 alloys, 3=13500
Miller,G.R. See Munk,W.H., 3=16203
Miller,H.B. Transducer measurement platform on Seneca Lake, 3=18944
Miller,H.B. Origin of mechanical bias for transducers, 3=23977
Miller,H.C. Longitudinal positive column fields in oxygen for discharge currents in the interval 10^{-5} – 10^{-2} amperes, 3=19213
Miller,H.J. See Espinosa,A.F., 3=1414
Miller,I.R. and Nanis,L. The effect of solvents of the properties of spread monolayers, 3=11365
Miller,J.C. and Barker,R.C. Switching properties of a single-crystal specimen of nickel ferrite, 3=15874
Miller,J.G. See Witonsky,R.J., 3=14192
Miller,J.M. See Remsberg,L.P., 3=15197
Miller,M.G. See Kabler,M.N., 3=17718
Miller,N.E. See Watson,W.W., 3=11823
Miller,P.,Jr. See Hisatsune,I.C., 3=8599
Miller,P.B. See Kirsch,J., 3=4854
Miller,R.C. Mechanism of second harmonic generation of optical maser beams in quartz, 3=17083
Miller,R.C. and Savage,A. Harmonic generation and mixing of $CaWO_4$: Nd^{3+} and ruby pulsed laser beams in piezoelectric crystals, 3=7359
Miller,R.C. and Spitzer,W.G. Far infrared dielectric dispersion in $KTaO_3$, 3=4947
Miller,R.C. See Damon,D.H., 3=25233
Miller,R.C. See Sagar,A., 3=10841
Miller,R.C. See Wood,E.A., 3=8853
Miller,R.F. An anisotropic shape effect in epitaxial single crystal nickel films, 3=15815
Miller,R.H. The effects of telescopes on astronomical polarization measurements, 3=7015
Miller,R.H. A limitation on the photometry of faint objects, 3=16317
Miller,R.R. See Walker,B.E., 3=1861
Miller,R.V. and Present,R.D. United-atom configuration-interaction treatment of the He—He repulsion, 3=10508
Miller, S.C. See Mahler, R.J., 3=17651
Miller,S.R. See Blinc,R., 3=23251
Miller,T.P. See Mercer,R.A., 3=18683
Miller,V.S. An effective method of reducing contact thermal resistance, 3=24083
Miller,W. See Lehner,F.E., 3=9168
Miller,W.A. A solar observatory on Long Island, 3=7016
Miller,W.C. Color photography in astronomy, 3=16314
Miller,W.H. See Ratliff,F., 3=5295
Miller,W.J. See Palmer,H.B., 3=11346
Miller,W.N. See Gardner,L.R.T., 3=8771
Miller,W.W. See Thompson,J.L., 3=18458
Milligan, D.E. and Jacox, M.E. Infrared spectrosoopic evidence for the species HO_2, 3=17586
Milligan,D.E. and Jacox,M.E. Infrared spectroscopic evidence for the species HNC, 3=22584
Milligan,D.E., Jacox,M.E., Charles,S.W. and Pimentel,G.C. Infrared spectroscopic study of the photolysis of HN_3 in solid CO_2, 3=3402
Milligan,D.E. See Redington,R.L., 3=2628
Milligan,J.E. See Huang,S.S., 3=3601
Milligan,J.E. See Stecher,T.P., 3=1527
Milligan, W.O, Tamai, Y. and Richardson, J.T. Magnetic properties of the dual oxide system CuO–Fe_2O_3, 3=18104
Millikan,R.C. Vibrational fluorescence of carbon monoxide, 3=16665
Millikan,R.C. and White,D.R. Vibrational energy exchange between N_2 and CO. The vibrational relaxation of nitrogen, 3=20031
Millikan,R.C. See Hooker,W.J., 3=7243
Million,P. See de Broglie,L., 3=2226
Millman,G.H. and Rose,F.L. Radar reflections from the moon at 425 Mc/s, 3=11596
Mills,A.D. See Linares,R.C., 3=3274
Mills,B.Y. See Hill,E.R., 3=5268
Mills,E.B. and Morris,J.P. Supplying containing field power, 3=12186
Mills,F.E. Classical radiation damping in accelerators, 3=24394
Mills, R.F.N. Re-entrant motion in special relativity, 3=16507
Mills,R.G. See File,J., 3=9785
Mills,R.L. See Goldstein,L., 3=3937
Mills,R.L. See Schuch,A.F., 3=322
Milman,B. A three-magnet extraction system for the 1 GeV orsay linear accelerator, 3=16997
Milne,A.R. A 90-km sound-transmission test in the Arctic [Ocean], 3=25864
Milner,A.S.,Litovchenko,T.A. and Tatarinova,L.N. Measurement of the magnetic characteristics of thin ferromagnetic films, 3=24424
Mil'ner,A.S. See Kovtun,E.F., 3=13271
Milner,D.C. See Long,D.A., 3=20006
Milner,R.S. and Pratt,L. Proton resonance spectra of paramagnetic complexes in aqueous solution, 3=14186
Milnes A.G. See Kerr,D.R., 3=10753
Milnes,A.G. See Oldham,W.G., 3=13088
Milnes,G.C. and Isard,J.O. The mechanism of electrical conduction in lead silicate glasses and its dependence on "water" content, 3=2945

Milone,C. See Emma,V., 3=6220

Miloslavskii,V.K. Experimental possibilities of enhancing magneto-optical effects, 3=20449

Miloslavskii,V.K. Optical properties of thin CdS layers in the spectral region of 0·4 – 18 μ, 3=20469

Miloslavskii,V.K. See Shklyarevskii,I.N., 3=16785

Miloslavskii,V.K. See Vlasenko,N.A., 3=1828

Milsted,J. See Friedman,A.M., 3=8005

Milsted,J. See Friedman,A.M., 3=19826

Milsted,J. See Friedman,A.M., 3=19896

Milton,J.A. See McGee,R.X., 3=11505

Milton,J.C.D. and Fraser,J.S. Time-of-flight fission studies on U^{233}, U^{235}, and Pu^{239}, 3=4677

Milton, J.C.D. and Fraser, J.S. Errata to "Time-of-flight fission studies on U^{233}, U^{235} and Pu^{239}", 3=17503

Milton,J.C.D. See Bowman,H.R., 3=10393

Mil'vidski, M.G. See Fistul', V.I., 3=17861

Mil'vidskii, M.G. Shape of p–n junctions in semiconductor monocrystals obtained by directed crystallization from compensated melts, 3=17906

Mil'vidskii, M.G. The crystallization front and the distribution of impurities across the transverse section of monocrystals grown from a melt by the Czochralski method, 3=18249

Mil'vidskii,M.G. and Berkova,A.V. Some features of the distribution of additions in semiconductor single crystals during growth by the Czochralski method, 3=25670

Mil'vidskii,M.G. See Omel'yanovskii,E.M., 3=25347

Milyaev,V.A. See Emel'yanova,E.N., 3=25569

Milyutin,V.I. Electron interference and phase microscopy, 3=16151

Mimeault,V.J. and Hansen,R.S. Omegatron investigation of hydrogen in an ultra-high vacuum system, 3=21460

Mimel'man,E.L. and Panova,Ya.I. Thermal conductivity of powdered inorganic insulators, 3=25217

Mimpen,A.M. See Plomp,R., 3=21164

Mimura,Y. and Takeno,H. Wave geometry, 3=14017

Min,K., Chao,B.T. and Wyman,M.E. Measurement of electrostatic charge on solid particles in solid-gas suspension flow, 3=16184

Min,K. See Axel,P., 3=15173

Min Nam Buk. See Zaitseva,N.G., 3=15202

Mina,R.T. Relaxation absorption of electromagnetic energy in the antiferromagnetic substance, 3=5034

Mina,R.T. See Khaikin,M.S., 3=6494

Mina, R.T. See Khaikin, M.S., 3=17697

Minaeva,K.A. Measurement of internal friction in single crystals of ferroelectric substances by the composite resonator method, 3=20698

Minami, K. See Hasiguti, R.R., 3=17895

Minami,S. Phenomenological theories of elementary particle resonant states, 3=14872

Minami,S. Pion–nucleon interaction at about 2 GeV and the f^0 meson, 3=19682

Minami,S. Regge trajectories and proton–antiproton interaction, 3=22134

Minami,S. and Okhuysen,P.L. $K\bar{K}$-resonant state and $\pi^- + p \rightarrow K + \bar{K} + N$ reaction, 3=17337

Minamiyama,T. See Sugawara,S., 3=5464

Minamoto, M.T. and Malafi, H.T. Tunneling current density as a function of crystallographic polarity, 3=17911

Minard,J. New method for the determination of the ratio of absolute retardation in electrical birefringence of liquids and for the measurement of electrostriction, 3=11802

Minardi,E. See Engelmann,F., 3=9817

Minarik,E.V. See Agafonov,V.P., 3=24678

Minarik,E.V. See Govorkov,B.B., 3=6036

Minarik,E.V. See Govorkov,B.B., 3=24762

Minarik,E.V. See Govorkov,B.B., 3=24763

Minardi,J.E. See Kester,J.E., 3=19059

Minashin,V.P. See Kotel'nikov,V.A., 3=9272

Minatono,H. See Kanamori,J., 3=8658

Minch,R.B. and Balluffi,R.W. On the magnitude of vacancy supersaturations in silver during deformation at elevated temperatures, 3=13356

Minchenkova,L.E. See Nikitina,A.N., 3=23891

Minden,H.T. Thermal oxidation of GaAs, 3=2943

Mindlin,R.D. See Kaul,R.K., 3=5480

Mindlin,R.D. See Kaul,R.K., 3=5481

Mindlin,R.D. See Lubowe,A.G., 3=5482

Mindlin,R.D. See Tiersten,H.F., 3=3844

Mineev,D.A. See Sobolev,B.P., 3=23455

Mineeva,R.M. Magnetic resonance of simple electron levels of V^{3+} ions in the lattice of corundum, 3=20659

Mineeva,R.M. See Al'tshuler,S.A., 3=20638

Minegishi,T. Magneto-thermoelectric power and magnetostriction of $FeNi_3$ single crystals, 3=13262

Miner,E.D. Jr. See Meyer-Arendt,J.R., 3=9583

Mineyeva,R.M. See Kopvillem.V.Kh., 3=11021

Ming Nam Buk. See Belyaev,B.N., 3=15203

Ming Nam Buk. See Min Nam Buk.

Mingle,J.O. Convergence improvement of disadvantage factors by the use of even order spherical harmonics approximations, 3=12724

Minguzzi,A. Scattering dispersion relations for stable and unstable particles in perturbation theory, 3=24632

Minguzzi-Ranzi,A. See Bellière,J., 3=24775

Minguzzi-Ranzi,A. See Courant,H., 3=17346

Minier,M. and Soutif-Guicherd,J. Magnetic resonance of pyrrhotite, Fe_7S_8, 3=13288

Minier-Cassayre,C. and Dautreppe,D. Resistivity of doped iron irradiated with fast neutrons at 78° K, 3=13034

Minin,I.N. See Sobolev,V.V., 3=23592

Minin,K.F. See Sidorenko,V.V., 3=14945

Min'ko,L.Ya. See Grechikhin,L.I., 3=14569

Minkov,I.M. Electrostatic field of a sectional spherical capacitor, 3=19160

Minkov,I.M. See Ermolaev,A.M., 3=1827

Minkowycz,W.J. See Sparrow,E.M., 3=273

Minlos,R.A. and Faddeev,L.D. Comment on the problem of three particles with point interaction, 3=3751

Minn,S. and Vodar,B. Influence of support on the electrical conductivity of very thin gold films, 3=15542

Minne,R. See Herman,G., 3=8544

Minomura, S. and Drickamer, H.G. Effect of pressure on the electrical resistance of some transition-metal oxides and sulfides, 3=25370

Minomura,S., Samara,G.A. and Drickamer,H.G. Temperature coefficient of resistance of the high-pressure phases of Si, Ge, and some III–V and II–VI compounds, 3=859

Minor,U. See Rienitz,J., 3=16752

Minorski,N. On quasi-discontinuous oscillations, 3=1743

Mints,A.L. See Vladimirskii,V.V., 3=12275

Mints,S. See Rafal'ski,V., 3=1394

Minty,D.C. and Butcher,B.R. Grain refinement of uranium-chromium alloys by continuous cooling, 3=3322

Mintz,A.L. See Burshtein,E.L., 3=7666

Mintz,D.E. See Mandriota,F.J., 3=3690

Mintzer,D. See Tanenbaum,B.S., 3=2009

Mintzer,D. See Tanenbaum,B.S., 3=16250

Mînzatu,I.,Martalogu,N.,Calboreanu,A.,Vîlcov,I. and Magda,T. Angular distribution of polarized neutrons from the $Li^7(p,n)Be^7$ reaction, 3=8089

Minzatu, I.,Calboreanu, A.,Martalogu, N.,Dumitrescu, R. and Molea, M. On the angular distribution of neutron polarization from the $Li^7(p, n)Be^7$ [reaction] for $E_p = 4{\cdot}5$ MeV, 3=17462

Mînzatu,I. and Calboreanu,A. Corrections of finite geometry and energy in the analysis of fast neutron polarization, 3=19646

Minzner,R.A. See Champion,K.S.W., 3=16234

Mion,J. See Pennell,R., 3=13359

Mirels,H. Test time in low-pressure shock tubes, 3=21492

Mirgalovskaya,M.S. and Komova,E.M. Investigation of the Ga–Sb–Te system, 3=25732

Mirianashvili,G.M. See Kokochashvili,V.I., 3=24538

Mirion,I. Nuclear fuels for energy reactors, 3=17513

Mirlin,D.N.,Pikus,G.E. and Yur'ev,V.G. Determination of [slow] electron scattering cross-section by the electrical conductivity of a weakly ionized gas, 3=22509

Mironov,E.S., See Arzumanov,A.A., 3=9888

Mironov,E.S. See Babichev,A.P., 3=21913

Mironova,Z.A. See Tsinzerling,E.V., 3=25284

Mirskaya,K.V. See Kitaigorodskii,A.I., 3=12897

Miroshnichenko,V.I. See Kurilko,V.I., 3=12141

Mirtich,M.J., Jr. See Mark,H., 3=7284

Mirtskhulava,I.A. Determination of the local-centre parameters in a semiconductor by prolonged optical excitation, 3=20295

Mirzabaev,M., Tuchkevich,V.M. and Shmartsev,Yu.V. Negative magnetoresistance in germanium, strongly doped with antimony, 3=20302

Misawa,T. A possible origin of A.C. current through oscillating cylindrical electron–hole plasma, 3=850
Misawa,T. "Oscillistor" phenomena in extrinsic semiconductors, 3=2879
Misawa,T. and Yamada,T. Microwave observations of carrier behaviors in "oscillistors", 3=10862
Misawa,T. Transverse instabilities in solid-state plasmas under steady electric and magnetic fields, 3=25258
Míšek,K. and Polák,J. Resistivity of lattice vacancies in gold, 3=22893
Miselyuk,E.G. See Glinchuk,K.D., 3=23017
Miselyuk,E.G. See Vasilevskaya,V.N., 3=18281
Miselyuk,E.H. See Hlinchuk,K.D., 3=20307
Misezhnikov,G.S.,Rozenberg,Ya.I. and Shteinshleiger,V.B. Measurement of the parameters of ferromagnetic resonance in polycrystalline ferrites at liquid helium temperature, 3=6740
Misezhnikov,G.S. See Shteinshleiger,V.B., 3=22002
Mish,L.E. See Futch,A.H.,Jr., 3=1964
Mishakova, A.P. and Nikol'skii, B.A. Azimuth-angle distribution of secondary particles produced in high-energy interactions, 3=17273
Mishakova,A.P. and Nikol'skii,B.A. Pair angular correlation of secondary particles formed in interaction of 9 GeV protons with emulsion nuclei, 3=19622
Mishal,S.H.,Sahani,N.S. and Vyas,N.N. Studies in rheochor (application of the law of mixtures to binary liquid–liquid– and solid–liquid systems), 3=21342
Mishima,Y. See Higashi,S., 3=4499
Mishima, Y. See Higashi, S., 3=4530
Mishin,D.D.,By̆chkova,T.I. and Smagin,V.A. Effect of the field strength in magnetic annealing of the magnetic properties of cold-rolled electrical steel, 3=20584
Mishina,M. See Kimura,M., 3=22376
Mishina,M. See Mutsuro,N., 3=4615
Mishina,M. See Mutsuro,N., 3=4616
Mishina,M. See Mutsuro,N., 3=19832
Mishler,L. See Tetenbaum,M., 3=6916
Mishra,V.C. See Gustafson,P.F., 3=5206
Miskel,J.A.,Marsh,K.V.,Lindner,M. and Nagle,R.J. Neutron-activation cross sections, 3=4651
Miskell,C.F. See Wang,F.E., 3=20838
Mis'kevich,O.R. See Batrakov,G.F., 3=5594
Míšková,V. See Hrubý,A., 3=8807
Misner,C.W. Gravitational field energy and g_{00}, 3=14002
Misner,C.W. The flatter regions of Newman, Unti and Tamburino's generalized Schwarzschild space, 3=18717
Misner,C.W. See Manasse,F.K., 3=16511
Misra,D. See Misra P., 3=9367
Misra,H. Sensitivity of microwave electron paramagnetic resonance spectrometers, 3=14786
Misra,M. A non-singular electromagnetic field, 3=16519
Misra,M. A class of solutions representing plane electromagnetic waves in general relativity, 3=18721
Misra,M. and Radhakrishna,L. Some electromagnetic fields of cylindrical symmetry, 3=472
Misra,M. See Srivastava,G.P., 3=20364
Misra,M. See Tiwari,R., 3=3734
Misra,M. See Tiwari,R., 3=9337
Misra,P. and Misra,D. Response function of a degenerate electron gas, 3=9367
Mistry,N. See Danby,G., 3=14952
Mita,M. Ferromagnetic resonance in a spherically shaped single crystal $BaFe_{12}O_{19}$, 3=20634
Mitacek,P.,Jr and Aston,J.G. The thermodynamic properties of pure palladium and its alloys with hydrogen between 30 and 300° K, 3=12924
Mitani,K. See Tanaka,S., 3=9787
Mitani,S. See Higashi,S., 3=4530
Mitani,T. See Nakahara,O., 3=20363
Mitcham,W.S. See Gerhardt,J.R., 3=5190
Mitchell,A. See Benveniste,J., 3=24812
Mitchell,A.C. See Benveniste,J., 3=2474
Mitchell,A.C. See Benveniste,J., 3=10259
Mitchell,A.C. See Benveniste,J., 3=10339
Mitchell,A.W. See Rosen,S., 3=25748
Mitchell, D. L., Palik, E. D., Jensen, J. D., Schoolar, R. B. and Zemel, J.N. Interband magneto-optical absorption in epitaxial films of PbS, 3=17984
Mitchell,D.L. and Wallis,R.F. Interband Faraday rotation in germanium, 3=25441
Mitchell,E.N.,Lykken,G.I. and Babcock,G.D. Compositional and angular dependence of the magnetostriction of thin iron-nickel films, 3=11084
Mitchell,E.W.J. The semiconductivity of diamonds, 3=22943
Mitchell,E.W.J. and Townsend,P.D. The luminescence from ruby excited by fast electrons, 3=4991
Mitchell,E.W.J. See Lomer,J.N., 3=8758
Mitchell,E.W.J. See Smith,S.D., 3=10577
Mitchell,G.E. See Nelson,J.W., 3=8131
Mitchell,G.E. See Seaborn,J.B., 3=10391
Mitchell,I.V. and Taylor,R.B. Proton capture γ-rays from Be^8 in the giant resonance region, 3=19845
Mitchell,J.M.,Jr. Comments on paper by H.C.Willett, "The relationship of total atmospheric ozone to the sunspot cycle", 3=13659
Mitchell,J.M., Jr. See Gilman,D.L., 3=16539
Mitchell,J.T. Acceleration of gravity apparatus 3=11658
Mitchell,J.W. Some aspects of the theory of photographic sensitivity, 3=11947
Mitchell,J.W. See Crump,J.C., III, 3=22774
Mitchell,J.W. See Crump,J.W., III, 3=8436
Mitchell,J.W. See Parasnis,A.S., 3=25280
Mitchell,O.M.M. and McNeill,K.G. Yields and angular distributions of fast photoprotons, 3=19830
Mitchell,O.M.M. and McNeill,K.G. A photoproton telescope, 3=24734
Mitchell,T.E. and Thornton,P.R. The work-hardening characteristics of Cu and α-brass single crystals between 4·2 and 500°K, 3=20725
Mitchell,T.E. See Thornton,P.R., 3=1230
Mitchell,V.F. See Hunter,G.J., 3=15135
Mitchell,W.L., Hays,C. and Swift,R.E. Direct obersvations of the substructure network in iron, 3=17739
Mitchell,W.N. See Archer,R.D., 3=25554
Mitin,N.A. See Bogachev,N.P., 3=22389
Mitner,P. See Veillet,J.J., 3=17313
Mitoff,S.P. See Pry,R.H., 3=13117
Mitrofanov, K.P. See Aleksandrov, A.-Yu., 3=17633
Mitra,A.N. Three-particle unitarity in potential scattering, 3=19564
Mitra,A.N. and Anand,J.D. Separable potentials in the complex l plane, 3=14894
Mitra,A.N., Bhasin,V.S. and Bhakar,B.S. A "potential" for low energy α-N interaction, 3=2332
Mitra,A.N. and Ray,S. S-wave interaction in a three-pion system and the decay of $K_{\pi 4}$, 3=12482
Mitra,A.N. and Bhasin,V.S. Three-body problem with separable potentials. II. n-d scattering, 3=19641
Mitra,A.P. and Sarada,K.A. Determination of the electron content of the outer ionosphere from measurements of cosmic radio noise absorption, 3=6985
Mitra,D. See Pal,M.K., 3=12555
Mitra,G.B. A method of distinguishing between Gauss and Cauchy diffraction profiles, 3=16059
Mitra,G.B. Applications of the photographic method to the study of X-ray diffraction line profiles, 3=20817
Mitra, G. B. and Maitra, J. C. Construction and working principles of the Banerjee camera for studying small angle scattering of X-rays, 3=2072
Mitra,G.B. See Agnihotri,O.P., 3=20208
Mitra,G.B. See Halder,N.C., 3=25785
Mitra,H. See Mull,S., 3=16214
Mitra,M. The disturbance produced by axially-symmetric, time-dependent body forces in an elastic half-space, 3=23967
Mitra,S.K. See Bhattacherjee,S.K., 3=24904
Mitra,S.K. Beta–gamma directional correlation in Sb^{124}, 3=24901
Mitra,S.S. and Sharma,L.P. Fluidity and prefreezing cluster formation in liquid metals. Aluminum, 3=9437
Mitrofanov,B.P. See Konyakhin,I.R., 3=13354
Mitrofanov,K.P. See Aleksandrov,A.Yu., 3=15415
Mitrofanov,K.P. See Sorokin,A.A., 1=10300
Mitrofanov,K.P. See Sorokin,A.A., 3=10301
Mitrofanov,N. Increase of magnetic saturation induction of highly saturated iron, 3=1145
Mitrofanov,O.V. Growing large crystals of tungsten by the metho of recrystallization during the sintering of tungsten rods, 3=13541
Mitrofanov,O.V. Growth of tungsten crystals from vapour, 3=23406

Mitrofanov,V.V. See Aglintsev,K.K., 3=8204
Mitropan,I.M. See Gabovich,M.D., 3=14542
Mitsek,A.I. and Smolenskii,G.A. Thermodynamic theory of piezo-ferromagnetism, 3=23176
Mitskevich,V.V. Infrared absorption and dispersion in LiF and MgO, 3=15684
Mitskevich,V.V. Grüneisen approximation in the equation of state for solids and calculation of some properties of ionic crystals, 3=20115
Mitskevich,V.V. Temperature dependence of the elastic constants of centrosymmetric crystals, 3=20687
Mitsuda,H. See Yamanaka,T., 3=18273
Mitsui,T. See Shiozaki,Y., 3=23454
Mitsuishi,A. and Yoshinaga,H. Infrared absorption of U-centres in KCl and KBr, 3=13014
Mitsuk,V.E. Zeeman effect in an alternating field, 3=22473
Mitsuma, T. See Morigaki, K., 3=18131
Mitsuoka,T. See Ogushi,T., 3=24151
Mittelstaedt,P. Single particle energies of nuclear matter and the reference spectrum method, 3=24831
Mitter, H. and Yamazaki, K. Approximation methods
Mittleman,M.H. Excitation of atomic hydrogen by fast protons, 3=4716
Mittleman,M.H. Rearrangement collisions: proton–hydrogen scattering, 3=4722
Mittleman,M.H. Rearrangement collisions. III. Electron transfer from atoms to fast protons, 3=10476
Mittleman,M.H. Spin exchange in electron–hydrogen atom collisions, 3=15299
Mittleman,M.H. and Soda,T. The shell model and deuteron stripping, 3=22356
Mittleman,M.H. and Wolf,F.A. Coherent scattering of photons by atomic hydrogen, 3=4715
Mittner,P. See Behr,L., 3=12498
Mittner,P. See Behr,L., 3=17249
Mittner,P. See Bellière,J., 3=24775
Mittner,P. See Bellini,G., 3=7899
Mittner,P. See Fretter,W.B., 3=2301
Mittner,P. See Veillet,J.J., 3=10163
Mittra,I.S. See Bertanza,L., 3=7935
Mittra,I.S. See Bertanza,L., 3=12507
Mitui,T. and Satô,M. Ferromagnetic anisotropy induced by cold rolling of dilute ferromagnetic Au–Co alloy, 3=20580
Mitui,T. See Yamadaya,T., 3=11205
Mityureva, I.A. See Bogoroditskii, N.P., 3=17931
Miura,I. See Hasegawa,H., 3=4496
Miura,I. See Wakatsuki,T., 3=6250
Miura,M. See Otani,S., 3=23402
Miura,S. See Hirone,T., 3=22814
Miura,S. See Takamura,J., 3=22720
Miwa,H. Energy gaps and electrical resistivity associated with screw-type spin arrangements, 3=15465
Miwa,H. See Yosida,K., 3=975
Miyachi,S. See Hsieh,S. 3=10116
Miyadai,T. Ferrimagnetic resonance in a single crystal of thulium–iron garnet ($Tm_3Fe_5O_{12}$), 3=25557
Miyagaki,M. Geomagnetic effects of heavy primary of cosmic radiation at geomagnetic latitude 24°N, 3=7943
Miyagawa,N. On the movements of arc cathode spot and of ball-of-fire in a transverse magnetic field, 3=376
Miyahara,A. See Kumagi,H., 3=460
Miyahara,A. See Nagao,S., 3=21734
Miyahara,S. Jahn–Teller distortion in magnetic spinels, 3=1009
Miyahara,S. See Kondo,H., 3=23142
Miyahara,S. See Okada,T., 3=11097
Miyaji,K. See Miyazaki,E., 3=15603
Miyajima,S. and Yamamoto,K. Formulation of dissipation mechanisms in a partially ionized plasma, 3=7507
Miyajima,S. See Yamamoto,K., 3=4119
Miyakawa,T. The effect of exciton interaction on the extreme ultraviolet absorption in LiF, 3=10955
Miyake,S. Development of EAS in the atmosphere, 3=4517
Miyake,S. and Fujiwara,K. Intensity measurement of electron diffraction spot patterns, 3=1283
Miyake,S.,Fujiwara,K. and Suzuki,K. Experimental aspects of relativistic effect in electron diffraction, 3=1309
Miyake, S, Hinotani, K, Kaneko, T. and Ito, N. An example of bundle of mu-mesons in extensive air shower, 3=17369
Miyake,S.,Hoshino,S.,Suzuki,K.,Katsuragi,H.,Hagiwara,S., Yoshie,T. and Miyashita,K. Single-crystal neutron diffractometer with automatic programming-control system, 3=1280
Miyake,S. See Menon,M.G.K., 3=19608
Miyake, T. See Onuki, M., 3=17955
Miyamoto,K. Normalized Buchdahl's aberration coefficients of the 5th order, 3=238
Miyamoto,S. Discharge chamber. Some consideration of its characteristics, 3=10008
Miyamoto,S. See Higashi,S., 3=4499
Miyamoto,S. See Higashi,S., 3=4530
Miyamoto,Y. Divergencefree composite model of elementary particles, 3=7817
Miyamoto,Y. See Hara,Y., 3=19687
Miyashita,K. See Miyake,S., 3=1280
Miyata,N. and Funatogawa,Z. Magnetostriction constants of $Mn_xFe_{3-x}O_4$ ferrites, 3=1031
Miyatani,S. See Yokota,I., 3=2874
Miyawaki,K. See Kurioka,Y., 3=23997
Miyazaki,E. and Miyaji,K. Enhancement of reverse current in semiconductor diodes by electron bombardment, 3=15603
Miyazaki,S. See Aono,Y., 3=13702
Miyazaki,S. See Terao,K., 3=25826
Miyazawa,H. Anisotropy of the Hall effect in p-type germanium, 3=10777
Miyazawa,H. and Sugawara,H. Bound state problem and the determination of coupling constants, 3=19551
Miyazawa,H.,Suzuki,K. and Maeda,H. Evidence for the ⟨110⟩ swelling constant energy surface for heavy holes in silicon, 3=25236
Miyazawa,T.,Fukushima,K. and Ideguchi,Y. Molecular vibrations and structure of high polymers. III. Polarized infrared spectra, normal vibrations, and helical conformation of polyethylene glycol, 3=6444
Miyazawa, T, Ideguchi, Y. and Fukushima, K. Molecular vibration and structure of high polymers. IV. A general method of treating degenerate normal vibrations of helical polymers and infrared-active vibrations of isotactic polypropylene, 3=17624
Miyoshi,S. Microwave radiation from a magnetoplasma, 3=12115
Miyoshi,S. See Sakamoto,Y., 3=19279
Miyoshi,Y.,Hayashi,M. and Mori,T. Theoretical analysis of transient Townsend discharge of non-uniformly lateral distribution, 3=12087
Mizuno,T. See Takeuchi,N., 3=23235
Mizushima,M. See Frey,D.A., 3=4745
Mizushima,M. See West,B.G., 3=8231
Mizushima,Y. and Ochi,O. Tunnel resistance in metal contacts and the resistance of evaporated metal films. 3=15537
Mizushima,Y. and Ochi,O. The order process in condensed films of transition metals, 3=15538
Mizutani,H. See Kitamura,Z., 3=10857
Mjalkovskij,V.M. See Azimov,S.A., 3=6108
Mjolsness,R. See Dreicer,H., 3=5651
Mjolsness,R. See Dreicer,H., 3=7526
Mladjenović,M. See Stepić,R., 3=6180
Mlavsky,A.I. and Weinstein,M. Crystal growth of GaAs from Ga by a traveling solvent method, 3=23410
Mlavsky,A.I. See Weinstein,M., 3=13085
Mlodnosky,R.F.,Carpenter,D.L. and Helliwell,R.A. Non-thermal noise measurements near planets, 3=16348
Mlodnosky,R.F. and Garriott,O.K. The v.l.f. admittance of a dipole in the lower ionosphere, 3=16263
Mnyukh,Yu.V. Laws of phase transformation in a series of normal paraffins, 3=16020
Mo,L.W. See Lee,Y.K., 3=15137
Mo,L.W. See Lee,Y.K., 3=15140
Mo, S.C. See Androulakis, J.G., 3=17125
Moacanin,J. See Simha,R., 3=25995
Moak,C.D.,Neiler,J.H.,Schmitt,H.W.,Walter,F.J. and Wells,G.F. Heavy-ion energy accumulation in the tandem Van de Graaff accelerator, 3=21907
Mobley,R.C. Variable-path magnetic ion buncher, 3=12257
Moccia,R. One-center expansion self-consistent field molecular orbital electronic wave functions for XH_n molecules, 3=6386
Mochan,I.V. See Drichko,I.L., 3=17820
Mocharnyuk,G.F. See Andrievskii,A.I., 3=22789
Mochel,V.D. See Gutowsky,H.S., 3=25143

Mockel,A. and Devooght,J. Some characterization of neutron thermalization in lattices, 3=2527
Model',I.Sh. See Voitenko,A.E., 3=24000
Modes,D. Wall-less proportional counter for the absolute measurement of the activity of low energy β- and electron-capture radiation, 3=17097
Modlin,C.T.,Jr. and Edge,P.M.,Jr. Model studies of jet noise generation, 3=14286
Moelwyn-Hughes,E.A. Ionic association, 3=13606
Moerdijk,W. Studies on the motions of stars of spectral types O to B_5, 3=9231
Moest,R.R. and Shupp,B.R. Preparation of epitaxial GaAs and GaP films by vapor phase reaction, 3=11239
Moesta,H. See Haul,R., 3=3370
Moffat,J.W. See Bransden,B.H., 3=598
Moffat,J.W. See Gatland,I.R., 3=5950
Moffat,J.W. See Gatland,I.R., 3=10054
Moffat,M.E.B. See Free,J.M., 3=13112
Moffatt,H.K. Intensification of the earth's magnetic field by turbulence in the ionosphere, 3=3516
Moffet,A.T. See Maltby,P., 3=5284
Moffet,A.T. See Maltby,P., 3=13935
Moffett,R.J. See Dalgarno,A., 3=3499
Moffett,R.J. See Dalgarno,A., 3=25920
Mogat,L.M., Luzhinskaya,M.G. and Shur,Ya.S. Variations in the magnetic and crystal structure of vikalloy in the process of tempering, 3=5113
Mogford,I.L. and Hull,D. Effect of temperature and neutron irradiation on yield and work hardening in iron, 3=11168
Mogilevskii,B.M. and Chudnovskii,A.F. Method of observing the motion of a boundary between a solid and its melt under the action of a constant current, 3=19064
Mogil'nikova,T.T. See Garber,R.I., 3=8760
Mogil'nikova,T.T. See Garber,R.I., 3=11142
Mohamed,A.A.A. See Barakat,N., 3=9395
Mohamed Abd El-Moaty. See Inopin,E.V., 3=15236
Mohan Rao,D.K. Rectilinear motion of a Maxwell fluid, 3=14105
Mohanty,A. and Bauman,E. Role of grain boundary sliding during sintering of metals, 3=11293
Mohanty,B.K. See Abidi,S.T.H., 3=10170
Mohanty,G.P., Fiegel,L.J. and Healy,J.H. Unit cell and space group of $2\,Nb_2O_5.Ta_2O_5$, 3=5111
Mohanty,G.P. and Wert,J.J. Faults in cold worked βAlNi, 3=12988
Mohanty, G.P. and Wert, J.J. X-ray study of cold work in lead telluride, 3=18203
Mohanty,S.R. The interaction of radiation with matter, 3=2841
Mohilner,D.M. See Delahay,P., 3=6889
Mohindra,R.K. and Hans,H.S. Interactions of 14·8 MeV neutrons with aluminium, 3=17481
Mohindra,R.K. and Hans,H.S. The energy and angular distribution of protons from 14.8 MeV neutron reactions with Al^{27} and Co^{59}, 3=19861
Mohindra,V.K.,Harrison,J.E.,Trojan,O.A.D. and McNeill,K.G. Gamma-active fallout near Toronto in 1961-1962, 3=23604
Mohling,F. Energy–density relation for nuclear matter, 3=2353
Mohling,F. Quantum corrections to the second virial coefficient for helium at high temperatures, 3=21440
Mohnen,V. and Stierstadt,K. Distribution of natural radioactivity over the size spectrum of a natural aerosol. Measurement by charging with thoron decay products, 3=13691
Mohr,W.C. See Friedman,A.M., 3=2064
Moisar,E. and Wagner,S. Studies on the topography of internal and external latent images, 3=24063
Moisar,E. See Klein,E., 3=25839
Moiseev,M.G. On the flow of gas into liquid through the Laval nozzle, 3=7226
Moiseev,S.S. and Sagdeev,R.Z. Collisionless shock waves in a plasma in a weak magnetic field, 3=12132
Moiseev, S.S., and Sagdeev, R.Z. Concerning shock waves in a rarefied plasma placed in a weak magnetic field, 3=16930
Moiseev,V.P. Procedure for determining the atomic structure of deposits of chemically reduced nickel, 3=20875
Moiseev,V.P. X-ray diffraction and thermographic investigation of deposits of chemically reduced nickel, 3=20876
Moiseiwitsch,B.L. Quantum defects and scattering lengths, 3=4720
Moiseenko,V.A. See Baladin,M.P., 3=17126
Moiseev,A.M. See Belonogov,A.V., 3=17127
Moiseyev,S.S. See Zaslavskii,G.M., 3=5659
Moizhes,B.Ya.,Petrov,A.V.,Shishkin,Yu.P.and Kolomoets,L.A. The choice of the optimal mode of operation of a cascade thermoelectric element, 3=2985
Moizhes, B.Ya. See Averkin, A.A., 3=17889
Moizhes,B.Ya. See Golikova,O.A., 3=22923
Moĭzhes,B.Ya. See Vinogradova,M.N., 2=20426
Mokeeva,V.I. and Fedotova,K.V. Unit cell and space group of hydrosodalite, 3=23461
Mokhov,N.V. and Labkovskiĭ,Ya.M. X-ray investigation of the isothermal compressibility of ether and benzene, 3=21322
Mokhtar,S. See Barakat,N., 3=9607
Mokhtar,S. See Barakat,N., 3=24044
Mokievskii,V.A. and Shafranovskii,I.I. A graphic method for describing real crystal forms, 3=13402
Mokievskii,V.A.,Smirnova,Z.A. and Afanas'ev,I.I. A dry method of growing lithium fluoride crystals, 3=23404
Mokrov,A.P. See Krishtal,M.A., 3=22818
Molchanov,V.A.,Tel'kovskii,V.G. and Shakh-Melikova,I.A. The effect of the target temperature on the angular distribution of sputtered particles during irradiation of a single crystal by an ion beam, 3=10703
Molchanov,V.A. See Balarin,M., 3=7658
Molchanov,V.A. See Endzheets,G., 3=13020
Molchanov,V.A. See Mashkova,E.S., 3=5720
Molchanov,Yu.D. See Brovchenko,V.G., 3=1918
Moldauer,P.A. Average resonance parameters and the optical model, 3=6213
Moldauer,P.A. Erratum: Optical-model fringe absorption and the neutron strength function, 3=8113
Moldauer,P.A. Widths of nuclear single-particle bound states, 3=22280
Moldauer,P.A. Optical model of low energy neutron interactions with spherical nuclei, 3=24947
Moldovanova,M. See Busch,G., 3=10834
Molea, M. See Minzatu, I., 3=17462
Molenda,P.J. See Buchhold,T.A., 3=12033
Moler,R.B. and Fink,R.W. L/K-capture ratio in Mn^{54}, Fe^{55}, Co^{57}, and Co^{58} decays, 3=19813
Molière,K. See Kohra,K., 3=1294
Molière,K. See Lehmpfuhl,G., 3=1284
Molinari,A. See Bosco,B., 3=19710
Molinari,V.G. See Boffi,V.C., 3=12727
Moll,J.L. and Van Overstraeten,R. Charge multiplication in silicon p—n junctions, 3 =13089
Moll,J.L. See Bartelink,D.J., 3=13087
Mollenauer,L.F. See Moos,H.W., 3=21561
Möllenstedt,G. and Lenz,F. Some electron interference experiments and their theoretical interpretation, 3=439
Møller,A.R. Acoustic reflex in man, 3=3675
Møller,C. New experimental tests of the special principle of relativity, 3=3727
Møller,C. Gravitational energy radiation 3=23743
Møller,C.K. See Douglas,A.E., 3=19976
Möller,E. and Sjöstrand,N.G. The time scale of neutron slowing down in water, 3=22148
Møller,H.B.,Passell,L. and Stecher-Rasmussen,F. The performance of reflecting multi-channel collimators as a neutron beam filter and polarizer, 3=22140
Möller,K.D. and Andresen,H.G. Theory of torsion vibrations of $(CH_3)_3$X-type molecules, 3=2598
Möller,K.D. and Andresen,H.G. On the theory of torsional vibrations of $(CH_3)_3$ -X type molecules, 3=19959
Möller,K.D. and McKnight R.V. Far infra-red transmission filter gratings, 3=16775
Möllerud,R. See Jauneau,L., 3=12511
Møllerud,R. See Jauneau,L., 3=19708
Mollwo,E. The luminescence emission of zinc oxide crystals and its correlation with the electrical conductivity, 3=3048
Mollwo,E. See Hoffmann,B., 3=6679
Mollwo,L. Eigenfrequencies and damping of the plasma resonantor, 3=9807
Molokova,T.M. See Zubov,V.G., 3=25392
Molokovskii,S.I. See Sushkov,A.D., 3=24379
Molotilov,B.V. Uneven distribution of carbon in Fe—Al—C alloys, 3=13525
Molotilov,B.V. The structure of "accommodation zones" close to low-temperature twins in an iron—silicon alloy, 3=16025
Molotilov,B.V. See Fedotov,L.N., 3=8634
Molotilov, G.V. Crystal lattice distortions in mechanical twinning, 3=18236

Molyneux,L. See Collinson,D.W., 3=14718
Molyneux,L. See de Sa,A., 3=9905
Momin,A.U. and Sinha,A.P.B. A theoretical study of the effect of p-layer resistance on the efficiency of photovoltaic solar energy converters, 3=15637
Momiyana,K. See Kachi,S., 3=11204
Mon Sian-chen and Pu Fu-cho. Application of thermodynamical retarded Green functions to the theory of linewidth of ferromagnetic resonance, 3=18120
Monahan,J.E.,Raboy,S. and Trail,C.C. Measurement of lifetimes of radioactive sources, 3=6198
Monahan,J.E. and Stanton,H.E. Mass spectra resulting from high-energy electron impact on some hydrocarbon molecules, 3=4013
Monari,L. See Baldoni,B., 3=5998
Monari,L. See Block,M.M., 3=12508
Monari,L. See Block,M.M., 3=12570
Monari,L. See Gray,L., 3=15042
Monaro,S. See Chilosi,G., 3=2386
Moncaster,M.E., Northrop,D.C. and Raines,J.A. A semiconductor monitor for nuclear radiations, 3=14829
Moncaster,M.E. See Allen,J.W., 3=11008
Moncaster,M.E. See Allen,J.W., 3=13221
Moncet,M.C. See Chateau,H., 3=5102
Monchamp,R.R.,McAleer,W.J. and Pollak,P.I. X-ray studies of twinned GaAs blades grown from the vapour phase, 3=13404
Monchick,L. Equivalence of the Chapman–Enskog and the mean-free-path theory of gases, 3=1726
Monchick,L.,Yun,K.S. and Mason,E.A. Relaxation effects in the transport properties of a gas of rough spheres, 3=9495
Monchick,L.,Yun,K.S. and Mason,E.A. Formal kinetic theory of transport phenomena in polyatomic gas mixtures, 3=21437
Monda,M. Double pion photoproduction and the $\gamma - 3\pi$ vertex, 3=7894
Mondino,M. See Schoeck,G., 3=23292
Mondolfo,L.F. See Sundquist,B.E., 3=13503
Mondon,J. and Lacombe,P. Interferometric measurement of intergranular slip in BI-crystals of zinc produced by thermal cycling, 3=6528
Moneti,G. See Leitner,J., 3=17000
Moneti,G.C. See Bertanza,L., 3=7935
Moneti,G.C. See Connolly,P.L., 3=17330
Monfils,A. Absorption spectra of the molecules H_2, HD and D_2. IV. Comparative study of the heterogeneous perturbations between the states $B^1\Sigma_u^+(2p)$ and $C^1\Pi_u(2p)$ in the molecules H_2, HD and D_2, 3=2613
Monfils,A. Absorption spectra of the molecules H_2, HD, and D_2. V. Isotopic effect of the Λ doubling in the $C^1\Pi_u(2p)$ state of the molecules H_2, HD, and D_2, 3=2614
Mongelli,S.,Romano,A.,Waloschek,P.,Gentile,A. and Perez-Ferreira,E. Analysis of inelastic collision $\pi^- + C$ at 915 MeV, 3=6276
Monin,A.S. Empirical data on turbulence in the surface layer of the atmosphere, 3=3455
Monin,A.S. The Lagrangean equations of the hydrodynamics of an incompressible viscous fluid, 3=16588
Moniz,W.B. and Gutowsky,H.S. Nuclear relaxation of N^{14} by quadrupole interaction in molecular liquids, 3=9482
Moniz,W.B, Steele,W.A. and Dixon, J.A. Nuclear spin relaxation in liquids. Spheroidal molecules, 3=16638
Monje,M. Light sensitivity in regions of simultaneous contrast for yellowish contrast test-fields, 3=11637
Monk,C.B. See Jones,J.R., 3=17099
Monk,P.G. See Prowse,W.A., 3=7491
Monma,K. and Suto,H. Experimental studies on the surface tension of molten metals and alloys, 3=121
Monod-Herzen,G.,t'Kint de Roodenbeke,A. and Giquelais,H. Description of a cryostat with adjustable temperature, 3=9650
Monod-Herzen,G. See Blanchard,M.L., 3=20524
Monosov,Ya.A. Fluctuation radiation of a small ferrite sample at ferromagnetic resonance, 3=6739
Monoszon,N.A. See Vladimirskii,V.V., 3=12275
Monro,P.E. A study of phase fading of ionospheric reflections, 3=4278
Monse,E.U.,Kauder,L.N. and Spindel,W. Nitrogen isotope exchange between liquid N_2O_3 and NO at low temperature and elevated pressure, 3=13592
Monse,E.U. and Spindel,W. Carbon and oxygen isotope exchange between CO and $Ni(CO)_4$, 3=3380
Montagu-Pollock,H.M. See Chadderton,L.T., 3=22857
Montagu-Pollock,H.M. See Chadderton,L.T., 3=25306
Montague,B.W. See Bell,M., 3=19379
Montague,J.H. See Freeman,J.M., 3=6200
Montaldi,E. On the interpretation of the τ- functions in Heisenberg's nonlinear theory of elementary particles, 3=2188
Montalenti,G. See Ferro,A., 3=8783
Montalenti,G. See Ferro,A., 3=23179
Montalto,M. Mean-monthly and seasonal circulation in the troposphere and stratosphere for the current analysis of the circulation of the high stratosphere, 3=3458
Montanet,L. See Bartke,J., 3=22206
Montanet,L. See d'Andlau,C., 3=17328
Montbriand,L.E. See Hartz,T.R., 3=13805
Montefinale,A.C. See Papée,H.M., 3=25890
Montefinale,A.C. See Petriconi,G.L., 3=13558
Monteith,J.L. Attenuation of solar radiation: A climatological study, 3=5202
Montet,G.L. Low temperature galvanomagnetic properties of graphites, 3=8485
Montgomery,C.G. See McConnell,H.M., 3=25252
Montgomery,D. Nonlinear Landau damping of oscillations in a bounded plasma, 3=21823
Montgomery,D. See Challande,R., 3=2966
Montgomery,D. See Gorman,D., 3=16957
Montgomery,D.B. Current-carrying capacity of superconducting Nb–Zr solenoids, 3=3969
Montgomery,D.B. The generation of high magnetic fields, 3=21930
Montgomery,D.J. See Ban,N.T., 3=125
Montgomery,H. and Pells,G.P. Errors in helium vapour pressure thermometry, 3=19082
Montgomery,H. See Nelson,R.W., 3=452
Montgomery,J. and Vincent,C.H. A safe and interference-free earth for an oscilloscope, 3=9696
Montgomery,M.D. See Davey,J.E., 3=20926
Monti,D. See Giacomelli,G., 3=10167
Monti,R. and Napolitano,L.G. Theoretical analysis of thermoelectric characteristics of an ionized fluid, 3=24271
Montilla,J. Interferometric device for the calibration of the micrometer screw of a microscope, 3=21524
Montroll,E. See Shedlovsky,T.[Eds.], 3=9356
Montroll,E.W.,Potts,R.B. and Ward,J.C. Correlations and spontaneous magnetization of the two-dimensional Ising model, 3=13239
Montrose,C.J. See Hunter,J.L., 3=11793
Montserrat,A. On aberration and the Doppler effect in the Schwarzschild universe, 3=14011
Montuelle,J. See Bourelier,F., 3=15493
Montuelle,J. See Bourelier,F., 3=15494
Montwill,A. See Allen,P., Sr, 3=7976
Montwill,A. See Danysz,M., 3=22276
Montwill,A. See Fletcher,E.R., 3=10232
Moodie, A.F. See Cowley, J.M., 3=1303
Mookherji,A. and Mathur,S.C. Magnetic studies on Cu^{++} ion in cupric acetate monohydrate crystal, 3=25505
Mookherji,A. and Tandon,S.P. Light absorption of NO_3^- ion in state of solution. I. 300 mμ band, 3=1689
Mookherji,T. See Singhal,O.P., 3=5000
Mooney,R.W. and Hoffman,C.W.W. X-ray diffraction data for ammonium tetrathiotungstate, 3=25716
Mooney,R.W. See Schmid,W.F., 3=23127
Moorcroft,D.R. Radio star fadeouts on phase-switching interferometer records, 3=11602
Moorcroft,D.R. and Forsyth,P.A. On the relation between radio star scintillations and auroral and magnetic activity, 3=11603
Moore,A. See Taylor,W., 3=9893
Moore,A.R. See Kessler,J.O., 3=3082
Moore,C. See Hersil,J., 3=4507
Moore,C.B. and Pimentel,G.C. Infrared spectrum and vibrational potential function of ketene and the deuterated ketenes, 3=17600
Moore,C.B. See Vonnegut,B., 3=9039
Moore,C.E. The atomic spectra of the rare earths: their presence in the sun, 3=19946

Moore,C.R. See Miller,D.P., 3=23515
Moore,E. See Weymann,R., 3=11562
Moore,E.B. Molecular orbitals in B_5H_9 and $B_{10}H_{16}$, 3=12816
Moore,E.P. See Darnell,F.J., 3=15755
Moore,F. Two instruments for studying the plasticity of clays, 3=13360
Moore,F.L. Kinetic theory of gases, 3=14207
Moore,F.L.,Jr. Iodine source for half-life experiments, 3=12630
Moore,F.L,Jr. See Thygesen,K.H., 3=16783
Moore,G.A. and Wyman,L.L. Quantitative metallography with a digital computer: application to a Nb—Sn superconducting wire, 3=13586
Moore,G.H. See Conger,R.L., 3=14711
Moore,J.A. See Palevsky,H., 3=17285
Moore,J.G. and Elliott,S.D.,Jr. A multicolor photoelectric photometer for atifical satellite observations, 3=16726
Moore,J.G. See Odencrantz,F.K., 3=13778
Moore,J.G. Lightning-enchanced N_2^+ radiation in the night airglow, 3=13784
Moore,P. Distribution and origin of lunar craters, 3=11514
Moore,P.G.F.,Pattenden,S.K. and Tattersall,R.B. The measurement of the effective resonance integrals of uranium and thorium using the pile oscillator operating inside a cadmium tube, 3=2544
Moore,R.A. See Watson,D.D., 3=24880
Moore,R.L. Vibrations of a confined cylindrical plasma about a Gaussian equilibrium density distribution, 3=9815
Moore,S.A. See Rothmann,S.J., 3=10691
Moore,W.J. See O'Keeffe,M., 3=22735
Moore, W.J. See Shi Jae Choi, 3=2828
Moore,W.S. See Standley,K.J., 3=22004
Moorhead,W.G. See White,H.S., 3=24562
Moos,H.W.,Imbusch,G.F.,Mollenauer,L.F. and Schawlow,A.L. Tilted-plate interferometry with large plate separations, 3=21561
Mooser,E. See Basinski,Z.S., 3=10662
Mooser,E. See Boelsterli,H.U., 3=11231
Mooser,E. See Brebner,J.L., 3=3007
Mooser,E. See Hulliger,F., 3=10762
Mora,S. Direct production of electron pairs by π^--mesons of 16 BeV in nuclear emulsions, 3=24708
Mora,S. See Ciurlo,S., 3=8120
Morais,C. Note relating to a demonstration of the sine relation, 3=239
Morais,C. On surfaces of revolution free from sine aberration, 3=21519
Morales,A. See Galindo,A., 3=14877
Morales,V. Ultraviolet spectrum of the Na_2 molecule, 3=22549
Moran,H.S. See Zerby,C.D., 3=22234
Moran,M. See Kellermann,K.I., 3=1541
Morandi,M.C.,Guidotti,C. and Maestro,M. Calculation schemes and programs for integrals useful in problems of electronic molecular structure. II. Two-centre integrals. A general formula for the construction of a matrix necessary for the translation of the reference system of the charge distributions, 3=22532
Morando,B. Resonance orbits of 24 hr satellites, 3=13939
Morant,M.J. Conference on electronic processes in dielectric liquids, Durham, April 1963, 3=18824
Morantz,D.J.,White,B.G. and Wright,A.J.C. Phosphorescence and stimulated emission in organic molecules, 3=2610
Moravcsik,M.J. See Bjorklund,F.E., 3=12419
Moravcsik, M.J. See Riazuddin, 3=17264
Moravisik,M.J. High-energy physics, The 1962 International Conference, Geneva, July 4-11, 3=7815
Morawetz,C.S. Modification for magnetohydrodynamic shock structure without collisions, 3=2106
Morawski,D. Experimental investigations on ignition and burning voltages in neon—argon mixtures under conditions necessary for the development of cold cathode discharge tubes, 3=19221
Morawski,T. See Romer,W., 3=21576
Mordkovich,V.N. The effect of oxygen on the electrical properties of n-type silicon, 3=22935
Mordkovich,V.N. and Gartseva,L.E. Effect of oxygen on recombination in heat-treated silicon, 3=20319
Mordyuk,V.S. See Aleksandrov,L.N., 3=3333
Moreau,J. Progress in vacuum-measuring apparatus using radioactive materials, 3=5469
Moreau,J.J. Unilateral constraints and the Gauss principle, 3=9388
Moreau,J.J. See Bourot,J.J., 3=9429
Moreau,R. Free, plane, laminar jet of an incompressible fluid in a transverse magnetic field, 3=12299
Moreh,R. See Birk,M., 3=10379
Morehead,F.F. and Fowler,A.B. The Dember effect in ZnS-type materials, 3=910
Morehead,F.F. Luminescence in ZnS, Se:Cu, Cl, 3=6674
Morehead,F.F. A Dember effect study of shifts in the stoichiometry of ZnS, 3=20161
Morehead,F.F. and Title,R.S. Correlation of e.p.r. and electro-optical measurements in ZnS, 3=18128
Moreira Xavier,R. See Costa,N.L., 3=12905
Morel,B. See Brugel,L., 3=19398
Morellet,D. See Jauneau,L., 3=12511
Morellet,D. See Jauneau,L., 3=19708
Morelli,C. See Allan,T.D., 3=8995
Morelli,C. See Gantar,C., 3=8994
Morelock,C.R. See Luborsky,F.E., 3=23412
Moreno,A.M. and Fraga,A.R. Determination of lead - 212 in the atmosphere of Mexico City as a measure of its contamination, 3=18521
Morey,D.R. Plasma physics symposium, 3=5949
Morey,F. On the construction of low-energy nuclear potentials, 3=2348
Morgan,A.D. See Brown,G.M., 3=13747
Morgan,C.G. See Davies,D.K., 3=9725
Morgan,D. An estimate of the correction to the strip-approximation from inelastic unitarity, 3=24642
Morgan,D.J. and Rushbrooke,G.S. On the magnetically dilute Heisenberg and Ising ferromagnetics. III. Concentration expansions for the Heisenberg model, 3=20567
Morgan,G.B. See Dutton,J., 3=19174
Morgan,G.H. and Everhart,E. Measurements of inelastic energy loss in large-angle Ar^+ on Ar collisions at KeV energies, 3=709
Morgan,J.E. and Schiff,H.I. The study of vibrationally excited N_2 molecules with the aid of an isothermal calorimeter, 3=12824
Morgan,J.E. and Schiff,H.I. Recombination of oxygen atoms in the presence of inert gases, 3=13597
Morgan,J.E. and Schiff,H.I. Use of catalytic probes to determine atom concentrations and atom diffusion coefficients, 3=18430
Morgan,J.R. See Buckingham,J.H., 3=20362
Morgan,J.R. See Butcher,P.N., 3=8537
Morgan,L. See Gammal,J., 3=25516
Morgan,L.O. On hydration of gadolinium (III) ions in aqueous solution, 3=18832
Morgan,S.P. See Fox,A.G., 3=24045
Morgan,T.A. and Peres,A. Direct test for the strong equivalence principle, 3=5350
Morgan,T.A. and Peres,A. Gravitational news, 3=16501
Morgan,T.A. and Peres,A. Classical radiation recoil. II, 3=16515
Morgand,P. On a very unusual type of slip observed in high purity iron, 3=10678
Morgand,P. The study of structures formed after cold working by drawing of high purity iron, 3=13521
Morgenstern,J. See Julien,J., 3=4645
Morgenshtern,Z.I. See Bukke,E.E., 3=25484
Morgenštern,Z.L. and Vasiljeva,N.N. The luminescence of unactivated alkali iodides, 3=18024
Morgenthaler,F.R. Microwave phonon instabilities associated with ferromagnetic resonance, 3=5032
Morgenthaler,F.R. Unstable growth of phonons at high microwave power levels in magnetically ordered single crystals, 3=15897
Morgenthaler,F.R. Longitudinal pumping of magnetoelastic waves in ferrimagnetic ellipsoids, 3=15898
Morgenthaler,F.R. Longitudinal parametric excitation of magnons in a two-sublattice ferrimagnetic crystal, 3=23192
Morgenthaler,F.R.,Olson,F.A. and Bennett,G.E. Supression of spin wave instabilities associated with ferromagnetic resonance, 3=1164
Morgulis,N.D. and Korchevoi,Yu.P. The application of thorium carbide to the thermionic conversion of heat into electrical energy, 3=4000
Morgulis,N.D. and Korchevoi,Yu.P. Mobility and scattering cross-section of electrons in weakly ionized caesium plasma, 3=12186

Morikawa,M. Approximate formulas for coaxial two-cylinder lenses, 3=9861
Morikawa,M. Polynomial approximation to focal constants of equidiameter two-cylinder lenses, 3=14656
Morikawa,M. Electron optics in multi-stage lens system. III. Relativistic lens, 3=19346
Morimoto,H. Electron diffraction study of evaporated films of nickel and cobalt, 3=1369
Morimoto,M. On the directivity of solar radio bursts at meter waves, 3=16425
Morimoto,S. See Ogawa,S., 3=8733
Morimoto,S. See Takagi,M., 3=23440
Morimoto,T. Markov processes and the H-theorem, 3=11709
Morimoto, T. On density fluctuations in a dilute gas, 3=14209
Morimoto, T. and Takamura, J. Light and heavy holes in conduction of tin-doped bismuth, 3=25355
Morimoto,T. See Takamura,J., 3=23343
Morimoto,Y. See Nakamoto,K., 3=25120
Morimura,M. A simple frequency-doubling circuit, 3=21683
Morin,F.J. and Maita,J.P. Specific heats of transition metal superconductors, 3=7405
Morin,J. See Pascal,J., 3=22899
Morinaga,H. and Gugelot,P.C. Gamma rays following (α,xn) reactions, 3=22428
Morinaga,H. and Takahashi,K. Orbit flip magnetic transitions, 3=2392
Morinaga,H. See Chilosi,G., 3=7992
Morinaga,K. See Laitinen,H.A., 3=1380
Morinigo,F.B. On the importance of the range of interactions in stripping and knockout amplitudes, 3=19827
Morino,Y.,Toyama,M. and Itoh,K. Determination of bond angles in δ-bhc crystal by the Zeeman effect of nuclear quadrupole resonance spectrum, 3=8872
Morino,Y. See Matsumura,C., 3=6408
Morino,Y. See Shimizu,H., 3=2645
Morioka,S. Supersonic jet of an ideal dissociating gas with finite reaction rate, 3=11815
Morioka,S. Two-dimensional unsteady flow of a weakly conducting fluid past a plane wall containing a variable magnetic dipole, 3=12302
Morita,A., Abe,Y. and Yamazaki,H. Theory of lattice magnetic susceptibility of semiconductors, 3=11022
Morita,A.,Azuma,M. and Nara,H. Theory of impurity levels, 3=2869
Morita,A. See Abe,Y., 3=2944
Morita,M. See Matumoto,Z., 3=7984
Morita,R. Nucleon form factors in the strong-coupling meson theory, 3=12449
Morita,T. Perturbation theory for degenerate problems of many-fermion systems, 3=9364
Morita,T. Existence of energy gaps in disordered systems, 3=20128
Morita,T. On the Landau theory of Fermi fluids: assembly of quasi-particles, 3=23798
Morita,T. See Ozawa,M., 3=14512
Morita,Y. See Edagawa,H., 3=4930
Morita,Y. See Edagawa,H., 3=13189
Morita, Y. See Edagawa, H., 3=17866
Morito,N.,Omura,I. and Noda,T. Multiple-dispersion mass spectrometer. I. Apparatus and improvement in resolving power, 3=12259
Morito,N. See Noda,T., 3=21903
Morito,N. See Omura,I., 3=12070
Moritz,J. and Tauffenbach,H.J. Low-noise charge-sensitive preamplifier for semiconductor ionization chambers, 3=1913
Moriya,T. The effect of electron—electron interaction on the nuclear spin relaxation in metals, 3=23266
Moriya,T. Nuclear magnetic relaxation near the Curie temperature, 3=23267
Morkovski,J. Comment on the theory of superconductivity of ferromagnetic materials, 3=19094
Morkowski,J. Two magnon relaxation in a disordered ferromagnetic, 3=1193
Morkowski,J. Intrinsic contribution to the ferromagnetic resonance line-width at high temperatures, 3=15915
Morkowski,J. See Szczeniowski,S., 3=15766
Morley,G.L. See Carlson,B.C., 3=12059
Morley,J.G. and Proctor,B.A. Strengths of sapphire crystals, 3=8780
Morlin,Z. and Sáringer,M. Investigations on the extinction of the fluorescence of 3, 4-benzopyrene, 3=1696
Morlin,Z. and Tremmel,J. The effect of electron irradiation on some alkali halide single crystals, 3=17809
Mornel,E. See Lindeman,H., 3=7175
Morocha,A.K. Theory of symmetry in spin—phonon interaction, 3=15431
Morocha, A.K. Theory of the spin—lattice relaxation in paramagnetics with strong exchange interactions, 3=18141
Morocha,A.K. See Kessel',A.R., 3=20667
Morokuma,T.,Nefflen,K.F.,Lawrence,T.R. and Klucher,T.M. Interference fringes with long path difference using He—Ne laser, 3=9608
Morosov,B.V. See Kanavatz,V.P., 3=14983
Morosov,P.M. and Pilgunov,L.N. A source of hydrogen molecular ions for the installation "ogra", 3=7646
Moroz,E.M. See Askar'yan,G.A., 3=19062
Moroz,L.P. See Kirilyuk,Z.O., 3=9620
Moroz, L.S, Khesin, Yu.D. and Marinets, T.K. Creep and long-term strength of iron at low temperatures, 3=18193
Moroz,N.K. See Borodich,V.D., 3=21667
Moroz,V.I. "Dust envelope" of the earth, 3=3541
Moroz,V.I. The infrared spectrum of Venus $(1-2.5\mu)$, 3=11517
Moroz,V.I. "Dust envelope" of the earth, 3=23665
Morgulis,N.D. and Korchevoi,Yu.P. Effect of an interelectrode caesium plasma on the characteristics of a thermionic energy convertor, 3=24206
Morgulis,N.D.,Levitskii,C.M. and Groshev,I.N. Current oscillations in the system of a thermionic energy converter with caesium vapor, 3=24207
Morhchlis,N.D. Treating the phenomena at the cathode of a plasma diode as a model for a magnetogasodynamic energy converter, 3=21816
Morhulis,N.D. and Chutov,Yu.I. Influence of the magnetic field on phenomena in a caesium vapour diode, 3=19166
Môri,A. and Hayashi,S. A detecting method of ion cyclotron resonance, 3=24323
Mōri,A. See Kōji Uo,K., 3=1990
Mori,C. See Enomoto,S., 3=16186
Mori,C. See Enomoto,S., 3=21017
Mori,G.F. On the fluctuation of ambiguous figures, 3=23718
Mori,H. Collective motion of particles at finite temperatures, 3=7140
Mori,H. and Kawasaki,K. Theory of spin diffusion, 3=988
Mori,H. and Kawasaki,K. Antiferromagnetic resonance absorption, 3=8704
Mori,H. See Kawasaki,K., 3=1136
Mori,H. See Kawasaki,K., 3=7399
Mori,I.,Akimune,H. and Suita,T. Design of fast acting valve for plasma gun, 3=19285
Mori,K. See Daiyasu,K., 3=12530
Mori,K. See Enjōji,H., 3=5656
Mori, K. See Kobayakawa, K., 3=17366
Mori,S., Iizuka,T. and Tachikawa,K. A survey of the effect of heat treatment on silicon, 3=15579
Mori,S.,Shigetomi,S. and Koga,Y. Electrical properties of InSe, 3=13073
Mori,S. See Kimura,M., 3=22376
Mori,S. See Sugawara,M., 3=12653
Mori,T. See Miyoshi,Y., 3=12087
Moriamez,C. and Allab,M.D. Dielectric properties of diols with branched chains, in the pure state and in solution, 3=21397
Moriamez,M. See Daumezon,P., 3=21392
Moriamez,M. See Raczy,L., 3=21396
Morigaki,K. Electron spin resonance of Cr^{3+} in CdS, 3=23226
Morigaki, K. and Mitsuma, T. Electron spin resonance in phosphorus-doped germanium subjected to uniaxial stress, 3=18131
Morozov,A.I. and Solov'ev,L.S. A kinetic examination of some equilibrium plasma configurations, 3=4116
Morozov,A.I. and Solov'ev,L.S. On symmetrical magnetohydrodynamical currents, 3=19427
Morozov,A.I. See Zueva,N.M., 3=7676
Morozov,A.M.and Remaev,V.V. Investigation of the millisecond isomers detected in nuclear reactions involving fast protons, 3=2457
Morozov,A.M. See Maksakov,B.I., 3=20479
Morozov,A.N. See Belikov,A.M., 3=16081

Morozov,B.V. See Kanavets,V.P., 3=24185
Morozov,I.G.,Inyutin,E.I. and Sidorov,G.N. Kinetics of a reactor with linear reactivity, 3=25000
Morozov,P.M. and Pil'gunov,L.N. Source of molecular hydrogen ions for the "Ogra" apparatus, 3=24377
Morozov,V.A. See Basina,A.S., 3=6208
Morozov,V.A. See Kotel'nikov,V.A., 3=9272
Morozov,V.M. Certain features of the emission of [OI] 5577 and of the continuous spectrum in nightglow, 3=9102
Morozov,V.M. Concerning the effect of light scattering in a real atmosphere upon the observed nightglow brightness. 3=16280
Morozov,V.M. The inconstancy of the spectral composition of a continuum in nightglow, 3=18557
Morozov,V.M. Optical method of measuring the average energy of ions accelerated by an electrostatic generator, 3=24384
Morozov,V.M., Bolyunova,A.D. and Ermolaev,M.A. Standardization of photoelectric measurements of weak light sources, 3=1787
Morozov,V.P. See Khlebnikova,V.N., 3=22566
Morozov,Yu.A. See Shul'man,A.R., 3=24343
Morozova,T.P. See Stoyanova,I.G., 3=20971
Morozovskii,V.A. See Dykman,I.M., 3=14621
Morozovskii,V.A. See Zingerman,Ya.P., 3=6887
Morpurgo,G. Forward and backward "selection rule" in a class of inelastic collisions, 3=24637
Morpurgo,M. See Barbier,M., 3=5778
Morpurgo,M. See Hoffman,L., 3=21934
Morris,D. Surface-wave propagation over plane-layered dielectrics, 3=7710
Morris,D. and Bartlett,J.F. Polarization of the 2840 Mc/s radiation from Jupiter, 3=18656
Morris,D. and Radhakrishnan,V. Tests for linear polarization in the 1390 Mc/s radiation from six intense radio sources, 3=9277
Morris,D. See Elgaroy,O., 3=3616
Morris,D. See Mungall,A.G., 3=21682
Morris, D.P. and Hughes, J.L. A new hexagonal phase between Au$_4$Mn and Au$_3$Mn, 3=3312
Morris,D.P. and Price,C.D. The ferromagnetism of the Heusler alloy Au$_2$MnAl, 3=25520
Morris,E.L. See McCrum,N.G., 3=8769
Morris,E.L. See May,W.D., 3=16564
Morris,J.F. Damping of quantized longitudinal electron oscillations in a nondegenerate plasma, 3=4169
Morris,J.P. See Mills,E.B., 3=12188
Morris,M.C. See Swanson,H.E., 3=18324
Morris, R.G. and Hornstra, F.Jr. Measurement of thermal conductivity in a magnetic field by the series comparative method, 3=1850
Morris,R.G. and Martin,J.J. Thermal conductivity measurements of silicon from 680° to 1000° K, 3=22671
Morris,T.F. See Lafleur,M.S., 3=24693
Morris, T.W. See Androulakis, J.G., 3=17125
Morris,T.W. See Ferbel,T., 3=4395
Morrish,A.H. and Valstyn,E.P. Ferrimagnetic resonance of iron-oxide micropowders, 3=1175
Morrish,A.H. See Prosen,R.J., 3=15840
Morrish,A.H. See Valstyn,E.P., 3=6741
Morrison,D.R.O. See Bartke,J., 3=22206
Morrison,D.R.O. See Brandt,S., 3=17324
Morrison,D.R.O. See d'Andlau,C., 3=17328
Morrison,D.R.O. See Escoubès,B., 3=19630
Morrison,G.C. See Huberman,M.N., 3=6300
Morrison,J. See Lander,J.J., 3=13554
Morrison,J. See Lander,J.J., 3=13555
Morrison,J. See Lander,J.J., 3=23383
Morrison,J.A. See Colwell,J.H., 3=22658
Morrison,J.D. On the optimum use of ionization-efficiency data, 3=21710
Morrison,P. Insight and taste, 3=21183
Morrison,P. See Felten,J.E., 3=19723
Morrison,S.R. See Palmer,D.R., 3=6497
Morrow,C.T. The marina as a two-dimensional auditorium, 3=18953
Morse,F.A. and Bernstein,R.B. Velocity dependence of the differential cross sections for the scattering of atomic beams of K and Cs by Hg, 3=2586
Morse,J.G. Energy for remote areas, 3=12063
Morsell,A.L. See Palmer,D.W., 3=12673
Mort,J. See Spear,W.E., 3=4918
Morten,F.D. See Eaton,G.K., 3=2917
Mortier,P.,Dansercoer,W. and Bouciqué,R. The secondary mechanism in geiger discharges, 3=7459
Morton,B.R. Coaxial turbulent jets, 3=105
Morton,B.R. On transport in turbulent wakes: Methane wakes, 3=164
Morton,J. and Carpenter,A. Experiments relating to the perception of formants, 3=13950
Morton,J.R. A paramagnetic species in irradiated (NH$_4$)$_2$ HPO$_4$, 3=11117
Morton,J.R. Paramagnetic defects in γ=irradiated ammonium hypophosphate, 3=13022
Morton,J.R. The E.P.R. spectrum of PF$_4$ in irradiated NH$_4$PF$_6$, 3=20652
Morton,J.R. and Falconer,W.E. Electron spin resonance spectrum of XeF in γ-irradiated xenon tetrafluoride, 3=21536
Morton,P.H. See Barber,A.C., 3=21664
Moruzzi,V.L. See Boyd,E.L., 3=25545
Morwinski,H. The appearance of electroluminescence through afterglow, 3=15723
Morzymas,J. The Feynman—Gell-Mann equation in the spinor space. Geometrical interpretation of the helicity of the elementary particles, 3=24592
Mosaalev,V.I. See Budagov,Yu.A., 3=6039
Moskalenko,S.A., Khadzhi,P.I., Bobrysheva,A.I. and Lelyakov,A.V Optico-hydrodynamic phenomena in an exciton—phonon system, 3=20142
Moscati,G. See Lerner,E., 3=5976
Mościcki,W. and Zastawny,A. Gdańsk C-14 dating laboratory measurements, 3=1420
Mościcki,W. and Zastawny,A. Apparatus used in the laboratory o absolute geochronology for determining the age of samples by the ^{14}C procedure, 3=11382
Mościcki,W. See Ettinger,K.W., 3=2015
Mościcki,W. See Kolka,W., 3=5640
Mosco,U. See Cabibbo,N., 3=572
Mosco,U. See Cabibbo,N., 3=7819
Mosco,U. See Cabibbo,N., 3=14937
Moscou,L. Etching of rubber for electron microscopic examination of fillers, 3=23528
Mosedale,D. Influence of irradiation on creep, 3=1228
Mosedale,D. Irradiation and a Nabarro effect, 3=13018
Moselhy,M.M. See Abdel Rahim,A.M., 3=8830
Moser,C. See Lefebvre-Brion,H., 3=19977
Moser,C.W. See Bessis,N., 3=12760
Moser,H.,Neumaier,F. and Rauert,W. Application of radioactive isotopes in hydrology. V. Measurement of the flow rate of op currents by radioactive indicators, 3=1669
Moser,P. and Dautreppe,D. The effects of neutron irradiation o pure iron, 3=8469
Moser,P. See Brissonneau,P., 3=1043
Moses,H.E. See Lomont,J.S., 3=11697
Moses,K.G. and Korneff,T. Voltage measurements in the presence of strong fields, 3=21672
Moshinsky,M. Wigner coefficients for the SU$_3$ group and some applications, 3=6124
Moshinsky,M. Bases for the irreducible representations of the unitary group and some applications, 3=23731
Mosig,R. See Ašner,A., 3=19137
Moskalenko,S.A. and Bobrysheva,A.I. Selection rules and the energy spectrum of excitons. Allowance for external fields and directional deformations, 3=15472
Moskalenko,V.A. Determination of the critical temperature of a superconductor, 3=19095
Moskalenko,V.A. A criterion for superconductivity, 3=21652
Moskalenko,V.A. Calculation of Coulomb interaction in the thermodynamics of superconductivity, 3=21653
Moskalev,S.S. See Pevzner,M.I., 3=24956
Moskalev,S.S. See Voronkov,R.M., 3=5727
Moskalev,V.A. and Okulov,B.V. On the dependence of betatron radiation upon the injection voltage, 3=17007
Moskalev,V.I. See Budagov,Yu.A., 3=4474
Moskalev,V.I. See Dzhelepov,V.P., 3=6371
Moskalev,V.V. and Petrov,M.P. Investigation of the nuclear magnetic resonance spectrum and the spin—lattice relaxation time of D-camphor, 3=20679
Moskaleva,L.P. See Lavrukhina,A.K., 3=8150
Moskaleva,L.P. See Malysheva,T.V., 3=8051
Moskowitz,J.W. Study of the H$_6$ ring in the molecular orbital and alternant molecular orbital approximation, 3=8243
Moskowitz,J.W. and Thorson,W.R. Inelastic atomic scattering. II. 3=15302

Moskvin,L.N. See Dzhelepov,B.S., 3=17446
Moskvin,N.A. See Kaplyanskii,A.A., 3=8619
Moskvin,N.A. See Kaplyanskii,A.A., 3=20516
Moskvin,N.A. See Kaplyanskii,A.A., 3=25478
Moskvitin,V.V. Stresses and strains in cyclically consolidating media, 3=16559
Moss,F.E. and Hereford,F.L. Inhibition of the scintillation of He II, 3=21644
Moss,H.J. See Fischer,A.G., 3=23121
Moss,M.K. See Davis,W.R., 3=11684
Moss,R.W. See Krogstad,R.S., 3=13528
Moss,T.S. Methods of modulating infrared beams, 3=1809
Moss,T.S.,Walton,A.K. and Ellis,B. Infra-red Faraday effect measurements on gallium phosphide and aluminium antimonide, 3=10816
Moss,T.S. See de la Perrelle, E.Y., 3=16789
Moss,T.S. See Walton,A.K., 3=10904
Mössbauer,R.L. Recoilless nuclear resonance absorption of gamma radiation, 3=4557
Mössbauer,R.L. Nuclear resonance absorption with frozen in recoil, 3=20066
Mosser,J.S. See Pace,E.L., 3=21636
Mossman,P. and Williams,M. Effect of skew on the performance of magnetic film storage cells, 3=14734
Mostovlyanskii, N.S. See Roizin, N.M., 3=17668
Mostovoi,V.I.,Dikarev,V.S.,Egiazarov,M.B. and Saltykov,Yu.S. Measurement of the neutron spectra in uranium—water and uranium—monoisopropyldiphenyl lattices, 3=25029
Moszkowski,S. Two-body interactions and the Nilsson potential, 3=23793
Moszkowski,S.A. Simulation of the hard core by a velocity dependence, 3=7966
Moszynska,B. Raman spectra of $SnBr_4$, $SnCl_4$ and $TiCl_4$ in the crystalline state, 3=15696
Moszynska,B. and Mathieu,P.J. Vibration spectra of CBr_4 in the crystalline state, 3=15677
Motchane,J.L. A new method of nuclear polarization, 3=3185
Moteff,J. Neutron flux and spectrum measurement with radioactivants, 3=19912
Mothes,H. See Görlich,P., 3=8593
Motizuki,K. See Nishikubo,T., 3=1154
Motley,R.W. Diffusion of plasma from the stellarator, 3=12195
Motley,R.W. and D'Angelo,N. Excitation of electrostatic plasma oscillations near the ion cyclotron frequency, 3=9819
Motley, R.W. and Kuckes, A.F. Recombination in a helium plasma, 3=4106
Motley,R.W. See D'Angelo,N., 3=9820
Motley,R.W. See Wong,A.Y., 3=4128
Moţoc,C. Influence of irradiation on the optical reflection of some ceramics and glasses, 3=858
Moţoc,C. See Corciovei,A., 3=12923
Moţoc,C. and Teodorescu,I. Radiation effects in thin films, 3=22869
Motomura,K. and Matuura,R. An equation of state for linear polymer monolayers, 3=11310
Motomura,K. and Matuura,R. Viscoelasticity of linear polymer monolayers, 3=16126
Motsch,C. See Grosvalet,J., 3=13101
Mott,N.F. The structure of metallic solid solutions. Introductory lecture, 3=8914
Mott,N.F. Opening address, 3=13045
Mottl,J. See Watanabe,K., 2=7430
Motulevich,G.P. and Shubin,A.A. Determination of the microscopic characteristics of indium from its infrared optical constants and electrical conductivity, 3=22676
Motulevich,G.P. See Golovashkin,A.I., 3=14433
Motulevich,G.P. See Golovashkin,A.I., 3=22677
Motz,H. On the one-dimensional theory of radiofrequency plasma confinement, 3=9796
Motz,H. Self-consistent calculation of the configuration of an r.f. confined plasma, 3=7555
Motz,H.T. and Carter,R.E. Artificial radiation belt studies with a fission beta-ray source, 3=16290
Motz,L. Gauge invariance and the structure of charged particles, 3=2185
Motzke,K. The influence of empty cation sites on the magnetically induced anisotropy of Ni—Fe ferrites in the temperature range from 200°C to 300°C, 3=6726
Mouclier,M. See Guizonnier,R., 3=9478
Moule,D. See King,G.W., 3=6403
Moulton,C. Sputtered III-V intermetallic films, 3=3357
Mounier,M. See Emschwiller,G., 3=13165
Mountjoy,J.C. See Allcock,G.M., 3=16229
Mouradian,E.M. See Baker,L.,Jr., 3=14413
Mouradian,Z. Kinematics of solar chromospheric spicules, 3=9214
Mourier,G. See Consoli,T., 3=14589
Mourier,G. See Consoli,T., 3=14590
Moussiegt,J. Negative resistance oscillators and relaxation oscillators, 3=9697
Moustafa,K. See Bergmann,W.H., 3=17128
Mouton,W.L.,Sellschop,J.P.F. and Wiechers,G. Nuclear resonant scattering of gamma radiation of variable energy, 3=4370
Mouton,W.L., Sellschop,J.P.F. and Keddy,R.J. Mean lifetimes of the first excited states of Li^7 and Na^{23} by resonance scattering of bremsstrahlung, 3=4564
Mouturant,P. See Cabane,G., 3=6798
Movchan,Ye.O. and Bondar,M.M. Some properties of Ge alloyed with La, Pr and Nd, 3=20308
Mow,C.C. See Pao,Y.-H., 3=9542
Mowbray,G.H. See Sen,T.K., 3=13969
Mower,L. and Buchsbaum,S.J. Interaction between cold plasmas and guided electromagnetic waves. II, 3=7553
Mowery,A.L.,Jr and Murray,R.L. A generalized variational method for reactor analysis, 3=6327
Moxon,M.C. See Firk,F.W.K., 3=10357
Moxon,M.C. See Firk,F.W.K., 3=17486
Moxon,M.C. See Firk,F.W.K., 3=24955
Moyer,B.J. See Cence,R.J., 3=24724
Moyer,B.J. See Cohen,D., 3=14947
Moyer,B.J. See Helland,J.A., 3=10161
Moyer,B.J. See Longo,M.J., 3=6049
Mozer,F.S., Elliott,D.D., Mihalov,J.D., Paulikas,G.A., Vampola,A. and Freden,S.C. Preliminary analysis of the fluxes and spectrums of trapped particles after the nuclear test of July 9, 1962, 3=16288
Mozharov,M.V. See Lÿubchenko,A.P., 3=20229
Mozley,R.F. and DeWire,J. Monochromatic bremsstrahlung from thin crystals, 3=14949
Mozley,R.F. See Smith,R.C., 3=17308
Mozzhukhin,E.I. See Elyutin,V.P., 3=25612
Mozzi,R.L. and Paladino,A.E. Cation distributions in non-stoichiometric magnesium ferrite, 3=25720
Mrovets,S. See Bryukman., 3=1387
Mróz,Z. Non-associated flow laws in plasticity, 3=25620
Mshenskii,V.A. See Kot,M.V., 3=2882
Mu Jun. See Lyubimov,V.B., 3=7901
Muccini,G.A. See Henglein,A., 3=21714
Muccini,G.A. See Henglein,A., 3=25816
Muchnik,G.F. and Zaidenman,I.A. Non-stationary heat conduction in multi-layer media. I. General solutions for planar systems, 3=16820
Muchnik,M. See de Carvalho,H.G., 3=8146
Muchnik,M. See de Carvalho,H.G., 3=24991
Muchnik,V.M., and Rud'ko,Yu.S. Hoar frost formation on frozen water drops in an electric field, 3=11397
Muckenfuss,C. Some aspects of shock structure according to the bimodal model, 3=1755
Muel,B. Excitation of delayed fluorescence with the emitted photon energy greater than the incident photon energy, 3=8627
Mueller,C.R. and Marchi,R.P. W.K.B. analysis of molecular beam scattering and the Lennard-Jones potential, 3=8318
Mueller,C.R. See Honig,J.M., 3=3363
Mueller,C.R. See Marchi,R.P., 3=8317
Mueller,M.H.,Heaton,L. and Sidhu,S.S. Full circle goniostat for diffraction intensity data, 3=8822
Mueller,M.H. See Barrett,C.S., 3=6841
Mueller,M.H. See Barrett,C.S., 3=23428
Mueller,R.C. See Christy,R.W., 3=13143
Muenter,J.S. and Laurie,V.W. Microwave spectrum, structure, and dipole moment of silyl acetylene, 3=25132
Muether,H.R. See Palevsky,H., 3=17285
Muff,E. Concentration distribution in cottrell atmospheres
Mugglestone,D. See Andrews,M., 3=13884
Muggleton,A.H.F. and Parsons,T.T. Surface protection of solid-state radiation detectors, 3=22043
Mugibayashi,N. See Kato,Y., 4=24579
Mugridge,E.G.V. See Ramsay,J.V., 3=7418
Muguruma,J. and Higashi,A. Non-basal glide bands in ice crystals, 3=17763

Mühlemann,C. See Renaud,A., 3=24887
Muijtjens,M.J. Satellite photography with a Schmidt camera, 3=9285
Muinov,T.M. See Regel',V.R., 3=18211
Muir,A.H.,Jr.,Kankeleit,E. and Boehm,F. Internal conversion coefficient of 14·4 keV Fe^{57} transition, 3=19814
Muir,A.H. See Gonser,U., 3=23153
Muir,J. See Farago,P.S., 3=24691
Muir,W.B. See Hedgcock,F.T., 3=11029
Muirhead,F.R. A torsion balance for magnetic measurements on individual small particles, 3=7672
Muirhead,F.R. Measurements of the remanent magnetization of some individual magnetic particles near the single-domain size, 3=19400
Muirhead,J.C. and McMurtry,W.M. Surface tension gauges for the measurement of low transient pressures, 3=7169
Mukerjee,P. The partial specific volume and the density of micelles of association colloidal electrolytes, 3=1404
Mukerjee,P. The thermodynamics of micelle formation in association colloids, 3=5174
Mukherjee,M.N. A class of exact models of a Stückelberg type electron, 3=10088
Mukherjee,P. Nuclear spectroscopy of Bi^{210} with stripping reactions, 3=24876
Mukherjee,P. See Cohen,B.L., 3=19762
Mukherjee,P.K. Quasi-periodic variation in the angle of arrival of downcoming radio waves and its bearing on the tilt in the ionosphere, 3=511
Mukherjee,P.N. and Lahiri,A. Fuel cells, 3=19164
Mukherjee,S.C. and Sil,N.C. Electron capture by alpha-particle passing through helium atom, 3=9720
Mukherjee,S.C. and Sil,N.C. Resonance in electron capture by proton passing through hydrogen atoms, 3=12781
Mukherjee,S.N. See Rustgi,M.L., 3=6095
Mukherjee,S.N. See Rustgi,M.L., 3=24859
Mukherji,A. and Karplus,M. Constrained molecular wave-functions: HF molecule, 3=8256
Mukhin,A. See Depommier,P., 3=594
Mukhin,K.N. See Barkov,L.M., 3=6080
Mukhin,V.A., Sukomel,A.S. and Velichko,V.I. Experimental investigation of heat transfer in the supersonic gas flow in a circular pipe with large temperature differences, 3=14193
Mukhina,M.M. See Kolbasov,V.A., 3=14788
Mukhtarov,A.I. See Gadzhiev,S.A., 3=15000
Mukhtarov,Ch.K. See Bel'skii,N.K., 3=4837
Mukhtarov,Ch.K. See Bel'skii,N.K., 3=15671
Mukhtarov,I.A. Microwave spectrum of the F_2HC-CDHF molecule, 3=17593
Mukoyama,T.,Makino,F. and Shimizu,S. Gamma–gamma directional correlations of some gamma ray cascades in ^{110}Cd, 3=15148
Mukunda,N. See Jordan,T.F., 3=21253
Mulay,L.N. and Fox,M.E. Magnetic anisotropy of ferrocene and chemical bonding, 3=8639
Mulcahy,M.J. and Kuffel,E. Condensation nuclei produced by the ultraviolet irradiation of humid air or humid argon, 3=1870
Mulcahy,M.J., Sexton,M.C. and Lennon,J.J. Electron removal in the afterglows of oxygen and helium–oxygen mixtures, 3=4064
Mulcahy,M.J. See Kuffel,E., 3=4095
Muldawer,L. See Bierly,J.N., 3=13524
Mulder,K. See Ammerlaan,C.A.J., 3=10007
Muldrew,D.B. The relationship of F-layer critical frequencies to the intensity of the outer Van Allen belt, 3=16275
Mull,S. and Kulshrestha,S.M. On the formation of hail-stones, 3=13674
Mull,S., Mitra,H. and Kulshrestha,S.M. Tropical thunderstorms and radar echoes, 3=16214
Mullaly,R.F. and Krishnan,T. Solar decimetre radio bursts, 3=11589
Mullaly,R.F. See Swarup,G., 3=16424
Mullaney,D. Bakeable high conductance vacuum valve, 3=1739
Mullen,G.H. See Barut,A.O., 3=3752
Mullen,G.H. See Barut,A.O., 3=4322
Mullen,G.H. See Frank,W.M., 3=7795
Mullen,J. See Aarons,J., 3=21077
Mullen,J.A. See Haus,H.A., 3=5837
Mullen,J.G. Comments on correlation calculations in anisotropic diffusion, 3=4885
Mullen,J.G. Study of iron ions in NaCl using the Mössbauer effect. I. The $CoCl_2$ precipitated state, 3=22630
Mullen,J.G. Study of iron ions in NaCl using the Mössbauer effect. II. The vacancy–impurity associated state, 3=22631
Müller,A. See Helmis,G., 3=25012
Muller,B.H. and Noble,J.D. Proton spin–lattice relaxation in pure liquid ethane and some of its deuterated modifications, 3=18835
Müller,C. and Saur,E. Effect of mechanical stresses on the superconductive properties of thin Nb_3Sn surface layers, 3=1903
Müller,D. Three-body problem in nuclear physics, 3=4473
Müller,D. and Brunner,G. Proportioning of targets for radioactive X-ray-sources, 3=2074
Müller,E.W. See Clements,T.C., 3=4019
Müller,E.W. See Mulson,J.F., 3=18396
Muller,E.V. Field ionization and field ion microscopy, 3=19371
Muller,F. See Brandt,S., 3=17324
Müller,F.H. See Adam,G., 3=3993
Müller,G. See von Gierke,G., 3=4030
Müller,G.O. Space-charge limited injection currents in CdS single crystals, 3=2907
Müller,G.O. Photovoltaic effect at ohmic contacts studies on CdS single crystals, 3=8569
Müller,G.O. Space–charge–limited injection currents in CdS single crystals, 3=15602
Müller,G.O. See Hildisch,L., 3=8439
Müller,H. Investigations on thin alkali metal films. VI. Estimation of the optical constants and the optical film thickness of thin rubidium films by a new method, 3=18390
Müller,H.G. A high stability L-band travelling-wave tube receiver for use on radio astronomy, 3=7045
Müller,H.G. and Schmidt,G.K. On the interpretation of magnetic hardness in vicalloy II, 3=1139
Müller, H.G. and Schmidt, G.K. An X-ray contribution to the explanation of the magnetic hardness of Vicalloy II, 3=18095
Müller,H.H.,Straub,H.H. and Winkler,H. An atomic beam as a target for nuclear scattering, 3=6094
Müller,J. See Bender,D., 3=22662
Müller,J. See Hulliger,F., 3=21663
Müller,K. Antisymmetrization of the wavefunctions of nucleon systems. I, 3=19540
Müller,K. See Bockris,J.O'M., 3=21002
Müller,K.A. Spin resonance in neutron irradiated single crystals of graphite, 3=13296
Müller,K.A. The annealing of neutron-irradiated graphite studied with spin resonance, 3=22867
Müller,K.A. and Schneider,J. Conduction electron spin resonanc in group II-VI semiconductors and phosphors, 3=20642
Müller,K.A. See Kohin,R.P., 3=8708
Müller,K.G. The cathode fall region of a non-stationary glow discharge, 3=4055
Müller,K.G. See Albrecht,G., 3=1951
Müller,Kl. See Fränz,K., 3=14822
Müller,L. and Müller,M. Optical constants of thin films of selenium, 3=25438
Müller,M. See Müller,L., 3=25438
Müller,M. See von Haul,R., 3=18399
Muller,M.W., Sher,A., Solomon,R. and Dow,D.G. Non-equilibrium distributions of molecular vibrational states, 3=15327
Muller,M.W. See Braunbeck,J., 3=19025
Muller,N. Nonbonded C^{13}–H spin-spin couplings in substituted ethylenes, 3=10547
Muller,N. and Carr,D.T. Carbon-13 splittings in fluorine nuclear magentic resonance spectra, 3=12867
Müller,O. See Daniel,H., 3=22328
Müller,P. See Herrmann,K., 3=6912
Müller,R. See Gürs,K., 3=22023
Müller,R. See Jarczyk,L., 3=6670
Muller,R.S. A unified approach to the theory of space-charge-limited currents in an insulator with traps, 3=8503
Muller,R.S. Behaviour of gold blocking contacts to CdS at high impressed fields, 3=22968
Müller,R.W. Electron injection in a microtron by means of a tuned emitter in the resonator, 3=24412
Müller,S. See Geissler,K., 3=17024
Muller,Th. See Conversi,M., 3=19629

Müller,V. Diffraction of electromagnetic waves from metallic cylinders covered with an absorbing layer, 3=4273
Müller,V.F. The decay $\pi \to e + \nu + \gamma$, 3=7885
Müller,V.F. On the connection between the decays of $\pi^0 \to 2\gamma$ and $\pi^+ \to e^+ + \nu + \gamma$, 3=15001
Muller,W. and Tubbs,E.F. Use of cataphoresis to determine discharge parameters, 3=9734
Müller,W. and Wolff,W. Considerations on the design of a spiral ridge cyclotron for 450 MeV protons, 3=5780
Müller-Buschbaum,H. Superconducting properties of silver-containing Nb$_3$Sn films on niobium wires, 3=19117
Müller-Buschbaum,H. Preparation and superconductivity of thin Nb$_3$Sn films on niobium wires, 3=19120
Müller-Duysing,W. See Kraus,K., 3=7444
Müller-Hillebrand,D. Lightning counters. I. The change in electric field due to lightning strokes, with reference to its effect on lightning counters, 3=16222
Muller-Hillebrand,D. Lightning counters. II. The effect of changes of electric field on counter circuits, 3=16223
Müller-Hillebrand,D. See Ryzko,H., 3=4100
Müller-Warmuth,W. and Haupt,J. Overhauser effect and relaxation in weak magnetic fields, 3=23910
Müller-Warmuth,W. See Haupt,J., 3=14183
Müller-Warmuth,W. See Haupt,J., 3=23909
Mulliken,R.S. Recent progress in theoretical computations on the electronic states of simple molecules and their spectra, 3=10500
Mullin,C.J. See Weber,T.A., 3=14955
Mullin,C.R. Elimination of re-entry radio blackout, 3=7059
Mullins,J.C. See Orr,C., 3=303
Mullins,W.W. and Sekerka,R.F. Morphological stability of a particle growing by diffusion or heat flow, 3=11297
Mulson,J.F. and Müller,E.W. Corrosion of tungsten and iridium by field desorption of nitrogen and carbon monoxide, 3=18396
Multani,M.S. See Bhide,V.G., 3=8560
Mulvey,J.H. See Chadwick,G.B., 3=10117
Mulvey,J.H. See Foster,F., 3=7945
Mulvey,T. See Archard,G.D., 3=25856
Mulvey,T. See Kynaston,D., 3=9862
Mulvey,T. See Kynaston,D., 3=19351
Mulyarchik,T. See Galperin,Y., 3=25990
Mumme,W.G. Stability of magnetization in cainozoic basalts from Victoria, Australia, 3=1495
Muncey,R.W. Properties of the lunar surface as revealed by thermal radiation, 3=11510
Münch,G. The intensity of forbidden emission lines, 3=2550
Münch,G. See Spinrad,H., 3=23674
Munch,G. See Younkin,R.L., 3=16342
Mundt,W. See Böhme,A., 3=18527
Mundt,W. See Kautzleben,H., 3=18565
Mundy,J.N. See Wendt,R.P., 3=11817
Mundy,R.E. See Candela,G.A., 3=12286
Munford,C. See Colombo,G., 3=11743
Mungall,A.G. and Morris,D. Precision capacitance—conductance bridge for dielectric measurements at audio and low radio frequencies, 3=21682
Munk,W.H., Miller,G.R., Snodgrass,F.E. and Barber,N.F. Directional recording of swell from distant storms, 3=16203
Münnich, F, Fricke, K. and Wellner, U. Investigation of the disintegration of Ba^{133} and Cs^{134} by $\gamma-\gamma$ angular correlation measurements, 3=17440
Münnich,F. See Bloess,D., 3=9406
Münnich,K.O. See Ehhalt,D., 3=25901
Muñoz,E. See Fernández,A., 3=20795
Munro,G.H. Scintillation of radio signals from satellites, 3=18531
Munro,R.G. See Gregory,R.W., 3=7171
Munschy,G. A new lower bound for the calculation of atomic energy levels, 3=19919
Munsee,J.H. and Reines,F. Color scheme for spatial resolution using liquid scintillators, 3=19533
Munson,J.C. See Anderson,V.C., 3=18922
Munson, M.S.B., Field, F.H. and Franklin, J.L. High-pressure mass spectrometric study of reactions of rare gases with N$_2$ and CO, 3=3387
Munster,A. See Subirana,J.A., 3=10555
Muntjewerff,W.F. See Smit,C., 3=7634
Munyadi,I. See Csikai,J., 3=10367
Munz,D. See Macherauch,E., 3=5069
Münze,R. Special problems in the production of radioactive nuclides, 3=642
Mura,T. Continuous distribution of moving dislocations. 3=15492
Mura,T. and Brittain,J.O. Reply to R.Bullough and R.C.Newman's comments on a paper by Mura, Lautenschlager and Brittain entitled: "Segregation of solute atoms during strain aging", 3=5140
Muraca,R.F., McCullough,C.M., Longwell,A.P. and Burns,E.A. Tilting-plate apparatus for the measurement of contact angles in corrosive liquids as a function of temperature and pressure, 3=14130
Muradian.G.V. See Pevzner,M.I., 3=24956
Muradyan,R.M. Investigation of the analytic properties of ladder diagrams by the method of complex angular momentum, 3=14893
Murahashi,D. See Tadokoro,H., 3=10557
Murakami,K. and Kudo,S. Cosmic-ray diurnal variation with phase inverse to usually observed phase, 3=24826
Murakami,K. and Kudo,S. Relation between cosmic-ray diurnal variation and type IV solar radio outburst, 3=24827
Murakami,M. See Komatsubara,T., 3=11104
Murakami,S. See Okubo,H., 3=6799
Murakami,Y. See Masuda,S., 3=19044
Murakawa,K. See Ross,J.S., 3=2364
Murakhver,Yu.E. Resonance charge exchange in atomic hydrogen, 3=6361
Murao,T. See Tsujikawa,I., 3=15660
Murase,K. See Ohkura,H., 3=23234
Murashige,R.H. See Melhuish,W.H., 3=3880
Murashko,L.T. See Vorob'ev,A.A., 3=6621
Murasik, A., Ruta-Wala, K. and Wanic, A. An investigation of magnons in franklinite by the neutron scattering method, 3=3127
Murata,Y. See Kumagi,H., 3=460
Muraton,V.R. See Volosov,V.D., 3=24370
Muratori,G. See Faissner,H., 3=24690
Muratov,V.I. See Fedorchenko,V.D., 3=9823
Muratov,V.R. and Nilov,E.V. Investigating the resolving power of the "PIM-3" image converter when it is connected in different ways, 3=14648
Murav'eva,V.V. See Kryukova,L.N., 3=8053
Muravskii,B.S. Surface breakdown of p—n junctions in silicon, 3=10856
Muravskii, B.S. Investigation of anomalous characteristics of point contacts on the surfaces of germanium and silicon, 3=17862
Murch,L.E. and Giauque,W.F. The thermodynamic properties of sodium hydroxide and its monohydrate. Heat capacities to low temperatures. Heats of solution, 3=7388
Murdoch,E.G. See McLaren,E.H., 3=9642
Murdoch, H.S. See Campbell, M.J., 3=17372
Murgulescu,I.G. and Topor,D. Determination of the transport numbers for fused caesium nitrate, 3=3796
Murguliya,G.E. See Kilin,S.F., 3=24420
Murin,A.N. See Baranovskii,V.I., 3=8058
Murin,A.N. See Bel'aev,B.N., 3=4638
Murin,A.N. See Belyaev,B.N., 3=10316
Murin,A.N. See Belyaev,B.N., 3=10317
Murin,A.N. See Belyaev,B.N., 3=22317
Murin,A.N. See Belyaev,B.N., 3=24914
Murin,A.N. See Kalyamin,A.V., 3=10348
Murin,A.N. See Lur'e,B.G., 3=6535
Murin,I.D. Reversible counter using dekatrons OG-5, 3=5904
Muromkin,Yu.A. See Babichev,A.P., 3=1958
Muromkin,Yu.A. See Babichev,A.P., 3=1960
Muromkin,Yu.A. See Babichev,A.P., 3=12089
Muromkin,Yu.A. See Babichev,A.P., 3=12108
Muromtsev,V.,Piskunov,A.K. and Verein,N.V. Highly sensitive method of recording first and second derivatives of electron paramagnetic resonance signals, 3=21993
Murota,T. See Bando,H., 3=10213
Murota,T. See Daiyasu,K., 3=4531
Murphy,A.T. See Adhav,R.S., 3=24030
Murphy,E.J. Conduction and electrolysis in cellulose, 3=20377
Murphy,F.V.,Jr. and O'Neill,G.K. Clearing time in magnetic field spark chambers, 3=14838
Murphy,F.V. See O'Neill,G.K., 3=17144
Murphy,J.C. See Artman,J.O., 3=13183
Murphy,J.E. See Harris,J.D., 3=13953
Murphy,P.G. See Beall,E.F., 3=6083

Murphy,P.G. See Cook,V., 3=10171
Murphy,P.V. The formation and discharge of Carnauba wax electrets in nuclear radiation fields, 3=13126
Murphy, P.V. and Ribeiro, S.C. Polarization of dielectrics by nuclear radiation. I. Release of space charge in electron irradiated dielectrics, 3=17923
Murphy, P.V, Ribeiro, S.C, Milanez, F. and de Moraes, R.J. Effect of penetrating radiation on the production of persistent internal polarization in electret-forming materials, 3=17947
Murphy,P.W. See Wiese,W.L., 3=24277
Murphy,R.J. See Fourie,J.T., 3=2805
Murr,A. See Zundel,G., 3=11999
Murray,B.C. and Wildey,R.L. Stellar and planetary observations at 10 microns, 3=13903
Murray,B.C.,Wildey,R.L. and Westphal,J.A. Venus: a map of its brightness temperature, 3=16360
Murray,B.C. See Westphal,J.A., 3=21080
Murray,G.,Graham,R.L. and Geiger,J.S. A determination of the absolute energy of the Hg^{198} 412 keV γ-radiation, 3=19795
Murray,H.L. Polystyrene – silica replica technique for relocating selected areas for examination in the electron microscope, 3=18428
Murray,J. An electronic analogue system for kinematical analysis of interaction vertices, 3=19522
Murray,J.D. See McGee,R.X., 3=11505
Murray,J.J. Mass separation by means of microwave linear acceleration in secondary beams, 3=19381
Murray,J.J. See Alvarez,L.W., 3=15039
Murray,J.J. See Dahl,O., 3=7921
Murray,J.J. See Shafer,J.B., 3=15038
Murray,R.B. Specific heat of single-crystal MnCl$_2$ in applied magnetic fields, 3=2731
Murray,R.B. See Gwin,R., 3=20506
Murray,R.B. See Gwin,R., 3=20507
Murray,R.L. See Mowery,A.L., Jr, 3=6327
Murri,W. See Gardner,J.H., 3=24492
Murrmann,H. See Schwink,C., 3=6707
Murtas,G.P. See Barbiellini,G., 3=5980
Murtas,G.P. See Barbiellini,G., 3=17234
Murtazin,Sh.F. See Zaripov,M.M., 3=23231
Murthy,B.S. Irregular fluctuations in H field at Kodaikanal, 3=148
Murthy,G.T. See Chatterjee,B.K., 3=4508
Murthy,G.T. See Chatterjee,B.K., 3=4510
Murthy,N.S. A note on the Franck – Condon factors of the α-system of TiO, 3=15340
Murthy,N.S. See Tawde,N.R., 3=8249
Murthy,S.R. A laboratory study of the "rotational temperature" of CH$^+$ ($^1\Pi - ^1\Sigma$) cometary band, 3=25118
Murthy,S.V. An expression for signal-to-noise ratio in nuclear magnetic resonance detection using phase sensitive detector, 3=2137
Murthy,S.V. Analog computer for calculation of moments in n.m.r. spectra, 3=12334
Murthy,V.R. and Schmitt,R.A. Isotope abundances of rare-earth elements in meteorites. I. Implications of samarium, europium, and gadolinium to the early history of the solar system, 3=13875
Murty,A.V.S. See Ramanadham,R., 3=7376
Murty,B.V.R.and Roy,A.K. A suggested model of precipitation growth in cumulus cloud, and observed distribution of drop-sizes in convective showers, 3=5201
Murty,C.R.K. See Spence,R.D., 3=1205
Murty,M.V.R.K. Common path interferometer using Fresnel zone plates, 3=11935
Murty,M.V.R.K. See Blakney,R.M., 3=18584
Murty,T.S. See Fultz,D., 3=14123
Murusidze,G.Ya. and Chichinadze,V.K. Method of finding mean velocities from the difference in the time of arrival of reflected and refracted waves at their point of origin, 3=14241
Murzin,V.N. and Demshina,A.I. A spectrophotometer for the far-infrared region, 3=14351
Murzin,V.N. See Demeshina,A.I., 3=23064
Murzina,E.A. See Nikolskii,S.I., 3=19730
Musaeljan,Sh.A. See Nemchinov,S.V., 3=25879
Muscettola,M. Dynamic model for a boiling water reactor, 3=25016
Muschlitz,E.E., Jr. See Baker,C.E., 3=4012
Musci,M. See Giacchetti,G., 3=24748
Musen,P. On a modification of Hansen's lunar theory, 3=13859
Musen,P. A discussion of Halphen's method of secular perturbations and its application to the determination of long-range effects in the motion of celestial bodies, 3=16321
Musen,P. and Carpenter,L. On the general planetary perturbations in rectangular coordinates, 3=23669
Muser,A. See Gorodetzky,S., 3=5607
Musgrave,M.J.P. On the relation between grey and white tin (α-Sn and β-Sn), 3=11209
Musgrave,M.J.P. On the transition from white tin (β-Sn) to the body-centred cubic form under pressure, 3=13452
Musgrave,M.J.P. The stability under high pressure of the diamond and zincblende structures, 3=23375
Musha,T. Cathode sputtering in hollow cathode discharges, 3=3
Musha,T. Theory of negative resistance in hollow cathode discharges, 3=378
Musha,T. Some remarks on negative absorption, 3=4137
Musher,J.I. Effects of intramolecular electric fields in molecules: E.Q.R. coupling constants, 3=2659
Musher,J.I. See Freeman,R., 3=736
Musher, J.I. See Nageswara Rao, B.D., 3=2663
Mushkin,Yu.I. and Finkel'shtein,A.I. Vibrational spectra of cyanamide, 3=4764
Musil,F.J. See Beu,K.E., 3=8823
Musin,A.K. The movement of a plasma bunch along guiding electrodes, 3=399
Musin,A.K. Movement of a plasma bundle along guiding electrodes, 3=19250
Musin,A.K. See Arshinov,A.A., 3=21696
Musset,P. See Behr,L., 3=12498
Musson-Genon,R. and Brousseau,M. Shock waves produced by high-frequency pulses in switching tubes, 3=3846
Mustafin,K.S. and Protasevich,V.I. Determination of plasma parameters in Ne – Hg mixtures, 3=14597
Mustel,E.R. The spatial structure of the solar corona, 3=3578
Mustel,E.R. The spatial structure of the solar corona. II, 3=7033
Mustel',É.R. The longitude distribution of active regions on the Sun and the problem of geomagnetic disturbances, 3=23689
Muta,T. Detective theory on elementary particles, 3=24590
Muta,T. See Ezawa,H., 3=19544
Muta,T. See Kato,H. 3=3976
Muto,J.,Itoh,H.,Okano,K.,Shiomi,N.,Fukuda,K.,Omori,Y. and Kihara,M. Alpha-particles from several elements bombarded with 30, 43 and 56 MeV protons, 3=24936
Muto,Y. See Ogushi,T., 3=24151
Mutsuro,N.,Kageyama,K.,Mishina,M.,Nakagawa,T.,Tanaka,E. and Kimura,M. Structure of giant resonance in Al^{27}(γ, n) reaction, 3=4615
Mutsuro,N.,Kageyama,K.,Mishina,M.,Tanaka,E.,Aizawa,T. and Kimura,M. Photoneutron reaction of S^{32}, 3=19832
Mutsuro,N.,Kageyama,K.,Mishina,M.,Tanaka,E. and Kimura,M. On the study of P^{31}(γ, n) and S^{32} (γ, n) reaction, 3=4616
Mutsuro,N. See Kimura,M., 3=22376
Mütze,H. Optical arrangement for the production of a spot of light revolving in a circular path, 3=18970
Muus,D.A. See Tompkins,L.M., 3=23522
Muždeka,S.D. See Kovač,B.J., 3=19155
Muzii,L. See Bertolotti,M., 3=1811
Muzikář,Č.,Janovec,V. and Dvořák,V. The Mössbauer effect and ferroelectric properties of ionic crystals, 3=8559
Muzinich,I. See Barut,A.O., 3=10059
Muzinich,I.J. Effects of Regge poles on the polarization in high-energy nucleon – nucleon scattering, 3=5995
Muzinich,I.J. High-energy nucleon – nucleon scattering, 3=1497
Muzinich,I.J. ρ-meson Regge trajectory and high-energy charge-exchange scattering, 3=22190
Muzkiář,Č. Some peculiarities of Vavilov-Cerenkov radiation in biaxial crystals, 3=3895
Muzsnay,L. See Gimeysi,Z., 3=25010
Myzinkov,K.P. See Issinskii,I.B., 3=14700
Myaé,É.A. and Oboznÿi,V.A. Apparatus for high-frequency excitation of free oscillations in a ring-type, 3=24405
Myaé,É.A. See Zhuravlev,A.A., 3=9889
Myaé,É.A. See Zhuravlev,A.A., 3=24403
Myaé,É.A. See Zhuravlev,A.A., 3=24404
Myakinin,E.G. See Puchkovskii,V.V., 3=6564
Myakinin,E.V. See Romanov,A.M., 3=10387
Myakinin,E.V. See Konstantinova,M.P., 3=2500

Myalkovskii,V.M. See Azimov,S.A., 3=19737
Myatt,J. See Davies,D.E., 3=4010
Myers,H. Ionization processes in decaying plasmas. I. Helium, 3=14517
Myers,H.P. and Westin,R. The paramagnetism of Mn dissolved in α and β brasses, 3=23140
Myers,H.P. See Lundquist,N., 3=1124
Myers,M.B.,Dachille,F. and Roy,R. Pressure multiplication effect in opposed-anvil configurations, 3=16469
Myers,R.F. Vertical soundings of the atmosphere, 3=3448
Myers, R.J. See Blukis, U., 3=17596
Myers,T. See Feltham,P., 3=11162
Myers,V.A. Airflow on the windward side of a large ridge, 3=9028
Myerson,A.L. Silver catalysed surface recombination in a step-function flow of atomic oxygen, 3=18442
Mÿkhaĭlyuk,I.P.,Mÿkhal'chenko,V.P. and Kushta,H.V. Temperature dependence of the X-ray interference intensity of aluminium and of chromium ferrite, 3=20864
Mÿkhal'chenko,V.P. See Mÿkhaĭlyuk,I.P., 3=20864
Myklebost,K. See Jauneau,L., 3=19708
Mykura,H. and Rhead,G.E. Errors in surface topography measurements with high-aperture interference microscopes, 3=14324
Mykura,H. See Blakely,J.M., 3=13003
Myles,J. W. See Bradbury,B.T., 3=20958
Mÿl'nikova,I.E., See Bokov,V.A., 3=6615
Mynzatu,I. See Kalboryanu,A., 3=19857
Mysikhin,V.I. and Esin,O.A. Determination of the diffusion coefficients of elements in liquid cast iron, with an oscillograph, at constant current strength, 3=5431
Myszko,R. Effect of vibration on the photographic image, 3=16812
Mÿznikov,K.P. See Kazanski,G.S., 3=24416
Mÿznikov,K.P. See Kuznetsov,A.B., 3=7667

Nabatova,L.V. See Maslov,V.N., 3=16028
Näbauer,M. Remarks on the quantization of the magnetic flux in superconducting hollow cylinders, 3=16859
Näbauer,M. See Doll,R., 3=12022
Naberezhnykh,V.P. See Galkin,A.A., 3=5036
Naberezhnÿkh, V.P. See Galkin, A.A., 3=17696
Naberezhnykh,V.P. See Galkin,A.A., 3=22693
Naberukhin,Yu.I. Influence of the illumination geometry on the observed intensities and degree of depolarization of Raman lines, 3=7332
Naberukhin,Yu.I. and Burshtein,A.I. Hyperfine structure in the electron paramagnetic resonance spectrum of an electron delocalized in a system of equivalent potential wells, 3=1178
Nabichvrishvili,V.A. See Afonin,O.F., 3=15098
Nabichvrishvili, V.A. See Afonin, O.F., 3=17409
Nabitovich,I.D. See Andrievskii,A.I., 3=13461
Nabitovich,I.D. See Andrievskiĭ,A.I., 3=20915
Nabitovich,I.D. See Andrievskiĭ,A.I., 3=20952
Naboikin,Yu.V., Dobrokhotova,V.K. and Uglanova,V.V. Dependence of the luminescence yield of mixed single crystals on impurity concentration, 3=963
Nabutorskii,V.M. and Slutskin,A.A. The motion of a quasiparticle with an arbitrary dispersion law in a weakly homogeneous magnetic field, 3=2702
Nachman,M. and Cojocaru,L. Effects of nuclear radiation on electrical conductivity of chromic oxide, 3=2909
Nachtigal,D. See Becker,K., 3=22045
Nachtigall,D. The present state of practical neutron dosimetry, 3=2282
Nachtigall,D. The determination of the average energy of a fast neutron flux with portable neutron survey instruments, 3=10430
Nad',F.Ya. See Alekseyeva,V.G., 3=20411
Nadeau,J.S. Color centers and the flow stress of LiF single crystals, 3=2835
Nadeau,J.S. Hardening of potassium chloride by color centers, 3=22833
Nadeau,J.S. See Johnston,W.G., 3=23364
Nadezhin,D.K. and Frank-Kamenetskii,D.A. Spherically-symmetrical models of explosions of novae, 3=9229
Nadgornyĭ,É.M. and Stepanov,A.V. Study of dislocations in NaCl crystals, 3=17757
Nadgornyĭ,É.M. and Stepanov,A.V. Artificially induced shear and dislocation structure of sodium chloride crystals, 3=17758
Nadgornyĭ,E.M. See Gutmanas,E.Yu., 3=17759
Nadgornyĭ,É.M. See Zimkin,I.N., 3=17748
Nadjakov,G.,Antonov,A. and Zadarozhny,G. Effect of excitation on the photoelectret polarization in darkness of sulphur single crystals, 3=25411
Nadler,H. See Graham,L.J., 3=25599
Nadolschi,V. Isomorphic regions of solar eclipses, 3=1517
Nafe,J.E. See Kuo,J.T., 3=193
Naff,J.T. See Hellund,E.J., 3=14256
Nag,B.R. and Das,P. Frequency dependence of hot carrier conduction in semiconductors, 3=13048
Nag,B.R.,Das,P. and Paria,H. Hall mobility and magnetoresistance of semiconductors due to hot carriers in high magnetic fields, 3=10760
Nag,B.R.,Roy,S.K. and Das,P. Surface effects on microwave signals propagating in semiconductors, 3=19454
Nagae,M. Effect of excited multielectron centers on the recombination processes in semi-conductors, 3=4910
Nagae M. Theory of recombination processes in semiconductors through multielectron centers with many excited states, 3=10752
Nagaev,E.L. Conductivity of crystals in the case of strong electron—phonon interaction (polaron of small radius), 3=15528
Nagahama,Y. See Honjo,G., 3=18414
Nagahara,Y. See Ishiyama,M., 3=12431
Nagahama,Y. See Ito,K., 3=19350
Nagahama,Y. See Takahashi,N., 3=443
Nagahama,Y. See Watanabe,M., 3=17807
Nagahama,Y. See Watanabe,M., 3=25792
Nagai,K. Non-Gaussian character of real polymer chains, 3=10558
Nagai,K. See Ezoe,H., 3=12260
Nagai,O. Small-angle scattering of neutrons by $FeCl_2$ near the Neel temperature, 3=11035
Nagai, O. A short range order effect in antiferromagnetics, 3=18108
Nagakura,S. Electron diffraction and microscopic study on the faulted structure of martensite in evaporated Fe–Ni alloy films. 3=1315
Nagakura,S., Kikuchi,M., Kaneko,Y. and Oketani,S. Study of martensitic transformation in evaporated iron—nickel alloy films by electron microscopy and diffraction, 3=20884
Nagakura,S. See Oketani,S., 3=1324
Nagamiya,T., Nagata,K. and Kitano,Y. Magnetization process of a spin screw system, 3=976
Nagamiya,T. See Tachiki,M., 3=8647
Nagamoto,C.T. See Rosinski,J., 3=8985
Nagano,H. See Nagao,F., 3=16571
Nagano,Y. See Takasaki,H., 3=16808
Nagao,F.,Shimamoto,Y, Nagano,H, and Ueno,Y. Influence of the connecting passage of a low pressure indicator on recording, 3=16571
Nagao,S.,Miyahara,A.,Kuroda,T.,Sato,T. and Matsuura,K. Oscillations in a P.I.G. discharge and a new type of instability of plasma, 3=21734
Nagaoka,Y. Dynamical theory of spin waves in ferromagnetic metals with s—d exchange interaction, 3=8650
Nagaoka,Y. See Kubo,R., 3=986
Nagaraja Rao,C.R. See Sekera,Z., 3=19028
Nagarajan,G. Potential constants and thermodynamic properties of iodine pentafluoride, 3=2630
Nagarajan,G. Potential constants and thermodynamic properties of phosphoryl and thiophosphoryl halides, 3=2634
Nagarajan,G. Potential constants and thermodynamic properties of some silyl halides, 3=8280
Nagarajan,G. Mean amplitudes of vibration for the hexafluorides of molybdenum and rhenium, 3=15350
Nagarajan,M.A. Configuration mixing in mass 14 nuclei, 3=12557
Nagaratnam,A. and Kushwaha,R.S. Initial model of a massive star, 3=11558
Nagasaki,M. Critical temperature of nuclear matter, 3=10216
Nagasawa,I. See Ueta,M., 3=969
Nagasawa,I. See Ueta,M., 3=23104
Nagashima,N. See Kiyono,S., 3=21918
Nagata,K. See Date,M., 3=15929
Nagata,K. See Nagamiya,T., 3=976
Nagata,S. See Bando,H., 3=10213

Nagata,S. See Kaneda,H., 3=22256
Nagata, S. See Tomoda, Y., 3=18241
Nagata,T. and Kaneda,E. An inter-relation between auroral luminosity and simultaneous geomagnetic disturbances, 3=23634
Nagata,T. and Kobayashi,K. Thermo-chemical remanent magnetization of rocks, 3=11479
Nagata,T. and Kokubun,S. An additional geomagnetic daily variation field (S_q^p-field) in the polar region on geomagnetically quiet day, 3=9129
Nagata,T.,Ozima,M. and Yama-Ai,M. Demonstration of the production of a new type of remanent magnetization: Inversed type of thermo-remanent magnetization, 3=11065
Nagata,T. and Rikitake,T. The northward shifting of the geomagnetic dipole and stability of the axial magnetic quadrupole of the earth, 3=25944
Nagata,T. See Fukushima,N., 3=13830
Nagata,T. See Matuura,N., 3=11420
Nagata,T. See Syono,S., 3=11063
Nagata,T. See Tohmatsu,T., 3=13790
Nagayama,S. The critical equation of reactor. I. Theory, 3=22446
Nag-Chaudhuri,J., Stoessell,L. and McGlynn,S.P. External heavy-atom spin orbital coupling effect. II. Comments on the effect of ferric acetylacetonate on the spectra of the polyacenes, 3=15359
Nagel,B. Angular distribution and polarization of K shell photoelectrons in the high energy limit, 3=12773
Nagel,B. Some integrals and expansions related to the hypergeometric functions F_1 and Φ_2 in two variables, 3=1868
Nagel,B., Olsson,P. and Weissglas,P. Certain recurrence relations for Appell functions useful in the calculation of matrix elements in an angular momentum representation, 3=3756
Nagel,H.H. and Schlier,Ch. Calculation of electron–photon cascades in lead for a primary energy of 200 MeV, 3=19740
Nagel,J.F. See Ehhalt,D., 3=25897
Nagel,M.R. Nato–Sadtc symposium on application of laser techniques, The Hague, April 1962, 3=518
Nagels, P., Denayer, M. and Devreese, J. Electrical properties of single crystals of uranium dioxide, 3=25372
Nagemuneswara Rao,K. See Ramanadham,R., 3=13656
Nageswara Rao,B.D. and Baldeschwieler,J.D. Nuclear magnetic double resonance spectra of three spin systems, 3=2662
Nageswara Rao,B.D., Baldeschwieler,J.D. and Musher,J.I. Relative signs of geminal and vicinal coupling constants in 1,1,4,4–tetramethylcyclohexyl–cis–2,6–diacetate, 3=2663
Naghdi,P.M. and Nordgren,R.P. On the nonlinear theory of elastic shells under the Kirchhoff hypothesis, 3=21270
Nagl,J. See Sanielevici,A., 3=6188
Nagle,R.J. See Miskel,K.A., 3=4651
Nagpal,K.C. See Vaidya,W.M., 3=9763
Nagy,E. and Nagy,I. Ordering in alloy Cu_3Au. I. 3=3330
Nagy,E. and Tóth,J. Ordering in alloy Cu_3Au. III, 3=25753
Nagy,E. See Elkholy,H., 3=3331
Nagy,E. See Kovács,I., 3=13036
Nagy,G.A. Consideration of the distance between the test object and the generator in shock wave tests, 3=7273
Nagy,I. See Nagy,E., 3=3330
Nagy,K.L. N–Θ scattering dispersion relation in the Lee model with dipole ghost, 3=10038
Nagy,L. See Dési,S., 3=6307
Nagy,L. See Dési,S., 3=12711
Nagy,T. The effect of the non-zero neutrino rest mass on the decay rate of bound μ-mesons, 3=22158
Nahemow,M. and Wainfan,N. Study of the cathode-fall region in a pulsed glow discharge, 3=24239
Nahorniak,V. See Mateescu,N., 3=22141
Nahum,J. and Halperin,A. Thermoluminescence and the relation between thermal and optical activation energies in diamond, 3=20547
Naiki, T. See Hashimoto, H., 3=18271
Nair,K.G. See Ramanna,R., 3=8144
Nairn,A.E.M. Palaeomagnetic measurements of the Great Dyke, Southern Rhodesia, 3=11480
Naish,V.E. Magnetic symmetry of crystals, 3=25497
Naish,V.E. See Men',A.N., 3=22624
Najžer,M. See Cvelbar,F., 3=10366
Nakada,M.P. High-energy electrons in the radiation belt, 3=11456
Nakada,T. and Hashimoto,S. Heat conduction in a semi-infinite solid heated by a moving heat source along the boundary, 3=16822
Nakada,Y. and Chalmers,B. Comparative surface hardening effect of edge and screw dislocations in aluminum single crystals, 3=1232
Nakagawa,M. See Maki,Z., 3=7773
Nakagawa,M. See Uchida,Y., 3=15717
Nakagawa,S. See Ezoe,H., 3=2077
Nakagawa,T. See Kimura,M., 3=22376
Nakagawa,T. See Mutsuro,N., 3=4615
Nakagawa,Y. The effects of magnetic fields and rotation on heat transfer by convection, 3=21585
Nakagawa,Y. and Hori,T. Magnetic transition and crystal distortion in MnHg and $MnZn_3$, 3=6860
Nakagawa,Y., Sakai,S. and Hori,T. Magnetic properties of Mn–Zn alloys, 3=1006
Nakagawa,Y. See Bostick,W.H., 3=4125
Nakagomi,Y. See Nishi,K., 3=16385
Nakahara,O., Goto,K., Mitani,T. and Sunaguchi,T. Effects of the collector depletion-layer width on the characteristics of drift, 3=20363
Nakai,S.,Yamanaka,C. and Yamamura,Y. Shock waves in argon measured by the microwave techniques, 3=9545
Nakai,Y. See Osaki,K., 3=25730
Nakajima,I.S. and Watabe,M. On the electron-phonon interaction in normal metals. I., 3=10588
Nakajima,K. Segregation of solute atoms to deformation stacking faults in face-centred cubic solid solutions, 3=8442
Nakajima,K.,Suzuki,K.,Azuma,Y.,Akatsuka,K. and Nakamura,K. Equipment for the international v.l.f. comparison and results of measurement of phase variation between Hawaii and Tokyo, 3=24480
Nakajima,K. See Weissmann,S. 3=10647
Nakajima,K. See Weissmann,S., 3=22765
Nakajima,S. The crystal structure of $Bi_2Te_{3-x}Se_x$, 3=13511
Nakajima,T. See Nakamura,Y., 3=6713
Nakajima,T. See Takaki,H., 3=1046
Nakajima,Y. See Nonaka,I., 3=8100
Nakajima,Y. See Yagi,K., 3=12583
Nakamichi, T. and Yamamoto, M. Antiferomagnetic magnetostriction in CoO and NiO single crystals, 3=1016
Nakamichi,T. and Yamamoto,M. Composition, temperature and ordering dependence of magnetostriction constants in nickel–manganese alloys, 3=23177
Nakamoto,K.,Fujita,J.,Condrate,R.A. and Morimoto,Y. Infrared spectra of metal chelate compounds. IX. A normal coordinate analysis of dithiocarbamato complexes, 3=25120
Nakamura, F. Transient phenomena of wear in vacuum, 3=18220
Nakamura,H. Light double hyper nuclei and $\Lambda-\Lambda$ interaction, 3=24846
Nakamura,H. See Nakamura,T., 3=6618
Nakamura,K. See Nakajima,K., 3=24480
Nakamura,M. See Takezawa,S., 3=9100
Nakamura,S. Strong interaction of baryons, 3=5931
Nakamura,S. Interaction types and selection rules in baryon processes, 3=5932
Nakamura,S. High energy interactions on the "molecular model" of the elementary particles, 3=12537
Nakamura,S. Theory of weak interactions between baryon and pion, 3=24619
Nakamura,S. and Enokiya,H. Detection of nuclear quadrupole resonances by means of the crossing technique, 3=12336
Nakamura,S. and Kawarabayashi,K. Mass spectra of baryons, 3=5933
Nakamura,S. and Sato,S. Fragile symmetry in the strong interactions, 3=10034
Nakamura,S. and Sato,S. Theory of the intermediary mesons, 3=19660
Nakamura,S. and Sato,S. Theory of leptons, 3=22061
Nakamura,S. See Sugata,E., 3=19298
Nakamura,T. Short-range order effect on the magnetic anisotropy near the transition point, 3=5008
Nakamura,T. and Hayakawa,S. Polarization of green emission from a durene crystal, 3=23114
Nakamura,T. and Nakamura,H. Domain wall caught in dislocations in ferroelectric glycine sulfate crystals, 3=6618

Nakamura,T. and Ohi,K. Twin structure in ferroelectric sodium nitrite, 3=25657
Nakamura,T. and Uryu,N. Theory of the antiferromagnetism of Mn- and Co-Tutton salt, 3=1058
Nakamura,T. See Hayakawa,S., 3=15712
Nakamura,T. See Ohi,K., 3=2959
Nakamura,Y.,Nakajima,T. and Takami,H. Volume magnetostriction in nickel—iron alloys, 3=6713
Nakamura,Y. See Shinjo,T., 3=23180
Nakamura,Y. See Takaki,H., 3=1046
Nakamura,T. See Yanabu,T., 3=22418
Nakane,K. See Masuda,T., 3=21528
Nakanishi,N. Integral representations for production amplitudes in perturbation theory, 3=5942
Nakanishi,N. Partial-wave Bethe—Salpeter equation, 3=12405
Nakanishi,N. The crystal structure of β' martensite in Cu—Al binary alloys, 3=18335
Nakanishi,N.,Thein,K.M. and Wayman,C.M. Annealing of quenched-in defects in CsCl-type alloys. II, 3=22715
Nakanishi,N. See Wayman,C.M., 3=22714
Nakano,G.H. See Heckman,H.H., 3=18564
Nakano,S. See Kohra,K., 3=1294
Nakano,S. See Kohra,K., 3=22707
Nakano,T. and Inuishi,Y. Effect of annealing of radiation damage on lifetime in silicon containing copper and iron, 3=15581
Nakano,T. See Daiyasu,K., 3=4531
Nakano,Y., See Shimamoto,S., 3=16915
Nakao,Y. See Asano,S., 3=13218
Nakashima,S. Absorption of colloidal band in mixed alkali halides, 3=930
Nakashima,S. and Noguchi,Y. Instabilities of injected plasmas in Ge in the presence of transverse and longitudinal magnetic fields, 3=25257
Nakata,K. See Suzuki,J., 3=13948
Nakata,K. See Suzuki,J., 3=25998
Nakayama,K. See Kitagaki,T., 3=592
Nakayama,K. See Kitagaki,T., 3=7878
Nakayama,M and Hasegawa,H. Relaxation effects of donor spins in silicon and germanium, 3=10792
Nakayama,T. See Watanabe,K., 3=7430
Nakayama,Y. and Hirata,H. Internal conversion of the 1277 keV transition in ^{22}Ne, 3=8031
Nakazawa,F. See Ishino,S., 3=25313
Nakazawa,K.,Bando,M.,Sugano,R. and Uehara,M. On the coupling constants of strong interactions, 3=19550
Nakazumi,Y.,Suzuki,K. and Yajima,T. Observation of etch patterns in TiO$_2$ single crystals, 3=11219
Nakhleh,J. See Beckel,C.L., 3=18725
Nakhodkin,N.G. and Mel'nik,P.V. Effect depth of the photoeffect excited by soft X-rays, 3=21864
Nakhodkin,N.G.,Ostroukhov,A.A.and Romanovskii,V.A. Inelastic scattering of electrons by thin films, 3=2781
Nakhodkin,N.G., Ostroukhov,A.A. and Romanovskii,V.A. Scattering of electrons on passage through thin films, 3=20153
Nakhodnova,I.A. See Eliseev,P.G., 3=20179
Nalbandyan,N.A. See Khrimyan,A.V., 3=2158
Nalbandyan,N.A. See Khrimyan,A.V., 3=6097
Nalecz,M. and Ziomecki,H. A Hall effect accelerometer, 3=21287
Namba,S. and Pil Hyon Kim. Stimulated emission from Nd^{3+} glass, 3=22008
Nambu,Y. and Sakurai,J.J. κ-meson [K* (725)] and the strangeness-changing currents of unitary symmetry, 3=24783
Nambu,Y. and San Fu Tuan. Magnetic field dependence of the energy gap in superconductors, 3=3948
Nambu,Y.and Shrauner,E. Soft pion emission induced by electromagnetic and weak interactions, 3=595
Nambu,Y. and Sugawara,M. Non shrinking diffraction scattering, 3=14916
Nambu,Y. See Sugawara,M., 3=24659
Namikawa,T. On the reflection and refraction of hydromagnetic waves in ionized gas. II., 3=483
Namiki,M. See Kamei,O., 3=4545
Namiki,M. See Kamei,O., 3=22156
Namioka,T. Grating theories and their applications to grating instruments for vacuum ultraviolet spectroscopy, 3=7338
Namiokov,K.K. State of the vapour and liquid phases of the products from the electro-erosion of metals, 3=20914
Namitokov,K.K. Structure and composition of the pits on an electronic surface damaged by a pulsed discharge, 3=21722
Namítokov,K.K. [Material] transfer phenomena in a low-voltage pulsed discharge, 3=21723
Namítokov,K.K. Low-voltage electric discharges, 3=21724
Namitokov,K.K. Dynamics of the process of electro-erosion of metals, 3=23488
Namysłowski,J. The interaction of baryons with gravitational and electromagnetic field within Rayski's six-dimensional manifold, 3=4334
Namysłowski,J. Symmetrical form of Dirac matrices in general relativity, 3=18713
Namyslowski,J. and Wit,R. Asymptotic properties and zeros of the forward scattering amplitude, 3=10037
Namysłowski,J. See Kotański,A., 3=19680
Nancollas,G.H. and Purdie,N. Crystallization of barium sulphate in aqueous solution, 3=16040
Nancollas,G.H. and Vincent,C.A. A self-timing bridge method for the measurement of double layer capacitance at a dropping mercury electrode, 3=14476
Nand,S. See Ghosh,S.N., 3=11344
Nand,S. See Ghosh,S.N., 3=11531
Nanda,R.S. On the three-dimensional flow of certain non-Newtonian liquids, 3=23842
Nanda,R.S. and Sharma,V.P. Possible similarity solutions of unsteady free convection flow past a vertical plate with suction, 3=3912
Nanda,R.S. and Sharma,V.P. Free convection flow with and without heat sources in a circular pipe, 3=14397
Nanda,R.S. and Sundaram,A.K. Boundary layer growth of an infinite flat plate in magnetohydrodynamics, 3=4258
Nanda,V.S. See Chandra,R., 3=19089
Nangia,P.S. See Benson,S.W., 3=8961
Nanis,L. See Miller,I.R., 3=11365
Naniwada,R. See Ito,K., 3=19350
Nankivell,J.F. The theory of electron stereo microscopy, 3=14657
Nanney,C. Infrared absorptance of single-crystal antimony and bismuth, 3=4970
Nanney,C. An explanation for the "new effect in the magnetoresistance of antimony", 3=6563
Napel,E.W.T. See De Boer,Th.J., 3=19603
Naphtali,L.M. and Polinski,L.M. A novel technique for characterization of adsorption rates on heterogeneous surfaces, 3=20936
Napoli,L.S. and Swartz,G.A. Wave propagation in a tubular plasma, 3=19257
Napolitano,L.G. Monti,R., 3=24271
Napper,D.H. and Ottewill,R.H. Studies on the higher order Tyndall spectra of monodisperse silver bromide sols, 3=13629
Naqvi,M.A. and Saifuddin. Hartree—Fock theory for a semi-infinite medium, 3=10434
Naqvi,S.I.H. Operating characteristics of a sum-coincidence spectrometer, 3=576
Nara,H. See Morita,A., 3=2869
Narahari Rao,K.,de Vore,R.V. and Plyler,E.K. Wavelength calibrations in the far infrared (30 to 1000 microns), 3=24019
Narahari Rao,K. See Edse,R., 3=10504
Narahari Rao,K. See Fraley,P.E., 3=6404
Narahari Rao,K. See Jackson,D.A., 3=11934
Naranan,S. See Chatterjee,B.K., 3=4508
Naranan,S. See Chatterjee,B.K., 3=4510
Naranan,S. See Hasegawa,H., 3=4496
Narasimha,R. See Liepmann,H.W., 3=1754
Narasimham,K.V. Absorption spectra of uranyl acetate and nitrate, 3=8282
Narasimham,N.A. and Srikameswaran,K. The β - and γ - band systems of ^{14}NS and ^{15}NS., 3=10519
Narasimham,N.A. and Srikameswaran,K. A new $^{2}\Sigma$-X$^{2}\Pi$ system in the spectrum of NS, 3=10520
Narasimham,N.A. and Srikameswaran,K. A new $^{2}\Pi$-X$^{2}\Pi$ band system of nitrogen sulphide, 3=12816
Narasimhamurty,A. Electron paramagnetic resonance in single crystals. I. Anisotropy studies on ferric ammonium sulphate, 3=25565
Narasimhamurty,A. Electron paramagnetic resonance in single crystals. II. Manganese acetate and manganese sulphate, 3=25566
Narasimhamurthy,A. and Premaswarup,D. Estimation of crystalline electric field and evaluation of g factors, 3=15410
Narasimhamurthy,T.S. See Jacob,P.J., 3=916
Narasimhan,R. See McCormick,B.H., 3=19521

Narath,A. Low-temperature sublattice magnetization of antiferromagnetic $CrCl_3$, 3=15552
Narayan,D.S. and Sarma,K.V.L. On the distribution of transverse momenta and its connection with elastic scattering at high energies, 3=22082
Narayana,K.L. and Santhamma,C. On nuclear quadrupole coupling constants of chlorine isotopes and dipole moment of BrCl molecule, 3=25141
Narayana Rao,D.A.A.S. Atomic polarization and infra-red absorption, 3=12809
Narayana Rao,V. An instrument for measuring small changes in the velocity of sound in the sea, 3=13651
Narayanan,P.S. See Krishnan,R.S., 3=23065
Narayanan,P.S. See Sankaranarayanan,S., 3=6389
Narbutt,K.I. Fluorescence X-ray microanalyzer, 3=23560
Narbutt,K.I., Fridman,E.M. and Nikolaenko,G.M. Constant vacuum X-ray tube for a long wavelength X-ray spectrometer, 3=4235
Narbutt,K.I. and Laputina,I.P. On the feasibility of determining the degree of oxidation of uranium from X-ray emission spectra, 3=23558
Nardelli,G.F. See de Micheli,R., 3=23248
Nardelli,G.F. See De Micheli,R., 3=23269
Nardi,E., and Yatsiv S. Temperature dependence and decay
Nardi,V.,Pisent,G. and Mammi,M. Crystallite growth induced by ultrasonics and irreversible processes in a long-chain polymer (p.v.c.), 3=13419
Nardone,M.C. See Breene,R.G.,Jr, 3=1732
Nardone,M.C. See Breene,R.G.,Jr , 3=17531
Nardozza,V.J. See Gerson,N.C., 3=12327
Nariai, H. and Kimura, T. On the canonical formalism of the gravitational field in the expanding universe, 3=39
Nariai,H. and Kimura,T. Quantization of the gravitational field in the expanding universe, 3=11503
Nariai, H. and Kimura,T. Electrodynamics in the expanding universe, 3=21085
Nariai,K. Atmospheres of white dwarfs, 3=5265
Narita,K. Energy spectrum of Mn^{++} ion in calcium fluorophosphate. II, 3=13168
Narl Chow Hung and Wilson,D.J. Anharmonic effects in unimolecular rate theory. Dynamics of a rotating anharmonic triatomic molecule, 3=10489
Narlikar,J.V. Neutrinos and the arrow of time in cosmology, 3=3534
Narlikar,J.V. Newtonian universes with shear and rotation, 3=25969
Narlikar,J.V. See Hoyle,F., 3=5235
Narlikar,J.V. See Hoyle,F., 3=9254
Narlikar,J.V. See Hoyle,F., 3=11502
Naryadchikov, D.I., Grishina, A.D. and Bakh, N.A. Recording of e.p.r. spectra during irradiation with X-rays, 3=4280
Narȳshkina,L.G. The energy loss by a charged particle in a medium as the result of emission of longitudinal waves, 3=2238
Narȳshkina,L.G. and Barsukov,K.A. Radiation of an oscillator moving in a waveguide, 3=24477
Nash,A.E. See Gorbics,S.G., 3=22338
Nash,G.F. See Brink,D.M., 3=10253
Nash,W.F. See Coates,D.W., 3=2346
Nash,W.F. See Cousins,J.E., 3=7882
Nasledov,D.N. and Emel'yanenko,O.V. Electrical properties of n-type gallium arsenide at low temperatures, 3=10814
Nasledov, D.N, Mamaev, S. and Emel'yanenko, O.V. Investigation of the thermoelectric power and magnetothermal effects of alloys in the $CdSnAs_2-2InAs$ system, 3=17970
Nasledov,D.N., Rogachev,A.A., Ryvkin,S.M., Khartsiev,V.E. and Tsarenkov,B.V. Structure of the intrinsic recombination radiation spectrum of gallium arsenide, 3=17990
Nasledov,D.N. and Slobodchikov,S.V. Photoconductivity of GaP, 3=15632
Nasledov, D.N. and Slobodchikov, S.V. Electrical properties of GaP crystals, 3=17879
Nasledov,D.N. and Tsarenkov B.V. Electrical breakdown of p—n junctions in gallium arsenide, 3=20350
Nasledov, D.N. See Gutkin, A.A., 3=17914
Nasledov,D.N. See Gutkin,A.A., 3=20421
Nasledov, D.N. See Vinogradova, K.I., 3=2916
Nasledov, D.N. See Volokobinskaya, N.I., 3=25367
Nasledov,D.N. See Zolotarev,V.F., 3=6638
Nasledov, D.N. See Zolotarev, V.F., 3=17881

Nassenstein,H. Reflection and interference of light at electrochemical boundary layers, 3=11933
Nasser,E. Ionizing potential wave in spark breakdown, 3=9760
Nassimbeni,L.R.,Prout,E.G. and Woods,G.S. The preparation of positive prints of X-ray diffraction negatives, 3=13435
Nastyukha,A.I. See Lobikov,E.A., 3=14541
Nastyukha,A.I. See Lobikov,E.A., 3=21817
Natadze,A.L. and Éfros,A.L. Effect of mutual electron and phono drag on the thermo-e.m.f. and the nernst effect [in degenerate semiconductors], 3=20290
Natali,S. See Birge,R., 3=22192
Nath,N. See Gale,N.H., 3=22296
Nath,N. See Van Patter,D.M., 3=2466
Nath,R. See Mathur,V.S., 3=7862
Nathan,M.I. Anisotropy of the conductivity of n-type germanium at high electric fields, 3=15575
Nathan,M.I. and Burns,G. Recombination radiation in GaAs, 3=4921
Nathan,M.I. and Burns,G. Recombination radiation in GaAs by optical and electrical injection, 3=8617
Nathan,M.I.,Dumke,W.P.,Burns,G.,Dill,F.H.,Jr and Lasher,G. Stimulated emission of radiation from GaAs p—n junctions, 3=7735
Nathan,M.I.,Fowler,A.B. and Burns,G. Oscillations in GaAs spontaneous emission in Fabry—Perot cavities, 3=24523
Nathan,M.I. and Marinace,J.C. Phonon and polaron interaction in germanium—gallium arsenide tunnel heterojunctions, 3=6609
Nathan,M.I. See Armstrong,J.A., 3=24515
Nathan,M.I. See Burns,G., 3=14808
Nathan,M.I. See Burns,G., 3=24519
Nathan,O. See Hansen,O., 3=12576
Nathans,M.W. and Leider,M. Studies on bismuth alloys. I. Liquidus curves of the bismuth—copper, bismuth—silver, and bismuth—gold systems, 3=5554
Nathans,R., Alperin,H.A., Pickart,S.J. and Brown,P.J. Measurement of the covalent spin distribution in manganous fluoride using polarized neutrons, 3=15736
Nathans,R.,Pickart,S.J.and Alperin,H.A. Spin density distributions and Hartree-Fock calculations for the iron group series, 3=1103
Nathans,R. See Alperin,H.A., 3=15896
Nathans,R. See Pickart,S.J., 3=15859
Nathans,R. See Pickart,S.J., 3=15860
Nathans,R. See Shirane,G., 3=15733
Nathans, R. See Shirane, G., 3=17632
Nathanson,H.C. and Jordan,A.G. Voltage controlled minority carrier collection — the exponentially retrograded photodiode, 3=13093
Nation,J.A. See Allen,J.E., 3=12169
Natterer,B. See Busch,G., 3=11027
Naudé,D.E.H. See Einhorn,H.D., 3=14354
Naudin,F. See Zarzycki,J., 3=7206
Naudin,F. See Zarzycki,J., 3=11796
Naudin,F. See Zarzycki,J., 3=13158
Nauenberg,M. A note on the theory of final state interactions, 3=10174
Nauenberg, M. See Ball, J.S., 3=562
Nauenberg,U. See Alff,C., 3=4432
Nauenberg,U. See Alff,C., 3=4433
Nauenberg,U. See Colley,D., 3=2322
Naugol'nȳkh,K.A. The problem of an expanding cylinder in a liquid, 3=107
Naumann,L. See Amato,G., 3=17135
Naumann,R. See Kaufmann,C., 3=12375
Naumann,R.J.,Fields,S.A. and Holland,R.L. Analysis of Explorer 11 orientation, 3=23716
Naumann,R.J. See Lundquist,C.A., 3=9111
Naumenko,Yu.P. Electron trajectories in the inverted magnetron, 3=21870
Naumenkov,P.A. Use of a special low-voltage spark for determination of hard-to-excite elements, 3=25843
Naumkin,O.P. See Cherchernikov,V.I., 3=25508
Naumov,A.I. Experimental investigation of the directivity of an ammonia molecular beam, 3=22615
Naumov,A.I. Modulation method of detecting molecular beams, 3=25155
Naumova, I.I. See Mill', B.V., 3=18272

Navarro,Q.O.,Rasmussen,J.O. and Shirley,D.A. Preferential polar emission in the alpha decay of deformed Cf^{249} and E^{253}, 3=4608
Navez,M. and Sella,C. The study of the attack of glass by ionic bombardment, 3=17810
Navinšek,B.,Požar,F. and Marinković,V. An ion bombardment apparatus with a high-frequency ion source, 3=9878
Navrátil,E. The influence of the spin–orbital bond on direct photonuclear reactions (γ, n) and (γ, p), 3=4613
Nawab,M.A. See Khadim,A.H.K., 3=109
Nawrocki,P.J. Stress effects due to relativistic contraction, 3=1589
Nayatani,Y. and Wyszecki,G. Color of daylight from north sky, 3=11407
Nayatani,Y. and Wyszecki,G. Color of fluorescent paints, 3=14307
Nayatani,Y. See Kurioka,Y., 3=23997
Nayler,J.L.[Ed.]. Advances in space technology, 3=16433
Naylor,M. See Langberg,E., 3=16780
Nayroles,B. A development of elastic domains in structures, 3=13367
Nazarenko,V.A. See Lobashov,V.M., 3=2410
Nazarenko,V.A. See Lobashov,V.M., 3=6203
Nazarenko,V.A. See Lobashov,V.M., 3=6204
Nazarenko,V.A. See Lobashov,V.M., 3=15085
Nazarewicz,W. See Balkanski,M., 3=23044
Nazaroff,G.V. and Hirschfelder,J.O. Comparison of the Hartree–Fock orbital with the first natural spin orbital for two-electron systems, 3=22469
Nazarov,D.A. See Gavrilenko,L.M., 3=3979
Nazarov,I.M. See Boltneva,L.I., 3=5185
Nazarov,N.I.,Ermakov,A.I.,Lobko,A.S.,Bondarev,V.A.,Tolok,V.T. and Sinel'nikov,K.D. Investigation of ion cyclotron waves, 3=7622
Nazarov,V.P. See Kolbasov,V.A., 3=14788
Nazarova,M.N. and Pereyaslova,N.K. Dependence of the parameters of a scintillation counter on temperature, 3=24548
Nazarova,T.F. See Kolomiec,B.T., 3=10802
Nazarova,T.F. See Andriesh,A.M., 3=15635
Nazarova,T.N. A study of meteor dust using rockets and artificial earth satellites, 3=3555
Nazarova,T.N. A study of meteor dust using rockets and artificial earth satellites, 3=21064
Nazarova,T.S. See Klyucharev,A.P., 3=19501
Neal,R.A. See Lin,S.-C., 3=7431
Neal,S.B.H.C. and Hitchcock,J.A. Large-scale model investigatior of the axial heat transfer variation along the polyzonal spiral surface of fuel element cans used in gas-cooled nuclear power reactor systems, 3=4698
Neal,W.E.J. The dependence of the thermal diffusion factor on temperature and pressure for binary gas mixtures, 3=21428
Neale,S.M. See Weyl,D.A., 3=16635
Neamtan,S.M. See Darewych,G., 3=12083
Neamu,I. See Hulubei,H., 3=6233
Neaves,A. See Lin,C.J., 3=1161
Nebenzahl,I. and Rakavy,G. The correlation between spectra and the number of neutrons evaporated from an excited nucleus, 3=7980
Nechaev,Yu.I. See Aleksandrov,Yu.A., 3=14939
Nechin,Yu.A. See Khristiansen,G.B., 3=4513
Nechin,Yu.A. See Vernov,S.N., 3=19719
Neckel,H. See Labs,D., 3=21106
Neddermeyer,S.H. and Curtis,S.B. Interactions of cosmic-ray muons in a thick Pb absorber, 3=19735
Nederveen,C.J. A simple apparatus for producing a logarithmic time-scale, 3=9405
Nederveen,C.J. and van Wulfften Palthe,D.W. Resonance frequency of a gas in a tube with a short closed side-tube, 3=18910
Nedlin,G.M. Theory of second-order phase transition from the ferromagnetic to the ferromagnetic and ferroelectric state, 3=23147
Nedospasov,A.V. See Artsimovich,L.L., 3=19240
Nedospasov,A.V. See Vdovin,V.L., 3=7476
Nedovesov,V.G. See Dzhelepov,B.S. 3=4606
Nedvedyuk,K.,Salatskii,V.I. and Sizov,I.V. Investigation of the C^{12}(t,α)B^{11} reactions, 3=24982
Nedyalkov,I.P. Reduction of the solution of differential equations of elliptic type, 3=1578
Nedzvetskii,D.S. See Gross,E.F., 3=8618
Need,J.L. Analysis of the energy dependence of the isomer ratio in the Sn^{120}(p,α)In^{117,117m} reaction, 3=8093
Need,J.L. and Linder,B. Cross sections for formation of the isomeric pair In^{117} and In^{117m} in the Sn^{120}(p,α) reaction, 3=8092
Néel,L. Magnetic properties of fine-grained antiferromagnets: superparamagnetism and superantiferromagnetism, 3=1093
Néel,L. Observations on magnetic interactions, 3=3090
Néel,L. A magnetostatic problem concerning thin ferromagnetic films, 3=3110
Néel,L. A new method of coupling the magnetizations of two thin ferromagnetic films, 3=3111
Neel,L. See Aléonard,R., 3=15802
Néel,L. See Chambron,W., 3=3119
Neél,L. See Dautreppe,D., 3=11056
Neél,L. See Paulevé,J., 3=8900
Néel,P. Fast neutron irradiation of semi-transparent photoelectric films, 3=14632
Neelakantan,K.A. and Shukla,P.G. Energy spectrum of heavy nuclei of the primary cosmic radiation during solar maximum, 3=10187
Neeley,V.I. See Kemp,J.C., 3=13169
Neeley,V.I. See Kemp,J.C., 3=25301
Ne'eman,Y. New lepton group, 3=7769
Ne'eman,Y. Higher symmetries and current conservation, 3=14870
Ne'eman,Y. and Goldberg,H. Two sets of T=1,0 vector mesons, 3=4445
Ne'eman,Y. See Dothan,Y., 3=583
Ne'eman,Y. See Goldberg,H., 3=7785
Ne'eman,Y. See Goldberg,H., 3=14883
Ne'eman,Y. See Horn,D., 3=2190
Ne'eman,Y. See Horn,D., 3=24611
Neet,D. See Giesch,M., 3=17243
Nefedow,W. The blackening curver of X ray films, 3=9632
Nefflen,K.F. See Morokuma,T., 3=9608
Nefkens,B.M.K. New β^- activity induced by photon bombardment of lithium, 3=12620
Nefkens,B.M.K. New β^- activities induced by the photon bombardment of Boron-11, 3=15136
Neganov,B.S. See Goncharov,I.N., 3=2084
Neganov,B.S. See Goncharov,I.N., 3=14726
Negishi,K. See Hamano,K., 3=10885
Negri,P. See Bellini,G., 3=7899
Negri,P. See Fretter,W.B., 3=2301
Negri,P. See Veillet,J.J., 3=10163
Negri,P. See Veillet,J.J., 3=17313
Neher,H.V. and Leighton,R.B. Linear air trough, 3=9383
Nehra,C.P. See Wilson,B.G., 3=10190
Neiburger,M. See Shafrir,U., 3=23844
Neichi,Y. See Kubota,B., 3=1035
Neidhardt,W.J. and Fajans,J. Electrohydrodynamics of superfluid helium in narrow channels, 3=312
Neidigh,R.V. See Alexeff,I., 3=5658
Neidigh,R.V. See Alexeff,I., 3=7457
Neidigh,R.V. See Alexeff,I., 3=9802
Neidigh,R.V. See Alexeff,I., 3=12176
Neidigh,R.V. See Alexeff,I., 3=16937
Neidigh,R.V. See Alexeff,I., 3=21802
Neighbours,J.R. See Featherston,F.H., 3=13325
Neikam,W.C. and Dailey,B.P. N.M.R. spectra of some cyclohexyl derivatives, 3=8297
Neiler,J.H. See Moak,C.D., 3=21907
Neiler,J.H. See Schmitt,H.W., 3=6313
Neilson,F.W. See Jones,O.E., 3=1224
Neilson,G.C. See Braben,D.W., 3=15100
Neilson,G.C. See Rilev,P.J., 3=24860
Nekrashevich,I.G. and Bakuto,I.A. Dependence of the electro-erosion effect on the length of the spark gap in apparatus with an r.c. type circuit, 3=7473
Nekrashevich,I.G.,Labuda,A.A.,Plashchinskaya,R.V. and Ermakova,N.E. Time-resolved studies of the influence of "third" components in emission analysis, 3=25845
Nekrashezich,A.M. See Kharchenko,I.F., 3=21908
Nekrasov,F.M. The initial stage of development of disturbances in a plasma located in an external magnetic field, 3=2005
Nekrasov,F.M. Periodic electrostatic fields in an electron plasma, 3=21873
Nekrasov,Yu.V. See Ol'shanskaya,E.Ya., 3=20891

Nelipa,I.F. On the theory of the radioactive production of electron–positron pairs on nuclei, 3=17257

Nelipa,N.F. The theory of the double-Compton effect for electrons, 3=14935

Nelipa,N.F. and Tsarev,V.A. Double dispersion relations and the photoproduction of π-mesons. II. 3=4426

Nelipa,N.F. and Tsarev,V.A. Dispersion relations for photoproduction of K-mesons on nucleons and π-mesons on hyperons, 3=22196

Nelissen,B.M. Development of atomic knowledge, 3=2512

Nelken,J. See Hoch,M., 3=2785

Nelkin,M. Asymptotic solutions of the transport equation for thermal neutrons, 3=12465

Nelms,G.L. Scale height of the upper ionosphere from top-side soundings, 3=16245

Nelson,D.F. and Boyle,W.S. A continuously operating ruby optical maser, 3=14800

Nelson,D.F., Gershenzon,M., Ashkin,A., D'Asaro,L.A. and Sarace,J.C. Band-filling model for GaAs injection luminescence, 3=20514

Nelson,D.F. See Collins,R.J., 3=17077

Nelson,D.R. See Carter,J.G., 3=18052

Nelson,F.A. See Anderson,W.A., 3=21999

Nelson,F.C. Out-of-plane vibration of a clamped circular ring segment, 3=18871

Nelson,H. See Braunstein,R., 3=20476

Nelson,I.V. and Iwamoto,R.T. Experimental evaluation of liquid-junction potential, 3=23546

Nelson,J.K. See Meyer-Arendt,J.R., 3=1788

Nelson.J.W.,Carter,E.B.,Mitchell,G.E. and Davis,R.H. Thresholds observed in the $C^{13}(\alpha,n)O^{15}$, $Si^{28}(\alpha,n)S^{31}$, $S^{32}(\alpha,n)Ar^{35}$, $S^{34}(\alpha,n)Ar^{37}$, and $Cl^{35}(p,n)Ar^{35}$ reactions, 3=8131

Nelson,K.A. See Greene,D., 3=19391

Nelson,L.C. An automatic liquid level controller for use with liquid nitrogen, 3=24125

Nelson,L.S. and Kuebler,N.A. Kinetic absorption spectra recorded edgewise across flash-heated strips, 3=18982

Nelson,L.S. and Kuebler,N.A. Nonelectrical explosion of metals induced thermally with flash lamps, 3=21628

Nelson,L.S. and Kuebler,N.A. Vaporization of tungsten studied by flash heating and kinetic spectroscopy. I. Near-ultraviolet region, 3=24117

Nelson,L.S.,Kuebler,N.A. and Kornegay,R.L. Determination of wavelengths and wavenumbers from spectroscopic plates with a card-punching comparator, 3=18997

Nelson,M. See Gardner,J.H., 3=24492

Nelson,P. Turbulence in plasmas, 3=7523

Nelson,R. See Rindner,W., 3=2940

Nelson,R.C. Electronic conduction in glass, 3=10870

Nelson,R.C. Photoelectric phenomena in hemoglobin and dyed gelatin, 3=20413

Nelson,R.C. Dark conductivity of cationic dye photoconductors, 3=25416

Nelson,R.C. See Cho,B.-Y., 3=23021

Nelson,R.C. See Petruzzella,N., 3=8531

Nelson,R.S. Focused collision sequences in tungsten and molybdenum, 3=22881

Nelson,R.S. and Thompson,M.W. Evidence for focused recoil trajectories from a high-energy sputtering experiment with Cu, 3=2049

Nelson,R.S. and Thompson,M.W. Focused collision sequences in aluminium, 3=2845

Nelson,R.S.,Thompson,M.W. and Montgomery,H. The influence of thermal vibration on focused collision sequences, 3=452

Nelson,R.S. See Beevers,C.J., 3=20159

Nelson,R.S. See Thompson,M.W., 3=6552

Nelson,T.J. See Geusic,J.E., 3=17936

Nelting,P. See Fucks,W., 3=7276

Nemashkalo,B.O. See Lavrentyev,O.O., 3=19274

Nemchenko,V.F. See L'vov,S.N., 3=25210

Nemchenko,V.F. See Verkhoglyadova,T.S., 3=865

Nemchinov,S.V.,Musaeljan,Sh.A. and Sadokov,V.P. Determination of the stream function from vertical motion, 3=25879

Nemchinov,S.V. and Sadokov,V.P. Establishment of a scheme stable in initial data to compute meteorological elements by means of solving thermohydrodynamic equations, 3=1427

Němec,J. See Bém,P., 3=2444

Nemenov,L.L.,Solov'ev,L.D. and Khomskii,D.I. Role of the bipion in π-meson production in nucleon–nucleon collisions, 3=5994

Nemenov,L.L. See Blokhintseva,T.D., 3=6044

Nemenov,L.L. See Blokhintseva,T.D., 3=22176

Nemenov,L.L. See Blokhintseva,T.D., 3=22177

Nemenov,L.L. See Blokhintseva,T.D., 3=24558

Nemenov,L.M., See Arzumanov,A.A., 3=9888

Németh,G. See Pál,L., 3=9900

Németh,J. See Csikai,J., 3=10367

Németh,T. See Lőrinczy,A., 3=22786

Nemets,O.F.,Pasechnik,M.V. and Pucherov,N.N. Study of nuclear reactions in the cyclotron of the Institute of Physics of the Ukrainian Academy of Sciences, 3=19880

Nemets,O.F. and Tokarevskii,V.V. Spin and parity of some states of Cd^{112}, Sn^{118} and Sn^{120}, 3=12592

Nemets,O.F. See Gofman,Yu.V., 3=6283

Nemets,O.F. See Gofman,Yu,V., 3=6284

Nemets,O.F. See Gofman,Yu.V., 3=6285

Nemets,O.F. See Gofman,Yu.V., 3=7744

Nemets,O.F. See Zaika,N.I., 3=17405

Nemets,O.F. See Zaika,N.I., 3=22271

Nemilov,Ya.A. See Guseva,M.I., 3=24971

Nemilov,Yu.A.and Pobedonostsev,L.A. Polarization of 3 MeV protons elastically scattered on C^{12}, 3=2443

Nemilov,Yu.A. See Babenko,N.P., 3=22417

Nemilov,Yu.A. See Blinov,V.A., 3=531

Nemilov,Yu.A. See Gustova,L.V., 3=22416

Nemilov,Yu.A. See Marov,G.I., 3=24993

Nemilov,Yu.A. See Zherebtsova,K.I., 3=4667

Nemilov,Yu.A. See Zherebtsova,K.I., 3=8128

Nemirovskii,P.E. Neutron–proton interaction energy in odd–odd nuclei, 3=2359

Nemirovskii,P.E. and Chepurnov,V. The spin–orbit interaction in spherical nuclei, 3=15095

Nemirovskii,P.É. and Elagin,Yu.P. Cross-sections for elementary processes with large absorption, 3=24647

Nemirovsky,P.E. and Adamchuk,Yu.V. Neutron and proton pair interaction energy, 3=10199

Nemirovsky,P.E. and Yelagin,Yu.P. Optical model for cross sections of radiative capture and inelastic neutron scattering, 3=19855

Nemirovs'kȳi,P.E. See Yelahin,Yu.P., 3=19869

Nemnonov,S.A. and Finkel'shtein,L.D. The $K\beta_x$ emission band an K absorption edge of aluminium in sole alloys with transition metals, 3=10974

Nemnonov,S.A. and Kolobova,K.M. Nature of interatomic interactions and the state of the inner electrons in iron atoms of silicides, 3=20041

Nemnonov,S.A. See Men'shikov,A.Z., 3=23086

Nemoda,L. See Drimer,D., 3=25294

Nemonov,L.M. See Babichev,A.P., 3=21913

Nemoshkalenko,V.V. An X-ray spectroscopic study of the iron transition group metals, 3=25475

Nemoshkalenko,V.V. See Borisov,N.D., 3=4236

Nemoshkalenko,V.V. See Borisov,N.D., 3=4833

Nemoto,M. See Koda,S., 3=22797

Nene,M.G. See Arnikar,H.J., 3=14553

Nene,M.G. See Arnikar,H.J., 3=19207

Nenow,D. On the equilibrium form of dislocated crystals, 3=12973

Nensberg,E.D. See Averkin,A.A., 3=22948

Neogy,D. Absolute determination of the principal magnetic susceptibilities of triclinic crystals, 3=17019

Neogy,D. The principal magnetic susceptibilities of crystalline ytterbium sulphate octahydrate and the nature of its crystal field, 3=25510

Neporent,B.S., Bakhshiev,N.G., Lavrov,V.A. and Korotkov,S.M. Effect of the medium on the properties of electron spectra of complex molecules during the gradual transition from vapours to solutions, 3=1703

Neporent,B.S. and Stolbova,O.V. Reversible orientation photodichroism in viscous solutions of complex organic substances, 3=23881

Nereson,N. See Arnold,G., 3=25201

Neronova,N.N. See Belov,N.V., 3=1099

Neronova,N.N. See Belov,N.V., 3=1100

Nervik,W.E. See Hicks,H.G., 3=688

Nesbet,R.K. Theory of superconductivity. II. Properties of the modified electron–lattice states of low energy, 3=332

Nesbet,R.K. Theory of inert-gas fluorides, 3=15357
Nesbet,R.K. See Kahalas,S.L., 3=25099
Nesbet,R.K. See Lefebvre-Brion,H., 3=19977
Nesbet,R.K. See Ullah,N., 3=6139
Nesbitt,E.A.,Williams,H.J.,Wernick,J.H. and Sherwood,R.C. Magnetic properties of compounds of manganese with rare-earth elements having the cubic laves phase structure, 3=15910
Nesbitt,E.A. See Williams,H.J., 3=991
Neshpor,V.S. and Barantseva,I.G. Study of heat conduction of molybdenum silicides, 3=25213
Neshpor,V.S. and Samsonov,G.V. Rhenium disilicide as a new high melting-point semi-conductor, 3=872
Nesmelov,E.A. See Gisin,M.A., 3=19012
Nesmelova,E.S. See Nesterov,V.M., 3=15609
Nesmelova,L.I. See Kosman,M.S., 3=20402
Nesmeyanov,A.N. S.I.Vavilov—eminent scientist and leader of Soviet science, 3=16478
Nesmyanovich,A.T. Some peculiarities of the magnetic field in the solar corona, 3=9212
Ness,N.,Fanucci,J.B. and Kijewski,L.J. Nonuniform expansion of a piston into an ionized medium with a weak magnetic field, 3=21776
Ness,N.F. See Harrison,J.C., 3=13637
Ness,N.F. See Heppner,J.P. 3=11466
Nesterenko,E.G. and Chuistov,K.V. Influence of plastic deformation on phase transformations in the alloy Cu−Ti, 3=5126
Nesterenko,P.S. Concerning the dark polarization of polycrystalline cadmium sulphide, 3=20404
Nesterenko,V.S. See Invanov,A.A., 3=24184
Nesterko,N.A. See Lyuitȳǐ,A.I., 3=23542
Nesterko,N.A. See Lyutȳǐ,A.I., 3=23543
Nesterko,N.A. See Zhitkevich,V.F., 3=19925
Nesterov,V.E. See Savenko,I.A., 3=7961
Nesterov,V.E. See Savenko,I.A., 3=22250
Nesterov,V.E. See Vernov,S.N., 3=9108
Nesterov,V.E. See Vernov,S.N., 3=23636
Nesterov,V.G. See Smirenkin,G.N., 3=6309
Nesterov,V.M.,Nesmelova,E.S.,Ol'shanskaya,N.I.,Mikhailova,T.G. and Potakhova,G.I. Reversible effects of radiation on dielectric properties, 3=15609
Nesterov,V.V. New estimate of the Struve method of latitude determination from observations with a transit instrument in the prime vertical, 3=16318
Nestlerode,J.A. and Lumley,J.L. Initial response of the spectrum of isotropic turbulence to the sudden application of a strong magnetic field, 3=21952
Nestorov,G. and Taubenheim,J. Effective recombination coefficient and sources of ionizing radiation for E-region during solar eclipse of 15th Feb.1961, 3=16271
Neta,P. See Anbar,M., 3=5171
Neta,P. See Anbar,M., 3=6928
Nethaway,D.R. See Wahl,A.C., 3=19894
Nethercot,A.H.,Jr. and von Gutfeld,R.J. Nonlinear microwave effects and the switching speed of superconducting tin, 3=19123
Nethercot,A.H.,Jr. See Lasher,G.J., 3=20397
Nettel,S.J. Many-particle theory of impurity states in polar crystals, 3=4846
Netter,F. See Julien,J., 3=4645
Nettleton,L.L. and Cannon,J.R. Investigation of upward continuation systems, 3=9000
Nettleton,L.L.,LaCoste,L.J.B. and Glicken,M. Quantitative evaluation of precision of airborne gravity meter, 3=8996
Nettleton,R.E. Invalidity of Meixner's theorem in irreversible thermodynamics, 3=63
Nettleton,R.E. Linear velocity-gradient term in time-dependent pair distribution function, 3=14150
Nettleton,R.E. Inertial effects in the phenomenological theory of thermal diffusion in liquids, 3=16608
Nettley,P.T.,Bridge,H. and Simmons,J.H.W. Irradiation behaviour of graphite, 3=25027
Netzband,D. Light conversion with a dE/dx counter and photomultiplier, 3=2157
Neu,H. Electron heating in Hall fields of m.p.d. generators, 3=24459
Neubauer,W.G. Summation formula for use in determining the reflection from irregular bodies, 3=9560
Neubert,T.J. See Lomeline,J.M., 3=22983
Neuberger,J. See Arase,E.M., 3=25188
Neuberger,J. See Arenstein,M., 3=25204
Neuberger,J. See Arenstein,M., 3=25205
Neuburger,E. See Daniel,H., 3=22328
Neudachin,V.G. See Balashov,V.V., 3=7963
Neudachin,V.G. See Matthies,S., 3=636
Neudachin,V.G. See Mattkhiz,Z., 3=6163
Neuenschwander,E. See Janz,G.J., 3=22663
Neuert,H. See Bormann,M., 3=15210
Neuert,H. See Kraus,K., 3=7444
Neufeld,J. Constitutive equations for a plasma-like medium, 3=21947
Neufeld,J. and Wright,H. Instabilities in a plasma—beam system immersed in a magnetic field, 3=7625
Neufeld,J. and Wright,H. Magnetodynamic instabilities in a plasma—beam system, 3=21834
Neugebauer,C.A. Study of the saturation magnetization and magnetic anisotropy of ultrathin films under ultrahigh vacuum conditions, 3=15822
Neugebauer,C.A. and Webb,M.B. The mechanism of electrical conduction in ultrathin evaporated metal films, 3=15536
Neugebauer,H.E.J. Coherence time of a maser, 3=12338
Neugebauer,M. and Snyder,C.W. Solar plasma experiment, 3=7028
Neugebaur,G. See Chase,S.C., 3=18617
Neuhaus,H. See Andersén,E., 3=25103
Neuhaus,H. See Larsson,T., 3=8270
Neumaier,F. See Moser,H., 3=1669
Neumann,H.A. and Schult,O.W.B. Simple arrangement for measurement of the breadth of the mosaic spread of crystals, 3=13428
Neumann,H.J. Interpretation of surface eruptions, 3=1671
Neumann,H.J. On the mechanism of coalescence 3=23858
Neumann,J.P. On the order in the hexagonal ζ-phase in the system silver—aluminium, 3=6862
Neumann,K. and Hermann,P. Determination of the surface diffusion of potassium atoms from the rate of formation of crystal edges in supersaturated vapour, 3=25291
Neumann,K.K. Thermodynamic equilibrium at high temperatures in air. I. Complete equilibrium between material particles and radiation, 3=4118
Neumann,K.K. Thermodynamic equilibria at high temperatures in air. II. Equilibrium without reference to radiation, 3=24275
Neumann,Kl.K. Entropy, enthalpy, free enthalpy, molecular weight and degree of ionization of air plasma, 3=21818
Neumann,W. Characteristics of subsonic argon plasma jets, 3=5663
Neumann,W. Absolute determination of the radiative component of high pressure arcs in heavy noble gases, 3=14555
Neumann, W. On the radial temperature behavior in stationary and impulse-modulated high-temperature argon arcs, 3=16917
Neumann,W. Plasma diagnostic procedures, 3=19275
Neumark, G.F. See Rittner, E.S., 3=17967
Neupert,W.M. and Behring,W.E. Solar observations with a soft X-ray spectrometer, 3=9152
Neupert,W.M. See Kastner,S.O., 3=24055
Neurath,P.W. Magnetic annealing and directional ordering, 3=15804
Neurath,P.W. and Gibbs,T.W. Arc cathode emission mechanisms at high currents and pressures, 3=9755
Neurath,P.W. See Lesensky,L., 3=12034
Neuringer,J.L. and Migotsky,E. Skin effect in magneto-fluid dynamic traveling wave devices, 3=21967
Neuringer,L.J. and Little,W.J. Longitudinal magnetoresistance of n-type silicon in D.C. magnetic fields to 90 kilogauss, 3=10795
Neuringer,L.J. See Holland,M.G., 3=10610
Neustroev,V.D. See Almazov,V.Ya., 3=17120
Neuvar,E.W. and Jache,A.W. Microwave spectrum and structure of pentafluorosulfur bromide, 3=22572
Neuvazhaev,V.E. The propagation of a spherical blast wave in a heat-conducting gas, 3=18899
Neuwirth,W. See Kerler,W., 3=12894
Neuwirth,W. See Kerler,W., 3=22629
Neuzil,E.F. and Fairhall,A.W. Fission product yields in helium ion-induced fission of Au^{197}, Pb^{204}, and Pb^{206} targets, 3=10398
Neuzil,E.F. and Lindsay,R.H. Emission of Be^{7} and competition processes at 30 to 42 MeV, 3=22383
Neve de Mevergnies,M. See Ceulemans,H., 3=6012
Neve de Mevergnies,M. See Depuydt,H., 3=8116

Nevill,G.E.,Jr., Commerford,G.E. and Raben,I.A. Reduction in convective heat transfer due to vibration, 3=19048
Neville,A.C. See Ryle,M., 3=9276
Neville,D.E. Σ^- capture in deuterium, 3=10177
Neville,R.A. See Krause,L., 3=18996
Nevitt,M.V. and Aldred,A.T. Ferromagnetism in V—Fe and Cr—Fe alloys, 3=11055
Nevitt,M.V. See Lam,D.J., 3=23141
Nevitt,M.V. See Rosen,S., 3=25747
Nevitt,M.V. See Rosen,S., 3=25748
Nevzglyadov,V.G. Relativistic theory of motion in the external field for a system with integral degrees of freedom, 3=21204
Newburgh,R.G.,Heroux,L. and Hinteregger,H.E. Two light sources for use in the extreme ultraviolet, 3=14355
Newcomb,W.A. Lagrangian and Hamiltonian methods in magnetohydrodynamics, 3=12194
Newell,H.E. Space science, 3=11609
Newell,R.E. Preliminary study of quasi-horizontal Eddy fluxes from meteorological rocket network data, 3=18497
Newell,R.E. Transfer through the tropopause and within the stratosphere, 3=21033
Newell,R.E. The general circulation of the atmosphere and its effects on the movement of trace substances, 3=25869
Newkirk,G.,Jr and Bohlin,D. Reduction of scattered light in the coronagraph, 3=9142
Newkirk,J.B. See Maiya,P.S., 3=20976
Newkirk, L.L. Calculation of low-energy neutron flux in the atmosphere by the S_n method, 3=17371
Newkirk,L.L. See Ashby,V.J., 3=8112
Newman,A.H. See Shannon,R.R., 3=11889
Newman,D.J. See Leech,J.W. (Transl.), 3=5318
Newman,E. and Toth,K.S. Nuclear reactions induced by the nitrogen bombardment of boron-11, fluorine, aluminum, silicon, phosphorus, and chlorine, 3=6301
Newman,E.,Tamburino,L. and Unti,T. Empty-space generalization of the Schwarzschild metric, 3=18716
Newman,E. See Toth,K.S., 3=12703
Newman,J.S. and Tobias,C.W. Theoretical analysis of current distribution in porous electrodes, 3=13614
Newman,P.C. Crystal structures of adamantine compounds, 3=6847
Newman,P.C. See Wright,H.C., 3=10815
Newman,R. Excitation of the Nd^{3+} fluorescence in $CaWO_4$ by recombination radiation in GaAs, 3=13199
Newman,R. See Holloway,W.W.,Jr, 3=23102
Newman,R.C. See Bullough,R., 3=5139
Newman,R.C. See Bullough,R., 3=22742
Newman,S.B. Moire fringes produced by a point projection X-ray microscope, 3=13578
Newsome,R.W.,Jr. See Fischbeck,H.J. 3=10289
Newson,H.W. See Seth,K.K., 3=24954
Newth,J.A. See Binnie,D.M., 3=10081
Newth,J.A. See Binnie,D.M., 3=17153
Newton,A.A. See Bodin,H.A.B., 3=21799
Newton,D. See Rowe,D.J., 3=10342
Newton,J.O. See Lisle,J.C., 3=24969
Newton,R.C. See Jayaraman,A., 3=6814
Newton,R.G. Discontinuities across cuts in the complex angular momentum plane, 3=12427
Newton,R.G. Remark on the "ghost" problem in the vacuum pole trajectory, 3=14918
Newton,R.G. The total angular-momentum plane in the nonrelativistic three-body problem, 3=24662
Newton,R.G. See Desai,B.R., 3=7803
Newton,R.G. See Desai,B.R., 3=7804
Newton,R.G. See Desai,B.R., 3=14915
Newton,R.H.C. A comment on perturbation of electron flow by Gordon Kent, 3=24358
Nexsen,W.E.,Jr. See Coensgen,F.H., 3=12150
Ney,E.P. See Stein,W.A., 3=11549
Neymark, V.E. See Abramov, O.V., 3=18248
Neynaber,R.H.,Marino,L.L.,Rothe,E.W. and Trujillo,S.M. Low-energy electron scattering from atomic nitrogen, 3=8207
Neynaber,R.H. See Rothe,E.W., 3=711
Nezlin, M.V. Electrostatic instability of an intense electron beam in a plasma, 3=436
Ng-yelim,J. See Cunningham,R.L., 3=10706
Ngee-Pong Chang. Electromagnetic correction effects on the $\pi^+ \rightarrow \pi^0 e^+ \nu$ decay, 3=19667
Nguen Din Ty. See Van Gan-chan [Wang Kang-ch'ang], 3=2302
Nguen Din Tȳ. See Van Gan-Chan, 3=19709
Nguen Din Tȳ. See Van Yun-chan [Wang Yung-chang], 3=2305
Nguen-Din Tȳ. See Veksler,V.I., 3=22211
Nguen Din Ty. See Wang Kang-Ch'ang, 3=19702
Nguen Din Ty. See Wang Kang-Ch'ang, 3=22208
N'guen Ling Tai. See Nguyen Din Ty.
Nguen Van Kh'eu. Experimental investigation of the structure of a vector current in weak interactions, 3=5937
Nguen Van Kh'eu. Angular distributions of the decay producted of intermediate vector mesons in the $e^+ + e^- \rightarrow B^+ + B^-$, 3=6023
Nguen Van Kh'eu [Nguyen Van Hieu]. Amplitudes for the $K\overline{K} \rightarrow \pi\pi$ process and K_{e4} decays, 3=22198
Nguen Van Kheu. See Arbuzov,B.A., 3=22193
Nguen Van Kh'eu. See Markov,M.A., 3=6085
Nguen van Kh'ey and Smorodinskii,Ya.A. Radiative corrections in the β-decay of the neutron, 3=24735
Nguyen,D.C. See Yanabu,T., 3=22418
Nguyen Dinh Tu. See Belyakov,V.A., 3=24798
Nguyen Din Ty. See Belyakov,V.A., 3=24764
Nguyen-Huu-Doan. Rotational temperature of the (9-3) and (6-1) OH band emitted in the upper atmosphere, 3=9097
Nguyen-Huu-Doan. Twilight excitation of the resonance line of lithium (6708 A) observed at the Haute Provence Observatory during November 1962, 3=13781
Nguyen-Huu Xuong. See Lynch,G.R., 3=19633
Nguyen-Huu Xuong. See Lynch,G.R., 3=19634
Nguyen-Khac,U. See Jauneau,L., 3=12511
Nguyen-Khac,U. See Jauneau,L., 3=19708
Nguyen Ngoc,H.,Hors,M. and Perez Y Jorba,J. Study of some excited levels of Be^9 by inelastic electron scattering, 3=12580
Nguyen-Ngoc Tran. On the form of the stationary, linearized, three-dimensional [magneto-hydrodynamic] flow equations, 3=21962
Nguyen Quat-Ti. See Baux,M., 3=16136
Nguyen Van Dong, Pham Ngu Tung and Vandevyver, M. The effect of fast neutrons on the thermal conductivity of germanium, 3=17674
Nguyen-van-Hieu. On the renormalization of the beta-decay axial constant, 3=12618
Nguyen Van-Hieu [Nguen Van Kh'eu]. Determination of the amplitudes for π-meson production in neutrino—nucleon collisions by means of dispersion relations, 3=15008
Nguyen van Hieu. Production of pions and K-mesons in processes involving high energy neutrinos, 3=22163
Nguyen Van Hieu and Shabalin,E.P. Role of the $\gamma + \gamma \rightarrow \gamma + \nu + \bar{\nu}$ process in neutrino emission by stars, 3=24689
Nguyen Van Hieu. See Arbuzov,B.A., 3=14891
Nguyen Van Hieu See Gershtein,S.S., 3=17244
Nguyen Van Hieu. See Nguen Van Kh'eu.
Nguyen-Van-Kh'eu. See Baldin,A.M., 3=5973
Nguyen van Thanh. See Arcas,P., 3=24023
Nguyen Van Thanh. See Haeusler,C., 3=19983
Nibler, F. Some properties of ohmic metal-semiconductor contacts, 3=25386
Niblett,D.H. See Lomer,J.N., 3=1218
Niblett,D.H. See Lomer,J.N., 3=8758
Niblett, G. B. F. and Fisher, D. L. Numerical calculations on reversed field heating in the thetatron, 3=413
Niblett,G.B.F. See Bodin,H.A.B., 3=12155
Niblett,G.B.F. See Bodin,H.A.B., 3=12156
Niblett,G.B.F. See Fisher,D.L., 3=2004
Niblett,G.B.F. See Gabriel,A.H., 3=7505
Nicholas,D.J. See Jones Llewellyn F., 3=418
Nicholas,D.J. See Llewellyn Jones,F., 3=7628
Nicholas,N.C. See Vergara,W.C., 3=16135
Nicholls,M.J. See Dutt,T.L., 3=7550
Nicholls,R.W. Franck—Condon factors and r-centroids to high vibrational quantum numbers for three band systems of CO^+ and absolute band strengths for the comet-tail system, 3=4743
Nicholls,R.W. Laboratory astrophysics, 3=10503
Nicholls,R.W. Franck—Condon factor surface for the I_2 ($B\ {}^3\Pi_{0u}{}^+ - X\ {}^1\Sigma_g^+$) band system, 3=12823
Nicholls,R.W. Einstein A coefficients, oscillator strengths and absolute band strengths for the N_2 second positive and $N_2{}^+$ first negative systems, 3=22546
Nicholls,R.W.,Parkinson,W.H. and Reeves,E.M. The spectroscopy of shock-excited powdered solids, 3=24018

Nicholls,R.W. See Watson,M.D., 3=24276
Nichols,J.H. See McClain,E.F., 3=7047
Nichols,R.C. See Cerny,J., 3=17279
Nicholson,A.J.C. Photo-ionization efficiency curves. Measurement of ionization potentials and interpretation of fine structure, 3=24211
Nicholson,J.L. Method for vacuum deposition of refractory metal films, 3=9524
Nicholson,J.L. Method for vacuum deposition of high-purity oxides, 3=23955
Nicholson, O.P. See Holt, R.M., 3=3337
Nicholson,R.B. Quenching defects in solid solutions and their effect of precipitation, 3=8909
Nicholson,R.B. See Embury,J.D., 3=6515
Nicholson,R.B. See Embury,J.D., 3=10666
Nicholson,R.B. See Embury,J.D., 3=12974
Nicholson,R.B. See Embury,J.D., 3=17742
Nicholson,R.B. See Kelly,A., 3=20893
Nicholson,R.B. See Tufton,P.J., 3=20895
Nicholson,S.B. and Wulf,O.R. The diurnal variation of K indices of geomagnetic activity on disturbed days in 1949-1957, 3=9126
Nicholson,W.J. and Burns,G. Spin Hamiltonian parameter D versus axial crystal field for S-state ions, 3=8336
Nicholson,W.J. See Burns,G., 3=22623
Nicholson,W.J. See Friedman,E.A., 3=15734
Nichugovskii,G.F. See Mikhal'chenko,G.A., 3=4295
Nickerson,J.W. See Goldberg,P., 3=15720
Nicklow,R.M. and Young,R.A. Thermal expansion of AgCl, 3=1060
Nickols,N.A. and Barkas,W.H. Propagation of the single scattering distribution in multiple scattering; muon scattering in iron, 3=10138
Nicodemus,F.E. Radiance, 3=11880
Nicolae,M.and Labău,V. Adsorption of H^+ and OH^- ions by silver bromide precipitates, 3=5165
Nicolae,M. See Apostol,A., 3=24574
Nicolas,J. See Vassiliev,A., 3=13268
Nicolau,P. See Rosenberg,M., 3=8521
Nicolet,M. Solar radiation at Uccle, 3=16221
Nicolet,M. Diffusion in planetary atmospheres, 3=16347
Nicolet,M. See Kockarts,G., 3=5209
Nicolić,M. See Jauneau,L., 3=19708
Niday,J.B. See Hicks,H.G., 3=688
Niebuhr,K.E. Generation of laser axial mode difference frequencies in a nonlinear dielectric, 3=24508
Nief,G. See Ceccaldi,M., 3=18999
Nief,G. See Facy,L., 3=25885
Niegel,W. and Schubert,G.U. Investigation into the coupling between first and second sound in helium II, 3=5573
Niehaus,A. See Beck,D., 3=4786
Niehrs,H. On the contents of information from electron microscope images, especially from defocused series, of crystal lattice periods, 3=1297
Niehrs,H. Remark on the diffracting power of net planes with very large spacing, 3=3286
Nielsen,A. See Levi,H., 3=17158
Nielsen,L.P. See Borggreen,J., 3=24383
Nielsen,O.B. See Bjørnholm,S., 3=15158
Nielsen,O.B. See Bjørnholm,S., 3=12604
Nielsen, O.B. See Christensen, P.R., 3=17445
Nielsen,O.B. See Vandenbosch,S.E., 3=10315
Nielsen,V. See Linhard,J., 3=25305
Nieman,G.C. and Robinson,G.W. Rapid triplet excitation migration in organic crystals, 3=3058
Nieman,G.C. and Robinson,G.W. Direct determination of exciton interactions for triplet states of organic crystals, 3=25492
Nieman,G.C. See Sternlicht,H., 3=10981
Niemela,L.Q. See Boyarski,A.M., 3=6065
Niemela,L.Q. See Burleson,G.R., 3=17145
Niemela,L.Q. See Burleson,G.R., 3=17146
Niemela,L.Q. See Burleson,G.R., 3=17149
Niemyski,T.,Olempska,Z. and Pracka,I. Preparation of pure crystalline boron, 3=11226
Nienhuis,K. See Martinides,H., 3=4034
Nier,A.O.,Eckelmann,W.R. and Lupton,R.A. A mass spectrometer for isotope ratio analyses, 3=1407
Nier,A.O. See Thorness,R.B., 3=3842
Nieuwpoort,W.C. See Richardson,J.W., 3=10435
Niewiadomski,T.,Szkatula,A.and Sciesiński,J. A time of flight spectrometer for slow neutrons, 3=589
Niewodniczański,H. See Bożek,E., 3=24905
Niewodniczański,H. See Freindl,L., 3=22412
Niewodniczanski,H. See Gabla,L., 3=11315
Niewodniczanski,H. See Kolonko,N., 3=10376
Niewold,A. See Brodie,I., 3=423
Nifenecker,H.,Paya,D. and Fagot,J. Measurement of the fission cross-section of U^{233} between 1·7 and 57 eV, 3=19892
Nifontov,M.A. See Efimov,N.N., 3=4503
Nifontov,M.A. See Krasilnikov,D.D., 3=4502
Nigam,A.N. See Gokhale,B.G., 3=12766
Nigam,B.P. The two-nucleon interaction, 3=14973
Nigam,B.P. Calculation of the scattering constant from the theory of multiple scattering, 3=17211
Nigam,P.D. See Nigam,S.D., 3=9919
Nigam,R.K. See Rastogi,R.P., 3=296
Nigam,S.D. and Nigam,P.D. Magnetohydrodynamic waves in rotating liquids, 3=9919
Nigge,K.E. Effect of chromatic aberrations on the sighting accuracy of geodetic telescopes, 3=14328
Nigram,A.N. Quadrupole and forbidden lines in the L-emission spectrum of iridium-77, 3=12762
Nihoul,J. The recovery of radiation damage in molybdenum, 3=8470
Nihoul,J.C.J. Magnetodynamic propulsion of interplanetary rockets, 3=19424
Nii,R. Azbel−Kaner cyclotron resonance in n-type PbTe, 3=17698
Nii,R. See Kanai,T., 3=867
Nijboer,B.R.A. and Kokkedee,J.J.J. Scattering of slow neutrons by crystals and fluids. I, 3=20829
Nikandrov, V.S. Effect of aluminum oxide on the electrical conductivity of alkali-free magnesia-lime glasses, 3=17880
Nikanorov,V.I.,Peter,G.,Pisarev,A.F. and Poze,Kh. Measurement of the spin correlation coefficient for pp-scattering at 660 MeV, 3=6006
Nikanorov, S.P. and Stepanov, A.V. Temperature dependence of the elastic constants of potassium chloride and sodium fluoride monocrystals, 3=18163
Nikanorov,V.I. See Govorov,A.M., 3=2182
Nikiforov,I.Ya. Concerning the shape of the $K\beta_5$ emission band of iron. I., 3=10976
Nikiforov,I.Ya.,Sachenko,V.P. and Blokhin,M.A. Comparison of different methods of correcting the shape of spectra, 3=7324
Nikiforov,I.Ya. See Blockhin,M.A., 3=17012
Nikiforov,V.N. See Efremov,A.I., 3=9151
Nikimina,L.M. Determination of mass-transfer potential, 3=24123
Nikishov,A.I. See Gerasimova,N.M., 3=4494
Nikitenko,V.I. and Turubarov,V.I. An installation for the precipitation of zinc oxide aerosol particles in a low frequency acoustic field, 3=18462
levels of C II, N III, O IV, 3=21116
Nikitin,A.A. and Yakubovskii.O.A. Study of the N III recombination spectrum in stellar envelopes and nebulae. VI. The equations of statistical equilibrium for the lower excited
Nikitin,A.V. See Ilyukhin,V.V., 3=23430
Nikitin,A.V. See Van Gan-chan [Wang Kang-ch'ang], 3=2302
Nikitin,A.V. See Van Gan-Chan, 3=19709
Nikitin,A.V. See Wang Kang-Ch'ang, 3=19702
Nikitin,A.V. See Wang Kang-Ch'ang, 3=22208
Nikitin,E.E. Resonance and non-resonance intermolecular energy exchange in molecular collisions, 3=6430
Nikitin,E.E. The probability of nonadiabatic transitions in the case of nondivergent terms, 3=15330
Nikitin,E.E. The interaction of electrons in long molecules with conjugated bonds, 3=15402
Nikitin,E.E. Resonant oscillatory relaxation of a system of harmonic oscillators, 3=18744
Nikitin,E.N.,Bazanov,V.G. and Tarasov,V.I. Measurement of the temperature dependence of electrical conductivity and thermoelectric power of semiconducting materials, 3=24159
Nikitin,L.P. See Kogan,A.V., 3=2417
Nikitin,M.K. See Aleksandrov,Yu.A., 3=8044
Nikitin,M.K. See Badalov,N.B., 3=22347
Nikitin,M.K. See Berlovich,É.E., 3=6175
Nikitin,M.K. See Berlovich,E.E., 3=8008
Nikitin,M.K. See Berlovich,É.E., 3=12595
Nikitin,M.K. See Berlovich,E.E., 3=12596
Nikitin,M.K. See Berlovich,E.E., 3=15121

Nikitin,M.K. See Berlovich,É.E., 3=19788
Nikitin,M.K. See Berlovich,E.Ye., 3=4573
Nikitin,M.K. See Dzhelepov,B.S., 3=8047
Nikitin, M.K. See Dzhelepov, B.S., 3=17443
Nikitin,S.A. Magnetostriction of Tb and Ho, 3=8680
Nikitin,S.A. See Belov,K.P., 3=5017
Nikitin,S.A. See Belov,K.P., 3=6716
Nikitin,S.A. See Belov,K.P., 3=11091
Nikitin,S.A. See Levitin,R.Z., 3=6711
Nikitin,S.Ya. The hydrogen bubble chamber of the Institute of Theoretical and Experimental Physics, Moscow, 3=17124
Nikitin,S.Ya. See Ainutdinov,M.S., 3=6053
Nikitin,S.Ya. See Ainutdinov,M.S., 3=6058
Nikitin,S.Ya. See Ainutdinov,M.S., 3=15018
Nikitin,S.Ya. See Aĭnutdinov,M.S., 3=24767
Nikitin,V.N. Techniques and results of in situ investigations of the elastic properties of limestones by seismic and ultrasonic methods, 3=9003
Nikitin,V.V. An oscillator using two opposed beams of ammonia N^{15}H$_3$ molecules, 3=12358
Nikitin,V.V. See Berlovich,É.E., 3=6175
Nikitin,V.V. See Berlovich,É.E., 3=19788
Nikitin,V.V. See Berlovich,É.E., 3=12597
Nikitin,V.V. See Berlovich,E.Ye., 3=4573
Nikitin,Yu.P. Scattering of K-mesons on nucleons at large orbital momenta, 3=4452
Nikitin,Yu.P. Diffraction mechanism of the inverse $\pi \to \mu + \nu$ decay in the field of a nucleus, 3=24688
Nikitin,Yu.P. and Shabalin,E.P. The inverse of the decay process $\Pi \to \mu + \nu$ in the Coulomb field of the nucleus, 3=2293
Nikitin,Yu.P. See Barmin,V.V., 3=15007
Nikitin,Yu.P. See Berkov,A.V., 3=24768
Nikitin, Yu.P. See Galanin, A.D., 3=17266
Nikitin,Yu.P. See Zhizhin,E.D., 3=15169
Nikitina,A.N.,Ter-Sarkisyan,G.S.,Mikhailov,B.M. and Minchenkova,L.E. Fluorescence of solutions of certain substituted polyenes, 3=23891
Nikitina,I.I. See Lozinskii,M.G., 3=3234
Nikitina,T.N. See Kolotov,O.S., 3=20601
Nikitina,T.N. See Telesnin,R.V., 3=23173
Nikitina,V.N. Some calculations of electromagnetic fields for the method of radioscopy, 3=18489
Nikitine,S.,Biellmann,J.,Deiss,J.L.,Grossman.M.,Grun,J.B., Ringeissen,J.,Schwab,C.,Sieskind,M. and Wursteisen,L. Perturbed exciton spectra, 3=10932
Nikitine,S.,Burckel,J.,Grun,J.B.,Hossenlopp,M.T.,Peters,A., Reiss,R.,Ringeissen,J.,Schwab,C.,Sieskind,M. and Wursteisen, Low temperature quantitative investigations of the exciton spectra of the halides of Cu, Pb and Hg, 3=10934
Nikitine,S., Grosmann,M. and Droulers,Y. Comparison of radiation effects due to fast and to thermal neutrons on the yellow exciton absorption spectral series of cuprite, 3=17998
Nikitine,S.,Grun,J.B. and Certier,M. Study of the oscillator strength of the quadrupolar absorption band n = 1 of the yellow series of Cu$_2$O at 4.2 K, 3=23068
Nikitine,S.,Grun,J.B.,Certier,M.,Deiss,J.L. and Grosman,M. New study of the spectrum of Cu$_2$O, 3=10936
Nikitine,S., Grun,J.B. and Sieskind,M. The photometric study of the absorption spectra of Cu$_2$O at low-temperatures, 3=4972
Nikitine,S.,Grun,J.B.,Sieskind,M.,Certier,M. and Grosman,M. Low temperature quantitative investigation of class 1 and 2 exciton spectra in Cu$_2$O, 3=10935
Nikitine, S., Reiss, R., Ringeissen, J., Peters, A., Bielmann, J., Burckel, J., Grun, J. B. and Sieskind, M. Study of the exciton spectra of CuCl, CuI, PnI$_2$ and HgI$_2$ at 4·2°K. Measurement of oscillator strengths, 3=2765
Nikitine,S.,Ringeissen,J. and Deiss,J.L. Study of the CuCl exciton spectrum. Effect of an electric field, 3=8405
Nikitine,S. See Deiss,J.L., 3=20474
Nikitine,S. See Grun,J.B., 3=25455
Nikitine,S. See Schwab,C., 3=932
Nikitine,S. See Vacek,K., 3=4959
Nikitskii,N.I. See Kotel'nikov,V.A., 3=9272
Nikityuk,L.N. See Bonch-Osmolovskaya,N.A., 3=24912
Nikliborc,J.,Radoń,T. and Żebrowski,J. Study of absorption and thermal desorption of germanium on tungsten with the aid of a field-emission microscope, 3=8928
Nikliborc,J. See Meclewski,R., 3=7629
Nikoforov,I.Ya. See Sachenko,V.P., 3=7670
Nikolaenko,G.M. See Narbutt,K.I., 3=4235
Nikolaev,F.A. See Burgov,N.A., 3=8077
Nikolaev,F.A. See Dolbilkin,B.S., 3=24684
Nikolaev,F.A. See Fisher,P.S., 3=19846
Nikolaev,F.A. See Measday,D.F., 3=19838
Nikolaev,I.N. See Grindberg,A.A., 3=10846
Nikolaev,I.N. See Kikoin,I.K., 3=2980
Nikolaev, V.I. See Karchevskii, A.I., 3=2854
Nikolaev,V.S. See Dmitriev, I.S., 3=712
Nikolaev,V.S. See Dmitriev,I.S., 3=21706
Nikolaev,V.S. See Teplova,Ya.A., 3=5722
Nikolaev,Yu.N. Investigation of a high-voltage vacuum discharg at 25 Mc/s, 3=24228
Nikolaeva,S.M. See Iveronova,V.I., 3=23526
Nikolaeva-Fedorovich,N.V. See Frumkin,A.N., 3=11349
Nikolaichuk,A.D. See Klyucharev,A.P., 3=19501
Nikolaichuk,A.D. See Medyanik,V.N., 3=24533
Nikolić,M. See Bellière,J., 3=24775
Nikol'skaya,A.V. See Gerasimov,Ya.I., 3=22657
Nikol'skii,B.A.,Surkova,L.V.,Varfolomeev,A.A. and Sulkovskaya,M.M. Search for D$^+$-mesons, 3=6061
Nikol'skiĭ,B.A. See Gurevich,I.I., 3=2290
Nikol'skii,B.A. See Ivanov,Yu., 3=7877
Nikol'skii, B.A. See Mishakova, A.P., 3=17273
Nikol'skii,B.A. See Mishakova,A.P., 3=19622
Nikol'skii,G.M. Solar resonance lines, 304 A of HeII and 584 A of He I, 3=11534
Nikol'skii,G.M. See Ivanov-Kholodnyĭ,G.S., 3=23686
Nikolskii,S.I., Murzina,E.A.,Tukish,E.I. and Yakovlev,V.I. Nuclear-interacting particles and electron–photon cascades of high energy in the cores of extensive air showers, 3=1973
Nikol'skiĭ,S.I. Extensive air showers of cosmic radiation, 3=22235
Nikolsky,S.I. See Danilova,T.V., 3=4497
Nikolsky,S.I. See Tukish,E.I., 3=4498
Nikulin,V.K. See Kobelev,L.Ya., 3=8482
Nikulina,L.N. See Zoré,V.A., 3=18687
Nilender,R.A. Phosphor research at the Moscow electric lamp plant, 3=15700
Nilender,R.A; Troshenskii,D.P. Improvement of phosphors for light sources, 3=972
Nillius,O. See Fischer,H., 3=249
Nilov,A.S. See Kunin,N.F., 3=8777
Nilov,E.V. See Muratov,V.R., 3=14648
Nilov,E.V. See Volosov,V.D., 3=24370
Nilsen,W.G. See Kurtz,S.K., 3=3169
Nilsson,S. See Bartke,J., 3=22206
Nilsson,S. See d'Andlau,C., 3=17328
Nilsson,S. See Hardell,R., 3=19905
Nilsson,S. See Persson,L., 3=655
Nilsson,T. and Sjöstrand,N.G. The diffusion parameters of thermal neutrons in heptane, 3=22143
Nimomiya,T. See Celli,V., 3=23288
Nimura,H. See Fukushima,E., 3=23525
Nine,H.D. See Bendler,H.M., 3=1245
Nine,H.D. See Bendler,H.M., 3=20747
Ninham,B.W. Asymptotic form of the coefficients of some ising-model series, 3=16546
Ninham,B.W. Charged bose gas in astrophysics, 3=18590
Ninomiya,K. An extrapolation method for estimating steady-flow viscosity and steady-state compliance from creep data, 3=25636
Ninomiya,T. and Kanzaki,H. Photoconductivity in thallous chloride at low temperatures, 3=10891
Ninomiya,T. See Celli,V., 3=17730
Nio, Lee Eng and Sen, K.K. On the estimate of optical thickness of electron atmosphere from the study of Compton shift, 3=5264
Nir,A. See Bhattacherjee,S.K., 3=4603
Nisbet,J.S. and Quinn,T.P. The recombination coefficient of the nighttime F layer, 3=13770
Nisenoff,M. and Fan,H.Y. Electron spin resonance in neutron-irradiated silicon, 3=2849
Nishi,K. The observation of the structure of the magnetic field in sunspots, 3=11538
Nishi,K. and Nakagomi,Y. A model of the coronal condensation, 3=16385
Nishi,T. See Iwata,S., 3=22341
Nishida, A. and Jacobs,J. A. Equatorial enhancement of world-wid changes, 3=11470

Nishida,Y. Inelastic scattering of high energy nucleons by nuclei, 3=15184
Nishihara,S. Exact construction of the quantum-mechanical transformation function of one-dimensional motion under inverse cube repulsive force, 3=3745
Nishijima,K. See McCliment,E.R., 3=2197
Nishikawa,K. and Barrie,R. Phonon broadening of impurity spectral lines. I. General theory, 3=20457
Nishikawa,K. See Brisbout,F.A., 3=6109
Nishikawa,K. See Farrow,E., 3=19724
Nishikawa,T. See Kubota,B., 3=11054
Nishikawa,T. See Kumagi,H., 3=460
Nishikori,K.,Nakata,Y. and Sakurazawa,A. Radio observations on the high-altitude nuclear explosion over Johnston Island on July 9, 1962, 3=25924
Nishikubo,T. and Motizuki,K. Internal magnetic field at Co nuclei in Co-ferrite, 3=1154
Nishimaki,N. See Kojima,K., 3=22838
Nishimoto,H. See Reed,R.J., 3=25875
Nishimura,H. See Tomura,M., 3=23103
Nishimura,J. Edge dislocation of CdS crystals, 3=2792
Nishimura,K. On the Y_1^* resonance, 3=17343
Nishimura,S.,Hiraoka,T. and Kuwahara,K. Spontaneous magnetization and Hall effect in thin films of Ni—Fe, 3=22907
Nishimura,S. See Hayakawa,S., 3=11507
Nishina,Y. See Kołodziejczak,J., 3=4963
Nishiwaki,Y., Kawai,H., Oshima,Y. and Koyama,M. Liquid scintillation counter with cooled photomultiplier, 3=2156
Nishiyama,S. See Masuda,T., 3=21528
Nishiyama,T. Some properties of dielectric constant and phonon frequency of a superconductor, 3=19098
Nishiyama,Z. and Fujita,H. Dislocation images in pure iron observed by transmission electron microscopy, 3=801
Nishiyama,Z. and Kajiwara,S. Electron microscope study of the crystal structure of the martensite in a copper—aluminium alloy, 3=25736
Nishizawa,J., Iwasa,S. and Watanabe,Y. Simplified theory on the inductive impedance of p—n junction, 3=882
Nishizawa,J. See Sukegawa,T., 3=8536
Nishizawa,Y. See Sugiyama,H., 3=14474
Nisimura,K.,Sanada,J.,Kobayashi,S.,Fukunaga,K.,Ryu,N.,Hasai,H., Worth,D.C.,Imada,H.,Hiratate,Y. and Hasegawa,T. A measurement of the spin correlation coefficient C_{KP} in p—p scattering at 52 MeV, 3=24720
Nitta,I. See Ohnishi,S., 3=2670
Nitta,S. See Hayashi,T., 3=22963
Nitz,R. See Klebe,J., 3=1792
Nitzan,D. Flux switching in overdriven multipath cores, 3=15870
Nitzsche,R. See Landsberg,R., 3=20940
Niu,K. A model for multiple meson production in nucleon—nucleon collisions, 3=4541
Niu,K. Pinch motion of a cylindrical plasma, 3=19262
Niukkanen,A.V. See Aleksandrov,I.B., 3=21263
Niwa,H. See Shinji,K., 3=7644
Nixon,J. and Plane,R.A. A Raman study of gallium bromide solutions, 3=5444
Nixon,W.C. Reversibility of rays through electron lens systems, 3=19339
Nixon,W.C., Ely,R.V. and Legg,C.R.E. The "intercol" electron beam system, 3=19330
Nixon,W.C. See Grigson,C.W.B., 3=18404
Nizioł,B. See Łoskiewicz,J., 3=7956
No Sen Chan See Baskova, K.A., 3=2407
No Sen' Chan See Baskova,K.A., 3=6192
No Sen Chan. See Vasil'ev,S.S., 3=8032
No Seng Ch'ang. See No Sen Chan.
No Sêng Ch'ang. See No Sen Chan, 3=2407
Noack,C. Level structure of Ca^{42}, 3=22301
Noack,J. See Peibst,H., 3=5084
Noakes,G.R. Annual exhibition of the Institute of Physics and the Physical Society, London, January 1963, 3=9313
Noakes,J.E. See Haakana,C.H., 3=14710
Nobe,K. See Chance,D.A., 3=18451
Noble,C.M. See Keefe,D., 3=17326
Noble,J.D. See Muller,B.H., 3=18835
Noble,L.M. and Scarf,F. Authors' reply to preceding discussion, 3=16391
Noble,L.M. and Scarf,F.L. Hydrodynamic models of the solar corona, 3=9217
Noci,G. and Rigutti,M. Observations of prominences performed in 1960, 3=9223
Noda,T.,Omura,I. and Morito,N. Multiple dispersion mass spectrometer with ion mirror, 3=21903
Noda,T. See Morito,N., 3=12259
Nodvik,J.S. Optical constants of germanium, 3=2987
Nodvik,J.S. See Frantz,L.M., 3=23053
Noel,J.P. See Schuttler,R.J., 3=22044
Noell,W.K. Cellular physiology of the retina, 3=5289
Noerdlinger,P.D. Growing transverse waves in a plasma in a magnetic field, 3=14606
Nogami,Y. Interpretation of ρ and ζ mesons, 3=4447
Nogami,Y. See Huang,K.K., 3=17472
Nogami,Y. See Huang,K.K., 3=19843
Noggle,T.S. Dislocations in UO_2, 3=17733
Noguchi,S. An experimental study of the stability of the ζ-phase in the silver—zinc system, 3=8396
Noguchi,Y. See Nakashima,S., 3=25257
Nohara,N. See Higashimura,T., 3=4293
Nöldeke,G. See Hefft,K., 3=24050
Nolder,R.L. and Thomas,G. Mechanical twinning in ~~nickel,~~ nickel, 3=25621
Noli,P. See Bieger,W., 3=21780
Noll,P. See Bieger,W., 3=7591
Noll,P. See Bieger,W., 3=21811
Nolle,A.W. See Wakim,F.G., 3=6748
Nolta,J.P. and Schubring,N.W. Ferroelectricity in potassium nitrate at room temperature, 3=2958
Nolta, J.P. See Haak, F.A., 3=17916
Nölting,J. Adiabatic calorimeter for study of poor heat conductors in the temperature range, 3=16831
Nomaki,K. See Koda,S., 3=22797
Nomura,M. See Tatsumoto,E., 3=24426
Nomura,S. and Kawakubo,T. Phase transition in $Sr(NiW)_{0.5}O_3$-$Ba(NiW)_{0.5}O_3$ system, 3=8864
Nomura,S. See Hamano,K., 3=10885
Nomura,T. and Horii,M. On the stability of quiescent prominences, 3=16383
Nomura,Y. and Katsura,S. Diffraction of electric waves by circular plate and circular hole, 3=493
Nonaka,I.,Saji,Y.,Suzuki,A.,Yamaguchi,H.,Eisberg,R.,Ishisaki,Y., Kikuchi,K.,Matsuda,K.,Mikumo,T. and Nakajima,Y. An experimental survey of nuclear reactions induced by 57 MeV protons. I, 3=8100
Nonnenmacher,Th. See Kellner,H.A., 3=22146
Noorman,P.E.,Geurts,H.L.,Simons,W.B. and Van Kleef,Th.A.M. Zeeman effect of doubly ionized hafnium, Hf III, 3=22480
Norbeck,E., Coon,S.A., Carlson,R.R. and Berkowtiz,E. Gamma rays from lithium bombardment of Be^9, B^{10}, B^{11}, and C^{12}, 3=15238
Norbeck,E. See Berkowitz,E., 3=685
Norbeck,E. See Carlson,R.R., 3=19767
Norberg,R.E. See Gaines,J.R., 3=19085
Norberg,R.E. See Luszczynski,K., 3=178
Norberg, R.E. See Yen, W.M., 3=18154
Nordberg,L. See Jacobson,B., 3=14702
Nordberg,W. and Bandeen,W.R. Reply, 3=18494
Nordby,D.H. See Hwang,C.F., 3=24731
Nordby, H. See Christensen, P.R., 3=17445
Nordby,H. See Vandenbosch,S.E., 3=10315
Nordgren,R.P. See Naghdi,P.M., 3=21270
Nordhagen,R. The 936 and 1261 keV resonances in the $^{27}Al(p,\gamma)^{28}Si$ reaction and the properties of the 6·88 MeV doublet state in ^{28}Si, 3=19844
Nordheim,L.W. See Lane,R.K., 3=6263
Nordio,P.L. See Giacometti,G., 3=15343
Nordling,C. See Fahlman,A., 3=2590
Nordling,C. See Hagström,S., 3=1575
Nordling,C. See Hörnfeldt,O., 3=2592
Nordling,C.L. See Hollander,J.M., 3=638
Nordon,P. and Bainbridge,N.W. Direct relative humidity indication from dry and wet bulb temperatures, 3=9017
Noreika,A.J. See Francombe,M.H., 3=15819
Noreland,E. The X-ray L-absorption spectrum of 46 Pd, 3=4710
Noreland,E.,Ekstig,B. and Auleytner,J. The X-ray L-absorption spectrum of CdTe, 3=25472
Norinder,H. and Knudsen,E. Comments on distinct types of musical atmospherics in their relation to thunderstorm activity, 3=23599
Norinder,H. See Knudsen,E., 3=13680

Norman,A. and Spiegler,P. Radiation nucleation of bubbles in water, 3=23864
Norman,D.A. Sensory thresholds and response bias, 3=26000
Norman,E. See Wei,J., 3=11664
Norman,G.E. Free—free transitions of an electron in an ion field, 3=22497
Norman,G.E. Photoionization cross-sections of the lower excited states and oscillator strengths of certain lines of carbon and nitrogen atoms, 3=25048
Norman,G.E. See Biberman,L.M., 3=19232
Norman,P.W. Perturbation methods applied to the reflections of radio waves from the ionosphere, 3=21053
Normand,C.W.B. See Dobson,G.M.B., 3=13660
Normantas,E. and Pikus,G.E. Thermomagnetic effects in semiconductors with degenerate bands, 3=17832
Normantas, E. See Bir, G.L., 3=17855
Norrish,K. and Radoslovich,E.W. A curved-crystal fluorescence X-Ray spectrograph, 3=461
Norseev,Yu.V. See Dalkhsuren,B., 3=8048
North,A.C.T. X-ray crystallography of large molecules of biological importance, 3=23438
North,G.R. See Gauster,W.F., 3=12154
North,R.J. and Cash,R.F. Colour Schlieren photography in high-speed wind tunnels, 3=271
Northcliffe,L.C. See Martin,F.W., 3=1937
Northrop,D.C. See Moncaster,M.E., 3=14829
Northwood,T.D. Absorption of diffuse sound by a strip or rectangular patch of absorptive material, 3=18927
Norton,K.A.,Barrows,E.C.,Thompson,M.C.,Jr and Janes,H.B. Variance of radio frequency caused by atmospheric turbulencs in line-of-sight transmissions, 3=12321
Norton,R.B.,VanZandt,T.E. and Denison,J.S. A model of the atmosphere and ionosphere in the E- and F1-regions, 3=13746
Norton,R.E. See Fronsdal,C., 3=19558
Norville,L.R. Electron microprobe analysis utilizing the electron beam scanning system, 3=23532
Norwick,A.S. See Sutter,P.H., 3=10872
Norwood,J.,Jr. See Thom,K., 3=5598
Norwood,J.M. and Little,R.N. The P_∞ point-source solution of the neutron slowing-down problem in a sphere, 3=24740
Norwood,M.H. Theory of Nernst generators and refrigerators, 3=10863
Nosaka,K. See Wang,S., 3=22967
Nosanow,L.H.and Shaw,G.L. Hartree calculations for the ground state of solid He and other noble gas crystals, 3=320
Nosanow,L.H. See Baur,M.E., 3=8322
Nosar',A.N. and Smirnov,A.A. Theory of the residual electrical resistivity of alloys with a body-centred cubic lattice,having two ordering temperatures, 3=3317
Nosé,H. See Kimura,R., 3=1169
Nosenko,B.M. See Krasnaya,A.R., 3=2013
Noskov, M.M. See Bolotin, G.A., 3=17977
Noskov,M.M. See Kirillova,M.M., 3=13146
Noskova,N.I. and Pavlov,V.A. Stacking faults in solid solutions of nickel, 3=20206
Nosov,V.G. and Yakovleva,I.V. Depolarization of μ^+-mesons in solids, 3=15416
Nosov,Yu.R. Neutron irradiation of silicon p—n junctions, 3=22959
Nosov,Yu.R. and Ramus,L.T. Generation of recombination centres in silicon by rapid quenching, 3=22932
Nosova,G.I. See Magaryatskii,Yu.A., 3=8892
Nossek, R. Characteristic thermoelectric power of boundary surface atoms, 3=17968
Nosulenko,N.A. See Shklyarevskii,I.N., 3=14358
Nosulenko,N.A. See Shklyarevskii',I.N., 3=21557
Notley,M.J.F. See Robertson,J.A.L., 3=10432
Notterman,J.M. See Mandriota,F.J., 3=3690
Novak,J.I. See Vettegren',V.I., 3=19002
Novack,R. See Huffman,R.E., 3=7462
Novák,C. See Línek,C., 3=6836
Novák,M. and Wojaczek,K. The relationship between stimulated running striations and the striation waves in low-pressure discharges, 3=19191
Novák,M. and Wojaczek,K. The interpretation of the characteristic time parameter for striation formation in argon at higher discharge current strengths, 3=19194
Novak,S. and Sperling,G. Visual thresholds near a continuously visible or a briefly presented light—dark boundary, 3=23720
Novak,Z. See Bogatin,V.I., 3=15219
Novakov,R. and Stepić,R. Penetration effects in the internal conversion of the M-I transition between rotational states, 3=6176
Novaković,M. A method for optimizing gas-cooled reactor parameters, 3=17512
Noven,H. Realization of an electron optical focusing system with a conical section focus, 3=24362
Novey,T.B. See Faissner,H., 3=17141
Novey,T.B. See Faissner,H., 3=24690
Novey,T.B. See Kernan,W., 3=6084
Novice,M.A. Effect of atmospheric exposure on stress in evaporated silicon monoxide films, 3=1365
Novick,R. See McDermott,M.N., 3=19931
Novik, E.S. See Novikov, I.I., 3=18183
Novik, F.T. High-voltage photo-emf in "single-crystal" films of cadmium telluride, 3=17957
Novik,F.T. See Rumsh,M.A., 3=20944
Novikov,B.V., Sokol'skaya,I.L. and Shcherbakov,G.P. Fine structure of the spectrum of field emission from CdS single crystals, 3=16972
Novikov, I.I. and Novik, E.S. The mechanism of plastic deformation in the melting temperature interval, 3=18183
Novikov,I.I. See Indenbaum,G.V., 3=3335
Novikov,L.S. See Strigachev,A.T., 3=10302
Novikov,L.S. See Tsin Chĕn-Zhui, 3=6201
Novikov,M.I. See Pivovar,L.I., 3=5631
Novikov, N.N. See Kuz'menko, P.P., 3=18218
Novikov,N.P. Generation of strong shock waves under laboratory conditions, 3=7280
Novikov, P.A. The influence of the radiative component on the nature of the heat exchange in vacuum sublimation, 3=16841
Novikov,S.A. See Ivanov,A.G., 3=3852
Novikov,S.A. See Ivanov,A.G., 3=18885
Novikov,S.S., and Riazantsev,Iu.S. The reflection of a plane sound wave from the open end of a circular tube, 3=16710
Novikov,V.I. See Efimova,B.A., 3=10804
Novikov,V.M. See Zaretskii,D.F., 3=6372
Novikov,Yu.M. See Zolototrubov,I.M., 3=1757
Novikova,A.S. See Vvedenskii,L.E., 3=25846
Novikova, S.I. See Leksina, I.E., 3=17663
Novikova,Z.I. See Rabkin,L.I., 3=8684
Novobrantsev,I.V. See Veklenko,B.A., 3=2576
Novogrudskii,V.N. See Levina,S.S., 3=13028
Novogrudskii,V.N. See Levina,S.S., 3=15775
Novozhilov,Yu.V. Gauge invariance in the axiomatic approach to quantum field theory, 3=5908
Novozhilov,Yu.V. The four-dimensional group of isospin and hyperchange in axiomatic quantum field theory, 3=5909
Novýkov,M.M. See Hertsriken,S.D., 3=20885
Nowacki,P.J., Brzozowski,W.S. and Celiński,Z. Experimental M.H.D.-generator using combustion gases (gasburner) as heat source, 3=2117
Nowacki,W. Two dimensional problem of magnetothermoelasticity. I, 3=18762
Nowacki,W. The plane problem of magnetothermoelasticity. II, 3=23816
Nowell,D.V. See Dollimore,D., 3=13550
Nower,T.M. See Abuzeid,M.A., 3=19847
Nowick,A.S. See D'Heurle,F.M., 3=22739
Nowicki,L. Growth of single crystals of nickel-ferrite, 3=3270
Nowik,I. See Gilat,G., 3=12904
Nowinski,J.L. Non-linear vibrations of elastic circular plates exhibiting rectangular orthotropy, 3=18872
Nowlin,C.H. and Jones,R.V. Magnetism of piezoelectric $Ga_{2-x}Fe_xO_3$, 3=15777
Noxon,J.F. and Jones,A.Vallance. Observation of the (0, 0) band of the ($^1\Delta g$-$^3\Sigma\bar{g}$) system of oxygen in the day and twilight airglow, 3=18553
Noyce,R.H. See Ruthberg,R.H., 3=10958
Noyce,R.H. See Ruthberg,S., 3=25463
Noyes,H.P. Neutron—proton scattering below 20 MeV. 3=14986
Noxon,J.F. and Goody,R.M. Observation of day airglow emission, 3=1467
Nozdrev,V.F. See Gorbunov,M.A., 3=21355
Nozieres, P. See Bok, J., 3=17693
Nozik,Yu.Z. and Yamzin,I.I. The structure of manganese ferrite, 3=13463
Nozik,Yu.Z. and Yamzin,I.I. Measurement of integral diffraction intensities, 3=20818
Nozik,Yu.Z. See Yamzin,I.I., 3=1114

Nozik,Yu.Z. See Yamzin,I.I., 3=13433
Nozova, V.A. See Kir'yashkina, Z.I., 3=25363
Nran'yan,A.A. Third-order elastic constants of NaCl-type crystals, 3=18164
Nran'yan,A.A. See Gubanov,A.I., 3=20078
Nudelman,S.,Brown,D. and Currie,D. The sign of charge carriers in luminescent transitions, 3=10979
Nukushina,H. See Fukui,S., 3=5647
Nukushima,H. See Fukui,S., 3=17155
Numata,T. Turnover phenomena in plate rectifiers, 3=6607
Nunamaker,T.A. See Birk,M., 3=24175
Nunes,J. and Larson,F.R. Low-temperature hardness and flow-stress relationships of metals, 3=6789
Nung Sung,B. The energy spectrum of photoprotons from Ne^{30}, 3=10327
Nunn,F.A. and Campbell,D.S. A masking jig for multiple film deposition, 3=13982
Nunnink,H.J.C.A. See van der Maesen,F., 3=10751
Nunnink,H.J.C.A. See Vlaardingerbroek,M.T., 3=2127
Nuralieva,R.D. See Krinchik,G.S., 3=6645
Nurmia,M. See Karras,M., 3=659
Nurushev,S.B. See Azhgireĭ,L.S., 3=4630
Nurushev,S.B. See Azhgirey,L.S., 3=15189
Nurushev,S.B. See Azhgirei,L.S., 3=17265
Nurushev,S.B. See Azhgireĭ,L.S., 3=22374
Nurushev,S.B. See Azhgirey,L.S., 3=24723
Nurushev,S.B. See Kumekin,Yu.P., 3=14982
Nurzyński,J. See Freindl,L., 3=22412
Nussbaum,A. and Long,D. The galvanomagnetic coefficients of tellurium at 4·2° K, 3=835
Nussbaum,C.,Lunke,C. and Zangger,C. Development of a new type of spectrometer for fast neutrons, 3=10130
Nussbaum,M. See Shafer,J.B., 3=15028
Nussenzveig,H.M. On Mandelstam's program in potential scattering, 3=10039
Nussinov,S. A possible indication for "Regge-pole" behaviour of the pion, 3=22173
Nussinov,S. See Goldberg,H., 3=17280
Nussinow,S. See Dothan,Y., 3=10173
Nussli,J. Detection of modulated light by means of fast response photomultipliers, 3=21509
Nutsch,J. See Cremer,L., 3=7299
Nuttall,J. and Whippman, M.L. Final-state interactions in the electrodisintegration of deuterium, 3=17351
Nuttall,J. See Fairlie,D.B., 3=4351
Nuttall,J.A. See Blake,C., 3=24462
Nuttall,P.M. See Steadman,R., 3=8854
Nutting,J. and Rouze,S.R. Grain growth and boundary migration rates of austenite, 3=23482
Nuvar'eva,V.V. See Ramazanov,P.E., 3=3074
Nuyts,J. See Bouchiat,C., 3=6064
Nyagu,D.V., Okonov,E.O., Petrov,N.I., Rozanova,A.M. and Rusakov,V.A. Experimental verification of the $\Delta I = \frac{1}{2}$ selection rule for Lepton decay of K-mesons, 3=4451
Nyagu,D.V.,Okonov,E.O.,Petrov,N.I.,Rozanova,A.M. and Rusakov,V.A. Production of hyperons in lead by K_2^0 mesons with a mean energy of ~100 MeV, 3=6280
Nyagu,D.V. See Anikina,M.Kh., 3=6071
Nyamu,I. See Khulubei,Kh., 3=6240
Nyberg,D.W. and Burgess,R.E. Electrodeless techniques for semiconductor measurements, 3=342
Nybo, K.H. See Anderson, D.W., 3=17453
Nyborg,P. Macroscopic motion of classical spinning particles, 3=2094
Nyburg,S.C. See Halliwell,H.F., 3=21337
Nydal.R. Proportional counting technique for radio-carbon measurements, 3=6949
Nye,P.W. Aural recognition time for multi-dimensional signals, 3=9300
Nye,W.T. See Toman,L.,Jr., 3=20759
Nygaard,K. and Malmskog,S. A nanosecond light-pulse generator using a discharge lamp, 3=18977
Nygren,T. See Agdur,B., 3=19204
Nyholm,R.S. See Figgis,B.N., 3=148
Nylund,O. A gamma-ray density gauge for measuring water-steam mixtures, 3=4689
Nystén,K.E. See Simons,L., 3=8097
Nystén,K.E. See Simons,L., 3=12668
Nystén,K.E. See Simons,L., 3=22307
Nysten,K.E. See Simmons,L., 3=24867

Oades,G.C. See Hamilton,J., 3=2310
Oakes, M.B. See Davies, D.R., 3=3456
Oakes,R.J. Baryon—baryon interactions and the eightfold way, 3=24604
Oakes,R.J. and Yang,C.N. Meson—baryon resonances and the mass formula, 3=24782
Oakes,R.J. See Hiida,K., 3=17345
Oates,W. See Truell,R., 3=23984
Obashi,M. Fine structures of X-ray K absorption spectra in some covalent complexes of the first transition series, 3=8609
Obata,Y. Intensity variation of paramagnetic resonance lines of rare earth ions in garnet, 3=15937
Obata,Y. Nuclear magnetic relaxation in transition metals, 3=25595
Obata,Y. See Silverman,J.N., 3=12775
Obayashi,T. Widespread ionospheric disturbances due to nuclear explosions during October 1961, 3=9069
Obayashi,T. Upper atmosphic disturbances due to high altitude nuclear expolsions, 3=13696
Obayashi,T. Wide-spread ionospheric disturbances due to nuclear explosions during October, 1961, 3=13738
Ob"edkov,V.D. A variational method for constructing the polarization potential in collision theory, 3=713
Oberg, P.E. See Horst, R.L., 3=2076
Obermair,G. Generalized exchange coupling, 3=16547
Oberman,C. and Ron,A. High-frequency conductivity of quantum plasma in a magnetic field, 3=14580
Oberman,C.,Ron,A. and Dawson,J. High-frequency conductivity of a fully ionized plasma, 3=7606
Oberman,C. and Shure,F. High-frequency plasma conductivity in a magnetic field, 3=19244
Oberman,C. See Dawson,J., 3=9769
Obermoeller,W.C. and Barker,W.A. Calculated specific heat contribution of F_2^- centers in LiF, 3=15439
Obin-Lecourtois, A. See Fretter, W.B., 3=2301
Obodovskii,M.M. See Lyapidevskii,V.K., 3=2171
Oboznўi,V.A. See Myaé,É.A., 3=24405
Oboznyi,V.A. See Zhuravlev,A.A., 3=9889
Oboznўi,V.A. See Zhuravlev,A.A., 3=24403
Oboznyi,V.A. See Zhuravlev,A.A., 3=24404
Obraztsov,Yu.N. See Drichko,I.L., 3=17820
O'Brien,B.J. Lifetimes of outer-zone electrons and theory precipitation into the atmosphere, 3=9118
O'Brien,B.J. A large diurnal variation of the geomagnetically trapped radiation, 3=13811
O'Brien,B.J. and Laughlin,C.D. An extremely intense electron flux at 1000-kilometer altitude in the auroral zone, 3=1472
O'Brien,B.J.,Laughlin,C.D. and Van Allen,J.A. Geomagnetically trapped radiation produced by a high-altitude nuclear explosion on July 9, 1962, 3=5224
O'Brien,B.J. See Maehlum,B., 3=13812
O'Brien,B.J. See Pieper,G.F., 3=7952
O'Brien,B.J. See Rosser,W.G.V., 3=9115
O'Brien,B.J. See Van Allen,J.A., 3=13809
O'Brien,E.E. Initial spectral behavior of a scalar field transported by turbulence, 3=18783
O'Brien,J.P. See Meiboom,S., 3=21648
O'Brien,M.C.M. See Delbecq,C.J. 3=5044
O'Brien,V. Axi-symmetric magnetic fields and related problems, 3=12290
Obukhov,A.I. and Perfilov,N.A. Anisotropy in the fission of bismuth and uranium by 660 MeV protons, 3=4679
Obukhov,A.M. Some specific features of atmospheric turbulence, 3=3453
Obukhov,B.I. and Mal'kov,A.I. Spark temperature at solid dielectric breakdown, 3=25408
Obukhov,Yu.V. See Alikhanov,A.I., 3=6024
Obukhov,Yu.V. See Babaev,A.I., 3=6025
Obukhov,Yu.V. See Babaev,A.I., 3=17298
Obukhov,Yu.L. See Zhuravlev,A.A., 3=9889
Obukhov,Yu.L. See Zhuravlev,A.A., 3=24404
Obukhov-Denisov,V.V. and Cheremisinov,V.P. The Raman spectra and structure of glassy polyphosphate, 3=15695
Obukhov-Denisov,V.V. See Kitaeva,V.F., 3=14558
Obukhov-Denisov,V.V. See Kolesnikov,V.N., 3=6360
Obukhova,E.S. See Rudnevskii,N.K., 3=24255

Obuszko,Z. Magnetic balance for measuring the magnetic susceptibility of para- and ferromagnetics, 3=24422

Ochi,I. See Mizushima,Y., 3=15537

Ochi,O. See Mizushima,Y., 3=15538

Ochiai,Y. Essential characteristics of the ratio and product of the frequencies of the two principle formants in the perception of vowel sounds, 3=9294

Ochkur,V.I. and Petrun'kin,A.M. Classical calculation of the probabilities of excitation and ionization of atoms by electron impact, 3=22492

Ochs,G.R.,Farley,D.T.,Jr,Bowles,K.L. and Bandyopadhay,P. Observations of synchrotron radio noise at the magnetic equator following the high-altitude nuclear explosion of July 9, 1962, 3=16226

Ochs,S.A. See Meyerhofer,D., 3=22976

O'Connell,R.F. K shell internal conversion coefficients at threshold, 3=19803

O'Connor,D.A. The effect of line broadening of Mössbauer resonant sources and absorbers on the resonance absorption, 3=12567

O'Connor,J.R. Phenomena at a solid—melt interface, 3=25679

O'Connor,J.R. and Chen,J.H. Color centers in alkaline earth fluorides, 3=16516

O'Connor,L.P. and Large,R.S. Sensitivity of β counters to the γ and conversion spectra of certain α emitters, 3=22110

O'Connor,S. The rotational analysis of the (2,1), (0, 0)and (0, 1) bands of the $^3\Pi$-$^3\Sigma^-$ system of OD^+, 3=12829

O'Connor,T.E. See Thomas,J.Jr., 3=11201

Oda,J. Vapour growth of silicon–germanium crystals, 3=3281

Oda,M. Tokyo air shower project, 3=4515

Oda,M. See Hasegawa,H., 3=4496

Oda,M. See Higashi,S., 3=4523

Oddson,J.K. Diffusion of a magnetic field into a conductor, with a moving boundary condition, 3=17025

Odeh,F. Uniqueness and existence of the solution to the static London—Maxwell equations in two dimensions, 3=7400

Odeh,F. See Liniger,W., 3=9680

Odehnal,M. Proposal for maser with emission frequency higher than pumping frequency, 3=9991

Odehnal,M. See Burget,J., 3=10114

Odehnal,M. See Burget,J., 3=25580

O'Dell,A.W. See McFarlane,W.K., 3=17276

O'Dell, C.R.and Osterbrock, D.E. Emission-band and continuum photometry of comet Seki (1961f), 3=3551

O'Dell,T.H. The field invariants in a magneto-electric medium, 3=17811

O'Dell,T.H. The electrodynamics of magneto-electric media, 3=2855

Odencrantz,F.K.,Lee,J.B. and Devereaux,H.L. Visible sodium airglow on the night of January 30-31, 1960, 3=9096

Odencrantz,F.K.,St.,Amand,P. and Moore,J.G. Zenith airglow observations during the high altitude nuclear explosion of July 9, 1962, 3=13778

Odera,M. Photoprotons from sodium, 3=4617

Odera,M. and Yamamuro,N. Angular distribution of photo-protons from Al and Cu, 3=10326

Odian,A. See Alberigi-Quaranta,A., 3=7879

Odian,G. and Bernstein,B.S. Monomers improve radiation cross-linking in polymers, 3=22618

Odian,G. and Chandler,H.W. Radiation-induced graft polymerization, 3=8959

Oding,I.A.,Ivanova,V.S. and Liberov,Yu.P. Basic assumptions for establishing a correlation between the criteria for static and cyclic strengths of metals, 3=23347

Odintsov,A.I. Measurement of the oscillator strength of the resonance line of calcium by the absorption method in an atomic beam, 3=19932

Odintsov,D.D. Dependence of sputtering of single crystals on the direction of incident particles, 3=19374

Odle,R.L. See Flynn,C.P., 3=9371

Odom,W.J. See West,F.G., 3=14722

O'Donnel,E.A. and Lukaszewsjki,G.M. The powder method of X-ray analysis and its applications. IV. The interpretation of powder photographs, 3=16065

O'Donnell,A. and Lukaszewski,G.M. The powder method of X-ray analysis and its applications. III. The Debye Scherrer powder camera, 3=6943

O'Dwyer, J.J. See Lloyd, P., 3=17665

O'Dwyer,J.J. See Lloyd,P., 3=23773

Oehme,R. Moving poles and elementary particles, 3=4345

Oehme,R. Regge trajectories and elementary poles, 3=10048

Oehme,R. The problem of branch-point trajectories in the complex angular momentum plane, 3=14908

Oehme,R. See Freund,P.G.O., 3=22121

Oehme,R. See Freund,P.G.O., 3=22153

Oehme,R. See Freund,P.G.O., 3=10045

Oehme,R. See Freund,P.G.O., 3=17295

Oehme,R. See Freund,P.G.O., 3=17321

Oelsner-Ryde,K. See Persson,L., 3=19823

Oelsner-Ryde,K. See Persson,L., 3=22342

Oelsner-Ryde,K. See Ryde,H., 3=2414

Oelsner-Ryde,K. See Ryde,H., 3=2415

Oen,O.S.,Holmes,D.K. and Robinson,M.T. Ranges of energetic atoms in solids, 3=10571

Oen,O.S. and Robinson,M.T. The effect of channeling on displacement cascade theory, 3=13019

Oen,O.S. See Robinson,M.T., 3=22879

Oertel,G. Measurements of the conductivity and photosensitivity of the systems K—Sb and Cs—Sb in thin films, 3=8495

Oertel,K. See Witzmann,H., 3=10993

Oeschger.H. See Renaud.A., 3=24887

Oeser,J. See Kendall,H.W., 3=10333

Oestreicher,H.L. See Cole,J.N., 3=9569

Oetzmann,W. See Bloess,D., 3=9406

Ofelt,G.S. Structure of the f^8 configuration with application to rare-earth ions, 3=15292

Ofengenden,R.G. and Konenko,L.D. Multichannel amplitude analyser for the simultaneous measurement of several spectra, 3=1922

Ofenhenden,R.H. Principle of design of a multichannel pulse analyser, 3=21686

Ofenhenden,R.H. See Berezin,F.N., 3=21687

Ofer,S. See Bauminger,R., 3=994

Ofer,S. See Kaplan,N., 3=8002

Offenberger,A. See Smy,P.R., 3=9773

Offner,A. A null corrector for paraboloidal mirrors, 3=7305

Offret,S. and Vodar,B. Effect of the adsorption of gas on the electrical conductivity of very thin metallic films prepared under very high vacuum, 3=15549

O'Friel,Z. See Barkow, A.G., 3=17312

O'Friel,Z. See Kane,G., 3=7946

Oganesian,Yu.Ts.,Lobanov,Yu.V.,Markov,B.N. and Flerov,G.N. γ-radiation from high spin nuclei, 3=24986

Oganesyan,A.G. See Ispiryan,K.A., 3=14500

Oganesyan,R.S. See Vardanyan,V.A., 3=2112

Oganesyan,Yu. See Indreash,G., 3=4228

Oganesyan,Yu.Ts. See Indreash,G., 3=24419

Oganesyan,Yu.Ts. See Polikanov,S.M., 3=24984

Oganezov,K.A. See Shvangiradze,R.R., 3=1953

Oganezov,K.A. See Shvangiradze,R.R., 3=16922

Ogasawara,K. See Ozawa,M., 3=14512

Ogasawara,M. Relaxation of velocity distribution of ions in a plasma, 3=4111

Ogasawara,M. Collisional damping of plasma oscillation, 3=24311

Ogata,H. See Kúmabe,I., 3=24934

Ogata,H. See Kumabe,I., 3=24935

Ogawa,I. On the resonance acceleration of a charged particle in a modulated magnetic field, 3=474

Ogawa,K. and Maddin,R. Direct observations of dislocations in molybdenum and molybdenum—rhenium alloys, 3=22781

Ogawa,M. and Tanaka,Y. Rydberg absorption series of N_2, 3=4754

Ogawa,S. On the anti-phase domain structures in ordered alloys, 3=1357

Ogawa,S.,Morimoto,S. and Kimura,Y. Nuclear magnetic resonance of Fe^{57} in lithium ferrite and magnetite, 3=8733

Ogawa, S. See Sato, K., 3=3321

Ogawa,S. See Takahashi,M., 3=1068

Ogawa,S. See Watanabe,D., 3=1351

Ogawa,S. See Yamaguchi,S., 3=13532

Ogawa,T. A circularly polarized maser oscillator, 3=9989

Ogaza,S. See Božek,E., 3=24905

Ogborn,L.L. See Friedlaender,F.J., 3=25528

Ogbuehi,P.O. and Onwumechilli,A. Recent measurements of the magnetic field of the equatorial electrojet in Nigeria, 3=25938

Ogden,C.P. See Corkill,J.M., 3=9433

Oggero,M. See Robotti,A.C., 3=407

Oggero,M. See Robotti,A.C., 3=408

Oggero,M. See Robotti,A.C., 3=409

Oggioni,R. and Spinolo,G. Luminescence of pure and Cu-doped alkali halide single crystals, 3=20505
Oggioni,R. See Fieschi,R., 3=23130
Ogievetskii,V.I., Okonov,E.O. and Podgoretskii,M.I. Note on the properties of K-meson pairs, 3=2319
Ogievetskii,V.I. and Podgoretskii,M.I. Certain interference phenomena in $K^0\bar{K}^0$ systems, 3=15031
Ogievetskii,V.I. and Polubarinov,I.V., Quantum electrodynamics in terms of electromagnetic field intensities, 3=14856
Ogilvie,G.J.,Sanders,J.V. and Thomson,A.A. The bombardment of gold films by inert gas ions, 3=10707
Ogilvie, K.W. See Campbell, M.J., 3=17372
Ogilvie,K.W. See Fichtel,C.E., 3=10189
Ogilvie,R.E. See Lin,S.T., 3=15791
Ogilvie,R.E. See Ziebold,T.O., 3=18466
Ogimoto,T. Relations among pole residues of scattering amplitudes in multichannel scattering, 3=17216
Ogimoto,T. See Kanko,T., 3=10062
Ogimoto,T. See Kitazoe,T., 3=10063
Ogimoto,T. See Konisi,G., 3=19581
Ogita,N. See Fukuda,H., 3=4511
Ogle,K.N. and Reiher,L. Stereoscopic depth perception from after-images, 3=9306
Ogreba,A.A. See Barashenkov,V.S., 3=571
Oguchi,T. Antiferromagnetic ground state, 3=25548
Oguchi,T. and Honma,A. Theory of ferro- and antiferromagnetism by the method of Green functions, 3=15767
Ogura,Y. Convection of isolated masses of a buoyant fluid: a numerical calculation, 3=5549
Ogurtsov,G.N. and Flaks,I.P. Charge exchange of Xe^{3+} and Xe^{4+} in neon, 3=5630
Ogurtsov,G.N. See Flaks,I.P., 3=366
Ogurtsov,G.N. See Flaks,I.P., 3=2583
Ogurtsov,G.N. See Flaks,I.P., 3=7426
Ogurtsov,K.I. The calculation of wave fields in elastic homogeneous media with plane parallel dividing boundaries, 3=16690
Ogurtsov,O.F. See Kotel'nikov,K.A., 3=6096
Ogurstov,V.V. See Barkov,L.M., 3=6080
Ogushi,T.,Goto,T.,Mitsuoka,T.,Onodera,Y.,Oizumi,J.,Muto,Y., Fukūroi,T. and Shibuya,Y. Three terminal active element using the tunnelling effect between the superconductors, 3=24151
Oguti,T. Inter-relations among the upper atmosphere disturbance phenomena in the auroral zone. II. Spiral pattern of the polar aeronomical disturbances, 3=23611
Oguti,T. See Fukushima,N., 3=13830
O'Halloran,T. See Chinowsky,W., 3=4457
O'Halloran,T. See Goldhaber,G., 3=24791
Ohara,S. Negative resistance due to Ramsauer-effect in plasmas, 3=5635
Ohara,S. Negative resistance in rare gases, 3=21449
O'Hare,P.A.G. See Mackle,H., 3=14210
Ōhashi,N. See Ogaki,K., 3=22736
Ohba,Y. Radiation from a current filament clad by an anisotropic plasma sheath, 3=19438
Ohba,Y. Diffraction by a conducting circular cylinder clad by an anisotropic plasma sheath, 3=19446
Ohi, K. and Nakamura, T. Domain walls caught in sudarés in Rochelle salt crystal, 3=2959
Ohi,K. See Nakamura,T., 3=25657
Ohkawa,T.,Forsen,H.K.,Schupp,A.A.,Jr. and Kerst,D.W. Toroidal discharge experiments with rapid programming, 3=19247
Ohkohchi,M. See Taoka,T., 3=18972
Ohkura,H. and Murase,K. Electron spin resonance of electron-excess color centers in KCl crystals, 3=23234
Ohlsen,G.G. and Shamu,R.E. The elastic scattering of deuterons by carbon, 3=22413
Ohlsen,G.G. See Shamu,R.E., 3=15099
Ohlsen,G.G. See Young,P.G., 3=17281
Öhman,Y. A sensitive visual photometer for solar research, 3=9140
Öhman,Y. Solar flares and surges observed at the Stockholm Observatory and the Swedish astrophysical station in Anacapri in the year 1961, 3=9221
Ohman,Y.,Lindgren,A. and Lindgren,U. A photometric study of activations of prominences probably due to moving disturbances on the sun, 3=9222
Ohman,Y. See Agdur,B., 3=13159
Ohmura,H. and Ohmura,T. Coulomb energy of He^3 and charge distribution of nucleon, 3=613
Ohmura,T. See Ohmura,H., 3=613
Ohnishi,S., Tanei,T. and Nitta,I. E.S.R. study of free radicals produced by irradiation in benzene and its derivatives, 3=2670
Ohno,K. See Sasaki,F., 3=23785
Ohno,K. See Tsuchida,A., 3=22565
Ohno,R. Behaviour of sulfur in cast iron, 3=11300
Ohnuma,H. See Huang,K.K., 3=17472
Ohnuma,H. See Huang,K.K., 3=19843
Ohnysty,B. See Golding,R.D., 3=892
Ohoyama,T. See Yasukōchi,K., 3=1005
Ohr,S.M. and Beshers,D.N. Crystallography of dislocation networks in annealed iron, 3=20200
Ohring, G. Theoretical estimates of the average surface and atmospheric temperatures of mars, 3=18607
Ohring,G.,Wen Tang and DeSanto,G. Theoretical estimates of the average surface temperature on Mars, 3=7022
Ohta,K. Magnetocrystalline anisotropy and magnetic permeability of Mn–Zn–Fe ferrites, 3=20619
Ohta,K. and Yamadaya,T. Induced magnetic anisotropy and disaccommodation of manganese-zinc ferrites, 3=1034
Ohta,M.T. Multiple meson production in nucleon–nucleon interactions at energies around 200 GeV, 3=24711
Ohta,T. Phonon-drag Seebeck effect in a strong magnetic field. I. Longitudinal case, 3=25424
Ohta,T. Phonon-drag Seebeck effect in a strong magnetic field, 3=25246
Ohtsubo,A. and Kanda,E. Adiabatic demagnetization of cobaltous fluosilicate, 3=1059
Ohtsubo,A. and Kanda,E. Use of a recording fluxmeter for adiabatic demagnetization experiments, 3=14709
Ohtsuka,T. Interaction effects in potassium ferricyanide, 3=1054
Ohyama,H. See Koizumi,T., 3=21063
Ohzora,S. See Kanzaki,H., 3=22749
Øines,S. Power supply for the expander of the betatron, 3=14480
Oishi,Y. Chirality and the structure of the pion–nucleon interaction, 3=7897
Oizumi,J. See Ogushi,T., 3=24151
Ojalvo,I.U. Conduction with time-dependent heat sources and boundary conditions, (A modified separation-of-variables technique), 3=1852
Oka,T. See Matsumura,C., 3=6408
Oka,T. See Takagi,K., 3=25123
Okabavashi,T.,Hamamoto,I.,Hatano,A. and Saikan,T. The effect of the collective motion of pion cloud on weak interactions, 3=19553
Okabayashi,T. Pion as the field of heaviness, 3=24588
Okada,M. 14 gamma-spectra of short-lived nuclides, 3=19809
Okada,T. Vapor growth of GaAs in the polar direction, 3=20806
Okada,T. and Suita,T. Ultrasonic attenuation and some related behaviors in irradiated alkali halide crystals, 3=22649
Okada,T.,Yamadaya,T. and Miyahara,S. Role of cation vacancies in disaccommodation of manganese ferrite, 3=11097
Okada,T. See Umeda,J., 3=6861
Okada,T. See Yamadaya,T., 3=11205
Okamoto,F. and Scott,A.B. Formation and optical bleaching of F centers: impurity effects, 3=22841
Okamoto,K. See Enjōji,H., 3=5656
Okamoto,K. See Enjoji,H., 3=12088
Okamoto, T. Hall effect in iron and nickel, 3=2853
Okamoto,T.,Tange,H. and Tatsumoto,E. Forced magnetoresistance in silicon iron at low temperatures, 3=22905
Okamura,H. See Fukushima,S., 3=10389
Okamura,H. See Yoshizawa,Y., 3=19822
Okamura,K. and Templeton,I.M. The De Haas–Van Alphen effect in caesium, 3=20557
O'Kane,D.F. See LaBotz,R.J., 3=13142
O'Kane,D.F. See Mason,D.R., 3=864
Okano,K. Non-linear constitutive equations for isotropic viscoelastic materials, 3=7159
Okano,K. See Muto,J., 3=24936
Okano,M. See Ishiyama,M., 3=12431
Okano,M. See Izumi,I., 3=24167
Okano, T. See Ikeda, T., 3=3255
Okaya,A. and Barash,L.F. The dielectric microwave resonator, 3=487
Okaya,Y. See Cole,H., 3=23425
Okazaki,A. and Suemune,Y. The crystal structure of KMF_3, 3-1333

Okazaki,A. See Low,G.G.E., 3=17288
Okazaki,K. See Takamura,J., 3=22745
Okazaki,M. Landau levels and cyclotron resonance of holes in germanium, 3=8505
Okazaki,S. Microwave breakdown of air, nitrogen and argon, 3=5648
Okazaki,S. and Hiramatsu,M. Spontaneous fluctuations and life-path in silicon, 3=20317
Oke,J.B. Absolute energy distribution in the optical spectrum of 3C 273, 3=13907
O'Keefe,J.A. and Shute,B.E. Origin of tektites, 3=13878
O'Keefe,J.A. See Cameron,W.S., 3=23591
O'Keefe,J.A. See Carpenter,M.S., 3=11445
O'Keefe, J.G. See Bray, P.J., 3=18147
O'Keeffe,M. Madelung constants for the C3 and C9 structures, 3=20047
O'Keeffe,M.,Ebisuzaki,Y. and Moore,W.J. The defect structure of cuprous oxide, 3=22735
Okel,J.G.R. See Verheul,H., 3=15155
O'Kelley,G.D. See Troutner,D.E., 3=12708
O'Kelley,G.D. See Wolke,R.L., 3=10180
O'Kelly,L.B. See Hurst,G.S., 3=16902
O'Kelly,L.B. See Hurst,G.S., 3=23940
Oketani,S. and Nagakura,S. Electron diffraction studies on the crystal structures of carbides of iron, cobalt and nickel, 3=1324
Oketani,S. See Nagakura,S., 3=20884
Okhrimenko,L.S. See Konovalova,L.P., 3=2174
Okubo,S. Some consequences of unitary symmetry model, 3=12396
Okhuysen,P.L. See Minami,S., 3=17337
Okhuysen,P.L. See Young,P.G., 3=17281
Ōki,T.,Fujimoto,F. and Hitotuyanagi,Z. Magnetogravitational theory of galaxy, 3=7041
Okita,T. Observations of the vertical structure of a stratus cloud and radiation fogs in relation to the mechanism of drizzle formation, 3=1442
Okkerse,B. Anomalous transmission of X-rays in germanium. I. The imaginary part of the atomic scattering factor, 3=11257
Okkerse,B. and Penning,P. Anomalous transmission of X-rays in germanium. II. Effects due to elastic deformation, 3=20197
Okolvich,V.N. and Smirenkin,G.N. Kinetic energy of fragments emitted in subbarrier fission, 3=15246
Okonogi,H. See Hayashi,H., 3=22182
Okonov,E.O. The suppression of two-meson annihilation in antiproton-proton interaction, 3=4391
Okonov,E.O. Limits for the possible magnetic moment of the K^0-meson, 3=6074
Okonov,E.O.,Podgoretzskii,M.I. and Khrustalev,O.A. Concerning the gravitational masses of K^0-and $\overline{K}_0$-mesons, 3=6073
Okonov,E.O. See Anikina,M.Kh., 3=6071
Okonov,E.O. See Nyagu,D.V., 3=4451
Okonov,E.O. See Nyagu,D.V., 3=6280
O'Konski,C.T. and Bergmann,K. New electro-optic effect: colour change produced by an electric field, 3=3804
Okonov,E.O. See Ogievetskii,V.I., 3=2319
Okorokov,V.V. See Levintov,I.I., 3=24963
Okorokov,V.V. See Yurova,L.N., 3=2271
Oksengorn,B. and Vodar,B. Line shifts and line broadening in the 2.5 μ absorption band of HF, perturbed by hydrogen and deuterium at moderate pressures, 3=23935
Oksengorn,B. See Klyuev,Yu.A., 3=25116
Oksengorn,B. See Schuller,F., 3=6377
Oksman,J. Studies on the auroral sporadic E ionization at Sodankylä, 3=18535
Oksman,J. and Kataja,E. Geophysical effects of nuclear explosions at Sodankylä, 3=9070
Oksman,J. See Dieminger,W., 3=1461
Oksman, Ya.A, Kiseleva, M.N. and Martinson, B.M. Drift dispersion of the photodielectric effect in alloyed germanium, 3=17959
Okubo,H.,Murakami,S. and Hosono,K. Microscopic strain distribution and endurance limit in alpha-brass, 3=6799
Okubo,S. Some consequences of analyticity and unitarity conditions in scattering problems. I, 3=5938
Okubo,S. Some consequences of analyticity and unitarity oonditions in scattering problems. II. 3=10119
Okubo,S. Complex angular momentum and domain of holomorphy, 3=12417
Okubo,S. and Marshak,R.E. R-invariances of strong and weak interactions, 3=12400
Okubo,S. and Sakita,B. Unitary symmetry and decay of η meson, 3=19690
Okubo,S. See Gotow,K., 3=2264
Okuda,A. See Fukuda,K., 3=25300
Okuda,H. See Hayakawa,S., 3=616
Okuda, S. Internal friction peaks in silver and platinum at low temperatures, 3=18166
Okuda,S. Study of the Bordoni peak in f.c.c. metals after deformation at 4.2° K and subsequent low temperature annealing, 3=23298
Okuda,S. Study on dislocation relaxation peaks in gold and copper, 3=25613
Okuda,S. and Hasiguti,R.R. Internal friction peaks of cold worked gold and copper at low temperatures, 3=11136
Okuda,T. Equilibrium temperature of particles in partially ionized plasma, 3=24267
Okuda,T. and Yamamoto,K. Penetration of ion sheath into plasma, 3=24298
Okuda,T. and Yamamoto,K. Low frequency wave propagation in a drifting plasma, 3=24319
Okuda,T. and Yamamoto,K. Electroacoustic wave in quasi-steady approach, 3=24320
Okuda,T. and Yamamoto,K. Propagation of temperature disturbance in gaseous plasma, 3=24321
Okuda,T. See Carlson,R.W., 3=1993
Okulov,B.V. See Moskalev,V.A., 3=17007
Okumura,K. Paramagnetic resonance of diluted $[Cr(NH_3)_6]Cl_3$, 3=1182
Okumura,K. Magnetic susceptibility of Wurster's blue perchlorate, 3=11034
Okumura,K. and Hensley,E.B. Drift and diffusion of activation in oxide-coated cathodes, 3=9831
Okumura,K. and Templeton,I.M. The De Haas-van Alphen effect in rubidium, 3=1122
Okun',L.B. See Gribov,V.N., 3=4376
Okun',L.B. See Kobzarev,I.Yu, 3=593
Okun',L.B. See Kobzarev,I.Yu., 3=4450
Okun',L.B. See Kobzarev,I.Yu., 3=5928
Okun',L.B. See Kobzarev,I.Yu., 3=5959
Okun',L.B. See Kobzarev,I.Yu., 3=14068
Okun',L.B. See Kobzarev,I.Yu., 3=14992
Okuno,E. See Lattes,C.M.G., 3=15058
Okuzawa,T. On the isotropic hydromagnetic waves in the exosphere, 3=1474
Olander,D.R. Analysis of liquid diffusivity measurements to account for volume changes on mixing — the diaphragm cell, 3=21328
Olbert,S. See Hersil,J., 3=4507
Oldenberg,O. See Innes,F.R., 3=2570
Oldfield,D.E.S. See Davies,M.G., 3=1767
Oldfield,D.E.S. See Davies,M.G., 3=1768
Oldham,I.B., Young,F.J. and Osterle,J.F. Streaming potential in small capillaries, 3=14179
Oldham,J.W.H. See Fenn,R.H., 3=16087
Oldham,W.G. and Milnes,A.G. N—N semiconductor heterojunctions, 3=13088
Oleari,L. and Giacometti,G. An "open shell" type wave function for the hydrogen molecule ground state, 3=25095
Olechna, D.J. and Ehrenreich, H. Mobility and thermoelectric power in many-valley polar semiconductors, 3=2871
Olechna,D.J. See Ehrenreich,H., 3=25331
Olechna,D.J. See Hall,R.N., 3=24465
Oleinik,M.I. See Frolov,A.P., 3=20815
Olekhnovich,N.M. See Sirota,N.N., 3=18058
Olempska,Z. See Niemyski,T., 3=11226
Oles,A. See Babayan,H.P., 3=6103
Oleś,A. See Grigorov,N.L., 3=10197
Oles,A. See Łoskiewicz,J., 3=7956
Oles',A.A. See Babayan,Kh.P., 3=19595
Oles',A.A. See Babetski,S.Yu., 3=4487
Oleson,N.L. See Cooper,A.W., 3=4062
Olette,M. See Geoffray,H., 3=8359
Oliphant,T.A.,Jr. Entropy production and heat flow in liquid He II, 3=21641
Olive,D.I. On the analytic continuation of the scattering amplitude through a three-particle cut, 3=19561
Olive,D.I. Unitarity and the evaluation of discontinuities. II, 3=24629

Oliver,D.J. Non-ohmic effects in gallium arsenide at low temperatures, 3=10813
Oliver,D.J. See Broom,R.F., 3=19491
Oliver,J.H. See Halperin,J., 3=22404
Oliver,J.H. See Halperin,J., 4=22434
Olivier,M. Study of a phase stabilization system for a klystron, 3=9926
Ol'Khov,O.A. and Provotorov,B.N. Quantum statistical theory of magnetic resonance in systems with strong exchange interaction, 3=23214
Ol'khovs'kiĭ,V.S. and Tsekhmīstrenko,Yu.V. Elastic scattering of neutrons by nonsperical nuclei with a rotating spectrum, 3=22396
Ol'khovs'kiĭ,V.S. and Tsekhmīstrenko,Yu.V. Inelastic scattering of neutrons on nonspherical nuclei with a rotational spectrum, 3=22397
Olkowsky,J.,Cindro,N. and Strohal,P. Cross sections induced by 11 MeV protons, 3=22382
Olkowsky,J. See Jeronymo,J.M.F., 3=24949
Olley,J.W. and Butler,S.T. Semi-phenomenological model for meson production in high-energy nucleon—nucleon collisions, 3=6019
Ollom, J.F. and Goldstein, H.L. Relation of spin wave linewidth to optimum modulating frequency required for suppression of subsidiary resonance in ferrites, 3=18119
Olmen,R.W. See Rubens,S.M., 3=15812
Olmstead,W.E. and Raynor,S. Solar heating of a rotating spherical space vehicle, 3=7056
Olness,D. and Sponer,H. Phosphorescence lifetime studies in some organic crystals at low temperatures, 3=13211
Olness,D. See Silver,M., 3=20339
Olness,D. See Silver,M., 3=10887
Olsen,A.L. and McBride,W.R. Transmittance of single-crystal magnesium fluoride and Irtran-1 in the 0.2 to 15 micron range, 3=20480
Olsen,B. See Lindgren,I., 3=19342
Olsen,B. See Matthias,E., 3=12614
Olsen,C.E.,Sandenaw,T.A. and Matthias,B.T. Magnetic properties of plutonium hydride and deuteride, 3=15783
Olsen,D.P. See Crossman,L.D., 3=8281
Olsen,H. Opening angles of electron—positron pairs, 3=17258
Olsen,H.N. Measurement of argon transition probabilities using the thermal arc plasma as a radiation source, 3=10447
Olsen,J.L. Superconductivity of cadmium isotopes, 3=12030
Olsen,J.L. Recent work on size effects in electronic conduction, 3=15448
Olsen,J.L., Andres,K., Meier,H. and de Salaberry,H. The influence of pressure on the superconductivity of rhenium, 3=14461
Olsen,J.S. See Lassen,N.O., 3=24975
Olsen,K.H. See Stokes,R.J., 3=17724
Olsen,L.O. The AAPT—AIP regional counselor program in physics, 3=6
Olsen,T. Attenuation of longitudinal soundwaves by conduction electrons, 3=10593
Olsen,T. Fermi surface of white tin from magnetoacoustic measurements, 3=15469
Olsen,T. See Amundsen,T., 3=20123
Olsen,T. See Amundsen,T., 3=25215
Ol'shanskaya,E.Ya., Nekrasov,Yu.V. and Umanskii,Ya.S. Investigation of order in W+44 at.% Mo alloy by measurement of diffuse X-ray scattering, 3=20891
Ol'shanskaya,N.I. See Nesterov,V.M., 3=15609
Olson,B.E. Variations in radiant energy and related ocean temperatures, 3=9010
Olson,E.C. Observations of solar-line asymmetries, 3=3568
Olson,F.A. Study of magnetoelastic interactions by parallel pumping, 3=15884
Olson,F.A. See Morgenthaler,F.R., 3=1164
Olson, H.F., Belar, H. and de Sobrino, R. Demonstration of a speech processing system consisting of a speech analyzer translator, typer, and synthesizer, 3-1551
Olson,O.D. and Skarsgard,H.M. Probe studies of helium afterglows dominated by Coulomb interactions, 3=7440
Olson,O.H. Selected ordinates for solar absorptivity calculations, 3=7031
Olson,O.H. and Pontarelli,D.A. Asymmetry of an integrating sphere, 3=16778
Olson,R.A. and Lary,E.C. Electrodeless plasma conductivity probe apparatus, 3=5677
Olson,W.B. and Allen,H.C., Jr. On the fourth order Hamiltonian of an asymmetric rotor molecule of orthorhombic symmetry, 3=25083
Olson,W.B.,Allen,H.C.,Jr and Plyler,E.K. Analysis of two infrared bands of CH_2D_2, 3=12855
Olsson,M. and Yodh,G.B. Isobar model analysis of single pion production in pion—nucleon collisions below 1 BeV, 3=15005
Olsson,P. See Nagel,B., 3=3756
Olszewski,S. Exchange correlations and compressibilities of metallic lithium and sodium, 3=23282
Olteanu,I. See Benes,L., 3=21919
O'Mahony,G. Singularities in daily rainfall, 3=3460
O'Malley,T.F. Extrapolation of electron—rare gas atom cross sections to zero energy, 3=12777
O'Malley,T.F. See Hahn,Y., 3=53
O'Malley,T.F. See Hahn,Y., 3=9352
Ombrellaro,P.A. and Federighi,F.D. A variational procedure for calculating fast group constants, 3=25003
Omel'yanovskii,E.M.,Fistul',V.I. and Mil'vidskii,M.G. Electron mobility in heavily doped silicon, 3=25347
Omel'yanovski, E.M. See Fistul', V.I., 3=17861
Omholt,A. Observations and experiments pertinent to auroral theories, 3=13797
Omnes,R. and Vallados,G. Analysis of pion—nucleon interactions from 500-1200 MeV, 3=2300
Omori,S. Studies on the high frequency voltage standard, 3=344
Omori,Y. See Muto,J., 3=24936
Omura,I. and Morito,N. Mass spectrometric measurements of negative ions, 3=12070
Omura,I. See Morito,N., 3=12259
Omura,I. See Noda,T., 3=21903
Onaka,R. and Ejiri,A. A density-recording vacuum ultraviolet spectrophotometer, 3=18993
Onaka,R. and Fujita,I. Studies of the Greek bands in the alkali halides, 3=8590
Onaka,R.,Fujita,I. and Fukuda,A. α centers in alkali halide crystals, 3=22837
Oncescu,M. See Comănescu,V., 3=21028
Ondik,H.M. See Eanes,E.D., 3=8858
Ondoh,T. V.L.F. emissions and geomagnetic disturbances at the auroral zone. II. Chorus increases and geomagnetic pulsation at the auroral zone, 3=11472
Ondoh,T. Ionospheric absorption of cosmic radio noise and chorus at the auroral zone, 3=23618
Ondoh,T. Longitudinal distribution of s.s.c. rise times, 3=25951
Ondoh,T. and Maeda,H. Geomagnetic-storm correlation between the northern and southern hemispheres, 3=1491
Ondoh, T. See Madea,H., 3=11475
Ondris,M. See Frait,Z., 3=3155
Ondris,M. See Frait,Z., 3=8700
Ondris,M. See Frait,Z., 3=20596
Ondris,M. See Kaczér,J., 3=1062
O'Neal,H.R. See Ho,J.C., 3=20107
Oneda,S.,Chiba,S.,Hori,S. and Hiraki,H. K—π resonance and the strangeness violating weak interactions, 3=6069
Oneda,S. See Hori,S., 3=22201
O'Neill,E.L. and Walther,A. The question of phase in image formation, 3=7310
O'Neill,E.T. Pressure-balanced high-pressure hydrophone, 3=228
O'Neill,G.K., Murphy,F.V., Wright,K. and Yount,D. Magnetic-field spark chambers, 3=17144
O'Neill,G.K. See Murphy,F.V.,Jr., 3=14838
Onley,D. See Shafer,J.B., 3=15028
Onley,D.S.,Griffy,T.A. and Reynolds,J.T. Partial-wave analysis of the inelastic scattering of electrons by nuclei. II. Application to the liquid drop model, 3=8081
Onley,D.S. See Griffy,T.A., 3=665
Onley,J.W.,Klingberg,C.L.,Dainoff,M.J. and Rollman,G.B. Quantitative estimates of saturation, 3=11642
Onley,J.W. See Boynton,R.M., 3=9305
Onno,P. and Bell,R.E. Dependence of line widths of scintillation counters on integrating time constant, 3=4294
Ono,A. Strength of metals in view of the internal energy, 3=13377
Ono,A. See Kimura,M., 3=22376
Ono,A. See Sugawara,M., 3=12653
Ono,K. On the decay interaction of baryons, 3=10068

Ōno,K.,Ishikawa,Y. and Ito,A. Internal magnetic field in ordered Fe$_3$Al, 3=8334
Ōno,K., Ishikawa,Y., Ito,A. and Hirahara,E. The Mössbauer effect in some iron compounds, 3=995
Ono,K., Ito,A. and Hirahara,E. Mössbauer study of hyperfine field, quadrupole interaction, and isomer shift of Fe^{57} in FeS$_{1.00}$, FeS$_{1.05}$ and FeS$_{1.07}$, 3=2698
Ono,K. See Furusho,K., 3=2942
Ono Ken-Ichi. C.P. invariance and the concept of anti-particles, 3=24623
Ono,S. and Shizume,T. Statistical mechanics of transport phenomena in gases at moderate densities, 3=9497
Ono,T. See Irie,T., 3=10900
Ono,Y. and Sakashita,S. On the mechanism of supernova explosion, 3=11559
Onodera,S. Numerical analysis of relative resistivity for a horizontally layered earth, 3=16195
Onodera,Y. See Ogushi,T., 3=24151
Onoe,M. Theory of ultrasonic delay lines for direct-current pulse transmission, 3=205
Onoe,M. Mechanical input admittance of ultrasonic delay lines operating in torsional or shear modes, 3=18923
Onoe,M.,Tiersten,H.F. and Meitzler,A.H. Shift in the location of resonant frequencies caused by large electro-mechanical coupling in thickness-mode resonators, 3=7266
Onogi,S. See Stein,R.S., 3=10915
Onoguchi,A. See Shirai,S., 3=4237
Onoguchi,A. See Tochigi,H., 3=24165
Onoprieenko,L.G. Theory of ferromagnetic resonance on uniaxial single crystals of ferrites, 3=3152
Onoprienko,L.G. The theory of the magnetization curve of uniaxial single crystals, 3=1118
Onsager,L. See Fuoss,R.M., 3=20998
Onsager,L. See Fuoss,R.M., 3=20999
Onuchin,A.P. A nanosecond light impulse generator, 3=1805
Onuki, M. and Miyake, T. Photoconductivity of CdS in blocking electrodes, 3=17955
Ōnuma,Y. See Tokuyasu,T., 3=20955
Onwumechilli,A. Lunar effect on the diurnal variation of the geomagnetic horizontal field near the magnetic equator, 3=9128
Onwumechilli,A. Separation of the semidiurnal tidal effect on individual days and some equatorial features of the geomagnetic lunar tide, 3=25943
Onwumechilli,A. See Ogbuehi,P.O., 3=25938
Ooba,N. Note on the photometry of fluorescent materials, 3=18019
Oohashi,K. See Aono,S., 3=25138
Ookawa,A. and Yazu,K. The energy radiated from a dislocation by an accelerated motion through impurity fields, 3=23304
Oost,W.A. See Born,P., 3=12624
Oosterhuis,W.T. Simple method for measuring the Curie point, 3=8636
Opalenko,A.A. See Bryukhanov,V.A., 3=2368
Oparin,E.M. See D'yachkov,B.A., 3=24743
Oparin,E.M. See Petrov,V.I., 3=24395
Oparin,V.A. See Afrosimov,V.V., 3=365
Oparin,V.A. See Solov'ev,E.S., 3=5620
Opauszky,I. See Kiss,I., 3=21632
Opfer,J.E. See Luszczynski,K., 3=178
Ophel,T.R. and Lawergren,B.T. The decay of Mg^{27}, 3=24892
Ophel,T.R. See Lawergren,B.T., 3=4567
Opie,J.D. See Luborsky,F.E., 3=15773
Opik,E.J. Jupiter: chemical composition, structure and origin of a giant planet, 3=16337
Öpik,E.J. Selective escape of gases, 3=21099
Oppenheim,A.K. See Rosciszewski,J., 3=16945
Oppenheim,U.P. and Ben-Aryeh,Y. Statistical model applied to the region of the ν_3 fundamental of CO$_2$ at 1200°K, 3=5467
Oppenheim,U.P. and Goldring,H. The strengths of absorption lines in the 2-0 band of carbon monoxide, 3=4744
Oppenheim,I. and Hafemann,D.R. Thermodynamic properties of a monatomic hydrogen gas at high temperatures, 3=18855
Oppenheimer,F. See Cole,T.T., 3=14375
Oppliger,L.D. See Hardie,G., 3=4631
Oraevskii,A.N. Absorption and dispersion in molecular crystals, with consideration of the saturation effect, 3=20455
Oraevskii,A.N. See Basov,N.G., 3=6442
Oraevskii,A.N. See Basov,N.G., 3=21214
Oraevskii,A.N. See Basov,N.G., 3=23782
Oraevskii,A.N. See Belenov,E.M., 3=12359
Oraevskii,I.N. See Grigor'Yants,V.V., 3=12884
Oraevskii,V.N. and Sagdeev,R.Z. Stability of steady-state longitudinal plasma oscillations, 3=14613
Oraevskii,V.N. and Sagdeev,R.Z. Influence of "drift" waves on the diffusion of plasma in magnetic field, 3=23422
Oraevskii,V.N. See Galeev,A.A., 3=5822
Oraevskii,V.N. See Galeev,A.A., 3=24313
O'Raifeartaigh,L. and Ryan,C. On a generalised commutation relation, 3=11693
Oranowski,W.E. Investigation of electroluminescence in single crystals of ZnS, 3=4992
Oravets,Yu. See Dvoretski,A.S., 3=17159
Orbach,R. A note on the thermal resistance of Kramers salts, 3=12933
Orbach,R. and Blume,M. Spin-lattice relaxation in multi-level spin systems, 3=3184
Orbach,R. See Leask,M.J.M., 3=8333
Orbach,R. See Van Vleck,J.H., 3=23216
Orbach,R.L. See Cooke,A.H., 3=1194
Orcel,J. See Cauchois,Y., 3=4230
Orcel,J. See Jérémine,É., 3=3559
Orcutt,R.H. Influence of molecular quadrupole moments on the second virial coefficient, 3=21436
Orear,J. See Baker,W.F., 3=7854
Orear,J. See Kotelchuck,D., 3=6028
O'Reilly,D.E. and Tsang,T. Vibrational corrections to nuclear magnetic resonance second moments, 3=25587
O'Reilly,D.E. and Tung Tsang. Analysis of nuclear magnetic resonance line shapes by lattice harmonics, 3=5047
O'Reilly,T.J. Effect of the transport factor on the transient response of junction transistors, 3=8539
Orekhov, Yu.P. See Aksenov, G.I., 3=3118
Oren,R. See Grover,N.B., 3=15574
Oreshonkova,T.I. See Frishberg,A.A., 3=24257
Organova,N.I. See Semenov,E.I., 3=18325
Orgass,R.J. See Hahn,H., 3=16886
Oriani,R.A. and Sundquist,B.E. Emendations to nucleation theory and the homogeneous nucleation of water from the vapor, 3=14426
Oriel,P. See Schellman,J.A., 3=2681
Orkin-Lecourtois,A. See Bellière,J., 3=24775
Orkin-Lecourtois,A. See Bellini,G., 3=7899
Orkin-Lecourtois,A. See Bellini,G., 3=15011
Orlenko, B.F. See Val'ter, A.K., 3=17457
Orloff,M.K. and Fitts,D.D. Semiempirical SCF—LCAO—MO treatment of furan, 3=17599
Orlov,A.G. See Golikova,O.A., 3=22923
Orlov,A.N. Generation of defects on motion of unsplit screw dislocations, 3=17727
Orlov,L.G. Electron microscope analysis of the dislocation structure of α-iron, 3=4875
Orlov,Yu.F. Stable betatron oscillations in a nonlinear magnetic field, 3=14699
Orlov,Yu.F. and Kheifets,S.A. Particle loss due to multiple Coulomb scattering in a cyclical accelerator, 3=8991
Orlov,Yu.V. Direct nuclear photoeffect and the optical model of the nucleus, 3=6136
Orlov,Yu.V. See Kaminskii,V.A., 3=15164
Orlov,Yu.V. See Kaminsky,V.A., 3=22352
Orlov,Yu.V. See Luk'yanov,A.V., 3=2354
Orlova,T.V. See Guseva,M.I., 3=24971
Orlovic,M. See Kolk,A.J., 3=15654
Orman,P.R. A synchronising discriminator for scintillation counter pulses, 3=9704
Ormancey,G. See Flechon,J. 3=10725
Ormerod,M.G. and Stoodley,L.G. Observation of trapped electrons in polymethacrylic acid, 3=2684
Ormont,B.F. Role of modern thermodynamic concepts of structure in the investigation of semiconductors, 3=25824
Ormrod,J.H. and Duckworth,H.E. Stopping cross-sections in carbon for low-energy atoms with Z $\leq$ 12, 3=22510
Ornatskaya, Z.I. Electrical properties of some ternary compounds, 3=25350
Orofino,T.A. and Mickey,J.W.,Jr. Dilute solution properties of linear polystyrene in Θ-solvent media, 3=16616
Orr,C.,Hendrix,W.P.,Mullins,J.C. and Birstein,S.J. Inhibition of "spontaneous" nucleation, 3=303
Orr,D. Electron model studies of particle motions in spiral ridge magnetic fields, 3=4225
Orr,J.R. See Platner,E.D., 3=7751
Orr,J.R. See Platner,E.D., 3=19530

Orr,R.L. and Rovel,J. Thermodynamics of the structural modifications of AgZn, 3=1352
Orrall,F.Q. See Aly,M.K., 3=3577
Orrall,F.Q. See Aly,M.K., 3=18638
Orrall,F.Q. See Jefferies,J.T., 3=16384
Orsini,C.Q. See Lattes,C.M.G., 3=15058
Orszag,A. See Borie,J.C., 3=14336
Ortenberg,F.S. and Glasko,V.B. Vibrational transition probabilities for band systems of some diatomic oxides, 3=22536
Ortenberh,F.S. Investigation of electron—vibrational systems of the bands of some diatomic molecules, 3=22534
Ortmann,H. and Treptow,H. Emission shifts of ZnS phosphors with various activators due to lattice extension and compression, 3=8625
Ortner,J.,Hultqvist,B.,Brown,R.R.,Hartz,T.R.,Holt,O.,Landmark,B. Hook,J.L. and Leinbach,H. Cosmic noise absorption accompanying geomagnetic storm sudden commencements, 3=9135
Ortner,J. See Keppler,E., 3=11471
Orton,B.R. See Furukawa,K., 3=7197
Orton,D.A. See Seraphin,B.O., 3=15572
Orton,J.W. See Wertz,J.E., 3=22717
Orttung,W.H. Radius and polarizability of water from refractive index data, 3=23899
Osada,J.,Hama,Y. and Redondo,D.M. Bound states by pure repulsive forces, 3=19562
Osad'ko,Z.M. See Sirotenko,I.G., 3=3374
Osaka,Y. Effect of Coulomb interaction on longitudinal ultrasonic attenuation, 3=4814
Osaka,Y. Effect of Coulomb interaction on transverse ultrasonic attenuation, 3=4815
Ôsaka,Y. Dispersion coefficient of frequency, 3=6501
Osaka,Y. Renormalization constant of electron gas, 3=20147
Ôsaka,Y. Ultrasonic attenuation in normal metals, 3=22651
Ôsaka,Y.,Ôsaka,Y.S. and Gotô,F. Exciton structure in alkali-halide crystals, 3=8406
Osaka,Y. See Abe,Y., 3=2944
Ôsaka,Y.S. See Ôsaka,Y., 3=8406
Osaki,K.,Nakai,Y. and Watanabé,T. The crystal structure of monoclinic formate dihydrates, 3=25730
Osaki,K. See Koizumi,H., 3=11273
Osaki,T. The thermal equilibrium in high-excitation planetary nebula, 3=1536
Ôsaki,T. See Kogure,T., 3=3848
Osawa,T. See Aramaki,S., 3=10015
Osawa,Y. See Auskern,A., 3=2834
Osborn,A. See Scott,D.W., 3=8291
Osborn,R.K. A discussion of theoretical analyses of probe-induced thermal flux perturbations, 3=12726
Osborn,R.K. Kinetic equations for fully ionized, inhomogeneous plasmas, 3=16925
Osborn,R.K. See Yip,S., 3=17284
Osborn,R.K. See Yip,S., 3=23869
Osborne,C. See White,H.S., 3=24562
Osborne,D.V. Measurement of the vapour velocity near the surface of liquid helium II, 3=1883
Osborne,D.V. See Turkington,R.R., 3=19083
Osborne,D.V. See Turkington,R.R., 3=23845
Osborne,D.W. See Betts,D.S., 3=16849
Osborne,D.W. See Flotow,H.E., 3=17658
Osborne,P.W. Thermal activation energies for the low temperature deformation of metals, 3=25622
Oser,H. and Marvin,R.S. Effect of molecular weight on viscoelastic properties of polymers as predicted by a molecular theory, 3=23339
Oser,H. See Börsch-Supan,W., 3=14538
Oser,H. See Marvin,R.S., 3=11167
Osetinskii,G.M. See Govorov,A.M., 3=6091
Oshcherin,B.N. The relation of the activation energy for self-diffusion with some physical properties, 3=20218
Osher,J.E. See Hagerman,D.C., 3=7520
Osherovich,A.L. and Rodionov,S.F. Some parameters of modern telephotometric systems, 3=23655
Oshima,Y. See Nishiwaki,Y., 3=2156
Oshio,T. See Higashi,S., 3=4499
Oshio,T. See Higashi,S., 3=4530
Oshiyama,H. See Kōji Uo,K., 3=1990
Osial,T.A. See Church,C.H., 3=22011
Osiecki,J. Propagation of plastic strain waves in a semi-infinite bar produced by a periodic load, 3=5484
Osiecki,J. See Ottenberg,A., 3=15364
Osika,L.M. See Kouvel,J.S., 3=15752
Osipenko,A.N. See Grechishkin,V.S., 3=23272
Osipenko,B.P. See Golovin,B.M., 3=2165
Osipov,A.I. See Losev,S.A., 3=16695
Osipov,B.D. and Khvoshchev,A.N. An optical study of magnetic constriction of the electron—hole plasma in InSb, 3=15590
Osipov,B.D. See Basov,N.G., 3=4924
Osipov,B.D. See Basov,N.G., 3=20538
Osipov,B.S. See Tolstoi,N.A., 3=6630
Osipov,I.O. Rayleigh waves at the interface of two media with cubic anisotropy, 3=7268
Osipov,I.O. The method of functionally invariant solutions for problems in the dynamic theory of elasticity for anisotropic media, 3=21274
Osipov,V.B. See Trinkler,É.I., 3=11095
Osipov,V.P. See Voronkov,R.M., 3=5727
Osipov,Yu.G. See Kachurin,L.G., 3=18252
Osipova,L.P. See Zubov,V.G., 3=18009
Osipova,L.P. See Zubov,V.G., 3=3026
Osipova,V.A. See Gorbunov,A.N., 3=6227
Osipova,V.A. See Gorbunov,A.N., 3=8076
Osipow,B.D. See Basow,N.G., 3=4923
Oskam,H.J. Pressure dependence of the cataphoretic effect in the rare gases, 3=14513
Oskam,H.J. See Carlson,R.W., 3=1993
Oskotskii,V.S. Theory of quasi-elastic scattering of cold neutrons in a liquid, 3=18797
Oskotskiĭ,V.S. Exclusion of coherent scattering from the cross-section for scattering of slow neutrons by simple crystal lattices, 3=22642
Oskotskii,V.S. See Zhurkov,I.S., 3=15484
Osman,E. See Raab,D.H., 3=1555
Osman,E. See Raab,D.H., 3=3676
Osman,E. See Raab,D.H., 3=21159
Os'minin,Yu.P. Heat capacities of liquid alkali metals, 3=23870
Osokina,R.M. Photoprotons from Nb^{93}, 3=24922
Ostanevich,Yu.M. See Alfimenkov,V.P., 3=6459
Ostanevich,Yu.M. See Alfimenkov,V.P., 3=6460
Ostantowski,J. See Walker,W.C., 3=8582
Östberg,G. Determination of the composition of the second phase of Zircaloy, 3=5131
Oster,C.F.,Jr. and Skillman,D.C. Determination and control of electron microscope magnification, 3=19358
Oster,G.,Geacintov,N. and Khan,A.U. Luminescence in plastics, 3=7213
Oster,L. Note on thermal radio radiation, 3=12133
Oster,L. See Beeken,B., 3=14535
Oster,L. See Goldman,R., 3=7602
Osterbrock,D.E. On para- and orthohydrogen molecules in interstellar space, 3=3535
Osterbrock,D.E. See O'Dell,C.R., 3=3551
Ostergaard,P.B., Cardinell,R.L. and Goodfriend,L.S. Transmission loss of leaded building materials, 3=18951
Osterle,J.F. See Oldham,I.B., 3=14179
Ostertag,H., Lauterjung,K.H. and Gruhle,W. Evaluation device for a pulse-height analyser, 3=353
Ostriker,J.P. Radiatice transfer in a finite gray atmosphere, 3=21267
Ostroukhov,A.A. Effect of space charge on load characteristics and e.m.f. of thermionic energy convertor, 3=9718
Ostroukhov,A.A. Potential and concentration distributions in a low-pressure thermionic energy convertor, 3=24208
Ostroukhov,A.A. See Nakhodkin,N.G., 3=2781
Ostroukhov,A.A. See Nakhodkin,N.G., 3=20153
Ostroumov,A.G. See Efimova,B.A., 3=10804
Ostroumov,G.A. On the theory of acoustic streaming, 3=214
Ostroumov,G.A. Approximation of a point detonation in air by an equivalent spherical radiator, 3=14248
Ostroumov,G.A. Some aspects of the propagation of moderate-strength shock waves, 3=14249
Ostroumov,G.A. See Mel'nikov,N.P., 3=9473
Ostroumov,V.I. See Bogatin,V.I., 3=15219
O[illegible],G.V. and Ostrovskii,Yu.I. Determination of the [illegible] strengths of the absorption bands of gadolinium, [illegible]
Ostrovskii,L.A. A certain type of magnetohydrodynamic [illegible]
Ostr[illegible],L.F. See Kuz'menko,P.P., 3=8433
Ost[illegible],L.F. See Kuz'menko,P.P., 3=22831

Ostrovskii,Yu.I. and Penkin,N.P. The measurement of absolute oscillator strengths in atomic spectra. III. Potassium, 3=17532
Ostrovskii,Yu.I. See Ostrovskaya,G.V., 3=19935
O'Sullivan,D. See Danysz,M., 3=22276
O'Sullivan,D. See Fletcher,E.R., 3=10232
O'Sullivan,W.J., Simmons,W.W. and Robinson,W.A. Cl n.m.r. in antiferromagnetic $CuCl_2.2H_2O$, 3=20680
Osvay,M. See Berényi,D., 3=14961
Oswald,G. Methodology of wear measurement, 3=1248
Oswald,L.O. See Ely,R.P., 3=19703
Ota,M. A statistical treatment of the intensity fluctuation of random noise current, 3=11706
Otani,S. and Miura,M. Effect of additives on the crystallization and crystal habit of lead sulfate, 3=23402
Oterma,L. A stable aplanatic objective, 3=18583
Othmer,D.F. and Hung Tsung Chen. Correlating diffusion coefficients in binary gas systems. Use of viscosities in a new equation and nomogram, 3=7231
Otnes,K. See Palevsky,H., 3=17285
Otomo,Y. and Kasai,P.H. Electron paramagentic resonance studies of luminescent centers and traps in self-activated ZnS phosphors, 3=23112
Otomo,Y.,Kusumoto,H. and Kasai,P.H. Thermoluminescence and electron spin resonance studies of ZnS—Ga phosphors, 3=23131
Otouma,H. See Hirota,K., 3=12870
Otozai,K. See Fukushima,S., 3=10389
Otpushchennikov, N.F. Determination of the size of the elementary crystallization nucelus from acoustic measurements, 3=18251
Otstavnov,P.S. and Popov,V.I. Polarization of 3·5 MeV neutrons upon scattering, 3=2470
Otsuka,M. See Hayashi,I., 3=352
Otsuki,S. See Hayashi,H., 3=22182
Otsuki,S. See Hoshizaki,N., 3=24721
Otsuki,S. See Kaneda,H., 3=22256
Otsuki,T. See Kawai,N., 3=21495
Ott,H. Lorentz transformation of heat and temperature, 3=24070
Ott,W. Study of the plasma boundary layer in a low-pressure discharge, 3=12113
Ott,W. See Gierke,G.v., 3=7574
Ottavi,H. Nuclear magnetic resonance of C^{13} in benzene in a weak field, 3=22601
Ottavi,H. See Benoit,H., 3=13589
Otte,H.M. Faulting in sodium azide, 3=8443
Otte,H.M. Determination of the dilation parameters in martensitic transformations, 3=8889
Otte,H.M.,Welch,D.O. and Bolling,G.F. Measurement of stacking-fault probabilities in bulk specimens, 3=12992
Otte,H.M. See Dash,J., 3=23474
Otte,H.M. See Drazin,M.P., 3=16023
Otte,H.M. See Wechsler,M.S., 3=22701
Otten,E.W. Determination of the g_J factor in the $4s4p\,^3P_1$ term of the Ca I spectrum with optical double resonance, 3=2564
Ottenberg,A., Hoffman,C.J. and Osiecki,J. Relation between the chemical composition and the electronic properties of the charge-transfer complex, p-chloranil: p-phenylenediamine, 3=15364
Otterson,D.A. Influence of room-temperature atmospheric reaction products on the ductility of sodium chloride single crystals, 3=13355
Ottewill,R.H. See Horne,R.W., 3=1268
Ottewill,R.H. See Napper,D.H., 3=13629
Otto, G. See Koch,D., 3=16880
Otto, K. See Flotow, H.E., 3=17658
Ottolenghi,M. See Jortner,J., 3=3405
Otwinowski,S. See Hofmokl,T., 3=12488
Oudar,J. See Hondros,E., 3=16130
Ouseph,P.J. and Canavan,F.L. Quadrupole interaction in 0.48 MeV level of Ta^{181} in hafnium single crystals, 3=6454
Outi,C. See Takenoshita,Y., 3=25925
Outmans,H.D. On Darcy's law, 3=14128
Ovander, L.N. Resonance Raman scattering in crystals, 3=3024
Ovander,L.N. Raman scattering in piezoelectric crystals of tetragonal system, 3=3025
Ovander,L.N. Temperature dependence of infrared absorption lines. II, 3=15662
Ovander,L.N. Raman scattering in piezoelectric crystals, 3=15693
Ovander, L.N. Rayleigh scattering in crystals, 3=17989
Ovander,L.N. Concerning the theory of nonlinear optical effects, 3=25429
Ovcharenko,I.E. and Kuzyakov,Yu.Ya. Bands of the SiCl molecule in the region 3220-2735 A., 3=10522
Ovcharenko,L.I. See Lavrentyev,O.O., 3=19274
Ovcharenko,N.I. Galvanomagnetic D.C. amplifier, 3=3977
Ovcharenko,N.N. See Geguzin,Ya.E., 3=15506
Ovcharenko,N.N. See Geguzin,Ya.E., 3=16029
Ovcharenko,O.N. See Lazarev,B.G., 3=16874
Ovchinnikov, I.V. The Stark effect and spin-phonon interaction in paramagnetic crystals, 3=3182
Ovchinnikov, I.V. Spin-lattice relaxation in $K_3(Co, Fe)(CN)_6$, 3=18140
Ovchinnikova,T.L. See Belov,K.P., 3=15867
Ovechkin,A.P. See Mash,D.I., 3=15918
Ovenall, D.W. E.P.R. spectrum of irradiated oriented polytetrafluoroethylene, 3=17608
Overend,G.E. See Jackson,R.S., 3=23284
Overend,J. See Pariseau,M., 3=22552
Overend,J. See Zerbi,G., 3=8292
Overend,J. See Zerbi,G., 3=8293
Overhauser,A.W. Spin density waves in an electron gas, 3=2772
Overhauser,A.W. Spin-density-wave mechanisms of antiferromagnetism, 3=15903
Overman,R.F. Coincidence counting of special samples, 3=5990
Overn,W.M. See Hewitt,F.G., 3=15869
Overseth,O.E. See Cronin,J.W., 3=7929
Overton,L.J. See Glower,D.D., 3=22998
Overton,W.C., Jr. Conversion of $C_V[T, V(T)]$ to $C_V[T, V(0°K)]$ with application to Na and Cu, 3=6476
Overton, W.C.Jr. F.C.C. elastic constants for arbitrary central forces by the method of long waves, 3=18158
Overton,W.C.,Jr. See Schuch,A.F., 3=16853
Ovodova,A.V. See Maslov,V.N., 3=16028
Ovsienko,D.E. and Sosnina,E.I. Effect of the mosaic structure of melt-grown aluminium single crystals on their critical shear stress, 3=23350
Ovsyannikova,L.P. See Dymnikov,A.D., 3=24363
Ovsyuk,Z.Sh. See Strakhov,L.P., 3=23014
Owe Berg,T.G.,Fernish,G.C. and Gaukler,T.A. The mechanism of coalescence of liquid drops, 3=14131
Owen,A.E. See Albon,N., 3=23411
Owen,G.E. See Finlay,R.W., 3=6288
Owen, J. First International Conference on Paramagnetic Resonance, Jerusalem, July 1962, 3=1177
Owen,J., Brown,M.R., Coles,B.A. and Stevenson,R.W.H. Paramagnetic resonance from pairs of Mn^{2+} ions in Mn, ZnF_2, 3=3176
Owen,J. See Harris,E.A., 3=20627
Owen,J. See Rodbell,D.S., 3=20628
Owen,J. See Windsor,C.G., 3=10564
Owen,S.J.T. and Standley,K.J. The design of a simple electromagnet for moderate fields, 3=14727
Owen,T.D. Measurement of power and burn-up in irradiated nuclear reactor fuel by a non-destructive method, 3=19907
Owen,W.S. See Rosenfield,A.R., 3=11163
Owens,A.R. International Solid-State Circuits Conference, Philadelphia, February, 1963, 3=14465
Owens,B.B. Melting properties of silver nitrate to 10 000 atm., 3=24110
Owens,D.R. See Phillips,T.R., 3=19080
Owens,E.B. The effect of ion mass and ion energy on the sensitivity of Ilford Q_2 plates as ion detectors in mass spectrography, 3=5725
Owens,H.C. Three computer programs for calculating cyclotron orbits, 3=5763
Owren,L. Multiple scattering in the auroral ionosphere, 3=13716
Owren,L. See Hook,J.L., 3=11437
Owren,L. See Hunsucker,R.D., 3=1463
Oxenius,J. See Cuperman,S., 3=7605
Oxenius,J. See Engelmann,F., 3=9817
Oxley,D.P.,Tebble,R.S. and Williams,K.C. Heusler alloys, 3=15778
Oya,H. See Maeda,K., 3=16259
Oya,H. See Maeda,K., 3=23613
Oyamada,M. See Shoda,K., 3=15172

Ozaki,M.,Tanaka,M. and Teramoto,E. Dependence of the transition temperatures of DNA molecules upon their base compositions, 3=22616
Ozaki,S. See Boyarski,A.M., 3=6065
Ozaki,S. See Foley,K.J., 3=17323
Ozaki,S. See Foley,K.J., 3=19688
Ozaki,S. See Lindenbaum,S.J., 3=17106
Ozarow,V. See Addamiano,A., 3=25485
Ozawa,K. Effects of gamma-radiation on alkali halide crystals, 3=25449
Ozawa,K. See Kubo,K., 3=22868
Ozawa,M., Morita,T. and Ogasawara,K. Measurements on vacuum thermo-electron generator, 3=14512
Ozawa,M. See Kimura,M., 3=14252
Ozima,M. See Nagata,T. 3=11065
Ozawa,Y., Kaji,I. and Kito,M. Stability criterion for longitudinal plasma waves in a magnetic field, 3=14611
Ozawa,Y. See Tsuge,K., 3=6781
Ozemre,A.Y. On a direct and intuitive method for the derivation of the relation between k_∞ and k_{eff}, and its generalization to media with reflector, 3=22447
Ózemre, A.Y. See Suhubi, E., 3=2273
Ozeroff,W.J. See Blue,E., 3=5820
Ozerov,E.B. See Medved',S.V., 3=24171
Ozerov,R.P.,Cogan,V.S.,Zhdanov,G.S. and Lazarev,G.B. Neutron diffraction study of the crystal structure of solid hydrogen and deuterium, 3=1319
Ozerov,R.P., Fykin,L.E., Rannev,M.V. and Zhdanov,G.S. Neutron diffraction localization of hydrogen atoms in the structure of lithium sulphate monohydrate. $Li_2SO_4.H_2O$, 3=16080
Ozerov, R.P, Kogan, V.S, Zhdanov, G.S. and Kukhto, O.L. The crystalline structure of solid isotopes of hydrogen, 3=18306
Ozerov,R.P. See Kiselev,S.V., 3=5018
Ozerova,G.A. See Shigorin,D.N., 3=25086
Ozhdyan,L.,Pantuev,V.S. and Khachaturyan,M.N. Application of spark discharges to scintillation techniques, 3=24549
Ozhdyani,L.,Pantuev,V.S. and Khachaturyan,M.N. Time characteristics of photomultipliers with large photocathodes, 3=24338
Ozhdyani,L.,Pantuev,V.S.,Khachaturyan,M.N. and Chuvilo,I.V. Total cross-section for interaction between protons and 8.3 BeV neutrons, 3=6004
Ozias,Y. See Boivinet,P., 3=12626
Ozima,M. See Sawada,M., 3=11049
Özkök,Ş. The size distribution of reduced neutron widths and level spacings distribution of nuclear energy levels, 3=22282
Ozol,Ya., Vimba,S. and Ievin'sh,A. The crystal structure of rubidium tetraphenylboranate, 3=20862
Ozolin'sh,G.V., Averkieva,G.K., Ievin'sh,A.F. and Goryunova,N.A. An X-ray study of some A^3B^5 compounds which show deviations from stoichiometry, 3=20836
Ozsváth,I. Solutions of the Einstein field equations with simply transitive groups of motions, 3=16509
Ozsváth,I. and Schücking,E. Finite universe and Mach's principle, 3=5348

Paal,G. On the relativistic theory of the metagalaxy, 3=23663
Paalman,H.H. and Pings,C.J. Fourier analysis of X-ray diffraction data from liquids, 3=18799
Paananen,R.A. and Bobroff,D.L. Very high gain gaseous (Xe – He) optical maser at $3{\cdot}5\ \mu$, 3=17089
Pabbi,S.D. Analogy between nuclear chain reacting systems and vibrating strings and membranes, 3=4680
Pablo,M.R. See Hein,R.A., 3=3959
Pac,P.Y. A note on Regge trajectory in $\lambda\varphi^4$ theory, 3=24656
Pacault,A. Elements of statistical thermodynamics, 3=7134
Pacault,A. See Marchand,A., 3=1120
Pacca,I.G. See Lattes,C.M.G., 3=15058
Paccanoni,F. See Ferrari,F., 3=7922
Pace,E.L. and Mosser,J.S. Thermodynamic properties of silicon tetrafluoride from 15°K to its triple point. The entropy from molecular and spectroscopic data, 3=21636
Pačes,J. See Kaczér,J., 3=1062
Pacey,A.J. See Bates,L.F., 3=466
Pacey,D.J. A simple test to distinguish between metals used to seal hard glasses, 3=9311
Pacey,D.J. The interpretation of gauge readings, 3=16671
Pacey,D.J. A wide pressure range McLeod gauge, 3=18775
Pachler,K.G.R. See Freeman,R., 3=736
Pachner,J. On the geodesics in an expanding universe, 3=5232
Pachner,J. Cosmological considerations on the relativity of inertia, 3=11497
Pacholczyk,A.G. and Stodółkiewicz,J.S. Remarks concerning the Anand, Kushwaha and Talwar's papers on gravitational instability of nonuniform media, 3=9158
Pachucki,C.F. See Dietz,L.A., 3=22337
Pack,H. See Sugata,E., 3=432
Packard,M.E. and Swartz,B.E. The optically pumped rubidium vapor frequency standard, 3=13991
Packard,W.B. and Wootan,G.G. Error analysis in a general physics laboratory, 3=7082
Packer,C.M. See Bragg,R.H., 3=6820
Packer,D.M. See Koomen,M.J., 3=18556
Packman,P. See Weiss,V., 3=20753
Pacuraru,T. See Bychkov,Yu.A., 3=17160
Padalia,B.D. See Deodhar,G.B., 3=2566
Padalia,B.D. See Deodhar,G.B., 3=8163
Padalia,B.D. See Deodhar,G.B., 3=8192
Padalia,B.D. See Deodhar,G.B., 3=10443
Padday,J.F. Heights of sessile drops and meniscus properties, 3=14134
Padden,F.J.,Jr. See Keith,H.D., 3=23390
Padden,T.R. and Schnizler,P.S. Microstructural changes associated with irradiation burn-up of uranium dioxide, 3=20960
Paderno,Yu.B. See L'vov,S.N., 3=25210
Paderno,Yu.B. See Samsonov,G.V., 3=10763
Paderno,Yu.B. See Zhuravlev,N.N., 3=20113
Padgham,C.A. The role of the retinal receptors in the formation of the positive visual after-image, 3=13970
Padlo,I. See Leciejewicz,J., 3=1329
Padmini,P.R.K.L. Study of ultrasonic velocity in high polymer solutions, 3=14161
Padmini,P.R.K.L. and Ramachandra Rao,B. Study of temperature variation of ultrasonic velocity and adibatic compressibility. II, 3=7204
Padmini,P.R.K.L.,Seshagiri Rao,M.G. and Ramachandra Rao,B. Study of temperature variation of ultrasonic velocity in liquids at low temperatures, 3=21357
Padova,J. Ion-solvent interaction in mixed solvents. II. The viscosity of electrolytes in mixed solvents, 3=16612
Paé,A.Ya. and Uibo,L.Ya. Luminescence of ammonium halide phosphors, 3=946
Pae,K.D. See Hu,L.W., 3=25625
Paetzold,H.K. Corpuscular heating of the upper atmosphere, 3=1457
Paetzold,H.K. The high atmosphere and the solar wind, 3=9068
Paetzold,H.K. A working model illustrating density of the upper air, 3=18523
Paetzold,H.K. On the problems of a Martian ozonosphere, 3=18608
Paetzold,R. Vibrational spectroscopic studies of selenium – oxygen compounds, 3=15352
Paff,R.J. See Fischer,A.G., 3=4886
Page,D.E. See Reid,R.J., 3=4504
Page,D.J., Kayali,A.A. and Wright,G.T. Some observations of space charge limited current in cadmium sulphide crystals, 3=861
Page,T. M/L for double galaxies, a correction, 3=3606
Pagel,B.E.J. Ultra-violet emission from the sun, 3=23685
Pagels, H.R. Divergence conditions and the gravitational field equations, 3=16500
Pagels,H.R. See Crawford,F.W., 3=14536
Paghis,I. On the selection of solar-flare radio-burst events that are associated with polar-cap absorption, 3=13920
Paghis,I. See Jenkins,R.W., 3=21110
Paglia,S.R.La. Rydberg levels of polyatomic molecules: oxygen-containing molecules, 3=15321
Pagnamenta,A. Regularity of the T matrix in the case of Dirac potential scattering, 3=21246
Pai,S.I. Some considerations on radiation magnetogasdynamics, 3=19425
Paić,M., Antolković,B., Tomaš,P. and Turk,M. Comparative measurements of yields of d – d neutrons from different targets, 3=19652
Paić,M. See Stipčić,N., 3=19382
Paige,E.G.S. See Baynham,A.C., 3=25342

Paige,E.G.S. See Brown,M.A.C.S. 3=10767
Paige,E.G.S. See Gibson,A.F., 3=2883
Paige, E.G.S. See McLean, T.P., 3=2857
Paige,E.G.S. See McLean,T.P., 3=10951
Paige, E.G.S. See Maines, J.D., 3=17858
Paik,S.F. Backward waves in annular plasma columns, 3=4276
Paik,S.F.,Wallace,R.N. and McClees,H.C. Quieting of discharge tube noise by externally applied radio-frequency energy, 3=12091
Paik,S.F. See Kino,G.S., 3=503
Paillette,M. See Gires,F., 3=22475
Painter,D.W., II. Ambient noise in a coastal lagoon, 3=25863
Pais,A. On spinors in n dimensions, 3=5922
Pais,A. On a plane Ising lattice with first and second interactions, 3=14044
Pais,A. The many π-meson problem. II, 3=17310
Pais,A. See Feinberg,G., 3=24620
Paix,D. A simple voltage amplifier for photovoltaic cells, 3=19134
Pak,N.G. See Ivlev,V.F., 3=20600
Pakarek,L. and Krejčí,V. The physical mechanism of a wave of stratification in a discharge plasma, 3=9735
Pakhol'chik,A.Zh. Problem of the gravitational instability of a compressible medium, 3=9156
Pakhomov,A.S. See Gusev,A.A., 3=6720
Pakhomov,A.S. See Gusev,A.A., 3=23188
Pakhomov,V.I., and Stepanov,K.N. Radiation of low frequency waves by ions and electrons in a magnetoactive plasma, 3=16938
Pakhomov,V.I. and Stepanov,K.N. Radiation of electrons moving on a spiral in a magnetoactive plasma. II, 3=22106
Pakhomov,V.I. and Stepanov,K.N. Radiation of an electron moving in a helical path in a magnetoactive plasma. III, 3=24308
Pakswer,S. and Pratinidhi,K. Negative resistance in thin anodic oxide films, 3=20321
Pal,B. See Dutta,A.K., 3=10202
Pál,L. Statistical theory of neutron chain reactions. I, 3=12717
Pál,L. Statistical theory of neutron chain reactions. II, 3=12718
Pál,L. Statistical theory of neutron chain reactions. III, 3=12719
Pál,L., Tarnóczi,T. and Németh,G., Calculation and experimental determination of the magnetic correction factor for ballistic measuring coils used with spheroidal specimens, 3=9900
Pal Lee Kun. See Kun Pal Lee, 3=9506
Pal,M.K. and Mitra,D. Pairing model for Pr-isotopes, 3=12555
Pal, M.K. See Goswami, A., 3=17398
Pal,Y., Ray,A.K. and Rengarajan,T.N. A pulsed magnetic study of the properties of surviving baryons in 25 GeV/c proton interactions, 3=19626
Pal,Y. See Lal,S., 3=4533
Palabiyik,Z. A dynamo-theory of S_q in an ionosphere of finite thickness, 3=11424
Paladino,A.E. See Mozzi,R.L., 3=25720
Palatnik,L.S.,Fedorov,G.V. and Fedorenko,A.I. X-ray diffraction analysis of Zn—Sb alloys using specimens of variable composition, 3=8895
Palatnik, L.S., Fedorov, G.V. and Il'inskii, A.I. The substructure and microhardness of vacuum condensates of copper, 3=1366
Palatnik,L.S. and Gladkikh,N.T. Effect of the position of the triple point on the mechanism of condensation of metals in vacuum and some properties of Zn and Cd condensates, 3=16036
Palatnik,L.S. and Gorban',N.D. Investigation of corrosion processes on specimens of variable composition, 3=8953
Palatnik,L.S. and Il'inskii,A.I. Strength properties of vacuum evaporated copper and silver films, 3=6783
Palatnik,L.S. and Il'inskii,A.I. Effect of quenched-in vacancies in vacuum-deposited copper and silver, 3=22733
Palatnik,L.S.,Komnik,Yu.F.,Belova,E.K. and Atroshchenko,L.V. Ternary semiconducting compounds containing copper and elements from Groups IV and VI, 3=13513
Palatnik,L.S.,Koshkin,V.M. and Gal'chinetskii,L.P. Mechanism of ordering in ternary semiconducting compounds, 3=18350
Palatnik,L.S.,Koshkin,V.M.,Gal'chinetskii,L.P.,Kolesnikov,V.I. and Komnik,Yu.F. Some properties of semiconducting compounds of $A_2^{I}B^{IV}X_3^{VI}$ type, 3=2881
Palatnik,L.S., Koshkin,Y.M. and Komnik,Yu.F. Isoelectronic series of semiconductor compounds, 3=20297
Palatnik,L.S.,Levchenko,A.A. and Kosevich,V.M. Formation of dislocations in crystals of bismuth, antimony and zinc by the action of spark discharges, 3=12969
Palatnik,L.S. See Boiko,B.T., 3=9440
Palatnik,L.S. See Papirov,I.I., 3=16045
Palazzi,F. An approximate relation between kinetic and activation neutron temperatures, 3=22390
Paleev,V.I. See Zandberg,É.Ya, 3=2016
Palĕvich,L.G. The use of cavity circuits for controlling the level of fluids, 3=16568
Palevsky,H. Lattice dynamics of the ammonium halides, 3=750
Palevsky,H. Inelastic scattering of neutrons in solids and liquids, 3=8326
Palevsky,H., Moore,J.A., Stearns,R.L., Muether,H.R., Sutter,R.J., Chrien,R.E., Jain,A.P. and Otnes,K. n–p elastic charge exchange in the BeV energy region, 3=17285
Palevsky,H. See Brajovic,V., 3=15418
Palfrey,T.R. See Liu,F.F., 3=4624
Palfrey,T.R., Jr. See Kim,Y.S., 3=8079
Palfrey,T.R., Jr. See Loeffler,F.J., 3=22217
Palik,E.D. The use of polarized infrared radiation in magneto-optical studies of semiconductors, 3=14377
Palik,E.D. and Stevenson,J.R. Infrared cyclotron resonance in n-type InAs, 3=12955
Palik,E.D.,Teitler,S.,Henvis,B.W. and Wallis,R.F. Magneto-optical studies of semiconductors using polarized radiation, 3=10822
Palik,E.D. and Wallis,R.F. Magneto-optical oscillations in the free carrier and interband absorption of semiconductors, 3=10917
Palik, E.D. See Mitchell, D.L., 3=17984
Palilla,F.C. and Baird,D.H. Red-emitting (Zn, Cd) (S, Se) electroluminescent phosphors, 3=13217
Palkina,K.K. See Kuznetsov,V.G., 3=25734
Palko,A.A. See Begun,G.M., 3=15361
Pallone,A. and Van Tassell,W. Effects of ionization on stagnation-point heat transfer in air and in nitrogen, 3=18853
Palm,A. and Strom,R.G. Possible elemental abundances of the lunar crust, 3=3546
Palm,A. and Strom,R.G. The craters in the lunar walled plain Ptolemaeus, 3=21091
Palm,K. The I.R. spectra of benzoic acid and the o-Halogen benzoic acids [in the region 400-4000 cm^{-1}]., 3=733
Pal'm,U.V. and Past,V.E. Determination of the capacitance of a smooth lead electrode from measurements of the potential drop, 3=16178
Palma,M.U. See Palma-Vittorelli,M.B., 3=1188
Palma-Vittorelli,M.B.,Palma,M.U. and Persico,F. Electron spin resonance linewidths of face centred cubic Ni^{2+} crystals, 3=1188
Palmatier,E.D. See Viswanathan,S.P., 3=17300
Palmer,C.H. Note on the use of gratings as broad-band infrared filters, 3=19021
Palmer,D.A. Binocular eye movements and stereoscopic depth discrimination, 3=5302
Palmer,D.R.,Morrison,S.R. and Dauenbaugh,C.E. Density and energy of surface states on cleaved surfaces of germanium, 3=6497
Palmer,D.W.,Skofronick,J.G.,Costello,D.G.,Morsell,A.L., Kane,W.E. and Herb,R.G. Monte Carlo calculation of resonance yield curves and resonance energy determination, 3=12673
Palmer,H.B. and Miller,W.J. Energy distribution in products of the reaction of C atoms with CH and CC1, 3=11346
Palmer,H.P. See Allen,L.R., 3=7051
Palmer,H.P. See Allen,L.R., 3=9279
Palmer,J.L. and Süsskind,C. Effect of transverse velocities in magnetically-focused cylindrical electron beams, 3=5706
Palmer,N.S. See Hayman,P.J., 3=4490
Palmer,N.S. See Hayman,P.J., 3=24820
Palmer,P.E. See McMasters,O.D., 3=8896
Palmer,R.B. See Androulakis, J.G., 3=17125
Palmer,R.T. See Harcombe,D., 3=21741
Palmer,W. Magnetocrystalline anisotropy of magnetite at low temperature, 3=20582
Palmieri,J.N. and Strauch,K. An experiment on angular momentum for the introductory laboratory, 3=5398
Palowitch,B.L. and Frantz,F.S.,Jr. Measurements of the temperature coefficient of resonance absorption in uranium metal and uranium oxide, 3=12688

Palti,S. See Burde,J., 3=17417
Palumbo,C.J. See Sodha,M.S., 3=500
Palumbo,C.J. See Sodha,M.S., 3=9789
Palumbo,C.J. See Sodha,M.S., 3=9792
Pamplin,B.R. See Spencer,P.M., 3=11301
Pan,C.H.T. Some general characteristics of two-dimensional incompressible magnetohydrodynamic flows, 3=2102
Pan,S.K. A note on the small deformation in the interior of different earth models, 3=25859
Pan,V.M. Polymorphous transformation in the metalloid $NbCr_2$, 3=5119
Panaitescu,D. and Pauker,V. Determination of the thermal conductivity of a viscous material, 3=16825
Panasyuk,I.S. Measuring absolute activity by the method of double coincidences, 3=14501
Panasyuk,V.V. and Kovchik,S.E. Effect of a surface-active medium on the surface energy of a brittle solid, 3=6879
Panat,C.V. See Kulkarni,V.G., 3=653
Panattoni, C. and Frasson, E. Automation of crystallographic computing. Programmes for electronic computers ELEA 9000. VI. Calculation of bond distances and angles, 3=3294
Panattoni,C. and Frasson,E. Progamming crystallographic calculations for electronic computation, 3=13445
Panchapakesan,N. See Mathur,V.S., 3=3945
Pancharatnam,S. Partial polarisation, partial coherence and their spectral description for polychromatic light. I, 3=21573
Pancharatnam,S. Partial polarisation, partial coherence and their spectral description for polychromatic light. II, 3=21574
Panchenko,O.A. See Bol'shov,V.G., 3=2023
Panchenko,O.A. See Ptushins'kii,Yu.G., 3=20271
Panchenkov,G.M. and Erchenkov,V.V. Dependence of coordination numbers and diffusion coefficients on temperature, 3=21329
Panchev,S. Application of the method of similarity and dimensional analysis to the investigation of the macro-structure of meteorological fields, 3=9016
Pancholi,S.C. See Bashandy,E., 3=10272
Pancholi,S.C. See Han,K.S., 3=8015
Pancholy,M. and Mathur,S.S. Adiabatic compressibility and ultrasonic velocity in esters, 3=11795
Pancholy,M. and Mathur,S.S. Frequency and temperature variation of ultrasonic absorption in esters, 3=14159
Pancholy,M. and Saksena,T.K. Influence of various liquids on the decomposition of potassium iodide by ultrasonics, 3=16162
Pancholy,M. and Singal,S.P. Ultrasonic studies in aqueous solutions of zinc acetate, 3=3803
Pancholy,M. and Singal,S.P. Ultrasonic studies in aqueous solutions of formates, acetates and propionates of sodium and calcium, 3=14162
Pandarese, F. and Villa,F. Tunnel diode fast discriminator circuit, 3=19146
Pandarese,F. See Garmire,E., 3=24524
Pande,L.K. Neutron—proton mass difference, 3=6009
Pandey,S.N. Geometrical significance of the electro-magnetic energy momentum tensor, 3=25
Pandey,S.N. Photon fluid models in relativistic cosmology, 3=1505
Pandey,S.N. Study of silver fulminate by X-ray diffraction, 3=13478
Pandharipande,V.R. See Chandra,G., 3=19784
Pandolfo,J. Polarization of sunlight reflected from the sea surface, 3=9626
Pandolfo,J.P. A formula relating various nondimensional parameters of turbulent fields in the atmospheric surface layer under diabatic conditions, 3=23586
Pandres,D. See Bierman,A., 3=21513
Pandres,D.,Jr. Tensor virial theorems for variational wave functions, 3=18726
Pandya,S.P. Effective nuclear interactions, 3=15071
Pandya,S.P. See Shah,S.K., 3=2373
Pandya,S.P. See Thankappan,V.K., 3=6167
Panin,B.V. Interaction between medium energy (10-100 keV) atomic particles and solid bodies (energy spectra of secondary ions), 3=5713
Panin,V.E.,Fadin,V.P. and Dudarev,E.F. Influence of quenching temperature on ordering kinetics in solid solutions of Cu−Al, 3=18349
Panin,V.E., Fadin,V.P. and Solov'yev,L.A. Ordering in Cu-Al alloys. II. Alloys close to the solubility boundary, 3=5132
Panin,V.E.,Sidorova,T.S. and Bol'shanina,M.A. The nature of the strengthening of alloys with low stacking fault energy, 3=23349
Panin,V.E. See Fadin,V.P., 3=20868
Panin,V.Ye. On the paper "The abnormal electrical resistivity of brasses and aluminium bronzes" by Presnyakov, Dautova and Klyuchnikova, 3=15535
Panish,M.B. and Reif,L. Thermodynamics of the vaporization of Hf and HfO_2: dissocation energy of HfO, 3=7390
Pankey,T. See Davey,J.E., 3=20926
Pankova,A.A. See Uvarova,V.M., 3=24064
Pankove,J.I. Tunneling-assisted photon emission in gallium arsenide p−n junctions, 3=4933
Pankove,J.I. and Berkeyheiser,J.E. A light source modulated at microwave frequencies, 3=5895
Pankove,J.I. See Braunstein,R., 3=20476
Pankratov,A.K. See Deoryashin,A.S., 3=3579
Pankratov,V.M. and Serikov,I.N. Elastic scattering of 26-33 MeV He^3 on C^{12}, Na^{23}, Mg and Al^{27} nuclei, 3=24974
Pankratov,V.M.,Vlasov,N.A. and Rybakov,B.V. Fission cross-section of Th^{232}, U^{235},Np^{237} and U^{238} for 10-22 MeV neutrons, 3=10395
Pannbacker,R.G. and Kiser,R.W. Characteristic parameters of Geiger−Müller counter gases. Propane−argon and propane−helium mixtures, 3=14816
Pannetier,G.,Deschamps,P. and Marsigny,L. On the system of fluted bands emitted by luminous reactions of tin tetrachloride, 3=20990
Pannetier,G.,Goudmand,P.,Dessaux,O. and Guénebaut,H. Pyrolysis of N_3H and N_3D in shock waves. Observation of two new bands of the ND radical, 3=12876
Pannetier,G. and Marsigny,L. Molecular spectroscopy. Spectroscopic study of a high tension electric discharge through pure nitrogen, N_2H_4, NH_3 and the mixture $(N_2 + H_2)$, 3=4762
Pannetier,G.,Marsigny,L. and Brémond,M. Rotational temperture measurements of $CN(^2\Sigma_u^+ - ^2\Sigma_g)^+$ in the electrical discharge through acetonitrile double origin of this radical, 3=12846
Pannetier,G.,Marsigny,L.,Gaydon,A.G. and Brémond,M. Identification of several new bands from the transition $B^2\Sigma_u^+ \rightarrow X^2\Sigma_g^+$ in the CN radical electric discharges through several nitrogenous organic substances, 3=12850
Panofsky,H.A. Determination of stress from wind and temperature measurements, 3=11396
Panofsky,W.K.H. Photon and electron high-energy physics: present and future, 3=14932
Panov,A.A. Probability of triple fission of U^{233} nuclei induced by resonance neutrons, 3=2506
Panov,A.A. Probability of triple fission of Pu^{239} induced by 0·05−0·7 eV neutrons, 3=17505
Panov,A.V. See Elyutin,V.P., 3=25612
Panov,D.A. See Bogdanov,G.F., 3=12201
Panov,D.A. See Kucheriaev,Yu.A., 3=21812
Panov,E.A. See Dulin,V.A., 3=2274
Panov,E.A. See Dulin,V.A., 3=7865
Panov,E.V. See Gorodyskii,A.V., 3=16168
Panov,V.S. See Funke,V.F., 3=3316
Panova,N.M. See Adamovich,M.I., 3=4428
Panova,Ya.I. See Mimel'man,E.L., 3=25217
Panseri,C. and Federighi,T. Evidence for the interaction between Mg atoms and vacancies in Al−Zn 10%−Mg 0·1% alloy, 3=20167
Panseri,C.,Federighi,T. and Gelli,D. Effect of quenching on room-temperature dislocation damping in aluminium, 3=15976
Pant,A.K. The crystal structure of 3,5-dibromo para-amino benzoic acid, 3=13490
Panteleev,V.A. See Pavlov,P.V., 3=20223
Pantell,R.H. See Auld,B.A., 3=4277
Pantell,R.H. See DiDomenico,M. Jr., 3=9970
Pantoflíček,J. Contribution to the measurement of luminescence growth in AgCl crystals, 3=18033
Pantuev,V.S. and Khachaturyan,M.N. Cross-section for the interaction of neutrons with atoms at energies of 8.3 BeV, 3=6257
Pantuev,V.S. See Dunaitsev,A.F., 3=24769
Pantuev,V.S. See Ozhdyani.L., 3=6004
Pantuev,V.S. See Ozhdyani,L., 3=24338

Pantulu,P.V. See Bhagavantam,S., 3=25081

Pantyushin,A.A. See Granovskii,Ya.I., 3=15033

Pantyushin,A.A. See Zy̆ryanova,L.N., 3=10282

Pao,Y.-H. and Mow,C.C. Scattering of plane compressional waves by a spherical obstacle, 3=9542

Pao,Y.H. See Corcoran,V.J., 3=1810

Pao Yih-Ho. Growth of a weak magnetic field in a turbulent conducting fluid with large magnetic Prandtl number, 3=17038

Paoletti,A. See Menzinger,F., 3=18099

Paolini,A,Jr. See Kennedy,R.M., 3=16756

Paolini,F.R. See Giacconi,R., 3=7941

Paoluzi,L. See Beneventano,M., 3=19669

Papadakis,E.P. Rayleigh and stochastic scattering of ultrasonic waves in steel, 3=10590

Papadakis,E.P. Diffraction of ultrasound in elastically anisotropic NaCl and in some other materials, 3=12918

Papadakis, E.P. Attenuation of pure elastic modes in NaCl single crystals, 3=17656

Papadakis,E.P. Ultrasonic internal conical refraction in rocksalt and calcite, 3=21500

Papadakis,E.P. and Bernstein,H. Elastic moduli of pyrolytic graphite, 3=13321

Papadopoulos,M. The reflection and refraction of point-source fields, 3=11866

Papadopoulos,M.N. and Giauque,W.F. The low temperature heat capacity and entropy of mercurous sulfate to 300°K, 3=6477

Papadopoulos,V.M. Diffraction and refraction by a transparent wedge, 3=14001

Papapetrou,A. A formula for gravitational radiation in the first approximation, 3=5334

Papapetrou,A. and Treder,H. Problem of everywhere regular stationary solutions in general relativity, 3=35

Papapetrou,A. See Dautcourt,G., 3=5333

Paparoditis,C. Properties of thin films of silver telluride, 3=833

Papas,C.H. The role of dyadic Green's functions in the theory of electromagnetic wave propagation, 3=21971

Papas,C.H. and Lee,K.S.H. The coherent scattering of electromagnetic waves by free electrons, 3=7702

Papée,H.M.,Zawidski,T.W.,Petriconi,G.L. and Montefinale,A.C. Some possible chemical contributions towards the formation of the atmospheric electric charge, 3=25890

Papee,H.M. See Petriconi,G.L., 3=13558

Papée,H.M. See Zawidzki,T.W., 3=5089

Papet-Lepine,J. See Bertin,F., 3=25923

Papike,J.J.,Bright,R.C. and Zoltai,T. Crystal sphere orienter, 3=8821

Papina, R. Transitory response of transistors to small signals or under commutation conditions, 3=17919

Papineau,A. See Beurtey,R., 3=10374

Papirov,I.I. and Palatnik,L.S. The question of the epitaxy of metallic and ionic crystals, 3=16045

Papirov, I.I. and Tikhinskii,G.F. Dependence of condensation coefficient on temperature, 3=301

Papirov, I.I. See Amonenko, V.M., 3=18278

Papkov,S.F. See Savenko,I.A., 3=23638

Papkov,V.S. See Govorkov,V.G., 3=6516

Papkow,A. A small electrostatic generator using a fluid to transport the charge, 3=14507

Papkow,A. and Pietsch,E. The study of primary nuclear reactions inside the cyclotron vacuum tank, 3=10321

Papoular,M. Role of the optical branches in the diagram of phonon dispersion in the thermal conductivity of holmium ethyl sulphate, 3=10613

Papoular,M. See Sieden,J., 3=15427

Papoular,R. Interference spectrometry of plasmas between 0.1 and 10 mm wavelength, 3=9957

Papoular,R. and Wegrowe,J. Use of focusing lenses for microwave measurement of plasmas, 3=7576

Papovyants,A.K. See Subbotin,V.I., 3=3909

Pappademos,J.N. The radius and Coulomb energy of the He^3 nucleus, 3=12519

Pappalardo,G. See Agodi,A., 3=24855

Pappalardo,R. Crystal-field calculation for the three sites of yttrium iron garnet, 3=2693

Pappalardo,R. Absorption spectra of Er^3 in ytrrium gallium garnet, 3=13172

Pappalardo,R. and Wood,D.L. Crystal field calculation for the Ca site of the Scheelite structure, 3=12902

Paquette,D.R. See Wiese,W.L., 3=4108

Paquette,D.R. See Wiese,W.L., 3=8176

Paquette,G. On the theory of radiative capture of 1S orbital electrons, 3=4589

Paracheva,G.T. See Zelikin,Ya.M., 3=8633

Parameswaran,V.R. Ultra-high strength in steel, 3=1235

Paramonova,R.A. and Plotnikov,A.F. Some problems in the kinetics of impurity photoconductivity in copper-doped germanium, 3=20410

Paramonova,R.A. and Rzhanov,A.V. Investigation of volume recombination in germanium crystals with copper as an impurity, 3=6582

Paranjape,V.V. Field enhanced lattice scattering in semiconductors, 3=856

Parashar,D.C. See Jain,S.C., 3=13012

Parasnis,A.S. Generation of prismatic dislocations during photolysis of silver halides, 3=2798

Parasnis,A.S.,Frank,F.C. and Mitchell,J.W. Linear compounds of dislocations in silver chloride with cupric ions, 3=25280

Parasnis,D.S. Principles of applied geophysics, 3=3424

Parasyuk,O.S. The generalization of a theorem of Regge, 3=5940

Pardeshi,P.A. See Saxena,S.C., 3=3821

Pardhasaradhi,T.V. Systematic design of a triplet photographic objective, 3=24069

Pardhasaradhi,T.V. and Geevarughese,K.O. Short communications. Determination of design variables for specified values of spherical aberration and coma for single lenses, 3=9578

Pardo,G. See García,A., 3=7860

Pardo,P. See Catalá,J., 3=24716

Pare,X. New discoveries of nuclear magnetic resonance in zeolites, 3=23262

Parette,G. See Cribier,D., 3=1117

Parfen'ev,R.V.,Pogarskii,A.M.,Farbshtein,I.I. and Shaly̆t,S.S. Galvanomagnetic properties of tellurium. Structure of valence band, 3=22953

Parfenov,L.B. See Goncharov,L.N., 3=2084

Parfenov,L.B. See Goncharov,I.N., 3=14726

Parfenov,V.V. and Voroshilov,V.P. Investigation of the influence of uniaxial elastic tension and compression on saturation induction and paraprocess susceptibility in ferromagnetic materials, 3=3102

Parfenov,V.V. and Voroshilov,V.P. Magnetization processes of ferromagnetics in high magnetic fields. I. Effect of elastic and plastic deformation on the law governing the approach of magnetization to saturation, 3=8669

Parfenov,V.V. and Voroshilov,V.P. Magnetization of ferromagnetics in high magnetic fields. II. Influence of elastic and plastic deformations on the law governing the approach of magnetization to saturation at various different temperatures, 3=13247

Parfianovich,I.A. and Shuraleva,E.I. Correlation between the luminescence and structure of some alkali halide phosphors, 3=20517

Parfianovich,I.A.,Shuralyéva,E.I. and Krongauz,V.G. New data on the thermal and optical stability of M-centres, 3=25303

Parham,A.G. See Galbraith,W., 3=2297

Parham,A.G. See Galbraith,W., 3=4297

Paria,G. Study of the transient effect on a superconducting sphere under the influence of a varying magnetic field, 3=16865

Paria,H. See Nag.B.R. 3=10760

Paris,D. Investigations on thin alkali metal films. IX. Vector-dependent absorption properties of potassium films. (Optical constants, changes with time, aggregates), 3=25437

Paris,P. and David,F. Gamma-rays emitted in the decay of ytterbium 166 to thulium 166, 3=24908

Pariiskii,G.B. See Kazanskii,V.B., 3=3419

Pariĭskii,N.N. Earth tides and the internal structure of the earth, 3=21025

Pariiskii,V.B., Landau,A.I. and Startsev,V.I. Jump motion of dislocations in LiF single crystals, 3=20201

Pariĭskiĭ,Yu.N. See Korol'kov,D.V., 3=16426

Pariiskii,Yu.N. See Zakharenkov,V.F., 3=13933

Parikh,J.C. Decay of an electric current in a superconductor, 3=1892

Parikh,V. High energy photo-protons from carbon, 3=2434

Pariseau,M.,Wu,E. and Overend,J. Adaption of the Urey—Bradley force field to NH_3, PH_3, SbH_3, and AsH_3, 3=22552

Parĭskii,Yu.N. See Soboleva,N.S., 3=11606

Paritskaya,L.N. See Geguzin,Ya.E., 3=3336
Paritskaya,L.N. See Geguzin,Ya.E., 3=10683
Paritskii,L.G. See Arkad'eva,E.N., 3=2878
Paritskiĭ,L.G. See Mekhtiev,R.F., 3=20412
Parizet,J. Geometrical study of the discontinuities in general relativity. Application to the perfect fluid representation, 3=23755
Park,G.L. and Lambert,R.F. Distribution of response crests in a bimodal system, 3=5477
Park,J.J. See Wolfson,J.L., 3=6171
Park,J.J.H. See Wolfson,J.L., 3=24702
Park,J.T. and Zimmerman,E.J. Stopping cross-sections of some hydrocarbon gases for 40-250 keV protons and helium ions, 3=22133
Park,J.Y. The theory of direct nuclear knock-out reactions, 3=24918
Park,J.Y. See Van Der Zwan,L., 3=19881
Parke,S. Anelasticity and viscoelasticity in glass, 3=13334
Parker,A.B. See Poole,D.A., 3=21739
Parker,A.W. and Shute,G.G. Proton-capture gamma rays from nitrogen 13, 3=12666
Parker,C.A. and Hatchard,C.G. Delayed fluorescence from solutions of anthracence and phenanthrene, 3 142
Parker,C.A. and Hatchard,C.G. Triplet-singlet emission in fluid solution, 3=11800
Parker,C.A. and Hatchard,C.G. Delayed fluorescence of pyrene in ethanol, 3=14174
Parker,C.M. and Sullivan,J.W.W. Steels for low temperatures, 3=16847
Parker,E.N. Discussion of paper by L.M.Noble and F.L.Scarf, "Hydrodynamic models of the solar corona", 3=16390
Parker,E.R. Plastic flow and fracture of crystalline solids, 3=25626
Parker,J.B., White,P.H. and Webster,R.J. The interpretation of recoil proton spectra, 3=19631
Parker,J.H., Jr. See Warren,R.W., 3=4023
Parker,J.T. See Mathias,L.E.S., 3=19499
Parker,P.D. and Kavanagh,R.W. $He^3(\alpha,\gamma)Be^7$ reaction, 3=24809
Parker,P.D. See Tombrello,T.A., 3=12522
Parker,P.D. See Tombrello,T.A., 3=24810
Parker,P.M. Symmetry properties of the asymmetric-rotator centrifugal-distortion constants, 3=2595
Parker,P.M. See Chung,K.T., 3=8229
Parker,P.M. See Genusa,V.A., 3=4737
Parker,R.L. Growth rates of potassium crystal from the vapor phase, 3=3271
Parker,R.L. and Hardy,S.C. Vapor-phase growth kinetics of potassium whiskers by field emission, 3=3276
Parker,R.L. and Krinsky,A. Electrical resistance—strain characteristics of thin evaporated metal films, 3=22902
Parker,S. See Rey,C., 3=17143
Parker,W. Gamma-recoil products from the neutron irradiation of colloidal silver, 3=6929
Parker,W. and Grunditz,Y. An improved apparatus for the vacuum deposition of radioactive materials, 3=15125
Parker,W. See Andreen,C.J., 3=12443
Parkes,A.S. and Hughes,R.E. The crystal structure of cyanogen, 3=25729
Parkes,D.J. See Leroy,C.C., 3=9552
Parkin,I.A. See Briggs,B.H., 3=21124
Parkinson,D. See Ferguson,A.F., 3=23628
Parkinson,D.H. Infra-red spectroscopy and low temperatures, 3=15667
Parkinson,D.H. See Lock,J.M., 3=340
Parkinson,T.F. and Grant,L.G. Activation analysis of particulate air contaminants, 3=9019
Parkinson,W.C. and Tickle,R.S. The University of Michigan 83-inch cyclotron. I. General description, 3=5741
Parkinson,W.C. See Bardwick,J., 3=5744
Parkinson,W.C. See Bruinsma,P., 3=5743
Parkinson,W.C. See Knoll,G.F., 3=17494
Parkinson,W.H. and Reeves,E.M. The spectrum of titanium nitride, 3=19999
Parkinson,W.H. See Nicholls,R.W., 3=24018
Parkinson,W.H. See Reeves,E.M., 3=4047
Parkinson,W.H. See Reeves,E.M., 3=16800
Parks,A.M.[Ed.], Digest of literature on dielectrics. Volume 25, 1961, 3=13102
Parks,D.E. See Boffi,V.C., 3=12727
Parks,R. See Collard,H., 3=25065
Parlange,J.Y. See Chu,B.T., 3=11980
Parlier,B. See Agrinier,B., 3=19525
Parliński,K. Application of the classical selfcorrelation function to determine the slow neutron scattering cross-section of free molecules, 3=4732
Parmeggiani,A. See Adorni,N., 3=11983
Parodi, O. See Benoit à la Guillaume, C., 3=2900
Parouty,J.C. See Raoult,G., 3=25567
Parr,J.G. Martensite, 3=11288
Parr,J.G. See Singh,K.P., 3=5121
Parr, J.G. See Singh,K.P., 3=5123
Parr,J.G. See Yurko,G.A., 3=8845
Parr,R.G. See Bishop,D.M., 3=22564
Parr, R.G. See Hoyland, J.R., 3=17565
Parr,R.G. See Karplus,M., 3=12801
Parrent,G. Jr. See Beran,M., 3=9574
Parrish,W.,Mack,M. and Taylor,J. $K\alpha$ satellite interference in X-ray diffractometer lines profiles, 3=23426
Parrott,J.E. The high temperature thermal conductivity of semiconductor alloys, 3=10616
Parrott,J.E. Critical scattering in semiconductor
Parrott,J.E. See Gasson,D.B., 3=1345
Parrott,J.E. See Gasson,D.B., 3=10828
Parrott,L. Experimental studies of glass breakage due to sonic booms, 3=16692
Parry,W.E.and Haar,ter.D. On the theory of relaxation processes in liquid helium, 3=309
Parry,W.E.and Turner,R.E. Nonideal bose gas at nonzero temper tures, 3=76
Parry,W.E. and Turner,R.E. Some analytical properties of Green functions and self-energy parts for a system of interacting bosons, 3=11725
Parry,W.E. See Brenig,W., 3=21647
Parry, W.E. See Ter Haar, D. 3=1621
Parsegian,V.L. Versatile accelerator facility for research at R.P.I., 3=19380
Parshin,A.M.,Kolosov ,I.E.,Marinets,T.K. and Pechnikov,I.I. Discontinuities in long-term strength curves, 3=23349
Parshin,P.F. Apodization in Fourier spectrometry, 3=9612
Parshin,P.F. An instrumental function for discrete analysis in Fourier spectrometry, 3=18987
Parshin,P.F. Distortion of the intensity distribution in a spectrogram as a function of the interferometer exit aperture in the Fourier-spectrometry method, 3=18995
Parsons,A.S.L. See Heddle,D.W.O., 3=14214
Parsons,J.R.,Balluffi,R.W. and Koehler,J.S. Direct observation of neutron damage in germanium, 3=6553
Parsons,N.R. See Edwards,P.J., 3=6191
Parsons,R.B. See Chadderton,L.T., 3=6652
Parsons,T.T. See Muggleton,A.H.F., 3=22043
Parthasarathy,R. and Ramachandran,G.N. Determination of space groups using anomalous dispersion, 3=13425
Parthasarathy,R. See Little,C.G., 3=5881
Parthasarathy,R. See Ramachandran,G.N., 3=8826
Parthasarathy,R. See Ramachandran,G.N., 3=8828
Parthē,E. and Sadagopan,V. The structure of dimolybdenum carbide by neutron diffraction technique, 3=11264
Parthé,E. See Arbuckle,J., 3=8842
Parthé,E. See Boller,H., 3=25725
Parthé,Ed. See Parthé,Er., 3=11258
Parthe,Er. and Parthe,Ed. Note on the structure of ScP and Yp, 3=11258
Partridge,A.T. See Eaton,G.K., 3=2917
Partridge,R.H. See Charlesby,A., 3=4994
Partridge,R.H. See Charlesby, A., 3=4995
Partridge,P.G. See Lally,J.S., 3=17751
Parvova,E.V. See Rozhanskii,V.N., 3=13409
Parzen,G.,Anderson,J.C.,Storm,M.R.,Maynard,J.M. and Carlson,H.L. A computer program to investigate orbit stability in circular accelerators, 3=5769
Parzen,P. Noise power radiation from non-equilibrium cylindrical plasmas with one-dimensional thermal velocities, 3=4130
Parzen,P. Multiple charge exchange of an accelerated positive-ion beam in a neutral gas, 3=21716
Păsărică,V. See Andreesco,I., 3=17311
Pascal,J.,Morin,J. and Lacombe,P. Determination of the anisotropy of the electrical resistivity of α-uranium at 18°C, 3=22899
Pascaru,I. See Constantinescu,M., 3=8707

Paschke,F. Non-linear phenomena in electron beams, 3=5698
Pascual,P. and Falicov,L.M. Dielectric formulation for many particle systems with general interactions, 3=14051
Pasechnik,M.V. and Ivanitskii,P.G. Investigation of the stripping reaction on nickel isotopes, 3=2489
Pasechnik,M.V. and Ivanitskii,P.G. Investigation of the stripping reaction on chromium isotopes, 3=24972
Pasechnik,M.V., Saltȳkov,L.S. and Tambovtsev,D.I. Polarization of protons in stripping reactions on light and medium nuclei, 3=15222
Pasechnik,M.V. See Nemets,O.F., 3=19880
Pasechnik, M.V. See Val'ter, A.K., 3=17457
Pashinin, P.P. and Prokhorov, A.M. Spin-lattice relaxation of Yb^{3+} In CdF_2, 3=18138
Pashinin, P.P, Prokhorov, A.M. and Udovenchik, V.T. Electron paramagnetic resonance of Tm^{2+} in CaF_2, 3=18134
Pashinin,P.P. See Kornienko,L.S., 3=6752
Pashinkin, A.S. and Kovba, L.M. The polymorphic forms of cadmium sulphide and selenide, 3=18233
Pashitskii,É.A. Interaction of an electron beam with a plasma in a magnetic field. I. Longitudinal oscillations, 3=21847
Pashitskii,É.A. Interaction of an electron beam with a plasma in a magnetic field. II. Transverse oscillations, 3=21848
Pashkovskii,M.V.,Rȳbalka,V.V. and Savitskii,I.V. Processes of conduction in mercury sulphide monocrystals, 3=6600
Pashkovskii, M.V, Tsal', N.A. and Tkachuk, A.D. Effect of anion impurities containing oxygen on the electrical conductivity of alkali-halide crystals, 3=17944
Pashley,D.W. and Stowell,M.J. The growth of evaporated silver layers inside an electron microscope, 3=18381
Pashley, D.W. See Dickson, E.W., 3=1376
Pashley,D.W. See Hunt,A.M., 3=8902
Pashley,D.W. See Jacobs,M.H., 3=20930
Pashutin,V.P. See Sobolev,B.P., 3=23455
Pasichnyk,L.L. and Kozak,O.V. Investigation of the escape of charged particles from a plasma in a magnetic field, 3=21772
Paskin,A. See Harrison,R.J., 3=8899
Pasquill,F. Recent broad-band spectral measurements of turbulence in the lower atmosphere, 3=3454
Pasquill,F. The determination of eddy diffusivity from measurements of turbulent energy, 3=11395
Pasquinelli,A. See Alberigi Quaranta,A., 3=24152
Passaglia,E. and Kevorkian,H.K. Specific heat of atactic and isotactic polypropylene and the entropy of the glass, 3=10597
Passaglia,E. See McCrackin,F.L., 3=24062
Passatore,G. See Carrassi,M., 3=6046
Passatore,G. See Carrassi,M., 3=10155
Passell,L. See Brown,W., 2=7254
Passell,L. See Møller,H.B., 3=22140
Passmore,T.R. See Price,W.C., 3=8303
Passon,B. An application of the magneto-optical Kerr effect for the investigation of fast magnetization processes, 3=25536
Past,V.E. See Pal'm,U.V., 3=16178
Pasternack,S. and Sternheimer,R.M. An orthogonality property of hydrogenlike radial functions, 3=6341
Pasternak,M. and Sonnino,T. Decay of Br^{83}, 3=19817
Pasternak,M. See Hazoni,Y., 3=4807
Pasternak,M. See Ruby,S.L., 3=6172
Pasternak,R.A.,Fraser,E.C.,Bergsnov-Hansen,B. and Wiesendanger,H.U.D. Controlled flash heating of metal filaments, 3=7379
Pastrana de Rivera,L. See Cano Corona,O., 3=8989
Pastrňák,J. Photo-luminescence and growth defects in ZnS : Cu monocrystals, 3=3055
Pastrňák, J. Polarization of photo-luminescence of ZnZ:Cu monocrystals, 3=3056
Pastrnak,J., and Souckova,L. Production of thin films of aluminium-gallium- and indium nitride in a gas discharge, 3=13565
Pastukhova,Z.V. Preparation of targets and radioactive sources from cobalt, copper, and silver, 3=24532
Pastur,A.L. See Kosevich,A.M., 3=3258
Pastur, L.A, Fel'dman, E.P, Kosevich, A.M. and Kosevich, V.M. A straight disolcoation near the plane of discontinuity of elastic constants in an infinite anisotropic medium, 3=17716
Pataki,G. Transient lifetime in case of recombination through excited states in non-degenerated semiconductors, 3=20287
Pataki,G. Remark on the theory of the bulk photoeffect in inhomogeneous semiconductors, 3=20395
Pataki,G. See Lorinczy,A., 3=10858
Patapoff,M. See Barth,C.A., 3=6989
Pataraia,A.D. Propagation of a solitary wave in a plasma along a magnetic field, 3=24325
Pataraya,A.D. Propagation of nonlinear plasma oscillations along a magnetic field. II, 3=7623
Patashinskii,A.Z. The position of singularities of Feynman diagrams, 3=5927
Patashinskiĭ,A.Z. Integral representations in perturbation theory, 3=14850
Patat, F. and Wittmann,E. Base catalysed epoxide splitting, 3=20997
Patch,R.W., Shackleford,W.L. and Penner,S.S. Approximate spectral absorption coefficient calculations for electronic band systems belonging to diatomic molecules, 3=2606
Patėk,K. See Damašková,S., 3=6655
Pátek,K. See Hauptmanová,K., 3=8804
Pátek,K. See Kubátová,J., 3=8631
Pátek,K. See Kubátová,J., 3=11016
Patel,A.R. and Goswami,K.N. Structure of etch-pits on calcite, 3=8802
Patel,A.R. and Goswami,K.N. Optical and interferometric studies on the cleavages of synthetic diamonds and their etch patterns, 3=13406
Patel,A.R.,Goswami,K.N. and Ramanathan,S. Spiral patterns on synthetic diamonds, 3=15661
Patel,A.R. and Ramanathan,S. Etching of mica cleavages, 3=807
Patel,A.R. and Ramanathan,S. Etch pits on diamond surfaces, 3=1259
Patel,A.R. and Ramanathan,S. Triangular pyramids on the octahedral faces of synthetic diamonds, 3=23381
Patel,B.S. See Kim,H., 3=5434
Patel,C.K.N. Optical power output in He-Ne and pure Ne maser, 3=525
Patel,C.K.N. Determination of atomic temperature and Doppler broadening in a gaseous discharge with population inversion, 3=22493
Patel,C.K.N., Bennett,W.R.,Jr.,Faust,W.L. and McFarlane,R.A. Infrared spectroscopy using stimulated emission techniques, 3=9507
Patel,C.K.N, Faust,W.L. and McFarlane,R.A. High gain gaseous (Xe-He) optical masers, 3=17074
Patel,C.K.N. See Faust,W.L., 3=17075
Patel,C.K.N. See Fork,R.L., 3=8202
Patel,C.K.N. See Fork,R.L., 3=17076
Patel,C.K.N. See McFarlane,R.A., 3=6358
Patel,C.K.N. See McFarlane,R.A., 3=14806
Patel,J.R. and Batterman,B.W. Impurity clustering effects on the anomalous transmission of X-rays in silicon, 3=23098
Patel,J.R. and Chaudhuri,A.R. Macroscopic plastic properties of dislocation-free germanium and other semiconductor crystals. I. Yield behavior, 3=23322
Patel,J.R. See Chaudhuri,A.R., 3=10660
Patel,M.M. Vibrational analysis of the $(B^2\Pi \rightarrow X^2\Pi)$ system of NS, 3=12825
Patel,M.M. See Sankaranarayanan,S., 3=6389
Patel,S.A., Venkatraman,B. and Bentson,J. A stress-strain relation for inelastic material behavior, 3=14076
Pater,M.,Blöch,R. and Krainer,E. Studies of the structural constituents of AlNi and AlNiCo permanent magnet materials by microsonde and microhardness, 3=16090
Patera,I. See Belyakov,V.A., 3=24798
Paterson,J.M. See Walker,J.K., 3=4423
Pathak,K.M. See Deka,G.C., 3=22325
Pathria,R.K. and Kawatra,M.P. Quantum statistical mechanics of a many-body system with several components, 3=5379
Pati,J.C. Nonleptonic hyperon decays in the pole approximation and the strong-coupling constants, 3=15036
Patil,S.H. Energy dependence of proton electro-magnetic form factors, 3=17277
Patlach,A.M. See Hutchinson,D.P., 3=19663
Patlach,A.M. See Hutchinson,D.P., 3=19664
Patočka,J. and Tuček,J. . Contribution to the interactions of fast pions with atomic nuclei, 3=2482
Patou,C.,Bermond,J. and Scherer,M. A method of determining the momentum of a high energy particle in nuclear emulsions, 3=24668
Patou,C. See Brou,R., 3=12381

Patrakis,L. and Bernstein,H.J. Medium effects in n.m.r. III. Fluorine resonance in gases, 3=12865
Patrick,F.B. Performance prediction of range finder systems, 3=18773
Patrick,L. See Hamilton,D.R., 3=18034
Patrick,R.M. See Camac,M., 3=12216
Patrick,R.M. See Powers,W.E., 3=1954
Patrick,W.J. See Glang,R., 3=23508
Patrikeev,G.A. Molecular mechanism of formation and development of the division surface during deformations of polymeric substances in the highly elastic state, 3=5074
Patro,A.P. See Basu,B., 3=19819
Patronis,E.T.,Jr. An economical double-delay-line amplifier, 3=14483
Patronis,E.T.,Jr. See Dulaney,H., 3=4600
Patrushev,B.I. See Kovan,I.A., 3=7544
Patt,H.J. See Schmitz,G., 3=7589
Patt,H.J. See Schmitz,G., 3=14557
Patten,C.G. See Jungerman,J.A., 3=5747
Pattenden,S.K. See Moore,P.G.F., 3=2544
Pattenson,C.F. See Swail,J.C., 3=14093
Patterson,D.A. and Vaughan,W.H. Influence of crystal surface on the optical transmission of lithium [illegible] in the vacuum-ultraviolet spectrum, 3=15682
Patterson,D.A. See Klick,C.C., 3=15517
Patterson,D.A. See Klick,C.C., 3=22835
Patterson,H.T. See Fort,T.,Jr., 3=11774
Patterson,J.D. Density matrix representations, 3=3762
Patterson,T.N.L. See Bates,D.R., 3=3482
Patterson,T.N.L. See Best,G.T., 3=9188
Patton,V.A. See Piller,H., 3=8586
Patty,M. and Rousset,A. Photonuclear interactions of cosmic muons in heavy liquid bubble chambers, 3=17299
Patwardhan,P.K. and Mahajan,M.D. Some considerations of the address logic of a kicksorter employing ADC, 3=24197
Patzak,W. and Vonach,H. The $Al^{27}(n,\alpha)Na^{24}$ and $Co^{59}(n,\alpha)Mn^{56}$ reactions with 14 MeV neutrons, 3=6264
Pauciulo,L. See Carrelli,A., 3=18826
Pauker,V. See Panaitescu,D., 3=16825
Paul,A. See Bibl,K., 3=5879
Paul, D.I. Spin waves and nuclear magnetic resonance enhancement in NiF_2 domain walls, 3=18114
Paul,E.,Jr. See Humphreys,C.J., 3=18983
Paul, E.B. International Conference on Instrumentation for High Energy Physics, Geneva, July 1962, 3=527
Paul,H. Time operators in quantum mechanics, 3=42
Paul,H. and Brunner,W. Contribution to the theory of gamma-gamma angular correlations under combined magnetic and inhomogeneous electric fields. I. The general form of the correlation function, 3=15132
Paul,H. and Brunner,W. Contribution to the theory of gamma-gamma angular correlations under combined magnetic and inhomogeneous electric fields. II. The interaction operator, 3=15133
Paul,H. and Hofmann,I. Backscattering and noise in a scintillation detector for a beta-ray spectrometer, 3=14964
Paul,P. and Kohler,D. Alpha-particle spectra produced in the reactions of deuterons on Li^7, 3=10383
Paul,R. Multicomponent diffusion in the systems $^{85}Kr-Ne-Kr$ and $^{85}Kr-A-Kr$, 3=3822
Paul,W.,Demeis,M. and Finegold,L.X., Effect of pressure on the properties of PbS,PbSe and PbTe, 3=10833
Paul,W. See Althoff,K., 3=22165
Paul,W. See Feinleib,J., 3=25495
Paul,W. See Freitag,C., 3=22164
Paula e Silva,P.R. and Tati,T. On unusual statistics of elementary particles, 3=7816
Paule,R.C. See McCory,L.D., 3=22553
Paulett,G.S. and Ettinger,R. Mass spectra and appearance potentials of diazirine and diazomethane, 3=24216
Paulevé,J.,Dautreppe,D.,Laugier,J. and Néel,L. A new order-disorder transition in Fe-Ni (50-50), 3=8900
Paulevé,J. See Chambron,W., 3=3119
Paulevé,J. See Dautreppe,D., 3=11056
Paulikas,G.A. See Kaplan,S.N., 3=19176
Paulikas,G.A. See Kaplan,S.N., 3=24213
Paulikas,G.A. See Mozer,F.S., 3=16288
Pauliny-Toth,I.I.K. See Wielebinski,R., 3=1542
Paulmier,D. and Gosse,J. Influence of the surface condition on the heat radiation from a metal, 3=7385
Paulson,C.T. See Lutz,H.F., 3=17497
Paulus,M. Effect of voids and inclusions on the growth of ferrite crystals, 3=3269
Paulus,M. The stoppage of growth of crystals in polycrystalline ferrites as a function of their porosity, 3=6822
Paulus,M. Variation of the standard deviation for the distribution of crystallite diameters due to locking of boundary movements by pores in a polycrystalline aggregate of ferrite, 3=11242
Paulus,M. and Guillaud,C. Granular structure and properties of ferrites, 3=1083
Paulus,M. See Villers,G., 3=3125
Pauly,H. See Düren,R., 3=22612
Pauly,H. See Gersing,E., 3=4788
Pauly,H. See Schwan,H.P., 3=13627
Pauncz,R. Studies on the alternant molecular orbital method. IV. Generalization of the method to states with different multiplicities, 3=8242
Pauri,M. See Ghirardi,G.C., 3=10041
Paus,H. and Thommen,K. Density change and F-centre formation in X-rayed sodium chloride crystals, 3=22844
Păuşescu,P. See Rosenberg,M., 3=8521
Pauthenet,R.,Barnier,Y. and Rimet,G. Magnetic study of a cobalt single-crystal in the hexagonal phase, 3=1141
Pauthenet,R. See Aléonard,R., 3=6693
Pauthenet,R. See Ballestracci,R., 3=13283
Pauthenet,R. See Bertaut,E.F., 3=3139
Pauthenet,R. See Bertaut,E.F., 3=3320
Pauthenet,R. See Bin,M., 3=15770
Pauthenet,R. See Bin,M., 3=15788
Pauthenet,R. See Cohen,J., 3=1094
Pauthenet,R. See Cohen,J., 3=3137
Pauthenet,R. See Cohen,J., 3=8697
Pavageau,J. Diffusion by reflection of a plane wave on an irregular surface, 3=9622
Pavanati,G. See Luccio,A., 3=5738
Pavlenko,N.A. See Yakovleva,A.V., 3=23581
Pavelesku,M. See Purika,I., 3=25011
Pavlichenkov,I.M. See Grin',Yu.T., 3=2350
Pavlik,B.M. See Lubchenko,A.F., 3=20464
Pavlikovski,A. The separation of self-consistent field in the superconducting model of atomic nuclei, 3=12547
Pavlikovski, A. and Rÿbarska, V. Accuracy of the Bogolyubov method in the theory of even-even nonspherical nuclei, 3=2377
Pavlopoulos,T. See El-Sayed,M.A., 3=23082
Pavlov,D. and Belloni,J. Repulsion of ions in dilute aqueous solutions by metallic oxides and hydroxides, 3=13608
Pavlov,P.V. and Panteleev,V.A. Diffusion of antimony on the surface of germanium, 3=20223
Pavlov,S.T. See Kudinov,E.K., 3=6502
Pavlov,V.A.,Gaydukov,M.G. and Mel'nikova,V.V. Dependence of the mechanism of plastic deformation in creep on conditions of deformation in Ni-Al and Ni-Co alloys, 3=23332
Pavlov,V.A. and Pereturina,I.A. Effect of impurities on the mechanism of plastic deformation and the shape of the load-elongation curve of alloys, 3=20710
Pavlov,V.A. See Kuznetsov,R.I., 3=3218
Pavlov,V.A. See Noskova,N.I., 3=20206
Pavlov,V.P. See Zav'yalov,O.I., 3=24650
Pavlova,E.N. See Vlasenko,N.A., 3=8624
Pavlova,N.P. See Boos,E.G., 3=6002
Pavlova, Z.I. See Kreimer, G.S., 3=18184
Pavlovic,D. See Foster,K., 3=15855
Pavlovskaya,V.S. and Gel'man,Yu.A. Ageing of aluminium-zinc alloys investigated by the nuclear magnetic resonance method, 3=11295
Pavlovskii,F.A. See Levintov,I.I., 3=24964
Pavlovskii, M.N. See Al'tshuler, V.L., 3=18179
Pawar,R. See Deshpande,V.T., 3=15441
Pawelczyk,J. See Kraśnicki,S., 3=1281
Pawelski,B. and Stobo,J.J. The prediction of irradiation growth rates in uranium by resistivity and expansion measurements, 3=6310
Pawley,G.S. See Mackay,A.L., 3=8815
Pawlicki,S.S. Shielding C.V.T.R.—a heavy water pressure tube-reactor, 3=19903
Pawlowski,Z. Pulse ion chamber application to the analysis of the energy of particles originating in the disintegration of the compound nuclei obtained by bombardment with thermal neutrons, 3=674
Paya,D. See Michaudon,A., 3=15241

Paya,D. See Nifenecker,H., 3=19892
Payne,E.G. See Purcell,J.R., 3=21931
Payne,J. One-dimensional fermion density formula, 3=14055
Payne,R.M. See Allen,N.L., 3=7596
Payton,R.G. Shock-wave propagation in solid and compactible media, 3=11856
Paxton,G.W. and Fowler,R.G. Theory of breakdown wave propagation, 3=1956
Paxton,H.W. See Horne,G.T., 3=11156
Pazy,A. The thermal utilization and flux ratios in complex lattices, 3=8158
Peabody,C.O, Fraser,V.M. and Speight,R.G. The A.E.E. Winfrith whole body monitor, 3=17118
Peach,G. Continuous absorption coefficients for non-hydrogenic atoms, 3=3599
Peacher,J.L. See Bonham,R.A., 3=17549
Peacock,D.E. and Johnson,A.A. Stage III recovery in neutron irradiated molybdenum and niobium, 3=22769
Peacock,N.J. See Bodin,H.A.B., 3=12155
Peacock,N.J. See Bodin,H.A.B., 3=12156
Peacock,N.J. See Gabriel,A.H., 3=7505
Peacock,R.N. See Hahn,B., 3=14122
Peacock,R.N. See Hahn,B., 3=17132
Peacock,R.N. See von Goeler,E., 3=23521
Peak,L.S. See Brisbout,F.A., 3=6109
Peak,L.S. See Day,G., 3=7849
Peak,L.S. See Farrow,E., 3=19724
Peak, L.S. See Gould, C.F., 3=17367
Pearce,R.M. The transfer cross section between overlapping thermal groups, 3=8168
Pearce,V.F. See Allen,J.H., 3=16759
Pearce,V.F. See Edmonds,P.D., 3=230
Pearlstein,E. See Phelps,F.T.,Jr, 3=2839
Pearlstein,L.D. See Rosenbluth,M.N., 3=21763
Pearlstein,R.M. See Bay,Z., 3=9724
Pearsall,G.W. See Loeb,A.L., 3=11653
Pearse,A.G.E. Rapid freeze-drying of biological tissues with a thermoelectric unit, 3=11619
Pearson,C.A. See Butler,S.T., 3=6253
Pearson,C.J. See Kaus,P., 3=14902
Pearson,D.,Copeland,C.S. and Benson,S.W. The electrical conductance of aqueous sodium chloride in the range 300 to 383°, 3=18449
Pearson,D., Copeland,C.S. and Benson, S.W. The electrical conductance of aqueous hydrochloric acid in the range 300 to 383°, 3=18450
Pearson,D.B., and Taylor, J.C. Radiative corrections to weak interactions, 3=549
Pearson,F.J. The electron theory of metals. I, 3=12953
Pearson,G.A. and Kunkel,W.B. Electron velocity distribution in a slightly ionized gas with crossed electric and strong magnetic fields, 3=12079
Pearson,G.W. See Elliot,F., 3=21021
Pearson,H. See Lewis,D., 3=8838
Pearson,H. See Lewis,D., 3=8934
Pearson,J.D. See Spear,R.H., 3=10390
Pearson,J.J. See des Cloizeaux,J., 3=6730
Pearson,J.M. Vacuum polarization induced by the nuclear quadrupole moment in mu-mesonic atoms, 3=22515
Pearson,J.M. See Bloore,F.J., 3=8217
Pearson,M.L. See Bruce,W.R., 3=7062
Pearson,M.L. See Bruce,W.R., 3=7063
Pearson,R.F. and Cooper,R.W. Magnetic anisotropy of rare earth doped yttrium iron garnet at low temperatures, 3=1049
Pearson,R.F. See Clarke,B.H., 3=15925
Pearson,T. See Tompkins,L.M., 3=23522
Pearson,W.B. Comments on "Evidence of metallic bonding in TiN", 3=8331
Pearson,W.B. See Beck,A., 3=12944
Pearson W.B. See Jan,J.P. 3=10718
Pearson, W.B. See Jan,J.-P., 3=17972
Pearsons,K.S. See Kryter,K.D., 3=18674
Peart,R.F. and Tomlin,D.H. The Kirkendall effect in the B.C.C. phase of the titanium–chromium system, 3=4887
Pease,R.S. Experiments on the problem of controlled thermonuclear reactions, 3=7597
Pease,R.S. See Butt,E.P., 3=24293
Peaslee,D.C. Nuclear E1 peak splitting, 3=6222
Peaslee,D.C. Particle change symmetries as R_8 subgroups, 3=19548
Pecastaings,J. See Lehmann,R., 3=3653
Pech,M. Electronic specific heat of a Pb—Bi and an isoelectronic Pb alloy, 3=6478
Pechnikov,I.I. See Parshin,A.M., 3=23349
Peck,R.A.,Jr. See Al-Kital,R.A., 3=12691
Pecker,C. and Thomas,R.N. Some limits on the effect of coronal self-emission on the excitation state of coronal ions, 3=13891
Pecker,J.C. See Gökdoğan,N., 3=5253
Peckham,J.K. See Peckham,R.H., 3=21175
Peckham,R.H., Hart,W.H. and Peckham,J.K. Independence and interdependence in on and off visual stimuli, 3=21175
Pedersen,A. Time, height, and latitude distribution of D layers in the subauroral zone and their relation to geomagnetic activity and aurora, 3=1460
Pedersen,B. N.M.R. in hydrate crystals: structural information from second moments, 3=23268
Pedersen,B. and Holcomb,D.F. N.M.R. in hydrate crystals: structural information from broadened fine-structure lines, 3=8728
Pedersen,B. See Holcomb,D.F., 3=8727
Pedersen,M.A. Comparison of experimental and theoretical image interference in deep-water acoustics, 3=213
Ped'ko,A.V. See Belov,K.P., 3=3150
Ped'ko,A.V. See Belov,K.P., 3=5017
Ped'ko,A.V. See Belov,K.P., 3=6732
Pedlosky,J. Baroclinic instability in two layer systems, 3=16212
Pedos,F.Z. See Kaporskii,L.N., 3=25035
Pedrotti,L.S. See Reynolds,D.C., 3=949
Peebles,J. The Eötvös experiment, spatial isotropy, and generally covariant field theories of gravity, 3=3714
Peebles,J. and Dicke,R.H. The temperature of meteorites and Dirac's cosmology and Mach's principle, 3=11523
Peebles,P.J. Description of particles in quantized field theory, 3=2189
Peebles,P.J. and Dicke,R.H. Cosmology and the radioactive decay ages of terrestrial rocks and meteorites, 3=7017
Peed,W.F. See Alexeff,I., 3=16937
Peek, J.M. and Lassettre, E.N. Molecular orbitals for H_2 based on central potentials. Average Hamiltonian and correlation energy, 3=17573
Peek, J.M. and Lassettre, E.N. Correlation diagram for H_2. Oscillator strengths, 3=17574
Peek, J.M. See Lassettre, E.N., 3=17575
Peek,N.F. See Jungerman,J.A., 3=5747
Peeters,B. See Van Itterbeek,A., 3=23205
Pehl,R.H. See Harvey,B.G., 3=4566
Pehlke,R.D. See Dealy,J.M., 3=16603
P'ei Wang. See Tso-hsiung,Ho., 3=17301
Peibst,H. Comments on the theory of crystallization from the melt and on the origin of imperfections which arise during crystal growth, 3=20790
Peibst,H. and Noack,J. Growth rate and nucleation frequency of KCl from solution at high supersaturations, 3=5084
Peierls,R.E. An appreciation of Niels Bohr, 3=13986
Peierls,R.F. and Tarski,J. Overlapping final-state interactions, 3=5934
Peierls,R.F. See Foldy,L.L., 3=14914
Peierls,R.E.and Thouless,D.J. Variational approach to collective motion, 3=627
Peiffer,H.R. Effect of prior deformation and recovery on the defect concentration increase during plastic deformation, 3=11154
Peiffer,H.R. A possible verification of dislocation uncertainty as applied to point defect production, 3=12960
Peiffer,H.R. and Stevenson,F.R. Recovery of defects from 78° to 300°K in cadmium elongated at 78°K, 3=22713
Peirson,D.H. Beryllium 7 in air and rain, 3=25904
Peirson,D.H. and Keane,J.R. Characteristics of early fall-out from the Russian nuclear explosions of 1961, 3=8024
Peisakhson,I.V. and Gurevich,D.B. Optical system for a large aperture spectral instrument for the visible and ultraviolet regions, 3=24028
Peischl, F. and Werner, E. Velocity dependent nucleon–nucleon interactions and the ground state of nuclear matter, 3=17382
Peiser,H.S. See Wachtman,J.B., 3=3213
Peiser,H.S. See Wachtman,J.B.,Jr, 3=25614
Peisl,H. Monitor-controlled arrangement for fully automatic point by recording of X-ray diffraction patterns, 3=25687

Peixoto,J.P. Application of spectral analysis to the study of the planetary circulation of the atmosphere, 3=25877
Peka,G.P. and Karkhanin,Yu.I. Effect on the luminescence and electrical conductivity of cuprous oxide of an electric field applied to the surface, 3=22942
Peka,G.P. See Karkhanin,Yu.I., 3=18028
Pekar,S.I. Additional light waves in crystals in the region of exciton absorption, 3=10913
Pekar,S.I. Supplementary light waves in crystals and exciton absorption, 3=20429
Pekar,S.I. and Perlin,Yu.I. On the question of the lifetime of excited F-centres, 3=6546
Pekar,S.I. and Suhakov,V.Ì. Supplementary boundary conditions in the theory of secondary electromagnetic waves in crystals, 3=20430
Pekar,S.I. See Erezhepov,M.E., 3=20288
Pekar,S.I. See Kventsel',G.F., 3=20465
Pekárek,L. and Krejčí,V. A possible explanation of the nature of standing striations in a high-frequency discharge, 3=4043
Pekarek,L. and Krejci,V. Diffusion of electrons by temperature gradient in plasma of positive column, 3=12100
Pekárek,L.,Krejčí,V., and Štirand,O. Direction of motion of striations in an inert gas –hydrogen mixture, 3=19196
Peker,L. See Rzhezanka,I., 3=8010
Peker,L.K. See Varshalovich,D.A., 3=10236
Pekeris,A. Note on the square-integrability of the kernel of the linearised Boltzmann integral equation for rigid sphere molecules, 3=14058
Pekeris,C.L.,Alterman,Z. and Abramovici,F. Propagation of an SH-torque pulse in a layered solid, 3=11850
Pekeris,C.L.,Alterman,Z.,Finkelstein,L. and Frankowski,K. Propagation of sound in a gas of rigid spheres, 3=5466
Pelah,I.,Dattner,J. and Fischler,J. Mass-abundance ratiometer for a single-beam mass spectrometer, 3=21904
Pelah,I. See Peretti,J., 3=12917
Peled,S.,Harnik,E.,Ben-Sira,M.Y. and Pratt,B. Investigation of polarization processes and electric-field distribution in photoconducting insulators, 3=10869
Pelekis,L. See Bakhmat,A., 3=10265
Pelekhov,V.I. and Malov,A.F. Magnetic spectrometer for detecting internal conversion electrons from the (n,γ) reaction, 3=7831
Pelekhov,V.I. See Groshev,L.V., 3=15118
Pelekhov,V.I. See Groshev,L.V., 3=24959
Peleminskii,S.V. See Akhiezer,A.I., 3=5671
Peletminskiĭ,S.V. Relaxation of photons and plasma electrons in a strong magnetic field, 3=22107
Peletminskii,S.V. Contribution to the theory of singularities in nonlinear electrodynamics, 3=24439
Peletminskiĭ,S.V. See Akhiezer,A.I., 3=14583
Peletminskii,S.V. See Akhiezer,A.I., 3=23208
Pelissier,J. See Pluchery,M., 3=18403
Pellam,J.R. Theory of second sound absorption in rotating helium, 3=12019
Pellam,J.R. Theory of torsional oscillations in rotating liquid helium, 3=19090
Pellam, J.R. See Rogers, J.D., 3=17433
Pellegrini,C. and Plebanski,J. Tetrad fields and gravitational fields, 3=23740
Pellegrini,C. See Amman,F., 3=12267
Pellegrini,F. and Wiktor,S. A study of the (d,^{3}He) reaction leading to ^{26}Mg, 3=8125
Pellegrini,U. See Bonsignori,C., 3=19148
Pelletier,C. See Brandt,S., 3=17324
Pelletier-Allard,N. Zeeman spectrum of single crystals of double chloride of cobalt and caesium, $CoCs_3Cl_5$, at low temperature, 3=13166
Pellett,D. and Stump,R. Operation of bubble chamber with liquid nitrogen and liquid argon, 3=19524
Pelliccioni,M. See Corazza,M.L., 3=12368
Pelliccioni,M. See Ladu,M., 3=24749
Pellier,L. Direct examination by electron transmission of Inconel-X, 3=20872
Pellini,W.S.,Steele,L.E. and Hawthorne,J.R. Analysis of engineering and basic research aspects of neutron embrittlement of steels, 3=11181
Pells,G.P. See Montgomery,H., 3=19082
Pelte,D. See Brauer,P., 3=5446
Pelykh,N.A., Pronyushkin,A.V., Golovkov,V.P. and Dobrovol'skii,G.V. Instrument for measuring time intervals with a high accuracy, 3=14094

Pelzer,H. On the contributions of dissociation and ionization to the thermal conductivity of gases, 3=3831
Pelzner,D. Theory of dipole antenna as a boundary problem, 3=12318
Pemberton,D. See Lambert,J.D., 3=6434
Penaranda,F.E. See Barkow,A.G., 3=17312
Pence,D.T. See Laurie,V.W., 3=6410
Pence,D.T. See Laurie,V.W., 3=12836
Pence, D.T. See Laurie, V.W., 3=17595
Pence,E.A. and Corwin,R.E. Prestressed electrodes for spherical transducers, 3=5504
Pendleton,H.N. Pion—deuteron elastic scattering at 142 MeV and the form-factor approximation, 3=22180
Penelle,R.,Mion,J. and Lacombe,P. Relationships between plastic deformation by rolling and the recrystallisation of iron single crystals, 3=13359
Penev,V.N. See Arbuzov,B.A., 3=6086
Penev,V.N. See Belyakov,V.A., 3=24764
Penev,V.N. See Belyakov,V.A., 3=24798
Penev,V.N. See Van Yun-chan [Wang Yung-chang], 3=2305
Penfold, J. See Childs, B.G., 3=18062
Peng Hong-An. Low energy pion—nucleon scattering and pion—pion interaction, 3=24778
Pengra,J.G. and Crasemann,B. Energy spectrum of atomic electrons ejected in electron-capture decay of Fe^{55}, 3=24895
Penhale,L.G. Neutron-induced effects in semiconductors, 3=25336
Penkin,N.P. and Shabanova,L.N. Oscillator strengths of spectral lines of the aluminum, gallium, and indium atoms, 3=15279
Penkin,N.P. and Shabanova,L.N. The oscillator strengths of the Tl I spectral lines, 3=17534
Penkin,N.P. See Ostrovskii,Yu.I., 3=17532
Penkina,N.V. See Gurov,K.P., 3=15467
Penkina,N.V. See Leksina,I.E., 3=2991
Penkina,N.V. See Leksina,I.E., 3=13153
Pen'kov,I.N. See Safin,I.A., 3=11128
Pen'kov, N.V. See Veksler, A.Z., 3=18078
Pen'kov,S.N. and Stepanenko,V.Z. Photoelectric compensation in measurements of flow birefringence, 3=16811
Penley,J.C. Tunneling through thin films with traps, 3=825
Penn,A.W. See Gasson,D.B., 3=1345
Penn,A.W. See Gasson,D.B., 3=10828
Penn,D.R. Wave-number dependent dielectric function of semiconductors, 3=6577
Penn,S. and Martell,E.A. An analysis of the radioactive fallout over North America in late September 1961, 3=23602
Penn,T.C. See Hasty,T.E., 3=15826
Penn,T.C. See West,F.G., 3=14722
Penndorf,R. Spread F over the polar cap on a quiet day, 2=9089
Penndorf,R. and Hill,G.E. The absorption effect in the Arctic during a severe ionospheric storm, 3=5874
Penner,S.S. See Gray,L.D., 3=11993
Penner,S.S. See Patch,R.W., 3=2606
Penney,C.J. See Gerstein,B.C., 3=4799
Penney,T. See Comly,J.B., 3=15922
Penning,P. See Okkerse,B., 3=20197
Penrose,R. Asymptotic properties of fields and spacetimes, 3=9342
Penso,G. See Bacci,C., 3=22187
Pépin,P. See Cabane,G., 3=6798
Pepper,S.V. See Jordan,T.F., 3=21253
Pepperhoff,W. Microscopic study of ferromagnetic domain structure by means of the meridional Kerr rotation, 3=23162
Peppitt,J.W. An inexpensive voltage stabilizer for photometric work, 3=9698
Pĕpuryanu,V. See Filip,A., 3=24540
Percival,I.C. Energy moments of scattering phase shifts, 3=2220
Percival,I.C. and Roberts,M.J. Energy moments of scattering phase shifts. II. Higher partial waves, 3=24634
Percival,I.C. See Bernstein,R.B., 3=22611
Percus,J.K. Approximation methods in classical statistical mechanics, 3=59
Percus,J.K. See Lebowitz,J.L., 3=7135
Percus,J.K. See Lebowitz,J.L., 3=11722
Percus,J.K. See Shin-R Lin, 3=22494
Perego,G. See Allegra,G., 3=11272
Peregud,B.P. See Kel'man,V.M., 3=19363
Peregud,B.P. See Kel'man,V.M., 3=19364

Pereira,A.N.G. and Raw,C.J.G. Heat conductivities of polyatomic gases and their binary mixtures, 3=21443
Perekalina,T.M. See Askochenskii,A.A., 3=3156
Perel,J., Englander,P. and Bederson,B. Measurement of total cross sections for the scattering of low-energy electrons by lithium, sodium and potassium, 3=2582
Perel,J. and Schieber,M. Magnetic moments of some mixed rare earth iron garnets, 3=6725
Perel,J. See Rabinovitch,K., 3=20500
Perel',V.I. and Eliashberg,G.M. Absorption of electromagnetic waves in a plasma, 3=405
Perel',V.I. and Pinskii,Ya.M. Effect of an inhomogeneous a.c. field on a high-frequency discharge, 3=24227
Perel',V.I. See Konstantinov,O.V., 3=385
Perel'man,T.L., See Ermakov,V.S., 3=10411
Perelomov,A.M. Possible determination of the additional characteristics of the unstable particle, 3=4335
Perelygin,I.S. Influence of ions on the absorption band of the O—H bond, 3=8285
Perelȳgin,I.S. Infrared spectra of some non-aqueous solutions of electrolytes, 3=21375
Perelȳgin,V.P.,Almazovz,S.P.,Gvozdev,B.A. and Chuburkov,Yu.T. Spontaneous fission with an anomalously small period. II, 3=6316
Perelygin,V.P. and Tolstov,K.D. The cross-section of the Li^6(n,α)H3 reaction for 2.15 MeV neutrons, 3=8119
Perelygin,V.P. See Druin,V.A., 3=4676
Peres,A. Classical radiation recoil, 3=5838
Peres,A. Spinor fields in generally covariant theories, 3=10025
Peres,A. Spurious nature of ultraviolet divergences, 3=12401
Peres,A. Mechanical model for quantum field theory, 3=12410
Peres,A. Polynomial expansion of gravitational Lagrangian, 16502
Peres,A. Gyro-gravitational ratio of Dirac particles, 3=17180
Peres,A. Coulomb and Lorentz gauges in gravitodynamics, 3=23744
Peres,A. See Morgan,T.A., 3=5350
Peres,A. See Morgan,T.A., 3=16501
Peres,A. See Morgan,T.A., 3=16515
Peressini, E.R. and Hartwick, T.S. Multiple magnon processes in yig. 3=18122
Peressini,E.R.,Hartwick,T.S. and Weiss,M.T. An experimental study of the parallel pumped ferromagnetic amplifier, 3=490
Peressutti,G. See Andreassi,G., 3=2251
Peretti,J. Superconductivity of transition elements, 3=5593
Peretti,J.,Pelah,I. and Kley,W. Kohn effect and the lattice vibration frequency distribution in metals, 3=12917
Pereturina,I.A. See Pavlov,V.A., 3=20710
Pereue,J. See Wikner,E.G., 3=20312
Perey,F. and Satchler,G.R. Validity of the D.W.B.A. for inelastic scattering from nuclei, 3=19829
Perey,F.,Silva,R.J. and Satchler,G.R. Excited-core model of odd-a nuclei and the Cu^{63} (p,p) reactions, 3=10338
Perey,F.G. Optical-model analysis of proton elastic scattering in the range of 9 to 22 MeV, 3=19839
Pérey,M., Goldsztaub,S. and Baltzinger,C. Composition and structure of thin gold–silicon films, 3=3354
Pereyaslova,N.K. See Nazarova,M.N., 3=24548
Pérez,J.M. See Catalá,J., 3=24976
Perez,M. See Salomon,M., 3=20069
Pérez,R. See Catalá,J., 3=24716
Perez y.Jorba, J. See Hoan Nguyen, Ngoc, 3=4628
Perez Y Jorba,J. See Nguyen Ngoc,H., 3=12580
Perez-Ferreira,E. See Mongelli,S., 3=6276
Perio,P.,Dubois,M.,Berge,P. and Blanc,G. Electrical conductivity of irradiated LiF, 3=22981
Perio,P. See Jehanno,G., 3=8880
Perfil'ev,V.P. See Feinberg,S.M., 3=10421
Perfilov,N.A. See Obukhov,A.I., 3=4679
Perkal'skis,B.Sh. Demonstration of the properties of saturated vapours, 3=19071
Perkas,M.D. See Kardonskii,V.M., 3=8903
Perkin,J.L. See Brown,F., 3=19858
Perkin,J.L. See Deuchars,W., 3=24742
Perkins,D. See Bowler,M., 3=4537
Perkins,D.H. Conference on ultra high energy nuclear physics, Bristol, January 1963, 3=12646
Perkins,D.H. See Bowler,M.G., 3=4536
Perkins,D.H. See Bowler,M.G., 3=6112
Perkins,J.F. Variational calculations of some S states in two-electron atoms, 3=22471
Perkins,R.B. and Simmons,J.E. Polarization in neutron—proton scattering at 23.1 MeV, 3=10121
Perko,A. See Laurikainen,K.V., 3=4383
Perl,M.L. See Bleuler,E., 3=24565
Perl,M.L. See Cook,V., 3=12490
Perl,M.L. See Ting,C.C., 3=6050
Perlin,Yu.E. and Cheban,A.G. Capture of polarons by F-centres, 3=2838
Perlin,Yu.E. and Cheban,A.G. Theory of field ionization of local levels, 3=15453
Perlin,Yu.I. See Pekar,S.I., 3=6546
Perlman,I. See Bjørnholm,S., 3=15129
Perlman,I. See Gilmore,J., 3=6312
Perlman,M.L. See Emery,G.T., 3=10313
Perlmutter,A. Evidence for the mesonic decay of heavy hyperfragments, 3=19758
Perlmutter,A. See Blau,M., 3=8121
Perlomov,A.M. Depolarization of μ^+-mesons and polarization of Σ^+-particles in a magnetized paramagnetic gas, 3=4416
Perlow, G.J. See Chernick, C.L., 3=17634
Perlow,G.J. See Hanna,S.S., 3=2132
Perlow, M.R. See Chernick, C.L., 3=17634
Permorov,S.A. See Gross,E.F., 3=8594
Pernegr,J. See Lanius,K., 3=4485
Pernick,B.J. Luminescent processes and decay laws in crystalline materials, 3=15698
Perny,G. Preparation of thin films of Cu$_2$O by synthesis in the gaseous phase, 3=16138
Perny,G. and Roesler,P. Preparation of thin films of Cu$_2$O by synthesis in the gaseous phase, 3=16139
Perov,A.A. See Kuprianov,S.E., 3=15391
Perov,A.A. See Kupriyanov,S.E., 3=1931
Perović,B. Cathode sputtering of metal single crystals by high energy A$^+$ ions, 3=7756
Perović,B. and Čobić,B. Cathode sputtering of Cu and Ag by A$^+$ ions of energies from 10—200 keV, 3=7655
Perrault,G. A bitetrahedral structure of (H$_2$O)$_4$ and the formation of the dipole p$^+$/e$^-$ in water, 3=23868
Perrier,F. See Dupouy,G., 3=3372
Perrier,F. See Dupouy,G., 3=16110
Perrier,F. See Dupouy,G., 3=19343
Perrier,F. See Dupouy,G., 3=19348
Perrier,F. See Dupouy,G., 3=20951
Perrier,F. See Dupouy,G., 3=20953
Perrin,P. See Bouchez,R., 3=15206
Perrin,R. The mechanism of the diffusion of matter in the interior of the earth's crust, 3=18479
Perrin,R. and Stewart,A.L. The correlation energies of excited states of the helium sequence, 3=4704
Perrin,R. See Rose,M.E., 3=2402
Perring,J.K. Nucleon—nucleon phase shifts at 142 MeV, 3=1245
Perroud,P.,Rebière,J. and Weil,L. Thermal exchange coefficients for liquid hydrogen in forced convection, 3=16605
Perry,R.R.,Mainsbridge,B. and Rickards,J. Li^7(p,γ)Be^8 excitation curve from 1.5 MeV to 11 MeV, 3=22378
Perry,R.R. See Mani,G.S., 3=19770
Perry,R.R. See Phillips,G.C., 3=15050
Perry-Whittingham,A. See Caner,B., 3=13822
Persen,L.N. See Kestin,J., 3=23833
Pershan,P.S. Nonlinear optical properties of solids: energy considerations, 3=13155
Pershan,P.S. See Bloembergen,N., 3=231
Pershikov,A.V. Lazarev,V.B., 3=5425
Pershina,E.V. and Raskin,Sh.Sh. Raman spectra of AlCl$_3$ and AlBr$_3$ in different phases, 3=8591
Pershits,Ya.N. Mechanism of the conductivity variation during ageing of rutile ceramics and electrolysis of alkali-halide crystals, 3=20380
Persico, F, Stevens, K.W.H. and Tucker, J.W. Some consequences of strong spin–lattice interactions, 3=18139
Persico,F. See Palma-Vittorelli,M.B., 3=1188
Person,L.W. See Marshalek,E., 3=15073
Person,S., Hutchinson,F. and Marvin,D. Range of low-energy protons in protein, 3=14984
Person,W.B. Electron affinities of some halogen molecules and the charge-transfer frequency, 3=8257

Person,W.B. See Friedrich,H.B., 3=25460
Person,W.B. See Yamada,H., 3=13191
Persson,A. Heat of combustion and burning rate of blasting gelatine at pressures between 1 and 11 kp/cm^2, 3=3394
Persson,A. Rational microtomy, 3=18424
Persson,A. See Astner,G., 3=19798
Persson,K.B. Inertia-controlled ambipolar diffusion, 3=5462
Persson,L., Hardell,R. and Nilsson,S. The decay of the ground state of Dy^{165}, 3=655
Persson,L.,Ryde,H. and Oelsner-Ryde,K. The positon spectrum of Dy^{155}, 3=19823
Persson,L.,Ryde,H. and Oelsner-Ryde,K. Levels in Tb^{157} populated in the decay of Dy^{157}, 3=22342
Persson,L. See Ryde,H., 3=2414
Persson,L. See Ryde,H., 3=2415
Persson,P.A. See Berg,U., 3=7275
Perthel,R. Magnetic field-induced anisotropy in cobalt-substituted nickel ferrite, 3=1033
Pertsov,A.V. See Shchukin,E.D., 3=23316
Pertsov,N.V. See Goryunov,Yu.V., 3=5427
Peruanskii,S.S. Classification of open star clusters, 3=11579
Perucca,E. and Gentile,C. Expression of the laws of thermal radiation, 3=1865
Perucca,E. and Gentile,C. Expression of the laws of thermal radiation. I, 3=11994
Perucca,E. and Gentile,C. Expression of the laws of thermal radiation. II, 3=11995
Perulli,M. See Étiévant,C., 3=7641
Pervakov,V.A.,Petrenko,N.S. and Khotkevich,V.I. The influence of plastic deformation on the liquidation of excess vacancies in quenched gold, 3=4862
Pery-Thorne,A. Absorption and interference measurements in the vacuum ultravoilet, 3=9592
Pery-Thorne,A. andChamberlain, J.E. Transition probabilities in the spectra of neutral neon, argon and krypton, 3=19943
Perzyna,P. The constitutive equations for rate sensitive plastic materials, 3=11738
Peschanskii,V.G. and Privorotskii,I.A. Ultrasonic absorption by metals in electric and magnetic fields, 3=2722
Pescia,J. See Hervé,J., 3=9962
Peselnick,L. and Robie,R.A. Elastic constants of calcite, 3=23278
Peshkin,M. Possible determination of the spin of the Ξ^- from the angular asymmetry of its decay, 3=7936
Peshkin,M. Fluxoid quantization, pair symmetry, and the gap energy in the current-carrying Bardeen—Cooper—Schrieffer state, 3=24137
Peshkov, V.P. and Stryukov, V.B. Is $V_s - V_n$ the cause of destruction of superfluidity?, 3=1885
Peshkov,V.P. and Tkachenko,V.K. Kinetics of destruction of superfluidity in helium, 3=1884
Pešić,D.,Ratković,B. and Marinković,M. A 2.2 meter modified Eagle grating spectrograph, 3=16774
Peskett,G.D. and Rollin,B.V. Energy exchange between hot carriers and the lattice in indium antimonide, 3=22946
Peskin,R.L. Hydromagnetic free jet, 3=17040
Peskin,R.L. and Raco,R.J. Ultrasonic atomization of liquids, 3=23850
Pesteil, L, Vergnes, J. and Pesteil, P. Determination of the symmetry types of several vibrations of naphthalene, 3=17605
Pesteil, P. See Pesteil, L., 3=17605
Petarra,D.P. and Beshers,D.N. Damping spectrum of iron, 3=23287
Petch,H.E. See Cuthbert,J.D., 3=15963
Petch,H.E. See Cuthbert,J.D., 3=25591
Petelina,N.G. See Zverev,G.M., 3=6745
Peter,G.,Tyapkin,A.A.,Pisarev,A.F. and Tzou Chu-Lyang. The appearance of inclined discharge channels along an ionizing particle track, 3=24564
Peter,G. See Govorov,A.M., 3=2182
Peter,G. See Nikanorov,V.I., 3=6006
Peter,J.R. Intermittent electric discharges in a gas between two dielectrics, 3=9741
Peter,M. Paramagnetic resonance of dilute Gd^{3+} in Pd in the presence of rare earth impurities, 3=8709
Peter,M. See Clogston,A.M., 3=993
Peter,M. See Jaccarino,V., 3=3964
Peterkop,R. See Damburg,R., 3=15297
Peterkop,R.K. Asymptotic behaviour of charged particle wave-functions, 3=2225
Peterkop,R.K. The wave function of the e-H collision, 3=2577
Peterkop,R.K. Ionization of hydrogen atoms by electrons taking account of interference, 3=4018
Peterkop,R.K. See Damburg,R.Ya., 3=2555
Peterkop,R.K. See Damburg,R.Ya., 3=10472
Peterkop,R.K. See Damburg,R.Ya., 3=15298
Peterkop,R.K. See Damburg,R.Ya., 3=22508
Peterlin,A. Mean dimensions of micromolecular coil in laminar flow, 3=21348
Peterlin,A. and Roeckl,E. N.M.R. and dilatometric studies of polyethylene recrystallization, 3=11232
Peterlin,A. and Turner,D.T. Shear stress dependence of the intrinsic viscosity of polymethylmethacrylate in an extremely viscous solvent, 3=16619
Petermann,L.A.,Lux,B.,Degras,D.A. and Schram,A. The pulsed thermal desorption of stainless steel NS-22S in high vacuum, 3=16147
Peters,A. See Nikitine,S., 3=2765
Peters,B. The role of hyperons in extensive air showers and other high-energy cosmic ray phenomena, 3=4547
Peters,C.W. See Baker,J.A., 3=7316
Peters,D. The population analysis of valence bond wave functions, 3=6375
Peters,D. Problem of the lengths and strengths of carbon-fluorine bonds, 3=8244
Peters,H.E. See Vessot,R.F.C., 3=12343
Peters,P.C. and Mathews,J. Gravitational radiation from point masses in a Keplerian orbit, 3=16514
Peters,S.A See Nikitine,S , 3=10934
Peters,T. Arc models and Steenbeck's minimum principle, 3=4074
Peters,T.,Singer,J.,Brophy,V.A. and Birman,J.L. Faulting and electroluminescence in hexagonal ZnS phosphors, 3=23123
Petersen,E.L. See Mackenzie,K.R., 3=5754
Petersen,F.R. and Shugart,H.A. Nuclear spins, hyperfine structures, and nuclear moments of scandium-46 and yttrium-91, 3=2361
Petersen,G.T. and Benedict,M. Deuterium enrichment in the distillation of ammonia, 3=8940
Peterson,A.M. and Hower,G.L. Synchrotron radiation from high-energy electrons, 3=16228
Peterson,C.W. and Riggs,F.B.,Jr. Precise alignment using teflon-coated steel, 3=9393
Peterson,G.A. See Barber,W.C., 3=10332
Peterson,G.A. See Edge,R.D., 3=4625
Peterson,G.E. and Bridenbaugh,P.M. Fluorescent lifetime of terbium in the presence of other rare-earth ions, 3=8620
Peterson,G.E. and Bridenbaugh,P.M. Effects of rare-earth-ion substitution upon the fluorescent lifetime of terbium in the compound terbium hexa-antipyrene tri-iodide, 3=13205
Peterson,G.E. and Bridenbaugh,P.M. Some studies of relaxation processes in Tb^{3+} using pulsed excitation, 3=25176
Peterson,J.P.,Jr. See Rider,B.F., 3=12631
Peterson,L.E. The 0.5 MeV gamma-ray and the low-energy gamma-ray spectrum to 6 grams per square centimeter over Minneapolis, 3=12533
Peterson,N.K. See Rothman,S.J., 3=10691
Peterson,R.L. Weak-coupling rate equations and initial conditions, 3=12935
Peterson,R.W. and Glass,N.W. Some N^{12} and B^{12} beta-decay measurements, 3=10284
Peterson,R.W. See Glass,N.W., 3=10285
Peterson, S.W. and Smith, H.G. Coherent Bragg scattering of resonant nuclides, 3=1312
Peterson,T.J., Jr,McGuire,E.J. and Tomboulian,D.H. Photoelectric K-absorption cross section of beryllium, 3=6350
Peterson,T.J., Jr. See Deslattes,R.D., 3=7348
Petford,A.D. See Jelley,J.V., 3=18609
Pethica,B.A. See Hill,M.P., 3=12226
Pethica,B.A. See Hockey,J.A., 3=1382
Petiau,G. Study of a model capable of giving a unified representation of a system of elementary particles, 3=10021
Petiau,G. Research on a model of unified representation of a system of elementary particles, 3=17176
Petiau,J. See Curien,H., 3=22702
Petiau,P. See Jauneau,L., 3=12511

Peticolas,W.L. Order-disorder theory for linear colloids, 3=3416

Peticolas,W.L.,Goldsborough,J.P. and Rieckhoff,K.E. Double photon excitation in organic crystals, 3=11002

Petit,C. Study of diffusion phenomena in the course of the anodic polishing of copper, 3=11351

Petit,G.,Bourlange,C. and Seyyedi,A. Study, by cryometry at high temperature in molten salt media (NaCl and NaF), of the interactions between sulphide ion S^{2-} and certain complex oxygenated particles, 3=8967

Petit,G.and Seyyedi,A. Study, by the cryometric method at high temperatures, of the interaction between the ions and various metallic ions, in a molten salt strong electrolyte (sodium fluoride), 3=5156

Petit,J. See Cabane,G., 3=6798

Petit,M. On the study of certain ionospheric parameters by means of electron diffusion, 3=6971

Petit,M. Application of "quasi-incoherent" scattering to the measurement of the temperature, ionic composition and electron concentration of the ionosphere, 3=16244

Petit,S. The procedure of uniform dephasing and its application to the study of thin magnetic films with an oscilloscope, 3=9901

Petitjean,C. See Curien,H., 3=22702

Petö,G. See Csikai,J., 3=15228

Petot-Ervas,G. See Bonnier,E., 3=5116

Petrakis,L. and Bernstein,H.J. Medium effects in nuclear magnetic resonance. II. Protons resonance of gaseous CHF$_3$, 3=9517

Petralia,S. See Cevolani,M., 3=6260

Petráš,M. A class of scattering amplitudes which satisfy the unitarity condition, 3=22085

Petraşcu,E. See Teoderescu,I., 3=16996

Petrascu,M. See Petrashku,M.

Petrashku,M. See Kozhokaru,V., 3=24870

Petrashku,M.G. See Egorov,L.B., 3=2593

Petrashku,M.G. See Egorov,L.B., 3=15312

Petrashku,M.G. See Ignatenko,A.E., 3=6373

Petravić,M. See Ilakovac,K., 3=4652

Petravić,M. See Ilakovac,K., 3=17350

Petrenko,I.I. See Todes,O.M., 3=21425

Petrenko,N.S. See Pervakov,V.A., 3=4862

Petrescu,P. Exoelectron emission spectra in alkali halides, 3=14618

Petriaa,D.Ya. Analytical properties of partial waves of scattering amplitude in perturbation theory, 3=1619

Petřiček,V. See Burget,H., 3=10114

Petříček,V. See Burget,J., 3=25580

Petriconi,G.L.,Zawidzki,T.W.,Montefinale,A.C. and Papee,H.M. Change of sodium chloride surfaces in electric discharges, 3=13558

Petriconi,G.L. See Papée,H.M., 3=25890

Petrie,D.P.R. The dependence of spherical aberration of electron lenses on the conjugate positions, 3=21878

Petrie,L.E. Top-side spread echoes, 3=11431

Petrie,L.E. See Lockwood,G.E.K., 3=25926

Petrii,O.A. See Frumkin,A.N., 3=11349

Petrina,D.Ya. Analytic properties of the contributions of feynman diagrams, 3=14865

Petrina,D.Ya. Analytic properties of the scattering amplitude on the first "unphysical" sheet, 3=22078

Petropoulos,G.M. Growth of positive channels in non-uniform fields during impulse breakdown, 3=19206

Pétrossian, Z. See Vartapétian, H., 3=17420

Petrosyan,Z.A. See Vartapetyan,G.A., 3=4577

Petrov,A.M. Angular distribution of α-particles from the Li^7(p,α)He^4 reaction, 3=8099

Petrov,A.M. See Konstantinova ,M.P., 3=2500

Petrov,A.V.and Shtrum,E.L. Thermal conductivity and chemical binding of ABX$_2$ compounds, 3=2739

Petrov,A.V. See Moizhes,B.Ya., 3=2985

Petrov,A.Z. Central-symmetric gravitational fields, 3=23745

Petrov,D.A. and Bukhanova,A.A. The determinative part played by supercooling of the melt in the formation of helical macroinhomogeneities in crystals grown by the Czochralski method, 3=20786

Petrov,D.A.,Rusakov,T.A. and Yacheva,S.K. The formation of facets on germanium and silicon crystals under Czochralski growth conditions, 3=6823

Petrov,G.M. See Kotel'nikov,V.A., 3=9272

Petrov,I.N. See Shul'man,A.R., 3=24343

Petrov,I.P. See Grechushnikov, B.N., 3=1837

Petrov,I.P. See Grechushnikov,B.N., 3=16810

Petrov,M.P. See Afrosimov,V.V., 3=24996

Petrov,M.P. See Moskalev,V.V., 3=20679

Petrov,N.I. See Anikina,M.Kh., 3=6071

Petrov,N.I. See Nyagu,D.V., 3=4451

Petrov,N.I. See Nyagu,D.V., 3=6280

Petrov,N.N. See Dorozhkin,A.A., 3=24347

Petrov,N.S. Inhomogeneous waves in transparent uniaxial crystals, 3=15642

Petrov,N.S. See Fedorov,F.I., 3=15645

Petrov,T.G. See Kasatkin,A., 3=23405

Petrov,V.G. Second conference on computers in structure analysis, 3=16063

Petrov,V.I. A high output generator of 14 and 2·5 MeV neutrons, 3=2286

Petrov,V.I. and Oparin,E.M. A study of the temperature distribution in a target, 3=24395

Petrov,V.M. The dielectric and nonlinear properties of Rochelle salt at ultra-high frequencies, 3=20385

Petrov,V.M. The frequency properties of triglycine sulfate, 3=20386

Petrov,Yu.M. See Dubovits'ka,N.V., 3=20794

Petrova,A.G. and Aidarov,T.K. Effect of the form of impurity compounds on the line intensity in analysis of high-purity sulphur, selenium and tellurium, 3=25847

Petrova,E.F. and Shvartsman,L.A. Thermodynamics of solid solutions in the system Fe–Ni–C, 3=5117

Petrova,G.M. and Berlyand,O.S. Estimation of the coefficient of vertical dispersion of a settling admixture in the atmosphere, from its distribution on the surface of the earth, 3=9031

Petrova,L.N. Problem of the thermo-e.m.f. of alloys, 3=4957

Petrova,L.N. Thermal conductivity of ferromagnetic metals, 3=20119

Petrova,N.N. See Prokofjev,V.K., 3=16355

Petrova,S.N.,Gaidukov,M.G. and Smirnov,L.V. Effect of thermomechanical treatment on the long-term strength of nickel, 3=8778

Petrucci,G. See Amato,G., 3=17001

Petrucci,G. See Barbier,M., 3=17002

Petrukhin,A.A. and Rozental',I.L. Angular distribution of cosmic-ray muons under thick filters, 3=24822

Petrukhin,V.I. and Prokoshkin,Yu.D. Pion absorption in hydrogenous substances, 3=12494

Petrukhin,V.I. See Dunaitsev,A.F., 3=6030

Petrukhin,V.I . See Dunaitsev,A.F., 3=6031

Petrukhin,V.I. See Dunaitsev,A.F., 3=78[illegible]4

Petrukhin,V.I. See Dunaitzev,A.F., 3=12495

Petrukhin,V.I. See Dunaitsev,A.F., 3=24754

Petrunin,A.P. See Al'tshuler,L.V., 3=1756

Petrun'kin,A.M. See Ochkur,V.I., 3=22492

Petrun'kin,V.A. See Gerasimov,S.B., 3=15204

Petruzzella,N. and Nelson,R.C. Sign of the charge carrier in ionic photoconductive dyes, 3=8531

Petrzhak,K.A. and Yakunin,M.I. Investigation of the α-radioactivity of a natural platinum, 3=4602

Petrzhak,K.A. See Adamov,V.M., 3=6517

Petrzhak,K.A. See Graudy̆nya,L.Ya., 3=6256

Petrzhak,K.A. See Graudynya,L.Ya., 3=8106

Petschek,A.G. Interpretation of satellite detector counter rates, 3=16436

Petschek,A.G. See Bethe,H.A., 3=4551

Petschek,H.E. Dissipation in high temperature plasmas, 3=7540

Petschek,H.E. See Camac,M., 3=12216

Petschek,H.E. See Fishman,F.J., 3=2100

Petschek,H.E. See Levy,R.H., 3=18901

Pettengill,G.H. and Henry,J.C. Enhancement of radar reflectivity associated with the lunar crater Tycho, 3=9267

Pettengill,G.H. See Evans,J.V., 3=11598

Petter,G. See von Ardenne,M., 3=12786

Pettersson,E. and Lindholm,E. Dissociation of propane molecule ions formed in charge exchange collisions with positive ions. Ion-molecule reactions of propane, 3=10549

Pettersson,G. See Lindgren,I., 3=14674

Pettersson,G. See Lindgren,I., 3=19342

Pettig,M. and Köhler,H.-J. A method for spin decoupling in high resolution proton magnetic resonance, 3=24496

Petty,E.R. The hardness anisotropy of aluminium single crystals, 3=3246
Petty,E.R, Comments on "Factors affecting the high temperature strength of polycrystalline solids", 3=13374
Petty,E.R. The deformation behaviour of some aluminium alloys containing intermetallic compounds, 3=20707
Petukhov,V.A. See Burshtein,E.L., 3=7666
Petukhov,V.A. See Bychkov,Yu.A., 3=17160
Petukhov,V.A., See Zhuravlev,A.A., 3=9889
Petushkov,A.A. and Éstulin,I.V. Nuclear matrix elements for the La^{140} β-transition, 3=6207
Petviashvili,V.I. See Kadomtsev,B.B., 3=16968
Petzel,B. Application of a low-noise ballistic impulse amplifier to measure the secondary electron emission of insulators, 3=14635
Petzel,B. The angular distribution of photoelectrons released from Cs–Sb layers, 3=19313
Petzold, W. Measurements of counter losses by comparison of two independent counting circuits, 3=14814
Petzold,W. The reflectivity of glass (BK7) and of evaporated aluminium layers for Cu Kα X-rays, 3=23093
Petzold,W. The selective detection of Cu Kα radiation with a proportional counter and single channel discriminator, 3=24421
Petzolt,E. See Krumbiegel,J., 3=5534
Petzow,G. See Haessner,F., 3=4699
Peube,J.L. On the conditions of application of Poiseuille's law in a variable system, 3=7178
Peuckert,K. Investigations of the short-lived decay of organic scintillators excited by γ-rays, protons or α-particles, 3=6682
Peureux,J.M., and Régnier,J. Approximate determination of flame temperature, 3=16921
Peverley,R.W. Vibration problems with microphones for rocket-engine noise measurements. 3=14282
Pevsner,A. See Shafer,J.B., 3=15028
Pevsner,P.L. Absorption spectra of immersion preparations of electrocorundum, 3=15515
Pevzner,M.I.,Adamchuk,Yu.V.,Danelian,L.S.,Efimov,B.V., Moskalev,S.S. and Muradian,G.V. Neutron spectroscopy investigations of nuclear levels. I. Neutron cross-sections of molybdenum isotopes in the 7-15 000 eV energy range, 3=24956
Pevzner,M.I. See Voronkov,R.M., 3=5727
Pewitt,E.G.,Fields,T.H.,Yodh,G.B.,Fetkovich,J.G. and Derrick,M. π^-–D scattering at 142 MeV, 3=22179
Peyret,R. Elliptic-Hyperbolic transition regions in certain magnetohydrodynamic flows, 3=480
Peyret,R. Certain similar flows in the magnetohydrodynamics of fluids and in gas dynamics, 3=2118
Peyret,R. Conditions for shocks in a magnetodynamic flow of weakly dissipative fluids, 3=18893
Peyrou,C. High-energy physics above 10 GeV, 3=4360
Peyrou,Ch. See Bartke,J., 3=22206
Pfafflin,S.M. and Mathews,M.V. Energy-detection model for monaural auditory detection, 3=7066
Pfahnl,A. Properties of ZnO phosphors doped with Li, Ni, and Cu, 3=23111
Pfalz,R.K.J. Centrifugal inhibition of afferent secondary neurons in the cochlear nucleus by sound, 3=3663
Pfaue,J. Oscillographic investigation of the current growth in Townsend discharges in the space-charge range, 3=21756
Pfeffer,G., Lami,H., Laustriat,G. and Coche,A. Generator of luminous pulses in the nanosecond region, 3=18979
Pfefferkorn,G. and Trüb,F. Envelope replicas [produced] without vacuum apparatus, 3=18413
Pfefferkorn, G. See Schur, K., 3=18279
Pfeifer,H. Method for measuring nuclear magnetic relaxation times in two phase systems, 3=4282
Pfeifer,W. See Meyer,V., 3=24966
Pfeiffer,H. and Sommer,G. Phenomena following the annealing of some austenitic alloys in carbonizing gases, 3=3347
Pfeiffer,I. See Mager,A., 3=16101
Pfeiffer,W. Transmission electron microscopy of thin specimens of deformed zinc single crystals, 3=4873
Pfeiffer,W. Diffraction contrast electron microscope images of dislocation loops in zinc, 3=6525
Pfender,E. and Bez,W. A whirl-stabilized arc in a pure hydrogen atmosphere for a high-current pulse discharge, 3=4075

Pfirsch,D. Mirror-type microinstabilities in inhomogeneous plasmas, 3=1970
Pfister,G.R. See Ertl,M.E., 3=10896
Pfister,H. Crystal structure of AnSnAs,, 3=11267
Pfister,H. Determination of diffusion lengths and of the average energy required for the formation of an electron–vacancy pair by X-ray irradiation of P–N layers, 3=20165
Pfister,J.C. and Baruch,P. Radiation enhanced diffusion in silicon, 3=22825
Pfister, W. See Ulwick, J.C., 3=5213
Pfisterer,H. See Dietrich,I., 3=14460
Pfisterer,H. See Fuchs,E., 3=23167
Pfleiderer,H. Linear elasticity theory and Thomas–Fermi model for the characteristic stresses in metals, 3=2801
Pfleiderer,H. Elastic constants and third-order coupling parameters, 3=3208
Pfleiderer,H. Quadratic elasticity theory and electron density in metals, 3=5053
Pfotzer,G. See Keppler,E., 3=11471
Phaal,C. See Evans,T., 3=2783
Phaal,C. See Evans,T., 3=17731
Pham Huu Hiep. Possibility of extinguishing the discharge in hot cathode gas thyratrons by the application of positive pulses to the grid, 3=4188
Pham Ngu Tung. See Nguyen Van Dong., 3=17674
Pham Xuan Yem. Nucleon–nucleon potential resulting from K-meson exchange in a non-local theory, 3=14974
Pham Zuy Hien. See Fam Zui Khien.
Phaneuf,L.E. See Chaudhuri,A.R., 3=22770
Phariseau,P. and Ziman,J.M. The theory of the electronic structure of liquid metals, 3=23901
Phelps,A.V. See Chanin,L.M., 3=362
Phelps,A.V. See Engelhardt,A.G., 3=23942
Phelps,A.V. See Frost,L.S., 3=6391
Phelps,C.G. and Craig,B.G. Technique for lapping thin metal disks, 3=23721
Phelps,F.T.,Jr. and Pearlstein,E. Measurement of the stored energy in X-rayed sodium chloride, 3=2839
Philbert,G. See Laverrière,R., 3=12487
Philberth,B. The gradient of time as a fundamental magnitude in the [special] theory of relativity, 3=16505
Philibert,J. and Weinryb,E. Study of the secondary electron emission in the Castaing microprobe, 3=7637
Philibert,J. See Pinard,J., 3=21015
Philip,J.R. The theory of dispersal during laminar flow in tubes. I, 3=23847
Philip,J.R. The theory of dispersal during laminar flow in tubes. II, 3=23848
Philip,R. Speed of formation and structure of thin Ag layers, 3=20923
Philip,R. See Barras,H., 3=3358
Philipp,H.R. and Ehrenreich,H. Optical properties of semiconductors, 3=8584
Philipp,H.R. and Ehrenreich,H. Intrinsic optical properties of alkali halides, 3=25433
Philipp,H.R. See Ehrenreich,H., 3=2986
Phillip,H.R. See Ehrenreich,H., 3=10908
Philipp,H.R. See Ehrenreich,H., 3=25331
Philippoff,W. Viscoelasticity of polymer solutions at high pressures and ultrasonic frequencies, 3=14156
Philippot,J.,Deltour,R. and Jeener,J. N.M.R. in solids. One photon–two spins processes, 3=23254
Philipson,C. On a ganeralized model of dark-adapation following glare, 3=7072
Phillips,D.C. See Arndt,U.W., 3=13429
Phillips,D.C. See Fenn,R.H., 3=16087
Phillips,D.T. See Griem,H.R., 3=12158
Phillips,D.T. See Kolb,A.C., 3=12159
Phillips,D.T. See Lupton,W.H., 3=7563
Phillips,G.C.,Perry,R.R.,Windham,P.M.,Walters,G.K., Schearer,L.D. and Colegrove,F.D. Demonstration of a polarized He^3 target for nuclear reactions, 3=15050
Phillips,G.C. See Givens,W.W., 3=15102
Phillips,G.C. See Givens,W.W., 3=24863
Phillips,G.C. See Harris,R.W., 3=2446
Phillips,G.C. See Tombrello,T.A., 3=6005
Phillips,J.A. See Dreicer,H., 3=12122
Phillips,J.C. Exciton-induced images of phonon spectra in ultraviolet reflectance edges, 3=20442
Phillips, J.C., Brust, D. and Bassani, F. Energy bands and line shape of ultra-violet reflectivity of Ge and Si, 3=17865

Phillips,J.C. and Kleinman,L. Crystal potential and energy bands of semiconductors. IV. Exchange and correlation, 3=6578
Phillips,J.C. See Brust,D., 3=4960
Phillips,J.C. See Loh,E., 3=13135
Phillips,J.C. See Rowell,J.M., 3=326
Phillips,K. See Allen,K.R., 3=21711
Phillips,L. See Brandt,R., 3=24990
Phillips,L.F. Intensities of emission lines in flames of metal halides with active nitrogen, 3=22605
Phillips,M. See Squires,R.L., 3=16116
Phillips,N.E. See Ho,J.C., 3=20107
Phillips,N.J. See Reynolds,J.A., 3=7565
Phillips,O.M. Recent developments in the theory of wave generation by wind, 3=3446
Phillips,O.M. Energy transfer in rotating fluids by reflection of inertial waves, 3=11758
Phillips,R. The structure of microtome sections of metal, 3=18425
Phillips,R. See Lucas,G., 3=8936
Phillips,R. See Marchand,E., 3=11888
Phillips,R.H. See Baker,W.F., 3=10169
Phillips,R.J.N. Estimate of $\bar{N}N\omega$ coupling from a Regge trajectory, 3=4449
Phillips,R.J.N. Coulomb interference in high-energy p—p scattering, 3=5999
Phillips,R.J.N. The backward peak in high-energy n—p scattering, 3=12464
Phillips,R.J.N. Spin-dependent analogues of the optical theorem, 3=17208
Phillips,T.J. See Coles,J.A., 3=18409
Phillips,T.R. and Owens,D.R. A simply constructed cryostat for laboratory use, 3=19080
Phillips,V.A. Observations on a precipitation hardening Cu−3% Co alloy, 3=20898
Phillips,V.A. and Hugo,J.A. A tilting specimen heating stage for the Elmiskop electron microscope, 3=25795
Phillips,V.A. and Livingston,J.D. Direct observation of coherency strains in a copper-cobalt alloy, 3=1222
Phillips,V.A. See Hugo,J.A., 3=11333
Phillips,W.D. See Anderson,J.M., 3=12864
Phillips,W.E. See Thomas,H.C., 3=17431
Phillips,W.L.,Jr. The deformation of single crystals of 70% silver−30% zinc, 3=15986
Phillips,W.R. and Read,F.H. The ranges of nitrogen ions in gold, 3=4211
Phillips,W.R. See Lisle,J.C., 3=24969
Phinney,R.A. and Smith,S.W. Processing of seismic data from an automatic digital recorder, 3=18473
Phipps,T.E. and Stopes-Roe,H.V. Interpretation of quantum physics, 3=3743
Phipps,T.E. See Belford,G.G., 3=424
Pianelli,A. See Gantois,M., 3=20871
Piatti,H. Non-destructive leak control of small sealed enclosures, 3=184
Piazza,R.S. The relation between the attenuation constant of a lined duct and the absorption coefficient of the lining material, 3=18918
Piazzesi,G. See Bassi,A., 3=3240
Piazzoli,A. See Argan,P.E., 3=4425
Piazzoli,A. See Argan,P.E., 3=19714
Picard,F. See Jastrzebski,J., 3=8124
Picard,F. See Jeronymo,J.M.F., 3=678
Picard,F. See Jeronymo,J.M.F., 3=17400
Picasso,E. See Ciurlo,S., 3=8120
Picasso,E. See Marzari-Chiesa,A., 3=7848
Picca,R. See Bardeau,H., 3=9832
Pichakhchi;I.D. See Gordon,I.M., 3=11569
Pichon,G. The characteristic surfaces of viscous fluids in general relativity, 3=14099
Pichon,G. Characteristic surfaces of charged fluids with finite conductivity in general relativity, 3=18714
Picht,J. Appendix to the "Correction"[Optik, 19 (1962) 535-538] of the paper "Remarks on mass, energy and momentum..."[Optik, 16 (1959) 257-275.], 257-275], 3=17229
Picinbono,B. See Blanc-Lapierre,A., 3=11871
Pick,H. See Lüty,F., 3=22839
Pick,M. See Martres,M.J., 3=1522
Pick,R. Study of the electric resistivity of binary ordered alloys, 3=17814
Pick,R. Study of antiphases in f.c.c. metallic alloys. I, 3=20881
Pickard,W.F. Ion drag pumping. I. Theory, 3=11778
Pickard,W.F. Ion drag pumping. II. Experiment, 3=11779
Pickart,S.J. Fourier projections of unpaired electron densities, 3=11255
Pickart,S.J. and Nathans,R. Neutron diffraction investigation of Pt-based alloys of the first transition series. 3=15860
Pickart,S.J., Nathans,R., Brown,P.J. and Alperin,H.A. Domain studies in hematite with polarized neutrons, 3=15859
Pickart,S.J. See Nathans,R., 3=1103
Pickart,S.J. See Nathans,R., 3=15736
Pickavance,T.G. The work of the Rutherford Laboratory, 3=24393
Pickering,F.B.,Burns,K.W. and Keown,S.R. The effect of heat treatment on the precipitation of NbC in austenitic creep resisting steels, 3=18359
Pickles,B.W. See Higgins,G.T., 3=25761
Picklesimer,M.L. A note on some of the intermediate phases in the Nb--Sn system, 3=8893
Picklesimer,M.L. and Sekula,S.T. Superconducting transition temperature of purified technetium, 3=334
Picknett,R.G. See Cross,N.L., 3=23860
Pickup,E.,Rappe,E.F.,Wall,G. and Ayer,F.,II. Bubble chamber track-centering device with digitized output, 3=4302
Picou,J.L. See Jastrzebski,J., 3=8124
Picq,M. See Lecoin,M., 3=10078
Picquendar,J.E. The role played by electron optics in the design of vacuum tubes, 3=5703
Picus,G.S. Carrier generation and recombination processes in copper-doped germanium photoconductors, 3=13132
Piddington,J.H. A hydromagnetic theory of geomagnetic storms, 3=7001
Piddington,J.H. A hydromagnetic theory of geomagnetic storms and auroras, 3=13842
Piddington,J.H. An ionospheric drift theory of aurora and airglow, 3=21066
Piddington,J.H. Connexions between geomagnetic and auroral activity and trapped ions, 3=23641
Pidgeon,C.R. See Smith,S.D., 3=10823
Pidgeon,L.M. See Cox,J.H., 3=23445
Pidziraĭlo,M.S. See Vishnevs'kȳĭ,V.N., 3=21552
Pidziraǐlo,M.S. See Vishnevs'kyi,V.N., 3=23107
Pidzȳraĭlo,M.S. See Vȳshnevs'kȳi,V.N., 3=20519
Pidzȳraĭlo,M.S. See Vȳshnevs'kȳi,V.N., 3=20520
Piearcey,B.J., Jackson,R. and Argent,B.B. The mechanical properties and structure of cobalt−nickel−niobium alloys, 3=20724
Piedmont,J.R. See Hemmer,F.J., 3=5553
Piegger,E. and Craig,R.S. Structural and magnetic characteristics of $TiFe_2$—$ZrFe_2$ and $ZrCo_2$—$ZrFe_2$ alloys, 3=20880
Piekara,A. Dielectric saturation in solids containing hydrogen bonds, 3=22972
Pieper,G.F. A second radiation belt from the July 9, 1962, nuclear detonation, 3=16289
Pieper,G.F., Williams,D.J. and Frank,L.A. Traac observations of the artificial radiation belt from the July 9, 1962, nuclear detonation, 3=16287
Pieper,G.F.,Zmuda,A.J.,Bostrom,C.O. and O'Brien,B.J. Solar protons and magnetic storms in July 1961, 3=7952
Pieper,G.F. See Zmuda,A.J., 3=22225
Pieper,H.P. Catheter-tip blood flowmeter for measurement of pulmonary arterial blood flow in closed-chest dogs, 3=23717
Pieper, T. See Reimer, L., 3=18089
Pieragostini, F. See Gelli,D., 3=4868
Pierce,C. and Ewing,B. Physical adsorption in the multilayer region on heterogeneous and homogeneous surfaces, 3=6888
Pierce, C.B. and Kantz, A.D. Defects introduced in neutron-irradiated Esaki diodes, 3=17918
Pierce,L. and DiCianni,N. Spin−rotational hyperfine structure in the microwave spectrum of oxygen difluoride, 3=19995
Pierce,L.,Di Cianni,N. and Jackson,R.H. Centrifugal distortion effects in asymmetric rotor molecules. I. Quadratic potential constants and average structure of oxygen difluoride from the ground-state rotational spectrum, 3=82
Pierce, L. See Flanagan, C., 3=17597
Pierce,W.L. See Brun,E., 3=8747
Piercy,G.R. A direct measurement of the size of temperature spikes produced by fast neutron irradiation, 3=22853

Piercy,G.R.,Brown,F.,Davies,J.A. and McCargo,M. Experimental evidence for the increase of heavy ion ranges by channeling in crystalline structure, 3=15521
Piercy,G.R.,Gilbert,R.W. and Howe,L.M. A liquid helium cooled finger for the Siemens electron microscope, 3=24126
Piercy,G.R. See Swanson,M.L., 3=6554
Piermarini,C.J. and Weir,C.E. High-pressure transition in RbF, 3=5077
Piermarini,G.J. and Block,S. Radial distribution study of vitreous barium borosilicate, 3=13483
Pierotti,R.A. Multilayers of argon and nitrogen on hexagonal boron nitride, 3=6894
Pierrard,J.M. See Rosinski,J., 3=6958
Pierson,W.R. and Sugarman,N. Recoil properties of Bi^{209}(p, pxn) spallation products, 3=17475
Piesbergen,U. The mean atomic heats of the III-V semiconductors AlSb, GaAs, InP, InAs, and InSb and the element Ge between 12 and 273° K, 3=12928
Pietrass,B. See Macke,W., 3=21768
Pietrokowsky,P. Novel mechanical device for producing rapidly cooled metals and alloys of uniform thickness, 3=20911
Pietsch,E. See Papkow,A., 3=10321
Pietschmann,H. See Balachandran,A.P., 3=1725
Pietschmann,H. See Balachandran,A.P., 3=246
Pigache,D. See Geller,R., 3=4041
Pigache,D. See Geller,R., 3=9745
Pigeaud,P. See Mariot,L., 3=23759
Piggott,W.R. and Barclay,L.W. Ionospheric drifts at Halley Bay during the International Geophysical Year, 3=13720
Pignotti,A. K^* spin and the isovector kaon charge, 3=7920
Pignotti,A. Does the f^0 particle lie on the pomeranchuk trajectory? 3=17314
Pik-Pichak,G.A. Fission barrier of a rotating nucleus, 3=6135
Pik-Pichak,G.A. Equilibrium figures and fission of a rotating nucleus, 3=15239
Pike,E.R. Second quantization of the general many fermion operator, 3=9372
Pikel'ner,S.B. Formation of a chromospheric network and the structure of the magnetic field, 3=9209
Pikler,A.G. See Harris,J.D., 3=13953
Pikor,A., Elie,G. and Glicksman,R. Some factors affecting the degradation of GaAs tunnel diodes, 3=2035
Pikus,G.E. A new method for calculating the energy spectrum of current carriers in semiconductors. II. Spin–orbit coupling is taken into account, 3=2877
Pikus,G.E. and Bir,G.L. Piezoresistance effects in crystals of PbS and PbTe type, 3=15592
Pikus,G.E.,Skvortsov,N.S. and Yur'ev,V.G. Measurement of electron mobility according to the variation of plasma resistance in a magnetic field, 3=5633
Pikus,G.E. See Bir,G.L., 3=15594
Pikus, G.E. See Bir, G.L., 3=17855
Pikus,G.E. See Martsinovskii,A.M., 3=21820
Pikus,G.E. See Mirlin,D.N., 3=22509
Pikus,G.E. See Normantas,E., 3=17832
Pil Hyon Kim. See Namba,S., 3=22008
Pilat, I.M. The type of the conductivity and the nature of the chemical bonds in CdSb, 3=25357
Pilat,I.M.,Antychuk,L.I.and Lyubchenko,A.V. Thermal conductivity of cadmium antimonide, 3=2740
Pilet,S.C. Note concerning an equation in E.W.Brown's lunar theory, 3=13857
Pilgunov,L.N. See Morosov,P.M., 3=7646
Pil'gunov,L.N. See Morozov,P.M., 3=24377
Pilie,R.J. See Rogers,R.R., 3=18508
Pilipenko,D.V. and Fogel',Ya.M. Electron capture and loss by fast hydrogen atoms passing through molecular gases, 3=6342
Pilkington,T.C., See Artley,J.L., 3=11025
Pilkuhn,H. Theoretical studies in antinucleon annihilation structures, 3=4386
Pilkuhn,H. Heavy mesons in antinucleon annihilation, 3=6081
Pilkuhn,H. Perturbation theory of antinucleon annihilation, 3=7844
Pilkuhn,M. Low temperature 1/f noise in germanium single crystals, 3=4912
Pilkuhn,M. Electronic fluctuations in semiconductor single crystals, 3=4913
Pilkuhn,M. See Lautz,G., 3=853
Pilla,A.A. See Bonnemay,M., 3=8969
Pillai,P.K.C. See Ramakrishna,V., 3=16839
Piller,H. Electron effective mass in gallium antimonide determined by Faraday rotation measurements, 3=12936
Piller,H. and Patton,V.A. Interband Faraday effect in aluminium antimode, germanium, and gallium antimonide, 3=8586
Pillet,G. Anomalies in the measurement of ionospheric absorption, 3=5866
Pillow,M.E. and Rogers,A.J. Some factors affecting the decay rate of the Lewis–Rayleigh afterglow in nitrogen, 3=24244
Pillow,M.E. and Smith,B.E. Some investigations of the nitric oxide afterglow, 3=24245
Pil'shchikov, A.I., Dunaev, N.M. and Sedletskaya, N.S. Magnetostatic oscillations of magnetization in a hollow ferrite cylinder, 3=3131
Pil'shchikov,A.I. See Krivchenkov,V.D., 3=1173
Pimbley,W.T. Optical properties of thin adsorbed films on metal surfaces undergoing stress, 3=4962
Pimentel,G.C. See Hall,R.T., 3=16159
Pimentel,G.C. See Milligan,D.E., 3=3402
Pimentel, G.C. See Moore, C.B., 3=17600
Pimonow,L. Use of the synthetic word in auditory correction, 3=3682
Pimsner,V. and Cserveny,I. On the method of determining the humidity, in two phases, by heating moist gas, 3=7252
Pinard,J.,Thomas,F.,Weinryb,E. and Philibert,J. Device for the formation of an electron image using the Castaing microprobe, 3=21015
Pinch,H.L. See Coutts,M.D., 3=20931
Pincherle,L. Recent progress in band theory of semiconductors, 3=10746
Pincherle,L. See Lee,P.M., 3=10627
Pincus,P. Resonance and relaxation in ferromagnetics and antiferromagnetics, 3=3154
Pincus,P. Correlation effect on the nuclear magnetic resonance linewidth in magnetic materials, 3=20670
Pincus,P. See Heeger,A.J., 3=11108
Pincus,P.A. See de Gennes,P.G., 3=8726
Pine,J. See Browman,A., 3=7836
Pine,J. See Yount,D., 3=2248
Pineo,V.C. and Hynek,D.P. Spectral widths and shapes and other characteristics of incoherent backscatter from the ionosphere observed at 440 megacycles per second during a 24-hour period in May 1961, 3=7720
Pines,B.Ya. The problem of oriented self-diffusion in solids in a temperature gradient, 3=2819
Pines,B.Ya. Diffusion and the mechanical properties of solids, 3=23329
Pines,B.Ya. and Grebennik,I.P. An electron-diffraction study of hetero-diffusion in the Ge–Si system, 3=22808
Pines,B.Ya. and Gumen,N.M. An X-ray study of cobalt ferrite subjected to thermomagnetic treatment, 3=13264
Pines,B.Ya. and Ivanov,I.G. Mechanical properties of alloys of the copper–nickel system at high temperatures, 3=15996
Pines,B.Ya.,Ivanov,I.G. and Smushkov,I.V. Partial diffusion and self-diffusion coefficients of alloys of the copper–nickel system, 3=6532
Pines,B.Ya.,Kuznetsova,R.I. and Dubovik,M.F. Formation of submicroporosity in composite electrolytic films of the Cu–Ni system on heating and under load, 3=23510
Pines,B.Ya. and Sirenko,A.F. Dependence of the rate of creep and life-time under load on the composition of the metal alloy systems iron–carbon and iron–copper at high temperatures, 3=6791
Pines,B.Ya. and Sirenko,A.F. Derivarion of the lattice distortion and spread in block size by means of harmonic analysis applied to X-ray reflections, 3=12995
Pines,B.Ya. and Sirenko,A.F. Determination of dispersivity and lattice distortions in U-10 steel after quenching and tempering, 3=16106
Pines, B.Ya. and Sirenko, A.F. The problem of relationships governing the kinetics of creep in metals at high temperatures, 3=18191
Pingel,H. See Böttger,O., 3=22514
Pings,C.J. A sufficient condition for non-trivial chemical coupling, 3=11345
Pings,C.J. See Paalman,H.H., 3=18799
Pings,C.J. See Rodriguez,S.E., 3=7669
Pings,C.J. See Smith,B.L., 3=11147
Pings,C.J. See Smith,B.L., 3=15647
Pinkau,K. The three-dimensional development of nucleonic cascades, 3=12529

Pinkau,K. See Bowler,M., 3=4537
Pinkston,W.T. and True,W.W. Two-hole two-particle levels in Pb^{208}, 3=10275
Pinnington,E.H. Zeeman effect analysis of the neutral spectrum of lutetium, 3=22481
Pinnington,E.H. Zeeman effect data for singly ionized lutetium, 3=22482
Pinnock,P.R. and Ward,I.M. Dynamic mechanical measurements on polyethylene terephthalate, 3=8754
Pinsker,Z.G. See Chou Chiang-liang, 3=13563
Pinsker,Z.G. See Chzhou Tsein-Lyan [Chou Ching-Liang], 3=18383
Pinsker,Z.G. See Khitrova,V.I., 3=13462
Pinskii,Ya.M. See Perel',V.I., 3=24227
Pinson,E.N. Pitch-synchronous time-domain estimation of formant frequencies and bandwidths, 3=21152
Pintacuda,N. Do magnetic monopoles violate parity? 3=21205
Pinter,D. The Molière multiple scattering "constants" for a xenon bubble chamber, 3=2175
Pinus,N.Z. Statistical characteristics of the horizontal component of the wind velocity at heights of 6-12 km, 3=18502
Pion, P.A. See Androulakis, J.G., 3=17125
Piper,T.S. See Ferguson,J., 3=3027
Piper,W.W. and Halsted,R.E. Intrinsic electrical properties of n-type CdS, 3=863
Pipes,L.A. The principle of complementary energy in nonlinear elasticity, 3=92
Pipkin,F.M.,Sanderson,J. and Weyhmann,W. Beta-decay matrix elements in Sb^{22} 3=10292
Pipkin,F.M. See Lambert,R.H., 3=8188
Pippard,A.B. Acoustic amplification in semiconductors and metals, 3=8354
Pippard,A.B. Commentary on a conjecture of Shoenberg's concerning the de Haas—van Alphen effect, 3=8641
Pippel,W. See Lange,W., 3=5432
Piquendar,J.E.,Dioeulesaint,E. and Defranould,P. Characteristics of space-charge compensated thermionic convertor with a caesium plasma, 3=9714
Piragino,G. See Argan,P.E., 3=4425
Pircher,G. Comparison of the sensitivity of radio and optical detector (receiver) systems, 3=3921
Piret,P. See Culot,J.P., 3=6851
Piret-Meunier,J., Léonard,A. and van Meerssche,M. Structure of dumontite, 3=16086
Pirinchieva, R. See Kÿnev, S., 3=17872
Piriou,B. and Cabannes,F. Reflection from gallium arsenide, 3=6641
Pirkmajer,E. See Blinc,R., 3=18153
Pirkmajer,E. See Blinc,R., 3=23256
Pirogova,L.B. See Shapochkin,V.A., 3=6784
Pirogova,L.B. See Shapochkin,V.A., 3=13375
Pirogova,N.I. See Tret'yakov,E.F., 3=8056
Piron,C. See Emch,G. 3=9344
Piron,C. See Emch,G., 3=11687
Piron,C. See Gailloud,M., 3=12446
Pirozhkov,S.V. See Baranov,S.A., 3=2420
Pirozhkov,S.V. See Baranov,S.A., 3=4581
Pisani,M. See Allan,T.D., 3=8995
Pisani,M. See Gantar,C., 3=8994
Pisarenko,N.F. See Savenko,I.A., 3=7961
Pisarenko,N.F. See Savenko,I.A., 3=22250
Pisarenko,N.F. See Savenko,I.A., 3=23637
Pisarenko,N.F. See Savenko,I.A., 3=23638
Pisarenko,N.F. See Vernov,S.I., 3=9109
Pisarenko,N.F. See Vernov,S.N., 3=9108
Pisarenko,N.F. See Vernov,S.N., 3=23636
Pisarev,A.F. See Govorov,A.M., 3=2182
Pisarev,A.F. See Nikanorov,V.I., 3=6006
Pisarev,A.F. See Peter,G., 3=24564
Pisarevskii,A.N., Soshin,L.D. and Firsov,E.I. Use of P—N junctions for recording nuclear radiation (survey), 3=2168
Pisent,G. Phaseshift analysis in single-channel reactions, 3=12650
Pisent, G. and Saruis,A.M. Elastic scattering of neutrons by ^{4}He, ^{12}C and ^{16}O nuclei. Phase shift analysis, 3=15205
Pisent,G. See Malaroda,R., 3=19644
Pisent,G. See Nardi,V., 3=13419
Piserchio,R.J. and Kalbach,R.M. Proton—proton collisions at 3·5 GeV, 3=2260
Piserchio,R.J. See Kalbach,R.M., 3=19624
Pisharoty,P.R. Geomagnetic disturbances associated with the nuclear explosion on July 9, 3=9133
Piske,P. Identity of the statistical parameter of space irregularity and frequency irregularity in a diffuse sound-field, 3=7286
Piskovoi,V.N. Frenkel exciton in crystals of various symmetries, 3=2766
Piskovoi, V.N. Crystal optics and exciton theory, 3=17692
Piskovoi,V.N. Theory of permittivity, 3=17922
Piskovoi,V.N. Dependence of the dispersion frequencies of a crystal on the direction of propagation of light, 3=20431
Piskovoi,V.N. Dispersion of light in the region of exciton absorption, 3=25431
Piskunov,A.K. See Muromtsev,V., 3=21993
Piskunov,A.K. See Shigorin,D.N., 3=962
Piskunov,A.K. See Shigorin,D.N., 3=25086
Pismennÿi,V.D.,Podgornÿi,I.M., and Sukever,Sh. Investigation of vacuum ultraviolet rays from a powerful pulsed discharge, 3=16931
Pissanetzky,S. See Buyle-Bodin,M., 3=25597
Pistourius,C.W.F.T. Phase relations of some potassium compounds to very high pressures, 3=25655
Pistorius,C.W.F.T.,Pistorius,M.C.,Blakey,J.P. and Admiraal,L.J. Melting curve of ice VII to 200 kbar, 3=9655
Pistorius,M.C. See Pistorius,C.W.F.T., 3=9655
Pistunovich,V.I. See Bazhanova,A.E., 3=12202
Pitaevskii,L.P. See Gor'kov,L.P., 3=196
Pitaevskii,L.P. See Gor'kov,L.P., 3=5489
Pitaevskii,L.P. See Gor'kov,L.P., 3=5569
Pitayevskii,L.P. Recombination of electrons in a monoatomic gas, 3=5627
Pitcher,H.H.W. The generalized heavy free gas thermalization operator, 3=22142
Pitcher,H.H.W. The problem of reactivity and reaction-rate calculations for mixed graphite lattices, 3=22448
Pither,C.M. The origin of the cytherean cusp caps, 3=18623
Pitteway,M.L.V. Wave-guide propagation inside elongated irregularities in the ionosphere, 3=7719
Pitteway,M.L.V. Wide-angle scattering from irregularities in the troposphere or ionosphere, 3=13721
Pitteway,M.L.V. The numerical calculation of radio wavefields in the lower ionosphere, 3=16255
Pitts,J.N., Jr,Sharp,J.H. and Chan,S.I. Primary process in the photolysis of nitrogen dioxide at 4047 A and a spectroscopic-photochemical determination of the dissociation energy, 3=25833
Pitts,J.W. Permeation rates of electrolytic hydrogen and deuterium through iron, 3=22815
Pitzer,K.S. See Gerkin,R.E., 3=768
Pitzer,K.S. See Gregor,L.V., 3=769
Pitzer,K.S. See Snelson,A., 3=22544
Pitzer,R.M. and Hameka,H.F. Evaluation of the spin-spin interaction in benzene, 3=8290
Pitzer,R.M. See Stevens,R.M., 3=8260
Piuz,F. and Ghez,R. Displacement of rays in X-ray diffraction, 3=16062
Piuz,F. See Ghez,R., 3=21271
Pivovar,L.I. and Gordienko,V.I. Prebreakdown conduction between electrodes in ultra-high and high vacuum, 3=14561
Pivovar,L.I.,Novikov,M.I. and Tubaev,V.M. Electron capture by helium ions in various gases in the 300-1500 keV energy range, 3=5631
Pivovar,L.I. and Tubaev,V.M. A compact electrostatic 2.5 MeV accelerator, 3=21909
Pivovarov,L.Kh. See Koval'skii,A.E., 3=16117
Pivovarov, V.M. See Kir'yanova, L.A., 3=1821
Pixley,R.E. See Wilkinson,D.H., 3=7986
Pizells,G.,McIlwain,C.E. and Van,Allen,J.A. Reply to
Pizer,H.J. A fast pulse encoder, 3=19152
Pizybylski,J. See Bor,J., 3=9625
Pizzella,G.,McIlwain,C.E. and Van Allen,J.A. Reply to the discussion by W.N.Hess, 3=11460
Pizzella,G. See Forbush,S.E., 3=9116
Pizzella,G. See McIlwain,C.E., 3=18563
Pjerrou,G.M. See Cormany,D.D., 3=17347
Pjerrou,G.M. See Schlein,P.E., 3=24804

Place,R.L. See Fabian,B,N., 3=14836
Placidi,M. See Amman,F., 3=12267
Plajner,Z.,Malý,L.,Eissa,N. and Benedek,[illegible]. Radioactive decay of Os^{191} and Os^{191}m, 3=10312
Plakhov,A.G. See Afonin,I.P., 3=19283
Plakhov,A.G. See Levin,G.L., 3=24361
Plakida,N.M. Calculation of the electrical conductivity tensor, 3=8481
Plane,R.A. See Nixon,J., 3=5444
Plane,R.A. See Hester,R.E., 3=7211
Plank,C.A. and Gerhard,E.R. Effect of equilibrium-line curvature on mass transfer calculations, 3=11751
Plano,R. See Alff,C., 3=4432
Plano,R. See Alff,C., 3=4433
Plano,R.J. and Tycko,D.H. A method for the spatial reconstruction of bubble chamber tracks, 3=17137
Plano,R.J. See Colley,D., 3=2322
Plantinga,G.H. See Hart, P.A.H., 3=4131
Plashchinskaya,R.V. See Nekrashevich,I.G., 3=25845
Plaskett,J.S. and Schatz,P.N. On the Robinson and Price (Kramers—Kronig) method of interpreting reflection data taken through a transparent window, 3=9599
Plass,G. See Giesch,M., 3=17243
Plass,G.N. and Stull,V.R. Carbon dioxide absorption for path length applicable to the atmosphere of Venus 3=13865
Plass,G.N. Spectral band absorptance for atmospheric slant paths, 3=14339
Plastino,A. See Bosch,H., 3=19616
Platas,O.R. Atomic electric field gradients of five-electron ions, 3=6343
Plateau,J. and Gurland,J. A mechanism for ductile fracture in metals, 3=11177
Plateau,J. See Henry,G., 3=25798
Platkov,M.A. and Illarionov,S.V. Analytical calculation for a mechanical molecular beam selector, 3=15398
Platner,E.D. and Orr,J.R. Spark chamber performance in high intensity pulsed magnetic fields, 3=7751
Platner,E.D.,Orr,J.R.,Masek,G.E. and Williams,R.W. Experience with foil spark chambers in high pulsed magnetic fields, 3=19530
Platner,E.D. See Davis,H.F., 3=24757
Platter,S. See Lyons,L.A., 3=23978
Plattner,R. See Huber,P., 3=10131
Plattner,R. See Huber,P., 3=22395
Plattner,R. See Poppelbaum,C., 3=8104
Platz,P. See Fucks,W., 3=1752
Platzman,P.M. and Buchsbaum,S.J. Wave propagation along a magnetic field in a warm plasma, 3=1984
Platzman,P.M. See Hellwarth,R.W., 3=2769
Platzman,P.M. See McKenna,J. 3=9573
Platzman,R.L. Superexcited states of molecules, 3=4735
Platzman,R.L. Some remarks on the nature of ionization, ionization yields, and isotope effects in the ionization of molecules by various agencies, 3=19172
Platzman,R.L. See Jesse,W.P., 3=2675
Plauson,R.A. See Mallory,H.D., 3=8962
Plavin,I.K. See Zunde,B.Ja., 3=18023
Plavov,V.A., Gaidukov,M.G. and Mel'nikova,V.V. Mechanism of plastic deformation during creep in alloys of aluminium with magnesium, 3=3226
Pleasonton,F. See Bienlein,J.K., 3=614
Pleasonton,F. See Carlson,T.A., 3=10182
Plebański,J. Spherically symmetric worlds as embedded in a flat space, 3=1597
Plebanski,J. See Pellegrini,C., 3=23740
Plecmata,R. Stress determination from parameters of elliptically polarized light, 3=23813
Plein,W. See Zeil,W., 3=4769
Pleiter,D. Spectral observations on a radio-frequency excited nitrogen jet, 3=22545
Pleshanov,A.S. Temperature variation in a free-molecular expansion into vacuum, 3=3828
Pleshko,M.P. See Khrimyan,A.V., 3=6097
Pleskov,Yu.V and Krotova,M.D. Surface conductance and photoeffects at the germanium—electrolyte interface, 3=10781
Pless,I.A. See Chretien,M., 3=17129
Pless,I.A. See Chrétien,M., 3=24787
Pless,I.A. See Bulos,F., 3=17130
Pletnev,V.D. See Ershkovich,A.I., 3=9110
Plettinger,H.A. See Marezio,M., 3=13467
Plettinger,H.A. See Marezio,M., 3=18322
Plettinger,H.A. See Marezio,M., 3=25724
Plettinger,H.A. See Zachariasen,W.H., 3=13477
Pleve,A.A. See Karamyan,A.S., 3=4674
Pleve,A.A. See Polikanov,S.M., 3=6315
Pleve,A.A. See Polikanov,S.M., 3=24984
Plint, C.A. and Sibley,W.A. Light scattering by single crystals of potassium chloride, 3=920
Plochocki,Z. See Kaliski,S., 3=19420
Plokhikh,N.A. Solution of some problems in constant-current electrical prospecting, 3=3436
Plomp,R., Gravendeel,D.W. and Mimpen,A.M. Relation of hearing loss to noise spectrum, 3=21164
Ploştinaru,D. See Ivanov,E., 3=8098
Plotnikov,A.F.,Tkachev,V.D. and Vavilov,V.S. Remanent impurity photoconductivity spectra of silicon single crystals, 3=23022
Plotnikov,A.F. See Akimchenko,I.P., 3=20409
Plotnikov,A.F. See Paramonova,R.A., 3=20410
Plotnikov,A.F. See Vavilov,V.S., 3=6590
Plotnikov,A.F. See Vavilov,V.S., 3=22725
Plotnikov,A.F. See Vavilov,V.S., 3=22764
Plotnikov,V.K. Choosing the shape of the poles in quadrupole lenses, 3=14671
Plotnikov,Yu.I. Temperature dependence of dark currents in anthracene, 3=15584
Ploughe,W.D. See Humes,R.M., 3=12675
Pluchery,M. and Pelissier,J. Electron diffraction by reflection on heavy metals. Influence of the state of the surface, 3=18403
Plumb,R.C. See Mertens, F.P., 3=14357
Plumb,R.C. See Rook,H.L., 3=1364
Plümecke,H. See Gobrecht,H., 3=22951
Plumier,R. Neutron diffraction study of the spinel MnV$_2$O$_4$, 3=5026
Plumier,R. Magnetostatic modes and shape effects in ferromagnetic resonance in a small ferrite sphere, 3=23211
Plumier,R. and Legrand,E. Magnetic structure of K$_2$NiF$_4$, 3=3138
Plummer,J.P. and Summerfield,G.C. Validity of the Fermi approximation in slow neutron scattering, 3=19640
Plunkett,R. and Doolen,R.B. Reflection and transmission coefficients for stress waves in bars, 3=23964
Plunkett,S. See Mackenzie,K.R., 3=5754
Plust, H.G. See Gramberg, G., 3=17869
Pluta,P.R. See Brown,G.M., 3=4298
Pluym, G. See Giesch, M., 3=17243
Pluzhnikov,K.A. See Shuvalov,L.A., 3=13323
Plyat,Sh.N. Solution of problems concerning nonstationary heat conduction of hollow cylinders by the Greenberg method (the method of finite integral transformations), 3=19041
Plyavin',I.K. and Trinkler,M.F. The kinetics of intracentre luminescence in the region of temperature quenching of the activator, 3=945
Plyler,E.K.,Hirschfeld,M.A. and Jaffe,J.H. Pressure induced shifts of infrared lines due to polar molecules, 3=8227
Plyler,E.K. and Thibault,R.J. Foreign gas broadening of the lines of hydrogen chloride and carbon monoxide, 3=173
Plyler,E.K. and Thibault,R.J. Self-broadening of carbon monoxide in the 2ν and 3ν bands, 3=19978
Plyler,E.K.,Tidwell,E.D. and Wiggins,T.A. Rotation—vibration constants of acetylene, 3=10531
Plyler,E.K. See Lafferty,W.J., 3=2637
Plyler,E.K. See Lafferty,W.J., 3=4766
Plyler,E.K. See Lafferty,W.J., 3=20007
Plyler,E.K. See Maki,A.G., 3=292
Plyler,E.K. See Maki,A.G., 3=19991
Plyler,E.K. See Maki,A., 3=6406
Plyler,E.K. See Narahari Rao,K., 3=24019
Plyler,E.K. See Olson,W.B., 3=12855
Plyler,E.K. See Thibault,R.J., 3=12817
Pniewski,J. See Danysz,M., 3=22276
Pniewski,T. See Fletcher,E.R., 3=10232
Pniewski,T. See Gajewski,W., 3=19853
Pobedonostsev,L.A. See Gustova,L.V., 3=22416
Pobedonostsev,L.A. See Nemilov,Yu.A., 3=2443
Poberaj,S. See Blinc,R., 3=13302
Pochtarev,B.I. See Fetisov,D.V., 3=1738
Pochtarev,B.I. See Kushnir,Yu.M., 3=2035
Pöcker,A. See Hellwege,K.H., 3=10944
Podgoretskii,M.I. Possibility of a new method for investigating the statistical behaviour of linear systems, 3=14040

Podgoretskiĭ,M.I. Coherent interactions between high energy particles and nuclei, 3=22359
Podgoretskii,M.I. See Bannik,B.P., 3=2481
Podgoretskii,M.I. See Kopylova,D.K., 3=24774
Podgoretskii,M.I. See Ogievetskii,V.I., 3=2319
Podgoretskii,M.I. See Ogievetskii,V.I., 3=15031
Podgoretzkii,M.I. See Okonov,E.O., 3=6073
Podgoretskii,M.I. See Van Gan-chan [Wang Kang-ch'ang], 3=2302
Podgoretsky,M.I. See Lyubimov,V.B., 3=7901
Podgornyi,I.M. and Sumarokov,V.I. Plasma trapping in a radially increasing magnetic field, 3=12149
Podgornyi,I.M. See Kovalskii,N.G., 3=12148
Podgornȳi,I.M. See Pismennȳi,V.D., 3=16931
Podkuiko,T.S. See Sȳrkin,L.N., 3=20614
Podlaseck,S. See Kramer,I.R., 3=13340
Podlesnyi,G.G. See Alikhanov,S.G., 3=14592
Podlesny,G.G. See Demirkhanov,R.A., 3=7522
Podmoshenskii,A.L. See Efremov,A.I., 3=9189
Podnar,P. See Blinc,R., 3=12868
Podoshenskii,A.L. See Efremov,A.I., 3=9151
Poeverlein,H. Sommerfeld–Runge law in three and four dimensions, 3=21
Poeverlein,H. Limit cases of electromagnetic waves in plasmas, 3=4132
Poeverlein,H. Space and time isotropy of wave propagation, 3=5332
Poeverlein,H. The plasma current density with a magnetic field, 3=24326
Poffe,J.P. See Waelbroeck,F., 3=12207
Poffé,N.,Albouy,G. and Gusakow,M. Use of the Orsay isotope separator for the study of spallation reactions, 3=12678
Poffé,N. See Albouy,G., 3=4642
Poffe,N. See Albouy,G., 3=12677
Poffé,N. See Albouy,G., 3=19852
Poganski,S. See Haacke,G., 3=875
Pogarskii,A.M. See Parfen'ev,R.V., 3=22953
Pogudina,R.V. See Polivanov,V.V., 3=1911
Pohl,H.A. and Engelhardt,E.H. Synthesis and characterization of some highly conjugated semiconducting polymers, 3=10837
Pohl,H.A.,Rembaum,A. and Henry,A. Effects of high pressure on some organic semiconducting polymers, 3=852
Pohle,R. See Temkin,A., 3=8205
Pohle,R. See Temkin,A., 3=25067
Pohl,R.O. See Sproull,R.L., 3=22645
Pohl,R.O. See Walker,C.T., 3=22639
Pohler,A. and Stöllner,H. A recording testmeter for refractory metal disks, 3=23490
Pohoski,R. A method of measuring the fluorescence emission anisotropy of phosphors, 3=11900
Pohoski,R. Fluorescence and phosphorescence spectra of fluorescein in boric acid, 3=15714
Poiani,G. See Malaroda,R., 3=19644
Poincelot,P. Generalization of the Lorentz condition, 3=24432
Poindexter,E.H. See Jeffries-Harris,M.J., 3=7221
Poirier d'Ange d'Orsay,E. See Bonnemay,M., 3=8969
Poirier,J.A. and Pripstein,M. New limit for isotopic spin conservation in strong interactions from an experimental limit on $\sigma (d + d \rightarrow He^4 + \pi^0)$, 3=15046
Poirier,J.C. See Hoover,W.G., 3=7145
Poirier,Y. See Crausse,E., 3=2098
Poirier,Y. See Crausse,E., 3=9916
Poirier,Y. See Crausse,E., 3=12298
Poivilliers,J.,Aurouet,C.,Bougon,M. and Levi,M. Optics of liquid hydrogen bubble chambers, 3=4300
Pokar,J. See Lauterjung,K.H., 3=14828
Pokhozhaev,S.I. See Deribas,A.A., 3=118
Pokhozhaev,S.I. See Deribas,A.A., 3=5422
Pokhunkov,A.A. On the variation in the average molecular weight of air at night according to mass spectrometric measurements at 100-210 km, 3=3481
Pokhunkov,A.A. On the variation in the average molecular weight of air at night according to mass-spectrometric measurements at 100-210 km, 3=21046
Pokhunkov,A.A. Gravitational separation, composition and structural parameters of the night atmosphere at altitudes from 100 to 210 km, 3=25917
Pokras,V.M. See Malkevich,M.S., 3=23568
Pokrovskaya,V.B. See Pul'tsin,N.M., 3=20879
Pokrovskaya-Soboleva,A.S. and Klyarfel'd,B.N. Applicability of the law of similarity to ignition of a gas discharge in hydrogen, 3=5638
Pokrovskiĭ,N.L. Forms of surface tension isotherms and polytherms of metal solutions, 3=21340
Pokrovskii,N.L. and Smirnova,T.G. Influence of traces of sodium and zinc on the structure and microhardness of tin, 3=3334
Pokrovskii,N.L. and Smirnova,T.G. Simultaneous effect of zinc and sodium impurities on the microhardness and structure of a recrystallized surface layer of tin, 3=20760
Pokrovskiĭ,V. See Levenberg,I., 3=15201
Pokrovskii,V.L. and Khalatnikov,I.M. Superbarrier reflection of high-energy particles, 3=4210
Pokrovskii,V.L. and Rȳvkin,M.S. Threshold absorption of infrared waves in superconductors, 3=1898
Pokrovskii,V.L. and Rȳvkin,M.S. Effect of anisotropy on threshold phenomena in superconductors, 3=3944
Pokrovskii,V.L. and Rȳvkin,M.S. Thermodynamics of anisotropic superconductors, 3=7402
Pokrovskii,V.L. and Savvinykh,S.K. Absorption of sound in superconducting alloys, 3=1899
Pokrovskii,V.N. See Dalkhsuren,B., 3=8048
Pokrovskii,V.N. See Kuznetsova,M.Ya., 3=6247
Pokrovsky,V. See Levenberg,I., 3=10351
Pokusin,D.N. Electromagnetic waves in a rectangular waveguide with two ferrite plates, 3=12320
Polacco,E. See Battaglia,A., 3=21983
Polacco,E. See Battaglia,A., 3=22562
Polacka,B. See Kawski,A., 3=15713
Polacka,B. See Kawski,A., 3=21378
Polacka,B. See Kawski,A., 3=25127
Polacki,Z. On the dependence of radioluminescence efficiency c the average molecular weight of polystyrene scintillators, 3=23117
Polak,E.J. The transition from hydrogen-burning to helium-burning in a star of 5 solar masses, 3=3594
Polák,J. See Míšek,K., 3=22893
Polak,L.S. See Aleksandrov,A.Yu., 3=15415
Polak, L.S. See Aleksandrov, A.-Yu., 3=17633
Polandov, I.N. Effect of hydrostatic pressure on the polymorphic transition point in the antiferroelectric Pb_2MgWO_6, 3=17945
Polandov, I.N. See Leonidova, G.G., 3=17938
Polandov,I.N. See Leonidova,G.G., 3=22994
Polanyi,J.C. and Rosner,S.D. Energy distribution among produc of exothermic reaction. 3=13593
Polanyi,J.C. See Karl,G., 3=10506
Polanyi,M. Tacit knowing. Its bearing on some problems of philosophy, 3=7080
Polanyi,M.L. and Hehir,R.M. In vivo oximeter with fast dynamic response, 3=3649
Polanyi,T.G. and Watson,W.R. Gaseous optical maser with external mirrors, 3=9985
Polášek,J. Some problems in stray light measurement, 3=9581
Polcarová,M. and Lang,A.R. X-ray topographic studies of magnetic domain configurations and movements, 3=5011
Polder,D. and Baelde,A. Theory of noise of transistor-like devices, 3=13099
Poleshuk, M. and Dowling, P.H. Microplasma breakdown in germanium, 3=25383
Poletti,G. See Fabri,G., 3=24709
Poletti,G. See Giacchetti,G., 3=24748
Poletti,M.J. and Gadsden,M. Observations of earth-potential gradients at the time of a high-altitude thermonuclear explosion, 3=11381
Polevoi, R.M. Calculation of the efficiency of a cylindrical scintillator for broad divergent beams of gamma radiation, 3=2161
Poliak, R.M. See Marcinkowski, M.J., 3=18080
Polian,G. See Lambert,G., 3=21034
Polikanov,S. See Bzranova,G., 3=8140
Polikanov,S.M.,Druin,V.A.,Karnaukhov,V.A.,Mikheev,V.L., Pleve,A.A.,Skobelev,N.K., Subbotin,V.G.,Ter-Akop'yan,G.M. and Fomichev,V.A. Spontaneous fission with an anomalousl short period. I, 3=6315
Polikanov,S.M.,Vai Tun-sen [Wang T'ung-seng],Kekk,Kh., Mikheev,V.L.,Oganesyan,Yu.Ts.,Pleve,A.A. and Fefilov,B.V Formation of nuclei with an anomalous spontaneous fission period in reactions involving heavy ions, 3=24984
Polikanov, S.M. See Bredel', V.V., 3=2166

Polikarpov,V.I. See Aksenov,V.A., 3=4594
Polinski,L.M. See Naphtali,L.M., 3=20936
Polissar,M.J. and Rapaport,E. A mathematical pulsatile model of the human heart. Application to analysis of indicator curves, 3=3644
Polivanov,K.M. and Frumkin,A.L. Differential susceptibility of thin magnetic films with uniform rotation of magnetization, 3=23170
Polivanov,M.K. See Medvedev,B.V., 3=563
Polivanov,V.V.,Pogudina,R.V. and Il'in,V.V. Power supply for a microscope with a resolution of 5 A, 3=1911
Polk,R.G. See Alford,W.L., 3=17441
Polkinghorne,J.C. Anomalous thresholds in unitary theories, 3=4311
Polkinghorne,J.C. Complex angular momenta and unitarity in crossed channels, 3=5949
Polkinghorne,J.C. High-energy behavior in perturbation theory, 3=12414
Polkinghorne,J.C. Cancelling cuts in the Regge plane, 3=12428
Polkinghorne,J.C. See Fairlie,D.B., 3=4351
Pollack,G.L. and Broida,H.P. Vapor snakes in solid argon, 3=11224
Pollack,G.L. and Broida,H.P. Spectroscopic absorption of NO in crystalline and liquid krypton, 3=15685
Pollack,H. See DeNoyer,J., 3=13380
Pollack,I. Onset discrimination for white noise, 3=13956
Pollack,S.A. Application of space-group theory to the vibrational problem of di-tetramethyl ammonium uranium hexachloride, 3=8343
Pollack,S.A. Multistage radiative transitions in $CaF_2:Er^{3+}$, 3=18027
Pollack,S.A. See Mackey,R.C., 3=21554
Pollack,S.R. Schottky field emission through insulating layers, 3=9828
Pollack,S.R. See Kornreich,P., 3=14732
Pollak,H., de Coster,M. and Amelinckx,S. Mössbauer effect in biotite, 3=4802
Pollak,H. See de Coster,M., 3=8341
Pollak,M. Some aspects of non-steady-state conduction in bands and hopping processes, 3=10735
Pollak,M. and Watt,D.H. Magnetoresistance of P-type Si in the hopping region, 3=8511
Pollak,P.I. See Monchamp,R.R., 3=13404
Pollard,H.F. Wave propagation in solids employing a mechanical impulse method, 3=1747
Pollard,H.F. Resonant behaviour of an acoustical transmission line, 3=14238
Pollard,J. See Hamilton,J.H., 3=2411
Pollard,J.P. See McKay,M.H., 3=22147
Pollehn,H. See Bormann,M., 3=15210
Pollock,H.C. See Goldman,L.M., 3=3972
Pollock,H.C. See Goldman,L.M., 3=4144
Pollyul',Yu.P. Role of diffusion in the processes of the entry of substance into the discharge cloud, 3=1945
Polonis,D.H. See Kasen,M.B., 3=1353
Polonsky,A.M. Calculation of magnetic moments, 3=2086
Polotnyuk,V.V. See Dakhtyar,I.Ya., 3=23159
Polovin,R.V. and Cherkasova,K.P. Magnetohydrodynamic description of a plasma, 3=21783
Polovin,R.V. and Demutskii,V.P. Magnetohydrodynamic combustion, 3=4262
Polovnikova,L.A. See Krasnoperov,G.V., 3=3327
Pol'skii,Yu.E. See Arkhangel'skaya,E.D., 3=18130
Pol'skii,Yu.E. See Vinokurov,V.M., 3=15943
Pol'skii,Yu.E. See Vinokurov,V.M., 3=20855
Polubarinov,I.V. See Ogievetskii,V.I., 3=14856
Polyak,G.L. and Adrainov,V.N. The algebra of resolving fluxes in radiative transfer, 3=18760
Polyak,G.L. See Adrianov,V.N., 3=21608
Polyakov,A.M. and Krotova,N.A. Investigation of the intensity of exo-electron emission during tearing and deformation of polymer films, 3=24330
Polyakov,L.M. See Garber,R.I., 3=6876
Polyakov,V.P. See Men',A.N., 3=20616
Polyakov,V.P. See Smolenskii,G.A., 3=5025
Polyakova,G.N., Fogel',Ya.M. and Tsyu-Yu-Mei [Ch'iu-Yu-Mei]. Emission spectra of rarefied molecular gases excited by a mixed beam of protons and hydrogen atoms, 3=15338
Pomanskii,A.A. On some characteristics of extensive air showers, 3=2340
Pomansky,A.A. See Danilova,T.V., 3=4497
Pomanyuk,N.A. See Zheludev,I.S., 3=13111
Pomelas,E. See Ballini,R., 3=19157
Pomeranchuk,I.Ya. See Akhiezer,A.I., 3=7863
Pomeranchuk,I.Ya. See Gribov,V.N., 3=2209
Pomeranchuk,I.Ya. See Gribov,V.N., 3=5960
Pomeranchuk,I.Ya. See Gribov,V.N., 3=5965
Pomeranchuk,I.Ya. See Gribov,V.N., 3=7611
Pomeranchuk,I.Ya. See Gribov,V.N., 3=17223
Pomeranchuk,I.Ya. See Gribov,V.N., 3=14923
Pomerantz,A. See Sandström,A.E., 3=24819
Pomerantz,M.,Keyes,R.W. and Seiden,P.E. Propagation of microwave phonons in germanium, 3=4811
Pomerantz,M.A. See Coxell,H., 3=19717
Pomerantz,M.A. See Sandström,A.E., 3=618
Pomerantz,M.A. See Schultz,A.A., 3=16979
Pomeranz,K.B. Two theorems concerning the Laplace operator, 3=21192
Pomeroy,C.D. Conference on Dynamic Problems in Stress Analysis, Leeds, September, 1962, 3=13342
Pomeroy,P.W. Long period seismic waves from large near-surface nuclear explosions, 3=13642
Pomertsev,R.V. See Kobelev,L.Ya., 3=8482
Pominov,I.S. Absorption spectra of neodymium chloride in alcohol–water solutions at low temperatures, 3=1691
Pominov,I.S. Absorption spectra of alcohol–water solutions of neodymium chloride at low temperatures, 3=21374
Pommier,J. See Benoit,H., 3=13589
Pommier,J. See Benoit,H., 3=17067
Pomraning,G.C. On the linear extrapolation distance, 3=22449
Pomorskii,L. See Flerov,G.N., 3=2501
Pomorskii,L. See Volkov,V.V., 3=2502
Pomorskii,L. See Volkov,V.V., 3=6302
Pomot,C. Structure of a high refractive index for surface waves, 3=7698
Pompa,F. See Bellon,P.L., 3=23433
Pompliano,L.A. See Sullivan,M.V., 3=23501
Pomraning,G.C. and Clark,M.,Jr. The variational method applied to the monoenergetic Boltzmann equation. I, 3=18755
Pomraning,G.C. and Clark,M.,Jr. The variational method applied to the monoenergetic Boltzmann equation, II, 3=18756
Ponce,A. Concerning an error in the method using Moiré fringes, 3=1829
Ponchel,B. See Gabillard,R., 3=24491
Pond,S.,Stewart,R.W. and Burling,R.W. Turbulence spectra in the wind over waves, 3=25880
Pondrom,L.G. and Strelzoff,A. Response of a large NaI : Tl crystal to high energy electrons, 3=14965
Pondrom,L.G. See Engels,E.,Jr, 3=7852
Pong,W.,and Marcaccio,W. Nonlinearity of the middle ear as a possible source of subharmonics, 3=16445
Ponomarenko,A.G. See Dobovoi,L.V., 3=7614
Ponomarenko,Yu.B. Excitation of ion-acoustic waves and heating of electrons in a plasma by an external electric field, 3=24281
Ponomarev,Ya.G. See Brandt,N.B., 3=2079
Ponomarev,Yu.F. Theory of magnetic modulators of the even harmonic type under load conditions, 3=4247
Ponomarev,Yu.F. Theory of magnetic modulators of the even harmonic type. II. Modulators with longitudinal excitation, 3=17029
Ponosov,A.K. See Demidov,V.S., 3=6059
Ponosov,A.K. See Demidov,V.S., 3=24781
Pons,L., Chevillon,J. and Steff,P. Superficial fracture during the grinding of sintered tungsten carbides, 3=5075
Pontarelli,D.A. See Kapany,N.S., 3=11897
Pontarelli,D.A. See Olson,O.H., 3=16778
Pontecorvo,B. The small probability of the processes $\mu \to e + \gamma$, $\mu \to e + e + e$ and neutral currents in weak interactions, 3=14995
Pontecorvo,B. The neutrino and its role in astrophysics, 3=24686
Pontecorvo,B. and Chudakov,A.E. The neutrino and cosmic ray intensity at great depths, 3=14953
Pontecorvo,B. See Veksler,V.I., 3=578
Pontekorvo,B. See Falomkin,I.V., 3=7881
Pontekorvo,B. See Zaimidoroga,O.A., 3=4417
Pontekorvo,B. See Zaimidoroga,O.A., 3=7883
Pool,R.A.H.,Saville,G.,Herrington,T.M.,Shields,B.D.C. and Staveley,L.A.K. Some excess thermodynamic functions for the liquid systems argon+oxygen, argon+nitrogen, nitrogen+oxygen, nitrogen+carbon monoxide, and argon+carbon monoxide, 3=132

Pool,S.D. See Bloch,A., 3=14284
Poole,C.P.,Jr. A simple model for the Curie temperature of a small ferromagnetic particle, 3=20574
Poole,D.E.,Parker,A.B. and Churchill,R.J. Measurement of the temperature decay of high current spark channels in air, 3=21739
Poole,D.M. Electron probe microanalysis, 3=13632
Poor,E.W.,Jr. See Hegyi,I.J., 3=16072
Poortmans,F. See Ceulemans,H., 3=6012
Pop,I. See Chechernikov,V.I., 3=25508
Pop,R. See Apostol,A., 3=24574
Pope,C.G. See Ash,R., 3=3823
Pope,C.G. See Ash,R., 3=3824
Pope,J.H. A high-latitude investigation of the natural very-low frequency electromagnetic radiation known as chorus, 3=11413
Pope, M, Kallmann, H.P. and Magnante, P. Electroluminescence in organic crystals, 3=18051
Pope,N.K. See Sakamoto,M., 3=127
Popeko,L.A. See Sergienko,V.A., 3=24679
Popel',S.I. See Tsarevskii,B.V., 3=11775
Popescu,C. Use of the external beam of the U-210 cyclotron in three different directions, 3=21916
Popescu,I. On resonant charge transfer in ionized dense gases, 3=7446
Popescu,I. See Brandus,L., 3=24217
Popescu,I. See Glodeanu,A., 3=20292
Popescu,I. See Glodeanu,A., 3=22910
Popescu,I. See Sanduloviciu,M., 3=19188
Popesku,I. See Agarbichanu,I., 3=15287
Popesku,I.M. See Davidovich,M., 3=5533
Poplavko,Yu.M. Exact measurement of the dielectric parameters of ferroelectric substances at super high frequencies, 3=2951
Poplawsky,R. See Schults,E.C., 3=9646
Pople,J.A. Reply to letter by H.F.Hameka, 3=8241
Pople,J.A. Molecular orbital theory of diamagnetic polarization III. Anisotropic properties of the carbonite and nitrate ions, 3=10495
Pople,J.A. The theory of chemical shifts, 3=15375
Pople, J.A. See Karplus, M., 3=17557
Popov,A.I. See Sorokin,P.V., 3=2449
Popov,A.I. See Sorokin,P.V., 3=4632
Popov, A.I. See Valter, A.K., 3=17456
Popov,A.I. See Val'ter,A.K., 3=22372
Popov,A.I. See Zubritskii,L.A., 3=7748
Popov,A.M. See Ivanov,G.A., 3=20323
Popov,A.V., Smirnov,P.V. and Shukeilo,I.A. Magnetic deflector, 3=17010
Popov,D.N. See Indenbaum,G.V., 3=23463
Popov,E.I. The duration of observations with heavily damped gravity meters on a mobile base, 3=8998
Popov,E.M. and Gribov,L.A. Calculation of the electro-optical parameters of some polyatomic molecules, 3=15366
Popov,E.M. See Gribov,L.A., 3=25114
Popov,E.M. See Gribov,L.A., 3=25114
Popov,J.M. See Basov,N.G., 3=2863
Popov,L.E.,Bol'shakova,M.A. and Aleksandrov,N.A. On the connection between abrupt deformation and the anomalous rate dependence of deformation resistance, 3=23317
Popov,N.A. See Strutinskii,V.M., 3=2355
Popov,N.G. See Fomin,V.G., 3=25693
Popov,N.P. γ-neutrino correlation in μ-meson capture, 3=24758
Popov,V.I. Collective levels and deformations of nuclei with N = 82 to 90, 3=8019
Popov,V.I. Probabilities for E2 and E1 transitions from some excited states in Tb^{159}, Ho^{165} and Tm^{169}, 3=12598
Popov,V.I. See Bakov,A.T., 3=22409
Popov,V.I. See Otstavnov,P.S., 3=2470
Popov,V.S. See Blokintsev,L.D., 3=5966
Popov,V.S. See Blokhintsev,L.D., 3=8059
Popov,V.S. See Blokhintsev,L.D., 3=14867
Popov,V.S. See Blokhintsev,L.D., 3=15165
Popov,V.S. See Zargar'yants,M.N., 3=2933
Popov,Yu. See Loskutov,Yu., 3=7774
Popov,Yu.M. Characteristics of cathodoluminescence at high excitation densities, 3=3064
Popov,Yu.M. Energy distribution of carriers in semiconductors in the presence of sources of fast electrons, 3=17829
Popov,Yu.P. and Fenin,Yu.I. Analysis of averaged cross-sections for neutron capture, 3=17479
Popov,Yu.P. and Shapiro,F.L. The Cl^{35}(n,p) reaction and neutron resonance parameters of chlorine, 3=4655
Popov,Yu.P. and Shapiro,F.L. Energy dependence of the cross-sections for (n,γ) reactions of a number of odd Z nuclei, 3=6273
Popova,A.A. See Manenkov,A.A., 3=20048
Popova,A.M. See Vasil'ev,S.S., 3=2458
Popova,A.M. See Vasilyev,S.S., 3=2495
Popova,A.M. See Vasil'ev,S.S., 3=4671
Popova,A.M. See Vasilyev,S.S., 3=8091
Popova,A.M. See Vasil'ev,S.S., 3=10345
Popova,A.S. See Timofeeva,V.A., 3=16033
Popova,L.G. See Do In Seb, 3=4393
Popova,S.V. See Vereshchagin,L.F., 3=2902
Popova, T.N. and Saschenko, N.M. Franck-Condon factors for some vibrational transitions in the fourth positive system of CO, 3=17571
Popova,T.V. The stability of filaments of gas-dust nebulae, 3=23698
Popova,V.M. See Adamovich,M.I., 3=4428
Popova,V.P. See Fedotov,L.N., 3=8634
Popovici,C. See Kreijci,V., 3=4044
Popovici,C. See Krejčí,V., 3=7477
Popow,J.M. See Basow,N.G., 3=4928
Poppa,H. Sputtering experiments inside the electron microscope, 3=451
Poppe,C.H.,Holbrow,C.H. and Borchers,R.R. Neutrons from D + T and D + H, 3=6290
Poppe,C.H. See Borchers,R.R., 3=10341
Poppe, C.H. See Lefevre, H.W., 3=2327
Poppe,C.H. See Lefevre,H.W., 3=4413
Pöppel,W.G.L. See Varsavsky,C.M., 3=1526
Poppelbaum,C.,Huber,P.,Lewandowski,A.,Plattner,R. and Wagner,R. Inelastic scattering of 14.7 MeV neutrons on U^{238}, 3=8104
Poppelbaum,C. See Huber,P., 3=10131
Poppelbaum,G. See Huber,P., 3=22395
Popplewell,J. and Tebble,R.S. Microwave adsorption in Gadolinium-Yttrium alloys, 3=15941
Poppoff,I.G. and Whitten,R.C. D-region ionization by solar X-rays, 3=3498
Poquet,E. Structure and diamagnetic properties of pyrocarbons, 3=20949
Porai-Koshits,M.A. Use of computers for the analysis of crystal structures, 3=20831
Porai-Koshits,M.A. See Mil'kova,L.P., 3=20847
Porai-Koshits,E.A. See Vaipolin,A.A., 3=18363
Porai-Koshits,E.A. See Vaipolin,A.A., 3=18364
Porai-Koshits,M.A. See Zorkii,P.M., 3=13391
Porfir'ev,V.V. Instability of rotation of stars. I, 3=9234
Porile,N.T. Simple nuclear reactions of indium with 30 and 2.9 GeV protons, 3=2460
Porile,N.T. and Tanaka,S. Nuclear structure effects in high-energy (p, pn) reactions, 3=12679
Porile,N.T., Tanaka,S., Amano,H., Furukawa,M., Iwata,S. and Yagi,M. Nuclear reactions of Ga^{69} and Ga^{71} with 13-56 MeV protons, 3=17474
Porile,N.T. See Hudis,J., 3=4641
Porogelov,V.E. See Kondilenko,L.I., 3=10486
Porschen,W. See Bormann,H.J., 3=4691
Porschen,W. See Jacquemin,J., 3=4692
Porschen,W. See Krämer,H., 3=15261
Port,M. See Gorodetzky,S., 3=12584
Porte,A.L., Gutowsky,H.S. and Boggs,J.E. Proton magnetic resonance studies of polycrystalline uranium oxide hydrates. III. $UO_4 2H_2O$, 3=3203
Porteous,P. An apparatus for specimen changing in pumped liquid helium through an air-lock, 3=7397
Porter,C.E. Cross-section probability distribution, 3=4346
Porter,C.E. Statistics of atomic radiative transition probabilities, 3=4700
Porter,C.E. Further remarks on energy level spacings, 3=7978
Porter,C.E. Random matrix diagonalization — some numerical computations, 3=21201
Porter,G. Mechanism of third-order recombination reactions, 3=6425
Porter,G. and Stief,L.J. Viscosity dependence of unimolecular conversion from the triplet state, 3=3811

Porter, G., Szabó, Z.G. and Townsend, M.G. The recombination of atoms. V. Iodine atom recombination in nitric oxide, 3=2668
Porter,J.H. See Vieth,W.R., 3=14103
Porter,J.T.,II. See Dixon,J.M., 3=20376
Porter,R.S. and Johnson,J.F. Order and flow of liquid crystals: The nematic mesophase, 3=9441
Porter,R.S. and Johnson,J.F. Order and flow of liquid crystals; The cholesteric mesophase, 3=9442
Porter,T.L. and Davis,S.P. Hyperfine structure in the spectrum of mercury hydride, 3=6393
Portis,A.M. Nuclear relaxation in magnetic materials, 3=1198
Portis,A.M. Low-lying spin wave modes in ferromagnetic films, 3=11075
Portis,A.M.,Witt,G.L. and Heeger,A.J. Excitation of nuclear magnetic resonance modes in antiferromagnetic KMnF$_3$, 3=15966
Portis,A.M. See Heeger,A.J., 3=25582
Portnov,V.N. See Belyustin,A.V., 3=16034
Portnova,S.I. See Lyubimov,V.B., 3=7901
Portnyagin,J.I. See Grabowski,J., 3=24977
Porto,S.P.S. and Wood,D.L. Ruby optical maser as a Raman source, 3=7347
Porto,S.P.S. See Archer,R.J., 3=20543
Posakony,D.J. See Lawrence,R.S., 3=18526
Poser,C. and Ritschl,R. Ratios of intensities of mercury lines in low-pressure discharge lamps, 3=255
Poshkus,D.P. See Kiselev,A.V., 3=13573
Poshkus,D.P. See Kiselev,A.V., 3=18398
Poskanzer,A.M. Range of 1-3 MeV Ne^{22} ions in Al and the analysis of some Na^{24} recoil data, 3=4640
Poskanzer,A.M.,Cumming,J.B. and Wolfgang,R. Recoil study of the reaction Al^{27}(p,3pn)Na^{24}, 3=4639
Poskanzer,A.M. See Cumming,J.B., 3=6252
Post,B. See Batt,A., 3=8834
Post,R.F. Critical conditions for self-sustaining reactions in the mirror machine, 3=14601
Post,R.F. See Damm,C.C., 3=16969
Postma,A.J. and Terlouw,J.C. Calculations and measurements on an X-band microwave interferometer, 3=12313
Postma,H. See Dunlap,J.L., 3=12196
Postma,H. See Marshak,H., 3=2468
Potakhova,G.I. See Nesterov,V.M., 3=15609
Potapenko,A.E. and Kostenko,P.P. The effect of an electrical field on a flame, 3=7373
Potapkov,N.A. Resonance in uniaxial ferromagnetics, 3=6736
Potapov,B.P. Low-power high-voltage convertor for photo-electric devices, 3=1909
Potapov,E.V. See Gubkin,A.N., 3=15620
Potenza,G. See de Carvalho,H.G., 3=8146
Potenza,R.,Ricamo,R. and Rubbino,A. (n,α) and (n,p) reaction in silicon at neutron energies up to 5.5 MeV, 3=10359
Potenza,R. See Calvi,G., 3=6269
Potier,R., Cabala,R. and Valentin,J.P. Structure of layers of niobium oxides, 3=16129
Potier,R.,Valentin,J. and Cabala,R. Suppression of secondary emission by the "method of cylinders", 3=7636
Potnis,V.R. and Rao,G.N. Systematics of E2-M1 mixing ratios of $2'^{+} \rightarrow 2^{+}$ transitions in even nuclei, 3=15096
Potnis, V.R. See Rao, G.N., 3=17414
Potoceanu,C. See Balea,O., 3=17134
Pottasch,S.R. The lower solar corona: Interpretation of the ultraviolet spectrum, 3=13890
Pottasch,S.R. The lower solar corona: the abundance of iron, 3=21112
Pottel,R. and Wülfing,A. Measurement of the complex dielectric constant of glycerine containing water and of glycerine-gelatine gels at frequencies between 100 Mc/s and 15 Gc/s, 3=21391
Potter,D.C. See Binnie,D.M., 3=10081
Potter,D.C. See Binnie,D.M., 3=17153
Potter,J. Quasi-free electron scattering in the impulse approximation, 3=19835
Potter,J.G. See Douglas,A.E., 3=14348
Potter,N.D. See Hildenbrand,D.L., 3=25809
Potter,R.F. See Stierwalt,D.L., 3=10961
Potter,R.J.,Donath,E. and Tynan,R. Light-collecting properties of a perfect circular optical fiber, 3=5513
Potter,R.K. Use of spinning color disks in a study of chromatic induction, 3=13974

Potter,R.M.,Aven,M. and Kastner,J. Optical measurements on ZnS: Cu produced by neutron irradiation of ZnS, 3=13207
Potter,R.M. See Addamiano,A., 3=25485
Pottier,J. Configurations of high frequency electromagnetic fields and associated magnetostatic fields with a view to confinement of a plasma, 3=4141
Pottier,J. See Mérard,R., 3=4140
Pottinger,R.C. See Medford,R.D., 3=1991
Potts,B.C. The screening effect of the ionosphere, 3=5862
Potts,R.B. See Montroll,E.W., 3=13239
Poubeau,P.,Braun,H. and Baumann,G. Apparatus for the semi-automatic measurement of the distribution of gaps and multiple scattering in corpuscular photography, 3=19536
Poulet,H. On the dispersion of the natural rotatory power of complex ions of transition metals, 3=3271
Pouliquen,J. and Segard,N. The production of a plane and progressive ultrasonic wave by a quartz transducer, 3=18912
Pouliquen,J. See Segard,N., 3=1777
Pouliquen,J. See Segard,N., 3=16705
Pouliquen,J. See Segard,N., 3=24056
Poulis,J.A. and Derbyshire,W. Lengths of polymer chains in liquid sulphur, 3=14155
Poulis,J.A. and Llewellyn,J.P. Signal to noise ratio in experiments combining resonance techniques and susceptibility balances, 3=24497
Poulis,J.A., Massen,C.H. and van der Leeden,P. High temperature magnetic susceptibility of MnO, 3=1015
Poulis,J.A.,Massen,C.H. and van der Leeden,P. Resonance data from static susceptibility measurements, 3=24487
Poulis,J.A.,Massen,C.H. and Weijts,A.G.L.M. Contribution of the protons to the magnetic susceptibility of water, 3=23907
Poulis,J.A. and Thomas,J.M. Disturbances arising from thermal transpiration in microbalance experiments, 3=9399
Poulis,N.J. and van der Lugt,W. The splitting of the n.m.r. lines in vivianite Fe$_3$(PO$_4$)$_2$. 8H$_2$O, 3=1206
Poulis,N.J. See David,R., 3=14446
Poulis,N.J. See Hass,W.P.A., 3=23253
Poulis,N.J. See Swanenburg,T.J.B., 3=20672
Poultney,S.K. See Reynolds,G.T., 3=17109
Pounds,K.A. and Sanford,P.W. Rocket measurements of the sun's X-ray "Tail" with a simple photographic detector, 3=13894
Pounds,K.A. and Willmore,A.P. Some early results from the X-ray spectrometer in satellite UK1, 3=16388
Poupko,J.P. Sound velocity in liquid mixtures, 3=16622
Pouradier,J. See Chateau,H., 3=5102
Povh,B. See Horvat,P., 3=19773
Povh,B. See Kregar,M., 3=15179
Povitskii,V.A. See Malyuchkov,O.T., 3=11121
Povitskii,V.A. See Malyuchkov,O.T., 3=20678
Powell,A. Noise measurement of a turbulent gasoline vapor flame, 3=11872
Powell,A. More on noise produced by boundary-layer turbulence, 3=14290
Powell,A. On sound radiation in terms of pressure independent of the sound speed, 3=18924
Powell,A. On (aerodynamic) noise arising from the use of pressure quadrupoles, 3=18946
Powell,A.L.T. See Medford,R.D., 3=1991
Powell,A.L.T. See Medford,R.D., 3=7277
Powell,A.L.T. See Medford,R.D., 3=7582
Powell,B.W. See Franck,J.V., 3=24561
Powell,C.F. Summary talk of jet sessions, 3=4543
Powell,C.F. Lecture on future prospect, 3=4549
Powell,C.J. See Swanson,N., 3=22617
Powell,E.R. See Howard,R., 3=19441
Powell,F.X.,Fletcher,O. and Lippincott,E.R. High intensity electrodeless sources for Raman spectroscopy, 3=7350
Powell,M.J.D. See Leask,M.J.M., 3=8333
Powell,P.G. and Farnell,G.C. The response of a pure bromide emulsion to exposure at low temperature, 3=9630
Powell,P.G. See Farnell,G.C., 3=11944
Powell,R.G. See Cole,J.N., 3=9569
Powell,R.R. See Richardson,J.W., 3=10435
Powell,R.W. The place of heat conduction in the theory, practice, and testing of bonds, 3=13984
Powell,R.W. and Tye,R.P. The promise of platinum as a high temperature thermal conductivity reference material, 3=25216

Powell,R.W., Tye,R.P. and Jolliffe,B.W. Heat transfer at the interface of dissimilar materials: evidence of thermal-comparator experiments, 3=272
Powell, R.W, Woodman, M.J. and Tye, R.P. Further measurements relating to the anisotropic thermal conductivity of gallium, 3=17671
Powell,R.W. See Clark,W.T., 3=276
Powell,W.B. See Cox,A.J., 3=5731
Powell,W.M. See Birge,R., 3=22192
Powell,W.M. See Ely,R.P., 3=19703
Power,E.A. See Armstrong,B.H., 3=10444
Powers,H.E.C. Sucrose crystallization, 3=8803
Powers,J. See Van Valkenburg,A., 3=23494
Powers,J.C.,Jr. See Srinivasan,R., 3=23551
Powers,W.E. and Patrick,R.M. Magnetic annular arc, 3=1954
Powers,W.T. and Aikens,R.S. Image orthicon astronomy at the Dearborn Observatory, 3=9144
Powles,J.G. Nuclear spin one half lattice relaxation in mobile diamagnetic liquids, 3=23912
Powles,J.G. and Green,D.K. A spin-rotation nuclear resonance relaxation effect for a large molecule, 3=6421
Powles,J.G. and Strange,J.H. Temperature dependent J coupling and internal motion in acetaldehyde, 3=737
Powles,J.G. and Strange,J.H. Measurement of J coupling using spin echo techniques, 3=14790
Powles,J.G. and Strange,J.H. Zero time resolution nuclear magnetic resonance transients in solids, 3=19472
Powles,J.G. See Cutler,D., 3=18834
Powles,J.G. See Cutler,D., 3=21414
Powles,J.G. See Krynicki,K., 3=21408
Powles,J.G. See Mansfield,P., 3=14792
Powles,J.G. See Mansfield,P., 3=23250
Poyet,M. On the choice of gravitational energy–momentum tensor in the flat space theory of gravitation, 3=16498
Pöyhönen,J. See Mansikka,K., 3=6810
Poynter,R.L. and Steffensen,G.R. Tunable, high stability, microwave oscillator, 3=7695
Požar,F. 1 Mc/s scaler using gas-filled cold cathode counting tube EZ 10, 3=354
Požar,F. See Navinšek,B., 3=9878
Pozdnev,V.P. Method of detection of crystallites in glasses that have electronic electrical conduction, 3=8921
Pozdnyakov, O.F. See Regel', V.R., 3=18211
Pozdnyakov,P.G. See Vasin,I.G., 3=15625
Poze,Kh. See Govorov,A.M., 3=2182
Poze,Kh. See Nikanorov,V.I., 3=6006
Pozharitskii,G.K. Extension of the principle of Gauss to systems with dry (Coulomb) friction, 3=1647
Pozhela,J.K. Repshas K.K. and Shilalnikas,V.J. Hot current carriers in Ge and Si, 3=10791
Pozhela,Yu.K. and Shilal'nikas,V.I. Emission of "hot" electrons from germanium, 3=2017
Pozhela,Yu.K. and Shilal'nikas,V.I. Emission of hot electrons from germanium, 3=24331
Pozwolski,A. Action of a uniform field of force on a gas transient state. Isotopic separation, 3=7238
Pozzi,A. Motion of electrons in the ionosphere in the presence of an alternating modulated electric field, 3=6973
Pracht,D.W. See Lam,D.J., 3=23141
Pracka,I. See Niemyski,T., 3=11226
Pradal,F. and Gout,C. Analysis of the energy losses of A 30 kV electron beam in lithium fluoride, chloride and bromide, 3=15478
Pradal,F. See Gout,C., 3=15478
Praddaude,H.C. A perturbation solution of the equation of motion for the density matrix, 3=17226
Pradel,J. See Bricard,J., 3=11416
Pradhan,T. Exact solution of a relativistic quantum field theory, 3=14847
Pradhan,T. and Tripathy,D.N. Electron capture by protons passing through hydrogen, 3=16908
Prados,J.W. See Hershey,D., 3=23872
Prag,A.B. and Clark,K.C. Excitation mechanism for the nitrogen pink afterglow, 3=22486
Prag,A.B. See Fairchild,C.E., 3=22485
Prager,S. Diffusion and viscous flow in concentrated suspensions, 3=8984
Prager,S. See Brodowsky,H., 3=25159
Prager,S. See Salzberg,A.M., 3=18452
Prager, S. See Weissberg,H.L., 3=1670
Prager,S. See Woodbury,G., 3=11704
Prahallada Rao,B.S. See Krishna Murthy,P.V., 3=13634
Prakash,A. The crystal structure of 1,8-dihydroxy anthraquinone, 3=13491
Prakash,P. On the doublet theory of strong interactions, 3=17184
Prakash,P. On baryon anomalous magnetic moment contribution to neutral PI meson decay, 3=17303
Prakash,S. and Dhari Pandey,J. Relationships between ultrasonic velocity compressibilities and certain thermodynamic functions, 3=7395
Prakash,S. and Ghosh,A.K. Ultrasonics and colloids, 3=6936
Prakash,V. Effect of some impurities and reversion treatment on the age hardening behaviour of aluminium–copper alloys of high purity, 3=3332
Prakash,Y. See Ismail,A.Z.M., 3=10228
Prakash,Y. See Ismail,A.Z.M., 3=22274
Prange,R.E. Dielectric constant of a superconductor, 3=9676
Prange,R.E. Tunneling from a many-particle point of view, 3=18733
Prange,R.E. See Ferrell,R.A., 3=21659
Prasad,A.N. See Barrault,M.R., 3=24299
Prasad, K.G. See Joshi, M.C., 3=17422
Prasad,K.G. See Thosar,B.V., 3=10299
Prasad,S.S. Electronic transition moment variation in Schumann–Runge band system of O_2 molecule, 3=724
Prasad,S.S. Determination of Δr_e, the difference between the equilibrium internuclear distances in the two electronic states of a diatomic molecule, from intensities of vibrational bands, 3=10501
Prasad,S.S. Franck–Condon factors and r-centroids for the $^2\Delta-^2\Delta$ system of VO and the α system of TiO, 3=22551
Prasanna Kumar,A. See Kuchela,K.S., 3=24198
Prask,H.J. See Funk,E.G., Jr, 3=6183
Prasova,T.I. See Druzhinin,V.V., 3=10727
Prat,R. See Besnainou,S., 3=6405
Pratinidhi,K. See Pakswer,S., 3=20321
Prato,G.Da. See Cabibbo,N., 3=572
Prats,F. See Cooper,J.W., 3=19928
Prats,F. See Fano,U., 3=10210
Pratt,B. See Harnik,E., 3=15627
Pratt,B. See Peled,S., 3=10869
Pratt,G.W.,Jr. and Bailey,P.T. Theory of the magnetic and optical properties of Cr_2O_3, 3=25503
Pratt,G.W., Jr. and Puff,R.D. Application of thermodynamic Green's function formalism to ferromagnetism, 3=983
Pratt,G.W., Jr. See Izuyama,T., 3=15739
Pratt,J.N. See Aldred,A.T., 3=9662
Pratt,J.N. See Aldred,A.T., 3=14422
Pratt,J.N. See Filby,J.D., 3=13522
Pratt,L. See Milner,R.S., 3=14186
Pratt,P.L. See Brown,L.M., 3=16002
Pratt,P.L. See Bruneau,A.A., 3=5071
Pratt,P.L. See Davidge,R.W., 3=13011
Pratt,R.G. and Ridley,B.K. The capture of hot electrons by gold centres in n-type germanium, 3=25343
Pratt,R.G. See Ridley,B.K., 3=20298
Pratt,R.H. See Ginsberg,E.S., 3=15026
Pratt,R.H. See Hostler,L., 3=18730
Pratt,R.H. See Jabbur,R.J., 3=4374
Prausnitz,J.M. See Anderson,R., 3=25814
Prausnitz,J.M. See Blanks,R.F., 3=12853
Prausnitz,J.M. See Eckert,C.A., 3=24112
Pravdic,V. See Maricic,S., 3=2904
Pravdun,N.S. See Vernidub,I.I., 3=8987
Pravdyuk,N.F. and Golyanov,V.M. Electron microscope investigation of uranium fission, 3=8152
Pravetski,E. Introduction of magnon annihilation operators to the Bloch–Dyson spin wave theory, 3=5002
Predazzi,E. See Bertocchi,L., 3=7799
Predel,B. Post-melting effect in pure metals, 3=3926
Predeleanu,M. Uniqueness of the solution of a system of equations of a class of substances having linear rheological properties, 3=8774
Predvoditelev,A.A., Rozhanskii,V.N. and Stepanova,V.M. Dislocation structure produced in NaCl crystals deformed by a concentrated load, 3=20183
Predvoditelev,A.A. Possible interactions of complete dislocation in hexagonal close-packed crystals, 3=20184

Predvoditelev,A.A. See Rozhanskii,V.N., 3=13409
Predvoditelev,A.A. See Shvidkovsky,E.G., 3=23324
Predvoditelev,A.S. On the problem of the equation of state of condensed media, 3=20116
Preining,O. See Ernst,F., 3=5207
Preining,O. See Sedlacek,M., 3=25913
Preisendorfer,R.W. See Duntley,S.Q., 3=6962
Preisinger, A. Structure of stishovite, high-pressure SiO_2, 3=5108
Preisler,E. See Haessner,F., 3=4699
Preiss,I.L.,Strudler,P.M. and Wolfgang,R. Lanthanum isotopes in a possible new region of nuclear deformation, 3=8040
Preiss,L. See Anderson,C.E., 3=19888
Premaswarup,D. See Narasimhamurthy,A., 3=15410
Prener,J.S. and Kingsley,J.D. Mechanism of the conversion of CdF_2 from an insulator to a semiconductor, 3=8522
Prentice,J.D. See Kuehner,J.A., 3=19889
Prentice,W.C.H. Aftereffects in perception, 3=1569
Prentki,J. See Amati,D., 3=5929
Prentki,J. See Bouchiat,C., 3=6064
Preobrazhenskii,B.K. See Kalyamin,A.V., 3=10348
Preobrazhenskii,N.G. On the absorption of light in a non-uniform plasma, 3=5674
Preobrazhenskii,N.G. An extension of the limits of applicability of the self-absorption method, 3=19282
Preobrazhenskii,N.G. Anomalous calibration curves for emission analysis, 3=25852
Prescott,J.R. Demonstration gyroscope, 3=11741
Prescott,J.R. Photomultiplier single-electron statistics and the shape of the ideal scintillation line, 3=17102
Prescott,J.R. and Terentiuk,F. Independence of motion apparatus, 3=14083
Present,R.D. See Graben,H.W., 3=167
Present,R.D. See Miller,R.V., 3=10508
Presland,A.E.B. and Hedley,J.A. Thermal oxidation in natural graphite, 3=25821
Presland,A.E.B. and Hutchinson,R.I. The nucleation of grain boundary cavities in magnesium, 3=17773
Presnov, V.A., Izergin, A.P., Krivov, M.A., Vyatkin,A.P., Stroitelev,S.A., Mel'chenko, E.N., Malisova, E.V., Selivanova,V.A. and Grigor'eva, A.G. Investigation of gallium arsenide, 3=25364
Presnyakov,A.A. See Starikova,G.V., 3=13533
Presnyakov,L. See Vainshtein,L., 3=707
Press,F. and Harkrider,D. Propagation of acoustic—gravity waves in the atmosphere, 3=9061
Press,F. See Harkrider,D.G., 3=18472
Pressley,R.J. See Wolff,N.E., 3=25443
Prestigiacomo,A.J. Amplitude contour display of sound spectrograms, 3=1779
Preston,J.S. A radiometric method of perpetuating the unit of length 3=9317
Preston,J.S. Simple derivation of relative spectral power distribution from colour temperature, for tungsten radiation, 3=7322
Preston,M.A. and Bhaduri,R.K. Velocity-dependent nucleon—nucleon potentials and saturation in nuclear matter, 3=24830
Preston,M.A. and Kiang,D. Calculations of reduced probability for E2 transitions in beta and gamma bands, 3=15097
Preston,M.A. See de Miranda,A.F., 3=19802
Preston,R.S.,Hanna,S.S. and Heberle,J. Mössbauer effect in metallic iron, 3=6457
Prestwood,R.J. See Cowan,G.A., 3=15243
Pretzer,D.,van Zyl,B. and Geballe,R. Lyman alpha production in proton—rare gas collisions, 3=16910
Pretzer,D. See Dunn,G.H., 3=6366
Preudhomme,J. See Tarte,P., 3=13184
Preusch,H. See Fendler,H.G., 3=17511
Preuss,H.H.W. The appearance of the crystallite boundaries in a new type of polyethylene cleavage surface, 3=13547
Preuss,L.E. See Bugenis,C., 3=18406
Prévé,J. See Klein,S., 3=5617
Prevot,F. See Bottiglioni,F., 3=7528
Prevot,F. See Coutant,J., 3=7647
Prevot,F. See Fischhoff,E., 3=185
Prevot,F. See Gourdon,C., 3=12105
Price,A.T. Magnetic disturbance and the earth's main field, 3=9123
Price,A.T. Reply to Professor Chatterjee's comments, 3=13827
Price,A.T. Irreversible plastic deformation of pure iron during phase changes, 3=23471
Price,A.T. and Ferris,G.A.J. A resonance property of the ionosphere due to its anisotropic conductivity, 3=9075
Price,A.T. See Lawrie,J.A., 3=13836
Price,C.D. See Morris,D.P., 3=25520
Price,C.E. Some oxygen effects in silver, 3=13363
Price,L. See Fowler,E.C., 3=12496
Price,P.B. and Walker,R.M. Observations of charged particle tracks in solids, 3=2842
Price,P.B. and Walker,R.M. Chemical etching of charged-particle tracks in solids, 3=2843
Price,P.B. and Walker,R.M. A new track detector for heavy particle studies, 3=5907
Price,P.B. and Walker,R.M. Observation of fossil particle tracks in natural micas, 3=6948
Price,P.B. and Walker,R.M. A simple method of measuring low uranium concentrations in natural crystals, 3=21020
Price,P.B. See Fleischer,R.L., 3=16468
Price,P.B. See Fleischer,R.L., 3=22850
Price, P.B. See Walker,R.M., 3=17801
Price,P.B. See Walker,R.M., 3=24752
Price,P.J. Transmission of bloch waves through crystal interfaces, 3=10736
Price,P.J. Theory of quadratic response functions, 3=15606
Price, R.J. and Kelly, A. The plastic deformation of age-hardened aluminium alloys, 3=3222
Price,R.J. and Kelly,A. Deformation of age hardened crystals of copper—1.8 wt.% beryllium, 3=23315
Price,R.M. See Cooper,B.F.C., 3=5281
Price,R.M. See Sciama,D.W., 3=11604
Price,W.C.,Harris,P.V. and Passmore,T.R. The ionization and dissociation energies of molecules and radicals, 3=8303
Pridmore-Brown,D.C. Reflection and refraction of magneto-acoustic waves at an interface, 3=19433
Priese,J. Radioastronomical investigations of aerial properties of the 36 m Adlershof radio-telescope on the 53.67 cm wavelength, 3=25976
Priest,J.,Caswell,H.L. and Budo,Y. Stress anisotropy in silicon oxide films, 3=11144
Priest,J.,Caswell,H.L.,Budo,Y. Mechanical stresses in silicon oxide films, 3=11146
Priest,J. See Budo,Y., 3=13566
Priester, W., Roemar, M. and Schmidt-Kaler, T. Apparent relation between solar activity and the 440 Mc/s radar distance of Venus, 3=5276
Priester,W. See Harris,I., 3=9065
Priestland,C. See Holland,L., 3=14229
Priestley,M.G. The De Haas-Van Alphen effect in aluminium, 3=1121
Priestley,M.G., Falicov,L.M. and Weisz,G. Experimental and theoretical study of magnetic breakdown in magnesium, 3=20155
Priestley,P.T. A thermistor thermometer with digital display, 3=24090
Prieto, F.E. Equation of state of silver, 3=4828
Prieto,F.E. and de Oyarzabal,G.S. Equation of state of solids, 3=22670
Prigogine,I. and de Gottal,P. Correlations in a non-isothermal plasma, 3=21767
Prigogine,I. and Henin,F. Motion of a relativistic charged particle. II, 3=14745
Prikot'ho,A.F. See Broude,V.L., 3=22001
Primachenko,V.E., Limovchenko,V.G., Lyashenko,V.I. and Snitko,O.V. Trapping of minority carriers at a silicon surface, 3=20415
Primak,W.,Dayal,Y. and Edwards,E. Ion bombardment of silicon, 3=10708
Primak, W. and Edwards, E. Radiation-induced dilatations in vitreous silica, 3=4899
Primakoff,H. See Andersen,C.M., 3=15024
Primakoff,H. See Dennery,P., 3=19694
Primakoff,H. See Sher,A., 3=11718
Primas,H. See Banwell,C.N., 3=15381
Primas,H. See Ernst,R., 3=14789
Primas,H. See Ernst,R.R., 3=24498
Princen,H.M. Shape of a fluid drop at a liquid—liquid interface, 3=11773
Princen,L.H. and Clarenburg,L.A. Device for continuous isokinetic aerosol sampling, 3=21008

Principi,P., Rossini,T. and Zetta,L. A 150 kV ion accelerator, 3=19386
Principi,P. See Arecchi,F.T., 3=17152
Prins,J.A. and Tuinstra,F. Some new data on the structure of fibrous sulfur, 3=18371
Priol,M. See Robin,S., 3=21556
Prior,J.R. and Champion,F.C. Electroluminescence in diamond, 3=964
Pripstein,M. See Eberhard,P., 3=14931
Pripstein,M. See Poirier,J.A., 3=15046
Pris,G.V. Transient process in a cylindrical conductor after an external magnetic field is switched off. I., 3=2082
Pris,G.V. Determination of the parameters of ore inclusions from the transient process curve in the method of field establishment. II, 3=2083
Prishivalko,A.P. Study of light scattering from large highly absorbing spherical particles, 3=14370
Pritchard,C. Vapor growth of twinned germanium platelets, 3=20781
Pritchard,D.T. See Bascomb,C.L., 3=7167
Pritchard,G.O. See Miller,G.H., 3=9521
Pritchard,J. Surface-potential study of the chemisorption of hydrogen and carbon monoxide on evaporated copper and gold films, 3=13602
Privorotskii,I.A. Anisotropy of absorption of ultrasound in superconductors, 3=5586
Privorotskii,I.A. On the theory of the absorption of ultra-sound in superconductors, 3=14444
Privorotskii,I.A. Possibility of superconductivity in antiferromagnetics, 3=16857
Privorotskii,I.A. Pairs with a non-zero angular momentum in Fermi systems, 3=23797
Privorotskii,I.A. See Peschanskii,V.G., 3=2722
Prober,R. and Stewart,W.E. Transport phenomena in wedge flows: perturbation solutions for small mass transfer rates, 3=11752
Prober,R. See Stewart,W.E., 3=5409
Probert-Jones,J.R. The radar equation in meteorology, 3=5192
Probstein,R.F. and Fay,J.A. Comments on "Current-layer diffusion in a one-dimensional pinch", 3=14587
Proctor,B.A. See Morley,J.G., 3=8780
Proctor,B.A. See Wilkinson,B., 3=11314
Proctor,W.G. See Averbuch,P., 3=25588
Prodell,A.G. and Steinberger,J. A 170-litre heavy liquid bubble chamber, 3=5905
Prohászka,J. On a mechanism of dislocation formation during dendritic crystallization, 3=10657
Prohofsky,E.W. See Holloway,W.W.,Jr, 3=23102
Prokakis,T.J. See Macris,C.J., 3=5259
Prokesh,A. See Ivanovskaya,I.A., 3=2484
Prokesh,A. See Kuznetsov,E.V., 3=24796
Prokhorov,A.M. Quantum counters, 3=4299
Prokhorov,A.M. Amplification properties of a dielectric filament, 3=17071
Prokhorov, A.M. and Fedorov, V.B. Antiferromagnetism of free radicals, 3=18117
Prokhorov,A.M. See Emel'yanova,E.N., 3=25569
Prokhorov,A.M. See Kaitmazov,S.D., 3=20012
Prokhorov,A.M. See Karlov,N.V., 3=19478
Prokhorov,A.M. See Konyukhov,V.K., 3=19488
Prokhorov, A.M. See Kornienko,L.S., 3=5039
Prokhorov,A.M. See Manenkov,A.A., 3=5042
Prokhorov,A.M. See Manenkov,A.A., 3=6753
Prokhorov,A.M. See Manenkov,A.A., 3=6757
Prokhorov, A.M. See Pashinin, P.P., 3=18134
Prokhorov, A.M. See Pashinin, P.P., 3=18138
Prokhorov,A.M. See Zverev,G.M., 3=1183
Prokhorov,A.M. See Zverev,G.M., 3=15953
Prokhorov,A.M. See Zverev,G.M., 3=24505
Prokhorov,L.V. Contribution of space-like intervals in the S-matrix, 3=2219
Prokof'ev,I.A. See Donskoi,K.V., 3=24156
Prokof'ev,V.K. See Bruns,A.V., 3=23682
Prokof'ev,V.K. See Bruns,A.V., 3=23683
Prokofjev,V.K. and Petrova,N.N. On the question of the presence of oxygen in the atmosphere of Venus, 3=16355
Prokopenko,V.S. Distribution of the magnitudes of magnetization jumps in cylindrical iron films, 3=20599
Prokopenko,V.S. and Pucherov,N.N. Inelastic scattering of 6.9 MeV protons by chromium isotopes, 3=22373
Prokopenko, V.S. See Val'ter, A.K., 3=17457
Prokopyuk,N.F. See Broude,V.L., 3=22001
Prokoshkin,Yu.D. See Dunaitsev,A.F., 3=6030
Prokoshkin,Yu.D. See Dunaitsev,A.F., 3=6031
Prokoshkin,Yu.D. See Dunaitsev,A.F., 3=7884
Prokoshkin,Yu.D. See Dunaitzev,A.F., 3=12495
Prokoshkin,Yu.D. See Dunaitsev,A.F., 3=24754
Prokoshkin,Yu.D. See Dunaitsev,A.F., 3=24769
Prokoshkin,Yu.D. See Lü Min [Lyni Min']. 3=15006
Prokoshkin,Yu.D. See Petrukhin,V.I., 3=12494
Prokoshkin,Yu.D. See Vasilevskii,I.M., 3=4388
Pronik,I.I. and Pronik,V.I. The distribution of early type stars in the galaxy, 3=11578
Pronilna,I.H. See Mikhailov,H.C., 3=21457
Pronyushkin,A.V. See Pelykh,N.A., 3=14094
Prop,J.M.G. See Fortuin,J.M.H., 3=16570
Prophet,H. Heat of formation of methylene, 3=18438
Propst,F. and Lüscher,E. Apparatus for the study of ejection of Auger electrons from solid surfaces, 3=14619
Propst,F.M. Energy distribution of electrons ejected from tungsten by He^{+}, 3=4182
Pröpstl,A. and Wolf,H.C. Fluorescence spectrum of naphthalene crystals between 2° and 100°K, 3=25493
Proriol,J. Importance of symmetries in the calculation of the coulomb energy of He^{3}, 3=17358
Pros,Z. See Vanek,I., 3=3429
Prosdocimi,A. and Deruytter,A.J. A precise determination of the thermal neutron absorption cross section of B^{10} and natural boron by time of flight, 3=12694
Prosen,R.J., Gran,B.E., Kivel,J., Searle,C.W. and Morrish,A.H. Effect of surface roughness on magnetic properties of films, 3=15840
Prosen,R.J.,Holmen,J.O.,Gran,B.E. and Cebulla,T.J. Influence of minor constituents in ferromagnetic films, 3=1074
Proshko,G.P. See Bagaev,V.S., 3=15679
Proskura, A.I. See Gold'man, A.G., 3=18050
Prosperi,D. See Giannini,M., 3=10355
Prosperi,D. See Giannini,M., 3=15209
Prosperi,G.M. On the analytic continuation of the S-Matrix in angular momentum, 3=2205
Prosser,F. and Goodman,L. Theory of n.m.r. chemical shifts in conjugated fluorine compounds, 3=8299
Prosser,F. See Taft,R.W., 3=8300
Prosser,F.W., Jr,Krone,R.W. and Singh,J.J. C^{13}(p,γ)N^{14} reaction and the 9.17, 7.03, and 6.44 MeV states in N^{14}, 3=8094
Prosser,R.T. Relativistic potential scattering, 3=21247
Prosser,V. See Smith,S.D., 3=10823
Prostějovský,J. See Studnicka,J., 3=9754
Protas,I.R. See Denisyuk,Yu.N., 3=24068
Protasov,V.P. See Demidov,V.S., 3=6059
Protasov,V.P. See Demidov,V.S., 3=24781
Protopopov,A.N. See Blinov,M.V., 3=6311
Protopopov,A.N. See Blinov,M.V., 3=15242
Prout,E.G. See Nassimbeni,L.R., 3=13435
Provder,T. See Vaughan,W.E., 3=21389
Proverbio,E. Comparison between atomic frequency standards, 3=7173
Proverbio,E. Provisional astronomical latitude and longitude of the station at Mount Conero during the total solar eclipse of 15 February 1961, 3=9191
Provotorov,B.N. On magnetic resonance saturation in crystals, 3=3191
Provotorov,B.N. Quantum-statistical theory of cross-relaxation, 3=5372
Provotorov,B.N. Double magnetic resonance in crystals, 3=20663
Provotorov,B.N. See O'Khov,O.A., 3=23214
Prowse,W.A.,Rowbotham,J.R. and Monk,P.G. Statistical and formative time lags in ultra-high frequency gas breakdown, 3=7491
Prozorov,V.A. See Soboleva,N.S., 3=11606
Prozorov,V.A. See Zakharenkov,V.F., 3=13933
Prudnikov,A.G. and Sagalovich,V.N. Statistical description of a turbulent stream, 3=1668
Prudnikov,M.M. Spectral analysis of the Friedman-Keller equations of homogeneous turbulence, 3=18785
Prueitt,M.L. The excitation temperature of lightning, 3=13685
Pruett,J.R. Determination of the lifetime of the 0.559-MeV level of Se^{76} using nuclear resonance fluorescence, 3=10262

Pruitt,J.S. and Domen,S.R. Calorimetric calibration of an ionization chamber for determination of X-ray total beam energy, 3=2151
Prushchak,T.A. See Korolyuk,A.P., 3=2723
Pruschek,R. Effect of the temperature-dependent properties of matter on the temperature field in the coolant current at the core outlet, 3=2535
Pruschek,R. Numerical calculation of the temperature field in the coolant flow leaving the core of the pebble-bed reactor, 3=22451
Pruski,S. The generalized asymptotic series, 3=3704
Pruski,S. On the use of generalized asymptotic series in deriving the asymptotic expansions for special functions, 3=9321
Pruski,S. On the theory of helical waveguides. I. 3=14774
Prutton,M. See Astwood,P., 3=11057
Prutton,M. See Doyle,W.D., 3=15837
Prutton,M. See Flanders,P.J., 3=15836
Prutton,M. See Green,A., 3=24010
Prutton,M. See Leaver,K.D., 3=23171
Pruzansky,S. Pattern-matching procedure for automatic talker recognition, 3=11624
Przhevuskii,A.K. See Kaplyanskii,A.A., 3=18025
Pry,R.H. and Mitoff,S.P. Positive temperature coefficient of electrical resistivity in some ZnO—TiO$_2$—NiO ceramics, 3=13117
Pshenichkin,P.A. Paramagnetism of Mn—Cu alloys above the melting point, 3=23906
Pshenichkin,P.A. See Volkov,D.I., 3=3081
Ptitsy̆n,K.N. See Bartenev,L.S., 3=1914
Ptitsy̆n,O.B. Theory of polyelectrolyte solutions, 3=21346
Ptitsy̆n,O.B. See Birshtein,T.M., 3=21345
Ptitsyna,E.A. See Zaidel',A.N., 3=24303
Ptukha,T.P. Thermal conductivity and diffusion of weak He^3—He^4 solutions on the temperature range from the λ-point to 0·6°K, 3=3939
Ptushinskii,Yu.G. The influence of adsorption on the resistance of thin metallic films. II. Electropositive atoms, 3=13040
Ptushinskii,Yu.G. and Chuikov,B.A. Interaction of a barium oxide molecular beam with an incandescent tungsten surface, 3=23541
Ptushins'kii,Yu.G. and Panchenko,O.A. Change in the electrical resistance of thin metal films during adsorption, 3=20271
Pu Fu-cho and Cheng Chin-chi. Spin configuration of magnetic substances, 3=25499
Pu Fu-cho and Cheng Chin-chi. Influence of the scattering between spin waves on ferromagnetic resonance absorption, 3=25555
Pu Fu-cho [P'u Fu-ch'o] and Mén Syan'-chzhen' [MêngHsiên-Chên] The problem of the spin-wave spectrum, 3=15761
Pu Fu-cho. See Mon Sian-chen, 3=18120
P'u Fu-ch'o. See Pu Fu-cho, 3=15761
Puchalska,I.B. and Spain,R.J. Thin film switching as observed by electron microscopy, 3=20597
Puchalska,I.B. See Spain,R.J., 3=18085
Pucherov,N.N. See Nemets,O.F., 3=19880
Pucherov,N.N. See Prokopenko,V.S., 3=22373
Puchkov,B.I.,Rakhshtadt,A.G. and Rogel'berg,I.L. Influence of deformation and annealing on the anisotropy of the elastic limit in the alloy of copper with 7% aluminium, 3=11143
Puchkowskii,V.V. and Myakinin,E.G. Thermal breakdown of a two-layer dielectric, 3=8564
Puff,H. Theory of secondary electron emission of metals on a free electron model, 3=4184
Puff,H. See Brauer,W., 3=7639
Puff,R.D. See Pratt,G.W.,Jr, 3=983
Puff,R.D. See Reynolds,J.C., 3=15081
Pugachev,N.S. See Matyushenko,N.N., 3=20839
Pugachevich,P.P. See Zadumkin,S.N., 3=7194
Pugachova,G.I. See Vavilov,Yu.N., 3=22239
Pugh,D. See Cohan,N.V., 3=20135
Pugh,E.N. and Samuels,L.E. Dislocation arrays produced in germanium by room-temperature deformation, 3=10669
Pugh,E.N. and Samuels,L.E. Dislocation cracks in abraded germanium surfaces, 3=12981
Pugh,E.N. See Haneman,D., 3=23382
Pugh,H.G. See James,A.N., 3=12551
Pugh,H.Ll.D.,Chang,S.S. and Hopkins,B.E. Tensile properties of a high-purity iron from −196° C to 200° C at two rates of strain, 3=15991
Pugh,H.Ll.D.,Hodgson,G. and Gunn,D.A. Tensile strain measurement under high hydrostatic pressure using an optical method, 3=13343
Puglisi,M. See Amman,F., 3=12267
Pujol,Y. See Brochet,C., 3=3395
Pukh,V.P. See Vitman,F.F., 3=3229
Pukh,V.P. See Vitman,F.F., 3=15984
Pukh,V.P. See Vitman,F.F., 3=16004
Pull,I.C. See Buckler,P.A.C. 3=10418
Pullen,D.J. See Macefield,B.E.F., 3=17495
Pul'tsin,N.M. and Pokrovskaya,V.B. Effect of heat treatment of the structure and hardness of the titanium–4% chromium alloy, 3=20879
Pundsack,A.L. Analysis of thin-film germanium epitaxially deposited onto calcium fluoride, 3=23416
Pundt-Meyer,G. Covariant quantization of the electrodynamic field for non-vanishing photon masses, 3=536
Punetha,L.M. See Bappu,M.K.V., 3=16378
Punhani,S.L. See Vachaspati, 3=24437
Pupke,H. See Drost,H., 3=4063
Puranik,P.G. and Kumar,V. The charge transfer theory of the hydrogen bond. I, 3=25087
Puranik,P.G. and Sirdeshmukh,L. Structure of formamide and its force constants, 3=2648
Purcell,E.M.,Collins,G.B.,Fujii,T.,Hornbostel,J. and Turkot,F. Search for the Dirac monopole with 30 BeV protons, 3=10069
Purcell,J.R. and Payne,E.G. High-field liquid H$_2$-cooled aluminum-wound magnet, 3=21931
Purdie,N. See Nancollas,G.H., 3=16040
Puri,O.P. Shellac wax electrets, 3=25410
Purica,I.I. On the theory of the pile oscillator method for determining the cross-sections of neutron—nucleus interaction, 3=25007
Purika,I.,Roshesku,T.,Sabeu,M.,Fodor,G.,Ieremiya,V., Dzheordzhesku,P.,Karageorgiev,K. and Pavekesku,M. Subcritical assembly for studies in the field of reactor physics, 3=25011
Puris,T.E. See Zemskov,V.S., 3=20793
Purkayastha,S. See Kar,K.C., 3=40
Purl,S.M. and Geballe,T.H. Quantum transport in n-germanium, 3=4914
Purser,K.H. and Wildenthal,B.H. The B^{10} (d, α) Be^8 reaction and the 2·94 MeV state in Be^8, 3=19874
Pursey,D.L. Irreducible presentations of the "unitary symmetry" group, 3=24597
Pusat,N. See Holmes,R., 3=6431
Püschel,W. See Giacomelli,G., 3=10167
Pusey,P.S.,Lapworth,K.C. and Metherell,A.F. Determination of ion density and temperature of a water-stabilised arc from observations of the line profiles of the hydrogen lines Hβ and Hγ, 3=21752
Pushkin,A.I. Bezuglyĭ,N.A., 3=22685
Pusterla,M. See Ferrari,F., 3=7922
Pustovoit,A.K. See Madedonskii,V.L., 3=14636
Pustovoit,V.I. Conductivity of plasma media in the presence of a drift, 3=16939
Pustovoit,V.I. See Gertshtein,M.E., 3=22920
Pustovoit,V.I. See Gertsenshtein,M.E., 3=1591
Pustyl'nik,B.I. See Kalinkin,B.N., 3=15232
Pushkarev,O.E. See Gubanov,A.I., 3=21959
Pushkin,A.I. See Bezuglyĭ,P.A., 3=6469
Pustovalov,G.E. Calculation of the 2p → 1s transition energy in μ-mesic atoms, 3=15315
Pustovoit,V.I. and Gertsenshtein,M.E. Gravitational radiation by a relativistic particle, 3=5335
Pustovoit,V.I. See Gertsenshtein,M.E., 3=1978
Putseiko,E.K. See Akimov,I.A., 3=2967
Putseiko,E.K. See Markevich,N.N., 3=17964
Puttick,K.E. Crystallographic surface features on tin ingots, 3=18341
Puzanov,V.V. See Antonov,A.V., 3=4401
Puzey,I.M. Magnetic anisotropy of monocrystals of alloys Fe—Co—Ni, 3=1097
Puzei,I.M. Crystal and magnetoelastic anisotropy and its temperature dependence in iron—nickel single crystals, 3=18075
Puzei,I.M. New composition region of high-permeability alloys in the system Fe—Ni—Mo, 3=25538
Puzei,I.M. See Goman'kov,V.I., 3=23478
Puzey,I.M. See Lyashenko,B.G., 3=1355

Puzikov,L.D. See Baz',A.I., 3=5956
Pyatenko,Yu.A. See Voronkov,A.A., 3=13474
Pyatnitskii,L.N. The mechanism of flame acceleration during a passage from normal burning to a detonation, 3=3392
Pyatov,N.I. See Lyu Yuian'[Ly Yang], 3=4561
Pyatov,N.I. See Zakhar'ev,B.N., 3=2399
Pyatt,K.D., Jr. See Breit,G., 3=584
Pye,J.J. See Drew,B., 3=17792
Pyka,M.R. See Doede,J.H., 3=10162
Pylaeva,E.N. See Kripyakevich,P.I., 3=16093
Pyle,J. See Galasso,F., 3=13514
Pyle,R.V. See Diaz,J.A., 3=8145
Pyle,R.V. See Kaplan,S.N., 3=19176
Pyle,R.V. See Kaplan,S.N., 3=24213
Pyt'ev,Yu.P. On connection between classical and wave mechanics, 3=14026

Quade,C.R. and Lin,C.C. Internal rotation in completely asymmetric molecules. I. A general theory and analysis of the microwave rotational spectrum of CH_2DCOH, CD_2HCOH, and $CHOOCH_2D$, 3=8288
Quade,C.R. See Brumage,W.H., 3=20548
Quader,M.A. See Dey,B.N., 3=25735
Quader,M.A. Internal friction in Au-Ni alloy, 3=1217
Quail, J.W. See Bacon, J., 3=17613
Quareni,G. See Giacomelli,G., 3=10167
Quareni-Vignudelli,A. See Giacomelli,G., 3=10167
Quarmby,A. See Hatton,A.P., 3=274
Quarrington,J.E. See Fray,S.J., 3=18961
Quassiati,B. See Marzari-Chiesa,A., 3=19695
Quattropani,A. Heat resistance by spin wave—spin wave scattering in a ferromagnetic, 3=10617
Quattropani,A. See Cotti,P., 3=10728
Quear,R.E. See Kronenberg,K.J., 3=20920
Queisser,H.J. Properties of twin boundaries in silicon, 3=11215
Queisser,H.J. and Goetzberger,A. Microplasma breakdown at stair-rod dislocations in silicon, 3=20351
Queisser,H.J. Oxygen impurity atmospheres around dislocation in silicon, 3=22761
Queisser,H.J. See Finch,R.H., 3=10680
Quemada,D. See Delcroix,J.L., 3=12215
Quenby,J.J. See Durney,A.C., 3=6967
Quercigh,E. and Herz,A.J. Production of high magnetic fields by the use of an unconstrained mercury coil, 3=21935
Quéré,Y. Interactions between quenched-in vacancies and impurities in metals and alloys, 3=8424
Quéré,Y. Interactions between quenched vacancies and oxygen in silver, 3=22747
Quéré,Y. See Jousset,J.C., 3=20270
Querzoli,R. and Silvestrini,V. On the quantum numbers of the η particle, 3=10164
Querzoli,R. See Bacci,C., 3=22187
Querzoli,R. See Bernardini,C., 3=17005
Quesne,C. Excitation of three-phonon vibrational states by inelastic α-particle scattering, 3=22286
Quigley,T.J. See Rouy,A.L., 3=16807
Quilliet,A.,Rodot,H. and Rodot,M. Electrical and optical propertie of high-purity HgTe, 3=10835
Quinn,J.J. and Rodriguez,S. Electrodynamic properties of a quantum plasma in a uniform magnetic field, 3=4129
Quinn,J.J. and Rodriguez,S. Quantum effects in ultrasonic attenuation in metals in a magnetic field, 3=4816
Quinn,J.J. The diamagnetic susceptibility of a quantum plasma, 3=19231
Quinn,J.J. The range of hot electrons and holes in metals, 3=20146
Quinn,J.M.P. See Bodin,H.A.B., 3=12155
Quinn,J.M.P. See Bodin,H.A.B., 3=12156
Quinn,T.F.J. A topographical and crystallographic study of the surfaces of rubbed electrographite, 3=6807
Quinn,T.P. See Nisbet,J.S., 3=13770
Quinn,W.E. See Little,E.M., 3=12206
Quinn,W.E. See Little,E.M., 3=19266
Quinton,A.R. See Seaman,G.G., 3=17500
Quist,T.M.,Rediker,R.H.,Keyer,R.J.,Krag,W.E.,Lax,B., McWhorter,A.L. and Zeigler,H.J. Semiconductor maser of GaAs, 3=9971
Quist,T.M. See Galeener,F.L., 3=20542
Quitmann,D. Measurement of the 2P—1S transition energy in the muonic barium atom, 3=8218
Quittet,A.M. See Bousquet,C., 3=25660
Quivy,M. See Goldsztaub,S., 3=1262
Quivy,R. Precise determination of the γ-absorption coefficient, 3=19602
Qurashi,M.M. Use of the anti-symmetric component of the Patterson and Fourier functions for the solution of problems involving small atomic shifts from positions of super-symmetry, 3=13444
Quynn,R.G. Internal volume in fibers, 3=13551

Raab,B. Power-producing shield for space reactors, 3=22454
Raab,D.H. and Osman,E. Effect of masking noise on lateralization and loudness of clicks, 3=1555
Raab, D.H. and Osman, E. Magnitude estimation of the loudness of clicks, 3=3676
Raab,D.H., Osman,E. and Rich,E. Intensity discrimination, the "pedestal" effect, and "negative masking" with white-noise stimuli, 3=21159
Rabani,J. and Stein,G. Yield and reactivity of electrons and H atoms in irradiated aqueous solutions, 3=3410
Rabani,J. See Jortner,J., 3=3405
Rabbiner,N. Fluorescence of Sm^{3+} in CaF_2, 3=13203
Rabbiner,N. Fluorescence of Dy^{3+} in CaF_2, 3=25481
Rabe,E. and Schanzle,A. Periodic librations about the triangular solutions of the restricted earth-moon problem and their orbital stabilities, 3=7021
Raben,I.A. See Nevill,G.E.,Jr., 3=19048
Rabenau,A. See Ford,R.A., 3=20072
Rabin,H. Thermal production of F-aggregate centers in KCl, 3=4891
Rabin,H. X-ray generation of M centers in alkali halides, 3=22845
Rabin,H. See Hughes,F., 3=15676
Rabinovici,B. Tunnel diode decade counter, 3=5611
Rabinovich,E.Ya. See Samoilovich,A.G., 3=25500
Rabinovich,G.D. Methods for determination of optical characteristics of selectively absorbing semi transparant materials, 3=9598
Rabinovich,M.S. See Askar'yan,G.A., 3=12174
Rabinovich,M.S. See Levin,M.L., 3=24295
Rabinovich,V.A. Calculation of the thermodynamic properties of deuterium, 3=23929
Rabinovitch,B.S.,Kubin,R.F. and Harrington,R.E. Unimolecular decomposition in nonequilibrium systems. sec-butyl and sec-butyl-d_1 radicals produced by chemical activation at different levels of vibrational excitation, 3=8965
Rabinovitch,B.S. See Current,J.H., 3=11347
Rabinovitch,B.S. See Current,J.H., 3=16154
Rabinovitch,B.S. See Falconer,W.E., 3=20993
Rabinovitch,B.S. See Kohlmaier,G.H., 3=12878
Rabinovitch,B.S. See Kohlmaier,G.H., 3=12879
Rabinovitch, B.S. See Whitten, G.Z., 3=17556
Rabinovitch,K. and Perel,J. Dependence of the extended fine structure of the K-absorption edge in a Ge single crystal on the direction of polarization, 3=20500
Rabinowitz,M. See Donaldson,E.E., 3=9759
Rabkin,L.I. and Novikova,Z.I. Concerning correlation between the electric and magnetic properties of Ni—Zn ferrites, 3=8684
Rabot,R. See Emschwiller,G., 3=13165
Rabotkin, V.L. Electroluminescence of ZnS:Cu:Pb microcrystals, 3=20545
Raboy,S. See Monahan,J.E., 3=6198
Raccah,P. and Vallet,P. A new system of isotherms of solid wüstite, 3=5076
Rachal,L.H. See Sosin,A., 3=15489
Rachkov,V.P. See Der-Shvarts,G.V., 3=2032
Rachman,A. Analysis of the microwave spectrum of meta-fluoro-chloro-benzene, 3=4768
Racine,J. See Menoud,C., 3=9992
Rack,E.P.,Lang,C.E. and Voigt,A.F. Influence of structure of gaseous products from C^{11} recoil reactions in C_6 hydrocarbons, 3=11359
Raco,R.J. See Peskin,R.L., 3=23850
Raczka,R. Angular momentum wave function for three relativistic pions, 3=4348

Raczy,L.,Constant,E. and Moriamez,M. Use of static and complex polarization for the study of intermolecular associations. Applications to several tertiary alcohols, 3=21396
Radak,B. and Marković,V. Isothermal calorimeter for reactor radiation dosimetry, 3=696
Radchenko,I.V. Forty-five years of the X-ray study of liquids, 3=21303
Radcliffe, S.V., Kaufman, L. and Cohen, M. Comments on "Thermodynamics of the martensite transformation", 3=5122
Radcliffe,S.V.,Schatz,M. and Kulin,S.A. The effects of high pressure on the isothermal transformation of austenite in iron—carbon alloys, 3=11286
Radcliffe,S.V. See Tanner,L.E., 3=6866
Radczewski,O.E. and Schädel,J. A method of investigating ultra thin slices of minerals, 3=23533
Radeka,V. A tunnel diode and common-base transistor complementary bistable, 3=14490
Radeloff,J. See Körner,H.J., 3=8013
Radeloff,J. See Bodenstedt,E., 3=2391
Radelt, H. Temperature dependence of the magnetic susceptibility of single crystals of tellurium, 3=18063
Rademacher,K. See Hess,H., 3=16920
Rademacher,K. See Hess,H., 3=19225
Rademacher,K. See Hess,H., 3=21740
Rademacher,K. See Seliger,K., 3=19261
Radford,H.E. and Broida,H.P. Chemical and magnetic enhancement of perturbed lines in the violet spectrum of CN, 3=8253
Radford,H.E. and Linzer,M. Radio spectrum of SH, 3=19988
Radford,H.E. Ten-kilocycle pound-type klystron stabilizer, 3=14765
Radford,H.E. See Barger,R.L., 3=6390
Radha,T.K. See Ramakrishnan, A., 3=610
Radhakrishna,L. Space-times associated with weighted mean Christoffel symbols, 3=16516
Radhakrishna,L. See Misra,M., 3=472
Radhakrishna,L. See Roy,S.R., 3=23741
Radhakrishna Setty,D.L. See Dharmatti,S.S., 3=20676
Radhakrishnan, M. Potential constants of some XY$_4$ type of silane compounds, 3=17588
Radhakrishnan,M. Thermodynamic properties of SF$_4$ and SOF$_4$, 3=21445
Radhakrishnan,V. See Morris,D., 3=9277
Radionova,E.A. Measuring the intensity of a brief sound signal at the first neutron level of the auditory system, 3=18677
Radionava,E.A. See Avakyan,R.V., 3=18676
Radler,K.H. See Steenbeck,M., 3=16932
Radlow,J. and Ericson,W.B. Transverse magnetohydrodynamic flow past a semi-infinite plate, 3=2105
Rado,G.T. Statistical theory of magnetoelectric effects in antiferromagnetics, 3=4900
Rado,G.T. and Folen,V.J. Magnetoelectric effects in an antiferromagnet, 3=834
Radojević,M.P. See Koički,S.D., 3=6179
Radojevic,V., Sobiczewski,A. and Szymanski,Z. Calculation of the rotation gamma-vibration interaction in the rare-earth nuclei, 3=2381
Radojičić,D. See Chadwick,G.B., 3=10117
Radoń,T. See Nikliborc,J., 3=8928
Radoslovich,E.W. See Norrish,K., 3=461
Radoszewski,T. Carbon-14 and tritium measurements using liquid scintillation counter, 3=8022
Raduletz,R. and Timotin,A. The rationalized system in electromagnetism and its interpretation possibilities, 3=5313
Radvanyi,P. See Kowalski,L., 3=10400
Radwan, M. Use of the autoradiography for structure investigations of alloys, 3=3318
Rae,A.G.A. See Farago,P.S., 3=24691
Rae,A.I.M. and Maslen,E.N. An analysis of possible methods for refining a noncentrosymmetric structure containing a partial centre of symmetry, 3=23434
Rae,D. The measurement of the coefficient of friction of some rocks during continuous rubbing, 3=20763
Rae,E.R. See Firk,F.W.K., 3=19655
Raes,A.C. Static and dynamic transmission losses of partitions, 3=18954
Raether,H. Energy loss spectrum of electrons in transmission and reflexion, 3=20151
Raether,H. See Creuzburg,M., 3=4857
Raether,H. See Wagner,K.H., 3=12077
Raether,H.A. Measurements on elastic and inelastic scattering intensities of electrons, 3=1302
Raether,M. See Chen,C.L., 3=4724
Rafal'ski,V. and Mints,S. The mechanism of cathode process in the preparation of thorium—zinc alloys in fused salts. III. electronic conductance in fused salts, 3=1394
Raff,L.M. See Kuppermann,A., 3=4740
Raffel,J.I. See Anderson,A.H., 3=14730
Raghavacharyulu,I.V.V. and Shrestha,C.B. Irreducible representations of spin double line groups, 3=2683
Raghavan,K.S. See de Meester,P., 3=1367
Raghavan,R., Sreekantan,B.V., Subramanian,A. and Verma,S.D. Energy spectrum of nuclear active particles as determined by a total absorption spectrometer at 2·2 Kms, 3=4509
Raghavan,R. See Lal,S., 3=4533
Raghavan,R. See Lal,S., 3=17200
Raghavan,R.S. and Steffen,R.M. Beta decay and spin of the Pr^{144} ground state, 3=19753
Raghavan,S. and Ramanathan,Y. The radiation error of Indian radiosondes, 3=16205
Raghavendra Rao,C. See Chidambaram,R., 3=8740
Raghupathi Rao,C. Dependence of angular width of high-frequency diffraction [of light] on sound wavelength, 3=11938
Raghupathi Rao,C. Angular width of high-frequency diffraction in acetone, 3=21356
Raghupathy Sarma, V. See Ramachandran, G.N., 3=18304
Ragle,J.L. Electron spin resonance study of partially reduced vanadium pentoxide, 3=15950
Ragle,J.L. See Marram,E.P., 3=8745
Rahlfs,P. Indicating thermometer testing, 3=24089
Rahm,D. See d'Andlau,C., 3=17328
Rahman,A. Intermediate scattering function in slow neutron scattering, 3=12682
Rahman Khan,M.Z. The radial distribution of the imaginary part of the nuclear optical potential at low energies, 3=12543
Rahmouni,O. See Dulieu,P., 3=10423
Rahn,A. Response capacity of corona spark counters, 3=12369
Rai,D.K. Application of the WKB method to the diatomic molecules, 3=15324
Raich,J.C. and Good,R.H.,Jr. Discussion of quadrupole precession, 3=12561
Raimes,S. The rigid-band model, 3=8391
Raimondi,D.L. See Clementi,E., 3=17521
Raines,J.A. See Moncaster,M.E., 3=14829
Rainwater,J. See Frati,W., 3=6370
Raith,W. Investigations on spin polarization of electron beams, 3=19332
Raith,W. and Schliepe,R. Polarization measurements on electron beams after transmismission through magnetized iron foils, 3=2042
Rajagopal,A.K. A note on plasma oscillations in a magnetic field, 3=19292
Raja Gopal,E.S. Effect of the attenuation of the ultrasonic wave on the diffraction of light by it, 3=19019
Rajagopalan,K.S. See Fleischmann,M., 3=16170
Rajagopalan,N.S. and Ghosh,S.K. Measurements of some electrical and thermoelectrical properties of antimony telluride films, 3=8514
Rajagopalan,P.K. See Kesavamurthy,N., 3=23149
Rajagopala Rao,P. See Sharda,B.L., 3=21520
Rajalakshmi,K.V. See Venkateswarlu,K., 3=2626
Rajalakshmi,K.V. See Venkateswarlu,K., 3=12797
Rajalakshmi,K.V. See Venkateswarlu,K., 3=12799
Rajalakshmi,K.V. See Venkateswarlu,K., 3=20004
Rajan,R. Absolute intensity of electron spin resonance absorption of cupric ammonium chloride single crystals, 3=1185
Rajan,R. Electron spin resonance in cupric acid fluoride, 3=5038
Rajan,R. Electron spin resonance in ethylene diamine copper (II) nitrate, 3=8706
Rajappa,N. See Viswanathan,K.S., 3=23871
Rajappa,N.R. On the analogy between vibration and buckling phenomena of rectangular orthotropic plates, 3=16676
Rajappa,N.R. Affine relations for vibration problems of isotropic and orthotropic plates, 3=23959
Rajaraman,R. Three-nucleon clusters in nuclear matter, 3=4552

Rajaraman,R. Three-body effect in nuclear matter to all orders of perturbation, 3=19748
Raja Rao,K.S. Solar daily geomagnetic variation in the low latitude region, 3=1480
Raja Rao,K.S. A comparative study of the geomagnetic S and L fields in the low latitude region, 3=13829
Raja Rao,K.S. and Thomas,C.T. Lunar and solar geomagnetic tides in the geomagnetic equatorial region. III. Geomagnetic tidal variations at Apia, 3=1479
Rajchman,J.A. Magnetic memories—capabilities and limitations, 3=14729
Rajdev,D. and Whitmore,D.H. Debye temperature for cadmium derived from low-temperature specific heat measurements, 3=2733
Rajeswari,G.K. Laminar boundary layer on rotating sphere and spheroids in non-Newtonian fluids, 3=9409
Rajeswari,G.K. See Bhatnagar,P.L., 3=9425
Rajeswari,G.K. See Bhatnagar,P.L., 3=16590
Rajnak, K. Approximate excited eigenfunctions for Pr^{3+} and Tm^{3+}, 3=2572
Rakavy,G. and Yeivin,Y. The transport approximation of the energy-dependent Boltzmann equation, 3=12463
Rakavy,G. See Burde,J., 3=10266
Rakavy,G. See Nebenzahl.I., 3=7980
Rakavy,M. See Burde,J., 3=10266
Rakhimbabayev,Ya.R. See Borodin,A.V., 3=21831
Rakhmanova,É.P. See Kamenetskaya,D.S., 3=21624
Rakhshtadt,A.G. See Puchkov,B.I., 3=11143
Rakin, G.V. See Gusev, S.M., 3=17971
Rakin,G.V. See Tovstyuk,K.D., 3=25358
Rakos,M. Nuclear magnetic resonance of some oils, 3=23913
Rakov,A.V. Temperature dependence of the band width of infrared absorption spectra, 3=8286
Raleigh,D.O. Electronic conduction in $Bi-BiI_3$ melts. A theoretical model, 3=11806
Ralph,B. and Brandon,D.G. A field ion microscope study of some Tungsten–Rhenium alloys, 3=18340
Ralph,B. See Brandon,D.G., 3=17775
Ralph,B. See Brandon,D.G., 3=22706
Ralph,J.C. Electrical-conductivity measurements on caesium vapour and caesium-plus-inert-gas mixtures, 3=23939
Ralph,J.C. Low voltage glow discharge in atmospheric pressure argon with small additions of caesium and potassium, 3=24241
Ralph,J.E. See Halperin,A., 3=20238
Ram,M. and Rosen,N. Investigation of the mass renormalization method in quantum field theory, 3=14849
Rama. Atmospheric circulation from observations of natural radioactivity, 3=25909
Rama. See Bhandari,N., 3=18499
Rama. See Bhandari,N., 3=25902
Ramachandran,G. See Devanathan,V., 3=2430
Ramachandran,G. See Devanathan,V., 3=12654
Ramachandran,G.N. and Parthasarathy,R. Determination of space-groups using anomalous dispersion, 3=8826
Ramachandran,G.N. and Parthasarathy,R. Anomalous extinction effects in X-ray reflection by crystals, 3=8828
Ramachandran, G.N, Srinivasan, R. and Raghupathy Sarma, V. Probability distribution connected with structure amplitudes of two related crystals. I. Probability distribution of the difference, 3=18304
Ramachandran,G.N. See Parthasarathy,R., 3=13425
Ramachandran,G.N. See Raman,S., 3=1321
Ramachandran,P.N. and Salomon,R.E. High voltage photovoltaic effect at low temperatures, 3=15636
Ramachandra Rao, B. and Ranga Rao, D. Balanced bridge thermocouple circuit for measurement of crystal currents, 3=3974
Ramachandra Rao,B. See Balarama Rao,P., 3=13751
Ramachandra Rao,B. See Balarama Rao,P., 3=16270
Ramachandra Rao, B. See Gopal Rao, M.S.V., 3=5217
Ramachandra Rao,B. See Krishnamurthy,B.V., 3=2133
Ramachandra Rao,B. See Krishnamurthy,B.V., 3=9087
Ramachandra Rao,B. See Krishnamurthy,B.V., 3=13766
Ramachandra Rao,B. See Krishnamurthy,B.V., 3=18540
Ramachandra Rao,B., See Krishnamurthy,B.V., 3=18543
Ramachandra Rao,B. See Padmini,P.R.K.L., 3=7204
Ramachandra Rao,B. See Padmini,P.R.K.L., 3=21357
Ramachandra Rao,B. See Reddy,C.A., 3=9079
Ramachandra Rao,B. See Sanyasi Rao,A., 3=16274
Ramachandra Rao,B. See Seshagiri Rao,M.G., 3=1684
Ramachandra Rao,B. See Seshagiri Rao,M.G., 3=11792
Rama Krishna,J. Rotation of a sphere in a liquid: methods for the determining of the abolsute viscosity of liquids, 3=23839
Ramakrishna,V., Pillai,P.K.C. and Katti,P.K. Effect of electric fields on the boiling points of liquids, 3=16839
Ramakrishnan,A., Thunga,R., Radha,T.K., Bhamathi,G. and Indumathi,S. Dispersion analysis of Ξ production in $\bar{K}N$ collisions, 3=610
Ramakrishnan,T.V. See Agrawala,V.K., 3=4398
Ramakrishna Rao,M. See Ramesam,J., 3=13542
Ramakrishna Rao,U. See Dharmatti,S.S., 3=20676
Rama Krishna Rao,V., Kaila,T.R., Mehta,K.R., Mathur,K.C. and Sarma,M.S.R.S. Infrared filters for the region $0.8-1.2\mu$, 3=9604
Ramamoorthy,P. Laminar boundary - layer equations at low magnetic Reynolds number, 3=4259
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. I. Introduction, 3=754
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. II. The free modes of atomic vibration, 3=755
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. III. The interatomic forces, 3=756
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. IV. The equations of motion, 3=757
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. V. The evaluation of the frequencies, 3=758
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. VI. The atomic vibration spectra, 3=759
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. VII. Evaluation of the specific heats, 3=760
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. VIII. Their infra-red activity, 3=761
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. IX. Spectral shifts in light scattering, 3=762
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. X. The lithium salts, 3=763
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. XI. The sodium salts, 3=764
Raman,C.V. The specific heats of the alkali halides and their spectroscopic behaviour. XII. The potassium and rubidium salts, 3=765
Raman,C.V. The role of the retina in vision, 3=1572
Raman,C.V. Spectroscopic evaluation of the specific heats of potassium bromide, 3=12926
Raman, C.V. The infrared behaviour of the alkali halides, 3=17994
Raman, C.V. The infrared behaviour of diamond, 3=18003
Raman,C.V. The dynamics of the fluorite structure and its infrared behaviour, 3=10939
Raman,C.V. The dynamics of the fluorite structure and its infrared behaviour. II. The free modes of vibration, 3=10940
Raman,C.V. The dynamics of the fluorite structure and its infra-red behaviour. III. Activity of the normal modes, 3=10941
Raman,C.V. The dynamics of the fluorite structure and its infra-red behaviour. IV. The spectrophotometer records, 3=10942
Raman,C.V. The infra-red behaviour of sodium fluoride, 3=10966
Raman,C.V. The two species of fluorite, 3=15703
Raman,S. and Ramachandran,G.N. Structure of a new carbide of titanium, 3=1321
Raman,S. See Saxena,S.C., 3=166
Raman,V.C. The luminescence of fluorspar, 3=8616
Ramana,Y.V. and Subrahmanyam,Y. Variation of Young's modulus in limestones, 3=15973
Ramanadham,R. and Jaganmohana Rao,P. A recording thermistor radiometer, 3=11408
Ramanadham,R. and Murty,A.V.S. A thermistor thermometer for field studies, 3=7376
Ramanadham,R. and Nagamuneswara Rao,K. A thermistor rain thermometer, 3=13656
Ramanadham,R. and Nagamuneswara Rao,K. An electronic anemometer, 3=16641
Ramana Murty,B.V. and Srivastava,R.C. Some interesting precipitation field patterns as revealed by radar, 3=13670

Ramana Murty,B.V. See Biswas,K.R., 3=13669
Ramana Murthy,P.V.,Sreekantan,B.V.,Subramanian,A. and Verma,S.D. A total absorption spectrometer for measuring the energies of nuclear interacting particles of the cosmic radiation in the energy range of a few GeV to a few hundred GeV, 3=24813
Ramana Murthy,P.V. See Menon,M.G.K., 3=19608
Ramana Rao,A.V. and Krishnan,A.A. The properties and sintering behaviour of carbon-reduced copper powders, 3=13552
Ramanathan,A.S. and Jayanthan,R. Distribution of sunspots in longitude, 3=11537
Ramanathan,K. and Johannes,R. Luminosity and spectral studies of an MgO cold cathode, 3=20544
Ramanathan,S. See Patel,A.R., 3=807
Ramanathan,S. See Patel,A.R., 3=1259
Ramanathan,S. See Patel,A.R., 3=23381
Ramanathan,S. See Patel,A.R., 3=25661
Ramanathan,Y. See Raghavan,S., 3=16205
Ramanna,R.,Nair,K.G. and Kapoor,S.S. Emission of alpha particles in the fission process, 3=8144
Ramanna,R. See Kapoor,S.S., 3=17504
Rama Rao,J.,Lakshminarayana,V. and Jnanananda,S. Absolute pair cross-sections at 1.119 MeV, 3=12655
Rama Rao,P. and Anantharaman,T.R. Elastic anisotropy and lattice strain in deformed cobalt powder, 3=1231
Rama Rao,P. and Anantharaman,T.R. Incidence of heavy deformation faulting in f.c.c. alloys, 3=8418
Rama Rao, P.N. See Kapoor, S.S., 3=17504
Ramaswamy,M.K. On l-forbidden M1 transitions, 3=10239
Ramaswamy,M.K. Spin of the 169 keV-level in titanium-47, 3=12587
Ramaswamy,M.K. Search for a 0^+ excited state in Sr^{88}, 3=15108
Ramaswamy, M.K. Lifetime of the 70 keV level in Sb^{121}, 3=17413
Ramaswamy, M.K. Search for gamma-rays following the decay of 3-hour Ti^{45}, 3=17429
Ramaswamy,M.K. Note on 5^- levels in even—even nuclei, 3=22283
Ramaswamy,M.K. Energy levels of Mg^{26} from the decay of Al^{26}, 3=22295
Ramaswamy,M.K. Lifetime studies in tellurium—121, 3=22306
Ramaswamy,M.K. Review of recent results on internal conversion. 3=24879
Ramaswamy,M.K. See Brahmavar,S.M., 3=22316
Ramaswamy,M.K. See Brahmavar,S.M., 3=22322
Ramazanov,P.E. and Nuvar'eva,V.V. Light sums stored in the ZnS: Cu, Al luminor, 3=3074
Ramazashvili,R.R. and Rukhadze,A.A. Electromagnetic waves in magnetically active plasma in the region of large refractive indices, 3=14584
Ramazashvili,R.R., Rukhadze,A.A. and Silin,V.P. Temperature equalization rate for charged particles in a plasma, 3=14604
Ramdas,A.K. and Fan,H.Y. Infrared absorption spectra of defects in irradiated silicon, 3=23076
Ramel,A. See Thürkauf,M., 3=23529
Ramesam,J.,Ramakrishna Rao,M. and Anantharaman,T.R. The aging sequence in an aluminium—zinc—magnesium alloy, 3=13542
Ramos,F. Orientation of the crystals constituting sodium chloride films condensed in vacuum at high velocities, 3=8799
Ramos,F. Films of sodium chloride condensed in vacuo at various inclinations and indirectly, 3=13561
Ramos,F. and Bru,L. Electron diffraction study of thin films of sodium fluoride, 3=25680
Rampacher,H. On the classical theory of the polarization of electron shells in weakly distorted ionic crystals, 3=12896
Ramšak,V. See Cvelbar,F., 3=10366
Ramsay,D.A. See Ballik,E.A., 3=8250
Ramsay,D.A. See Ballik,E.A., 3=8251
Ramsay,J.V. and Mugridge,E.G.V. Barium titanate ceramics for fine-movement control, 3=7418
Ramsay,W. p—p higher partial waves and the 3-meson model, 3=14981
Ramsay,W. See Bryan,R.A., 3=22122
Ramsay, W. See Finkelstein,R., 3=10032
Ramsden,P. See Maycock,J., 3=5832
Ramsden,S.A. See Kolb,A.C., 3=12159
Ramsey,N.F. The atomic hydrogen maser, 3=12342
Ramsey,N.F. See Brooks,R.A., 3=19974
Ramsey,N,F. See Dunning,J.R.,Jr., 3=19613
Ramsey,N.F. See Lawrence,T.R., 3=15337
Ramsey,W. See Mahanthappa,K., 3=10026
Ramsey,W.H. On the densities of methane, metallic ammonium, water and neon at planetary pressures, 3=21100
Ramsey,W.J. See Sands,D.E., 3=20841
Ramus,L.T. See Nosov,Yu.R., 3=22932
Ranby,P.W. and Hobbs,D.Y. Thorium phosphate phosphors, 3=20523
Rançon,P. See Bellini,G., 3=7899
Rançon,P. See Bellière,J., 3=24775
Rançon,P. See Fretter,W.B., 3=2301
Rand,R.E. The analysis of continuous spectra using the matrix method, 3=2235
Rand,S. Absorption of radiation by the ionosphere, 3=3488
Rand,S. Dynamic friction and ion wave radiation reaction in a plasma, 3=21762
Randall,C.M. See Ban,N.T., 3=125
Randall,D. and St.John,D.S. Xenon spatial oscillations, 3=4682
Randall,J.D. and Walker,J.V. Nonperturbing foils—an experimental verification, 3=17290
Randall,J.D. See Walker,J.V., 3=12461
Rander,M.E. See Berlincourt,D., 3=10881
Randi,P. See Galli,M., 3=4481
Randolph,P.D. Slow neutron scattering evidence for violating of the F-sum rule in liquid sodium, 3=5429
Randolph,P.D. See Schmunk,R.R., 3=747
Randone,G. See Fabri,G., 3=4380
Randone,G. See Fabri,G., 3=10636
Randone,G. See Fabri,G., 3=24709
Ranft,J. The dependence of H—C—H—coupling constants on substituents, 3=720
Ranft,J. Nuclear resonance spectra of isopropyl compounds. Spectra of types A^{6}B and A^{6}BX, 3=10542
Ranft,J. The effect of substitution on the binding constant between C^{13}and H, 3=20001
Rangappa,K.S. Cryoscopic effect and the composition of earth, 3=23572
Rangarajan,C. See Vohra,K.G., 3=13689
Ranga Rao,D. See Ramachandra Rao,B. 3=3974
Rangaswamy,T.N. See Chatterjee,B.K., 3=4508
Rangaswamy,T.N. See Chatterjee,B.K., 3=4510
Rangra,A.K. See Rastogi,R.P., 3=296
Raniszewski,J. Model tests of a vibration-impact system, 3=23823
Rank,D.H. Precision infrared spectroscopy, 3=248
Rank,D.H.,Eastman,D.P.,Rao,B.S. and Wiggins,T.A. Breadths and shifts of molecular band lines due to perturbation by foreign gases, 3=7244
Rank,D.H., Rao,B.S. and Wiggins,T.A. Absorption spectra of hydrogen halide—rare-gas mixtures, 3=4747
Rank, D.H. and Wiggins, T.A. Quadrupole spectrum of molecular hydrogen, 3=17576
Rankin,M. See Fowler,T.K., 3=1998
Rannestad,A. and Wagner,P.E. Paramagnetic relaxation in dilute potassium ferricyanide, 3=25572
Rannev,M.V. See Ozerov,R.P., 3=16080
Ranninger,J. and Thirring,W. Linear response functions for quantum mechanical system, 3=1628
Ranninger,J. See Baumann,K., 3=751
Ransom,L.D. See Topol,L.E., 3=11807
Ranyuk,Yu.N. See Berezhnoi,Yu.A., 3=15235
Ranz,E. See Frieser,H., 3=11946
Ranzi,I. Backscatter study of ionospheric irregularities by using a vertically split beam, 3=13726
Rao,A.V. See Hyder,S.B., 3=14478
Rao,B.S. See Rank,D.H., 3=4747
Rao,B.S. See Rank,D.H., 3=7244
Rao,C.S.R. Some peculiarities in the diurnal variation of maximum ionization density of the F2 layer, 3=18545
Rao,G.K. and Kamal,A.A. Azimuthal symmetry in the shower particles of 24 GeV proton jets, 3=4483
Rao,G.K. See Kamal,A.A., 3=4484
Rao,G.N. and Hans,H.S. Radioactivity decay of Ce^{143}(33h), 3=1029
Rao, G.N, Potnis, V.R. and Hans, H.S. The energy levels of I^{129}, 3=17414
Rao,G.N. See Hans,H.S., 3=17437
Rao,G.N. See Potnis,V.R., 3=15096
Rao,K.R. See Brockhouse,B.N., 3=743
Rao,K.R. See Brockhouse,B.N., 3=2708
Rao,K.R. See Brockhouse,B.N., 3=6467

Rao,K.V. Dielectric changes and thermoluminescence of sodium chloride and lithium fluoride irradiated with X-rays, 3=8479

Rao,K.V. and Bose,H.N. Thermoluminescence and dielectric loss of barium titanate ceramic under X-ray irradiation, 3=968

Rao,M.,Bhattacharya,H. and Khastgir,S.R. Electric field-changes during cloud-to-cloud discharges, 3=9049

Rao, M.N. A note on non-uniform rotation of non-Newtonian fluid filled in between two coaxial cylinder of infinite length, 3=110

Rao,M.N. and Mehta,K.N. Optimum trajectories of a rocket for maximum range and minimum time, 3=11614

Rao,M.S. and Lokanadham,B. A typical Leonid meteor spectrum, 3=9184

Rao,M.S. and Lokanadham,B. Wake spectrum of a leonid meteor, 3=16365

Rao,P.B. and Sreeramamurty,K. Potential constants of hydroxylamine and hydroxylamine-d_3, 3=4760

Rao,P.S.R. Vibrational intensities of the C_2^+ (first negative) bands, 3=8266

Rao,R.V.G.,Das,C.D.,Keer,H.V. and Biswas,A.B. The heat capacities of potassium manganese trifluoride, 3=8365

Rao,R.V.G. and Keer,H.V. Repulsion constant of polar liquids, 3=3795

Rao,S.S. and Anantharaman,T.R. Accurate evaluation of lattice parameters of α-brasses, 3=25738

Rao,U.R. The separation of world-wide changes of isotropic intensity from the daily variation of cosmic rays, 3=19736

Rao,U.R.,McCracken,K.G. and Venkatesan,D. Asymptotic cones of acceptance and their use in the study of the daily variation of cosmic radiation, 3=10196

Rao,U.R. See Richard,K.F., 3=15057

Rao,V.S.R. Polymethyl methacrylate—dilute solution properties by viscosity and light scattering, 3=134

Rao Nagamuneswara,K. See Ramanadham,R. 3=16641

Rao Rajagopal,P. See Sharda,B.L., 3=242

Rao Rama,K. See Dharmayya,S.S., 3=235

Rao Ramakrishna,V.,Mehta,K.R.and Joshi,B.C. A simple non-destructive method for the determination of the refractive indices of finished lenses,3=236

Raoult,G.,Duclaux,A.M. and Chenon,M.T. Electron paramagnetic resonance of nickel ions in an alumina monocrystal, 3=23232

Raoult,G.,Fanguin,R. and Cornet,G. Propagation in coaxial guides and resonance in coaxial cavities (simplified method to obtain different modes and wavelengths), 3=24473

Raoult,G.,Parouty,J.C.,Lacombat,M. and Duclaux,A.M. Electron paramagnetic resonance of the ion Cr^{3+}, 3=25567

Rapacki,H. See Kraśnicki,S., 3=1281

Rapaport,E. See Polissar,M.J., 3=3644

Raper, O.F. See De More, W., 3=3408

Rapkin,E. and Gibbs,J.A. Polyethylene containers for liquid scintillation spectrometry, 3=14824

Rapoport,I.D. Recording of the amplitudes of pulses from a large number of counters, 3=3986

Rapoport,I.D. See Goryunov,N.N., 3=1916

Rapoport,I.D. See Grigorov,N.L., 3=9163

Rapoport,L.P. and Krylovetskii,A.G. Quantum vortices in a fermion system, 3=16556

Rapp,D. Accidently resonant asymmetric charge exchange in the protonosphere, 3=16242

Rapp,D. and Francis,W.E. Charge exchange between gaseous ions and atoms, 3=4026

Rapp, D. and Sharp, T.E. Vibrational energy transfer in molecular collisions involving large transition probabilities, 3=17620

Rapp, M. See Seeger, A., 3=18187

Rappe,E.F. See Pickup,E., 3=4302

Rapshtÿnskaya,E.A. Heat of evaporation of the components of binary azeotropic mixtures with a minimum boiling point, 3=21630

Rasche, G. and Straumann, N. On the removal of the ghost state in the Lee model, 3=2194

Řashba,E. See Kaganov,M., 3=24124

Rashba, É.I. Analysis of the structure of exciton bands based on electron–vibrational spectra, 3=17992

Rashba, É.I. Theory of impurity absorption near the exciton bands in isotopic substitution, 3=17993

Rashevskaya,E.P. and Fistul',V.I. Effective mass of electrons in germanium highly doped with arsenic, 3=22930

Rashevsky,N. General mathematical principles in biology, 3=3646

Rashevsky,N.[Ed.]. Physicomathematical aspects of biology, 3=13941

Rashid,M.A. and Syed,A. T_{ab} and T^*_{ba} as opposite boundary values, 3=12386

Rashid,M.A. and Yamanaka,I.I. Generalization of mass formula in unitary symmetries, 3=24621

Rasigni, G. Study of the absorption of light by metals in thin layers, 3=17991

Rasigni,G. and Rouard,P. On the variation with wavelength of the optical constants of thin metallic films, 3=10902

Rashkovich,L.N. See Kvlividze,V.I., 3=6767

Raskin,Sh.Sh. See Pershina,E.V., 3=8591

Rasmussen,A.L. See Hoer,C.A., 3=14720

Rasmussen,J.E. See Lewis,E.A., 3=9946

Rasmussen,J.O. Simplified shell-model calculations of alpha-decay rate near Pb^{208}, 3=19806

Rasmussen,J.O. See Kim,Y.E., 3=24875

Rasmussen,J.O. See Mang,H.J., 3=12617

Rasmussen, J.O. See Marshalek, E.R., 3=17396

Rasmussen,J.O. See Navarro,Q.O., 3=4608

Rasmussen,N.C. See Beghian,L.E., 3=17287

Raspletin,K.K. See Kushnir,Yu.M., 3=2035

Rassow,J. Application of the standardized Vasicek procedure to nonabsorbing single evaporated films on glass substrates, 3=1825

Rassow, J. Testing the standardized Vašiček procedure for inhomogeneous nonabsorbing film on glass substrates, 3=1826

Rassudova,G.N. and Gerasimov,F.M. Use of reflecting diffraction gratings in interference systems for measuring linear shifts. I, 3=19015

Rassudova,G.N. and Gerasimov,F.M. Use of reflection diffraction gratings in interference systems for measuring linear shifts. II, 3=19016

Rassudova,G.N. and Gerasimov,F.M. State Optical Institute Echelle gratings, 3=24051

Rast,H.E.,Jr. See Hadley,S.G., 3=23115

Rastall,P. Coulomb interaction in quantum electrodynamics, 3=5918

Rastogi,R.G. Enhancement of the lunar tide in the noon critical frequency of the F_2 layer over the magnetic equator, 3=1465

Rastogi,R.G. Longitudinal variation in the equatorial electrojet, 3=6999

Rastogi,R.G. A synoptic v iew of the lunar tide in the F_2 region of the ionosphere, 3=16276

Rastogi,R.G. Longitudinal inequalities in the lunar tide and in sudden commencement in H near the magnetic equator, 3=25949

Rastorgi,R.P. and Bassi,P.S. Heterogeneous nucleation, 3=11206

Rastogi,R.P.,Blokhra,R.L. and Singh,K. Electrical transport in presence of temperature gradient, 3=25829

Rastogi,R.P.,Nigam,R.K.and Rangra,A.K. Molecular interaction in mixtures of chlorobenzene and bromobenzene, 3=296

Rastrup-Andersen,J. See Bak,B., 3=2640

Ratajczak,H. See Szczeniowski,S., 3=1070

Ratau,J.T. See Colley,D.C., 3=10149

Ratcliffe,J.A. The experimental investigation of space, 3=11608

Rathausky,B.Z. See Bocek,M., 3=6792

Rathenau,G.S. See Veerman,J., 3=20581

Rathenau,G.W. Increase of magnetic saturation induction of highly saturated iron, 3=6703

Rathenau,G.W. See de Jong,M., 3=23472

Rathenau,G.W. See Gersdorf,R., 3=1045

Rathgeber,H.D. Mousetrap model of chain reactions, 3=5316

Rathgeber, H.D. See Campbell, M.J., 3=17372

Ratinskaya,I.A. On sound attenuation in emulsions, 3=14261

Ratković,B. See Pešić,D., 3=16774

Ratliff, F.,Hartline,H.K. and Miller,W.H. Spatial and temporal aspects of retinal inhibitory interaction, 3=5295

Ratner,A.M. and Geguzin,Ya.E. Inestigation of the causes of the diffusion activity of crystalline solids with distortions. VI. The effective diffusion coefficient in polycrystals, 3=6530

Ratnikova,L.I. Some results obtained from a study of converted reflected waves in media with strong velocity differentation, 3=21474

Rattay,M. See Krumbiegel,J., 3=17117

Ratti,S. See Bellini,G., 3=7899

Ratti,S. See Block,M.M., 3=12508

Ratti,S. See Block,M.M., 3=12570
Ratti,S. See Fretter,W.B., 3=2301
Ratti,S. See Gray,L., 3=15042
Rätzsch,M. See Geiseler,G., 3=21603
Rau,A. See Helmis,G., 3=25012
Rau,J. Relaxation phenomena in spin and harmonic oscillator systems, 3=7137
Rau,R.R. See Androulakis,J.G., 3=17125
Rau,R.R. See Bertanza,L., 3=7935
Rau,R.R. See Connolly,P.L., 3=17330
Raub,C.J. and Andersen,C.A. On the superconductivity of Ti— and Zr—Rh alloys, 3=21669
Raub,C .J.,Zachariasen,W.H.,Geballe,T.H. and Mattias,B.T. Superconductivity of some new Pt-metal compounds, 3=24148
Räuber,A. and Schneider,J. Electron spin resonance of a luminescent centre in aluminium-activated cubic ZnS single crystals, 3=8717
Raubold,E. See Escoubè,B., 3=19630
Rauch,A. See Thouvenin,J., 3=830
Rauch,C.J. Millimetre cyclotron resonance in diamond, 3=10637
Räuchle,E. Use of a light-guide as an optical probe in the investigation of plasmas, 3=21808
Rauert,W. See Moser,H,, 3=1669
Rauh,E.G. See Ackermann,R.J., 3=3930
Raułuszkiewicz,J. The observation of excitons in CdTe and CdSe in the reflection spectra, 3=20441
Rauluszkiewicz,J. See Czan Czun Da, 3=915
Rausell-Colom,J.A. Correction of small-angle X-ray diffraction intensities for the influence of beam height for specimens having preferred orientation of particles, 3=8935
Rautenbach,W.L. and Lubbinge,K. A hooded arc cyclotron ion source with variable yield, 3=17008
Rautian,S.G. and Sobel'man,I.I. Photo-dissociation of molecules as a method of obtaining a medium with the negative absorption coefficient, 3=4787
Rautian,S.G. and Sobel'man,I.I. Radiation emitted by atoms moving in the field of a standing wave, 3=25062
Rautian,S.G. See Kuznetsova,T.I., 3=14796
Rautian,S.G. See Vil'ner,L.D., 3=262
Rauzin,Ya.R. On e.s. Yakovleva's article, 3=11148
Ravanesi,R.M. See Wolff,J.R., 3=19144
Ravdel',M.P. and Faivilevich,G.A. Polygonisation in Mn-base alloys, 3=3315
Ravenhall,D.G. K^+—p scattering; the phenomenology of a repulsive interaction, 3=17338
Ravets,V.L. See Geguzin,Ya.E., 3=20209
Raviart,A. See Furst,M., 3=16629
Raviart,A. See Koechlin,Y., 3=10001
Ravich,Yu.I. A contribution to the theory of photomagnetic effect in strong magnetic fields, 3=6637
Ravich, Yu.I. Theory of the photomagnetic effect in p—n junctions, 3=17965
Ravich,Yu.I. Theory of the phototriode, 3=20419
Ravid,E. Determination of longitudinal shock wave profiles in a microwave Fabry—Perot interferometer, 3=21479
Ravitz,S.F. See Force,R.C.La., 3=1200
Ravitz, S.F. See La Force, R.C., 3=18150
Raw,C.J.G. See Pereira,A.N.G., 3=21443
Rawer,K. Ionospheric irregularities and movements, 3=13743
Rawer,K. Summary: Irregularities and drifts, 3=13744
Rawer,K. See Argence,É., 3=16272
Rawer,K. See Bibl,K., 3=5879
Rawson,E.G. See Hunten,D.M., 3=9104
Ray,A.K. See Yash Pal, 3=8063
Ray,A.K. See Pal,Y., 3=19626
Ray,B. See Ballentyne,D.W.G., 3=11010
Ray,D.K. Investigations into the origin of the crystalline electric field effects on rare earth ions. II. Contributions from the rare earth orbitals, 3=20054
Ray,D.K. See Hutchings,M.T., 3=10569
Ray,E.C. Theorems concerning the allowed cone of cosmic radiation, 3=15062
Ray,E.C. and Kasper,J.E. Some theorems concerning the motion of an electrically charged particle in a dipole magnetic field, 3=473
Ray,S. See Mitra,A.N., 3=12482
Ray,S.N. The physics of space research, 3=7053
Raybold,R.L. See Harman,G.G., 3=10799
Rayburn,L.A. (n, 2n) reaction cross sections from 12 to 19.6 MeV, 3=12690
Raychaudhuri,B.C. See Gupta,M.L., 3=21583
Rayfield,G.W. See Birdsall,C.K., 3=5709
Raymond,F.W. Nonacoustical method for measuring sensitivity of a piezoelectric hydrophone, 3=7292
Raymond,M.H. and Coffin,L.F.,Jr. Geometric and hysteresis effects in strain-cycled aluminium, 3=20752
Raymund,M. See Ammar,R.G., 3=10229
Raymund,M. See Davis,D.H., 3=6147
Raymund,M. See Davis,D.H., 3=10230
Raynal,J. Optical model with tensorial potentials for the elastic scattering of intermediate energy deuterons, 3=10375
Rayne,J.A. High-freqneucy magnetoacoustic measurements in indium and lead, 3=6472
Rayne,J.A. Fermi surface of thallium from magneto-acoustic measurements, 3=20132
Rayne,J.A. Erratum; magneto-acoustic oscillations in thallium, 3=10629
Rayne,J.A. See Brandt,G.B., 3=6492
Rayne,J.A. See Veal,B.W., 3=766
Rayne,J.A. See Veal,B.W., 3=17660
Rayner,C.B. Elasticity in general relativity, 3=7102
Raynor,G.V. See Foley,J.H., 3=12986
Raynor,G.V. See Henderson,B., 3=3313
Raynor,G.V. See Henderson,B., 3=8643
Raynor,S. See Olmstead,W.E., 3=7056
Rayski,J. A note on quantization and interpretation of general theory of relativity, 3=14007
Rayski,T. Two kinds of neutrino, 3=12437
Raz,B.J. Collective and interparticle interactions in even—even nuclei. II. 3=10209
Razavy,M. Calculation of the binding energy of nuclear matter by the method of reference spectrum, 3=12554
Razbirin,B.S. See Gross,E.F., 3=8594
Razbirin,B.S. See Gross,E.F., 3=22688
Razdan,H. See Lockwood,J.A., 3=15063
Razdan,H. See Lockwood,J.A., 3=15064
Razdobarin,G.T. See Malÿshev,G.M., 3=24036
Raziunas,V.,Macur,G.J. and Katz,S. Emission spectrum and thermodynamic properties of gallium monoxide, 3=25093
Razorenov,L.A. See Ginzburg,V.L., 3=9119
Razorenov,L.A. See Kurnosova,L.V., 3=2333
Razorenov,L.A. See Kurnosova,L.V., 3=2343
Razorenov,L.A. See Kurnosova,L.V., 3=22229
Razorenov,L.A. See Kurnosova,L.V., 3=22230
Razumova,K.A. See Ivanov,D.P., 3=12208
Razumovskaya,I.V. See Bartenev,G.M., 3=25642
Razumovskaya,L.P. Spectroscopic study of high-frequency discharges in argon, 3=15280
Read,A.H. An investigation of the diffusion of electromagnetic fields in a stationary conducting medium by means of equivalent networks, 3=506
Read,A.L. See Baker,W.F., 3=7854
Read,A.L. See Baker,W.F., 3=10169
Read,A.L. See Davis,D.G., 3=24730
Read,A.W. See Cottrell,T.L., 3=8313
Read,F.H. and Calvert,J.M. The $O^{16}(t,p\gamma)O^{18}$ reaction, 3=10392
Read,F.H. and Whiterod,G.L. Electron impact spectroscopy. I. The determination of the symmetry species of molecular excited states, 3=22531
Read,F.H. See Phillips,W.R., 3=4211
Read,F.H. See Lisle,J.C., 3=24969
Read,H.J. See Graham,A.H., 3=13450
Read,J.E. See Allen,N.L., 3=7596
Read,R.B. Accurate measurement of the declinations of radio sources, 3=23702
Read,T.B. Probe measurements of the longitudinal field in the positive column of mercury rare-gas discharges, 3=7475
Read,T.B. Comparison of directional and total intensities of resonance radiation from a mercury rare-gas discharge, 3=12764
Reader,J. and Davis,S.P. Promethium 147 hyperfine structure under high resolution, 3=10463
Reader,J.,Marquet,L.C. and Davis,S.P. Predisperser for high-resolution grating spectrographs, 3=24026
Ready,J.F. Correlations of output spikes from different portions of ruby laser, 3=9973
Ready,J.F. Development of plume of materials vaporized by giant pulse laser, 3=21627
Ready,J.F. See Lichtman,D., 3=19304
Reagan,P.N.,Browne,J.C. and Matsen,F.A. New lower limit for the binding energy of the helium molecule ion, 3=723

Reale,A. See Cortellessa,G., 3=15003
Reale,C. Electrical resistivity by lattice vacancies in multivalent non-transition metals, 3=4903
Reasbeck,P. See Fremlin,J.H., 3=19890
Reay,N.W., Hintz,N.M. and Lee,L.L.,Jr. Radiative capture above the giant resonance in C^{12}, 3=17464
Rebane,K.K. and Khizhnvakov,V.V. Theory of quasi-line electronic–vibrational spectra in crystals. II. Comparison of the Shpol'skii effect with the Mössbauer effect, 3=20077
Rebane,K.K. and Khizhnyakov,V.V. The theory of quasi-line electron-vibrational spectra in crystals. I. Theory of the Shpol'skii effect, 3=20456
Rebane,K.K. and Sil'd,O.I. Spectroscopic sum rules including consideration of induced emission, 3=7331
Rebane,K.K. See Kristoffel,N.N., 3=18018
Rebane,K.S.K. Steady state luminescence of ZnS phosphors. III, 3=20527
Rebane,L.A. Concentration and temperature quenching of luminescence in some silver activated alkali halide phosphors, 3=944
Reber,J.D. and Major,J.K. Optimum channel width for single channel analysis, 3=19513
Reber,L. See Isoya,A., 3=683
Rebière,J. See Perroud,P., 3=16605
Rebinder,P.A. See Amelina,E.A., 3=8790
Rebolia,L., and Viano,G.A. Regge poles and elastic scattering of alpha particles by carbon, 3=8130
Reboux,J. See Galtier,F., 3=7590
Rebut,P.H. and Torossian,A. Stable plasmas in an inverse pinch discharge, 3=1992
Rebut,P.H. and Torossian,A. Stable plasmas in a discharge of the inverse pinch type, 3=21765
Rebut,P.H. See Cotsaftis,M., 3=12131
Rechitskii,I.V. and Chudakov,V.M. Shape of the angular distribution of shower particles, 3=2341
Recker,K.and Liebertz,J. On the growth and optical spectral characteristics of pure and rare-earth-activated cadmium fluoride single crystals, 3=3003
Reddish,A. See Ferrari,R.L., 3=5850
Reddish,V.C. Cosmology, 3=5236
Reddish,V.C. See Allen,L.R., 3=7051
Reddy,C.A. and Ramachandra Rao,B. The observed polarisation of high frequency radio waves at a low latitude station, 3=9079
Reddy,P.J. Calculation of the Debye temperatures of crystals, 3=8369
Reddy,P.J. Variation with temperature of the elastic compliances of corundum, 3=13327
Reddy,P.J. and Bhimasenachar,J. Elastic moduli of gold and silver between –183° to 300°C, 3=20688
Redaelli,G. See Arecchi,F.T., 3=17152
Redaelli,G. See Cavalleri,C., 3=17156
Reddy, G.S. and Goldstein, J.H. Determination of the diamagnetic anisotropy effects of the C–C bond and C–halogen bonds in nuclear magnetic resonance spectroscopy, 3=17615
Rêdei,L.B. The electronic properties of tetrahedral intermetallic compounds. II. Conduction band in diamond, 3=777
Rêdei,L.B. The electronic properties of tetrahedral intermetallic compounds. III. A many-electron model for calculating the electronic excited states in IV–IV compounds and III–V compounds with zinc-blende structure, 3=778
Rédei,L.B. Limits of error for the electron density, spin density and atomic form factor in quantum mechanical calculations, 3=10436
Rèdei,L.B. See Coulson,C.A., 3=776
Redfearn,M.W. See Edmond,J.T., 3=10931
Redfern,B. See Lewis,J.C., 3=21181
Redfield,A.C. See Friedman,I., 3=25898
Redfield,A.G. Statistical theory of spin resonance saturation. 3=5378
Redfield,A.G. Pure nuclear electric quadrupole resonance in impure copper, 3=13318
Redfield,A.G. and Blume,R.J. Nuclear magnetic resonance saturation in lithium, 3=8736
Redfield,D. Work-function changes and photoemission from semiconductors, 3=4174
Redfield.D. Electric fields of defects in solids, 3=12958
Redfield,D. Effect of defect fields on the optical absorption edge, 3=13161
Redford,R.A. See Blake,A.R., 3=11648
Redhead,D.L. See Lasher,D.R., 3=9840
Redhead,P.A. Thermal desorption of gases, 3=1391
Redhead,P.A. Variations in the "X-ray limit" of hot-cathode gauges, 3=5470
Redhead,P.A. Surface potential of nitrogen on tungsten, 3=12225
Redhead,P.A. The effects of adsorbed oxygen on measurements with ionization gauges, 3=21462
Redhead,P.A., Kornelsen,E.V. and Hobson,J.P. Ultrahigh vacuum in small glass systems, 3=3840
Redhead,P.A. See Steinherz,H.A., 3=180
Rediker,R.H. See Melngailis,I., 3=19494
Rediker,R.H. See Quist,T.M., 3=9971
Redin,R.D.,Marks,G.W. and Antoniak,C.E. Symmetry limitations to polarization of polycrystalline ferroelectrics, 3=10876
Redington,R.L. The infrared spectrum and barriers hindering internal rotation in H_2S_2, CF_3SH and CF_3SD, 3=6401
Redington,R.L. and Milligan,D.E. Infrared spectroscopic evidence for the rotation of the water molecule in solid argon, 3=2628
Redlich,O. See Ackerman,F.J., 3=16844
Redman,J.K. See Coltman,R.R.,Jr., 3=2847
Redmann,J.J. See Keck,P.H., 3=21534
Redmann,J.J. See Keck,P.H., 3=22014
Redmond, R.F. Intermediate coupling in the asymmetric rotator model, 3=17383
Redmond,R.F., Klingensmith,R.W. and Anno,J.N. Energy spectrum of fission fragments emitted from thin layers of uranium dioxide, 3=4678
Redondo,D.M. See Osada,J., 3=19562
Redozubov,D.V. Stefan's problem for a linear initial temperature distribution in a semi-infinite medium, 3=1868
Redozubov,D.V. The solution of certain types of linear thermal problems in limited and semi-infinite regions with motion of the boundary according to the $\beta\sqrt{t}$ law, 3=11974
Ree,F.H. Electrical conductivities of lithium and helium gases, 3=11840
Ree,F.H. and Kidder,R.E. Analytic solution of the thermalization of a fast ion in a plasma, 3=19248
Reeber,M.D. Heat transfer to boiling helium, 3=9671
Reece,B.L. See Cox,A.J., 3=5731
Reed,B. Heat-transfer intensity from induction plasma flames and oxy-hydrogen flames, 3=21593
Reed,F.W. 500 to 10 000 V power supply with variable sweep rates, 3=24166
Reed,J.C. See Riach,W., 3=3681
Reed,R.E., Sr. See Stiegler,J.O., 3=22780
Reed,R.J. See Hill,H.C., 3=14684
Reed,R.J.,Wolfe,J.L. and Nishimoto,H. A spectral analysis of the energetics of the stratospheric sudden warming of early 1957, 3=25875
Reed,W.A. and Brennert,G.F. Topology of the Fermi surface of zinc from galvanomagnetic measurements, 3=12945
Reed,W.A. and Marcus,J.A. Low-field galvanomagnetic coefficients of gallium, 3=13044
Reed,W.A. See Fawcett,E., 3=4842
Reed,W.A. See Fawcett,E., 3=25330
Reed-Hill,R.E. and Buchanan,E.R. Zig-zag twins zirconium, 3=11214
Rees,B.L. See Bristow,J.R., 3=17719
Rees,J.M. See King-Hele,D.G., 3=3480
Rees,J.M. See King-Hele,D.G., 3=13639
Rees,J.R. See Dunning,J.R., Jr., 3=19613
Rees,L.V.C. See Barrer,R.M., 3=6534
Rees,L.V.C. See Barrer,R.M., 3=10685
Rees,M.H. A method for determining the height and geographical position of an auroral arc from one observing station, 3=11449
Rees,M.H. See Megill,L.R., 3=23633
Reese,W. See Anderson,A.C., 3=12016
Reese,W. See Anderson,A.C., 3=14437
Reesor,G.E. See Dagg,I.R., 3=21676
Reeves,C.M. Use of Gaussian functions in the calculation of wavefunctions for small molecules. I. Preliminary investigations, 3=19964
Reeves,C.M. and Harrison,M.C. Use of Gaussian functions in the calculation of wavefunctions for small molecules. II. The ammonia molecule, 3=19965
Reeves,E.M. Peak brightness temperatures and intensity measurements in a short duration spark source, 3=4053

Reeves,E.M. and Parkinson,W.H. Spectral energy distribution and brightness temperatures in continuous flash sources, 3=4047
Reeves,E.M. and Parkinson,W.H. Efficiencies of gold and platinum gratings in the vacuum ultraviolet, 3=16800
Reeves,E.M. See Nicholls,R.W., 3=24018
Reeves,E.M. See Parkinson,W.H., 3=19999
Reeves,R.B. See Robinson,D.W., 3=4771
Reeves,R.R.,Jr. See Albers,E.W., 3=12789
Regel,A.R. Change in carrier mobility during the melting of metals and semiconductors, 3=21402
Regel,A.R. See Averkin,A.A., 3=10832
Regel',A.R. See Komarov,G.V., 3=25664
Regel', V.R, Muinov, T.M. and Pozdnyakov, O.F. Use of a mass-spectrometric method in the study of mechanical fracture of polymers, 3=18211
Regensburger,P.J. See Tung Li,H., 3=15613
Regge,T. See De Alfaro,V., 3=5365
Regier,A.A.,Mayes,W.H. and Edge,P.M.,Jr. Noise problems associated with launching large space vehicles, 3=16438
Régnier,J. Classical calculation of the atomic polarizability of ethane, 3=20008
Régnier,J. See Peureux,J.M., 3=16921
Régnier, J.F. and Daum,A. Radioelectrical determination of the dielectric constant, atomic polarization, and electric moment, of ammonia, 3=3838
Regourd,M. See Yannaquis,N., 3=3301
Rehfeld,S.J. Stability of emulsions to ultracentrifugation: discontinuity at the critical micelle concentration, 3=6937
Rehn,V. Covalent-bond asymmetries from Zeeman-split n.q.r., 3=8744
Reich,C.W.,Merrill,J.A. and Klema,E.D. Statistical considerations in the analysis of directional-correlation data, 3=19804
Reich,C.W.,Schuman,R.P. and Heath,R.L. 1.57-MeV state in Mo^{94}, 3=6168
Reich,C.W. See Cline,J.E., 3=10269
Reich,H.A. Nuclear magnetic resonance in solid helium-3, 3=5574
Reich,H.J. Resolving closely neighbouring energy losses in noble gases by means of an (optical) emission analyser, 3=21880
Reich,R. and Vu Quang Kinh. The variation of the ideal resistivity between 3.75 and 4.22° K and the determination of the residual resistivity at the absolute zero of specimens of tin of different purities, 3=8491
Reichardt,H. and Kessler,T. The evaluation of the separation of optical wrung plates, 3=16798
Reichardt,W. Remarks on the work of W.Reichardt "Should the the sound-power output or the sound pressure level be used for machinery noise", 3=7298
Reichel,A. Approximate formulae for the calculation of effective resonance integrals in the statistical region, 3=692
Reichert,E. Angular distribution in the range 30°-155° of electrons elastically scattered by gold vapour with energies between 150 and 1900 eV, 3=12779
Reichert, G. See Herre,F., 3=18290
Reid,A.F. Filament temperatures from geometry-independent electron emission functions, 3=14629
Reid,A.F.,Wilmhurst,R.E. and Wylie,A.W. High-temperature physical properties of carbide—iodide thorium, 3=23378
Reid,C.N. See Hahn,G.T., 3=1221
Reid,G.C. and Leinbach,H. Morphology and interpretation of the great polar cap absorption events of May and July, 1959, 3=5877
Reid, G.C. See Axford, W.I., 3=17376
Reid,L.E. See Foley,W.T., 3=21332
Reid,R.C. and Valbert,J.R. Derivative compressibility factors, 3=11826
Reid,R.J., Gopaulsingh,K., Page,D.E., Idnurm,M., McCusker,C.B.A., Malos,J., Millar,D.D. and Winterton,G. The differential electron density spectrum of air showers at high densities, 3=4504
Reid,W.P. Floating of a long square bar, 3=23837
Reif,F. and Woolf,M.A. Energy gap in superconductors containing paramagnetic impurities, 3=3953
Reif,F. See Donnelly,R.J., 3=1664
Reif,L. See Panish,M.B., 3=7390
Reiger,S.H. Starlight scintillation and atmospheric turbulence, 3=23653
Reiher,L. See Ogle,K.N., 3=9306
Reik,H.G. Derivation of Holstein's expression for the high temperature mobility of small polarons from Kubo's formula, 3=20145
Reikhrudel',É.M. See Vasil'eva,M.N., 3=21871
Reilly,C.A. See Freeman,R., 3=8302
Reimann,C.W. See Berry,R.S., 3=2565
Reimann,C.W. See Berry,R.S., 3=12759
Reimann,R. See Görlich,P., 3=8593
Reimer,C.B. Simple gauge for obtaining preselected magnifications with the electron microscope, 3=4200
Reimer,L. Domain wall movement in thin ferromagnetic layers, 3=23168
Reimer,L. and Christenhusz,R. Experimental contribution on the specimen temperature rise in the electron microscope, 3=6904
Reimer, L, Ficker, J, Pieper, T. and Wössner, E. Electron-optical investigation of domain structure in thin single- and polycrystalline nickel films, 3=18089
Reinberg,A.R. See Marshall,S.A., 3=1187
Reincke,W. Coercive field strength of thin films of iron, 3=15810
Reiner,A.S. Calculation and application of the density propagator for a self-bound fermion system. I. Theory, 3=9369
Reiner,A.S. See Dar,A., 3=22424
Reines,F. See Munsee,J.H., 3=19533
Reinhard,P. See Schäfer,K., 3=20033
Reinhardt,A. Neutron kinetics simulation with an R.C. network, 3=10406
Reinhardt,J. See Buchet,G., 3=4052
Reinharz,M. See Faissner,H., 3=17100
Reinharz,M. See Faissner,H., 3=17141
Reinharz,M. See Faissner,H., 3=21380
Reinharz,M. See Faissner,H., 3=24690
Reinhold,G. and Vojta,G. On thermal-diffusion-column-shape factors for a gas of molecules with an inverse power potential, 3=165
Reinicke,B. See Gobrecht,H., 3=21001
Reinov,N.M. See Guts,Z.A., 3=19115
Reinov,N.M. See Grigor'ev,A.D., 3=5148
Reinov,N.M. See Kogan,A.V., 3=2417
Reinov,N.M. See Kolchin,A.M., 3=3966
Reinov,N.M. See Kolchin,A.M., 3=21666
Reisenfeld,W. See Karr,H., 3=12223
Reiser,M. Central orbit program for a variable energy multiparticle cyclotron, 3=5773
Reisfeld,M.J. and Crosby,G.A. The near infrared absorption spectra of some pentavalent uranium fluorides. The $^{2}F_{5/2} \rightarrow {}^{2}F_{7/2}$ transition, 3=18011
Reisman,A. and Berkenblit,M. Impurity incorporation into CdSe and equilibria in the system CdSe—CdCl$_2$, 3=13590
Reisner,J.H. Neutralization of charge induced astigmatism in apertures, 3=19352
Riess, F. See Rose, H.J., 3=17399
Reiss,H. See Cohen,E.R., 3=8946
Reiss,J.R. See Forman,R., 3=2026
Reiss,R. See Nikitine,S., 3=2765
Reiss,R. See Nikitine,S., 3=10934
Reitan,A. The K-shell photoelectric effect in the forward and backward directions, 3=2588
Reitan,A. Small angle elastic scattering of fast electrons by crystals, 3=13577
Reitan,A. Quasi-deuteron production by γ-rays in ^{4}He, 3=15052
Reiter,E.R. Note on the eddy kinetic energy distribution in relation to the jet stream, 3=16210
Reiter,O. See Blaha,J., 3=21016
Reitz,J.R. See Stone,P.M., 3=25064
Reitz,R.A., Butler,W.A. and Brandenberger,J.R. F bands in KBr—KI mixedcrystals, 3=4889
Reitzer,H. See Sackmann, L.A., 3=104
Reitzner,B. See Abel,J.E., 3=18441
Reizins,L. The computation and improvement of proper motions of stars by means of electronic computers, 3=3584
Rekova,L.P. See Fogel',Ya.M., 3=14663
Remaev,V.V.,Gritsȳna,V.T. and Klyucharev,A.P. New short-period isomers Nd^{140m}, Pm^{144m}, Eu^{146m} and Gd^{158m}, 3=6173
Remaev,V.V.,Gritsyna,V.T. and Korda,Yu.S. Two short-period isomers Ir^{187m} and Ir^{188m}, 3=24911

Remaev,V.V.,Korda,Yu.S.,Klucharev,A.P. and Smirnov,A.M. Decay of some millisecond isomers, 3=15134
Remaev,V.V. See Morozov,A.M., 3=2457
Rembaum,A. See Pohl,H.A., 3=852
Remeika,J.P. See Dillon,J.F.,Jr, 3=919
Remeika,J.P. See Dillon,J.F.Jr., 3=11072
Remeika,J.P. See Dillon,J.F.,Jr., 3=15656
Remeika,J.P. See Dillon,J.F.,Jr, 3=23200
Remeika,J.P. See Dillon,J.F.,Jr, 3=23204
Remeika,J.P. See Geller,S., 3=20620
Remeika,J.P. See Wood,E.A., 3=8853
Remizova,A.A. See Bartenev,G.M., 3=21324
Remley,W.R. Correlation of signals having a linear delay, 3=7289
Rempel,R.C. See Bloom,A.L., 3=19495
Rempp,P. See Gallot,Y., 3=11791
Remsberg,L.P. and Miller,J.M. Study of (p,pn) reactions in medium weight nuclei at 370 MeV, 3=15197
Remsberg,L.P. See Hudis,J., 3=4641
Remy,E. See Grossmann-Doerth,U., 3=7569
Remy-Battiau,L. Mie scattering functions for spherical particles of refractive index m = 1·25, 3=16804
Renard,F.M. See Chadan,K., 3=7917
Renard,P. See Danysz,M., 3=22276
Renard,P. See Davis,D.H., 3=6147
Renard,P. See Fletcher,E.R., 3=10232
Renau,J. The cross section for scattering of electromagnetic waves from an ionized gas in thermal nonequilibrium, 3=6975
Renaud,A.,Schumacher,E.,Hughes,B.,Oeschger,H. and Mühlemann,C. Tritium variations in Greenland ice, 3=24887
Renaud,M. Calculation of the transfer of radiation in X-ray fluorescence. The matrix effect. The transfer equation, 3=18016
Rendina,J.F. All-metal vacuum ultraviolet lamp, 3=21533
Rengarajan,T.N. See Pal,Y., 3=19626
Renken,C.J. See Fisher,E.S., 3=18936
Renner,T. Oxygen pressure series and its application to semiconductor technology, 3=3391
Renon, J. See Anthony, A.M., 3=17901
Renouf,J.P., Fouilloux,P. and Bussière,P. About the self-diffusion coefficient in a solid measured by self-absorption of beta-rays in a probe of finite thickness, 3=20215
Renoux,A. A study of the charge carried by radioactive ions and their attachment to atmospheric aerosols, 3=9056
Renoux,A. See Bricard,J., 3=11416
Rense,W.A. Ultraviolet radiation physics in astronomy and geophysics, 3=9187
Renskii,I.S. and Stoyanov,P.A. Investigation of some types of photographic plates suitable for use in electron microscopy, 3=1840
Renton,J.J. See Baun,W.L., 3=25690
Rentschler,W. and Schreiber,H. Measurement of the artificial radioactivity of fallout and dust, 3=3476
Repshas,K.K. See Pozhela,J.K., 3=10791
Repucci,A. See Smakula,A., 3=10693
Reshetin,L.V. See Konstantinov,L.V., 3=17098
Reshotko,E. Transition reversal and Tollmien—Schlichting instability, 3=9414
Resibois,P. Structure of the three-particle scattering operator in classical gases, 3=11827
Résibois,P. New approach to irreversible transport phenomena in plasma dynamics, 3=19242
Resibois,P. On the equivalence between two generalized master equations, 3=23791
Résibois,P. and Dagonnier,R. On the theory of impurity resistance in quantum systems, 3=22885
Resibois,P. See Coekelbergs,R., 3=23544
Resing,H.A. N.M.R. relaxation times in solid white phosphorus: diffusion and rotation, 3=5050
Resing,H.A. and Torrey,H.C. Nuclear spin relaxation by translational diffusion. III. Spin—spin relaxation, 3=20662
Resler,E.L.,Jr. See Lifshitz,A., 3=16160
Resmini,F. See Luccio,A., 3=5738
Restelli,G.B. See Bassi,P., 3=17480
Rethmeier,J.,Jonker,C.C.,Rodenburg,M.,Hovenier,J.W. and Meulen,D.R.v.d. Differential cross-sections for D—T neutrons by time of flight methods, 3=6011
Rethmeier,J.,Jonker,C.C.,Rodenburg,M.,Hovenier,J. and van der Meulen,D. Inelastic scattering of 14·8 MeV neutrons from carbon and bismuth, 3=2464
Rettschnick,R.P.H. See Ketelaar,J.A.A., 3=9512
Retz-Schmidt,T.W. See Skorka,S.J., 3=22299
Reuschel,A. Method for focal length determination in optical systems, 3=1802
Reuter,J.L. See Calcote,H.F., 3=7435
Reuter,W. See Stevenson,M.J., 3=9588
Revah,I., Spizzichino,A. and Taieb,C. Study of wind shears in the lower ionosphere by radioelectric observation of meteor trails, 3=16277
Revina,L.D. See Lavrukhina,A.K., 3=24940
Revzen,M. and Trainor,L.E.H. Analytic properties of the time Green functions in the statistical mechanics of many-body systems, 3=3765
Revzin,L.S. See Krasnaya,A.R., 3=2013
Rewaj,T. Effect of the Cu^{++} ion on delayed phenomena in Rochelle salt, 3=25404
Rexroad,H.N. See Yu Hak Hahn, 3=13304
Rey,C. and Parker,S. Modular spark chambers, 3=17143
Reyes-Suter,P. See Suter,T., 3=24898
Reynolds,A. Forced oscillations in a rotating liquid. I. 3=9428
Reynolds,A. Forced oscillations in a rotating liquid. II, 3=18792
Reynolds,C.A. See Marshak,H., 3=2468
Reynolds,D.C. and Pedrotti,L.S. Temperature shift of edge emission in cadmium sulfide crystals, 3=949
Reynolds,F.L. Ionization of tungsten single-crystal surfaces, 3=24226
Reynolds,G.T.,Scarl,D.B.,Swanson,R.A.,Waters,J.R. and Zdanis,R.A. Muon capture on carbon, 3=8122
Reynolds,G.T. and Waters,J.R. Photoelectron detection efficiency of high-gain image intensifier systems used with scintillation chambers, 3=19326
Reynolds,G.T, Waters,J.R, and Poultney,S.K. Cherenkov rings from single particles observed with a high-gain image intensifier system, 3=17109
Reynolds,G.T. See Waters,J.R., 3=2179
Reynolds,J. See Lindmayer,J., 3=10709
Reynolds,J.A. and Phillips,N.J. Magnetic field diffusion during the initial stages of the theta pinch, 3=7565
Reynolds,J.A. See Bodin,H.A.B., 3=12155
Reynolds,J.A. See Bodin,H.A.B., 3=12156
Reynolds,J.A. See Goldman,L.M., 3=3972
Reynolds, J.A. See Goldman,L.M., 3=4144
Reynolds,J.C. Surface properties of ground–state nuclear matter, 3=15082
Reynolds,J.C. and Puff,R.D. Volume properties of ground-state nuclear matter, 3=15081
Reynolds,J.M. See Grenier,C.G., 3=8492
Reynolds, J.M. See Grenier, C.G., 3=25354
Reynolds,J.T. See Griffy,T.A., 3=665
Reynolds,J.T. See Onley,D.S., 3=8081
Reynolds,R.A. and Tegart,W.J.M. The deformation of some pure irons by high-speed torsion over the temperature range 700-1250°C, 3=6857
Reynolds,R.T. See DeMarcus,W.C., 3=16338
Reynolds,S.E. and Brook,M. Thunderstorm electrification, 3=6957
Reynolds,W.C. Turbulent heat transfer in a circular tube with variable circumferential heat flux, 3=19035
Reynolds,W.N. See Goggin,P.R., 3=10615
Reynolds,W.N. See Thrower,P.A., 3=20194
Reynolds,W.N. See Thrower,P.A., 3=25651
Reyssat,M. See Decaux,B., 3=9951
Rez,I.S. See Fedulov,S.A., 3=13116
Rez,I.S. See Fedulov,S.A., 3=13481
Rez,I.S. Piezoelectric polymers, 3=20392
Řezanka,I. An induction coil for measuring a magnetic field, 3=21922
Rezlescu,N. Method of detection of low-energy beta-rays, 3=24704
Rezneck,S. An American physicist's year in Europe: Henry A.Rowland, 1875-1876, 3=3698
Reznik,F.Ya. Relations between the structure of the surface layer of pure liquids and their surface and bulk properties, 3=16600
Rezukhina,T.N. See Kochetkova,N.M., 3=22659
Rhead,G.E. Surface self-diffusion and faceting on silver, 3=25292
Rhead,G.E. See Mykura,H., 3=14324
Rhee,K.H. See Crawford,V.A., 3=2627
Rho,J.R. See Silver,M., 3=20339

Rhode,J.I. and Johnson,O.E. A 4π positron scintillation spectrometer, 3=7838
Rhode,J.I. and Johnson,O.E. Positron decay of Co^{58}, 3=19815
Rhode,J.I.,Johnson,O.E. and Smith,W.G. Positron decay of Y^{88}, 3=6205
Rhodes,P.,Rowlands,G. and Birchall,D.R. Magnetization energies and distributions in ferromagnetics, 3=1065
Rhodes,P. and Wohlfarth,E.P. The effective Curie—Weiss constant of ferromagnetic metals and alloys, 3=13243
Rhodes,P. See Hindley,N.K., 3=10600
Rhodes,P. See Wohlfarth,E.P., 3=5004
Rhodes,P. See Wohlfarth,E.P., 3=8666
Rhodes,W. Symmetry of helical polymers. Electronic states of double-stranded polynucleotides, 3=2682
Rhodin,T.N. See Walton,D., 3=16842
Rhyne,J. See Legvold,S., 3=20550
Riach,W., Elliott,D.N. and Reed,J.C. Growth of loudness and its relationship to intensity discrimination under various levels of auditory fatigue, 3=3681
Riazantsev,Iu.S. See Novikov,S.S., 3=16710
Riazantsev,Yu.,S. Calculation of density variation which occurs during phase transformation in Stefan's problem, 3=1867
Riazantsev,Yu.S. Calculation of density variatio which occurs during phase transformation in Stefan's problem, 3=1867
Riazuddin. The fourth-order contribution to self-energies of the baryons and their mass spectrum, 3=537
Riazuddin and Fayyazuddin. Properties and effects of η-decays, 3=10165
Riazuddin and Moravcsik, M.J. Vector mesons and the uniqueness of nucleon—nucleon scattering amplitudes, 3=17264
Ribarič,M. See Blinc,R., 3=15408
Ribaud,G. Comments on two recent notes on the cooling of a black body radiating in space, 3=19060
Ribbe,P.H. See Fleet,S.G., 3=20975
Ribbens,W.B. Effect of electromagnetic propagation on the magnetostatic modes, 2=32312
Ribe,F.L. See Jahoda,F.C., 3=7581
Ribe,F.L. See Jahoda,F.C., 3=16955
Ribe,F.L. See Little,E.M., 3=12206
Ribe,F.L. See Sawyer,G.A., 3=7503
Ribe,F.L. See Sawyer,G.A., 3=24296
Ribeiro, S.C. See Murphy, P.V., 3=17923
Ribeiro, S.C. See Murphy, P.V., 3=17947
Ribner,H.S. On spectra and directivity of jet noise, 3=11873
Ribnikar,S.V. See Bigeleisen,J., 3=8247
Ribon,P. See Le Pipec,C., 3=4801
Ribon,P. See Michaudon,A., 3=6259
Ribrag,M. See Genin,R., 3=12467
Ricabarra,D. See Arcipiani,B., 3=8166
Ricabarra,G.H. See Arcipiani,B., 3=8166
Ricamo,R. See Calvi,G., 3=6269
Ricamo,R. See Potenza,R. 3=10359
Ricci, F.P. See Caglioti,G., 3=126
Ricci,F.P. See Caglioti,G., 3=1279
Ricci,R. See Wettermark,G., 3=25836
Ricci,R.A., Jean,M. and Van Lieshout,R. Effects of pairing and quadrupole forces on the branching ratios from the higher excited states in spherical even—even nuclei, 3=2371
Ricci,R.A. See Chilosi,G., 3=2386
Ricci,R.A. See Chilosi,G., 3=7992
Riccia,J.Della. Band structure of II-IV compounds, 3=2752
Rice,D.W. and Forsyth,P.A. Variations in meteoric radio signal decay rates, 3=13924
Rice,J.A. See West, F.G., 3=14722
Rice,M. A simple spring gun: experiments; demonstrations, 3=5399
Rice,M.H. See Taylor,J.W., 3=9540
Rice,O.K. Non-equilibrium effects in the dissociation of diatomic molecules by a third body, 3=12869
Rice,S.A. See Choi,S.I., 3=8568
Rice,S.A. See Corneliussen,R., 3=11790
Rice,S.A. See Davis,H.T., 3=317
Rice,S.A. See Davis,H.T., 3=1677
Rice,S.A. See Davis,H.T., 3=1678
Rice,S.A. See Jortner,J., 3=20000
Rice,S.A. See Yamakawa,H., 3=14158
Rich,E. See Raab,D.H., 3=21159

Rich,J.A. Stationary and running striations in a radio frequency discharge, 3=4165
Rich,J.A. See Lapp,M., 3=19241
Rich,M. Resonant gamma absorption near crystal surfaces, 3=25171
Rich,M. and Griffin,J.J. Statistical behaviour of finite isolated superfluids, 3=19743
Richard,J. Experimental study of the optical properties of thin films of germanium in the visible and infrared, 3=10953
Richard,J. and Roux,D. A study of the optical properties of thin films in the near infrared, 3=13147
Richard, J. and Varenne, S. Experimental study of the optical properties of thin copper films in the visible and the near infrared, 3=17996
Richard,K.F.,Rao,U.R. and Smith,W.B. Transistorized automatic data recording for cosmic-ray detectors, 3=15057
Richard,M. Silicon evaporation in vacuo, 3=20927
Richard,M.,Eyraud,L.,Fetiveau,M. and Rivière,R. Influence of grain size on the ferro-paraelectric transition of barium titanate, 3=8792
Richard,M. See Eyraud,L., 3=6816
Richard,M. See Eyraud,L., 3=20769
Richard,N.A. See Austin,A.E., 3=2824
Richards,E.W.T. See Bovey,L., 3=698
Richards,J.M. The penetration of interfaces by cylindrical thermals, 3=21036
Richards,P.L. Far-infrared magnetic resonance in CoF$_2$, NiF$_2$, KNiF$_3$, and YbIG, 3=15930
Richards,P.M. Relaxation of longitudinal and transverse components of nuclear magnetization in liquids, 3=23914
Richards,R.E. Nuclear resonance in paramagnetic solutions, 3=21413
Richards,R.E. and Yorke,B.A. Nuclear resonance spectra of electrolyte solutions, 3=14185
Richardson,B. See Medford,R.D., 3=1991
Richardson,C.B. Temperature dependence of the Zeeman effect in the nuclear quadrupole resonance in chloranil, 3=8743
Richardson,E.G.,Jr. See Hudson,E.D., 3=5752
Richardson,H.O.W. See Michelson,D., 3=9875
Richardson,J.M. See Ward,G.D., 3=21980
Richardson,J.R. Preliminary considerations on meson cyclotrons, 3=5781
Richardson,J.R.,Willax,H. and Jones,W.B. Note on a spill beam from the 88-inch cyclotron, 3=5733
Richardson,J.R. See Clark,D.J., 3=5730
Richardson,J.T. and Beauxis,J.O. Automatic magnetic susceptibility apparatus, 3=21924
Richardson, J.T. See Milligan, W.O., 3=18104
Richardson,J.W.,Powell,R.R. and Nieuwpoort,W.C. Approximate radial functions for first-row transition-metal atoms and ions. II. 4p and 4d atomic orbitals, 3=10435
Richardson,M.J. Molecular weights of amorphous polymers by electron microscopy, 3=20039
Richardson,M.T. See Southern,A.L., 3=9877
Richardson,P.D. A swinging thermometer, 3=14405
Richardson,P.D. See Kestin,J., 3=11968
Richardson,R.C. See Rorer,D.C., 3=12029
Richardson,R.W. A restricted class of exact eigenstates of the pairing-force Hamiltonian, 3=7962
Richardson,R.W. Application to the exact theory of the pairing model to some even isotopes of lead, 3=19751
Riche,T. See Lucenet,G., 3=19614
Richer,N.B. The nature of comets, 3=13868
Richert,S. See Berkelman,K., 3=7914
Richey,F. See Duntley,S.Q., 3=6962
Richez,J. A trace following device, 3=19529
Richman,D. Dissociation pressures of GaAs, GaP and InP and the nature of III—V melts, 3=25815
Richman,I. and Wong,E.Y. Absorption spectrum of Nd^{3+} in LaBr$_3$, 3=3009
Richman,I. See Wong,E.Y., 3=3014
Richmond,J.C. Relation of emittance to other optical properties, 3=25432
Richmond,J.C. and Harrison,W.N. Total hemispherical emittance of coated and uncoated inconel and types 321 and 430 stainless steel, 3=289
Richter,B. Low-mass anomaly in photoproduction of pion pairs, 3=10151

Richter,E. Energy spectrum of isotropic hydromagnetic turbulence, 3=17042

Richter,E. A procedure for the calculation of the position of the fermi level in semiconductors with the help of an electronic digital computer, 3=20293

Richter,G.,Biel,W. and Bagge,E. Measurement of the transmission of a palladium target for neutrons in the energy range from 1·5 to 10 eV, 3=19859

Richter,H. The complex structure of solid amorphous and melted bismuth, 3=16123

Richter, H. and Breitling, G. The question of crystal growth from metallic melts, 3=18253

Richter,H. See Breitling,G. 3=9438

Richter,H. See Dietrich,I., 3=14460

Richter,F.W. See Kamke,D., 3=21729

Richter,K. See Lendvay,E., 3=4989

Richter,K. See Lendvay,E., 3=10997

Richter,N.B. The photometric properties of interplanetary matter, 3=3542

Rickard,E.F. See Forster,C.F., 3=15715

Rickards,J. See Perry,R.R., 3=22378

Rickert,H. See Birks,N., 3=13587

Rickett,R. See Mayer,L., 3=25790

Rickey,M.E. and Smythe,R. The acceleration and extraction of negative hydrogen ions in the c.u. cyclotron, 3=5736

Rickey,M.E. See Lind,D.A., 3=5735

Rickey,M.E. See Lind,D.A., 3=5749

Rickson,K.O.,Hall,C.B. and McConnell,J.D.C. A high temperature single-crystal X-ray camera, 3=20813

Riddiford,A.C. See Elliott,G.E.P., 3=1672

Riddiford,L. See Barrow,C., 3=14692

Ridell,R.J.,Jr. See Lepore,J.V., 3=22077

Rider,B.F.,Peterson,J.P.,Jr. and Ruiz,C.P. The mass spectrometric determination of the Cs^{137} half-life, 3=12631

Rider,J.G. and Brooks,J.H.H. The relationship between hardness and electrical resistivity changes induced by cold work in copper, nickel, and aluminium, 3=13373

Rider,J.G. and Roney,P.L. The densities of lead—indium alloys, 3=25731

Rider,J.G. See Harlow,R.G., 3=7258

Ridgley,D.H. See Huber,E.E.,Jr., 3=15735

Ridgway,S.L.,Clark,G.L. and York,C.M. Time-resolved spectroscopy of ruby laser emissions, 3=14335

Ridley,B.K. and Pratt,R.G. A bulk differential negative resistance due to electron tunnelling through an impurity potential barrier, 3=20298

Ridley,B.K. See Pratt,R.G., 3=25343

Ridley,H.B. The phoenicid meteor shower of 1956 December 5, 3=3556

Ridout,M.S. See Johnson,C.E., 3=25521

Riebling,E.F. Improved counterbalanced sphere viscometer for use to 1750°C, 3=14116

Riebling,E.F. and Erickson,C.E. Molten salt system gallium monoiodide—gallium triiodide. I. Densities and electrical conductances, 3=18827

Riecke,W.D. A condenser system for a strong objective lens, 3=19361

Rieckhoff,K.E. and Griffiths,D.J. Optical Faraday rotation studies of paramagnetic resonance in neodymium ethylsulphate, 3=8714

Rieckhoff,K.E. and Weissbach,R. X-band resonant cavity for optical studies at liquid helium temperatures, 3=5884

Rieckhoff,K.E. See Peticolas,W.L., 3=11002

Rieckmann,P. Absorption of ultrasound in water: measurement procedure and results, 3=21361

Rieder,W. and Jussila,J. A.C. arc reignition in a transverse magnetic field, 3=4079

Riedl,H.R. and Schoolar,R.B. Dispersion of the refractive index near the fundamental absorption edge in PbS, 3=25436

Riedl,H.R. See Dixon,J.R., 3=10907

Rieger,H. The dependence of the reversible susceptibility of single nickel crystals on the magnetizing field and the crystal orientation, 3=20572

Rieger,P.H. and Fraenkel,G.K. Spin-density distribution in nitrile anion radicals, 3=6428

Rieger,P.H. and Fraenkel,G.K. Electron spin resonance spectra of carbonyl anion radicals, 3=6429

Rieger,P.H. and Fraenkel,G.K. Analysis of the electron spin resonance spectra or aromatic nitrosubstituted anion radicals, 3=22593

Rieger,P.H. See Freed,J.H., 3=4776

Riehl,H. Some relations between wind and thermal structure of steady state hurricanes, 3=25881

Riehl,N. and Thoma,P. Investigation in the region of low temperatures of very shallow electron traps, 3=8429

Riehl,N. See Dengel,O., 3=22816

Riehl,N. See Knobloch,J., 3=6678

Riehs,P. and Warhanek,H. Decay scheme of Ru^{95}, 3=19818

Rieke,F.F. and Allison,R. Fluorescence spectra and lifetimes of some rare-earth compounds, 3=8628

Rieker,J. Sunset and sunrise in the ionosphere: effects on the propagation of long waves, 3=14784

Riemann,M. and Gall,I. On the blackening behaviour of background affected spectral lines on spectral plates, 3=7343

Riemens,J. See Koedam,M., 3=19218

Riemersma,H., Hulm,J.K., Venturino,A.J. and Chandrasekhar,B.S. A variable composition, high field superconducting solenoid, 3=3971

Riemersma,H. See Babcock,R., 3=3970

Rienen,F. See Faissner,H., 3=17141

Rienitz,J, Minor,U. and Urbach,E. A new transmitted light interference microscope, 3=16752

Ries,H.E.,Jr. See Walker,D.C., 3=8931

Riesenberg,H. Aberration correction of a monochromat u.v. [microscope] objective at different wavelengths, 3=1793

Riesenfeld,W. See Karr,H., 3=12223

Rietjens,L.H.T. See van der Laan,P.C.T., 3=12171

Rigal,G. See Bernière,G., 3=1520

Rigamonti,A. See Bonera,G., 3=23545

Rigden,J.D. See White,A.D., 3=17087

Rigden,J.D. See White,A.D., 3=19497

Riggleman,B.M. and Drickamer,H.G. Approach to the metallic state as obtained from optical and electrical measurements, 3=17812

Riggs,B.A. and Demer,L.J. Discussion on "Discontinuous plastic flow in Al—Mg alloys" by P.R.Sperry, 3=25634

Riggs, F.B.,Jr. New design for a gas-flow proportional counter, 3=14818

Riggs,F.B. Jr. See Peterton,C.W., 3=9393

Righini,B. See Alberigi-Quaranta,A., 3=16893

Righini,B. See Busuoli,G., 3=17236

Rigrod,W.W. Isolation of axi-symmetrical optical resonator modes, 3=9974

Rigrod,W.W. Gain saturation and output power of optical masers, 3=22018

Rigrod,W.W.,Kogelnik,H.,Brangaccio,D.J. and Herriott,D.R. Gaseous optical maser with external concave mirrors, 3=7318

Rigrod,W.W. and Rustako,A.J. Jr. Diffraction studies with plane parallel maser interferometer, 3=9614

Rigutti,M. Rotational and vibrational analysis of the $A^2\Pi$ and $X^2\Sigma$ states of the CN molecule, 3=2611

Rigutti,M. and Drago-Chiuderi,F. The (2·0) and (3·1) bands of the CN red system: rotational analysis and comparison with the solar spectrum, 3=21107

Rigutti,M. and Russo,D. The spectrum of the inner corona observed at the total solar eclipse of 1961, February 15, 3=18636

Rigutti,M. See Noci,G., 3=9223

Rihani,G.D. See Kathavate,Y.V., 3=19220

Rikenglaz,L.E. See Kucherov,R.Ya., 3=14427

Rikenglaz,L.E. See Kucherov,R.Ya., 3=14511

Rikitake,T. Dynamics of spherical eddies in the earth's core, 3=13646

Rikitake,T. See Nagata,T., 3=25944

Riley,K.F. See Diddens,A.N., 3=22183

Riley,K.K. See Kycia,T.F., 3=22184

Riley, N. A note on three-dimensional boundary layers, 3=9415

Riley,P.J.,Braben,D.W. and Neilson,G.C. The 5.11 and 5.16 MeV levels of B^{10}, 3=24860

Riley,P.J. See Braben,D.W., 3=15100

Riley,W.A. See Fabian,B.N., 3=14836

Rimai,L. See Statz,H., 3=3167

Rimet,G. See Brugel,L., 3=19398

Rimet,G. See Pauthenet,R., 3=1141

Rimini,A. See Ghirardi,G.C., 3=10041

Rimini,A. See Alzetta,R., 3=22137

Rimondi,O. See Busuoli,G., 3=17236

Rimondi,O. See Cervellati,A., 3=9054

Rimondi,O. See Cervellati,A., 3=9059

Rimskii-Korsakov,A.A. and Smirnov,V.V. Investigation of the angular distribution of photoelectrons ejected by Cs^{137} γ-rays from targets with various Z values, 3=5694
Rimskii-Korsakov,A.A. See Aglintsev,K.K., 3=8204
Rimskii-Korsakov,A.A. See Lozhkin,O.V., 3=4475
Rinander,G.A. See Eriksson,T.A., 3=12568
Rinaudo,G. See Marzari-Chiesa,A., 3=7848
Rinaudo,G. See Marzari-Chiesa,A., 3=19695
Rinderer,L.,Saur,E. and Wurm,J. Structure and superconductive properties of Nb-Sn diffusion layers, 3=19118
Rindner, W. and Braun, I. Resistance of elastically deformed shallow p-n junctions. II., 3=17902
Rindner,W. and Braun,I. On the effects of elastic and plastic deformation of P-N junctions in semiconductors, 3=10844
Rindner,W. and Nelson,R. Piezo-junctions: elements of a new class of semiconductor devices, 3=2940
Rindner,W. and Tramposch,R.F. Plastic deformation of gernanium and below room temperature, 3=11155
Rindner,W. See Tramposch,R.F., 3=22792
Rinehart,E.A. See St.John,R.M., 3=2575
Rinehart,J.S. Underground cavities subjected to intense ground shocks, 3=16194
Riney,J. See Ashcraft,T.L., 3=7419
Ring,J. See Grainger,J.F., 3=9148
Ring,J.W. See Denney,D.J., 3=23898
Ring,T. See Gore,W.G., 3=19154
Ringeissen,J. See Nikitine,S., 3=2765
Ringeissen,J. See Nikitine,S., 3=8405
Ringeissen,J. See Nikitine,S., 3=10932
Ringeissen,J See Nikitine,S , 3=10934
Ringeissen,J. See Vacek,K., 3=4959
Ringler,H. Radial potential distribution in high-current carbon arcs, 3=4084
Ringnes,T.S. Secular variations in short-lived sunspots, 3=9193
Rinzivillo,R. See de Carvalho,H.G., 3=8146
Riollet,J.F. Measurement of small differences of the refractive index of a thin film deposited on a base of similar material, 3=24007
Ripamonti,A. See Damiani,A., 3=3295
Ripamonti,A. See Damiani,A., 3=18300
Ripamonti, A. See De Santis, P., 3=3351
Rîpeanu,S. See Călușaru,A., 3=23509
Ripka,G. The non-locality of the optical potential, 3=12544
Rippon,S.E. An assessment of Cherenkov detectors as fission product monitors in water cooled reactors, 3=12738
Rippon,S.E. Cherenkov detectors for the measurement of reactor power, 3=12739
Risbourg,A. See Bled,J., 3=2122
Risbourg,A. See Lebrun,A., 3=22984
Rischbieter,F. See Meyer,E., 3=5499
Riser,H. See Hendricks,J.B., 3=12914
Rishbeth,H. Further analogue studies of the ionospheric F layer, 3=5219
Rishbeth,H. Ionospheric storms and the morphology of magnetic disturbances, 3=23609
Rishbeth,H. and Garriott,O.K. The theory of ionospheric storms, 3=13761
Risi,M. See Busch,G., 3=11038
Riste,T. Some experiments on magnetic inelastic scattering of neutrons, 3=1116
Ristić,M.M. See Živanović,B., 3=6777
Ristinen,R.A.,Bartlett,A.A. and Kraushaar,J.J. A study of the decay of V^{48}, 3=19812
Ristinen, R.A. See Bartlett, A.A., 3=4378
Ritchie,R.H. On surface plasma oscillations in metal foils, 3=22690
Ritow,H. A field emission interpretation of glow discharge, 3=373
Ritschel,H. and Schmidt,G. Electronic conductivity and disorder phenomena in yellow lead (II) oxide with substitutional cation impurities. I. Conductivity variations, 3=13075
Ritschel,H. and Schmidt,G. Electronic conductivity and disorder phenomena in yellow lead (II) oxide with substitutional cation impurities. II. Variation of activation energy. Changes of colour, 3=13076
Ritschl,R. and Röseler,A. The i.r. absorption of doped Ge and Si single crystals, 3=935
Ritschl,R. See Poser,C., 3=255
Ritsema,A.R. See Scholte,J.G.J., 3=1413
Ritsma,R.J. Existence region of the tonal residue. II, 3=21165
Ritsma,R.J. See Schouten,J.F., 3=3670

Ritson,D.M. See Boyarski,A.M., 3=6065
Ritson,D.M. See Coward,D.H., 3=22094
Rittenberg,A. See Alexander,G., 3=7924
Rittenberg,A. See Kalbfleisch,G.R., 3=17349
Ritter,G.J. Ground-state hyperfine structure and nuclear magnetic moment of thulium-169, 3=6355
Ritter,J.C. and Smith, W.G. Decay of At^{212}; the Bi^{209} (α, N)At^{212} reaction, 3=2419
Ritter,R.C.,Stelson,P.H.,McGowan,F.K. and Robinson,R.L. Coulomb excitation with Ne^{20} ions, 3=6297
Ritter,R.C. See Huang,W.F., 3=15226
Rittner, E.S. and Neumark, G.F. Theoretical bound on the thermoelectric figure of merit of two-band semiconductors, 3=17967
Ritus,V.I. Photoproduction of neutrinos on electrons and the neutrino radiation from stars, 3=577
Ritz,V.H. See Klick,C.C., 3=22835
Rivet,P. See d'Andlau,C., 3=17328
Rivet,E. See Harvey,B.G., 3=4566
Rivial,J.L. Dielectric behaviour of pulverized nickel oxide at radio frequencies, 3=13107
Rivier,D. See Berger,L., 3=8489
Riviere,A.C. and Sweetman,D.R. The dissociation of molecular ions by strong electric fields, 3=7436
Riviere,J.C. A fluid-free stainless steel ultra-high vacuum system for surface physics measurements, 3=23945
Rivière,J.C. See Hopkins,B.J., 3=9825
Rivière,P. See Richard,M., 3=8792
Rivin, A.N. See Klimov,B.M., 3=16717
Riviore,G. and Dupeyrat,R. Measurement of the amplification coefficient for a fluorescence line of iodine vapour, excited by the λ = 5461 A line of mercury, 3=12769
Rivlin,V.G.,Hume-Rothery,W. and Ryder,B. The constitution and structure of gold-cadmium alloys, 3=6855
Rivoira,R. See Barras,H., 3=3358
Rivoire,G. and Dupeyrat,R. Stimulated Raman effect, 3=14373
Rizaev,Kh. See Kopylova,D.K., 3=24774
Riznichenko,Yu.V. and Shamina,O.G. Modeling of longitudinal waves in the earth's upper mantle, 3=21026
Rizzuto,C. See Boato,G., 3=19105
Roa, D.J. The Fermi surfaces of copper, silver and gold. II. Calculation of the Fermi surfaces, 3=2763
Roach,F.E. The aurora and trapped electrons, 3=13800
Roach,F.E.,Barbier,D. and Duncan,R.A. Observation of 6300 A arc in France, the United States and Australia, 3=11454
Roach,F.E. and Roach,J.R. Stable 6300 A auroral arcs in mid-latitudes, 3=23632
Roach,J.R. Effects of radio wave propagation through mid-lattitude 6300 A auroral arcs, 3=19460
Roach,J.R. See Roach,F.E., 3=23632
Roach,P.R. See Lounasmaa,O.V., 3=771
Roach,W.T. See Briggs,J., 3=21035
Robben, F. Nonequilibrium ionization in a magnetohydrodynamic generator, 3=4263
Robbins,A.B.,Grotowski,K.A. and Greenlees,G.W. Polarization of 9.4-MeV protons elastically scattered from copper, 3=12661
Robbins,M. and Banks,E. Effect of fluoride-compensated Co^{2+} on the anisotropy of $BaFe_{12}O_{19}$, 3=15877
Robbins, M, Lerner, S. and Banks, E. Some effects of charge-compensating ions on cation site preferences in complex oxides, 3=18222
Robbins,M. See Banks,E., 3=1013
Robbrecht,G.G. and Doclo,R.J. Magnetic transformations in antiferromagnetic iron sesquioxide, 3=5029
Roberson,J.A. and Grosskreutz,J.C. Fatigue of copper-zinc alloys at 100°K, 3=20750
Robert,C. and Hartmann-Boutron,F. Anisotropy of the nuclear resonance frequency in yttrium iron garnet, 3=3205
Robert,C. and Winter,J.M. Relaxation of Fe^{57} nuclei in yttrium iron garnet, 3=23252
Robert,J. See Lecoin,M., 3=10078
Roberts,A. See Burleson,G.R., 3=17145
Roberts,A. See Burleson,G.R., 3=17146
Roberts,A. See Burleson,G.R., 3=17149
Roberts,A.C. See Higgins,P.R.B., 3=17803
Roberts,A.C. See Westmacott,K.H., 3=6520
Roberts, A.C. See Westmacott, K.H., 3=17706
Roberts,A.P. Weak-binding approximation in a one-dimensional liquid chain 3=9325
Roberts,B.W. See Ellis,W.P., 3=24043

Roberts,C.S. Inelastic scattering from a diatomic molecule: rotational exictation upon collision between He and H_2 and H_2 and H_2, 3=17623
Roberts,D.C. See Wilson,G.W., 3=7678
Roberts,D.L. The characteristics of an RC6 ionisation chamber with a low polarising voltage for the compensating volume, 3=22031
Roberts,D.L. See Marshall,F.R., 3=5890
Roberts,E. and Honeycombe,R.W.K. Fatigue of aluminium single crystals, 3=11139
Roberts,E.M. Exact integral relationship in quantum mechanics: application to the variational method, 3=1616
Roberts, F.P. See Wilson, A.S., 3=18311
Roberts,G. and Hughes,J.L. A simple device for rotating and oscillating a polycrystalline specimen when taking a back-reflection, X-ray photograph, 3=20814
Roberts,J.A. Radio emission from the planets, 3=23708
Roberts,J.H. See Ammar,R.G., 3=10229
Roberts,J.M. and Brown,N. Nonelastic strain recovery in zinc single crystals, 3=8776
Roberts,J.M. and Hartman,D.E. Theory of dislocation hysteresis with application to damping measurements in magnesium single crystals, 3=23306
Roberts,L.D. and Thomson,J.O. Solid state and nuclear results from a Mössbauer-type study of Au^{197}, 3=6458
Roberts,L.D. See Boom,R.W., 3=19409
Roberts,L.D. See Boom,R.W., 3=21670
Roberts,L.M. See Lock,J.M., 3=340
Roberts,L.M. See Lock,J.M., 3=16877
Roberts,M.E. See Feinberg,R., 3=4077
Roberts,M.E. See Feinberg,R., 3=4078
Roberts,M.E. See Feinberg,R., 3=19223
Roberts,M.E. See Feinberg,R., 3=24287
Roberts,M.J. Energy moments and cross sections for a Gaussian potential, 3=24657
Roberts,M.J. See Percival,I.C., 3=24634
Roberts,M.S. and Hugenin,G.B. The radiation belt of Jupiter, 3=21130
Roberts,M.W. Probability of gas adsorption on metal films. I. Carbon monoxide and nitrogen on molybdenum, 3=16146
Roberts, P.H. On the superpotential and supermatrix of a heterogeneous ellipsoid, 3=1595
Roberts,P.H. The effect of a vertical magnetic field on Rayleigh—Taylor instability, 3=9914
Roberts,P.H. On highly rotating polytropes. I, 3=16577
Roberts,P.H. and Stewartson,K. On the stability of a Maclaurin spheroid of small viscosity, 3=14117
Roberts,R.W. Adsorption and decomposition of hydrocarbons on clean metal films, 3=20939
Roberts,R.W. Generation of clean surfaces in high vacuum, 3=23499
Roberts,R.W. See Kilgore,B.F., 3=8926
Roberts, S. Interaction energy between a helium atom and a hydrogen molecule, 3=17622
Roberts,V. See Harding,G.N., 3=7594
Roberts,W.K. See Liu, D.C., 3=17254
Robertson,A.G. See Haydon,S.C., 3=4007
Robertson,A.G. See Haydon,S.C., 3=21701
Robertson,A.J.B.,Viney,B.W. and Warrington,M. The production of positive ions by field ionization at the surface of a thin wire, 3=12067
Robertson,A.J.B. See Dawson,P.H., 3=13605
Robertson,H.S. and Hakeem,M.A. Moving striations in glow discharge plasmas, 3=4164
Robertson,J.A.L.,Ross,A.M.,Notley,M.J.F. and MacEwan,J.R. Temperature distribution in UO_2 fuel elements, 3=10432
Robertson,J.M. Origins and historical development of X-ray analysis, 3=25682
Robertson,L.P. See Craddock,M.K., 3=22131
Robertson,L.P. See White,B.L., 3=4208
Robertson,W.A. Paleomagnetism of some Mesozoic intrusives and tuffs from Eastern Australia, 3=18581
Robertson,W.A. See Irving,E., 3=18578
Robertson,W.A. See Irving,E., 3=18582
Robertson,W.D. See Breedis,J.F., 3=20883
Robertson,W.D. See Tetelman,A.S., 3=13379
Robertson,W.W. See King,A.D.,Jr., 3=304
Robie,R.A. See Peselnick,L., 3=23278
Robin,J. and Robin-Kandare,S. Perturbation of the absorption spectrum of the alkali metals caused by absorbed hydrogen, 3=5443
Robin,J. See Jeric,S., 3=11318
Robin,J. See Robin-Kandare,S., 3=2995
Robin,L. Diffraction of a cylindrical electromagnetic wave by a perfectly conducting parabolic cylinder. The case of horizontal polarization, 3=4271
Robin,L. Diffraction of cylindrical electromagnetic wave by a perfectly conducting parabolic cylinder, the case of vertical polarization, 3=9932
Robin,S.,Robin,S.T.,Priol,M. and Rupin,J. A powerful, windowless source of simple construction for the far ultraviolet, 3=21556
Robin,S.T. See Robin,S., 3=21556
Robin-Kandare,S.and Robin,J. The optical properties of semiconductors between the middle and extreme ultraviolet, 3=2995
Robin-Kandare,S. See Jeric,S., 3=11318
Robin-Kandare,S. See Robin,J., 3=5443
Robins,J.L. Mass peaks from adsorbed gases in a single-focusing mass spectrometer, 3=24388
Robins,R.G. The precipitation of uranium metal in uranium dioxide in single crystals, 3=13591
Robinson,B.B. See Shkarofsky,I.P., 3=7508
Robinson,C.C. Longitudinal Kerr magneto-optic effect in thin films of iron, nickel, and permalloy, 3=13157
Robinson,C.S., Baum,P.M., Criegee,L. and McKinley,J.M. Determination of the $\rho.\gamma.\pi$ coupling constant from π^+ photoproduction, 3=4421
Robinson, D.E. See Jeffress, L.A., 3=3677
Robinson,D.K. See Fickinger,W.J., 3=19692
Robinson,D.W. Support of a field in momentum space, 3=48
Robinson,D.W. Multiple Coulomb excitations of deformed nuclei, 3=12574
Robinson,D.W. and Reeves,R.B. Infrared spectrum of methylsilylacetylene, 3=4771
Robinson,E.A. Characteristic vibrational frequencies of oxygen compounds of phosphorus and chlorine: correlation of symmetric and asymmetric stretching frequencies of PO and ClO bonds, 3=12838
Robinson,F.N.H. Nuclear cooling by rotation, 3=14432
Robinson, G. Anisotropy in polycrystalline nickel-iron thin films in the composition range 40-100% nickel, 3=1069
Robinson,G. Torque measurements of uniaxial anisotropy in thin films of nickel–iron in the composition range 80%-100% nickel, 3=15814
Robinson,G.W.and Frosch,R.P. Theory of electronic energy relaxation in the solid phase, 3=2748
Robinson,G.W. and Frosch,R.P. Electronic excitation transfer and relaxation, 3=10619
Robinson,G.W. See Nieman, G.C. 3=3058
Robinson,G.W. See Nieman,G.C., 3=25492
Robinson,G.W. See Sternlicht,H., 3=10981
Robinson,I. and Schild,A. Generalization of a theorem by Goldberg and Sachs, 3=14016
Robinson,J.D. See Higdon,W.T., 3=1403
Robinson,L.C. Use of electron paramagnetic resonance for the exploration of radio-frequency field patterns in microwave structures, 3=14775
Robinson,M.S. and Rumpel,W.F. Fluorescent-type ultraviolet radiation detector, 3=18974
Robinson,M.T. Deduction of ion ranges in solids from collection experiments, 3=5721
Robinson,M.T. and Oen,O.S. The channeling of energetic atoms in crystal lattices, 3=22879
Robinson,M.T. See Oen,O.S., 3=10571
Robinson,M.T. See Oen,O.S., 3=13019
Robinson,N.W. Modern valve pumping, 3=181
Robinson,P.D. The effects of degeneracy on the inelastic scattering of electrons and protons by hydrogen atoms, 3=4721
Robinson,P.D. On the nonorthogonality of generalized momentum eigenfunctions in quantum mechanics, 3=11696
Robinson,P.D. and Hirschfelder,J.O. Virial theorem and its generalizations in scattering theory, 3=7127
Robinson,P.D. and Hirschfelder,J.O. Generalized momentum operators in quantum mechanics, 3=11 95
Robinson,P.D. See Epstein,S.T., 3=7128
Robinson,R.L. See Ritter,R.C., 3=6297
Robinson,R.R. See Bell,R.B., 3=5447
Robinson,S.M. See Iczkowski,R.P., 3=18851

Robinson,T.K. and Beams,J.W. Radio telemetering from magnetically suspended rotors, 3=7374
Robinson,W.A. See O'Sullivan,W.J., 3=20680
Robinson,W.H. See Levinstein,H.J., 3=806
Robley,R. Photometry of the zodiacal light and counter-glow, 3=11529
Roblin,M.J., Goodrich,R.S. and Ansell,G.S. Grain boundary sliding in metals, 3=17774
Robotti,A.C. and Oggero,M. Experimental research on electric propulsion. I. Research on the stabilization of an electric arc by a magnetic field for astronautical use, 3=407
Robotti,A.C. and Oggero,M. Experimental research on electric propulsion. II. Experimental research on a plasma jet with vortex-type stabilization for propulsion, 3=408
Robotti,A.C. and Oggero,M. Experimental research on electric propulsion. III. Experimental research on a plasma jet with an arc stabilized in an axial magnetic field as a propelling unit for astronautical uses, 3=409
Roboz,P. Investigation of gas adsorption by tungsten tips by means of a field emission microscope, 3=13568
Robson,B.A. See Hebbard,D.F., 3=13995
Robson,D. Numerical methods in the distorted wave theory of heavy particle stripping, 3=15168
Robson,D. and Toutenhoofd,W. Analysis of overlapping resonances in proton—carbon scattering, 3=24928
Robson,D. See Shute,G.G., 3=635
Robson,J.M. See Slinn,W.G., 3=12686
Rocard,Y. See Ecollan,J., 3=11380
Rocca,E. See Boella,G., 3=22222
Rocchiccioli,C. The study, by thermogravimetry and infrared spectrographic absorption, of alkaline permanganates and manganates, 3=16161
Rocher,J. See Servant,R., 3=23236
Rocher,Y.A. Use of virtual bound states in rare earth metals, 3=2756
Rochester,G.D. Cosmic rays and meteorology, 3=9022
Rochester,M.G. Geomagnetic core-mantle coupling, 3=9124
Rochow,T.G.,Botty,M.C. and Thomas,A.M. Chemical and industrial applications of electron microscopy, 3=20961
Rock,I. See Kaufman,L., 3=1570
Rockmore,D.M. and Turner,R.E. Diffusion of heavy impurities in solids, 3=22804
Rockmore,R.M. Sampson-Seitz procedures and the static responses of normal fermion systems, 3=5387
Rockmore,R.M. A reduction formalism for potential scattering, 3=5939
Rockmore,R.M. On the singularities of the scattering amplitude in a simple field-theoretic model, 3=14912
Rodbell,D.S. The temperature dependence of the magneto-crystalline anisotropy of face-centered cubic cobalt, 3=1038
Rodbell,D.S.,Jacobs,I.S.,Owen,J. and Harris,E.A. Biquadratic exchange and behaviour of some antiferromagnetic substances, 3=20628
Rodbell,D.S. See Bean,C.P., 3=1002
Rodbell,D.S. See De Blois,R.W., 3=13226
Rodbell,D.S. See De Blois,R.W., 3=15753
Rodberg,L.S. The magnitude of exchange effects in (d,p) reactions, 3=24965
Rodda,J.L.,Griffin,J.E. and Stewart,M.G. A transistorized time—amplitude converter for sub-nanosecond lifetime measurement, 3=19149
Rodda, J.L. and Stewart, M.G. Positron mean lives in scandium, yttrium, and the rare-earth metals, 3=17695
Rode,V.E.,Vedyaev,A.V. and Kraĭnov,B.N. Behaviour of magnetization of a copper—cadmium ferrite in pulsed fields up to 200 kOe, 3=20617
Roden,R.B. Electromagnetic core—mantle coupling, 3=13823
Rodenberg,R. Two photon exchange in electron—proton scattering, 3=17247
Rodenberg, R. Cross-section for E0 transitions induced by inelastic electron and positron scattering on nuclei, 3=17454
Rodenburg,M. See Rethmeier,J., 3=2464
Rodenburg,M. See Rethmeier,J., 3=6011
Roder,H.M.,Diller,D.E.,Weber,L.A. and Goodwin,R.D. The orthobaric densities of parahydrogen derived heats of vaporization, and critical constants, 3=14424
Roder,H.M. See Goodwin,R.D., 3=14146
Roder,H.M. See Goodwin,R.D., 3=14418
Rodot,H. and Henoc,J. The solid-state diffusion between different semiconductor materials, 3=17786
Rodot,H. See Quilliet,A., 3=10835
Rodot,M. See Quilliet,A., 3=10835
Rodgers,C.D. See Walshaw,C.D., 3=11393
Rodgers,J.M. See Warrington,D.H., 3=5400
Rodichev,G.M. See Kim,P.D., 3=11080
Rodichev,A.M. and Rumanov,E.N. Contribution to the theory of high-field switching of thin ferromagnetic films, 3=15825
Rodichev,V.I. Twisted space and nonlinear field equations, 3=4332
Rodigin,N.M. See Korobeinikova,I.E., 3=9902
Rodinov,K.P. See Frolov,A.P., 3=20815
Rodionov,K.P. See Frolov,A.P., 3=3252
Rodionov, K.P. See Grazhdankina, N.P., 3=18116
Rodionov,S.F. See Osherovich,A.L., 3=23655
Rodionov,Yu.F. See Baranov,S.A., 3=2420
Rodionov, Yu.F. See Baranov, S.A., 3=4581
Rodionov,Yu.F. See Baranov,S.A., 3=4605
Rod'kina,N.I. See Boiko,B.T., 3=9440
Rodman,J.P. A dual-channel pulse-counting astronomical spectrophotometer, 3=9145
Rodman,J.P. and Smith,H.J. Tests of photomultipliers for astronomical pulse-counting applications, 3=9146
Rodnikova,I.V. See Kel'man,V.M., 3=453
Rodnikova,I.V. See Kel'man,V.M., 3=4209
Rodot,H. Solid solutions of binary and ternary semiconductor compounds, 3=876
Rodot,M. Dispersion mechanism and effective mass in HgTe and HgSe, 3=870
Rodot,M. See Verié,C., 3=1925
Rodrigues,E. and De Oliveira E Souza,J.B. An automatic nuclear quadrupole resonance spectrometer, 3=19469
Rodriguez,G. See Kittl,P., 3=23534
Rodriguez,S. Velocity of sound in metals in a uniform magnetic field, 3=4820
Rodriguez,S. Influence of the spin of the electron on the quantum magnetoacoustic effect in metals, 3=15429
Rodriguez,S. Modification of the velocity of sound in metals by an applied magnetic field, 3=15432
Rodriguez,S. Oscillations of the Knight shift, 3=20675
Rodriguez,S. See Quinn,J.J., 3=4129
Rodriguez,S. See Quinn,J.J., 3=4816
Rodriguez,S.E. and Pings,C.J. Cell for X-ray diffraction studies of absorbing liquids, 3=7669
Roe,B.P. See Brown,J.L., 3=12500
Roe,D.W. See Graybeal,J.D., 3=4772
Roe,W.C. See Corner, W.D., 3=1143
Roebber,J.L. Photolysis of the phenoxy radical in a nitrogen matrix, 3=3403
Roeckl,E. See Peterlin,A., 3=11232
Roeder,S.B.W. See Vaughan,W.E., 3=21389
Roels,J. See Deprit,A., 3=5231
Roellig,L.O. See Denton,E.H., 3=9453
Roemar,M. See Priester,W., 3=5276
Roemer,E. Activity in comets at large heliocentric distance, 3=9183
Roepstorff,G. See Stichel,P., 3=12502
Roesch,L. and Willens,R.H. Influence of preferred orientation on the Hall effect in titanium, 3=22906
Roesler,F.L. See Mack,J.E., 3=24020
Roesler,P. See Perny,G., 3=16139
Roessler,F. and Horlacher,L. Optical properties of magnesium oxide particles, 3=924
Roether,W. See Ehhalt,D., 3=25892
Roether,W. See Ehhalt,D., 3=25901
Roether,W. See Israel,G., 3=25896
Rogachev, A.A. and Rȳvkin, S.M. Temperature dependence of the cross-section for radiative recombination in germanium, 3=2932
Rogachev,A.A. See Asnin,V.M., 3=20539
Rogachev,A.A. See Nasledov,D.N., 3=17990
Rogackev,I.M. See D'yakov,B.B., 3=10468
Rogaczewski,J. See Skaliński,T., 3=706
Rogallo,V.L. and Savage,H.F. Two-component microbalance for measuring the forces on ion-bombarded surfaces, 3=23829
Rogalska,Z. Cryostat for experiments in the temperature range from −130°C to −190°C with an arrangement for the prevention of frost formation, 3=7380
Rogalska,Z. Slow neutron scattering by molecules of liquid methane, 3=14142

Rogel'berg,I.L. See Puchkov,B.I., 3=11143
Rogers,A.J. See Pillow,M.E., 3=24244
Rogers,A.W. See Levi,H., 3=17158
Rogers,D.B.,Arnott,R.J.,Wold,A. and Goodenough,J.B. The preparation and properties of some vanadium spinels, 3=12934
Rogers,E.C. The 50 c/s critical currents of superconductors, 3=21661
Rogers,E.J. Integrator for small pulsed and direct currents, 3=19138
Rogers,E.S. Multichannel threshold audio-noise-reduction circuit, 3=9289
Rogers,G.L. The process of image formation as the re-transformation of the partial coherence pattern of the object, 3=9582
Rogers,G.L. Calculations of intermediate Fourier images of a finite line grating on a digital computer, with an application to an unusual case, 3=24053
Rogers,H.H. Transistorized electrometer voltmeter, 3=12045
Rogers,I.W. See Burnham,J.U., 3=14837
Rogers,J. See Boehm,F., 3=12599
Rogers, J.D, Steyert, W.A. and Pellam, J.R. Effects of K-capture dealignment and ionic couplings on low-temperature nuclear alignment, 3=17433
Rogers,J.D. See Boehm,F., 3=22331
Rogers,J.D. See De Boer,J., 3=7970
Rogers,J.S. See Adler,J.G., 3=24143
Rogers,L.A. See Cook,M.A., 3=23311
Rogers,M.G. See Barrer,J.A., 3=5418
Rogers,P.C. and Gordon,G.E. Decay of Sc^{42m} and the levels of Ca^{42}, 3=10257
Rogers,R.H. The development of the boundary layer in supersonic shear flow, 3=21298
Rogers,R.R. Radar measurement of velocities of meteorological scatterers, 3=16206
Rogers,R.R. and Pilie,R.J. Radar measurements of drop size distribution, 3=18508
Rogers,T.E. See Swinehart,J.H., 3=8944
Rogowski,F. Investigations on the constancy of the CC, CO and CN distances in free molecules, 3=6387
Rogowski,F. See Aziz,N.E.A., 3=12790
Rogula,D. See Kaliski,S., 3=19420
Rohan,P.,Anderson,L.L. and Cooke,D.J. Effect of the U.S. high-altitude nuclear explosion on radio wave propagation, 3=12324
Rohan,P.,Anderson,L.L. and Cooke,D.J. Sudden changes in amplitude and phase of the very-low-frequency signal from station G.B.R. at Salisbury, South Australia, 3=14780
Rohde,H.J. See Dziesiaty,J., 3=783
Röhler,R. Measurement of the contrast transmission function with square wave gratings and other periodic light distributions, 3=268
Röhler,R. Imaging properties of the media of the eye, 3=9303
Rohlin,J. and Lodding,A. Self diffusion in molten potassium, 3=16610
Rohlin,J. An interferometer for precision angle measurements, 3=24046
Röhm,H. See Bergmann,W.H., 3=17128
Rohmann, W. and Schubert, M. Measurement of the depolarization of Raman lines, 3=732
Rohoziński,G. See Dąbrowski,J., 3=6231
Rohrbough,S.F. Determination of the mixing ratios of water vapour and carbon dioxide in the stratosphere, 3=1429
Rohrer,H. See Dubeck,L., 3=12032
Rohringer,G. Numerical design of axially symmetric electrostatic ion accelerators, 3=12266
Rohrlich,F. The principle of equivalence, 3=16497
Rohrlich,F. See Fulton,T., 3=1586
Rohrlich,F. See Fulton,T., 3=5317
Rohrlich,F. See Khanna,F.C., 3=24585
Roisen,I.I. and Chernavskii,D.S. Interference between the amplitudes of inelastic processes, 3=6021
Roitburd,A.L. Some peculiarities of the growth of crystals in condensed systems, 3=16032
Roitburd,A.L. The theory of the growth of an ideal crystal, 3=20784
Roitsin, A.B. Role of electrical field in paramagnetic resonance. 3=18126
Roitsin,A.B. The role of electric fields in paramagnetic resonance, 3=20639
Roitsin,A.B. The role of diamagnetism in paramagnetic resonance, 3=23221
Roitsina,O.V. See Kremenchuhs'kȳi,L.S., 3=21610
Roizen,I.I. See Chernavsky,D.S., 3=12540
Roizin, N.M, Mostovlyanskii, N.S. and Strod, R.K. Thermal conductivity of indium, 3=17668
Rokityanskii,I.I. On noise registered with rapid earth-current fluctuations, 3=23578
Rol,P.K. and Rothe,E.W. Velocity dependence of the total cross-section for atom–atom scattering at thermal energies, 3=15306
Rol,P.K. See Rothe,E.W., 3=711
Rol,P.K. See Rothe,E.W., 3=15305
Rol,P.K. See Fluit,J.M., 3=10705
Rolfe,W. See Hagg,E.L., 3=7714
Rollefson,A.A. Givens,W.W., 3=15102
Rollefson.A.A. See Givens.W.W., 3=24862
Rollefson.A.A. See Given.W.W.. 3=24863
Rollett,J.S. See Hodgson,L.I., 3=13443
Rollin,B.V. and Russell,J.P. Impurity conduction in copper doped germanium, 3=10789
Rollin,B.V. and Russell,J.P. The current noise spectrum of copper-doped germanium at 20°K, 3=10790
Rollin, B.V. See Kinch, M.A., 3=25385
Rollin,B.V. See Peskett,G.D., 3=22946
Rollinger,C.N. and Sunderland,J.E. The performance of a thermoelectric heat pump with surface heat transfer, 3=8575
Rollins,F.R., Jr. Visualization of traveling ultrasonic wave packets, 3=11868
Rollins,F.R., Jr. Interaction of ultrasonic waves in solid media, 3=25191
Rollins,F.R., Jr. See Waldow,P., 3=18888
Rollins,R.W. See Silcox,J., 3=19099
Rollins,R.W. See Walton,D., 3=16842
Rollinson,W. See Baker,W.P., 3=16899
Rollman,G.B. See Unley,J.W., 3=11642
Rollnik,H. See Gorge,V., 3=7777
Rolsten,R.F. and Schmitt,R.A. Hypervelocity impact of radioactive projectiles into stainless steel and aluminum, 3=25646
Rolsten,R.F. and Wellnitz,J.N. Air-cavity explosive charge for accelerating discrete particles, 3=23824
Rom,F.E.,Lietzke,A.F. and Johnson,P.G. Nuclear rockets for unmanned missions. 3=16434
Romain,J. Differential invariants of connection in non-Riemannian space only, 3=5319
Romain,J.E. Time measurements in accelerated frames of reference, 3=18712
Romain,J.E. A geometrical approach to relativistic paradoxes, 3=21219
Roman,I. The kernel function in the surface potential for a horizontally stratified earth, 3=16196
Romanchuk,P.R. The visibility of spots on the solar disk and the East–West asymmetry of solar activity, 3=3569
Romand,J. and Vodar,B. Grazing incidence monochromator with concave grating for the far ultraviolet, 3=3881
Romand,J. See Lotte,B., 3=24249
Romanenko,P.N. and Kharchenko,V.N. Effect of a mass cross-flow on resistance and heat transfer in the turbulent flow of a compressible gas, 3=23919
Romanenko,P.N. and Leont'yev,A.I. The resistance law for a turbulent boundary layer formed at a wall in the diffusion flow region, 3=14100
Romanenko,V.N. and Tuchkevich,V.M. Preparation of homogeneous materials by the method of zone equilibrium, 3=2567
Romani,G.N. See Borovskii,I.B., 3=10973
Romano,A. See Mongelli,S., 3=6276
Romanov,A.M.,Myakinin,E.V. and Konstantinova,M.P. Levels excited in the F^{19}(α,p)Ne^{22} reactions, 3=10387
Romanov,A.M. See Konstantinova,M.P., 3=2500
Romanov,G.A. See Blinova,N.I., 3=8642
Romanov,O.V. and Konorov,P.P. Some phenomena observed on anodic etching of germanium, 3=16027
Romanov,O.V. See Konorov,P.P., 3=2899
Romanov,V.A. and Serbinov,A.N. A high-frequency ion source for an electrostatic generator, 3=24375
Romanov,V.N. See Bogorodskii,V.V., 3=16720
Romanova,A.V. and Lashko,A.S. Short-range order in liquid alloys of In–Pb and In–Sn, 3=21308
Romanova,E.M. See Bokii,G.B., 3=18328
Romanova,L.M. Solution of the radiation-transfer equation for the case when the scattering indicatrix differs greatly from the spherical. I, 3=7696

Romanova,L.M. Application of Kellog's method for calculating the intensity of radiation in the interior of a scattering and absorbing medium, 3=12314
Romanova,L.M. Solution of the radiative transfer equation for the case of a highly nonspherical scattering index. II, 3=14368
Romanova,L.M. Radiation field in plane layers of a turbid medium with highly anisotropic scattering, 3=14369
Romanova,N.G. Absorption and luminescence spectra of lead molybdate single crystals, 3=20479
Romanova,N.G. See Baksakov,B.I., 3=20479
Romanova,T.A. and Chikil'dina,L.D. Effective introduction of uranium salts into nuclear emulsions sensitive to minimum ionization, 3=24570
Romanovski,E.A. See Vasil'ev,S.S., 3=6237
Romanowski,T.A. See Burleson,G.R., 3=17145
Romanowski,T.A. See Burleson,G.R., 3=17146
Romanowski,T.A. See Burleson,G.R., 3=17149
Romanowski,T.A. See Kellman,S., 3=4441
Romanovskii,M.K. See Brevnov,N.N., 3=14602
Romanovskii, V.A. See Nakhodkin, N.G., 3=2781
Romanovskii,V.A. Nakhodkin,N.G., 3=20153
Romans,W.E. See Bonte,F.J., 3=21147
Romantseva,A.S. See Barkov,L.M., 3=6086
Romashko,E.A. See Ermakov,V.S., 3=10411
Romberg,F.E. An inverted-pendulum seismometer element for horizontal motion, 3=11378
Romberg,F.E. Analytical expressions for transients in seismometer-galvanometer systems, 3=18474
Rome,J. See Swarup,G., 3=16424
Rome,J.M. See Mathewson,D.S., 3=3624
Rome,J.M. See Mathewson,D.S., 3=3625
Rome,J.M. See Mathewson,D.S., 3=25986
Römer,H. The measurement of very small refractive index differences in absorbing liquids, 3=11899
Romer,W. and Morawski,T. The absorption cross section for light of the silver grains in photographic deposits, 3=21576
Romita,R. See Guerreschi,L., 3=23369
Rom-Krichevskaya,I.A. See Bakradze,R.V., 3=3262
Rompe,R.,Ullrich,S. and Wolff,H. Electron behaviour in low pressure plasmas, 3=7500
Ron,A. Generalized dielectric function for classical many-body systems, 3=16549
Ron,A. Kinetic equations for electrons and phonons, 3=25249
Ron,A. Frequency-dependent relaxation time of electron—phonon systems, 3=25250
Ron,A. and Schnepp,O. Electronic spectrum of 2,2'-paracyclophane, 3=4773
Ron,A., and Tzoar,N. Interaction of electromagnetic waves with quantum and classical plasmas, 3=16941
Ron,A. and Tzoar,N. High-frequency conductivity of degenerate semiconductors, 3=25337
Ron,A. See Oberman,C., 3=7606
Ron,A. See Oberman,C., 3=14580
Ronat,E.E. See Chrétien,M., 3=24787
Ronca,L.B. See Zeller,E.J., 3=13649
Ronchi,L. and Adachi,I. On the sharpness of defocussed contours, 3=1563
Ronchi,L. Quantitative aspects of the blur-to-sharp transition, 3=11632
Ronchi,L.,Bittini,M. and Adachi,I. Subjective sharpness of a contour as a function of luminance and contrast, 3=16463
Ronchi, L. and Bottai,G. Visual effects produced by a stimulus consisting of a number of black line segments viewed on a bright background, 3=11630
Roncin,J.Y. and Damany-Astoin,N. Absorption spectrum, between 1650 and 2600 A, of mercury trapped in the matrices of isopentane and of argon at 20°K, 3=17528
Rondio,J. and Wilhelmi,Z. On some possibilities of determining the spin of a "negative level", 3=12571
Roney,P.L. See Rider,J.G., 3=25731
Ronkin,Zh.M. See Vil'dgrube,G.S., 3=9586
Ronkin,Zh.M. See Vil'dgrube,G.S., 3=9837
Ronkin,Zh.M. See Vil'dgrube,G.S., 3=14639
Ronne,B. See Jauneau,L., 3=12511
Ronne,B. See Jauneau,L., 3=19708
Rood,H.P.C. and Tolhoek,H.A. Radiative muon capture in complex nuclei, 3=24961
Rood, H.P.C. See Luyten,J.R., 3=10371
Roof,R.B.,Jr. Anomalous dispersion correction for molybdenum, 3=6833
Rook,H.L. and Plumb,R.C. The tungsten content of aluminium films evaporated from tungsten heaters, 3=1364
Rook,J.R. The decay of K^- mesic atoms, 3=6369
Rook,J.R. Distorted-wave analysis of deuteron induced reactions in O^{16}, 3=10381
Rook,J.R. Cascade calculation for K^- mesic atoms, 3=17546
Rook,J.R. See Hodgson,P.E., 3=669
Rooke,G.A. Plasmon satellites of soft X-ray emission spectra, 3=8607
Rooksby,H.P Intermetallic phases in commercial beryllium, 3=11290
Rooksby,H.P. and White,E.A.D. The structures of 1:1 compounds of rare earth oxides with niobia and tantala, 3=25726
Roos,B.W. and Sangren,W. Codes for reactor computations, 3=17508
Roos,B.W. and Sangren,W.C. Expansions associated with a pair of singular first-order differential equations, 3=21237
Roos,M. Reinterpretation of the ζ events, 3=10153
Roos,M. Tables of elementary particles and resonant states, 3=19591
Root,G.N. See Baker,E.B., 3=12333
Root,J.S. and Rowland,F.S. Energy losses in nonreacting collisions of energetic recoil atoms: failure of the elastic collision model for tritium reactions in CH_4-D_2, 3=18460
Rooth,C.G.H. See Woodcock,A.H., 3=16218
Roothaan,C.C.J. and Kelly,P.S. Accurate analytical self-consistent field functions for atoms. III. The $1s^2 2s^m 2p^n$ states of nitrogen and oxygen and their ions, 3=19942
Rootsaert, W.J.M., Van Reijen, L.L. and Sachtler, W.M.H. Dependence on specific crystallographic surface features of adsorption on transition metals. Investigation with a field electron microscope, 3=3369
Rooymans,C.J.M. Structure of the high pressure phase of CdS, CdSe and InSb, 3=20834
Roper,G.C. See Coulter,L.V., 3=8284
Roper,R.G. and Elford,W.G. Seasonal variation of turbulence in the upper atmosphere, 3=13693
Roper,S.G.,Jr. See Heckman,F.A., 3=19357
Röpke, H. and Spehl, H. Production of a beam of neutral hydrogen atoms, 3=2585
Ropp,R.C. A study of cadmium chlorophosphate phosphor, 3=13200
Röppischer,H. and Winkler,H. Prior sensitization of manganese-activated zinc cadmium sulphide by electric fields and infrared radiation, 3=10994
Roquet, J., Schlich, R. and Selzer, E. Quasi-simultaneous reception in France, at Kerguelen and in Adelie Land of the perturbation of the earth's magnetic field produced by the nuclear explosion in space on 9 July 1962, 3=3517
Roquet,J.,Schlich,R. and Selzer,E. Evidence of two distinct synchronous world impetuses for the magnetic effects of the nuclear high-altitude detonation of July 9, 1962, 3=25961
Roquitte,B.C. and Wijnen,M.H.J. Recombination and disproportionation reactions of monochloroethyl and trichloromethyl radicals, 3=8974
Rorer,D.C.,Meyer,H. and Richardson,R.C. Specific heat of aluminum near its superconductive transition point, 3=12029
Rorschach,H.E. See Bloch,F., 3=1891
Rosati,S. See Lovitch,L., 3=10223
Rösch,J. The systematization of observations of the monochromatic solar corona, 3=16387
Rösch,J. See Bellier,M., 3=18612
Rosciszewski,J., and Oppenheim,A.K. Shock interaction with an electromagnetic field, 3=16945
Roscoe,O.S. See Blevis,B.C., 3=21068
Rose,B. See Bird,L., 3=12456
Rose,B. See Jarvis,O.N., 3=12457
Rose,D.A. Water movement in porous materials. I. Isothermal vapour transfer, 3=11819
Rose,D.A. Water movement in porous materials. II. The separation of the components of water movement, 3=20922
Rose,D.C. See McDiarmid,I.B., 3=23635
Rose,D.J. and Esterling,R.J. Calculation of distributions in one-dimensional plasma sheaths, 3=406
Rose,F.L. See Millman,G.H., 3=11596
Rose,F.W.G. Statistics in semiconductors with negative temperatures, 3=17839
Rose,G. See Dieminger,W., 3=1461

Rose,H.J., Trost,W. and Riess,F. The gamma decay in N^{14} decay of the 10·22 MeV state. In N^{14}, 3=17399
Rose,M.A. See Hobbs,G.D., 3=21770
Rose,M.E. Internal pairs from aligned nuclei, 3=19807
Rose,M.E., Perrin,R. and Foldy,L.L. Beta-gamma emission through virtual states, 3=2402
Rose,M.E. See Bhalla,C.P., 3=646
Rose,M.E. See Eisenberg,J.M., 3=19837
Rose,M.E. See Weigert,L.J., 3=7116
Rose,P.H. See Camm,J.C., 3=16702
Rose,P.H. See Van de Graaff,R.J., 3=9884
Rose,P.H. See Wittkower,A.B., 3=9870
Rose,R.M. See Cline,H.E., 3=14457
Rose-Innes,A.C. See Heaton,J.W., 3=17021
Röseler,A. See Ritschl,R., 3=935
Rosen,B. Relativistic Coulomb scattering, 3=12656
Rosen, G. Stability of the graviton against radiative decay, 3=29
Rosen,L. and Stewart,L. Isotpic, isotonic and shell closure effects on the large-angle scattering of polarized protons, 3=15186
Rosen,L. See Stewart,L., 3=611
Rosen,N. Flat-space metric in general relativity theory, 3=14015
Rosen,N. See Ram,M., 3=14849
Rosen,P. See Dupont,K.C., 3=9424
Rosen,P. See Eisenberg,L., 3=5605
Rosen,S.,Nevitt,M.V. and Barker,J.J. The U—Pu—C ternary phase diagram below 50 atomic percent carbon, 3=25747
Rosen,S.,Nevitt,M.V. and Mitchell,A.W. The uranium monocarbide—plutonium monocarbide system, 3=25748
Rosen,S.P. Electromagnetic and weak interactions in the unitary symmetry scheme, 3=22074
Rosen,S.P. See Barton,G., 3=12501
Rosenau,M.D.,Jr. Practical aspects of aerial photographic targets, 3=18968
Rosenbaum,F.W. See Bühler,S.E., 3=15501
Rosenberg,B. Some comments on the photoconductivity of organic molecular crystals and the triplet state, 3=4952
Rosenberg,D.L. See Wehner,G.K., 3=23667
Rosenberg,L. Dispersion-theoretic impulse approximation for potential scattering, 3=5951
Rosenberg,L. Electromagnetic interactions of neutrinos, 3=10085
Rosenberg,L. Unitary impulse approximation, 3=19565
Rosenberg,L. On the inelastic deuteron form factor, 3=19712
Rosenberg,M.,Nicolau,P.,Mănăilă,R. and Păuseşcu,P. Study of electrical properties and crystal structures in the system $(CuO)_x(Mn_2O_3)_{1-x}$, 3=8521
Rosenberg,N.W.,Golomb,D. and Allen,E.F.,Jr. Chemiluminescent techniques for studying nighttime winds in the upper atmosphere, 3=25918
Rosenberg,N.W. See Edwards,H.D., 3=21045
Rosenberg,R.L. and Ta-You Wu. Kinetic equation describing irreversible processes in ionized gases. II, 3=18847
Rosenberg,R.L. See Wu.T.Y., 3=170
Rosenberg, V.M. and Shalimova, A.V. The influence of substructure on the creep of single crystal ferrosilicon, 3=18192
Rosenblatt,G.M. Interpretation of Knudsen vapor-pressure measurements on porous solids, 3=24118
Rosenblatt,G.M. See Brewer,L., 3=5514
Rosenblatt,G.M. See Brewer,L., 3=11838
Rosenblum,B. See Cardona,M., 3=7537
Rosenblum,B. See Michel,R.E., 3=2893
Rosenblum,E.S. See Autler,S.H., 3=19114
Rosenbluth,M.N. Controlled nuclear fusion research, September 1961: Review of theoretical results, 3=15252
Rosenbluth,M.N.,Krall,N.A. and Rostoker,N. Finite Larmor radius stabilization of "weakly" unstable confined plasmas, 3=12151
Rosenbluth,M.N.,Pearlstein,L.D. and Stuart,G.W. Collective electron instability in a bounded region, 3=21763
Rosenbluth,M.N. and Stuart,G.W. Relativistic virial theorem [of plasmoid], 3=24291
Rosenbluth,M.N. See Drummond,W.E., 3=5652
Rosenbluth,M.N. See Drummond,W.E., 3=9786
Rosenbluth,M.N. See Furth,H.P., 3=12177
Rosenbluth,M.N. See Krall,N.A., 3=1988
Rosenbluth,M.N. See Krall,N.A., 3=9816
Rosenbruch,K.J. See Rosenhauer,K., 3=11891
Rosenbruch,K.-J. See Rosenhauer,K., 3=14319
Rosendorff,S. and Tani,S. High-energy potential scattering, 3=561
Rosendorff,S. and Tani,S. New series for phase shift in potential scattering, 3=16537
Rosenfeld,A.H. Current performance of the Alvarez-Group data processing system, 3=19518
Rosenfield,A.R. 250°C internal friction peak in iron, 3=8756
Rosenfield,A.R. The significance of σ_i, the friction-stress contribution to the yield point of b.c.c. metals, 3=8765
Rosenfield,A.R. and Owen,W.S. The stable unstable plastic-flow transition temperature in annealed tantalum, 3=11163
Rosenfield,A.R. See Averbach,B.L., 3=11152
Rosenfeld,A.H. See Alvarez,L.W., 3=15039
Rosenfeld,A.H. See Glashow,S.L., 3=15040
Rosenfeld,A.H. See Luzzi-Ferro,M., 3=15043
Rosenfeld,L. The epistemological conflict between Einstein and Bohr, 3=1608
Rosenfeld,L. On quantization of fields, 3=7120
Rosenfield,A.R. See Barrand,P., 3=23300
Rosenhauer,K.,Rosenbruch K.-J., and E.Lau. Optimum aberratio correction of optical systems, 3=14319
Rosenhauer,K.,Rosenbruch,K.J. and Siems,H. Determination of the contrast transfer function of an optical system by an analogue computer, 3=11891
Rosenman,I. Magneto-electric and thermoelectric properties of solid solutions of selenium-tellurium, 3=22952
Rosenson,L. See Bulos,F., 3=17130
Rosenson,L. See Chretien,M., 3=17129
Rosenson,L. See Chrétien,M., 3=24787
Rosenstein,R.D. and Schor,R. Superlattice Madelung energy of idealized ordered cubic perobskites, 3=20046
Rosenstock,H.B. Sum rule for lattice vibrations; application to forces in diamond structures, 3=8349
Rosenstock,H.B. Alpha and gamma bands in alkali halides, 3=20467
Rosenstock,H.B. and McGill,R.E. Vibrational modes of disordered linear chains, 3=22638
Rosenstock,H.M. See Dibeler,V.H., 3=25148
Rosental,I.L. See Emelyanov,A.A., 3=4544
Rosenthal,I.L. See Gerasimova,N.M., 3=4494
Rosenthal',O.M. See Berezin,F.N., 3=21687
Roser,F.X. and Cullen,T.L. Sodium iodide crystal dosimeters for use in surveys of regions of high background radiation, 3=2170
Roseşcu,T. and Sabău,M. The determination of the variations of reactivity at the VVR-S reactor, 3=25020
Rosette,K.H. and Hoffman,R.W. Temperature dependence of magnetization in thin nickel films, 3=15821
Roshchina,G.P. and Ishchenko,E.D. Applying the method of light scattering to the investigation of fluctuations in some non-electrolyte solutions, 3=21365
Roshchina,L.I. and Melik-Gaikazyan,I.Ya. Effect of dislocations on the distribution of the copper impurity in NaCl crystals, 3=15513
Roshchÿna,H.P. and Kramarenko,A.V. Relation of Rayleigh scattering of light to the parameters characterizing the microstructure of a solution, 3=21364
Roshesku,T. See Purika,I., 3=25011
Rosin,S. Some comments on Dr. Buchdahl's paper XI, 3=1796
Rosina,M. See Mihailović,M.V., 3=8075
Rosinski,J.,Werle,D. and Nagamoto,C.T. Coagulation and scavenging of radioactive aerosols, 3=8985
Rosinski,J. and Pierrard,J.M. On Bowen's hypothesis, 3=6958
Rosinski,J. See Lieberman,A., 3=8986
Rosler,R.S. See Bankoff,S.G., 3=3790
Rösler,V. Thin ferromagnetic films. VI. (9). Application in static storage elements and in switching networks, 3=23175
Rosner,B., Kalish,R. and Loebenstein,M. A new type of internal pair spectrometer, 3=14966
Rosner,B. See Kaplan,N., 3=8002
Rosner,C.H.,Benz,M.G. and Martin,D.L. "Coil simulation" testing of niobium-tin wire samples, 3=19408
Rosner,C.H. and Schadler,H.W. Relating measurements on shor superconducting wires to solenoid performance, 3=19407
Rosner,S.D. See Polanyi,J.C., 3=13593
Rosnitskii,O.V. Investigation of the effect of creep of non-symmetrical hysteresis loops, 3=8688
Ross,A.M. See Robertson,J.A.L., 3=10432
Ross,C.W. Effect of thermal neutron irradiation on thermocouples and resistance thermometers, 3=3915
Ross,D. Toroidal ruby lasers, 3=14807

Röss,D. A ruby laser with a high mode selection, 3=24527
Röss,E. and Kornetzki,M. The influence of hydrostatic pressure on the various magnetization curves of manganese-zinc ferrites, 3=13277
Ross,H.H. and Yerick,R.E. Quantitative interpretation of color quenching in liquid scintillator systems, 3=21381
Ross,H.H. See Gardner,R.P., 3=3781
Ross,J. See Beck,D., 3=6914
Ross,J. See Flynn,G.P., 3=7223
Ross,J.S. Isotope shift in λ5556 A of ytterbium I, 3=8196
Ross, J.S. and Murakawa,K. Nuclear quadrupole moment of Yb^{173}, 3=2364
Ross,K.J. See Hopkins,B.J., 3=19294
Ross,M. Method for measurement of coupling constants, 3=24594
Ross, R.G. See Weaver, C.F., 3=18261
Ross,W.J. and Blumle,L.J. The distribution of ionization about the magnetic equator, 3=13710
Ross,W.J. See Debarber,J.P., 3=13714
Rossel, J. See Chollet, L., 3=2768
Rossel,J. See Gibbs,W.R., 3=2423
Rossel,J. See Grüebler,W., 3=2385
Rossel,J. See Grüebler,W., 3=2486
Rosselet,P. A 150 kG transverse field pulsed magnet, 3=21933
Rosser,W.G.V. Changes in the structure of the outer radiation zone associated with the magnetic storm of September 30, 1961, 3=21069
Rosser,W.G.V.,O'Brien,B.J.,Van Allen,J.A.,Frank,L.A. and Laughlin,C.D. Electrons in the earth's outer radiation zone, 3=9115
Rosset,J. See Ayant,Y., 3=15760
Rossetti,C. See De Alfaro,V., 3=5365
Rossi,B. Lecture on future prospect, 3=4548
Rossi,B. See Bonetti,A., 3=25993
Rossi,B.B. See Giacconi,R., 3=7941
Rossi,G. See Kind,A., 3=10408
Rossi,G. See Kind,A., 3=15259
Rossi,J. See Uhler,J., 3=14669
Rossikhin,V.S. See Lyuitȳĭ,A.I., 3=23542
Rossikhin,V.S. See Lyutȳĭ,A.I., 3=23543
Rossikhin,V.S. See Zhitkevich,V.F., 3=19925
Rossin,R. See Urbain,G., 3=5424
Rossini,T. See Principi,P., 3=19386
Rossing,T.D. Resonance linewidth and anisotropy variation in thin films, 3=13257
Rossing,T.D. Spin-wave resonance in thin films at oblique angles, 3=15920
Rössle,E. See Andersson-Lindström,G., 3=19867
Rössler, F. Temperature measurement of a combination of a flame with a high-frequency torch, 3=3913
Rossmann,M.G. and Blow,D.M. Determination of phases by the conditions of non-crystallographic symmetry, 3=8831
Rossman,M.G. See Blow,D.M., 3=3290
Rost,E. Analysis of the inelastic scattering of alpha particles. II, 3=6295
Rost,E. See Austern,N., 3=661
Rost,E. See Bassel,R.H., 3=6294
Rostagni,G. See Malesani,G., 3=7278
Rostas,F.,Bhattacharya,A.K. and Cahn,J.H. Measurements of electronic thermal conductivity in magnetoplasmas, 3=5668
Rostoker,N. and Simon,A. Fokker—Planck coefficients for a plasma including cyclotron radiation, 3=12109
Rostoker,N. See Rosenbluth,M.N., 3=12151
Rostovskii,V.S. Relative probabilities of α-decay to rotational levels on non-axial even-even nuclei, 3=4587
Rostuntseva,A.I. See Aleksandrov,K.S., 3=20690
Rot,A. Analogy between classical quantum mechanics, 3=3741
Rota,A. See Bassi,P., 3=17480
Rotblat, J. See Sen Gupta, H.M., 3=2492
Rotenberg,A. Calculation of exact eigenfunctions of spin and orbital angular momentum using the projection operator method, 3=22467
Rotenberg,M. Continuation and optimization of the Born expansion in nonrelativistic quantum theory, 3=11699
Roth,E. See Facy,L., 3=25885
Roth,G. Electron diffraction examination of liquids, 3=21305
Roth,H.,Bernard,W.,Zeldes,P. and Schmid,A.P. Voltage-annealing of radiation damage in tunnel diodes, 3=10860
Roth,H. See Bernard,W., 3=20357
Roth,R.S. and Waring,J.L. Phase equilibrium relations in the binary system bismuth sesquioxide—niobium, 3=6813
Roth,W. The pressure dependence of non-equilibrium N_2^+—first negative band intensity behind shock waves, 3=4756
Rothe,E.W., Rol,P.K. and Bernstein,R.B. Interaction potentials from the velocity dependence of total atom—atom scattering cross sections, 3=15305
Rothe,E.W., Rol,P.K., Trujillo,S.M. and Neynaber,R.H. Velocity dependence of the total cross section for the scattering of Li and K by Xe, 3=711
Rothe,E.W. See Neynaber,R.H., 3=8207
Rothe,E.W. See Rol,P.K., 3=15306
Rothenstein,W. and Helholtz,J. The Dancoff correction in gap geometry, 3=6337
Rothenstein,B. and Hrianca,J. New aspects of energy transfer from an alternating magnetic field to a pendulum with ferromagnetic suspension, 3=19403
Rother,H. Mass separation and pinch effects in h.f. plasmas, 3=24294
Rothhardt, L. The nature of the so-called normal cathode fall in glow discharges, 3=4056
Rothhardt,L. Modern methods of plasma physics for energy conversion, 3=5618
Rothhardt,L. A new form of unductive plasma gun, 3=21809
Rothman,M.A. See Hooke,W.M., 3=5683
Rothman,M.A. See Van Patter,D.M., 3=2466
Rothman,S.J. Diffusion in uranium, its alloys, and compounds, 3=8454
Rothman,S.J.,Peterson,N.K. and Moore,S.A. The diffusion of iron chromium in beta uranium, 3=10691
Rothrock,B.D. See Young,T.R., 3=14356
Rothschild,S. The coactivator emission of ZnD and (Zn,Cd)S phosphors, 3=10998
Rothwarf,A. and Cohen,M. Rate of capture of electrons injected into superconducting lead, 3=14450
Rothwell,P. Diffusion of ions between F-layers at magnetic conjugate points, 3=13765
Rothwell,P.,Wager,J.H. and Sayers,J. Effect of the Johnston Island high-altitude nuclear explosion of the ionization density in the topside ionosphere, 3=18524
Rothwell,P. See Sayers,J., 3=9092
Rothwell,P. See Sayers,J., 3=18546
Rotondi,E. See Corazza,M.L., 3=12368
Rotondi,E. See Ladu,M., 3=24749
Rott,L.A. A contribution to the statistical theory of condensed systems, 3=21314
Rotter, I. On the variation of nuclear deformation with rotation, 3=17394
Rottersman,M. See Huber, F., 3=4929
Rouard,P. See Rasigni,G., 3=10902
Roubeau,P. See Abragam,A., 3=2263
Roubínek,F. See Láznička,M., 3=2012
Roubique,C.J. See Spaulding,A.D., 3=5858
Roucayrol,J.C. and Taillandier,P. Detection of β-activities on a thin chromatogram layer with a scintillator in the form of a gel, 3=24705
Roufs,J.A.J. Perception lag as a function of stimulus luminance, 3=13971
Roult,G. See Bertaut,E.F., 3=3320
Roult,G. See Bertaut,F., 3=15856
Round,V. See Walker,J.K., 3=14688
Rourke,F.M. See White,F.A., 3=14683
Rouse,C.A. Ionization—equilibrium equation of state. III. Results with Debye—Hückel corrections and Planck's partition function, 3=3589
Rouse,C.A. Ionization—equilibrium equation of state. IV. Dense plasmas and liquid metals, 3=3590
Rouse,C.A. Ionization equilibrium equation of state. V. Twenty-two element mixtures at stellar temperatures and densities, 3=16401
Rouse,G. See Berkelman,K., 3=14958
Rouse,G. See Berkelman,K., 3=24673
Rousseau,C. See Dossin,F., 3=13871
Rousseau,Y.,Strausz,O.P. and Gunning,H.E. Electrophilic character of the Hg 6($^3P_1$) atom and the mechanism of electronic energy transfer in mercury photosensitization, 3=25053
Rousseau,Y.,Woodall,G.N.C. and Gunning,H.E. Large deuterium isotope effect in the reaction of propane with Hg 6($^3P_1$) atoms, 3=8973
Rousseau,C. See Dossin,F., 3=13871

Rousset,A. See Bellière,J., 3=24775
Rousset,A. See Bellini,G., 3=7899
Rousset,A. See Darmon,J., 3=4456
Rousset,A. See Fretter,W.B., 3=2301
Rousset,A. See Jauneau,L., 3=12511
Rousset,A. See Jauneau,L., 3=19708
Rousset,A. See Patty,M., 3=17299
Rousset,A. See Veillet,J.J., 3=10163
Rousset,A. See Veillet,J.J., 3=17313
Rousset,Y. See Lochet,R., 3=21553
Rout,V.M.,Jones,W.M. and Water,D.G. Angular distributions for a range of Q-values in the reaction $F^{19}(d,p)F^{20}$, 3=22419
Roux,D. See Richard,J., 3=13147
Roux,J. Photoconductivity and photodielectric effect observed in zinc oxide, 3=23023
Roux,M. See Tavard,C., 3=8220
Roux,R. See Consoli,T., 3=14589
Roux,R. See Consoli,T., 3=14590
Rouy,A.L.,Carroll,B. and Quigley,T.J. The problem of determining the optical rotation of highly scattering solutions, 3=16807
Rouze,M. See Brochet,C., 3=3395
Rouze,S.R. and Grube,W.L. Observations on the movement of grain boundaries by thermionic emission microscopy, 3=18360
Rouze,S.R. See Nutting,J., 3=23482
Rovel,J. See Orr,R.L., 3=1352
Rovidarcht,J.A. See Terol,S., 3=13214
Rovinskii,B.M. and Lyuttsau,V.G. Hardness relaxation of cold-deformed metals and the dependence of hardness of lattice distortion, 3=11187
Rovinskii, B.M. and Lyutsau, G.V. Distortion relaxation in the lattice of cold deformed metals, 3=3288
Rovinskii,B.M. See Kostyukova,E.P., 3=20942
Rovinskii,R.E. Electrical characteristics of a high-pressure xenon arc, 3=24262
Row,R.V. On the electromagnetic resonant frequencies of the earth ionosphere cavity, 3=7718
Row, R.V. See Mentzoni, M.H., 3=17578
Rowbotham,J.R. See Prowse,W.A., 3=7491
Rowe,D.J.,Clegg,A.B.,Salmon,G.L.and Fisher,P.S. The $^{16}O(p, p')$ reaction at 150 MeV, 3=2451
Rowe,D.J.,Clegg,A.B.,Salmon,G.L. and Newton,D. The ^{40}Ca (p,p) reaction at 150 MeV, 3=10342
Rowe,E.G.P. Exact equivalence of three scalar theories of three scalar particles, 3=22059
Rowe,P.C. See Craig,R.M., 3=8085
Rowe,P.W. The stress-dilatancy relation for static equilibrium of an assembly of particles in contact, 3=1363
Rowell,J.M.,Anderson,P.W. and Thomas,D.E. Image of the phonon spectrum in the tunneling characteristic between superconductors, 3=24146
Rowell,J.M.,Chynoweth,A.G. and Phillips,J.C. Multiphonon effects in tunnelling between metals and superconductors, 3=326
Rowell,J.M. See Anderson,P.W., 3=14462
Rowell,P.H. Microwave ultrasonics, 3=6470
Rowland,F.S. See Root,J.W., 3=18460
Rowlands,G. See Rhodes,P., 3=1065
Rowlands, J.L.,Maclean, A. and Bentley, P.G. The analysis of random fluctuations by a digital method using TIMTAPE and DEUCE, 3=14
Rowlands,J.R. The electron spin resonance spectrum of $NH(SO_3^-)$ in γ-irradiated potassium sulphamate, 3=6417
Rowlands,R.O. Energy-detection model for monaural auditory detection, 3=13958
Rowles,J.B. See Vincent,C.H., 3=16890
Rowlinson,J.S. Limits of the third virial coefficient at low and high temperatures for a Lennard-Jones potential, 3=7239
Rowlinson,J.S. Limits of the fourth virial coefficient at low and high temperatures for a Lennard–Jones potential, 3=18848
Rowlinson,J.S. The triplet distribution function in a fluid of hard spheres, 3=21435
Rowson,B. High resolution observations with a tracking radio interferometer, 2=9357
Rowson,B. See Allen,L.R., 3=7051
Rowson,B. See Elgaroy,O., 3=3616
Rowson,C.H. See Cooper,R., 3=13125
Roxburgh,I.W. Steady meridian circulation in rotating magnetic stars, 3=21115
Roxburgh,I.W. See Mestel,L., 3=3585
Roy,A. New interpretation techniques for telluric and some direct current fields, 3=16197
Roy,A.K. Rain stimulation experiments by present contemplated techniques of cloud nucleation, 3=13676
Roy,A.K. See Murty,B.V.R., 3=5201
Roy,A.K. See Srivastava,R.C., 3=3464
Roy,A.P. See Iyengar,P.K., 3=1111
Roy,C.L. and Abidi,S.T.H. On X-ray non-diagram lines. 3=23084
Roy,J.F. Intrinsic equations for turbulent imcompressible flows, 3=115
Roy.J.F. Transverse distribution of the static pressure in the divergent limiting turbulent layer, 3=117
Roy,J.L. Response of an astatic magnetometer to a cylindrical rock specimen, 3=12287
Roy,M. and Legendre,R. On the definition and on some applications of the "dynalpy" tensor, 3=14102
Roy,M.K. See Kumar,K., 3=15074
Roy,N. See Meyer,E., 3=4266
Roy,P.H. See Isabelle,D.B., 3=17112
Roy,R. See Bates,C.H., 3=3254
Roy,R. See Myers,M.B., 3=16469
Roy,R. See Stubican,V.S., 3=18225
Roy,R.B. See Horne,G.T., 3=11156
Roy,R.R. See Kurey,T.J.,Jr., 3=19821
Roy, R.R. See Strong, I.B., 3=17248
Roy,S.K. See Nag,B.R., 3=19454
Roy,S.R. and Radhakrishna,L. Self-conjugate gravitational fields. I, 3=23741
Roy,S.R. See Tiwari,R., 3=1602
Roy,S.R. See Tiwari,R., 3=3738
Royce,B.S.H.,Sharma,J.,Smoluchowski,R. and Euwema,R.N. Point defect formation in alkali halides, 3=22730
Royce,E.B. and Bloembergen,N. Linear electric shifts in the paramagnetic resonance of Al_2O_3:Cr and MgO:Cr, 3=25568
Roychoudhury,A. See Sinha,S.K., 3=8732
Royen,V. The existence of a bound hyperon–nucleon system with isobars, 3=17340
Royzen,I.I. See Chernavsky,D.S., 3=19571
Rozanova,A.M. See Anikina,M.Kh., 3=6071
Rozanova,A.M. See Nyagu,D.V., 3=4451
Rozanova,A.M. See Nyagu,D.V., 3=6280
Rozen,S. and Altman,E. A simple transistorized fast a.c. discriminator, 3=5613
Rozen,S. and Etzion,M. A transistorized fast coincidence circuit for use with slow scintillators, 3=5614
Rozenberg,G.V. Limits of Bouguer's law applicability and the reversion effects of anomalous and "selective" transparency of the atmosphere, 3=3466
Rozenberg,G.V. Investigation of the atmosphere of Venus by optical methods, 3=18621
Rozenberg,G.V. See Germogenova,O.A., 3=17054
Rozenberg,L.D. See Belle,T.S., 3=14267
Rozenberg, V.M. Nature of the part of deformation which occurs during creep in nickel, and is not revealed microstructurally, 3=18194
Rozenberg,V.M. Study of creep in nickel single crystals, 3=207
Rozenberg,V.M. See Voloshina,L.A., 3=2814
Rozenberg,V.M. See Voloshina,L.A., 3=11161
Rozenberg,Ya.I. See Misezhnikov,G.S., 3=6740
Rozenfel'd,A.M. and Zaitsev,P.V. Magnetic objective lens for an emission electron microscope, 3=2036
Rozenfel'd,L.B. and Makarov,A.I. Ion-optical technique for preparing small diameter apertures, 3=3695
Rozenfel'd,L.B. See Der-Shvarts,G.V., 3=2038
Rozenshtein,L.D. See Vartanyan,A.T., 3=958
Rozenshtok,Yu.L. See Kaganov,M.A., 3=9635
Rozental',I.L. See Kotov,Yu.D., 3=15059
Rozental',I.L. See Petrukhin,A.A., 3=24822
Rozhanovskaya,L.P. See Mikhal'chenko,G.A., 3=4295
Rozhanskii,V.N.,Parvova,E.V.,Stepanova,V.M. and Predvoditelev,A.A. Study of the kinetics of selective etching and polishing of NaCl crystals, 3=13409
Rozhanskii,V.N. See Lider,V.V., 3=20518
Rozhanskii,V.N. See Predvoditelev,A.A., 3=20183
Rozhdestvenskaya,N.B. See Vuks,M.F., 3=7208
Rozhkov,A.M. See Kozlov,V.F., 3=21705
Rozin-Saulgeot,A.M. Spectrophotometric gradient of G-stars, 3=1528
Rozis-Saulgeot,A.M. Determination of the continuum intensity of stars of advanced spectral type, 3=9239

Rozkoš,M. and Vintr,Z. A contribution to direct processes in the Co^{59}(p,n) reaction for $F_p \sim 6.5$ MeV, 3=12667
Rozman,I.M. Dependence of radioluminescence yield on the energy of particles, 3=2609
Rozman,I.M. See Kilin,S.F., 3=24420
Rozman,I.M. See Vartanov,N.A., 3=2247
Ruan,J. See Inoue,H., 3=650
Ruane,T.F. Measuring effective delayed–neutron fractions, 3=19904
Rubanov,V.S. The migration and transfer of energy in a two-component mixture, 3=13196
Rubens,S.M. and Olmen,R.W. Domain structure and dispersion of the preferred axis in ferromagnetic films, 3=15812
Rubbia,C. See Conforto,G., 3=4795
Rubbia,C. See Conforto,G., 3=15216
Rubbia,C. See Depommier,P., 3=594
Ruobia,C. See Depommier,P., 3=22161
Rubbino,A. See Calvi,G., 3=2485
Rubbino,A. See Cavallaro,S., 3=22408
Rubbino,A. See Potenza,R. 3=10359
Rubchinskii,S.M. See Burshtein,E.L., 3=7666
Rubchinskii,S.M. See Vladimirskii,V.V., 3=12275
Ruben,H. See Zalkin,A., 3=8851
Rubin,A.G. and Levine,M.A. Betatron potential wells, 3=2066
Rubin,A.G. See Levine,M.A., 3=4090
Rubin,D. Constant acceleration transducer employing negative feedback for use in "Mössbauer experiments", 3=5600
Rubin,E. See Lebowitz,J.L., 3=23772
Rubin,E.R. See Webster,J.C., 3=16453
Rubin,L.G. See Chaudhuri,A.R., 3=10660
Rubin,N.B. See Kazanskii,G.S., 3=19387
Rubin,R.J. Momentum autocorrelation functions and energy transport in harmonic crystals containing isotopic defects, 3=20076
Rubin,R.J. Numerical computation of time-dependent properties of isotopically disordered one-dimensional harmonic crystal lattices, 3=22636
Rubin,W.L. and DiFranco,J.V. Analytic representation of wide-band radio frequency signals, 3=14761
Rubinow,S.L. and Keller,J.B. Asymptotic solution of the Dirac equation, 3=23765
Rubinow,S.I. See Keller,J.B., 3=17053
Rubinowicz,A. Geometric derivation of the Miyamoto-Wolf formula for the vector potential associated with a solution of the Helmholtz equation, 3=1785
Rubinowicz,A. A source-free tensor field and its tensor potential, coupled with an electromagnetic field, 3=5817
Rubins,R.S. See Low,W., 3=3181
Rubins,R.S. See Low,W., 3=25576
Rubinson,W. Measurement of the Pb M photon intensity in Po^{210} decay—a further gross inadequacy of the theory, 3=15156
Rubinstein,H.R. See Diu,B., 3=15025
Rublev,S.V. Quantitative interpretation of emission-line profiles in Wolf-Rayet spectra, 3=23695
Rubtsov,V.I.,Smorodin,Yu.A. and Tolkachev,B.V. Mean free path of 10^{12} eV nucleons in carbon, 3=24715
Rubtsov,V.I. See Baradzei,L.T., 3=4538
Rubtsov,V.N. See Baradzei,L.T., 3=19725
Rubtsov,V.K. See Bogolyubov,G.V., 3=5309
Ruby,S. See Hazoni,Y., 3=4807
Ruby,S.L.,Hazoni,Y. and Pasternak,M. Lifetimes of the low-energy M1 transitions in La^{137} and Kr^{83}, 3=6172
Ruby,S.L. See Shirane,G., 3=997
Ruby,S.L. See Shirane,G., 3=3133
Ruckenstein,E. About film boiling heat transfer from a horizontal surface, 3=1849
Ruckenstein,E. A physical model for nucleate boiling heat transfer from a horizontal surface, 3=1869
Ruckenstein,E. About the stability of the homogeneous structure of turbulent layers, 3=3787
Ruckenstein,E. On turbulent mass transfer in the vicinity of a solid or fluid boundary, 3=3791
Ruckenstein,E. Mechanism of transfer of heat or mass between a fluid and an assembly of particles, 3=3906
Ruckenstein,E. and Teoreanu,I. Remarks on the mixing in a fixed or fluidised bed, 3=18786
Ruckpaul,K. See Krumbiegel,J., 3=5534
Rudakov,L.I. and Sagdeev,R.Z. Microscopic instabilities of spatially inhomogeneous plasma in a magnetic field, 3=12125
Rudakov,L.I. See Babykin,M.V., 3=1987
Rudakov,L.I. See Babykin,M.V., 3=16948
Rudakov,L.I. See Babykin,M.V., 3=16985
Rudakov,L.I. See Mikhailovskii,A.B., 3=24314
Rudakov,V.A. Some results of 1959-60 rocket measurements of the electron density in the ionosphere up to heights of 200 km, 3=23610
Rudd,M.E. and Jorgensen,T.,Jr. Energy and angular distribution of electrons ejected from hydrogen and helium gas by protons, 3=19177
Rudder,C.L. See Hayler,D.A., 3=12138
Rüdel,R. See Bock,R., 3=19879
Rudenko,A.A. Anticoincidence circuit with nanosecond resolution, 3=14499
Rudenko,N.S. See Grigor'ev,V.N., 3=21343
Rudenok,M.I. See Berlaga,R.Ya., 3=3356
Rudenko,V.N. See Braginskii,V.B., 3=7100
Ruderfer,M. Second-order constancy of the one-way velocity of light, 3=5344
Ruderman,M.A. See Adams,J.B., 3=7824
Ruderman,M.A. See Cornwall,J.M., 3=2215
Ruderman,M.A. See Drell,S.D., 3=11418
Rudge,M.R.H. See Burgess,A., 3=14519
Rudge,M.R.H. See Geltman,S., 3=12073
Rudik,A.P. Nature of the amplitude singularities in quantum field theory, 3=4352
Rudik,A.P. See Gribov,V.N., 3=5960
Rudik,K.I. See Arabadzhi,V.I., 3=21503
Rudisill,J.E. See Doyle,W.D., 3=1071
Rudisill,J.E. See Francombe,M.H., 3=15655
Rud'ko,S.N. See Gorban',I.S., 3=20485
Rud'ko,Yu.S. See Muchnik,V.M., 3=11397
Rudloff,W. An automatic range changing switch for a potentiometer recorder, 3=21680
Rudman,P.S. Short range order strengthening in a long range ordered phase, 3=6797
Rudman,P.S. A new role for vacancies in solid solutions, 3=8916
Rudman,P.S. See Kidron,A., 3=25744
Rudman,R. Sintering of evaporated films of sodium chloride, 3=25777
Rudnevskii,N.K.,Golitsyn,G.I.,Obukhova,E.S. and Barinov,V.M. Investigation of the entry of some copper-base alloys into the discharge of a rectified arc, 3=24255
Rudnevskii,N.K. and Kalinin,Yu.S. Influence of "third" elements on the line intensity in spectroscopic analysis of some copper base alloys, 3=25840
Rudnick, I. and Shapiro, K.A. Fourth sound in He II, 3=1886
Rudnick,I. See Levy,M., 3=3858
Rudnick,I. See Stern,R., 3=12040
Rudnicki,K. See Zwicky,F., 3=13912
Rudolph,H.D. See Dreizler,H., 3=2644
Rueben,B.G. and Friedman,L. Isotopic hydrogen-ion-molecule reactions, 3=2677
Rueda,F. On the charge flow during plastic deformation in rocksalt, 3=8767
Rueda,F. and Dekeyser,W. Charged dislocations in pure and doped rocksalt single crystals, 3=8435
Ruedl,E. and Amelinckx,S. The direct observation of radiation damage in platimum, 2=22767
Ruedl,E.,Delavignette,P. and Amelinckx,S. Electron-microscope study of irradiated platinum, 3=8437
Ruedl, E, Delavignette,P. and Amelinckx, S. Radiation effects in platinum, 3=17701
Ruedl,E. See Bradley,R., 3=4203
Ruei,K.H. Lagrangian solutions of the equations of motion in fluid mechanics by integrating certain types of nonlinear ordinary differential equations, 3=11753
Ruel,M. and Brennan,J.G. Partial and total capture probabilities of negative muons by C^{12}, 3=6278
Ruelle,D. Classical statistical mechanics of a system of particles, 3=11708
Ruelle-Lardinois,J. Study of the cross-section of a direct nuclear reaction in the vicinity of its singularities, 3=15163
Ruess,A.D. See Bethke,G.W., 3=16943
Ruess,A.D. See Bethke,G.W., 3=16944
Rufener,F. Note on the variation of the spectral sensitivity of a Lallemand photomultiplier with applied voltage, 3=19315
Ruff,A.W.,Jr. Dislocations and chemical etch pits in copper, 3=2807
Ruff,A.W.,Jr. Dislocation loops in deformed copper, 3=17750

Ruffa,A.R. Theory of the electronic polarizabilities of ions in crystals: application to the alkali halide crystals, 3=12909
Ruffer,J. See Hönl,H., 3=23746
Ruge,I. and Keil,G. Microplasmas in silicon p–n junctions as detectors for gamma radiation, 3=14946
Rugge,H.R. and Vik,O.T. π^-–p elastic scattering at 310 MeV: Differential cross-section and recoil-proton polarization, 3=10158
Rugheimer,J.H. and Hubbard,P.S. Nuclear magnetic relaxation and diffusion in liquid CH_4, CF_4, and mixtures of CH_4 and CF_4 with argon, 3=21412
Ruhl,H.D. See Bartz,A.M., 3=24027
Rühle, M. See Chik, K.-P., 3=17707
Rühl, W. Effect of adsorbed oxygen on the superconductivity and normal electrical conductivity of thin metal films, 3=16872
Rühl, W. Pair production on protons at high energies, 3=17256
Rühle,M. See Seeger,A., 3=20164
Ruhnke, L.H. Electrical conductivity of air on the Greenland ice cap, 3=1449
Ruijgrok,T.W. On the quasi-elastic magnetic scattering of slow neutrons, 3=19642
Ruijgrok,T.W. and van Kampen,N.G. The Aharanov–Bohm effect, 3=24582
Ruiz,C.P. See Rider,B.F., 3=12631
Rukhadze,A.A. Interaction of a charged-particle beam with a plasma, 3=21792
Rukhadze,A.A. and Silin,V.P. Line shape of cyclotron resonance absorption in a plasma, 3=2003
Rukhadze,A.A. and Silin,V.P. The problem of the energy losses of fast non-relativistic electrons in metals, 3=4855
Rukhadze,A.A. and Silin,V.P. Electrodynamics of media with spatial dispersion, 3=17033
Rukhadze,A.A. and Silin,V.P. Linear electromagnetic phenomena in a plasma, 3=21769
Rukhadze,A.A. See Bodgankevich,L.S., 3=16940
Rukhadze,A.A. See Kovrizhnykh,L.M., 3=19288
Rukhadze,A.A. See Lovetskii,E.E., 3=4126
Rukhadze,A.A. See Makhankov,V.G., 3=21788
Rukhadze,A.A. See Ramazashvili,R.R., 3=14584
Rukhadze,A.A. See Ramazashvili,R.R., 3=14604
Rukman,G.I. See Braginskii,V.B., 3=7100
Rulea,G. Equivalence between transmission lines and waveguides, 3=2128
Rumanov,E.N. See Rodichev,A.M., 3=15825
Rumanova,I.M. abd Volodina,G.F. The unit cell and space group of kainosite (cenosite) $[Ca_2Y_2(Si_4O_{12})(CO_3)H_2O]$, 3=13473
Rumanova,I.M. See Ashirov,A., 3=8861
Rumanova,I,M. See Volodina,G.F., 3=18326
Rumer,G. Curvature waves in general relativity theory, 3=1601
Rumer.Y. See Landau.A.. 3=11659
Rumer,Yu.B. Invariant formulation of the gravitational wave field theory, 3=5337
Rumer,Yu.B. See Dykhne,A.M., 3=21252
Rumi,B. See Allen,J.E., 3=12169
Rumi,G.C. Preliminary results of experiment Luxembourg, 3=6977
Rumiantsev,V.V. On systems with friction, 3=1648
Rumpel,W.F. See Robinson,M.S., 3=18974
Rumphorst,R.F. See Ammerlaan,C.A.J., 3=17115
Rumsch,M.A. and Shchemelev,V.N. Determination of the Auger effect yields from the K-shells of chlorine and potassium using the discontinuities of the X-ray photoeffect quantum yield of a massive KCl cathode, 3=14633
Rumsh,M.A.,Lukirskii,A.P. and Shchemelev,V.N. Concerning the use of secondary-emission multipliers for investigating soft X-ray spectra, 3=5802
Rumsh,M.A.,Novik,F.T. and Zimkina,T.M. The structural features of monocrystalline layers of CdTe, 3=20944
Rumsh,M.A. and Shchemelev,V.N. Determination of the fluorescence yield by measuring the X-ray photoeffect on a massive cathode, 3=6663
Rumsh,M.A. and Shchemelev,V.N. Dependence of the quantum yield of the X-ray photoeffect in a bulk cathode on the X-ray polarization, 3=14630
Rumsh,M.A. and Shchemelev,V.N. Role of secondary-emission phenomena in the X-ray photoeffect of metal cathodes, 3=19310
Rumsh,M.A., Shchemelev,V.N. and Lukirskii,A.P. Quantum sensitivity of photographic materials to X-radiation with wavelengths from 1·54 to 113A, 3=3902
Rumsh,M.A. See Shchemelev,V.N., 3=19323
Rumsh,M.A. See Shchemelev,V.N., 3=19309
Rumsh,M.A. See Shchemelev,V.N., 3=19311
Rumyantsev,I.A. See Genkin,Ya.E., 3=4238
Rumyantsev,V.V. Many-phonon corrections to the kinetic equation, 3=15454
Rumyantseva,A.V. See Grigor'ev,A.D., 3=5148
Rumyantseva,A.V. See Kolchin,A.M., 3=3966
Runciman,W.A. and Stager,C.V. Zeeman and uniaxial stress spectra of $CaF_2(Eu^{2+})$, 3=10943
Runciman,W.A. and Syme,R.W.G. The optical absorption of divalent chromium in $CrCl_2.4H_2O$ and $CrSO_4.7H_2O$, 3=23066
Runciman,W.A. See Macfarlane,R.M., 3=936
Runcorn,S.K. Convection in the moon, 3=5238
Runcorn,S.K. Convection currents in the earth's mantle, 3=9009
Rundle,R.E. On the probable structure of XeF_4 and XeF., 3=15356
Rundle,R.E. See Dahl,L.F., 3=13489
Rundle,R.E. See Vossos,P.H., 3=25719
Rundle, R.E. See Willett, R.D., 3=18314
Rundqvist,S. Binary transition metal phosphides, 3=13453
Runge,E.F.,Forgacs,R.L. and Bryan,F.R. Time-intensity characteristics of a single-discharge emission source, 3=5522
Runge,R.J. Approximate solutions of the modified Bloch equations for low magnetic fields, 3=6744
Runibowicz,A. Diffracted waves of various fields in the case of arbitrary incident waves, 3=21209
Runyan,W.R. See Nolle,A.W., 3=23987
Ruoff,A.L. and Balluffi,R.W. Strain-enhanced diffusion in metals. II. Dislocation and grain boundary short-circuiting models, 3=22802
Ruoff,A.L. See Balluffi,R.W., 3=8447
Ruoff,A.L. See Balluffi,R.W., 3=15505
Rupin,J. See Robin,S., 3=21556
Ruppel,H.M. See Breit,G., 3=584
Ruppel,H.M. See Hull,M.H., Jr, 3=585
Ruppel,W. The modulation of space-charge-limited currents in CdS, 3=862
Ruppel,W. A comparison of photovoltages in ZnS and CdS, 3=25421
Ruppel,W.B. The question of dark-emission of photoelectrons, 3=9836
Rupprecht,J. Bi_2Te_3–Sb_2Te_3 alloys with added tellurium and selenium, 3=913
Rusakov,S.V. See Belousov,A.S., 3=2436
Rusakov,S.V. See Belousov,A.S., 3=4427
Rusakov,S.V. See Belousov,A.S., 3=24555
Rusakov,S.V. See Belousov,A.S., 3=24766
Rusakov,T.A. See Petrov,D.A., 3=6823
Rusakov,V.A. See Anikina,M.Kh., 3=6071
Rusakov,V.A. See Nyagu,D.V., 3=4451
Rusakov,V.A. See Nyagu,D.V., 3=6280
Rusanov,V.D. See Kovan,I.A., 3=7544
Ruscher,Ch. and Dechant,J. Light scattering in fibre preparations, 3=16127
Rush,J.J.,Safford,G.J.,Taylor,T.I. and Havens,W.W., Jr. The effect of rotational freedom in several ammonium salts and dimethyl acetylene on the inelastic scattering of slow neutrons, 3=6010
Rush,S. Methods of measuring the resistivities of anisotropic conducting media in situ, 3=343
Rushbrooke,G.S. On the Percus–Yevick virial coefficients for a hard-sphere gas, 3=11723
Rushbrooke,G.S. On the thermodynamics of the critical region for the Ising problem, 3=23777
Rushbrooke,G.S. and Wood,P.J. On the high temperature staggered susceptibility of Heisenberg model antiferromagnetics, 3=20624
Rushbrooke,G.S. See Hutchinson,P., 3=18845
Rushbrooke,G.S. See Morgan,D.J., 3=20567
Rushton,W.A.H. Increment threshold and dark adaptation, 3=5298
Rusi,A. and Ionescu,S. Thermal recovery after neutron irradiation of several Ni complexes, 3=8472
Rusi,A. See Constantinescu,M., 3=18453
Ruska,E. What is the theoretical resolution limit of the electron microscope and when will it be reached? 3=19347

Rus'kin,V.I. See Vinitskiĭ,A.Kh., 3=15009
Rus'kin,V.I. See Vinitskiĭ,A.Kh., 3=24773
Ruskol,E.L. Origin of the enhanced density of interplanetary dust in the earth's neighbourhood, 3=3540
Ruskol,E.L. Origin on the moon. II. The formation of the moon in the circumterrestrial swarm of satellites, 3=16330
Ruskol,E.L. Origin of the enhanced density of interplanetary dust in the earth's neighbourhood, 3=21089
Ruskol,E.L. The tidal evolution of the earth-moon system, 3=21092
Ruskov,T. See Alfimenkov,V.P., 3=6459
Ruskov,T. See Alfimenkov,V.P., 3=3460
Russ,M.J. Surface conduction in group II–VI semi-insulators, 3=17900
Russanov,V.D. See Borodin,A.V., 3=21831
Russell,A.M. Direct measurement of the energy of electrons obtained from the surface of silicon by field emission, 3=4176
Russell,A.M. Field emission spectrometer, 3=5691
Russell,A.M. and Hewitt,R.R. A physics building for the University of California, Riverside, 3=13993
Russell,A.M. and Litov,E. Observation of the band gap in the energy distribution of electrons obtained from silicon by field emission, 3=8509
Russell,B. Repeated yielding in tin bronze alloys, 3=23327
Russell,B. and Vela,P. Strain ageing of copper tin alpha solid solutions, 3=23346
Russell,F.M. A fixed-frequency, fixed-field, high-energy accelerator, 3=24411
Russell,F.M. See Livingston,R.S., 3=5779
Russell,J. See Bertozzi,W., 3=12513
Russell,J. See Lindenbaum,S.J., 3=17106
Russell,J.E. Note on the Born series, 3=2210
Russell,J.J. See Foley,K.J., 3=17323
Russell,J.J. See Foley,K.J., 3=19688
Russell J.P. See Rollin,B.V., 3=10789
Russel,J.P. See Rollin,B.V., 3=10790
Russo,D. See Rigutti,M., 3=18636
Russo-Manduchi,M.T. See Manduchi,C., 3=8036
Rustako,A.J.,Jr. See Rigrod,W.W., 3=9614
Rustamov,A.G., Samokhvalov,A.A. and Fakidov,I.G. Electrical properties of nickel–zinc ferrites, 3=20336
Rustamov, A.G. See Samokhvalov, A.A., 3=17894
Rustgi,M.L. and Mukherjee,S.N. Photodisintegration of helium, 3=6095
Rustgi,M.L. and Mukherjee,S.N. Octupole deformation in even—even medium mass nuclei, 3=24859
Rustgi,M.L.,Shukla,M.M. and Tripathi,A.N. Calculation of atomic scattering factors for the helium atom by means of the six-term Hylleraas wave function, 3=25703
Ruta-Wala, K. See Murasik, A., 3=3127
Rutan,R. See Androulakis, J.G., 3=17125
Rutenberg, A.C. Xenon fluorides: fluorine-19 nuclear magnetic resonance spectra, 3=17617
Rutgers,A.J. and Hendrikx,Y. Ionic hydration, 3=5435
Ruthberg,S.,Barnes,M.W. and Noyce,R.H. Alteration of the muscovite absorption spectrum of Kbr pellet preparation, 3=10958
Ruthberg,S.,Barnes,M.W. and Noyce,R.H. Correlation of muscovite sheet mica on the basis of color, apparent optic angle, and absorption spectrum, 3=25463
Rutherford,J.A. See Fite,W.L., 3=5642
Rutherford,J.A. See Fite,W.L., 3=21707
Rutherford,P. See Frieman,E., 3=21827
Rutherford,P.H. and Frieman,E.A. Two-particle correlation function for an unstable plasma, 3=21766
Rutherglen,J.G. See Walker,J.K., 3=4423
Rutkevich,B.N. See Fedorchenko,V.D., 3=9823
Rutkevich,N.Ya. See Berezhnoi,Yu.A., 3=15235
Rutkevich, N. Ya. See Klyucharev, A. P., 3=2450
Rutsch,W. See Bieri,R.H., 3=12675
Rutscher,A. and Wojaczek,K. Influence of the form of the primary perturbation on the formation of the striation wave in low-pressure gas discharges, 3=19193
Rutz,R.F. Transistor-like device using optical coupling between diffused p—n junctions in GaAs, 3=13096
Ruvinskii,M.A. Elastic scattering of nonlocalized mott excitons on dislocations, 3=20141
Ruzer,L.S. Gamma control on the inhalation of radon, 3=5285
Ruzicka,D.J. See Kofstad,P., 3=12957
Ruzin,M.I. Effect of the horizontal temperature gradient on the planetary boundary layer of the atmosphere, 3=23583
Ryachov,V.P.,Vashchenko,V.I. and Berdnikov,V.F. The measurements of the energy of optical radiation by selective receivers, 3=21535
Ryabchikova,T.S. See Shigorin,D.N., 3=15383
Ryabinin,A.G. and Khozhainov,A.I. Turbulent flow of an electrically conducting liquid in tubes of rectangular cross-section under the influence of electrodynamic ponderomotive forces, 3=21957
Ryabinin,Yu.N.,Bereshev,B.I. and Demyashkevich,B.P. Variation in the mechanical properties of iron deformed by high pressure hydro-extrusion, 3=1215
Ryabukhin,Yu.S. See El'tekov,V.A., 3=4405
Ryadov,V.Ya. See Averkov,S.I., 3=24032
Ryan,B.F. See Macklin,W.C., 3=3928
Ryan,C. A note on muon parity, 3=6027
Ryan,C. and Sudarshan,E.C.G. Representations of parafermi rings, 3=23788
Ryan,C. See O'Raifeartaigh,L., 3=11693
Ryan,F.M. and Subbarao,E.C. The Hall effect in semiconducting barium titanate, 3=8515
Ryan,J.W. Branching ratios of reactions of π^- mesons stopped in hydrogen and deuterium, 3=15013
Ryazanov,A.N. Enhancement of the resolving power of telescopic systems in respect of two point-like sources of light, greatly differing in intensity, 3=3873
Ryazanov,G.V. A space–time approach to quantum field theory, 3=14848
Ryazanov,M.I. Decay of ultrahigh energy particles in condensed matter, 3=22095
Ryazanov,M.I. Raman radiation in uniform motion of a charge in a homogeneous medium, 3=24058
Rȳbak,E.N. See Durasova,Yu.A., 3=23826
Rybakov,B.V. See Pandratov,V.M., 3=10395
Rȳbakov,V.N. See Kuznetsova,M.Ya., 3=6247
Rȳbalka,V.V. See Pashkovskii,M.V., 3=6600
Rȳbalko,F.P., Klinskikh,N.A. and Volkov,S.D. Linear approximation in the theory of elasticity of polycrystals, 3=20684
Rȳbarska,V. See Pavlikovski,A., 3=2377
Rybicki,K. Meson production in central collisions of heavy primaries of the cosmic radiation, 3=19739
Rybicka,M. See Bożek,E., 3=24905
Rȳbin,R.A. Critical thermal load in the boiling in tubes of liquids saturated [with steam], 3=3929
Rȳbin,S.N. See Arzumanov,A.A., 3=9888
Rybka,V.,Yoseli,M. and Aoki,M. Diffusion of silver in gallium arsenide, 3=13002
Rychev,A.S. See Lavrenikov,V.D., 3=2169
Ryde,H. Search for the two-photon decay of the 1·76 MeV 0+level in Zr^{90}, 3=2387
Ryde,H.,Persson,L. and Oelsner-Ryde,K. Levels in Tb^{159} populated in the decay of Dy^{159}, 3=2414
Ryde,H.,Persson,L. and Oelsner-Ryde,K. The electron capture decay of Er^{165}, 3=2415
Ryde,H. See Persson,L., 3=19823
Ryde,H. See Persson,L., 3=22342
Rydén,O. and Bergqvist,C.A. A new xenon predictor for high-flux reactors, 3=4696
Rydén,O. Temperature transients of the outlet water of a fuel element in a D_2O-cooled reactor, 3=4697
Ryder,B. See Rivlin,V.G., 3=6855
Rȳdnik,V.I. and Yavorskii,B.M. Neutralization of slow ions and the deactivation of metastable atoms near the surface of metals, 3=1936
Rykalin,V.I. See Dunaitsev,A.F., 3=6030
Rykalin,V.I. See Dunaitsev,A.F., 3=6031
Rȳkalin,V.I. See Dunaitsev,A.F., 3=7884
Rykalin,V.I. See Dunaitzev,A.F., 3=12495
Rȳkalin,V.I. See Dunaitsev,A.F., 3=24754
Rȳkalin,V.I. See Vasilevskii,I.M., 3=4388
Rykov,G.V. See Zvolinskii,N.V., 3=23968
Ryle,M. and Neville,A.C. A radio survey of the North Polar region with a 4.5 minute of arc pencil-beam system, 3=9276
Ryley,D.J. Review: The thermodynamic and mechanical interaction of water globules and steam in the wet steam turbine, 3=297
Ryley,D.J. and Wood,M.R. The construction and operating characteristics of a new vibrating capillary atomizer, 3=13981

Ryley,J.E. and Gambling,W.A. A current-stabilized d.c. supply rated at 30 A kW using semiconductor components, 3=7413
Rȳlov,Yu.A. Relative localization of gravitational field, 3=1590
Rȳlov,Yu.A. The singularity of the Schwarzschild solution of the gravitation equations, 3=3723
Rymashevskii,G.A. See Livshits,B.G., 3=5114
Ryndin,R.M. See Bilen'kii,S.M., 3=17309
Rȳndin,R.M. See Bilen'kiĭ,S.M., 3=22195
Ryneveld,M. See Collard,H., 3=25065
Rynn,N. Measurement of the thermoelectric power of a fully ionized, low-temperature plasma, 3=19277
Ryskin,A.I. See Tolstoĭ,N.A., 3=15711
Ryskin, A.Ya. See Zakharchenya, B.P., 3=17983
Rȳskin,A.Ya. See Zakharchenya,B.P., 3=18026
Ryskina,S.I. See Meiklyar,P.V., 3=9631
Rytel,M. Potential function of the ethylene molecule, 3=4767
Rytel,M. See Kuflewicz,A., 3=3277
Ryter,C. Measurement of the electron density at the position of the nucleus in metallix sodium, 3=15947
Rytz,A.,Staub,H.H.,Winkler,H. and Zamboni,F. Precision determination of the mass difference Al^{27}—Mg^{24} from the reactions Mg^{24}(α,γ)Si^{28} and Al^{27}(p,γ)Si^{28}, 3=10219
Ryu,N. See Nisimura,K., 3=24720
Ryukhin,Yu.A. See Chikhladze,V.L., 3=2408
Ryukhin,Yu.A. See Khulelidze,D.E., 3=24902
Ryukhin,Yu.A. See Vartanov,N.A., 3=2247
Ryves,T.B. and Scott,M.C. Subcritical reactivity measurement by a source-jerk method, 3=8153
Ryves,T.B. See Axton,E.J., 3=17119
Rȳvkin,M.S. See Pokrovskii,V.L., 3=1898
Rȳvkin,M.S. See Pokrovskii,V.L., 3=3944
Rȳvkin,M.S. See Pokrovskii,V.L., 3=7402
Rȳvkin,S.M.,Dobrego,V.P.,Konovalenko,B.M. and Yaroshetskii,I.D. Induced impurity breakdown in compensated germanium and current oscillations related with it, 3=6583
Rȳvkin,S.M. See Arkad'eva,E.N., 3=2878
Rȳvkin,S.M. See Ivanov,Yu.L., 3=2968
Rȳvkin,S.M. See Kitovskii,N.A., 3=20294
Rȳvkin,S.M. See Mekhtiev,R.F., 3=20412
Ryvkin,S.M. See Nasledov,D.N., 3=17990
Rȳvkin, S.M. See Rogachev, A.A., 3=2932
Rȳvkin,S.M. See Vitovskii,N.A., 3=20316
Ryvkin,V.B. See Ermakov,V.S., 3=10411
Rżany,H. and Ściesiński,J. Scattering of slow neutrons by liquid H$_2$S, 3=14141
Rżany,H. See Janik,J.A., 3=14140
Rżany,H. See Tubbs,N., 3=4733
Rzhanov,A.V. On the energy spectrum and the effective cross sections of the surface states of germanium, 3=10779
Rzhanov,A.V. See Paramonova,R.A., 3=6582
Rȳzhanov,S.G. Internal rotation in heavy nuclei, 3=24877
Rȳzhikov,B.D. See Levshin,V.L., 3=954
Ryzhkov,V.A. and Fedyushin,B.T. Temperature dependence of the electroluminescence of ZnS: Cu, Cl single crystals, 3=11013
Ryzhov,O.S. The energy of sound waves, 3=16707
Rȳzhov,O.S. and Shmȳglevskii,Yu,D. On a certain property of transonic gas flows, 3=158
Rȳzhov,V.A. Protection of ionization manometer cathodes, 3=5472
Rȳzhova,T.V. See Aleksandrov,K.S., 3=20690
Ryzko,H. and Müller-Hillebrand,D. The influence of chemical products left by spark in the air on the impulse breakdown voltage of enclosed air gap, 3=4100
Rzeszot,T. and Warda,E. Neutron spectrum temperature distribution measurements in the VVR-S reactor core, 3=25017
Rzewuski,J. Quantum field theory without operators, 3=19538
Rzhanov,A.V. See Guro,G.M., 3=22911
Rzhiga,O.N. See Kotel'nikov,V.A., 3=9272
Rzhezanka,I.,Frana,Ya.,Adam,I. and Peker,L. On the rotational nature of the 3.7-hour isomeric state of Lu^{176}, 3=8010
Rytz,A.,Staub,H.H.,Winkler,H. and Zamboni,F. A precision determination of the mass difference of ^{27}Al and ^{24}Mg from the reactions ^{24}Mg(α,γ)^{28}Si and ^{27}Al(p,γ)^{28}Si, 3=24836

Saada,G. On the stability of quenched dislocation loops in aluminium, 3=4878
Saada,G. and Washburn,J. Interaction between prismatic and glissile dislocations, 3=23323
Saada,G.V. On the stability of quenched loops in face-centered cubic metals, 3=22773
Saakyan,G.S. Nonrelativistic theory of superdense stellar configurations, 3=9233
Saakyan,R.A. The additional acceleration in the motion of celestial bodies, 3=23657
Saavedra,I. See Giambiagi,J.J., 3=24633
Sabatini,R.R. and Suomi,V.E. On the possibility of atmospheric infrared cooling estimates from satellite observations, 3=1444
Sabău,C. See Constantinescu,M., 3=18453
Sabău,M. See Roseşcu,T., 3=25020
Sabău,M. See Stefănescu,A., 3=25021
Sabban,K. and Schedelbeck,W. Investigation of the homogeneity of thin permalloy films by means of ferromagnetic resonance, 3=18393
Sabeu,M. and Zamfiresku,I. Determination of the energy distribution of a neutron beam by experiments of activation and filtering, 3=4406
Sabéu,M. See Khristov,V., 3=4407
Sabeu,M. See Purika,I., 3=25011
Sabine,T.M. Neutron diffraction research in Australia, 3=3289
Sabine,T.M. An analytical treatment of the geometrical properties of the three-circle goniometer, 3=18288
Sabine,T.M. and Browne,J.D. A geometrical consideration in the design of neutron spectrometers, 3=20820
Sabine,T.M. and Browne,J.D. The neutron coherent scattering length for magnesium, 3=25708
Sabine,T.M.,Pryor,A.W. and Hickman,B.S. The scattering of long wavelength neutrons by irradiated beryllium oxide, 3=8426
Sabisky,E.S. See Lewis,H.R., 3=13301
Saburi,Y.,Kobayashi,M.,Yasuda,Y. and Harada,K. Characteristics of the 3-2 line double-beam maser of N^{14}H$_3$ and the precision of frequency comparison, 3=12347
Saburi,Y.,Yasuda,Y. and Harada,K. Phase variations in the frequency multiplier, 3=24170
Sacerdote,G. An integrating device for spectrum analysis, 3=18937
Sacerdote,G. and Savelli,V. Linear and quadratic rectifiers in sound level meters, 3=18945
Sacerdote,G. See Caciotti,M., 3=18948
Sacerdote,G. See Gigli,A., 3=18928
Sacerdoti,G. and Uccelli,F. Some features of helical quadrupole lenses, 3=12249
Sacerdoti,G. and Uccelli,F. A general method for calculating the transfer matrix of a magnetic channel for charged particles constituted by quadrupoles and analyser magnets, 3=14670
Sacerdoti,G. See De Feo,P., 3=3955
Sacerdoti,G.C. Recent advances in new high magnetic field techniques at National Laboratories of Frascati, Italy, 3=21936
Šacha,J. See Burget,J., 3=10114
Sácha,J. See Burget,J., 3=25580
Sacharidis,E.J. See Galbraith,W., 3=2297
Sacharidis,E.J. See McFarlane,W.K., 3=17276
Sachenko,V.P. On finding the true shape of spectra using the Shannon approximation, 3=3878
Sachenko,V.P. On the derivative method for correcting the shape of spectra, 3=7323
Sachenko,V.P. and Nikoforov,I.Ya. Correction of X-ray spectra for symmetric distortion, 3=7670
Sachenko,V.P. See Blockhin,M.A., 3=17012
Sachenko,V.P. See Nikiforov,I.Ya., 3=7324
Sachenkov,A.V. Surface bulging of thin shells with local loss of stability, 3=5394
Sacher,E. and Laidler,K.J. A theory of non-adiabatic electron-transfer in aqueous solution, 3=14178
Sachs,M. The Pauli exclusion principle from a selfconsistent field-theory of quantum electrodynamics, 3=10018
Sachs,M. and Schwebel,S.L. Implications of a new approach to quantum electrodynamics in electron–proton scattering, 3=17165
Sachs,M. See Anderson,C.E., 3=19888
Sachs,R. Asymptotic symmetries in gravitational theory, 3=3716
Sachs,R.G. Interference phenomena of neutral K mesons, 3=17335
Sachs,R.G. Methods for testing the C.P.T. theorem, 3=10010

Sachs,R.K. See Goldberg,J.N., 3=3713
Sachs,T. See Stuehr,J., 3=8952
Sachse,H.B. Measurement of low temperatures with semiconductor resistance thermometers, 3=11984
Sachtler,W.M.H. See Rootsaert,W.J.M., 3=3369
Sack,H.S. and Smith,G.C. Dielectric properties at high frequencies and high temperatures and point defect interaction, 3=22974
Sackmann,E. See Dreeskamp,H., 3=12862
Sackmann,H. See Arnold,H., 3=24107
Sackmann, H. See Brand, P., 3=18317
Sackmann,L.,Gebel,C. and Eichhorn,J.L. Existence and equilibrium of simple layers of spherical particles suspended in a raising vertical stream of liquid, 3=9418
Sackmann,L.A. and Reitzer,H. Contribution to the study of two-dimensional jets. Theoretical and experimental deviation, 3=104
Sacton,J. See Danysz,M., 3=22276
Sacton,J. See Davis,D.H., 3=6147
Sacton,J. See Fletcher,E.R., 3=10232
Sacton,J. See Lagnaux,J.P., 3=17489
Sadagopan,V. See Parthé,E., 3=11264
Sadasiv,G. Magnetoresistance in germanium in the impurity conduction range, 3=2892
Sadasiva Rao,P. and Kaparthi,R. Studies in drop formation at nozzle tips, 3=23856
Saddy,J. Escape probability of trapped electrons in phosphorescent zinc sulphide at different temperatures, 3=20529
Sadeghi,A. See Jeronymo,J.M.F., 3=678
Sadeghi, A. See Jeronymo, J.M.F., 3=17400
Sadeghi, A. See Jeronymo, J.M.F., 3=17460
Sadeghi,A. See Jeronymo,J.M.F., 3=24949
Sadeh,D. Experimental evidence for the constancy of the velocity of gamma rays, using annihilation in flight, 3=22098
Sadikov,I.N. Exact solutions of the energy equation for plane parallel flow of viscous incompressible liquids, 3=11767
Sadikov,I.P. See Zhezherun,I.F., 3=2280
Sadikov,I.P. See Zhezherun,I.F., 3=4403
Sadikov, I. P. See Zhezherun, I. F., 3=4404
Sadiq,M.G. See Vernon,S.N., 3=4525
Sadokov,V.P. See Nemchinov,S.V., 3=1427
Sadokov,V.P. See Nemchinov,S.V., 3=25879
Sadovnikov,B.I. See Bogolyubov,N.N.,Jr, 3=1620
Sadȳkova,A.A. and Meiklyar,P.V. Photoconductivity of silver bromide, 3=6636
Saelens,R.G. Tiny gamma detector for high-intensity radiation, 3=17235
Saemundsson,T. Origin of sudden commencements, 3=5227
Saenko,L.F. See Lobashov,V.M., 3=15085
Saenko,V.I. See Zinchenko,N.S., 3=24359
Saetta-Menichella,E. See Facchini,U., 3=10365
Safant'evskii,A.P. See Gurevich,A.G., 3=8702
Saffar, Z.M.El., Orientations of the water molecules in cobalt dichloride hexahydrate by nuclear magnetic resonance, 3=1201
Saffman,P.G. The effect of wind shear on horizontal spread from an instantaneous ground source, 3=5197
Saffman,P.G. An approximate calculation of the Lagrangian auto-correlation coefficient for stationary homogeneous turbulence, 3=14101
Safford, G, Brajovic, V. and Boutin, H. An investigation of the energy levels in alkaline earth hydroxides by inelastic scattering of slow neutrons, 3=17643
Safford,G.J. See Brajovic,V., 3=15418
Safford,G.J. See Rush,J.J., 3=6010
Safin,I.A. and Pen'kov,I.N. Nuclear quadrupole resonance in stibnite, 3=11128
Safir,A. Effect of topically administered drugs on retinal directional sensitivity, 3=21174
Safronov,B.G.,Voitsenya,V.S. and Konovalov,I.I. Production of a pure hydrogen plasma, 3=21822
Safronov,B.G. See Azovskii,Yu.S., 3=14567
Safronov,B.G. See Kalmȳkov,A.A., 3=7547
Safronov,B.H. See Lavrentyev,O.O., 3=19274
Safronov,V.S. A special case of the solution of the accretion equation, 3=18594
Safyan,D.I. See Androsyuk,N.H., 3=21531
Sagalovich,V.N. See Prudnikov,A.G., 3=1668
Sagalyn,P.L. and Hofmann,J.A. Nuclear magnetic resonance in metallic single crystals, 3=21997
Sagalyn,P.L. See Harrison,R.J., 3=3206

Sagalyn,R.C.,Smiddy,M. and Wisnia,J. Measurement and interpretation of ion density distributions in the daytime F-region, 3=11441
Sagan,C. On the atmosphere and clouds of Venus, 3=16358
Sagan,C. On the nature of the jovian red spot, 3=18611
Sagan,U. See Tubbs,N., 3=4733
Sagar,A. and Miller,R.C. Experimental investigation of band structure of tin telluride, 3=10841
Sagar,A. See Faust,Jr,J.W., 3=3263
Sagastibelza,F. See Verdaguer,F., 3=22349
Sagawa,T. Valence band emission spectra of magnesium, sodium, lithium and beryllium, 3=8606
Sagdeev,R.Z. See Galeev,A.A., 3=24313
Sagdeev,R.Z. See Moiseev,S.S., 3=12132
Sagdeev,R.Z. See Moiseev,S.S., 3=16930
Sagdeev,R.Z. See Oraevskii,V.N., 3=14613
Sagdeev,R.Z. See Oraevskii,V.N., 3=24322
Sagdeev,R.Z. See Rudakov,L.I., 3=12125
Sagdeev,R.Z. See Vedenov,A.A., 3=12217
Sage,G. and Klemperer,W. Far-infrared spectrum and barrier to internal rotation of ethyl fluoride, 3=25121
Sage,M.L. Photon-induced electronic transitions in molecular crystals, 3=10711
Saggau,B. New conclusions about the mechanism of moving striations in low-pressure inert gas discharges, 3=7458
Sagomonova,G.A. See Bukat,G.M., 3=22257
Sah,P. Jain,D.C., 3=12815
Saha,A.K.,Karabin,M. and Mahajan,K.K. Ionospheric effects following distant nuclear detonations, 3=16243
Saha,K.R. On the formation of large hailstones, 3=13675
Saha,N.K. See Singh,G., 3=24545
Sahade,J.and Berón Dávila,F. Eclipsing variables in galactic clusters, 3=18639
Sahakian,G.S. and Vartanian,Y.L. On Weyl's solution for axial-symmetric gravitational fields, 3=14013
Sahani,N.S. See Mishal,S.H., 3=21342
Sahlin,H.L. See Broyles,A.A., 3=1656
Sahlin,H.L. See Broyles,A.A., 3=14137
Saiedy,F. See Bignell,K., 3=11409
Saifuddin. See Naqvi,M.A., 3=10434
Saigusa,T. Optical thickness of the planetary nebulae and temperature of the central stars, 3=9249
Saikan,T. See Okabayashi,T., 3=19553
Sailor,V.L. See Marshak,H., 3=2468
Sainfort,G. See Cabane,G., 3=6798
St.Amand,P. See Odencrantz,F.K., 3=13778
Saint-James,D. The influence of the electron mean free path on quasi-particle recombination time in a superconductor, 3=14441
Saint-James,D. See De Gennes,P.G., 3=12027
St.John,D.S. See Randall,D., 3=4682
St.John,R.M., Lin,C.C., Stanton,R.L., West,H.D., Sweeney,J.P. and Rinehart,E.A. System for processing and recording excitation function data, 3=2575
St. John,R.M. See Lin,C.C., 3=2580
St-Lorant,S.J. Search for unusual decay modes of the hyper nuclei, 3=22279
St.Louis,R.V.and Crawford,B.,Jr. Solid-oxygen absorption at $1550\ cm^{-1}$, 3=3010
Saint-Martin, J.P. See Fortini, A., 3=17951
St-Pierre,C. See Gorodetzky,S., 3=15231
St.Quinton,J.M.P. See Manuel,A.J., 3=13229
Saisho,H. See Tomita,I., 3=8992
Saito,F. Oscillation characteristics of a pulsed ruby maser, 3=520
Saito,H.,Hirata,M. and Horiuchi,T. Annealing of radiation defects in silicon single crystals, 3=22934
Saito,H. See Akashi,K., 3=18902
Saito,K. and Convington,A.E. Microphotometry of a solar flare region producing 10.7 cm impulsive and gradual rise and fall type bursts, 3=23706
Saito, K. and Yamashita, Y. Polarigraphic observations of the solar corona at the total eclipse on October 12, 1958 in the Southern Pacific, 3=1519
Saito,K. See Tateno,H., 3=14539
Saito,M. See Takeuchi,H., 3=13643
Saitô,N. and Hasegawa,M. Effect of the angular velocity on the sedimentation constant of rod-like macromolecules in the ultracentrifuge, 3=11361
Saito,N. See Shinohara,K., 3=6922
Saito,N. See Shinohara,K., 3=16181

Sander,W. See Kerkhoff,F., 3=10696

Sanders,J.H.,Tittel,K.F. and Ward,J.F. The magnetic moment of the proton. II. The value in Bohr magnetons, 3=7846

Sanders,J.H. and Turberfield,K.C. The magnetic moment of the proton. I. The value in nuclear magnetons, 3=7845

Sanders,J.V. See Ogilvie,G.J., 3=10707

Sanders,W.T. Peierls stress for an idealized crystal model, 3=2800

Sanderson,J. See Pipkin,F.M., 3=10292

Sanderson,J.J. See Edwards,S.F., 3=7510

Sandler,M. Comment on "magnetohydrodynamics and electrohydrodynamics", 3=9921

Sandler,M. See Levi,E., 3=24458

Sandler,R.A. See Gal'perin,E.L., 3=16076

Sandler,S.R. and Tsou,K.C. Fluorescence spectral study of wavelength shifters for scintillation plastics, 3=25491

Sandler,S.S. Effective area of satellite-borne antennas for radio astronomy, 3=23703

Sandlin,G. See Kruh,R.F., 3=7198

Sandomirskii,V.B. Dependence of the forbidden bandwidth in semiconductor films on their thickness and temperature, 3=17843

Sandomirskii,V.B. See Zhdan,A.G., 3=21851

Sandor,A. Limitations to resolving power in the thermionic emission microscope, 3=445

Sandor,A. An optically large-field emission microscope for thermionic research, 3=2041

Sandor,A. Activation process of impregnated dispenser cathode viewed in the large-screen emission microscope, 3=4178

Sandor,A. Crystal phases of nickel as related to adhesion of thermionic coatings and to emission phenomena, 3=19303

Sandor,A. Theory and experiment on thermionic emission from barium-coated alloyed nickel. I, 3=21859

Sandor,A. Theory and experiment on thermionic emission from barium-coated alloyed nickel. II, 3=21860

Sándor,E. and Wooster,W.A. Extended diffuse regions in the X-ray diffraction pattern of anthracene single crystals. I, 3=20859

Sándor,E. and Wooster,W.A. Extended diffuse regions in the X-ray diffraction pattern of anthracene single crystals. II, 3=20860

Sandor,T. See Hofmokl,T., 3=12488

Sandoval,I.B. and Ausloos,P.J. Radiolysis of propane-d_8 in the presence of organic compounds other than hydrocarbons, 3=18457

Sandrea,A.P. See Jérémine,É., 3=3559

Şandru,P. See Comănescu,V., 3=21028

Şandru,P. See Grigorescu,L., 3=7822

Sands,D.E.,Johnson,Q.C.,Krikorian,O.H. and Kromholtz,K.L. The crystal structure of $Ru_3 Be_{17}$, 3=8839

Sands,D.E., Wood,D.H. and Ramsey,W.J. The crystal structure of $\beta-K_3Bi$, 3=20841

Sandström,A.E., Pomerantz,M.A. and Grönkvist,B.O. Latitude effect and atmospheric attenuation of the cosmic ray nucleon component, 3=618

Sandström,A.E.,Pomerantz,A. and Grönkvist,B.O. Sea level cosmic ray intensity and threshold rigidity, 3=24819

Sandulova,A.V. and Dronyuk,M.I. The appearance of dislocations in silicon single crystals during their solution by vapours of other materials, 3=20180

Sanduloviciu,M.,Bohosievici,N. and Gheorghita,N. Absorption of the energy and of the continuous current generated by a discharge in rarefied gases, sustained by a field of high frequency, 3=19187

Sanduloviciu,M.,Melica,M. and Popescu,I. Voltage oscillations in an electrical discharge in rarefied gases, sustained by a field of high-frequency, 3=19188

Sandweiss,J. Experimental techniques at ultra-high energies, 3=17004

Sandweiss,J. See Baltay,C., 3=16999

Sandweiss,J. See Baltay,C., 3=22209

Sandweiss,J. See Baltay,C., 3=24805

Sandweiss,J. See Ferbel,T., 3=4395

Sane,K.V. and Weil,J.A. Paramagnetic resonance of hydrazyl-type radicals in viscous media, 3=21418

Sanfirova,T.P., Tomashevskii,É.E. and Shurakov,S.A. Time dependence of the strength of aluminium and silver at low temperatures, 3=20729

Sanford,J. See Baltay,C., 3=16999

Sanford,J.R. See Baltay,C., 3=22209

Sanford,J.R. See Baltay,C., 3=24805

Sanford,J.R. See Foelsche,H., 3=7913

Sanford,P.W. See Mathieson,E., 3=22029

Sanford,P.W. See Pounds,K.A., 3=13894

Sangren,W. See Roos,B.W., 3=17508

Sangren,W.C. See Roos,B.W., 3=21237

Sanielevici,A. and Nagl,J. Adiabatic microcalorimeter with automatic control for the measurement of radioactivity. I, 3=6188

Saniewska,T. See Bogdanowicz,J., 3=8103

Saniewska,T. See Danysz,M., 3=24572

Saniewska,T. See Ciok,P., 3=8084

Sanikidze,D.G. Some features of the equilibrium diagram for a He^3-He^4 solution at the λ-point, 3=5568

Sankaranarayanan,G. Theory of particle counters, 3=14811

Sankaranarayanan,S.,Patel,M.M. and Narayanan,P.S. The emission spectrum of bismuth bromide (BiBr)—"A" system, 3=6389

San'ko,L.A., Takibaev,Zh.S. and Usik,P.A. Analysis of showers produced by energetic cosmic-ray particles according to the excited nucleon model, 3=19728

Sanna,G. New method to determine the interaxial distance, 3=13963

Sanna,S. See Mattana,N., 3=1428

Sanna de Alvarez, A.M. Composition of renal and biliary concretions by X-ray diffraction, 3=3647

Sannikov,D.G. Electromagnetic and sound waves in ferroelectrics, 3=2949

Sannikov,S.S. Inelastic photon scattering in the Coulomb field of a nucleus, 3=8068

Sannikov,S.S. Theory of photon scattering in the Coulomb field of a nucleus at high frequencies, 3=22363

Sannikov,S.S. See Kuraev,É.A., 3=24672

Sano,M. and Yamasaki,S. Phase transition and level density of atomic nuclei, 3=10215

Sano,Y. Morphological studies on sudden commencements of magnetic storms using the rapid-run magnetograms during the I.G.Y., 3=1489

Sanochkin,Yu.V. and Erofeev,V.S. Some aspects of the magnetofluid dynamics of an almost one-dimensional plasma flow, 3=7514

Sanochkin,Yu.V. See Erofeev,V.S., 3=21791

Santangelo,R. See Chadwick,G.B., 3=10117

Santhamma.C. See Narayana.K.L., 3=25141

Santhanam,T.S. See Venkatesan,K., 3=22070

Santharam, C.V.V.S.N.K., and Tiruvenganna Rao, P. Potential energy curves and dissociation energy of the PO molecule, 3=17582

Santini.M. See Careri,G., 3=12020

Santini,M. See Careri,G., 3=19091

Santo,R. See Lorenz,W., 3=19873

Santoni.A. See Valentin.J.. 3=24872

Santoro,A. See Caglioti,G., 3=126

Santos,E. See Coulson,C.A., 3=22753

Santouil,A. See Bacquet,G., 3=4199

Santry,D.C. and Butler,J.P. The $S^{33}(n, p)P^{33}$ reaction as a fast-neutron flux monitor, 3=12687

Santry,D.C. See Butler,J.P., 3=8109

Sanyasi Rao,A. and Ramachandra Rao,B. Horizontal drifts in the F2-region at Waltair, 3=16274

Sanzhur,I.E. See Zaika,N.I., 3=24973

Sao,K. A note on the phase-frequency spectra analysed from waveforms of atmospherics, 3=6966

Sapa,V.A. and Zharov,A.M. Problem of movement of a variable point mass under the action of a central force, 3=9384

Saperstein,A.M. Calculation of deuteron stripping amplitudes using S-matrix reduction techniques, 3=15223

Saporetti,F. See Baldoni,B., 3=5998

Sapp,R.C. See Strohm,W.W.,Jr, 3=25172

Sarabhai,V. Some consequences of non-uniformity of solar wind velocity, 3=21111

Sarace,J.C. See Nelson,D.F., 3=20514

Sarachman,T.N. Microwave spectrum of normal propyl chloride, 3=25130

Sarada,G. See Vohra,K.G., 3=13689

Sarada,K.A. See Mitra,A.P., 3=6985

Sarafa,Z.N. and Soo,S.L. Differential Pirani gauge for measuring dynamic pressure in a rarefied gas, 3=1736

Sarbei,O.G. See Bibik,V.F., 3=16971

Sardaryan,R.A. See Davȳdov,A.S., 3=4560

Sardos,R. Hertzian polarizer using a turnstile junction, 3=347
Sardos,R. Study of microwave analyser using a turnstile junction, 3=9938
Sardos,R. Study of a microwave ellipticity-analyser with a single detector using a transition turnstile, 3=19467
Sarfatt,J. Quantum-mechanical correlation theory of electromagnetic fields, 3=9654
Sargant,K.R. See Wood,W.A., 3=13337
Sargant,K.R. See Wood,W.A., 3=20735
Sargent,C.M. See Embury,J.D., 3=6515
Sargent,C.P. See Bertozzi,W., 3=12513
Sargent,G.A.,Sherwood,P.J. and Johnson,A.A. Effect of strain-rate on the tensile-yield stresses of niobium and tantalum, 3=1237
Sáringer,M. See Morlin,Z., 3=1696
Sarinyan,M.G. See Arustamova,M.E., 3=24849
Sárkány, B. See Szalay, L., 3=1697
Sárkány,B. See Szalay,L., 3=3808
Sarkar,N.H. Electron scattering at small angles by carbon, 3=21890
Sarkar,S. Circular polarization of bremsstrahlung produced in high-energy collisions of electrons with polarized protons, 3=12435
Sarker,R.P. A comparison of piche and mesh covered standard U.S.A. pan evaporimeters, 3=21030
Sarma,G. On the influence of a uniform exchange field acting on the spins of the conduction electrons in a superconductor, 3=24134
Sarma,G. See de Gennes,P.G., 3=1442
Sarma,K.V.L. See Gupta,V., 3=14910
Sarma,K.V.L. See Narayan,D.S., 3=22082
Sarma,M.S.R.S. See Rama Krishna Rao,V., 3=9604
Sarma, N, Jayaraman, K.S. and Kumar, C.K. Mechanism of the Li^7 (p,α) He^4 reaction, 3=17461
Sarrak,V.I. and Entin,R.I. Investigation of the temperature dependence of the yield point of iron in connection with the interaction of dislocations and intrusion atoms, 3=5065
Sarrau,J. Study and construction of a titanium pump, 3=183
Sartain,C.C. See Krueger,H.H.A., 3=10883
Sartori,G. See Cagliotti,V., 3=4741
Sartori,L. See Fried,D.L., 3=4323
Saruis,A.M. See Pisent,G., 3=15205
Sarwinski,R.J. See Anderson,A.C., 3=14459
Sasada,Y. See Ikenoue,K., 3=14171
Sasada,Y. See Ikenoue,K., 3=14172
Sasaguri,K. See Stein,R.S., 3=10915
Sasakawa,T. Intrinsic excitation of even—even nuclei, 3=10246
Sasakawa,T. New method for solving eigenvalue problems, 3=18731
Sasakawa,T. See Takahashi,M., 3=23155
Sasaki,F. and Ohno,K. Spin-component analysis of single-determinant wavefunctions, 3=23785
Sasaki,H. See Kumagi,H., 3=460
Sasaki,K. Residual interactions in nuclear shell model and pairing energies, 3=10214
Sasaki,N. See Higashi,A., 3=6527
Sasaki,S. On the Yukawa type interactions between hyperons and mesons, 3=609
Sasaki,S. Back reflection of ultrasonic wave obliquely incident to solid surface in water, 3=18930
Sasaki,S.Segawa,H. and Yamamoto,H. A model of elementary particles, 3=24589
Sasaki,T. Optical constants of germanium in the extreme ultraviolet region, 3=20436
Sasaki,T. and Ishiguro,K. A spectrophotometer for determining optical constants in the vacuum ultraviolet region, 3=18994
Sasaki,T. See Ishiguro,K., 3=11926
Sasaki,W.,Gonda,S. and Inoue,M. Temperature dependence of the resistivity in the impurity conduction of n-type germanium, 3=25344
Sasaki,W. See Yamanouchi,C. 3=4915
Sasaki,W. See Yamanouchi,C., 3=10775
Sasaki,Y. See Furuoya,T., 3=11036
Sasaki,Y. See Ishikawa,Y., 3=10849
Sasaki,Y. See Kimura,H., 3=18342
Sasakura,H. See Takeuchi,N., 3=23235
Saschenko, N.M. See Popova, T.N., 3=17571
Sasson,M.,Tzalmona,A and Leowenstein,A. A spin echo attachment to Varian HR60 nuclear magnetic resonance spectrometer, 3=9958
Sastry,C.V. Semidiurnal variation of cosmic-ray nucleonic intensity, 3=17374
Sastry,P.V. See Bahadur,K., 3=2813
Sastry,U.A. Torsion of a hollow cylinder of epitrochoidal cross-section, 3=9379
Satarova,L.M. See Lavrukhina,A.K., 3=8150
Satarova,L.M. See Lavrukhina,A.K., 3=24940
Satchell,D.W. Some effects of electric fields on the cathodoluminescence of zinc sulphide single crystals, 3=3065
Satchler,G.R. Collective effects and elastic scattering from odd-mass nuclei, 3=19747
Satchler,G.R.,Bassel,R.H. and Drisko,R.M. Excitation of nuclear octupoles by proton scattering, 3=19764
Satchler,G.R. See Austern,N., 3=661
Satchler,G.R. See Bassel,R.H., 3=6294
Satchler,G.R. See Davies,K.T.R., 3=19828
Satchler,G.R. See Drisco,R.M., 3=2455
Satchler,G.R. See Drisko,R.M., 3=22361
Satchler,G.R. See Ilakovac,K., 3=4652
Satchler,G.R. See Perey,F. 3=10338
Satchler,G.R. See Perey,F., 3=19829
Sather,N.F. and Dahler,J.S. Molecular friction in dilute gases. III. Rotational relaxation in polyatomic fluids, 3=1724
Sather,N.F. See Dahler,J.S., 3=16654
Sathianandan,K. and Margrave,J.L. Molecular constants of SiH_3NCS and SiD_3NCS, 3=22573
Sato,A. See Kawarabayashi,K., 3=2255
Sato,A. See Kawarabayashi,K., 3=6077
Sato,A. See Kawarabayashi,K., 3=7833
Sato,A. See Kawarabayashi,K., 3=14968
Sato,A. See Kawarabayashi,K., 3=24710
Sato,H. Cyclotron resonance of hot electrons in n-type germanium, 3=10639
Sato,H. Effects of phonon distributions of hot electons in semiconductors, 3=10759
Sato,H. and Arrott,A. Magnetic interactions between manganese atoms in metals, 3=1001
Sato,H. and Toth,R.S. On the long period superlattice in alloys, 3=1358
Sato,H., Toth,R.S. and Astrue,R.W. Checkerboard domain patterns on epitaxially grown single-crystal thin films of iron, nickel, and cobalt, 3=15830
Sato H. See Sugihara K., 3=10714
Sato,H. See Toth,R.S ., 3=1356
Sato,H. See Ueda,I., 3=4948
Sato,I. Normalization condition for the Bethe—Salpeter wave-function and a formal solution to the Bethe—Salpeter equation, 3=7813
Sato,K., Hirone,T., Watanabe,H., Maeda,S. and Adachi,K. Magnetic properties of Au_3Mn alloys, 3=1004
Sato,K., Watanabe,D. and Ogawa,S. Electron diffraction study on CuAu at temperatures above the transition point of order-disorder, 3=3321
Sato,K. See Tawara,Y., 3=23154
Sato,M. and Kawakami,I. Effect of finite resistivity on gravitational instability, 3=21778
Sato,M. See Kimoto,S., 3=23531
Satô,M. See Mitui,T., 3=20580
Sato,M. See Uchida,T., 3=12143
Sato,N. See Hatta,Y., 3=4161
Sato,R. Stacking fault in precipitated cadmium sulphide, 3=808
Sato,R. and Ishii,B. Crystallographic out-of-step in oxygen-deficient U_3O_8, 3=811
Sato,S. Study of the lattice defect in martensite by X-ray diffraction. I, 3=2810
Sato,S. Study of lattice defect in martensite by X-ray diffraction. I, 3=15488
Sato,S.,Kikuchi,K. and Tanaka,M. Benzene photosensitized cis-trans isomerization of butene-2, 3=25828
Sato,S. See Nakamura,S., 3=10034
Sato,S. See Nakamura,S., 3=19660
Sato,S. See Nakamura,S., 3=22061
Sato,T. The incidence of charged particles into the upper atmosphere and relations to sudden commencements of geomagnetic storms and to giant pulsations at high latitudes, 3=13708
Sato,T. Structures of sudden commencements of geomagnetic storms and giant pulsations in high latitudes, 3=13737
Satō,T. Heat transfer bibliography—Japanese works, 3=14391

Sato,T.,Michiyoshi,I. and Takeuchi,K. Experimental studies on transient boiling, 3=9661
Sato,T. See Nagao,S., 3=21734
Sato,T. See Shogenji,K., 3=15595
Sato,T. See Sugawara,S., 3=5464
Satô,Y. Propagation of torsional disturbances in a homogeneous elastic sphere, 3=21475
Satoh,M. See Itoh,J., 3=23273
Satone,H. See Kurioka,Y., 3=23997
Satsunkevich,I.S. See Bogush,A.A., 3=14956
Satsunkevich,I.S. See Bogush,A.A., 3=22105
Satsutani,T. See Kurioka,Y., 3=23997
Sattar,A.L.A. Magnetostrictive vibrator set-up for accelerated cavitation studies, 3=229
Sattarov,D.K. See Veinberg,V.B., 3=241
Satten,R.A. See Asawa,C.K., 3=24490
Satten,R.A. See Culver,W.H., 3=13298
Satterthwaite,I.H.R. See Matthews,G.G., 3=7163
Sattizahn,J.E. See Bryant,E.A., 3=12737
Saturno, A.F, Joy, H.W. and Snyder, L.C. Computations to evaluate Dewar's split p-orbital (SPO) method, 3=17561
Satyam,M. Short term amplitude probability distribution of impulsive atmospheric radio noise, 3=3471
Satyam,M. Long term amplitude probability distribution of atmospheric noise, 3=3473
Satyam,M. Hourly variation of seasonal atmospheric noise levels, 3=3474
Satyam,M. See Gupta,K.C., 3=14627
Satyanarayana,S.K. and Soundararajan,S. An improved design of a platinum cell for dielectric measurements, 3=3990
Satyanarayana Murty,M. and Krishna Murty,B. Adiabatic and apparent molar compressibilities of some metal
Saudinos.J. See Barloutaud-Crut,M., 3=24864
Sauer,H.H. A new method of computing cosmic-ray cutoff rigidity for several geomagnetic field models, 3=12532
Sauerbrey,G. Energy losses during the passage of electrons through layers of silver, 3=20152
Sauerbrey,G. See Freymuth,P., 3=6555
Sauerbrey,G. See Marx,G., 3=4181
Sauermann,H. See Haken,H., 3=12361
Sauka,Ya.Ya. and Karklin',A.Yu. Precision lattice parameters and coefficients of thermal expansion for crystals of Co[Hg(SeCn)$_4$], 3=16083
Saunders,F.A. Violins old and new—an experimental study, 3=14276
Saunders,J.B. An alignment interferometer, 3=16791
Saunders,J.B. Large aperture interferometers with small beam dividers, 3=24048
Saunderson,D.H. Phonon frequency distribution in graphite, 3=15423
Saunier,N. See Ballini,R., 3=19157
Saunier,N. See Garin,A., 3=8137
Saunier,N. See Lemeille,C., 3=22431
Saupe,A. U.V. studies on stilbene, benzalaniline, azobenzene, azoxybenzene, and some liquid crystalline alkoxyderivatives, 3=25133
Saur,E. See Hagner,R., 3=3960
Saur,E. See Koch,D., 3=16880
Saur,E. See Müller,C., 3=1903
Saur,E. See Rinderer,L., 3=19118
Saur,R.L. Appearance criteria for uncolored anodized aluminium surfaces, 3=16460
Saurel,J. See M'hirsi,A., 3=7242
Sauter,E. Quantity of fission products resulting from a power excursion and analysis of a hypothetical accident, 3=8162
Sauvage,G. See Dudelzak,B., 3=2243
Sauvage,G. See Dudelzak,B., 3=14980
Sauval,A. Collisions of the West Ford needles with micrometeorites, 3=25994
Savadatti,M.I. See Tawde,N.R., 3=12830
Savage,A. See Miller,R.C., 3=7359
Savage,B. A multipoint thermocouple reference junction, 3=7375
Savage,C.M. See Terhune,R.W., 3=12340
Savage,H.F. See Rogallo,V.L., 3=23829
Savage,J.A. and Isard,J.O. An investigation of the electrode properties of some cation sensitive glasses, 3=3401
Savage,R.O. See Tauber,A., 3=3277
Savage,R.O. See Tauber,A., 3=15878
Savage,W.R. High-field electron emission from cadmium telluride, 3=421
Savage,W.R. High-field electron emission from gallium arsenide, 3=9827
Savage,W.R. Demountable field emission microscope tube, 3=21888
Savariraj,G.A. See Demortier,G., 3=22427
Savary,G. The second harmonic magnetic modulator applied to the amplification of continuous currents, 3=24164
Savchenko,M.K. and Sinegubov,B.I. Investigation of boundary layers between domains in ferromagnetic substances, 3=25530
Savchenko,O.V. See Akimov,Yu.K., 3=4389
Savchenko,O.V. See Akimov,Yu.K., 3=4390
Savchenko,O.Ya. Production of large pulsed magnetic fields in small regions, 3=4245
Savchenko, M.A. See Bar'yakhtar, V.G., 3=18106
Savchenko,M.K. and Sinegubov,V.I. Investigation of domain walls in transformer steel, 3=13252
Savchenko,M.K.,Sudakov,N.I. and Izotova,T.P. Anisotropy of thin ferromagnetic films, 3=11082
Savchenko,M.K. See Kan,S.V., 3=11081
Savchenko,O.Ya. Radiation of an atomic electron in an alternating magnetic field, 3=17536
Savedoff,M.P. and Vila,S. Growth of fluctuations in a uniformly contracting or expanding cloud, 3=3531
Savel'ev,V.A. See Korst, N.N., 3=10538
Savelli,V. See Sacerdote,G., 3=18945
Savenko,A.A. See Bednyakov,A.A., 3=6238
Savenko,I.A.,Nesterov,V.E.,Shavrin,P.I. and Pisarenko,N.F. The cosmic ray equator according to the data obtained with the third Soviet spaceship, 3=22250
Savenko,I.A.,Pisarenko,N.F.,Shavrin,P.I. and Papkov,S.F. Measurement of the absorbed dose on the third Soviet earth satellite, 3=23638
Savenko,I.A.,Shavrin,P.I.,Nesterov,V.E. and Pisarenko,N.F. Cosmic-ray equator according to the data obtained with the second Soviet spaceship, 3=7961
Savenko,I.A.,Shavrin,P.I. and Pisarenko,N.F. Soft corpuscular radiation at an altitude of 320 km in latitudes near the equator, 3=23637
Savenko,I.A. See Bednyakov,A.A., 3=24718
Savenko,I.A. See Grigorov,N.L., 3=9163
Savenko,I.A. See Vernov,S.I., 3=9109
Savenko,I.A. See Vernov,S.N., 3=9108
Savenko,I.A. See Vernov,S.N., 3=23636
Savich,N.A. Defining the time motion of the complete function of ionization according to measurements of radio wave absorption in the D region, 3=21057
Saville,G. See Pool,R.A.H., 3=132
Saville,G. See Wertz,J.E., 3=22717
Savin,A.A. See Vovenko,A.S., 3=6042
Savin,H.B. Word-frequency effect and errors in the perception of speech, 3=9290
Savin,I.A. See Vovenko,A.S., 3=14826
Savino,M.R. and Vitagliano,V. Diffusion and viscosity in aqueous solutions of sulphuric acid at 25° C, 3=9448
Savinov,E.P. See Lukirskii,A.P., 3=14705
Savinov,E.P. See Lukirskii,A.P., 3=14706
Savinskaya,A.A. See Belikov,A.M., 3=23380
Savinskii,D. Some analytical and statistical rules for the gamma-testing of naturally occurring deposits containing radioactive elements and for gamma-logging, 3=2397
Savinskiĭ,I.D. On a certain possibility of obtaining information on the distribution of radioactive matter along the normal to the interface between two media, 3=23576
Savintsev,P.A. See Berzina,I.G., 3=15525
Savirón,E.A.,Sánchez,J.P. and Castro,M.B. Study and design of a compensated ionization chamber, 3=22030
Savitskii,E.M., Baron,V.V. and Efimov,Yu.V. Recrystallisation diagram of vanadium, 3=5137
Savitskii,E.M. See Alekseevskii,N.E., 3=335
Savitskii,E.M. See Dashkovskii,A.I., 3=1216
Savitskii,I.V. See Pashkovskii,M.V., 3=6600
Saviuc,V.D. Skin effect in bimetallic conductors, 3=22889
Savoie,R. See Giguère,P.A., 3=12842
Savornin,F. Electrical and thermoelectric properties of thin cobalt layers, 3=15539
Savost'yanova,M.V. Luminescent metachromasy, 3=9469
Savvinykh,S.K. See Pokrovskii,V.L., 3=1899
Sawada,K. and Bruch,L.W. Chemical potential and low-lying excitation in the many-body Bose system, 3=18752

Sawada,M.,Ozima,M. and Fujiki,Y. Magnetic properties of cubanite (CuFe$_2$S$_3$), 3=11049
Sawada,S.,Ueda,T.,Watari,W. and Yonezawa,M. One boson exchange model in proton—pron scattering. An approach to the strong interaction, 3=7853
Sawaguchi,E., Kikuchi,A. and Kodera,Y. Dielectric constant of strontium titanate at low temperatures, 3=4946
Sawaguchi, E, Kikuchi, A. and Kodera, Y. Microscopic examination of SrTiO$_3$ at low temperatures, 3=17940
Sawatzky,E. and Bloom,M. Proton resonance in paramagnetic and antiferromagnetic CoCl$_2$. 6H$_2$O, 3=1207
Sawicki,J. Interacting mixed system of bosons and fermions. I. Single particle and some collective excitations in a dilute mixture of ^{4}He and ^{3}He at very low temperatures, 3=14060
Sawicki,J. Magnetic dipole transitions and polarization of photoneutrons from Be^9, 3=22364
Sawicki,J. See Fano,G., 3=12024
Sawicki,J. See Fano,G., 3=22263
Sawyer,G.A.,Bearden,A.J.,Henins,I.,Jahoda,F.C. and Ribe,F.L. X-ray crystal spectroscopy of a theta-pinch plasma in the region 15-25A, 3=24296
Sawyer,G.A.,Jahoda,F.C.,Ribe,F.L. and Stratton,T.F. X-ray spectroscopic measurements of a high-temperature plasma, 3=7503
Sawyer,G.A. See Jahoda,F.C., 3=7581
Sawyer,G.A. See Jahoda,F.C., 3=16955
Sawyer,G.A. See Little,E.M., 3=12206
Sawyer,J.S. Gravity waves in the atmosphere as a three-dimensional problem, 3=5196
Sawyer,R.F. Symmetry model for the new resonances, 3=554
Sawyer,R.F. Complex angular momentum in perturbation theory, 3=19579
Sawyer,R.F. See Brown,L., 3=24636
Sax, M. Convolutions applied to the trial and error method of crystal structure analysis, 3=18301
Saxe,R.F. The breakdown of a triggered spark gap, 3=4099
Saxena,S.C. See Kachhawa,C.M., 3=22621
Saxena,R.P. See Mathur,V.S., 3=3945
Saxena,R.P. See Mathur,V.S., 3=7862
Saxena,S.C. and Dave,S.M. Formulae for the thermal diffusion factor of binary gas mixtures, 3=7233
Saxena,S.C. and Dave,S.M. Thermal diffusion of binary gaseous mixtures, 3=16651
Saxena,S.C., Dave,S.M. and Pardeshi,P.A. Simpler formulae for the thermal diffusion factor of binary gas mixtures, 3=3821
Saxena,S.C. and Gambhir,R.S. Semi-empirical formulae for the viscosity and translational thermal conductivity of gas mixtures, 3=11829
Saxena,S.C. and Gambhir,R.S. The viscosity and translational thermal conductivity of gas mixtures, 3=18849
Saxena,S.C. and Joshi,K.M. Second virial coefficient of polar gases, 3=1722
Saxena,S.C. and Joshi,K.M. Second virial and zero pressure Joule–Thomson coefficients of non-polar quasi-spherical molecules, 3=2672
Saxena,S.C. and Joshi,R.K. A simpler formula for the Chapman–Cowling second approximation to the thermal diffusion factor of binary gas mixtures, 3=7235
Saxena,S.C. and Joshi,R.K. Thermal diffusion factors for krypton and xenon, 3=11822
Saxena,S.C. and Joshi,R.K. Simpler formulae for the Kihara–Mason second approximation to the thermal diffusion factor of binary gas mixtures, 3=18843
Saxena,S.C. and Joshi,R.K. Evaluation of the determinant elements occurring in the second approximation to the viscosity of binary gas mixtures, 3=21438
Saxena,S.C. and Raman,S. Theory and performance of thermal-diffusion column, 3=166
Saxena,S.C. See Saksena,M.P., 3=18856
Saxton, J.A., Bond, R.A., Coats, G.T. and Dickinson, R.M. Disperson at millimeter wavelengths in methyl and ethyl alcohols, 3=1706
Sayag,J. A gas Cherenkov counter for electrons, 3=10096
Sayanagi,K. Approximation and assessment of optical transfer functions, 3=11890
Sayanagi,K. The role of optical transfer function in optical design techniques, 3=16732
Sayasov,Yu.S. Kinetics of ionization behind direct shock wave in air, 3=19169
Sayer,M. Contact-controlled oscillations in high-resistivity germanium, 3=15576
Sayer,M. See Garlick,G.F.J., 3=3066
Sayers,J. The electron density profile above the F2-region of the ionosphere as recorded by the satellite ariel, 3=16236
Sayers,J.,Rothwell,P. and Wager,J.H. Evidence for a further ionospheric ledge above the F$_2$-region, 3=9092
Sayers,J.,Rothwell,P. and Wager,J.H. Field aligned strata in the ionization above the ionospheric F$_2$ layer, 3=18546
Sayers,J. See Rothwell,P., 3=18524
Saylor,C.P. See Torgesen,J.L., 3=13413
Sazenova,T.E. See Konstantinov,A.A., 3=7993
Sazonova,S.A. See Sysoev,L.A., 3=20528
Sazÿkin,A. See Zhdanov,V., 3=5463
Scag,D.T. and Kilgour,A.E. The C-stellarator system, 3=12187
Scaife, B.K.P. A new method of analysing dielectric measurements, 3=3992
Scalapino,D.J. See Schrieffer, J.R., 3=16858
Scanlan,R.H. Vibration modes of coupled plates, 3=18875
Scanlon,J.P.,Stafford,G.H.,Thresher,J.J.,Bowen,P.H. and Landsford,A. Angular distributions for n—p scattering in the energy range 22.5 to 110 MeV, 3=10120
Scanlon,J.P. See Bowen,P.H., 3=2278
Scanlon,J.P. See Bowen,P.H., 3=8105
Scanlon,J.P. See Bowen,P.H., 3=10349
Scanlon,J.P. See Jarvis,O.N., 3=12457
Scarborough, J.M. and Burr, J.G. Effect of liquid–solid phase transition upon the yield of hydrogen from biphenyl, biphenyl-d$_{10}$ and mixtures of these two substances, 3=3411
Scarbrough,J.O. See Kneip,G.D., Jr., 3=15437
Scarbrough,J.O. See Kneip,G.D., Jr, 3=25199
Scarf,F.L. Plasma instability and the microwave radiation from Venus, 3=11595
Scarf,F.L. See Liemohn,H.B., 3=9050
Scarf,F.L. See Noble,L.M., 3=9217
Scarf,F.L. See Noble,L.M., 3=16391
Scarf,F.L. See Liemohn,H.B., 3=9794
Scarf,F.L. See Liemohn,H.B., 3=12222
Scarfe,C.D. See Griffiths,G.M., 3=15045
Scarfone,L.M. Bound states and dispersion relations in a model field theory, 3=5947
Scarl,D.B. See Reynolds,G.T., 3=8122
Scarl,D.B. See Waters,J.R., 3=2179
Scarlett,R.M. See Goetzberger,A., 3=15600
Scarlett,R.M. See Haitz,R.H., 3=15599
Scarr,J.M. See Jauneau,L., 3=19708
Scarr,J.M. See Jauneau,L., 3=12511
Scarsi,L. See Boella,G., 3=22222
Scarsi,L. See Linsley,J., 3=6106
Scatturin,V. See Bellon,P.L., 3=23433
Scatturin,V. See Caglioti,G., 3=126
Scearce,C.S. See Heppner,J.P., 3=11466
Schaack,G. Vibration states and optical properties of molecular crystals, 3=23037
Schaack,G. Vibration spectrum of monoclinic CaSO$_4$. 2H$_2$O, 3=23038
Schaack,G. See Bayer,E., 3=19486
Schaaf,S.A. See Maslach,G.J., 3=9486
Schaaffs,W. Sound absorption in liquid helium, 3=5572
Schaaffs,W. An empirical law for the transition temperatures of the superconducting elements in the periodic system, 3=24132
Schaafs,W. Connection between sound absorption and sound velocity in liquid helium, 3=3941
Schaal,G. See Wulfhekel,H., 3=8993
Schade,H. See Busch,G., 3=10796
Schädel,J. See Radczewski,O.E., 3=23533
Schadler,H.W. See Rosner,C.H., 3=19407
Schaefer,E.J. The dissociation of oxygen measured by a rocket-borne mass spectrometer, 3=18522
Schaefer,W.L. and Brindley,G.W. Oxidation of magnesiowustite single crystals. I. Optical and kinetic data, 3=20986
Schaeffer,O.A. See Heymann,D., 3=4491
Schäfer,K. and Reinhard,P. Intermolecular forces and the temperature dependence of the self-diffusion of CO$_2$, 3=20033
Schäfer,K. See Kappallo,W., 3=25154
Schafer,M.W. See McGuire,T.R., 3=3080
Schäfer-Barthold, C. Studies of coloured LiF crystals with a seya grating monochromator, 3=814
Schäferbarthold,Ch. Astigmatism with monochromator design for the vacuum ultraviolet, 3=14353

Schaffer,O. Shielding calculation for DIDO material-testing reactor, 3=2515
Schaffer,O. Shielding calculation for the Merlin research reactor, 3=2516
Schaffer,O. Physical foundations of the FRJ-2 dido-type reactor, 3-8164
Schaffer,O. Investigation of the kinetic behaviour of FRJ-2 (dido), 3=15262
Schaffernicht, K. Measurement of the magnetization distribution in thin films of iron by the deflection of electrons, 3=18091
Schagrin,M.L. Resistance to Ohm's law, 3=21692
Schaller,L.,Huber,P. and Baumgartner,E. Measurement of the work per ion pair in nitrogen for protons and He^+ ions in the energy region below 1 MeV, 3=12081
Schamp,H.W.,Jr. Independence of the first and second laws of of thermodynamics, 3=307
Schanda,J. On the time-dependent electroluminescent spectra of single ZnS grains, 3=3068
Schanda,J. Brightness waves of different activators in ZnS single crystals, 3=11015
Schanda,J. See Lendvay,E., 3=4989
Schanda,J. See Lendvay,E., 3=10997
Schanda,J. See Sviszt,P., 3=3070
Schanzle,A. See Rabe,E., 3=7021
Schapira,J.P. See Jastrzebski,J., 3=8124
Schara,M. See Blinc,R., 3=13302
Scharfetter,D.L. See Jordan,A.G., 3=20347
Scharff,M. See Linhard,J., 3=25305
Scharff-Goldhaber,G. See Emery,G.T., 3=10313
Scharmann,A. Luminescence intensity and damage to luminescence by ions, 3=970
Scharmann,A. and Seibert,G. Induced photo- and thermo-electron emission from Na_2CO_3, 3=19306
Scharmann,A. See Hanle,W., 3=5689
Schastlivtseva,I.K. See Shteinberg,M.M., 3=20900
Schatz,M. See Radcliffe,S.V., 3=11286
Schatz,P.N, Maeda,S. and Kozima,K. Determination of optical constants from reflection bands using dispersion relations, 3=16790
Schatz,P.N. See Barnes,D.W., 3=16624
Schatz,P.N. See Plaskett,J.S. 3=9599
Schatzman,E. Magnetohydrodynamic model of the stability of a sub-photospheric tube of force, 3=18629
Schatzman,E. On the acceleration of particles in shock fronts, 3=21087
Schatzman,E. See Delys,C., 3=9238
Schauer,A. The influence of temperature on the magnetic domain structure of Ni, 3=23165
Schaufele,R.F.,Statz,H.,Lavine,J.M. and Iannini,A.A. Donor – acceptor pair absorption in GaAs diodes at 2·1°K, 3=25458
Schawlow,A.L. Optical masers, 3=17080
Schawlow,A.L. See Emmett,J.L., 3=24013
Schawlow,A.L. See Moos,H.W., 3=21561
Schayes,R. See Brooke,C., 3=5991
Schearer,L.D. See Phillips,G.C., 3=15050
Schechter,M. See Dosch,H.G., 3=16892
Schechter, M. See Finckh, E., 3=17451
Scheck,F. Nuclear polarization in mesic atoms: the polarizability of the outer proton in Bi^{209} mesic atoms, 3=15313
Scheck,F. Elastic scattering of high-energy electrons by Bi^{209}, 3=24926
Scheck,F. See Greiner,W., 3=10481
Schecter,L. See Beurtey,R., 3=10374
Schecter,L. See Sommerfeldt,R.W., 3=4803
Schedelbeck,W. See Sabban,K., 3=18393
Scheepmaker,A. See Hazewindus,N., 3=19775
Scheer,J.A. Pulse shape discrimination with solid-state detectors, 3=14827
Scheer,J.J. and van Laar,J. Photo-emission from semiconductor surfaces, 3=7633
Scheer,J.A. See Hermann,K.O., 3=663
Scheer,J.J. See Van Laar,J., 3=9834
Scheer,M. See Harigel,G., 3=5983
Scheer,M. See Harigel,G., 3=24698
Scheer,M.D. and Fine,J. Kinetics of desorption. II. Cs^+ and Ba^+ from rhenium, 3=8930
Schefer,P.V. See Solymar,L., 3=435
Scheffler,H. Practical surface accuracy of a large astronomical mirror, 3=1501
Scheibe,P.O. Solid-state high-impedance voltmeter, 3=14473
Scheibling,F. See Gorodetzky,S., 3=19810
Scheidegger,A.E. Dynamic similarity in groundwater flow with a free surface, 3=7189
Schell,R. See Gilbert,F., 3=1416
Schelleng,J.H. and Friedberg,S.A. Cooling of an antiferromagnet by adiabatic magnetization, 3=15908
Schelling,J.C. The Violin as a circuit, 3=9564
Schellman,J.A. and Oriel,P. Origin of the cotton effect of helical polypeptides, 3=2681
Schelper,H.C. Azimuth aiming of space vehicles, 3=18667
Schenter,R.E. and Downs,B.W. Surface corrections to the high-energy optical potential, 3=10335
Scherb,F. See Bonetti,A., 3=25993
Scherbakov,Yu.A. See Falomkin,I.V., 3=7881
Scherberg,M.G. Natural convection near and above thermal leading edges on vertical walls, 3=278
Scherer,M. See Patou,C., 3=24668
Scheringer, C. Least-squares refinement with the minimum number of parameters for structures containing rigid-body groups of atoms, 3=18303
Schermer,E.B. See Irland,M.J., 3=16793
Schermer,R.I. Spin dependence of the thermal neutron cross section of Co^{59}, 3=15213
Scherr,C.W. and Ivash,E.V. Associated Legendre functions, 3=23727
Scherr,C.W. See Knight,R.E., 3=4706
Scherr,C.W. See Knight,R.E., 3=6346
Scherrer,S. See Champier,G., 3=10578
Scherrer,W. Report on a unified field theory (linear theory), 3=18723
Scherzer,B.M.U. See Blauth,E.W., 3=12092
Schestoperov,V.Ya. See Babayan,H.P., 3=6103
Scheuer,P.A.G. On the use of lunar occultations for investigating the angular structure of radio sources, 3=3613
Scheuer,W. See Suter,T., 3=24898
Schey,H.M. See Burke,P.G., 3=8211
Schiavini,G. See Cattaneo,F., 3=3345
Schieber,M. See Perel,J., 3=6725
Schiff,H. See Betts,D.D., 3=12393
Schiff,H.I. See Morgan,J.E., 3=12824
Schiff,H.I. See Morgan,J.E., 3=13597
Schiff,H.I. See Morgan,J. E., 3=18430
Schiff, L.I. Application of the variation method to field quantization, 3=10017
Schiffer,J.P. Proton widths in a diffuse well, 3=22281
Schiffer,J.P. and Vandenbosch,R. Search for a particle-stable tetra neutron, 3=22136
Schiffer,J.P. See Hanna,S.S., 3=2132
Schiffer,J.P. See Lee,L.L.,Jr., 3=19777
Schiffer,J.P. See Lee,L.L.,Jr, 3=22370
Schiffrer,G. See Agodi,A., 3=17482
Schijelderup,H.C. and Galef,A.E. Simulation of the fatigue effects of random stresses by a minimum number of discrete stress levels, 2=5403
Schijf,J. See Janeschitz-Kriegl,H., 3=19052
Schild,A. Electromagnetic two-body problem, 3=23769
Schild,A. See Robinson,I., 3=14016
Schildknecht,D. See Dickel,G., 3=15308
Schiller,P. and Seeger,A. The calculation of the Peierls energy in the Prandt–Dehlinger–Frenkel–Kantorowa model of a dislocation, 3=12972
Schiller,P. See Seeger,A., 3=23296
Schiller,P. See Hudec,P., 3=3779
Schiller,R. Quasi-classical theory of a relativistic spinning electron, 3=1585
Schilling,W. See Diehl,J., 3=23340
Schillinger,W. See Koenig,S.H., 3=2894
Schiltz,J. Study of the optical spectra of compounds of gold with the alkaline earths, 3=19979
Schima,F. See Funk,E.G.,Jr, 3=6183
Schiminovich,S. See Finkelstein,D., 3=16524
Schimitschek,E.J. Paramagnetic resonance of chromium in $MgTiO_3$, 3=15938
Schimitschek,E.J. and Schwartz,E.G.K. Organometallic compounds as possible laser materials, 3=9980
Schimmel,G. See Grothe,H., 3=16145

Schimmer,B. See Gruhle,W., 3=12619
Schimmer,B. See Lauterjung,K.H., 3=14828
Schimmerling,W. See Eisberg,R., 3=12518
Schindler,A.I. and Gillespie,D.J. Hall coefficient of superconducting and normal Nb—25% Zr, 3=13043
Schindler,A.I. and Kernohan,R.H. The interaction between irradiation-induced defects and magnetic structure, 3=22729
Schindler,H. New method for determination of velocity and conductivity of a plasma, 3=1995
Schintlmeister,J.,Hohmuth,K.,Winter,G. and Kaufmann,C. The $Bi^{209}(n,\beta^-)Po^{210}$ reaction, 3=10356
Schintlmeister,J. See Burmeister,R., 3=12629
Schintlmeister,J. See Jungclaussen,H., 3=15152
Schintlmeister,J. See Meiling,W., 3=12052
Schippa,G. and Serra,M. The effect of X and γ radiations on crystal-phosphors of the (Zn,Cd)S type, 3=23457
Schipper,D.J. See Blasse,G., 3=23196
Schirber,J.E. Determination of the size of the "necks" in Fermi surfaces of even-valence metals: application to lead, 3=25243
Schirber,J.E. See Caroline,D., 3=8398
Schirmer,H. Concerning plasma discharges at low fill pressure in thermal equilibrium, 3=7489
Schirmer,O. See Schneider,J., 3=13310
Schirrwitz,H. Cathode sputtering under bombardment of various metals with argon ions of medium energy, 3=14679
Schiske,P. Statistics of the energy spread of electron beams (Boersch effect), 3=24357
Schivley,J.K. See Gruverman,I.J., 3=21150
Schlaer,W. See Dunning,J.R., Jr., 3=19613
Schlag,E.W. Symmetry numbers and reaction rates, 3=18429
Schlag,E.W. See Golike,R.C., 3=16158
Schlangenotto,H. Distortion of anisotropic bodies by dislocations with application to the calculation of X-ray intensity, 3=5063
Schlegel,E.S. Apparatus for determining temperature profiles in microstructures, 3=14400
Schlegel,H. See Koch,H., 3=5901
Schlegel,R. Special relativity theory and space-time, 3=5340
Schleich,K. See Clusius,K., 3=19073
Schleicher,E. Experiments on the practical use of ceramic electrets, 3=6622
Schlein,P., Slater,W.E., Smith,L.T., Stork,D.H. and Ticho,H.K. Quantum numbers of A 1020 MeV $K\bar{K}$ resonance, 3=17336
Schlein,P. See Shafer,J.B., 3=15028
Schlein,P.E.,Carmony,D.D.,Pjerrou,G.M.,Slater,W.E.,Stock,D.H. and Ticho,H.K. Spin-parity determination of the $\Xi\pi$ resonance (1.530 GeV), 3=24804
Schlenk,B. See Kühn,B., 3=19887
Schlesinger,G. Physical geometry and universal forces, 3=14008
Schlesinger,M. See Halperin,A., 3=3917
Schlich, R. See Roquet, J., 3=3517
Schlich,R. See Roquet,J., 3=25961
Schliepe,R. See Raith,W., 3=2042
Schliephake,R.-W. and Grimberg,W. Apparatus for measuring the absorption of X-rays in powder specimens, 3=12281
Schlier,C. Observations on the "rainbow" effect in atomic scattering, 3=12784
Schlier,Ch. See Nagel,H.H., 3=19740
Schlögl,R. Thermodynamic limit for osmosis in binary systems, 3=14151
Schlömann,E. Theory and application of spin-wave instability in a microwave magnetic field applied parallel to the D.C. field, 3=1051
Schlömann, E. Transient growth of the spin-wave population in a strong r.f. magnetic field applied parallel to the d.c. field, 3=18066
Schlömann,E. and Green,J.J. Spin-wave growth under parallel pumping, 3=15899
Schlömann,E.,Joseph,R.I. and Bady,I. Spin-wave instability in hexagonal ferrites with preferential plane, 3=11096
Schlömann,E. See Joseph,R.I., 3=23146
Schlömann,E. See Kohane,T., 3=13280
Schlosser,E. An apparatus for the measurement of the complex dielectric constant of polymers over the frequency range 100 kc/s to 240 Mc/s and the temperature range 20° C to 130°C, 3=3991
Schlosser,E. and Horn,G. Measuring arrangement for the complex dielectric constant polymers in the frequency range of 1 to 100 c/s, 3=19130
Schlosser,G. See Bienlein,J.K., 3=15182
Schlosser,H. and Marcus,P.M. Composite wave variational method for solution of the energy-band problem in solids, 3=25237
Schlötterer, H. Orientation and surface morphology of electrolytically deposited layers, 3=18234
Schlötterer,H. Identification of growth twins in thin films, 3=18238
Schludi,H. Resonance integral of fuel clusters, 3=2514
Schlumbohm,H. Investigation of the development of canal breakdown in gases, 3=1957
Schlup,W.A. Frequency spectra of disordered crystal lattices, 3=15420
Schlüpmann, K. See Finckh, E., 3=17452
Schlüter,D. The continuous absorption coefficient of argon, 3=1972
Schlüter,D. See Kelm,S., 3=12758
Schlüter,H. Recombination and ionization in a stationery high-frequency discharge, 3=21771
Schlüter,H. See Bergstedt,K., 3=4069
Schlüter,H. See Ferguson,E.E., 3=3483
Schlüter,H. See Ferguson,E., 3=19926
Schlüter,H. See von Gierke,G., 3=4030
Schlüter,J. See Fisser,H., 3=12161
Schmalzried,H. Transport of matter in ionic crystals and its significance for reactions in the solid state, 3=12956
Schmalzried,H. Ion and electron disorder in $CoCr_2O_4$ and $CoAl_2O_4$, 3=15589
Schmeidler, F. Relativistic deviation of light at the solar limb, 3=3731
Schmelovsky,K.H. Diurnal and seasonal variations of electron density distribution in the upper F-region, 3=16273
Schmelovsky,K.H. See Sprenger,K., 3=6979
Schmeltekopf,A.L.,Jr and Broida,H.P. Short-duration visible afterglow in helium, 3=24235
Schmerling,E.R. See Goldberg,R.A., 3=9094
Schmerling,E.R. See Goldberg,R.A., 3=18541
Schmicker,D. See Jüngst,W., 3=10314
Schmid,A.P. See Bernard,W., 3=20357
Schmid,A.P. See Roth,H., 3=10860
Schmid,D. and Wolf,H.C. Electron spin resonance and optical investigations on the colour centre reaction $F \rightleftarrows F^1$ in KC1 crystals, 3=2840
Schmid,E. See Tang,Y.C., 3=24811
Schmid,E.W.,Tang,Y.C. and Herndon,R.C. A study of variational wave functions for the alpha particle, 3=12520
Schmid,E.W.,Tang,Y.C. and Herndon,R.C. Variational calculations on the binding energy of the alpha particle. I. Hard-core potentials, 3=12558
Schmid,E.W. See Herndon,R.C., 3=12559
Schmid,H. and Scholz,W. Resonance scattering by the 15.1 MeV level of C^{12}, 3=24919
Schmid,P. Exact transient theory for space-independent reactor kinetics, 3=6328
Schmid,W.F. and Mooney,R.W. The thermoluminescence of CaF_2 : Mn, 3=23127
Schmidlin,P, See Collin,W., 3=22308
Schmidlin,P. See Daniel,H., 3=22328
Schmidt,A.J. A Hall generator arrangement for the measurement of small temperature differences in metals, 3=14404
Schmidt,A.J. and Koch,K.M. The [thermoelectric] conductivity mechanism of ferromagnetic Ni—Cu alloys, 3=20427
Schmidt, E. On the lattice dilation in hard-drawn, fine copper wires, 3=18212
Schmidt,E. See Lukeš,F., 3=4961
Schmidt,E. See Lukes,F., 3=10909
Schmidt,G.,Grohmann,R. and Lössner,V. Thickness vibrations of barium titanate circular disks, 3=20389
Schmidt,G. and Halpern,G. Čerenkov-like radiation by plasma oscillations, 3=16962
Schmidt,G. and Hegenbarth,E. Electromechanical properties of strontium titanate single crystals, 3=8562
Schmidt,G. See Ritschel,H., 3=13075
Schmidt,G. See Ritschel,H., 3=13076
Schmidt,G. See Sinnis,J., 3=19246
Schmidt,G. See Wells,D.R., 3=9799
Schmidt,G.B. and Herr,W. Chemical effects of the Br^{80} nuclear isomer transition in crystalline Co, Rh and Ir pentamminebromo complexes, 3=23553
Schmidt,G.K. See Müller,H.G., 3=1139
Schmidt, G.K. See Müller, H.G., 3=18095

Schmidt,H. See Hellwege,K.F., 3=10945
Schmidt,H. See Michaelis,W., 3=9838
Schmidt,H.A.,Jr. See Berendt,R.D., 3=18943
Schmidt,K.-H. Method for determining the product of wavelength and camera length in reflection electron diffraction, 3=16055
Schmidt,M. 3C 273: A star-like object with a large red-shift, 3=13900
Schmidt,M. The rate of star formation. II. The rate of formation of stars of different mass, 3=18640
Schmidt,M. See Kraft,R.P., 3=9246
Schmidt,P.H. Chemical polish for lead telluride, 3=6861
Schmidt,R.A. Australites and Antarctica, 3=3563
Schmidt,R.A. Rate of spherule deposition on the antarctic ice cap, 3=13872
Schmidt,T. and Elsässer,H. Interplanetary electron densities and the zodiacal light spectrum, 3=1509
Schmidt,V.H. Electrical conductivity of $(NH_4)_2$ SO_4 single crystals, 3=20382
Schmidt, W. and Unger, K. Study of the properties of indium contacts on CdS crystals by light and dark zone scanning, 3=17953
Schmidt-Kaler, T. See Priester, W., 3=5276
Schmidt-Ott, W.D. Decay of Co^{60m} and Zr^{90m}, 3=17432
Schmidt-Ott,W.D. See Luders,G., 3=24687
Schmidt-Rohr,U. See Becker,T., 3=22415
Schmidt-Rohr,U. See Gruhle,W., 3=12619
Schmidt-Rohr,U. See Lorenz,W., 3=17490
Schmidt-Rohr,U. See Lorenz,W., 3=19873
Schmidt-Tiedemann,K.J. Birefringence by free carriers in semiconductors, 3=10912
Schmidtke,H.H. The Hartmann extension of the Hückel theory of π-electron systems, 3=20055
Schmidtke,H.-H. Walsh rules in the framework of the MO-LCAO approximation. III. AB_2 molecules, 3=22519
Schmidtke,H.H. Spin—orbit coupling in ligand field theory, 3=25160
Schmillen,A. and Legler,R. The fluorescence of binary systems of crystalline aromatic hydrocarbons, 3=18042
Schminder,R. See Koch,H., 3=3500
Schminder,R. See Koch,H., 3=18530
Schmitt,H. See Collin,W., 3=22308
Schmitt,H. See Daniel,H., 3=22328
Schmitt,H.W.,Neiler,J.H.,Walter,F.J. and Chetham-Strode,A. Mass distribution and kinetics of U^{235} thermal-neutron-induced three-particle fission, 3=6313
Schmitt,H.W. See Moak,C.D., 3=21907
Schmitt,R.A. See Murthy,V.R., 3=13875
Schmitt,R.A. See Rolsten,R.F., 3=24546
Schmitt,R.W. See Bean,C.P., 3=12021
Schmitz,A. Nomograph for the preparation of germanium tunnel diodes, 3=885
Schmitz,G. and Patt,H.J. The determination of the characteristic functions of a nitrogen plasma at atmospheric pressure up to 15 000°K, 3=7589
Schmitz,G., Patt,H.J. and Uhlenbusch,J. Properties and parameter dependence of the temperature distribution and characteristics of a cylindrically symmetrical nitrogen arc, 3=14557
Schmitz,G. and Uhlenbusch,J. Approximate calculation of a cylindrical electric arc with consideration of its radiation, 3=4073
Schmitz,G. See Graf,L., 3=7493
Schmitz,N. See Biswas,N.N., 3=4434
Schmitz,N. See Biswas,N.N., 3=17133
Schmitz,N. See Bondàr,L., 3=19678
Schmorak,M. Virtual electron capture in Ni^{59}, 3=8034
Schmorak,M.,Li,A.C. and Schwarzschild,A. Half-lives of the first excited states in Sn^{117}, Te^{121} and Sb^{123}, 3=12593
Schmouker,J. See Cohen-Ganouna,J., 3=7988
Schmouker,J. See Cohen-Ganouna,J., 3=7991
Schmouker,J. See Cohen-Ganouna,J., 3=12582
Schmunk,R.R.,Brugger,R.M.,Randolph,P.D. and Strong,K.A. Lattice dynamics of beryllium, 3=747
Schmutzer,E. Relation between the bispinor theory and spinor theory in Riemann space, 3=4328
Schnabel,E. The relative intensity of the magnetic dipole transitions in a free atom with $J = \frac{1}{2}$ in an external magnetic field, 3=17520
Schnabel,P. See Senftleben,H., 3=14148
Schnakenberg,J. Approximation for lattice electrons in external fields, 3=2751
Schneeberger,M. See Escoubès,B., 3=19630
Schneider,A. and Blachnik,R. The specific heats of InSb between 20° and 660°C, 3=22661
Schneider,B. Measurement of the magnetic susceptibility of anisotropic crystals by the ponderomotive method, 3=5809
Schneider,B. See Hellwege,K.H., 3=2078
Schneider,F. Electronic integrator for long integration times, 3=5609
Schneider,F. and Höhne,K.H. Influence of gas admixtures on the sensitive time of spark chambers, 3=17139
Schneider,F. See Gygi,E., 3=19143
Schneider,H. Mass and decay parameters of Ξ-particles, 3=17348
Schneider,H. See Cantieni,E., 3=397
Schneider,I. and Caspari,M.E. Dichroism in the temporary bleaching due to F-band irradiation in additively coloured KCl at 77°K, 3=6543
Schneider,J. and Schirmer,O. Paramagnetic resonance of a photosensitive centre in Li-doped ZnO crystals, 3=13310
Schneider,J. See Müller,K.A., 3=20642
Schneider,J. See Räuber,A., 3=8717
Schneider,J.M. See Hendricks,C.D., 3=14503
Schneider,P. Monitoring of the properties of vacuum tube materials by their thermionic emission at high temperature, 3=9522
Schneider,P. A contribution to the evaluation of some anti-emission materials for tubes with cathodes of thoriated tungsten, 3=9523
Schneider,R. Methods of short-time spectroscopy for highly dense plasmas, 3=7580
Schneider,S.J. and Waring,J.L. Phase equilibrium relations in the $Sc_2O_3—Ga_2O_3$ system, 3=12001
Schneider,W. The focusing properties of long magnetic lenses. II, 3=14674
Schneider,W. See Alder,K., 3=8025
Schneider,W. See Lindgren,I., 3=14673
Schneider,W. See Lindgren,I., 3=19342
Schneider,W. See Matthias,E., 3=12563
Schneider,W. See Matthias,E., 3=12614
Schneider,W.G. and Buckingham,A.D. Mercury, thallium and lead resonances, 3=15378
Schneider,W.G. See Hatton,J.V., 3=25145
Schnepp,O. See Ron,A., 3=4773
Schneps,J. See Kang,Y.W., 3=15088
Schneps,J. See Kwak,N., 3=19871
Schnering,H.G. and Wöhrle,H. Crystal structure of
Schnettler,F.J. See Baba,P.D., 3=15872
Schnitzer,H.J. Inner Coulomb corrections to pion—nucleon scattering phase-shifts, 3=15021
Schnitzer,H.J. See Dullemond,C., 3=6214
Schnitzer,H.J. See Greenberg,O.W., 3=46
Schnitzler,A.D. Frequency and temperature dependence of the ferrimagnetic resonance linewidth in disordered lithium ferrite, 3=5033
Schnizlen,G. See Tetenbaum,M., 3=6916
Schnizler,P.S. See Padden,T.R., 3=20960
Schnopper,H.W. Multiple excitation and ionization of inner atomic shells by X-rays, 3=25058
Schnürer,E. See Hildisch,L., 3=8439
Schoeck,G. Internal friction due to interaction between dislocations and solute atoms, 3=20694
Schoeck,G. and Mondino,M. Internal friction due to interstitial—dislocation interaction in Ta, 3=23292
Schoeck,P. and Eckert,E.R.G. An investigation of anode heat transfer in high intensity arcs, 3=7483
Schoefer,P.B. See Adams,N.I., 3=21506
Schoemaker,D. and Boesman,E. Paramagnetic radical in nitrate doped potassium chloride, 3=25573
Schoen,B. See Friedman,I., 3=25898
Schoen,L.J. See Comeford,J.J., 3=8275
Schoen,R.I. Absorption, ionization, and ion-fragmentation cross sections of hydrocarbon vapors under vacuum-ultraviolet radiation, 3=1932
Schoen,R.I., Judge,D.L. and Weissler,G.L. Fluorescence induced by vacuum ultraviolet radiation, 3=4753
Schoeni,K. See Lindmayer,J., 3=10757
Schoening,F.R.L. and Flanders,P.J. Observation by electron microscopy of the ferromagnetic precipitate in gold—nickel single crystals, 3=5138
Schoening,F.R.L. See Vook,R.W., 3=20812

Schoijet,M. See Levialdi,A., 3=8561
Schölch,J. See Ehhalt,D., 3=25901
Scholte,J.G.J. The mechanism at the focus of an earthquake, 3=1412
Scholte,J.G.J. Oblique propagation of waves in inhomogeneous media, 3=5486
Scholte,J.G.J. and Ritsema,A.R. Generation of earthquakes by a volume source with moment, 3=1413
Scholtus,N.A. and Hall,W.K. Hysteresis in the palladium—hydrogen system, 3=25750
Scholz,A. Formation energy for a vacancy in germanium and the corresponding lattice distortion, 3=6511
Scholz,A. and Seeger,A. Distortion field and mechanical relaxation of vacancies in germanium, 3=22754
Scholz,F.J. See Cook,W.R.,Jr, 3=12929
Scholz,R. See Geppert,G., 3=5524
Scholz,W. See Schmid,H., 3=24919
Schomberg,S. See Wilson,G.W., 3=25395
Schön,M. Measurements of the growth of emission of sulphide phosphors, 3=3046
Schone,H.E. and Knight,W.D. Nuclear magnetic resonance in intermetallic compounds, 3=11122
Schöneberg,R. Decay of Er^{171} and Sr^{165}, 3=22344
Schönherr,M. See Lange,W., 3=5432
Schönherr,M. See Lange,W., 3=5432
Schönhofer,A. See Haug,A., 3=2764
Schönhuber,M.J. Electrical gettering in low-pressure discharges with a steel vessel, 3=7461
Schonhuber,M.J. On the establishment and behaviour of space-charge double layers in low-pressure mercury gas discharges, 3=19205
Schoolar,R.B. See Mitchell,D.L., 3=17984
Schoolar,R.B. See Riedl,H.R., 3=25436
Schöpf,H.G. On the relativity theory of dielectrics, 3=1607
Schopper,H. Investigations on thin alkali metal films. IV. Contribution to the explanation of selective vector-dependent light absorption in alkali metal films, 3=18388
Schopper,H. See Huber,H., 3=12433
Schor,R. See Rosenstein,R.D., 3=20046
Schott,M. See Delacote,G., 3=2911
Schott,O. See Kantelhardt,D., 3=21280
Schotte,D. See Daniel,H., 3=8038
Schottky,G. Effect of stacking fault tetrahedra on the volume and electrical resistance of noble metals, 3=12994
Schouten,J.F., Ritsma,R.J. and Lopes Cardozo,B. Pitch of the residue, 3=3670
Schowalter,W.R. See Collins,M., 3=106
Schrade,H. Calculation of heating process by discharge of a condenser over a high-temperature arc, 3=7600
Schrader,C.D.,Waggoner,J.A.,Metzger,A.E. and Zenger,J.H. Analyzing the moon's surface, 3=21096
Schrader,C.D. See Benveniste,J., 3=2474
Schram,A. and Degras,D. The influence of high-temperature electrodes in the speed of a titanium pump, 3=23947
Schram,A. See Petermann,L.A., 3=16147
Schram,P. Comments on "Kinetic equations for plasmas", 3=12110
Schramm,K.H. Microwave radiation from dense plasmas, 3=7535
Schreiber,D.S. and Cotts,R.M. Proton motion, Knight shifts, and quadrupolar effects in the lanthanum—hydrogen system, 3=20671
Schreiber,G. The distortion of spectral lines by photoelectric recording, 3=14341
Schreiner,H. and Wendler,F. Sintering theory and effects in the powder metallurgy of thermoelectric materials, 3=3346
Schreiber,H. See Rentschler,W., 3=3476
Schrieffer,J.R., Scalapino,D.J. and Wilkins,J.W. Effective tunneling density of states in superconductors, 3=16858
Schrieffer,J.R. and Wilkins,J.W. Two-particle tunneling processes between superconductors, 3=7409
Schrieffer,J.R. See Engelsberg,S., 3=20084
Schrils,R. and Downs,B.W. Two-pion-exchange contribution to the Λ-nucleon scattering matrix, 3=17344
Schröder,G.A. Breakdown mechanism in room air in a homogeneous field with electrode separations from 2 to 9 cm, 3=4087
Schröder,J. Apparatus for determining the thermal conductivity of solids in the temperature range from 20 to 200°C, 3=19045
Schröder,K.(Ed.) International Symposium on Photoelasticity, 3=16557
Schröder,K. The effect of surface structure on the brittle fracture strength of metals, 3=20756
Schröder,R. Determination of reactor power by means of the reactor noise, 3=4694
Schröder,U. Validity of the hypervirial theorems for variational functions, 3=7126
Schröder,U. Theory of three-particle systems with Coulomb interaction, 3=10484
Schröder,U. Nuclear fusion in muon molecules, 3=12888
Schroeder,A.C. The measurement of the velocity of light, 3=7303
Schroeder,D.J. Interference transmission filters for the far ultraviolet, 3=1831
Schroeder,H.J. Optical soundfield representation with phase and amplitude recording, 3=18908
Schroeder,K.A. Spin—orbit matrices of the d^5 configuration, 3=2545
Schroeder,K.A. Optical spectrum of K_3IrCl_6, 3=4973
Schroeder,M.R. Frequency-correlation functions of frequency responses in rooms, 3=5506
Schroeder,M.R. and Atal,B.S. Generalized short-time power spectra and autocorrelation functions, 3=1765
Schroeder,P.A. See Henry,W.G., 3=20267
Schroeder,R.A.,Weir,C.E. and Lippincott,E.R. Lattice frequencies and rotational barriers for inorganic carbonates and nitrates from low temperature infrared spectroscopy, 3=746
Schroer,B. See Borchers,H,J., 3=22048
Schröter,E.H. Observations and measurements on stratoscope I negatives, 3=3573
Schubert,M. Effects of detector noise in interference spectroscopy, 3=250
Schubert,M. See Böttcher,H., 3=251
Schubert,M. See Rohmann,W., 3=732
Schubert,G.U. See Niegel,W., 3=5573
Schuberth,H. Calculation of isothermal phase equilibrium data for specific ternary systems S1/S2/LO, 3=20983
Schubring,N.W. See Nolta,J.P., 3=2958
Schucan,T.H. See Alder,K., 3=12657
Schuch,A.F. and Mills,R.L. Structure of the γ form of solid He^4, 3=322
Schuch,A.F., Overton,W.C.,Jr and Brout,R. Phenomena along the H.C.P. – B.C.C. transition line of He^3 and He^4, 3=16853
Schücking,E. See Ozsváth,I., 3=5348
Schuemann,W.C. Ionization vacuum gauge with photocurrent suppression, 3=18865
Schug,J.C. Investigation of a fragmentation model for n-paraffins, 3=16903
Schug,J.C. and Deck,J.C. Proton chemical shifts and pi-electron distributions in the hydroxy-benzenes, 3=4781
Schug,J.C. See Brown,T.H., 3=12860
Schügerl,K. Nonlinearity in hearing, 3=9295
Schuknecht,H.F. Stapedectomy operation—for hearing loss from otosclerosis, 3=16446
Schuldt,S.B. and Aagard,R.L. An analysis of radiation transfer by means of elliptical cylinder reflectors, 3=14332
Schuldt,S.B. See Aargard,R.L., 3=16757
Schüle,W. Recovery stages in noble metals, 3=23345
Schüler,C. Effect of temperature on the Kerr effect in thin films of gadolinium, 3=2993
Schüler,C. Spin-ordering effects on the electrical resistance of thin Gd, Dy and Tb films, 3=15547
Schüler,C. Magnetoresistance in thin evaporated gadolinium films, 3=15552
Schüler,C. See Kalvius,M., 3=8006
Schüler,H. and Arnold,G. Observation of elementary processes in excited molecules. II. N-butane, 3=12873
Schüler,H. and Arnold,G. Observation of elementary processes in excited molecules. III. Cyclohexane, 3=25149
Schuler,R.H. See Fessenden,R.W., 3=12859
Schulhof,M.P. and Wolfson,J. Detection and measurement of air-borne radiation at Grinnell, Iowa, 3=16231
Schulke,A.A. Radiation effects in diamonds, 3=20252
Schulkin,M. Eddy viscosity as a possible acoustic absorption mechanism in the ocean, 3=9558
Schuller,F. and Oksengorn,B. Attempt to interpret the pressure shifts and broadenings of the vibration—rotation spectral lines of diatomic molecules, 3=6377

Schulman,J.H. and Boag,J.W. Color center formation by pulse irradiation of alkali halides, 3=8460
Schulman,J.H. and West,E.J. Phosphorescence method of reading thermoluminescent dosimeters, 3=23133
Schult,O.W.B.,Weckermann,B.,v.Egidy,T. and Bieber,E. Measurement of low-energy neutron capture radiation from Re^{186} and Re^{188}, 3=12696
Schult,O.W.B. See Bieber,E., 3=10353
Schult,O.W.B. See Neumann,H.A., 3=13428
Schulte,D.H. Auxiliary optical systems for the Kitt Peak telescopes, 3=9143
Schulte-Frohlinde,D. and Eiben,K. O^-- in the radiolysis of alkaline ice, 3=23233
Schults,E.C.,Poplawsky,R. and Bohm,H.V. Image furnace radiant power control, 3=9646
Schultz,A.A. and Pomerantz,M.A. Secondary electron emission produced by relativistic primary electrons, 3=16979
Schultz,D.L. Microwave techniques applied to the investigation of ionised gases in shock tubes, 3=1934
Schultz,G. See Hartmann,H., 3=3069
Schultz,G. See Hartmann,H., 3=13216
Schultz,J. See Alff,C., 3=4432
Schultz,J. See Alff,C., 3=4433
Schultz,J. See Berley,D., 3=12497
Schultz,P.K. See Kennedy,S.W., 3=13401
Schultz,T.D. Note on the one-dimensional gas of impenetrable point-particle bosons, 3=14057
Schultz,T.D. See Mattis,D.C., 3=5012
Schultze,K. See Harigel,G., 3=24698
Schulz,A.G. See Blau,E.J., 3=24518
Schulz,C.J. Resonance in the elastic scattering of electrons in helium, 3=10474
Schulz,D.A. and Searcy,A.W. Vapor pressure and heat of sublimation of calcium fluoride, 3=12007
Schulz,D.A. See Searcy,A.W., 3=11814
Schulz,G. Probe theory at medium and low pressures, 3=4154
Schulz,G. Electron and ion saturation currents in weakly ionized gases at high pressures. (An extension of Langmuir's probe theory at high pressure), 3=5625
Schulz,G. Diffusion-determined space-charge layers [in flames], 3=14399
Schulz,G.J. Cross sections and electron affinity for O^-ions from O_2, CO, and CO_2 by electron impact, 3=361
Schulz,H. Charge carrier drag in the Hall effect, 3=6575
Schulz,H. See Krautz,E., 3=13037
Schulz,H.J. Infrared luminescence of zinc sulphide crystals, 3=8621
Schulz,H.J. See Broser,I., 3=3049
Schulz,L. See Gobrecht,H., , 3=18446
Schulz,M. Dislocation detection on cleavage surfaces of semiconductor single crystals, 3=4877
Schulze,D. and Wadewitz,H. Apparatus for the oriented cutting and polishing of metal single crystals, 3=13544
Schulze,D. See Herbst,E.M., 3=20783
Schulze,G.H. See Krueger,P.J., 3=7342
Schulze,R. Automation of the sea gravimeter Gss2, 3=1410
Schumacher,B.W. See Falckenberg,H.R., 3=3820
Schumacher,E. See Renaud,A., 3=24887
Schumacher,R.T. and Vehse,W.E. Paramagnetic susceptibility of conduction electrons in sodium metal, 3=1053
Schumacher,R.T. and Vehse,W.E. The paramagnetic susceptibility of sodium metal, 3=11031
Schuman,R.P. See Reich,C.W., 3=6168
Schumann,G. Investigation of radon daughters [in the atmosphere], 3=25910
Schumann,G. and Stoeppler,M. Beryllium 7 in the atmosphere, 3=25903
Schumann,G. See Israel,G., 3=25896
Schumann,P.A., Jr and Hallenback,J.F., Jr. A novel four-point probe for epitaxial and bulk semiconductor resistivity measurements, 3=25341
Schumann,W. and Soldini,M. Two applications of the law of second approximation to the deformation of horizontal soil, 3=5144
Schumann,W.O. Motion of charged particles in gases in the presence of pulsating magnetic fields, 3=387
Schumann,W.O. Production of fast particles by electromagnetic waves, 3=9873
Schumann,W.O. The motion of a charged particle in circularly polarized electromagnetic fields and in crossed linearly polarized fields with given time variations, 3=21942
Schune-Boisblé,D. See Fitan,J., 3=24567
Schune-Boisble,D. See Tsai-Chü, 3=7752
Schune-Boisble,D. See Tsai-Chü, 3=7753
Schupp,A.A.,Forsen,H.K. and Kerst,D.W. Elimination of field errors and rapid field programming for toroidal discharge apparatus, 3=21814
Schupp,A.A.,Jr. See Ohkawa,T., 3=19247
Schüppel,W. See Málek,Z., 3=20604
Schur, K, Vahl, J. and Pfefferkorn, G. Whisker formation in the reaction of metals with oxygen or sulphur, 3=18279
Schuricht,V. Measurement of moisture content by means of Cd probes, 3=7076
Schurin,B. and Clough,S.A. Absolute intensity measurement for the NO fundamental at 5·3 microns, 3=15339
Schurin,B, Williamson,D.E. and Clough,S.A. Direct recording of integrated band intensities from a linear wavelength spectrometer, 3=16773
Schürmeyer,F. A study of trapping centres in phosphors with "internal transitions", 3=13209
Schuster,S. See Lawley,A., 3=5073
Schuster,S. See Lawley,A., 3=23353
Schutte,C.J.H. The infra-red spectrum of the thyocyanate group in the pyridine complexes of Cu(II), Ni(II) and Co(II), 3=22581
Schütte,R. See Becker,E.W., 3=15309
Schutten,J. and van der Hauw,T. Scanning circuits for mass spectrometers, 3=14484
Schuttler,R. and Thuillier,J.M. Kinetics of chemisorption on semiconductors, 3=1390
Schuttler,R. See Dulieu,P., 3=10423
Schuttler, R. See Lanore, J.C., 3=17905
Schuttler,R.J. and Noel,J.P. Damage in a solid state detector by fast neutrons, 3=22044
Schütz,G. Ionization chambers with alternating voltage feeding, 3=2150
Schütze,H. See Wetzel,K., 3=715
Schütze,H.J. See Bogenschütz,A.F., 3=13557
Schutze,W. Industrial conference on "non-destructive Testing of Materials", 3=9391
Schuy,K.D. and Hintenberger,H. The direct current spark as a new ion source for mass spectrometer research on solids, 3=16989
Schwab,A. Growth times of corona-discharge impulses, 3=21744
Schwab, C., Sieskind, M, Adloff, J.P. and Nikitine, S. Influence of silver impurities on the yellow exciton series of cuprite, 3=932
Schwab,C. See Nikitine,S., 3=10932
Schwab,C. See Nikitine,S., 3=10934
Schwab,G.M.,Beer,A. and Foitzick,J. The semiconducting properties of aluminium oxide, 3=6591
Schwab,G-M and Sieb,R. Understanding the cracking reaction, 3=20996
Schwab,G.M. See Zundel,G., 3=11999
Schwabe,E.A. and Campbell,D.A. Influence of grain size on square-loop properties of lithium ferrites, 3=15876
Schwan,H.P.,Schwarz,G.,Maczuk,J. and Pauly,H. On the low-frequency dielectric dispersion of colloidal particles in electrolyte solution, 3=13627
Schwarcz,E.H. Shell model study of Mn^{56}, 3=6129
Schwartz,C. Ground state of the helium atom, 3=2559
Schwartz,C.M. See Young,A.P., 3=11270
Schwartz,E.G.K. See Schimitschek,E.J., 3=9980
Schwartz, H.M. Axiomatic deduction of the general Lorentz transformations, 3=32
Schwartz,H.M. Further results concerning half-integral Hylleraas expansions, 3=12750
Schwartz,J. See Alexander,G., 3=7924
Schwartz,J. See Kirz,J., 3=17316
Schwartz,L.H. See De Angelis,R.J., 3=23435
Schwartz,L.L. See Steinberg,E.P., 3=12625
Schwartz,M. Inequivalent Hamiltonian formalisms in electrodynamics, 3=14853
Schwartz,M. See Danby,G., 3=14952
Schwarz,G. A theory of low-frequency dielectric dispersion of colloidal particles in electrolyte solution, 3=13628
Schwarz,G. See Schwan,H.P., 3=13627
Schwarz,H. Power density of optimally focused space-charge-limited electron beams, 3=4192

Schwarz,H. Relation of rate and duration of evaporation to background pressure for the deposition of thin films in vacuum, 3=18382

Schwarz,H. Power density of optimally focused space charge limited electron beams, 3=24356

Schwarz,S. and Zetterström,H.O. A problem in the treatment of data from nuclear counters: the determination of parameters from grouped samples, 3=530

Schwarz,S.E. See Eckhardt,G., 3=5445

Schwarzl,F.R. Rheology of solid polymers, 3=18366

Schwarzschild,A, and Zupančič,Č. Production of tritons, deuterons, nucleons, and mesons by 30-GeV protons on Al, Be, and Fe targets, 3=6090

Schwarzschild,A. See Li,A.C., 3=10267

Schwarzschild,A. See Schmorak,M., 3=12593

Schwarzschild,M. See Bahng,J., 3=13887

Schwebel,S.L. See Sachs,M., 3=17165

Schweber,S.S. The Bethe—Salpeter equation in nonrelativistic quantum mechanics, 3=41

Schweber,S.S. and Sudarshan,E.C.G. Asymptotic field operators in quantum field theory, 3=49

Schweda,S. See Boersch,H., 3=19186

Schweitzer,D.G. Activation energy for annealing single interstitials in neutron-irradiated graphite and the absolute rate of formation of displaced atoms, 3=788

Schweitzer,G.K. and Lloyd,E.A. The use of secondary electron emission in photographic film dosimetry, 3=14831

Schweitzer,W.G.,Jr. Hyperfine structure and isotope shifts in the 2537 A line of mercury by a new interferometric method, 3=25054

Schweizerhof,S. Ferrites for microwaves, 3=24475

Schwentek,H. Short wave fadeouts, their modes and complete characteristization, 3=5868

Schwerdtfeger,C.F. See Funk,E.G.,Jr., 3=4596

Schwertführer,W. Possible method of separation if isomeric nuclei, 3=2369

Schwiderski,E.W. Singularities in supersonic flows past bodies of revolution, 3=18778

Schwind,A.E. A proton-resonance field-stabilizer which can be used for various electromagnets, 3=19404

Schwinger,J. Gauge invariance and mass. II, 3=5919

Schwinger,J. Commutation relations and conservation laws, 3=10013

Schwinger,J. Non-Abelian gauge fields. Lorentz gauge formulation, 3=10019

Schwinger,J. Quantized gravitational field, 3=11679

Schwinger,J. Energy and momentum density in field theory, 3=12387

Schwink,C. A method for the measurement of stray fields above Bloch walls in ferromagnetic single crystals, 3=19402

Schwink,C.,Murrmann,H. and Spreen,H. Measurement of magnetic stray fields above 71° walls in nickel crystals by means of electron beams, 3=6707

Schwink,C. and Spaeth,J.M. Effect of temperature on the remanence of annealed Ni wires, 3=15793

Schwink,C. and Spreen,H. The ferromagnetic domain structure of single nickel crystals, 3=20591

Schwink,C. and Zankl,G. Magnetic measurements in connection with the hardening curve of polycrystalline nickel, 3=3231

Schwink,Ch. and Spaeth,J.M. On the temperature dependence of the remanence of annealed polycrystalline nickel wire betweer −180°C and +100°C, 3=23160

Schwirke,F. See Gierke,G.v., 3=7574

Schwirzke,F. See Blauth,E., 3=4032

Schwirzke,F. See Boeschoten,F., 3=12123

Schwob,J.,Damany-Astoin,N. and Breton,C. Emission in a far ultraviolet from ions of impurity products during a discharge in TA 2000, 3=5680

Schwochau,K. Preparation and properties of new cyanide complexes of tetra and monovalent technetium, 3=6853

Schwochau,K. and Astheimer,L. Conductivity determination of the diffusion coefficient of the pertechnetat- ion in solution, 3=16609

Schwoebel,R.L. Oxide formation on magnesium single crystals. I. Kinetics of growth, 3=23512

Schwoebel,R.L. Oxide formation on magnesium single crystals. II. Structure and orientation, 3=23513

Schwoerer,M. and Wolf,H.C. Electron spin resonance studies on the aggregation of F-centres in KCl. 3=25302

Schwuttke,G.H. Boron-induced microstrains in dislocation-free silicon crystals, 3=15486

Schwuttke,G.H. and Sils,V. X-ray analysis of stacking fault structures in epitaxially grown silicon, 3=25286

Schwuttke,G.H. See Czerlinsky,E.R., 3=22944

Sciama,D.W. Retarded potentials and the expansion of the universe, 3=16322

Sciama,D.W. On the interpretation of radio source counts, 3=25989

Sciama,D.W.,Cooper,B.F.C. and Price,R.M. Faraday rotation effects associated with the radio source centaurus A, 3=11604

Ściesiński,J. See Janik,J.A., 3=14140

Ściesiński,J. See Niewiadomski,T., 3=589

Ściesiński,J. See Rżany,H., 3=14141

Scimemi,B. See Malesani,G., 3=7278

Sciuti,S. See Giannini,M., 3=10355

Sciuti,S. See Giannini,M., 3=15209

Scolnik,R. See Stober,A.K., 3=21537

Scorer,R.S. Cloud nomenclature, 3=21039

Scott,A.B. and Fredericks,W.J. Equilibria among defects in Group III—V crystals containing Group IV substituents, 3=22758

Scott,A.B. See Gravitt,J.C., 3=6544

Scott,A.B. See Okamoto,F., 3=22841

Scott,B.L. Delta-function potential in a box, 3=7117

Scott,B.W. See Garber,M., 3=15450

Scott,D. See Grunberg,L., 3=25644

Scott,D. See Hersil,J., 3=4507

Scott,D.L. See Beu,K.E., 3=8824

Scott,D.W.,Messerly,J.F.,Todd,S.S.,Hossenlopp,I.A.,Osborn,A. and McCullough,J.P. 1,2-difluorobenzene: chemical thermodynamic properties and vibrational assignment, 3=8291

Scott,F.P. Status of the international reference-star programs, 3=7006

Scott,F.R. See Tuckfield,R.G., 3=12175

Scott,G.J. See Bowles,B.F., 3=23371

Scott,G.G. Magnetomechanical determination of gyromagnetic ratios, 3=467

Scott,H.,Ur,H. and Laves,M.M. Charge-transfer complex crystal growth at a solution-solid interface, 3=11228

Scott,J.H. Computer analysis of gamma-ray logs, 3=21027

Scott,M.C. See Ryves,T.B., 3=8153

Scott,P.F. See Clarke,R.W., 3=11605

Scott,R.M. New techniques for the production and testing of optical components, 3=16748

Scott,T.A. See Haigh,P.J., 3=8742

Scott,W.T. Electron levels, electrochemical effects, and thermoelectricity, 3=341

Scott,W.T. The theory of small-angle multiple scattering of fast charged particles, 3=19585

Scott,W.T. See Bayes,J.H., 3=11654

Scotti,A. See Charap,J.M., 3=7842

Scott-Monck,J. See Flicker,H., 3=6551

Scregg,G. See Day,P., 3=20496

Scriven,L.E. See Dahler,J.S., 3=23781

Scrocco,E. See Guidotti,C., 3=8225

Scrogham,K.G. See Martin,K.J., 3=16470

Scull,P.S. See Coxell,H., 3=10195

Scull,W.E.and Ludwig,G.H. The orbiting geophysical observatories, 3=5176

Scwarzschild,A. A survey of the latest developments in delayed coincidence measurements, 3=9703

Seaborg,G.T. The man-made chemical elements beyond uranium, 3=4284

Seaborg,G.T. See Viola,V.E.Jr., 3=10399

Seaborn,J.B.,Mitchell,G.E.,Fletcher,N.R. and Davis,R.H. Gam rays from the $Be^9(\alpha,n_1)C^{12}$ reaction, 3=10391

Seager,S.L. See Giddings,J.C., 3=11821

Seagondollar,L.W. See Harris,G.I., 3=19774

Seagondollar,L.W. See Watson,D.D., 3=24880

Seal,M. The effect of surface orientation on the graphitization of diamond, 3=13398

Seal,M. See Kranitz,M., 3=18420

Seale,W.A. See Bashkin,S., 3=8136

Sealey,W.C.,Kuehlthau,J.L. and Arnaud,F.J. Stellarator coils — an engineering challenge, 3=12189

Seaman,G.G. and Quinton,A.R. A study of the reaction $^{12}C + {}^{12}C$, 3=17500

Seanor,D.A. and Amberg,C.H. Null-reading microbalance and its use in the study of the infrared spectra of adsorbed molecules, 3=21285
Searcy,A.W. and Schulz,D.A. Demonstration of some unrecognized characteristics of gas flow through orifices, 3=11814
Searcy,A.W. See De Poorter,G.L., 3=24078
Searcy,A.W. See Schulz,D., 3=12007
Searle,C.W. See Prosen,R.J., 3=15840
Sears,D.R. and Klug,H.P. Density and expansivity of solid xenon, 3=6480
Sears,F.W. Some applications of the Brehme diagram, 3=9335
Sears,F.W. Faraday's law and Ampere's law, 3=14738
Sears,F.W. A simplified simplification of Caratheodory's treatment of thermodynamics, 3=24121
Sears,G.W. Evaporation of naphthalene crystals, 3=3934
Sears,G.W. and Hudson,J.B. Anomalous flow of zinc vapor through pyrex tubing, 3=14195
Sears,R.L. See Bahcall,J.N., 3=13879
Seaton,M.J. See Geltman,S., 3=12073
Seaton,M.J. See Hummer,D.G., 3=21120
Seb Do In. See Do In Seb.
Sebaoun,W. Cross sections of (γ,p) reactions produced by γ-rays of 14.8 and 17.6 MeV on the elements Al,Ni, Cu and Ag, 3=10324
Sébenne,C. Optical properties of degenerate semiconductors, 3=20454
Sebestyen,A. See Hofmokl,T., 3=12488
Secco,E.A. Thermal decomposition of sodium azide crystals, 3=13599
Sechi-Zorn,B. and Zorn,G.T. Bubble density in a hydrogen bubble chamber, 3=14835
Sechi-Zorn,B. See Courant,H., 3=17346
Secrétan,B. and Fornerod,R.C. Measurement of internal friction of aluminium of 99.999% purity as a function of strain amplitude, 3=11138
Secretan,B. See Benoit,W., 3=11748
Secrétan,B. See Martinet,B., 3=11135
Secrétan, B. See Vittoz, B., 3=18170
Secretan,L.F. (Transl.). Preformed nuclei in the preparation of iron single crystals by zone melting and the production of iron single crystals by annealing in the δ range, 3=13420
Secrist,D.R. and Wisnyi,L.G. The unit cell and space group of Li_2C_2, 3=6843
Seddon,J.C. A model of the quiet ionosphere, 3=18525
Sedel'nikov,T.Kh. On the spectrum of moderated neutrons reflected from a homogeneous half-space, 3=7868
Sedlacek,M.,Preining,O. and Ernst,F. Grain-size distribution and frequency of the long-lived radioactive aerosol in the atmospheric zone close to the ground, 3=25913
Sedlacek,M. See Ernst,F., 3=5207
Sedlacek, R. See Halden, F.A., 3=18243
Sedlatschek,K. and Elsas,A. Higher loading of a rotating anode by use of alloy anodes, 3=17014
Sedletskaya,N.S. See Pil'shchikov,A.I., 3=3131
Sedov,N.N.,Spivak,G.V. and Isaeva,N.F. Electron-optical measurements of electric and magnetic microfields on surfaces, 3=3373
Sedov,N.N. See Spivak,G.V., 3=13266
Sedov, V.E. See Gutkin, A.A., 3=17914
Sedov,V.L. Antiferromagnetism of iron—manganese alloys, 3=6733
Sedov,V.L.,Solomatina,L.V. and Il'chenko,L.N. The thermal conductivity of a natural magnetite crystal at low temperatures, 3=4829
Sedra,R.N. A method for determining the high-frequency resistance of vapour, 3=9515
Seeger,A. The electronic structure of point defects in metals, 3=8390
Seeger,A. The nature of radiation damage in metals, 3=8466
Seeger,A. Point defects, and the nature of radiation damage in f.c.c. metals, 3=22726
Seeger,A. Transmission electron microscopy, slip-lines, and work-hardening of f.c.c. single crystals, 3=23341
Seeger,A., Gerold,V., Kin Pong Chik and Rühle,M. Migration energy and binding energy of di-vacancies in copper, 3=20164
Seeger, A, Kronmüller, H, Boser, O. and Rapp, M. Plastic deformation of cobalt single crystals, 3=18187
Seeger,A. and Schiller,P. Current problem in the theory of the Bordoni relaxation, 3=23296
Seeger,A. See Boser,O., 3=20576
Seeger, A. See Bross, H., 3=17673
Seeger, A. See Chik, K.-P., 3=17707
Seeger,A. See Jan,R.v., 3=10700
Seeger,A. See Kronmüller,H., 3=4871
Seeger,A. See Melngailis,J., 3=25442
Seeger,A. See Schiller,P., 3=12972
Seeger,A. See Scholz,A., 3=22754
Seeger,K. Mobility anisotropy and relaxation of hot electrons in n-type germanium, 3=6587
Seeger,K. Microwave frequency multiplication by hot electrons, 3=15571
Seeger, K. See Kühn, E., 3=17854
Seeger,P.A. and Kavanagh,R.W. The 7.66 MeV state of C^{12} and helium burning, 3=12581
Seeger,R.J. and Taylor,A.B. Triple-shock wave interactions, 3=3847
Seel,F. and Winkler,R. Kinetics of the acid-catalysed decomposition of the nitrosohydroxylaminesulphonate ion, 3=20980
Seeman,N. See Burnstein,R.A., 3=22214
Seeman,N. See Courant,H., 3=17346
Segaert,O. See Dorikens-Vanpraet,L., 3=24868
Segaert,O.J.,Demuynck,J.L.,Dorikens-Vanpraet,L.V. and Dorikens,M. The excited states of $^{134}_{56}B_{78}$, 3=15114
Segaert,O.J. See Demuynck,J.L., 3=5979
Segall, B. Fermi surface of aluminum, 3=17683
Segall,B.,Lorenz,M.R. and Halsted,R.E. Electrical properties of n-type CdTe, 3=8519
Segall,B. See Aven,M., 3=10843
Segall,B. See Halsted,R.E., 3=15704
Segall,R.L. and Finney,J.M. The relation between physical properties and the observed dislocation distribution in fatigued metals, 3=20739
Segall, R.L. See Cotterill, R.M.J., 3=17708
Segall,R.L. See Cotterill,R.M.J., 3=20162
Segalova,E.E. See Amelina,E.A., 3=8790
Segar,A. See Aubert,B., 3=17333
Segar,A. See Courant,H., 3=17346
Segar,A.M. See Amato,G., 3=17001
Segard,N. and Pouliquen,J. Barium titanate piezoelectric microprobe for the study of ultrasonic fields, 3=1777
Segard,N. and Pouliquen,J. Contribution to the production of a plane progressive ultrasonic wave by a quartz transducer, 3=16705
Segard,N. and Pouliquen,J. Diffraction at infinity of an orthogonal light wave by a plane progressive ultrasonic wave. Comparison of the experimental results with our theory and that of Nagendra Nath, 3=24056
Segard,N. See Pouliquen,J., 3=18912
Segawa,H. See Sasaki,S., 3=24589
Segel,L.A. Analysis of a set of non-linear partial differential equations arising from a problem in hydrodynamic stability, 3=18779
Segel, R.E, Singh, P.P, Allas, R.G. and Hanna, S.S. 3·86-MeV level in F^{17}, 3=17403
Segel,S.L. See Barnes,R.G. 3=5049
Segmüller,A. Determination of lattice strain and crystallite size in thin films, 3=20932
Segmüller,A. See Keller,H., 3=19392
Segmüller,A. See Methfessel,S., 3=1073
Segnan,R. See Jha,S., 3=2367
Segré,G. and Silberberg,A. Non-Newtonian behavior of dilute suspensions of macroscopic spheres in a capillary viscometer, 3=18788
Segre,S.E. See Allen,J.E., 3=12168
Segre,S.E. See Martone,M.U., 3=7640
Séguier,J. Infrared emission spectrum of caesium observed by means of a new monochromator, 3=12756
Séguier,J. Infrared emission spectra of cadmium and helium, 3=15281
Séguier,P. See Jacquard,P., 3=16579
Sehgal,M.L. Isomeric cross-section ratios in (n, γ) reactions, 3=675
Sehgal,M.L. See der Mateosian,E., 3=10264
Sehr,R. and Testardi,L.R. Plasma edge in Bi_2Te_3, 3=22939
Seibel,G. Diffusion of sulphur in iron, 3=8450
Seibert,G. See Hanle,W., 3=5689
Seibert,G. See Scharmann,A., 3=19306
Seidel,H. and Wolf,H.C. E.s.r. and endor spectra of F-centres in RbCl and RbBr, 3=15520

Seiden,J. The theory of Raman scattering of phonons by electronic spins in a paramagnetic crystal, 3=2721
Seiden,J. Coherent paramagnetic diffusion of phonons in a paramagnetic crystal, 3=10585
Seiden,J. Theory of the ferromagnetism of a system of spins $S = \frac{1}{2}$ coupled to one another by exchange interactions, 3=25513
Seiden,J. and Papoular,M. Paramagnetic resonant scattering of phonons in a Kramers salt at very low temperature, 3=15427
Seiden,P.A. Temperature dependence of the ferrimagnetic resonance linewidth in rare earth substituted yttrium iron garnet from 65° to 500° K, 3=23215
Seiden,P.E. and Grunberg,J.G. Ferrimagnetic resonance linewidth in dense polycrystalline ferrites, 3=15927
Seiden,P.E. See Freiser,M.J., 3=18123
Seiden,P.E. See Pomerantz,M., 3=4811
Seidensticker,R.G. and Hamilton,D.R. Growth mechanisms in germanium dendrites: Three twin dendrites; experiments on and models for the entire interface, 3=25678
Seidensticker,R.G. See Hamilton,D.R., 3=13421
Seidensticker,R.G. See Hamilton,D.R., 3=21614
Seidl,R. and Střelka,V. The effect of positive ions on exoelectron emission, 3=5688
Seidler, H. and Härtig, M. A simple counter arrangement for weak activities, 3=4288
Seiffarth,W. See Booss,H.J., 3=19307
Seigle,L. See Brett,J., 3=13537
Seiler, F., Baumgartner, E., Haeberli, W., Huber, P. and Striebel, H.R. Measurement of polarization of neutrons from A (d, T) reaction involving polarized deuterons, 3=676
Seiler,R.F.,Jones,C.H.,Anzick,W.J.,Herring,D.F. and Jones,K.W. The elastic scattering of deuterons by O^{16} from 0.65 to 2.0 MeV, 3=22414
Seilstad,G.A. and Wilson,R.W. Linear polarisation of 21 cm wave-length radiation from radio sources, 3=18660
Seitchik,J.A. and Walmsley,R.H. Nuclear magnetic resonance study of Al^{27} in NiAl, 3=23270
Seitz, F. The effects of irradiation on metals, 3=4895
Seitz, F. The effects of irradiation on metals, 3=4897
Seitz,F. See Koehler,J.S., 3=22719
Seitz,M.A. See Frounfelker,R.E. 3=5093
Seiwert,R. and Tilch,J. The sensitized fluorescence of a Mg-Na vapour mixture, 3=705
Seiwert,R. See Hoffmann,K., 3=256
Seiyama,T. See Mamuro,T., 3=10280
Sekera,Z.,Nagaraja Rao,C.R. and Dibble,D. Photoelectric skylight polarimeter, 3=19028
Sekerka,R.F. See Mullins,W.W., 3=11297
Sekey,A. Short-term auditory frequency discrimination, 3=16449
Seki,H. Film flow of liquid helium at low-pressure heads, 3=313
Seki,S. See Suga,H., 3=13313
Seki,Y. See Ishikawa,Y., 3=10849
Sekido,K. See Kawamura,H., 3=15580
Sekiguchi,M. See Huang,K.K., 3=17472
Sekiguchi,N. On the libration of the orbital plane of a stationary artificial satellite with a circular orbit, 3=11611
Sekine, K. On the quantization in Heisenberg's nonlinear theory, 3=1613
Sekine,K. A variational method for non-linear spinor theory, 3=17181
Sekizawa,H. and Sekizawa,K. Ferromagnetic resonance line width in Ni ferrite, 3=1160
Sekizawa,K. See Sekizawa,H., 3=1160
Sekula,S.T.,Boom,R.W. and Bergeron,C.J. Longitudinal critical currents in cold-drawn superconducting alloys, 3=14454
Sekula,S.T. See Picklesimer,M.L., 3=334
Selberg,H.L. The dependence of the detonation velocity on the shape of the front at initiation to normal or supernormal level, 3=3849
Selberg,H.L. Shock waves from spherical cavities in elastic materials of limited strength, 3=7279
Sel'chenkov,L.I. See Zisin,Yu.A., 3=12714
Selektor,Ya.M. See Ainutdinov,M.S., 3=6053
Selektor,Ya.M. See Ainutdinov,M.S., 3=6058
Selektor,Ya.M. See Ainutdinov,M.S., 3=15018
Selektor,Ya.M. See Aǐnutdinov,M.S., 3=24767
Self,S.A. See Crawford,F.W., 3=21803
Self,S.A. See Crawford,F.W. 3=21804
Seliger,K. and Rademacher,K. On the discharge mechanism between parallel acceleration electrodes, 3=19261
Seliger,K. See Hess,H., 3=16920
Seliger,K. See Hess,H., 3=19225
Selinov,I.P.,Chikhladze,V.L.,Khulelidze,D.E. and Vartanov,N.A. Beta- and gamma-spectra of radioactive Sb^{113} and Sb^{115} and a new Sn^{113} isomer, 3=10291
Selisskii,Ya.P. Increase of strength of orderable cold-deformed Ni—Cr alloys by low-temperature annealing, 3=25637
Selisskii,Ya.P. and Tolochko,M.N. Problem of the recrystallizatio of ordering alloys of iron and cobalt, 3=11296
Selitskii,Yu.A. and Éismont,V.P. Two types of nuclear fission, 3=2503
Selitskii,Yu.A. See Baranov,A.I., 3=25773
Selitskii,Yu.A. See Marov,G.I., 3=24993
Selivanenko,A.S. See Sveshnikov,B.Ya, 3=16632
Selivanov,G.I. See Blokhintseva,T.D., 3=6044
Selivanov,G.I. See Blokhintseva,T.D., 3=22176
Selivanov,G.I. See Blokhintseva,T.D., 3=22177
Selivanov,G.I. See Blokhintseva,T.D., 3=24558
Selivanova, V.A. See Presnov, V.A., 3=25364
Selove,W. See Hagopian,V., 3=19686
Sella,C. and Deicha,G. Crystallization cavities and intergranular pits in quartz, 3=17776
Sella,C. and Sella,M.F. Study of the dehydration of gypsum, 3=25287
Sella,C., Sella,M.F. and Trillat,J.J. Effects of ionic bombardment on lamellar monocrystals, 3=17806
Sella,C. See Deicha,G., 3=1263
Sella,C. See Navez,M., 3=17810
Sella,C. See Thach-Lan Tran, 3=13545
Sella,M.F. See Sella,C., 3=17806
Sella,M.F. See Sella,C., 3=25287
Sellberg,F. See Agdur,B., 3=383
Sellberg,F. See Agdur,B., 3=13159
Selleri,F. Off-shell pion—pion scattering in the T=J=1 state, 3=4442
Selleri,F. See Amaldi,U.,Jr., 3=4384
Selleri,F. See Ferrari,E., 3=10052
Selleri,F. See Ferrari,E., 3=10146
Sellin,R.H.J. A technique based on the schlieren principle for studying the free surface of a liquid, 3=16744
Sells,C. See Jeffreys,H., 3=23963
Sellschop,J.P.F. See Mouton,W.L., 3=4370
Sellschop,J.P.F. See Mouton,W.L., 3=4564
Selme,P. A particular type of electron diffraction figure. Identical figures formed in the image of crystals observed in the electron microscope, 3=3293
Selters,W. Prediction of temporary threshold shift after noise increase, 3=9397
Selwood,P.W. Adsorption and collective paramagnetism, 3=20995
Selwood,P.W. See Abeledo,C.R., 3=5163
Selzer, E. See Roquet, J., 3=3517
Selzer,E. See Roquet,J., 3=25961
Seltzer,M.S. and Wagner,J.B.,Jr. Diffusion of nickel^{63} in single crystals of lead sulphide, 3=17785
Semenenko,E.E. and Sudovtsov,A.I. Some features of the temperature dependence of the electrical resistance of ferromagnetic metals at low temperatures, 3=6559
Semenenko,E.E.,Sudovtsov,A.I. and Shvets,A.D. Temperature dependence of the electrical resistance of iron in the 0.38°-4.2°K range, 3=6560
Semenescu,G. See Cramariuc,R., 3=19384
Semenko,S.F. The shape of dipole resonance in deformed nuclei, 3=15093
Semenko,S.F. and Tulupov,B.A. Interaction of γ-quanta with oriented non-spherical nuclei, 3=4620
Semenov,A.G. Electron paramagnetic resonance spectrometers (a review), 3=24488
Semenov,E.I., Organova,N.I. and Kukharchik,M.V. New data on minerals of the lomonosovite—murmanite group, 3=18325
Semenov,E.S. and Sokolik,A.S. Characteristics of spherical flames in the formation stage, 3=5550
Semenov,R.I. Precise measurement of the distance between two spectrum lines by means of two photomultipliers, 3=1814
Semenov,S.S. See Logunov,V.N., 3=24417
Semenova,O.P. and Levchenko,M.A. Dependence of the effective ionization potential on the concentration of easily ionized impurities in an arc discharge, 3=12096

Semenova,O.P. and Levchenko,M.A. The problem of radiation of easily ionized admixtures in thermally excited plasma, 3=24269

Semenovskaya, S.V. and Umanskii,Ya.S. X-ray method of determination of Voigt's elastic constants and of transverse branches of the phonon spectrum of disordered substitutional solid solutions with cubic structure, 3=5054

Semenovskaya,S.V. and Umanskii,Ya.S. The question of the separate determination of dynamic and static distortion by the weakening of interference maxima of solid solutions with an arbitrary from for the phonon spectrum, 3=10574

Semenovskaya,S.V. See Ivensen,V.A., 3=6775

Semerchan,A.A. and Balashov,D.B. Design and test of containers for geophysical investigations at great sea depths, 3=3443

Semerchan,A.A. and Fedorovskii,A.E. Automatic recording of electrical parameters at high pressures, 3=23831

Semerchan,A.A.,Kuzin,N.N. and Vereshchagin,L.F. Temperature dependence of the electrical resistance of polycrystalline graphite for pressures up to 250 000 kg/cm^2, 3=6557

Semerchan,A.A. See Kuzin,N.N., 3=8524

Semerchan,A.A. See Vereshchagin,L.F., 3=2902

Semeria,R. See Behar,M., 3=1661

Semiletov,S.A. Crystalline structure of rhombohedral MoS$_2$, 3=13459

Semiletov,S.A. See Kurdyumova,R.N., 3=20835

Semiletov,S.A. See Man,L.I., 3=20850

Semkowicz,A.,Sulikowski,J.,Szot,W. and Zakrzewski,J. Cyclotron deflector voltage stabilizer, 3=14695

Semkowicz,A. See Baran,J., 3=14694

Semonin,R.G. See Lindblad,N.R., 3=13677

Semonin,R.G. See Vonnegut,B., 3=9039

Sen,A.K. Stability of hydromagnetic Kelvin–Helmholtz discontinuity, 3=21948

Sen, A.K. See Das Gupta, M.K., 3=1450

Sen,A.K. See Das Gupta,M.K., 3=23597

Sen, A.R. Deep-water surface waves due to arbitrary periodic pressures, 3=1424

Sen,B. Neutron–alpha reaction in indium with 14 MeV neutrons, 3=2475

Sen,B. (n,α) reactions on light nuclei at 14 MeV, 3=10362

Sen,B. and Chatterjee,M.L. Fading phenomena in nuclear emulsions, 3=14845

Sen,H.K. See Golden,K.I., 3=7529

Sen,K.K. See Nio Lee Eng, 3=5264

Sen,P. Two-component first-order wave equations, 3=5968

Sen,P. Metric fields. IV. Baryon–meson mass spectrum, 3=7787

Sen,S.N. and Ghosh,A.K. Breakdown of an electrodeless discharge in crossed electric and magnetic fields, 3=371

Sen,S.N. and Ghosh,A.K. A note on Kihara's theory of radio-frequency discharge, 3=12085

Sen,S.N. and Ghosh,A.K. Breakdown of a radio-frequency discharge in a nonresonant magnetic field, 3=24263

Sen,T.K. and Mowbray,G.H. Influence of size and brightness parameters on the differential sensitivity of the central retina to photic flicker, 3=13969

Senent,S. See Coulson,C.A., 3-22753

Senftleben,H. and Schnabel,P. Charge carriers in highly insulating liquids and their influence on its thermal transfer, 3=14148

Sengers,J.V. See Michels,A., 3=3832

Sengers, J.V. See Michels, A., 3=3833

Sengers,J.V. See Michels,A., 3=3834

Sengers,J.V. See Michels,A., 3=11832

Sen Gupta, A.K. and Van Patter,D.M. Statistical averaging of (p.pγ) angular distributions to obtain E2/M1 mixing ratios for 2^{+1} (M1,E2)2^{+} γ-transitions in even nuclei, 3=10343

Sen Gupta, A.K. and van Patter, D.M. Zero-spin assignment for the 2·05 MeV state of Ni^{62} from A (p, p$'$ $\gamma-\gamma$) angular correlation, 3 17408

Sen-Gupta,B.K. Large-amplitude periodic lee waves in stratified fluids. II. Linear solution, 3=3792

Sengupta,D.L. The static potential attained by an infinite cylinder immersed in a moving and low density plasma of infinite extent, 3=7533

Sen Gupta, H.M., Rotblat, J., Hodgson, P.E. and England, J.B.A. The scattering of 29 MeV ^{3}He-particles by ^{14}N and ^{16}O nuclei, 3=2492

Sengupta,P. Behaviour of light in pulsating universe, 3=13853

Sen Gupta,S.N. and Sinha,M.S. Scattering of μ-mesons by copper nuclei, 3=6275

Senhouse,L.S. See Tombrello,T.A., 3=10386

Senior,T.B.A. Loop excitation of travelling waves, 3=4272

Senitzky,B.,Gould,G. and Cutler,S. Millimeter-wave amplification by resonance saturation, 3=14767

Senitzky,I.R. Incoherence quantum fluctuations and noise, 3=5842

Senitzky,I.R. Dissipation in quantum mechanics. The two-level system, 3=23768

Senko,M.E. See Forrester,J.D., 3=8847

Senneville,M. See Marti,C., 3=15710

Senshu,K. See Fujino,K., 3=15978

Senzaki, K. See Kawasaki, K., 3=2826

Sepmeyer, L.W. Bandwidth error of symmetrical bandpass filters used for analysis of noise and vibration, 3=227

Seppi,E.J. and Boehm,F. Nuclear resonance excitation using a diffraction monochromator, 3=6164

Seppi,E.J.,Henrikson,H.E.,Boehm,F. and DuMond,J.W.M. Design of a germanium bent-crystal diffraction monochromator and its application in nuclear spectroscopy, 3=14940

Septier,A. Investigation to increase the intensity of an electron beam, 3=19333

Septier,A. Magneto-electric quadrupole lens corrected for chromatic aberration. Spherical aberration of this type of lens, 3=19368

Septier,A. See Gautherin,G., 3=12224

Sepulveda,L. See Goldfarb,J., 3=3417

Serafin,F.A. See Filipescu,N., 3=4990

Seraphim,D.P.,d'Heurle,F.N. and Heller,W.R. Coherent superconducting behavior of two metals (Al–Pb) in a synthetic filamentary structure, 3=9682

Seraphim,D.P. See Chiou,C., 3=7403

Seraphim,H.-P., Acoustic reproduction in auditoria with electro-acoustic aids, 3=18949

Seraphin,B.O. and Orton,D.A. Field-effect light modulation in germanium, 3=15572

Seraphin,B.O. See Donovan,T.M., 3=6880

Serban,T. See Badareu,E., 3=17794

Serber,R. Theory of scattering with large momentum transfer, 3=17278

Serbin,H. Quadratic invariants of surface deformations and the strain energy of thin elastic shells, 3=16560

Serbinov,A.N. See Romanov,V.A., 3=24375

Serdobol'ski,V.I. Stimulated emission of radiation in a strong electromagnetic field, 3=17069

Serdyuk, V.V. Long-wavelength photosensitivity and infrared luminescence of cadmium sulphide monocrystals, 3=17954

Serdyutskii,V.A. See Didenko,A.N., 3=12270

Serebrennikov,P.S. Tunnel effect with impurity scattering, 3=20291

Serebrennikov,Yu.M. See Konstantinov,L.V, 3=17098

Serebryakov,V.A. See Vanyukov,M.P., 3=24509

Serebryakov,V.V. and Shirkov,D.V. Some resonance solutions of the equations for low energy pion–pion scattering, 3=6056

Serebryakov,V.V. and Shirkov,D.V. A natural explanation of the narrow pion–pion resonance, 3=22171

Serebryakov,V.V. See Ginzburg,I.F., 3=4338

Sergeant,R.L. and Harris,J.D. Sensitivity to unidirectional frequency modulation, 3=1556

Sergeenkov,Yu.V. See Mazets,E.P., 3=10093

Sergeev,F.M. See Demidov,V.S., 3=6059

Sergeev,F.M. See Demidov,V.S., 3=24781

Sergeeva,L.A. See Kalinkin,I.P., 3=18378

Sergeyev,G.T. See Smolsky,B.M., 3=299

Sergienko,V.A.,Popeko,L.A. and Egorov,Yu.S. A gamma spectrometer based on summed coincidences, 3=24679

Sergienko,V.A. See Dzhelepov,B.S., 3=8047

Sergienko,V.A. See Dzhepelov,B.S., 3=15154

Sergienko, V.A. See Dzhelepov, B.S., 3=17443

Sergolle,H. See Albouy,G., 3=4642

Sergolle,H. See Albouy,G., 3=12677

Sergolle,H. See Albouy,G., 3=19852

Series,G.W. Some remarks on "anticrossings" in optical resonance fluorescence, 3=25061

Series,G.W. See Dodd,J.N., 3=10471

Series,G.W. See Kibble,B.P., 3=22474

Serikov,I.N. See Pankratov,V.M., 3=24974

Serikov,V.V. See Luzhinskaya,M.G., 3=3115

Serin,B. See Chang,G.K., 3=19124
Serin,B. See Kinsel,T., 3=3954
Serov,V.I. and Zhmailo,V.A. "Packing" of the excitation levels of light nuclei near the thresholds, 3=22289
Serra,A. See Mattana,N., 3=1428
Serra,M. See Schippa,G., 3=23457
Serrin,J. The initial value problem for the Navier–Stokes equations, 3=18776
Sertorio,L. See Cassandro,M., 3=19570
Servant,R. and Demau,C. Measurement of the dielectric anisotropy of gypsum in the 3 centimetre microwave band, 3=25391
Servant,R. and Rocher,J. Paramagnetic resonance of γ-irradiated single crystals of sodium thiosulphate: effect of dehydration, 3=23236
Servanty,P. See Marchal,R., 3=14250
Servjean,R. See Evans,J.W., 3=11532
Servoz-Gavin,P. See Laffon,J.L., 3=19468
Sery,R.S. and Gordon,D.I. Irradiation of magnetic materials with 1·5 and 4 MeV protons, 3=15863
Seshadri,K.S. See Jones,R.N., 3=14344
Seshadri,S.R. Scattering of unidirectional surface waves, 3=21974
Seshadri,S.R. See Tuan,H.S., 3=7601
Seshagiri Rao,M.G. and Ramachandra Rao,B. Estimation of the degree of association in pure liquids by ultrasonic method, 3=1684
Seshagiri Rao,M.G. and Ramachandra Rao,B. Ultrasonic studies in aqueous solutions of electrolytes, 3=11792
Seshagiri Rao,M.G. See Padmini,P.R.K.L., 3=21357
Sesma,J. See Garrido,L.M., 3=4321
Sessler,A.M. Beta-ray spectrometer with reduced spherical aberration, 3=19615
Sessler,A.M. See Baym,G., 3=23786
Sessler,G.M. Electrostatic microphones with electret foil, 3=23979
Sessler,G.M. and West,J.E. Condenser earphones with multiple layers of solid dielectric, 3=1780
Sessler,G.M. and West,J.E. Self-biased condenser microphone with high capacitance, 3=3859
Sessler,J. See Weiss,V., 3=20753
Šesták,B. and Libovicky,S. Dislocation in Fe–3% Si alloy single crystals deformed at a higher rate, 3=20176
Seth,K.K.,Bilpuch,E.G. and Newson,H.W. Total neutron cross section of carbon, 3=24954
Sethna,D.R. See Weston,G.F., 3=24243
Seto,T. See Tanaka,K., 3=11274
Setser,J.L. See Ehmann,W.D., 3=11527
Sette,D. See Bertolotti,M., 3=1811
Sette,D. See Messino,D., 3=18794
Sevast'yanov,B.K. and Sokolina,V.A. The magnetic moment of superconducting tin films, 3=6687
Sevehenko,A.N. The limiting polarization of the fluorescence of polyatomic molecules, 3=2635
Sevchenko,A.N. Spectral-luminescent investigation of porphyrins, 3=9467
Sevchenko,A.N. and Shishlovskii,A.A. Life and work of Sergei Ivanovich Vavilov, 3=9312
Sevchenko,A.N. See Gurinovich,G.P., 3=25129
Severi,M. See de Carvalho,H.G., 3=24991
Severin,P.J. Some dynamic aspects of the cathode fall region in a d.c. glow discharge, 3=7478
Severny,A. See Howard,R., 3=16380
Severnȳi,A.B. Instability of a plasma layer with a neutral point of the magnetic field, 3=7516
Severnȳi,A.B. Some peculiarities of magnetic fields connected with solar flares, 3=9208
Sevier,K.D. Emulsion as a detector of individual electrons for use in beta-spectroscopy, 3=17252
Sewell,G.L. Model of thermally activated hopping motion in solids, 3=6500
Sewell,P.B.,Brewer,E.G. and Cohen,M. An electron microscope study of thin iron oxide films, 3=20928
Sexton,M.C. See Mulcahy,M.J., 3=4064
Seybolt,A.U. Oxidation of metals, 3=20984
Sevboth.D. See Ischenko.G., 3=24891
Seyerlein,J. See Harigel,G., 3=5983
Seyferth,C. A further remark on the uniqueness of the Boltzmann's solution for the one-dimensional diffusion equation, 3=18759
Seyferth,C. The uniqueness of the solutions of the one-dimensional diffusion equation with a concentration-dependent diffusion coefficient, 3=22800
Seylaz,J. See Grüebler,W., 3=2385
Seyler,R.G. and Blanchard,C.H. "Classical" self-consistent nuclear model. II, 3=17389
Seymour,E.F.W.,Styles,G.A. and Taylor,B. Nuclear magnetic resonance in liquid InSn, InTl and BiPb, 3=21419
Seymour,E.F.W. See Allen,P.S., 3=20673
Seymour,P.W. Remarks on the transport properties of a fully ionized gas with application to a radially constricted gas discharge, 3=16926
Seyyedi,A. See Petit,G., 3=5156
Seyyedi,A. See Petit,G., 3=8967
Sezaki,K. See Kuhlmann-Wilsdorf,D., 3=9400
Sezaki,K. See Kuhlmann-Wilsdorf,D., 3=22722
Shabalin,E.P. The $\mu^+\mu^-$-and e^+e^--pair production cross-sections for neutrinos scattered by nuclei, 3=7880
Shabalin,E.P. See Nguyen Van Hieu, 3=24689
Shabalin,E.P. See Nikitin,Yu.P., 3=2293
Shabalin.V.I. The mechanism of plastic deformation in metals, 3=3223
Shabanova,L.N. See Penkin,N.P., 3=15279
Shabanova,L.N. See Penkin,N.P., 3=17534
Shabanskii,V.P. Particle acceleration by passage of a hydromagnetic wavefront, 3=401
Shachnev,V.A. Variational solution of the axisymmetric problem of thermoelasticity, 3=18765
Shackleford,W.L. A preliminary study of neutral titanium emission behind reflected shock waves in $TiCl_4$-Ar mixtures, 3=11836
Shackleford,W.L. See Patch,R.W., 3=2606
Shadmi,Y. and Talmi,I. Shell model analysis of the level structure of Ar^{41}, 3=7990
Shadrichev,E.V. See Smirnov,I.A., 3=6483
Shaenko,V.V. See Levshin,V.L., 3=3057
Shafer,J.B., Crawford,F.S., Hubbard,R., Stevenson,M.L., Block,M., Engler,A., Gessaroli,R., Kovacs,A., Meltzer,C., Kraemer,R., Nussbaum,M., Pevsner,A., Schlein,P. and Onley,D. Test of charge symmetry of K^+ and K^0 mesons in the associated production process, 3=15028
Shafer,J.B., Murray,J.J. and Huwe,D.O. Spin and parity of the 1385 MeV Y_1^* resonance, 3=15038
Shafer,J.B. See Alvarez,L.W., 3=15039
Shafer,J.B. See Lynch,G.R., 3=19633
Shafer,J.B. See Lynch,G.R., 3=19634
Shafer,M.W. See McGuire,T.R., 3=15743
Shafer,Yu.G. The effect of decreases in solar activity on cosmic ray intensity from measurements of geophysical rockets in 1958 and 1960, 3=22245
Shaffer,E.C. and Silcox,J. A tilting stage for the Hitachi HU-11 electron microscope, 3=18407
Shaffer,R.A. Radiative corrections to decay processes mediated by vector bosons, 3=2228
Shaffer,R.A. Radiative corrections to charged pion decays mediated by vector bosons, 3=24760
Shafi,M. and Beckel,C.L. Vibrational constants for the ground state of H_2, 3=8254
Shafi-zade,R.B. See Efendiev,G.A., 3=25788
Shafranov,V.D. Equilibrium of a toroidal plasma column in a magnetic field, 3=7532
Shafranov,V.D. See Bazhanova,A.E., 3=19255
Shafranova,M.G. See Azimov,S.A., 3=6007
Shafranova,M.G. See Do In Seb, 3=4393
Shafranova,M.G. See Do In Seb, 3=24571
Shafranova,M.G. See Do In Seb, 3=24727
Shafranovskii,I.I. See Mokievskii,V.A., 3=13402
Shafrir,U. and Neiburger,M. Collision efficiencies of two spheres falling in a viscous medium, 3=23844
Shafronovskii,I.I. Varieties of the cube in crystallography, 3=23379
Shafronovskii,I.I. See Frank-Kamenetskii,V.A., 3=13427
Shafroth,S.M.,Trehan,P.N. and Van Patter,D.M. Levels in Y^{89} excited by the $Y^{89}(n,n'\gamma)$ reaction, 3=10363
Shafroth,S.M. See Van Patter,D.M., 3=2466
Shagidullin,R.R. See Garif'yanov,N.S., 3=1712
Shah,G.Z. and Thaker,B.M. The total cross-sections for the nuclear scattering of high energy nucleons, 3=10334
Shah,S.K. Energy levels of O^{19}, 3=10254

Shah,S.K. and Pandya,S.P. A study of effective nuclear interactions in finite nuclei, 3=2373
Shah,T.P. See Danysz,M., 3=22276
Shah,T.P. See Fletcher,E.R., 3=10232
Shah,V.L. See Smith,A.G., 3=5410
Shaĭdurov,G.F. Measurement of the temperature of a wall, 3=16827
Shakeshaft,J.R. Comments on the paper by G.A.Harrower 'design of radio telescopes for extragalactic surveys', 3=7042
Shakeshaft,J.R. See Wielebinski,R., 3=1542
Shakeshaft,J.R. See Wielebinski,R., 3=5280
Shakh-Melikova,I.A. See Molchanov,V.A., 3=10703
Shakhbazyan,B.A. See Azimov,S.A., 3=6007
Shakhbazyan,B.A. See Do In Seb, 3=4393
Shakhidzhanov,S.S. Phase conditions in storage systems for high currents of accelerated particles, 3=12277
Shakhmatova,I.P. See Vlasov,A.G., 3=21877
Shakhovskoi,A.M. See Kotel'nikov,V.A., 3=9272
Shakhovskoi,G.P. See Belyaev,L.M., 3=20791
Shakhparonov,M.I. Rayleigh light scattering theory and the distribution of molecule orientation in liquids, 3=21369
Shakhparonov,M.I.,Kasimov,R.M. and Akhadov,Ya.Yu. Dielectric properties and molecular structure of liquid concentrated solutions, 3=21386
Shakhparonov,M.I.,Tunin,M.S.,Lanshina,L.V. and Sukhotina,G.G. Hypersonic properties of liquids and the structure of molecules, 3=21354
Shakhparonov,M.I. See Beridze,D.K., 3=21367
Shakhtakhtinskiĭ,M.G. See Ibragimov,N.I., 3=17791
Shakhtakhtinskii,M.G. See Ibragimov,N.I., 3=25345
Shakhtakhtinskii,M.K.,Kuliev,A.A. and Abdullaev,G.B. Investigation of the saturated vapor pressure of some selenides with radioisotopes, 3=24116
Shakin,C. Direct and compound nucleus effects in nuclear photodisintegration, 3=15174
Shakin,C. On model calculations of neutron widths and strength functions, 3=19760
Shalaev,A.M. See Dekhyar,I.Ya., 3=11068
Shalagina,E.V. See Takibaev,Zh.S., 3=19623
Shalamov,Ya.Ya. and Grashin,A.F. Experimental data on the new pion resonances, 3=2304
Shalamov,Ya.Ya. and Grashin,A.F. Data on $\pi-\pi$ interactions derived from π-meson production reactions in $\pi-$p collisions, 3=6045
Shalamov,Ya.Ya. and Grashin,A.F. Data on $\pi-\pi$ interaction derived from the π-meson production reaction in $\pi-$p collisons. II. ρ^0-meson production, 3=7902
Shalamov,Ya.Ya. and Grashin,A.F. Data on the three-pion interaction, 3=22175
Shalamov,Ya.Ya.,Shebanov,V.A. and Grashin,A.F. Production of $Y^0(\Lambda, \Sigma^0)$ and K^0-particles on light nuclei by 2·8 BeV/c π^--mesons, 3=4461
Shalamov,Yu.Ya. See Bayukov,Yu.D., 3=4440
Shalamov,Ya.Ya. See Bayukov,Yu.D., 3=4443
Shalamov,Ya.Ya. See Grashin,A.F., 3=6079
Shalamov,Ya.Ya. See Grashin,A.F., 3=22197
Shalamov,Ya.Ya. See Kuznetsov,E.V., 3=6075
Shalamov,Ya.Ya. See Kusnetsov,E.V., 3=17315
Shaleǐko,M.A. See Berezin,F.N., 3=21687
Shalimova, A.V. See Rosenberg, V.M., 3=18192
Shallcross,F.V. See Dresner,J., 3=22941
Shal'nikov,A.I. The motion of charges in liquid and solid helium, 3=316
Shal'nikov,A.I. Some observations on the solidification of helium, 3=324
Shaltiel,D. Effect of hydrogenation on the paramagnetic resonance of Gd in Pd and Pd—rich alloys, 3=15944
Shaltiel,D. See Fink,H.J., 3=13290
Shalyt,S.S. Phenomena of charge and heat transport in n-type indium arsenide at low temperatures, 3=6596
Shalȳt,S.S. See Parfen'ev,R.V., 3=22953
Shalȳt,S.S. See Timchenko,I.N., 3=23028
Sham,L.J. A calculation of deformation potentials in silicon, 3=13067
Shamburov,V.A. Optical indictrix and birefringence surfaces, 3=20444
Shamburov,V.A. See Blokh,O.G., 3=23048
Shamfarov, Ya.L. and Smirnova, T.A. Investigation of the spin-lattice relaxation in neutron-irradiated quartz, 3=18136
Shamilev,M.R. See Aver'yanov,I.R., 3=23566
Shamilev,M.R. See Liventsov,A.V., 3=3437
Shamina,O.G. and Lebedeva,F.V. Converted waves on models of the earth's crust and mantle, 3=3433
Shamina,O.G. See Riznichenko,Yu.V., 3=21026
Shamsutdinova,F.K. See Efimov,N.N., 3=4503
Shamu,R.E.,Ohlsen,G.G. and Young,P.G. The He^5 states at high excitation energies, 3=15099
Shamu,R.E. See Ohlsen,G.G., 3=22413
Shanabarger,M.R. See Wigen,P.E., 3=15839
Shand,J.A. See Lokken,J.E., 3=13684
Shanditsev,V.A. See Kravtsov,N.V., 3=25559
Shanefield,D. See Lighty,P.E., 3=23415
Shang Er-Chang, "Anti-waveguide" propagation in a nonuniform layer, 3=18700
Shankar Rao,V.U. See Dharmatti,S.S., 3=5051
Shankland,R.S. Conversations with Albert Einstein, 3=3699
Shankland,R.S. Acoustics of the New York Philharmonic Hall, 3=14294
Shanks,H.R., Maycock,P.D., Sidles,P.H. and Danielson,G.C. Thermal conductivity of silicon from 300 to 1400°K, 3=15449
Shannon,R.R. and Newman,A.H. An instrument for measurement of the optical transfer function, 3=11889
Shantarovich,V.P. See Gol'danskii,V.I., 3=24707
Shapar',A.V. Srr Stavisskii,Yu.Ya., 3=24550
Shapet'ko,N.N. See Shigorin,D.N., 3=15383
Shapira,A. See d'Andlau,C., 3=17328
Shapira,Y. See Mavroides,J.G., 3=8402
Shapiro,A.H. Bath-tub vortex, 3=9430
Shapiro,A.M. See Chrétien,M., 3=24787
Shapiro,A.R. and Watson,W.K.R. An electrodynamic Foucault pendulum, 3=14742
Shapiro,A.R. and Watson,W.K.R. Three-dimensional containment of charged particles by orthogonal standing waves, 3=19428
Shapiro,B.L. See Tiers,G.V.D., 3=10546
Shapiro,D. See Boella,G., 3=22222
Shapiro,F.L. See Alfimenkov,V.P., 3=6459
Shapiro,F.L. See Alfimenkov,V.P., 3=3460
Shapiro,F.L. See Bergman,A.A., 3=4653
Shapiro,F.L. See Kozinets,O.I., 3=24378
Shapiro,F.L. See Popov,Yu.P., 3=4655
Shapiro,F.L. See Popov,Yu.P., 3=6273
Shapiro,G. See Hutchinson,D.P., 3=15314
Shapiro,G. See Hutchinson,D.P., 3=19663
Shapiro,G. See Hutchinson,D.P., 3=19664
Shapiro,I.,Maron,I. and Kraft,L.Jr. Experimental study of charge drag on orbiting dipoles, 3=18664
Shapiro,I.R. See Cain,J.C., 3=9125
Shapiro,I.S. Amplitude vertex parts of direct nuclear processes, 3=2422
Shapiro,I.S. Vertex parts of the amplitudes for direct nuclear processes, 3=2427
Shapiro,I.S. Dispersion theory of direct nuclear reactions, 3=4609
Shapiro,I.S. Expansion of scattering amplitude in relativistic spherical functions, 3=14921
Shapiro, I.S. The optical model of the nucleus in the light of present-day data, 3=17388
Shapiro,I.S. and Kolybasov,V.M. Mechanism of π^- meson capture by light nuclei, 3=22411
Shapiro,I.S. See Lobov,G.A., 3=14996
Shapiro,J. See McConnell,J., 3=19632
Shapiro,K.A. See Rudnick,I., 3=1886
Shapiro,R. and Ward,F. A neglected cycle in sunspot numbers? 3=9204
Shapiro,S. Josephson currents in superconducting tunneling; the effect of microwaves and other observations, 3=21660
Shapiro,S. See McNiff,E.J.,Jr., 3=20677
Shapiro,V.D. Diffusion in an inhomogeneous rarefied plasma due to the excitation of ion-acoustic oscillations, 3=21842
Shapiro,V.D. Nonlinear theory of the interaction of a monoenergetic beams with a plasma, 3=21845
Shapiro,V.D. and Shevchenko,V.I. The nonlinear theory of interaction between charged particle beams and a plasma in a magnetic field, 3=5687
Shapiro,V.G. See Alekseevskii,N.E., 3=2700
Shapiro,V.G. See Fam Zui Khien, 3=6145
Shapiro,Yu.A. Electrostatic fields of an immersion electron lens consisting of two semi-infinite cylinders, 3=21876
Shapkin,V.V. See Afonin,I.P., 3=19283
Shapkin,V.V. See Levin,G.L., 3=24361

Shapochkin,V.A. and Pirogova,L.B. Determination of shear stress under pressure on annular specimens, 3=6784
Shapochkin,V.A. and Pirogova,L.B. Influence of temperature on shear under pressure, 3=13375
Shapov,A.I. See Vasil'ev,I.G., 3=21550
Shapoval,E.A. The upper critical field of superconducting alloys, 3=329
Shapoval,V.I. See Delimarskii,Yu.K., 3=16173
Sharan,B. and Tiwari,L.M. Phonon frequency distribution of alpha-iron, 3=22641
Sharbaugh,A.H. See Huggins,C.M., 3=8557
Sharda,B.L. and Rajagopal Rao,P. A note on dispersion through prisms and prism combinations, 3=242
Sharda,B.L. and Rajagopala Rao,P. Variation of dispersion with wavelength including the effect of the angle of the prism, 3=21520
Shardanov,A.Kh. and Shevchenko,V.G. Investigation of the $Li^7(\gamma,p)He^8$ reaction, 3=6229
Sharendo,L.G. and Smirnov,L.S. A recombination level in n-type germanium irradiated with electrons, 3=15570
Sharifov,K.A. See Gadzhiev,S.N., 3=25825
Sharkhatunyan,R.O. See Alikhayan,A.I., 3=4519
Sharkhatunyan,R.O. See Alikhanyan,A.I., 3=6114
Sharkhatunian,R.O. See Alikhanian,A.I., 3=17150
Sharkhatunyan,R.O. See Alikhanyan,A.I., 3=24824
Sharma,A.P. and Gill,P.S. A method for the determination of charge of relativistic particles in nuclear emulsions, 3=14841
Sharma,A. See Ghosh,S.N., 3=11344
Sharma,B.D. Interatomic distances in uranium carbides, 3=20843
Sharma,B.D.,Bharadwaj,R.C. and Tangri,K. X-ray line shifts in deformed uranium, 3=8766
Sharma,B.D. and Donohue,J. The crystal and molecular structure of sulfur nitride, S_4N_4, 3=25712
Sharma,C.S. See Coulson,C.A., 3=8238
Sharma,D. See Joshi,M.M., 3=12832
Sharma,D. See Maheshwari,R.C., 3=12819
Sharma,J. See Royce,B.S.H., 3=22730
Sharma,L.P. See Mitra,S.S., 3=9437
Sharma, M.N. and Gupta, S.S. Measurement of dielectric properties of metal sulphides, 3=17932
Sharma,R.C. See Steenberg,N.R., 3=12616
Sharma, R.D. Spin-spin interaction in methylene, 3=17602
Sharma, R.P. and Devare, H.G. Decay of Cd^{115m}, 3=17438
Sharma,R.P. See Thosar,B.V., 3=10299
Sharma, S.K. Observations on oriented crystal growth in aluminium films on two alkali halide substrates, 3=18254
Sharma,S.K. Transformation of structure in silver-tellurium alloy films, 3=18384
Sharma,S.K. See Srivastava,A.C., 3=478
Sharma,V.P. See Nanda,R.S., 3=3912
Sharma,V.P. See Nanda,R.S., 3=14397
Sharonov,V.V. The nature of the surface and atmosphere of the planet mars according to photometric and
Sharov,Yu.B. See Kotenko,L.P., 3=6051
Sharp,D. See Cheng,H., 3=19569
Sharp,D.H. and Wagner,W.G. Asymptotic behavior of nucleon—nucleon scattering, 3=24713
Sharp,D.H. See Wagner,W.G., 3=4446
Sharp,J.H. See Pitts,J.N., Jr, 3=25833
Sharp, T.E. See Rapp, D., 3=17620
Sharpe,R.S. and Aveyard,S. The visualization of an ultrasonic extinction network in coarse grained uranium, 3=13496
Sharpey-Schafer,J.F. See Andrews,P.T., 3=4665
Sharpless,N.E. and Gregory,D.A. Physical state influence on the intensity of infrared absorption bands, 3=14346
Sharpless,R.L. See Gatz,C.R., 3=25820
Sharpless,R.L. See Young,R.A., 3=3508
Sharpless,R.L. See Young,R.A., 3=8264
Sharpless,R.L. See Young,R.A., 3=9103
Sharpless,R.L. See Young,R.A., 3=25819
Sharshanov,A.A. Stability of charged-particle motion in a Stellarator, 3=2065
Shashi Goel. See Kapur,J.N., 3=14097
Shashkov,A.S. See Krylova,I.V., 3=956
Shashkov,O.D. and Buinov,N.N. Investigation of the zone stage of decomposition in aluminium-zinc and aluminium-zinc-magnesium alloys using the method of anomalous X-ray scattering, 3=20865
Shaskol'skaya,M.P. and Dobrzhanskii,G.F. The connection between the distribution of dislocations around an indentation and the strength of the crystal, 3=12970
Shaskol'skaya,M.P.,Van-Yan'-Ven' [Wang Yen-wen] and Gu Shu-chshao [Ku Shu-chao]. Generation of dislocations in the propagation and coalescence of cracks in ionic crystals, 3=13383
Shastry,S. See Bhattacharyya,R., 3=10293
Shatford,P.A. See Cockroft,H.S., 3=21801
Shatilov,A.V. Anomalous scattering as a case of scattering by a system of particles, 3=9624
Shatilov,A.V. and Tyutikova,L.P. Example of the calculation of an interference filter using the method of successive synthesis, 3=21558
Shatinskii,V.M. See Baranov,S.A., 3=2421
Shatinsky,V.M. See Baranov,S.A., 3=15162
Shaub,Yu.B. Influence of the specific resistance of the surrounding medium on the form of anomaly curves obtained in aerial electrical prospecting, 3=3425
Shavitt,I. See Karplus,M., 3=12847
Shavlo,S.T. and Kosovtsova,N.A. X-ray diffraction and mechanical investigation of the variable structure in the alloy AgCd (50 at.%), 3=3328
Shavlovskii,I.V. See Bibinova,B.P., 3=9271
Shavlovsky,I.V. See Bibinova,V.P., 3=21127
Shavrin,P.I. See Savenko,I.A., 3=7961
Shavrin,P.I. See Savenko,I.A., 3=22250
Shavrin,P.I. See Savenko,I.A., 3=23637
Shavrin,P.I. See Savenko,I.A., 3=23638
Shavrin,P.I. See Vernov,S.N., 3=9108
Shavrin,P.I. See Vernov,S.I., 3=9109
Shavrin,P.I. See Vernov,S.N., 3=23636
Shavrov,V.G. Problem of electrical conductivity anomalies in metallic ferromagnetic materials, 3=10716
Shavrov,V.G. See Irkhin,Yu.P., 3=6562
Shavrov,V.G. See Turov,E.A., 3=15529
Shavtvalov,L.Ya. See Baskova,K.A., 3=6192
Shavtvalov, L.Ya. See Baskova, K.A., 3=2407
Shavtvalov,L.Ya. See Vasil'ev,S.S., 3=8032
Shaw,A.B. See Edels,H., 3=4080
Shaw,B.W. See Zmuda,A.J., 3=12329
Shaw,C.C. See Kapany,N.S., 3=17060
Shaw,D. and McKell,H.D. Tantalum doping and high resistivity in aluminium antimonide, 3=13068
Shaw,D.F. See Davison,M., 3=12516
Shaw,D.F. See Davison,M., 3=22129
Shaw,E.A.G. and Thiessen,G.J. Acoustics of circumaural earphones, 3=226
Shaw,G. and Lavik,M.T. Techniques for replicating surfaces composed of loosely-bound particles, 3=18423
Shaw,G.L. and Wong,D.Y. Modification of the one-pion-exchange model for $\pi^- + p \rightarrow \pi^- + \pi^+ + n$, 3=7893
Shaw,G.L. See Nosanow,L.H., 3=320
Shaw,H.C. See Cohen,D., 3=14947
Shaw,H.J. and Elliott,B.J. Generation of microwave radiation with ferrimagnetic samples subjected to pulsed magnetic fields, 3=24463
Shaw,J.H. Empirical methods for computing the integrated absorptances of infrared bands of atmospheric gases at nonuniform pressures, 3=18551
Shaw,J.H. See Abels,L.L., 3=14217
Shaw,J.H. See Bowman,R.L., 3=13664
Shaw,J.H. See McCaa,D.J., 3=18549
Shaw,R. The equivalent quantum efficiency of the photographic process, 3=21578
Shcheglov,P.V. See Mulyarchik,T.M., 3=13796
Shcheglova,N.A. See Shigorin,D.N., 3=25086
Shchegolev,D.E. See Markov,A.V., 3=23672
Shchegolyev, I. F. See Karimov, Yu.S., 3=5052
Shchekochikhina,V.V. See Brandt,N.B., 3=3083
Shchelkotunov,V.A. See Fomenko,L.A., 3=25214
Shchemelev,V.N. and Rumsh,M.A. X-ray photoeffect in dielectric cathodes, 3=19311
Shchemelev,V.N. and Rumsh,M.A. Investigation of the elementary act of X-ray photoeffect using analysis of the pulse-amplitude distribution at the output of a photomultiplier, 3=19309

Shchemelev,V.N.,Rumsh,M.A. and Denisov,E.P. Determination of the thickness and efficiency of the region of emission of true secondary electrons on the basis of an investigation of the energy spectrum of X-ray photoemission, 3=19323
Shchemelev,V.N. See Rumsh,M.A., 3=3902
Shchemelev,V.N. See Rumsh,M.A., 3=5802
Shchemelev,V.N. See Rumsh,M.A., 3=6663
Shchemelev,V.N. See Rumsh,M.A., 3=14630
Shchemelev,V.N. See Rumsh,M.A., 3=14633
Shchemelev,V.N. See Rumsh,M.A., 3=19310
Shchepkin,D.N. See Borgest,V.A., 3=16776
Shcherbakov,G.P. and Sokol'skaya,I.L. Experimental investigation of the energy distribution of field-emitted electrons from CdS single crystals, 3=21852
Shcherbakov,G.P. See Novikov,B.V., 3=16972
Shcherbakov,Yu.A. See Zaimidoroga,O.A., 3=7883
Shcherbakov,Yu.A. See Zaimidoroga,O.A., 3=4417
Shcherbakov,Yu.A. See Zaimidoroga,O.A., 3=24770
Shcherbakova, G.A. See Vasil'ev, Ya.V., 3=18077
Shcherbakova,M.H. See Alekseeva,K.I., 3=2334
Shcherbakova,M.N. See Alekseeva,K.I., 3=6001
Shcherbakova,M.N. See Alekseeva,K.I., 3=22228
Shcherbakova,M.N. See Zhdanov,J.B., 3=7826
Sh'cherbedinskii,G.V. See Borisov,V.T., 3=22801
Shcherbinin,V.E. See Zatsepin,N.N., 3=19401
Shchipakin,O.L. See Feinberg,S.M., 3=10421
Shchukin,E.D.,Kochanova,L.A. and Pertsov,A.V. The temperature transition from brittleness to plasticity under conditions of strength-reducing absorption effect, 3=23316
Shchukin, E.D. and Smirnova, N.V. The initial plastic deformation of metal crystals, 3=18181
Shchukin,E.D. See Goryunov,Yu.V., 3=5427
Shchuko,O.B. See Krotikov,V.D., 3=16331
Shea,R.F. A transistorized reactivity computer, 3=4685
Shear,D.D. See Bennett,F.D., 3=18900
Sheard,F.W. Magnetoplasma oscillations under anomalous skin effect conditions, 3=8411
Shearer,L.D.,Colegrove,F.D. and Walters,G.K. Large He^3 nuclear polarisation, 3=12523
Shearin,P.E. See Albergotti,J.C., 3=19782
Shearman,E.D.R. The amplitude and spectrum of ground backscatter echoes, 3=13718
Shebanov,V.A. See Barmin,V.V., 3=15007
Shebanov,V.A. See Barmin,V.V., 3=24792
Shebanov,V.A. See Shalamov,Ya.Ya., 3=4461
Shedlovsky,T. and Montroll,E.[Eds.]. Conference on Irreversible Thermodynamics and the Statistical Mechanics of Phase Transitions, 3=9356
Sheen,E.M. Alpha monitor with solid-state detector, 3=4479
Sheffield,J. See Bishop,A.E., 3=349
Sheffield,J.C. See White,F.A., 3=14683
Shefov,N.N. Helium in the upper atmosphere, 3=13789
Shefov,N.N. See Krassovsky,V.I., 3=9098
Shehata,S. See Inopin,E.V., 3=2424
Sheiman,B.A. and Kasper,B.I. Motion of material in a vertical gas flow, 3=23920
Sheindlin,A.E. See Chekhovskoi,V.Ya., 3=24093
Sheĭnin,A.B. See Varshavskiĭ,Yu.S., 3=18738
Sheinin,S.S. Some factors influencing dislocation loop size in neutron–irradiated metals, 3=2802
Sheinin,S.S. See Kerridge,J.F., 3=2787
Sheinkman,M.K. A possible new recombination mechanism semiconductors, 3=22917
Sheinkman,M.K. See Kynev,St., 3=15566
Sheinkman, M.K. See Sal'kov, E.A., 3=17956
Sheinkman,M.K. See Trofimenko,A.P., 3=6592
Shekhar,K.C. Particular solution of Einstein's field equations, 3=16517
Shekhter,V.M. Experimental verification of unitary symmetry of strong interactions, 3=7788
Shekhter,V.M. Isotopic structure of weak interactions and processes during the absorption of neutrinos or antineutrinos by nucleons, 3=4377
Shekhter,V.M. See Ansel'm,A.A., 3=2685
Shekhter,V.M. See Azimov,Ya.I., 3=22092
Shekhter,V.M. See Azimov,Ya.I., 3=24653
Shekhter,V.M. See Bukhvostov,A.P., 3=2231
Shekhter,V.M. See Gribov,V.N., 3=4376
Shekhmanet'ev,R.I. See Gross,E.F., 3=6669
Shekhobalova,V.I. See Vvedenskii,L.E., 3=25846
Shekun, L.Ya. See Arkhangel'skaya, E.D., 3=18130
Shekun,L.Ya. See Vinokurov,V.M., 3=15943
Shekun,L.Ya. See Vinokurov,V.M., 3=20855
Sheldon,J.W. Mobilities of the alkali metal ions in their own vapor, 3=14526
Sheldon,R.P. See Fort,R.J., 3=13979
Sheleg,A.U. See Sirota,N.N., 3=16069
Shelepin,L.A. The Racah method in the theory of relativistic equations, 3=3725
Sheline,R.K.,Shelton,W.N. and Kenefick,R.A. Collective systematics in even nuclei by nuclear reaction spectroscopy, 3=22285
Sheline,R.K. See Marshalek,E., 3=15073
Sheline,R.K. See Struble,G.L., 3=10268
Sheloput,D.V. See Gorbunov,M.A., 3=21355
Shelton,N. See Struble G.L., 3=10268
Shelton,W.N. See Sheline,R.K., 3=22285
Shelton,W.T. Energy dissipation by electrons vertically incident on the earth's atmosphere, 3=23594
Shelupsky,D. Lagrange's three particles, 3=7097
Shelȳkh,A.I. Determination of the sign, concentration, and mobility of current carriers in semiconductors, 3=15559
Shelȳkh,A.I. See Zhuze,V.P., 3=20338
Shen,C.S. An analytic solution for density distribution in a planetary exosphere, 3=16239
Shen Hong-Chin and Chou Hsiao-Tsien. Preliminary investigation on the rotational energy levels of Mg^{24}, 3=17404
Shen,W.C. See Suomi,V.E., 3=9025
Shenderovich,A.M. See Grishaev,I.A., 3=14812
Shenderovich,A.M. See Grishaev,I.A., 3=14813
Shenoy,G.K. See Bhide,V.G., 3=15798
Shenstone,A.G. Third spectrum of palladium (Pd III), 3=12765
Shenyavskaya, E.A. See Gurvich, L.V., 3=17583
Shepard,M.L. See Ferris,R.W., 3=11134
Shepeleva,I.M.and Irkhin,Yu.P. K-absorption spectra in iron, 3=3030
Shepherd,G.G. and Bens,A.R. Twilight lithium in the upper atmosphere. Fine and hylerfine structure of twilight lithium emission, November 1962, 3=18555
Shepherd,G.G. See Zwick,H.H., 3=9099
Shepherd,J.P.G. See Klemperer,O., 3=5712
Shepherd,J.P.G. See Klemperer,O., 3=6508
Shepherd,W.H. and Turner,J.A. Iron—boron pairing in silicon, 3=13066
Shepley,L.C. and Bestul,A.B. Deuterium isotope effect on glass transformation temperatures of aqueous inorganic solutions, 3=23492
Sheppard,N. See Bernstein,H.J., 3=8294
Sheppard,P.A. Atmospheric tracers and the study of the general circulation of the atmosphere, 3=23587
Sheppard,P.A. See Bignell,K., 3=11409
Sher,A. and Primakoff,H. Approach to equilibrium in quantal systems. II. Time-dependent temperatures and magnetic resonance, 3=11718
Sher,A. See Muller,M.W., 3=15327
Sher,E.S. See Gurevich,A.G., 3=8702
Sher,E.S. See Smolenskii,G.A., 3=3147
Sher,E.S. See Smolenskii,G.A., 3=6723
Sher, E.S. See Smolenskii, G., 3=18107
Shera,E.B. and Casper,K.J. Angular correlation measurements with multichannel analyzers, 3=4372
Shera,E.B. See Stautberg,M.M., 3=15122
Sheremet,N.I. See Shpak,M.T., 3=11003
Sheremet'ev, G.D. See Gobov, G.V., 3=18043
Sheridan,J. See Tyler,J.K., 3=2649
Sheridan,K.V. and Attwood,C.F. The extension of solar radio spectroscopy to the long-wave limit imposed by the ionosphere, 3=1538
Sheriff,N., Gumley,P. and France,J. Heat-transfer characteristics of roughened surfaces, 3=16817
Sherman,A.E. See Coensgen,F.H., 3=12150
Sherman,C.H. Effect of the nearfield on the cavitation limit of transducers, 3=23976
Sherman,C.H. See Cron,B.F., 3=3445
Sherman,N. See Shin-R Lin, 3=22494
Sherman,N.K. Photofission of Mg^{24}, 3=15247
Sherman, N.K. Spurious q-values in C^{12} breakup, 3=17450
Sherman,S. Addendum: Combinatorial aspects of the Ising model for ferromagnetism. I. A conjecture of Feynman on paths and graphs, 3=25514

Shermergor,T.D. and Meshkov,S.I. Defining damping capacity background in torsional vibrations, 3=18171
Sherrill,F.A. See Wittels,M.C., 3=6523
Sherrill,F.A. See Wittels,M.C., 3=20828
Sherrill,F.A. See Wittels,M.C., 3=20946
Sherrill,M.D. See Glover,R.E.,III, 3=15545
Sherrill,W.M. and Castles,M.P. Survey of the polarization of Jovian radiation at decameter wavelengths, 3=25980
Sherry,N.P.R. and Curtis,A.R. An analogue transformation method of obtaining stream-lines in problems having axial symmetry, 3=11661
Sherwell,R.J. See Coupland,M.J., 3=13094
Sherwood,J.E. See Corman,E.G., 3=22291
Sherwood,J.N. See Hood,G.M., 3=11229
Sherwood,P.J. See Sargent,G.A., 3=1237
Sherwood,R.C. See Clogston,A.M., 3=993
Sherwood,R.C., See Geller,S., 3=3129
Sherwood,R.C. See Geller,S., 3=20620
Sherwood,R.C. See Geller,S., 3=23191
Sherwood,R.C. See Geller,S., 3=25546
Sherwood,R.C. See Nesbitt,E.A., 3=15910
Sherwood,R.C. See White,J.A., 3=1125
Sherwood,R.C. See White,J.A., 3=20071
Sherwood,R.C. See Williams,H.J., 3=991
Sherwood,T.K. See Vieth,W.R., 3=14103
Shervinskii,V.E. See Aver'yanov,I.R., 3=23566
Sheshunov,M.V. See Butslov,M.M., 3=17108
Sheshunov,V.M. See Butslov,M.M., 3=17157
Shestapalova,S.A. See Dzhelepov,B.S., 3=12641
Shestopalov,V.P. and Yatsuk,K.P. Methods of measuring dielectric constants of substances at microwave frequencies, 3=14469
Shestopalov,V.P. See Agranovich,Z.S., 3=2124
Shestopalov,V.P. See Yatsuk,K.P., 3=21675
Shestopalova,S.A. Two-fold focussing $2 \times \pi \sqrt{2}$-angle beta-spectrometer, 3=2246
Shestopalova,S.A. Beta-spectrometer with two-fold $\pi \sqrt{2}$ focusing, 3=7832
Shestoperov,V.Ya. See Babayan,Kh.P., 3=19595
Shestoperov,V.Ya. See Babayan,Kh.P., 3=22237
Shestoperov,V.Ya. See Babetski,S.Yu., 3=4487
Shestoperov,V.Ya. See Tret'yakov,Ch.A., 3=6120
Shestopierov,V.J. See Grigorov,N.L., 3=10197
Shevchenko,A.K. See Zverev,G.M., 3=15953
Shevchenko,O.P. See Teplov,I.B., 3=6245
Shevchenko, V.G. and Yur'ev, B.A. Photoprotons from Pr^{141}, 3=2432
Shevchenko,V.G.and Yur'ev,B.A. Investigation of the angular and energy distributions of photoprotons from heavy nuclei, 3=2433
Shevchenko,V.G. and Yur'ev,B.A. Photoprotons from Rh, Pt and Pb, 3=6219
Shevchenko,V.G. and Yur'ev,B.A. Photodisintegration of Li^7 by bremsstrahlung of up to 9.5 MeV, 3=8070
Shevchenko,V.G. and Yur'ev,B.A. Excited states of Li^7 with energies up to 9 MeV, 3=10249
Shevchenko,V.G.,Yur'ev,B.A. and Levkin,A.P. Excitation function for the (γ,p) reaction on tungsten, 3=24923
Shevchenko,V.G. See Balashov,V.V., 3=4619
Shevchenko,V.G. See Shardanov,A.Kh., 3=6229
Shevchenko,V.G. See Sorokin,Yu.I., 3=15176
Shevchenko,V.I. See Shapiro,V.D., 3=5687
Shewmon,P.G. Surface diffusion from a point source, 3=10684
Shewmon,P.G. See Love,G., 3=22820
Shí,C. and Marx,G. Pion decay and the anomalous interaction of muons, 3=17304
Shi Ning-yi. Effect of high pressure on the electric properties of InSb and InAs, 3=17886
Shibahara,R. and Yoshida,J. Extensions of the Birkhoff–Merman method for solution of the three-body problem, 3=18768
Shibata,H. See Higashi,S., 3=4499
Shibata,H. See Higashi,S., 3=4530
Shibata,N.,Kubo,I. and Iwanaga,H. Simple method of obtaining replicas of selected areas in electron microscopic studies, 3=25801
Shibata,S. See Hasegawa,H., 3=4496
Shibata,Y. See Hozumi,H., 3=2130
Shibata,Y. See Kamiryo,K., 3=2131

Shibayama,K. Measurement of small values of electromechanical coupling coefficient in piezoelectric transducers, 3=5494
Shibukawa,T.,Gupta,V.D.,Turner,R.,Dillon,J.H. and Tobolsky,A.V. Temperature dependence of modulus, density, and crystallinity of linear polyethylenes, 3=13326
Shibuya,I. and Hoshino,S. Re-examination of the thermal expansion of the ferroelectric triglycine sulfate, 3=6481
Shibuya,M. See Yamanouchi,C. 3=10775
Shibuya,T. See Kikuchi,M., 3=2936
Shibuya,Y. See Ogushi,T., 3=21451
Shida,S. See Arai,S., 3=4778
Shida,S. See Arai,S., 3=8970
Shida,T. See Shinohara,K., 3=6922
Shida,T. See Shinohara,K., 3=16181
Shidei,T. See Higashimura,T., 3=4293
Shields,B.D.C. See Pool,R.A.H., 3=132
Shields,F.D. and Kun Pal Lee. Sound absorption and velocity measurements in oxygen, 3=9506
Shields,P.K. See Duncumb,P., 3=25855
Shiffrin,R.M. See Watson,W.W., 3=11823
Shifrin,K.S. See Imyanitov,I.M., 3=25889
Shifrin,Ya.S. Correlation characteristics of the diffraction image formed by a focussing system, 3=16495
Shigematsu,T. See Iwata,S., 3=22341
Shigematsu,T. See Yoshizawa,Y., 3=19822
Shigenari,T.,Kobayashi,S. and Takuma,H. (6.3) rotational spectrum of H_2CO by a radiofrequency beam-type maser, 3=25122
Shigetomi,S. See Mori,S., 3=13073
Shigorin,D.N., Shapet'ko,N.N., Skoldinov,A.P. and Ryabchikova,T.S. The nature of hydrogen bond in systems containing π-electrons and its effect on proton magnetic resonance, 3=15383
Shigorin,D.N.,Shcheglova,N.A.,Piskunov,A.K.,Ozerova,G.A. and Dokunikhin,N.S. H-bonds in excited electronic states of molecules with π-electrons, 3=25086
Shigorin,D.N., Volkova,N.V., Piskunov,A.K. and Gurevich,A.I. Study of molecular triplet states by luminescence and E.P.R., 3=962
Shih Hsueh-dan. The ambiguity in assigning the phase shift of the nucleon—deuteron scattering, 3=24736
Shikazono,N. Recoil-free resonant absorption of 35.3 keV gamma rays of Te^{125} and hyperfine structure of absorption spectrum, 3=25169
Shikazono,N. See Komura,S., 3=15412
Shikazono,N. See Shinjo,T., 3=23180
Shikazono,N. See Yamadaya,T., 3=11205
Shiklosh,T. See Veresh,T., 3=24829
Shilal'nikas,V.I. See Pozhela,Yu.K, 3=2017
Shilal'nikas,V.I. See Pozhela,Yu.K., 3=24331
Shilalnikas,V.J. See Pozhela,J.K., 3=10791
Shilina,A.I. See Spivak,G.V., 3=2034
Shilkov,K.S. See Korobochko,Yu.S., 3=14698
Shilman,A. and Marcus,R.A. Photochemical studies in flash photolysis. III. Photolysis of acetone in different wavelength regions, 3=25835
Shilo,V.P. See Kolomiec,B.T., 3=10802
Shilyaev,B.A. See Golovnya,V.Ya., 3=24930
Shima,M. Boron in meteorites, 3=13876
Shimada,J. See Terada,J., 3=529
Shimadzu,S. See Hashimoto,H., 3=1285
Shimadzu,S. See Kobayashi,K., 3=11334
Shimamoto,S., Imazu,S. and Nakano,Y. Experimental study of the helical instability in the positive column in a magnetic field, 3=16915
Shimamoto,Y. See Nagao,F., 3=16571
Shimanovich,V.D. See Grechikhin,L.I., 3=9809
Shimanskaya,E.T. See Shimanskii,Yu.I., 3=21323
Shimanskii,Yu.I. and Shimanskaya,E.T. Study of the density of benzene in the neighbourhood of the critical point, 3=21323
Shimaoka,G. Electron diffraction specimen holder for the study of gas-metal reaction at elevated temperatures, 3=1384
Shimashek,E. A cryostat for intermediate temperatures, 3=12014
Shimazaki,H. See Kimoto,S., 3=23531
Shimazaki,T. A statistical study of occurrence probability of spread F at high latitudes, 3=9086
Shimazaki,T. On the world-wide component of variations in the E-layer ionization, 3=18537

Shimazu,H. and Yokoyama,K. A theory of elementary particles with internal degrees of freedom, 3=10029
Shimazu,M. and Hashimoto,A. Relation between the shape of analytical curves and spectral line profiles in atomic absorption analyses, 3=18465
Shimizu,E. See Yajima,T., 3=19482
Shimizu,F. See Shimoda,K., 3=1841
Shimizu,F. See Yajima,T., 3=11960
Shimizu,H., Fujiwara,S. and Morino,Y. Comment on "molecular structure of diphenylethers", 3=2645
Shimizu,K. See Shoda,K., 3=4614
Shimizu,M. Two centre Coulomb potential approximation, 3=22610
Shimizu,M.,Ishiguro,E. and Sakamoto,M. Note on the exchange polarization and in—out effect, 3=8175
Shimizu,M.,Takahashi,T. and Katsuki,A. Calculations of electronic specific heat and paramagnetic susceptibility of chromium, 3=8363
Shimizu,M.,Takahashi,T. and Katsuki,A. Magnetic susceptibility and electronic specific heat of transition metals and alloys. II. Pd metal and Pd—Ag and Pd—Rh alloys, 3=13328
Shimizu,M.,Takahashi,T. and Katsuki,A. Magnetic susceptibility and electronic specific heat of transition metals and alloys. III. Ni metal and Ni—Cu alloys, 3=23143
Shimizu,M.,Takahashi,T. and Katsuki,A. Magnetic susceptibility and electronic specific heat of transition metals and alloys. IV. V and Ti metals and V-Cr and V-Ti alloys, 3=25509
Shimizu,M. See Gabrysh,A.F., 3=11362
Shimizu Mikio. Vertical distribution of neutral gases on Venus, 3=21097
Shimizu,S. See Kachi,S., 3=11204
Shimizu,S. See Mukoyama,T., 3=15148
Shimizu,T.,Imagawa,F. and Takayanagi,K. Observational results of the three-color photometry with a discussion on the relative locations of giants and supergiants to the main sequence in the color diagram, 3=9225
Shimmins,A.J. See Hazard,C., 3=13937
Shimoda,K. Threshold conditions of masers for higher frequencies, 3=7731
Shimoda,K. Ammonia masers, 3=12345
Shimoda,K. Interpretation of rings in the far-field pattern of optical masers, 3=24513
Shimoda,K. and Kohno,N. Ammonia maser on the 3, 2 line as a frequency standard. I., 3=519
Shimoda,K., Yajima,T. and Shimizu,F. High-speed photography using a ruby optical maser, 3=1841
Shimoda,K. See Yajima,T., 3=11960
Shimoda,K. See Yajima,T., 3=19482
Shimodaira,T. See Takasaki,H., 3=16808
Shimogo,T. Nonlinear vibrations of systems under random loading, 3=16674
Shimogo,T. Unsymmetrical nonlinear vibration systems under random loading, 3=16675
Shimoida,H. and Yoneyama,T. Statistical analysis of high-energy jet phenomena, 3=4542
Shimoida,H. See Hosoda,M., 3=19580
Shimomura,K. See Brown,R.J.C., 3=7220
Shimomura,Y. See Yoshida,S., 3=2804
Shimomura,Y. See Yoshida,S., 3=10667
Shimomura,Y. See Yoshida,S., 3=22891
Shimony,A. Stochastic process of Keilson and Storer, 3=14042
Shimony,A. Role of the observer in quantum theory, 3=23761
Shimony,A. See Lebowitz,J.L., 3=1625
Shimpuku,T. On the symmetry relations of the 3-j symbols, 3=7798
Shin, E.E.H. Quantization of elementary particle masses, 3=17172
Shine,H.J., Dais,C.F. and Small,R.J. Ion radicals. II. The e.s.r. spectra of 2,7-dimethyl- and 2,7-dichlorothianthrene in concentrated sulfuric acid, 3=20013
Shingu,P.H. See Takamura,J., 3=22720
Shinji,K.,Kobayakawa,M.,Niwa,H.,Tanemura,S. and Hara,K. Ion—electron change-over type electrostatic particle accelerator. II. Electron optical analysis of electron gun, 3=7644
Shinjo,T.,Nakamura,Y. and Shikazono,N. Magnetic study of Fe Si and Fe Si by Mössbauer effect, 3=23180
Shinoda,G.,Suzuki,T. and Umeno,M. Light source system for ruby laser, 3=9589
Shinoda,G. See Suzuki,T., 3=18980
Shinoda,T. See Chihara,H., 3=745
Shinohara,K.,Shida,T. and Saito,N. Photolysis of aqueous azide solutions, 3=6922
Shinohara,K., Shida,T. and Saito,N. Radiation decomposition of aqueous azide solution containing mercuric salts, 3=16181
Shin-R Lin,Sherman,N. and Percus,J.K. Elastic scattering of relativistic electrons by screened atomic nuclei, 3=22494
Shiomi,N. and Higashimura,T. Calculation of the secondary electron spectrum at the boundary layer, 3=24345
Shiomi,N. See Muto,J., 3=24936
Shionoya,S.,Koda,T.,Era,K. and Fujiwara,H. Associated defects showing luminescences in zinc sulfide, 3=22705
Shionoya,S. See Koda,T., 3=20531
Shiozaki,Y. and Mitsui,T. Powder neutron diffraction study of $LiNbO_3$, 3=23454
Shiozawa,L.R. See Berlincourt,D., 3=8556
Shipley,E.D. See Alexeff,I., 3=9802
Shipley,E.D. See Alexeff,I., 3=12176
Shipley,E.D. See Alexeff,I., 3=16937
Shipley,E.N. See Ammar,R.G., 3=7974
Shipley,E.N., See Ammar,R.G., 3=10229
Shipnel', V.S. See Sorokin, A.A., 3=17436
Shirai,S. and Fukuda,Y. Structure of thin layers of some F.C.C. metals deposited on oriented Ag, Pd and Ni films, 3=1371
Shirai,S. and Onoguchi,A. Electron probe X-ray microanalyser with 90 degree take off angle, 3=4237
Shiraishi,N. and DiMaggio,F.L. Perturbation solution for the axisymmetric vibrations of prolate-spheroidal shells, 3=1744
Shiraishi,T. See Yamanaka,T., 3=18273
Shirane,G., Chen,C.W., Flinn,P.A. and Nathans,R. Hyperfine fields and magnetic moments in the Fe—Rh system, 3=15733
Shirane,G., Cox,D.E., Takei,W.J. and Ruby,S.L. A study of the magnetic properties of the $FeTiO_3-\alpha Fe_2O_3$ system by neutron diffraction and the Mössbauer effect, 3=3133
Shirane,G. and Ruby,S.L. Mössbauer study of $FeTiO_3$ and its solid solutions with αFe_2O_3, 3=997
Shirane,G. and Takei,W.J. Neutron diffraction study of chromium single crystals, 3=1109
Shirane, G, Chen, C.W, Flinn, P.A. and Nathans, R. Mössbauer study of hyperfine fields and isomer shifts in the Fe—Rh alloys, 3=17632
Shirane,G. See Cox,D.E., 3=13267
Shirane,G. See Cox,D.E., 3=15911
Shirane,G. See Takei,W.J., 3=8698
Shiren,N.S. Measurement of signal velocity in a region of resonant absorption by ultrasonic paramagnetic resonance, 3=6759
Shiren,N.S. Nonlinear acoustic interaction in MgO at 9 Gc/s, 3=20096
Shiren,N.S. Comparison of ultrasonic spin resonance measurements with paramagnetic relaxation theory, 3=23240
Shirgaokar,A.J. and Maeda,H. Local time dependence of the magnitude of geomagnetic-storm sudden commencements, 3=21074
Shirke,J.S. F-scatter and cosmic radio noise on 25 Mc/s at Ahmedabad, 3=5861
Shirke,J.S. and Alurkar,S.K. Solar flare (S.I.D.) effects on the propagation of 164 kc/s radio-waves from Tashkent to Ahmedabad, 3=13735
Shirkov,D.V. On the structure of the vacuum trajectory, 3=7762
Shirkov,D.V. Invariant charge and Regge aysmptotic behaviour, 3=14892
Shirkov,D.V. See Efremov,A.V., 3=6052
Shirkov,D.V. See Serebryakov,V.V., 3=6056
Shirkov,D.V. See Serebryakov,V.V., 3=22171
Shirley, D.A. See Barrett, P.H., 3=17631
Shirley,D.A. See Barrett,P.H., 3=25220
Shirley,D.A. See Grant,R.W., 3=12906
Shirley,D.A. See Haag,J.N., 3=7969
Shirley,D.A. See Judd,B.R., 3=3173
Shirley,D.A. See Levy,R.M., 3=4574
Shirley,D.A. See Levy,R.M., 3=15115
Shirley,D.A. See Navarro,Q.O., 3=4608
Shirley,J.H. Some causes of resonant frequency shifts in atomic beam machines. I. shifts due to other frequencies of excitation, 3=10478
Shirley,J.H. Some causes of resonant frequency shifts in atomic beam machines. II. The effect of slow frequency modulation on the Ramsey line shape, 3=10479

Shirley, J.H. Stark energy levels of symmetric-top molecules, 3=17564
Shirokov, A.V. See Emel'yanova, E.N., 3=25569
Shirokov, M.F. and Fisher, I.Z. Isotropic space with discrete gravitational-field sources. On the theory of a nonhomogeneous isotropic universe, 3=23662
Shirokov, M.I. Relativistic general theory of reactions of the $a+b \rightarrow c+d+e+\ldots$ type, 3=4337
Shirokov, M.I. Estimates of the effective particle interaction radius, 3=5974
Shirokov, M.I. On the Newton—Wigner coordinate for a scalar particle, 3=7755
Shirokov, M.I. Test of PC and PCT invariance in decay processes, 3=24606
Shirokov, V.I. See Sveshnikov, B.Ya., 3=16632
Shirokov, Yu.M. Microvariance and microcausality in quantum theory, 3=21234
Shirokov, Yu.M. See Cheshkov, A.A., 3=5963
Shirokov, Yu.M. See Zelenskaya, N.S., 3=4556
Shirokovskii, V.P. See Volkenshtein, N.V., 3=841
Shiryaev, B.M. Dispersion of the kinetic energy of fission fragments from heavy nuclei, 3=15245
Shiryaev, B.M. See Blinov, M.V., 3=15242
Shishatskaya, L.P. See Levikov, S.I., 3=24232
Shishkin, N.I. and Milagin, M.F. Birefringence and stretching of polymethyl methacrylate, 3=17982
Shishkin, N.I. See Milagin, M.F., 3=18207
Shishkin, N.I. See Milagin, M.F., 3=23045
Shishkin, Yu.P. See Moizhes, B.Ya., 3=2985
Shishlovskii, A.A. See Belyi, M.U., 3=10990
Shishlovskii, A.A. See Sevchenko, A.N., 3=9312
Shishov, Yu.A. See Belonogov, A.V., 3=17127
Shishova, L.N. See Belogurov, Yu.P., 3=24001
Shishova, L.N. See Tsirlin, Yu.A., 3=2162
Shitikova, K.V. Giant resonance in photodisintegration of the Zr^{90} nucleus, 3=6228
Shivrin, O.N. See Kuznetsov, A.V., 3=20210
Shizume, T. See Ono, S., 3=9497
Shkarofsky, I.P. Longitudinal waves in an inhomogeneous magnetic field—plasma interface based on the W.K.B. approximation, 3=14578
Shkarofsky, I.P., Bernstein, I.B. and Robinson, B.B. Condensed presentation of transport coefficients in a fully ionized plasma, 3=7508
Shkilev, A.B. See Stekol'nikov, I.S., 3=21738
Shkirov, V.S. See Larikov, L.N., 3=23484
Shklovskii, I.S. The ultraviolet radiation and soft X-rays of the sun, 3=16389
Shklovskii, I.S. The nature of radio galaxies, 3=5278
Shklovskii, I.S. Radio galaxies, 3=18662
Shklyarevskii, I.N. and Miloslavskii, V.K. The magnitude and sign of the phase difference $\Delta=\delta_o-\delta_e$, 3=16785
Shklyarevskii, I.N. and Nosulenko, N.A. Experimental verification of Drude formulae, 3=14358
Shklyarevskii', I.N. and Nosulenko, N.A. Phase relations at the interface between two media, 3=21557
Shklyarevskii, I.N. and Yarovaya, R.G. Elimination of the effect of oxide films on the results of measurements of the optical constants of aluminium, 3=15646
Shklyarevskii, I.N. See Vlasenko, N.A., 3=1828
Shkoda-Ul'yanov, V.A. See Grishaev, I.A., 3=24355
Shlash, A.H.A. See Broadbent, T.E., 3=4050
Shlash, A.H.A. See Broadbent, T.E., 3=24248
Shlepkova, Z.I. See Kaporskii, L.N., 3=25035
Shliomis, M.I. Stability of a rotating liquid heated from below with respect to periodic perturbations, 3=16591
Shlyakhov, N.A. See Golovnya, V.Ya., 3=24930
Shlyapnikov, P.V. See Budagov, Yu.A., 3=17131
Shlyapnikov, R.S. See Barkov, L.M., 3=6080
Shlykov, Y.P., Janin, E.A. and Demkin, N.B. Investigation of contact heat exchange, 3=16821
Shmaevskii, V.E. See Giller, Ya.L., 3=1348
Shmartsev, Yu.V. See Mirzabaev, M., 3=20302
Shmeleva, A.P. See Bolotov, V.N., 3=14496
Shmidt, V.V. Contribution to the theory of the temperature dependence of the fine structure of X-ray absorption spectra, 3=4977
Shmidt, V.V. Shape of the magnetization curve of superconducting alloys near the second critical field, 3=24141
Shmidt, V.V. See Borovskii, I.B., 3=8608
Shmits, O.A. and Zakis, Yu.R. Optical properties of alkali halide crystals doped with O, S, Se and Te, 3=2999
Shmushkevich, I.M. See Bukhvostov, A.P., 3=4731
Shmÿglevskii, Yu.D. Variational problems for supersonic bodies of revolution and nozzles, 3=1717
Shmÿglevskii, Yu.D. See Rÿzhov, O.S., 3=158
Shmygov, A.M. See Filimonova, T.N., 3=19385
Shneerson, G.A. Approximate calculation of the high-frequency inductance of two parallel sheets connected by cylindrical conductors, 3=17032
Shneerson, G.A. A strong pulse magnetic field in a small solid one-coil solenoid, 3=19414
Shneider, A.D. and Gavrishchak, I.V. Investigation of electrical properties of p-type semiconductors in the system HgTe—CdTe, 3=17890
Shneider, A.D. and Zhmurko, I.S. Effect of additives on the photoconductivity of thin layers of CdTe, 3=20407
Shneider, Yu.G. See Bykov, N.S., 3=21498
Shober, F.R. Reactor-radiation effects on structural materials, 3=18209
Shockley, W. Problems related to p—n junctions in silicon, 3=878
Shockley, W. See Haitz, R.H., 3=15599
Shockley, W. See Hubner, K., 3=10794
Shoda, K., Ishizuka, T., Shimizu, K. and Akashi, M. Photoprotons from aluminium, 3=4614
Shoda, K., Sung, B.N., Kawamura, N., Oyamada, M., Abe, K., Ishizuka, T. and Kimura, M. Photoprotons from S^{32}, 3=15172
Shoda, K. See Kimura, M., 3=22376
Shoda, M. and Yokoyama, M. Oscillations in neon gas discharges, 3=12210
Shoda, M.S. Space charge limited current relation in high pressure diodes, 3=19329
Shoda, Z. Numerical and graphical method of the reactor critical mass calculation in case of an anisotropic diffusion coefficient, 3=10415
Shoemaker, C.B. and Shoemaker, D.P. The crystal structure of the δ phase, Mo—Ni, 3=25743
Shoemaker, D.P. See Chandross, R.J., 3=1105
Shoemaker, D.P. See Shoemaker, C.B., 3=25743
Shoenberg, D. The Fermi surfaces of copper, silver and gold. I. The De Haas—Van Alphen effect, 3=2762
Shoenberg, D. and Stiles, P.J. The De Haas—Van Alphen effect in high steady fields, 3=20559
Shogenji, K. and Sato, T. Oscillations of the magnetoresistance in p-type PbTe crystals, 3=15595
Shohet, J.L. Errors and stability of the entry problem equations in laminar magnetohydrodynamic flow, 3=19432
Shohno, K. See Kanai, Y., 3=13106
Shoji, M. See Kusumoto, H. 3=5045
Sholin, G.V. See Kudrin, L.P., 3=12753
Sholokhova, E.D. and Fedorova, E.O. Measurements of scattered radiation from the sky in the region from 1 to $3.5\,\mu$ at heights up to 15-17 km, 3=18510
Sholokhovich, M.L. See Khodakov, A.L., 3=17939
Sholpo, L.E. See Yanovskii, B.M., 3=3117
Shono, Y. On a possible method describing the nuclear rotational motion, 3=15079
Shoolery, J.N. Recent applications of high resolution n.m.r. to the determination of molecular structure, 3=15376
Shor, G.I. See Zaslavskii, Yu.S., 3=23827
Shore, F.J. See Marshak, H., 3=2468
Shore, H.B. Spin-wave theory of planar ferromagnets and antiferromagnets, 3=25515
Shore, S. See Kane, T.R., 3=9386
Shorin, E.L. See Katsnel'son, L.B., 3=24153
Short, A.M. Mesons stopped underground, 3=15061
Shoshin, P.B. See Kulikov, O.F., 3=5797
Shotov, A.P. and Grishechkina, S.P. Temperature dependence of the tunnel current in thin p—n junctions, 3=2931
Shotov, A.P. See Bagaev, V.S., 3=15679
Shotov, A.P. See Vul, B.M., 3=23122
Shott, M. See Kogan, A.V., 3=2417
Shpagin, I.V. See Amonenko, V.M., 3=3297
Shpak, M.T., Solov'ev, A.V. and Sheremet, N.I. Nature of the luminescence spectra of crystalline benzene at low temperatures, 3=11003
Shpak, Z.S. See Kuznetsov, V.G., 3=25734
Shpetnyi, A.I. See Valter, A.K., 3=4673

Shpinel',V.S.,Bryukhanov,V.A. and Delyagin,N.N. Isomer energy shifts of the 23·8 keV γ-transition in the Sn^{119} nucleus, 3=4571
Shpinel',V.S. See Aleksandrov,A.Yu., 3=15415
Shpinel, V.S. See Aleksandrov, A.-Yu., 3=17633
Shpinel',V.S. See Alekseevskii,N.E., 3=2700
Shpinel',V.S. See Bryukhanov,V.A., 3=744
Shpinel',V.S. See Bryukhanov,V.A., 3=2368
Shpinel',V.S. See Bryukhanov,V.A., 3=6141
Shpinel',V.S. See Bryukhanow,V.A., 3=6877
Shpinel',V.S. See Delyagin,N.N., 3=2431
Shpinel,V.S. See Fam Zui Khien, 3=6145
Shpinel',V.S. See Fam Zui Khien, 3=22628
Shpinel',V.S. See Strigachev,A.T., 3=10302
Shpinel',V.S. See Strigachev,A.T., 3=10305
Shpol'skii,É.V. New results on the radiation properties of optical masers (lasers), 3=17093
Shpol'skii,É.V. Problems of the origin and structure of the quasilinear spectra of organic compounds at low temperatures, 3=18012
Shpol'skii,M.R. See Uvarova,V.M., 3=24064
Shpunt,A.A. See Fridman,V.Ya., 3=25640
Shpunt,A.A. See Fridman,V.Ya., 3=25641
Shpunt,A.A. See Strelkov,P.G., 3=15981
Shrader,E.F. See Kim,H.J., 3=8126
Shrader,E.F. See Kim,H.J., 3=24967
Shrader,R.E. See Goldsmith,G.J., 3=25496
Shramenko,B.C. See Grishaev,I.A., 3=24355
Shrauner,E. Chirality conservation and soft-pion production in pion—nucleon collisions, 3=22181
Shrauner,E. See Nambu,Y., 3=595
Shrednik,V.N. See Komar,A.P., 3=3296
Shreider,E.Ya. See Gladushchak,V.I., 3=9587
Shrestha,C.B. See Raghavacharyulu,I.V.V., 3=2683
Shrier,A., Wallace,J.P., Slade,J.J., Jr. and Weissmann,S. Fatigue studies of metal crystals, 3=20748
Shrier,A. See Lighty,P.E., 3=23415
Shrivastava,R.K. and Jatar,D.P. Studies of rectification in air in nearly uniform fields under the low-frequency silent electric discharge, 3=370
Shtager,E.A. Scattering of fluctuating waves by objects of large dimensions, 3=18703
Shtal',M.Z. See Sorokin, A.A., 3=17436
Shtarkov,L.N. On photodisintegration of the deuteron at medium energies, 3=4471
Shtarkov,L.N. See Baranov,P.S., 3=4371
Shteinberg,A.A. See Mel'nikov,N.P., 3=9473
Shteinberg,M.M., Zlatkina,A.S. and Schastlivtseva,I.K. Investigation of the softening and atomic bond energies in a ferrite alloyed with many metals, 3=20900
Shteins,K.A. Distribution of comets of the Jupiter group. III, 3=23680
Shteinshleiger,V.B.,Misezhnikov,G.S. and Afanas'ev,O.A. Efficiency of various pumping systems in ruby traveling-wave masers, 3=22002
Shteinshleiger,V.B. See Misezhnikov,G.S., 3=6740
Shternberg,A.A. Heterometry: the relation of morphology to cracking in crystals containing impurities, 3=13384
Shternberg, A.A, Kuz'mina, I.P. and Kuznetsov, V.A. Apparatus for growing single crystals from the melt under pressure, 3=18244
Shtivel'man, K.Ya. Effect of band nonparabolicity on the mobility of holes in germanium and silicon, 3=17863
Shtivel'man, K.Ya. Effective mass of holes in silicon and germanium, 3=17864
Shtol'ts,A.K. and Gel'd.P.V. Solid solutions of germanium in α-iron, 3=3340
Shtol'ts,E.V. Concerning the nature of the high-coercivity state in barium ferrite, 3=11094
Shtol'ts,E.V.,Glazer,A.A. and Shur,Ya.S. Variation of the magnetization switching process with reduction in particle size, 3=13251
Shtol'ts,E.V. and Shur,Ya.S. Magnetic reversal processes in monocrystalline particles of the alloy MnBi, 3=8657
Shtol'ts, E.V. See Glazer, A.A., 3=18093
Shtranikh,I.V. See Kozinets,O.I., 3=24378
Shtremel', M.A. The origin of the elasticity threshold, 3=18175
Shtremel',M.A. See Kidin,I.N., 3=20213
Shtrikman,S. and Treves,D. Observation of the magnetoelectric effect in Cr_2O_3 powders, 3=13027
Shtrikman,S. and Treves,D. Magnetic symmetry and electron nucleus interactions in magnetic crystals, 3=15732
Shtrikman,S. See Brown,W.F.,Jr, 3=14713
Shtrikman,S. See Doyle,W.D., 3=1071
Shtrikman,S. See Flanders,P.J., 3=1092
Shtrikman,S. See Hashin,Z., 3=1210
Shtrikman,S. See Hashin,Z., 3=1211
Shtrikman,S. See Hashin,Z., 3=10712
Shtrikman,S. See Hashin,Z., 3=11735
Shtrum,E.L. Semiconducting phases of variable composition, 3=25340
Shtrum,E.L. See Petrov,A.V., 3=2739
Shturkin,D.A. See Subbotina,Z.S., 3=11039
Shuba,Yu.A.,Tyutikov,A.M. and Sorokin,O.M. Photocathodes for studying short-wave solar radiation, 3=9150
Shubert,E.D. Interpretation of the Butler-Naunton localization shifts, 3=9298
Shubin,A.A. See Motulevich,G.P., 3=22676
Shubin.Yu.V. See Garber,R.I., 3=3220
Shubina,R.V. See Kopvillem,U.Kh., 3=6686
Shubnikov,A.V. Black-white groups of infinite ribbons. 3=16052
Shubnikov, A.V. Symmetry and antisymmetry groups (classes) of finite strips, 3=18232
Shubnikov,A.V. Complete systematics of black—white point groups, 3=20807
Shubnikov,A.V. On the attribution of all crystallographic symmetry groups to three-dimensional groups, 3=23422
Shubnȳi,Yu.K. See Begzhanov,R.B., 3=22303
Shubnyi,Yu.K. See Kaipov,D.K., 3=2429
Shue Sin. See Lo Liau-fu, 3=24795
Shugart,H.A. See Ewbank,W.B., 3=8191
Shugart,H.A. See Petersen,F.R., 3=2361
Shugurov,V.K. See Fridberg,P.Sh., 3=19929
Shukeilo,I.A. See Popov,A.V., 3=17010
Shukhtin,A.M. Superposition method for spectral interference patterns in regions close to an absorption line, 3=14343
Shukin,E.D. See Zanozina,Z.M., 3=20757
Shukla,J.B. Principles of hydromagnetic lubrication, 3=24446
Shukla,J.B. Unsteady flow of a conducting fluid between two non-conducting porous plates in the presence of a transverse magnetic field at magnetic Prandtl number I, 3=24447
Shukla,M.M. See Rustgi,M.L., 3=25703
Shukla,P.G. See Neelakantan,K.A., 3=10187
Shukla, R.C. See Varshni, V.P., 3=17569
Shuleikin,V.V. Characteristics of certain phenomena in the spectra of light in the depths of the sea, 3=9011
Shuleikin,V.V. Shape of the surface of a liquid losing its weight, 3=9288
Shuleikin,V.V. A more accurate computation of wind-waves of given probability, 3=18483
Shuleĭkin,V.V. A further note on the behaviour of a liquid under diminishing gravity, 3=18668
Shulenin,B.M. See Kabalkina,S.S., 3=6848
Shulenin,B.M. See Kabalkina,S.S., 3=3302
Shulepov,V.I. See Funke,V.F., 3=13498
Shuler,K.E. and Weiss,G.H. Mean first-passage times and the dissociation of diatomic molecules, 3=8304
Shuler,K.E. See Light,J.C., 3=16164
Shuler,L.M. See Amdur,I., 3=7232
Shul'ga,I.B. See Kynev,St., 3=15566
Shul'ha,S.Z.,Telyatnȳk,A.I.,Taranukha,O.M. and Sȳdorȳk,Ye.P. E.P.R. spectra of certain γ-irradiated amino acids over a wide temperature range, 3=20019
Shull, C.G. Neutron spin—neutron orbit interaction with slow neutrons, 3=18294
Shull, C.G. and Ferrier, R.P. Electronic and nuclear polarization in vanadium by slow neutron scattering, 3=18057
Shull,C.G. and Yamada,Y. Magnetic electron configuration in iron, 3=1102
Shull,C.G. See Wang,S.P., 3=1290
Shull,H. The nature of the two-electron chemical bond. II. The heteropolar case, 3=12808
Shull,H. See Allen,T.L., 3=12754
Shul'man,A.R.,Morozov,Yu.A. and Petrov,I.N. Secondary electro emission of tungsten, tantalum, and yttrium oxide in the presence of thermal emission current, 3=24343
Shul'man,A.R. See Kirsanova,T.S., 3=19296
Shul'man,A.R. See Kirsanova,T.S., 3=19297

Shul'man,L.A. Shape and width of the electron paramagnetic resonance absorption curves of F-centres in crystals, 3=15519
Shulman,R.G. and Sugano,S. Covalency effects in $KNiF_3$. I. Nuclear magnetic resonance studies, 3=12891
Shulman,R.G. See Alexander,S., 3=8737
Shulman,R.G. See Knox,K., 3=12892
Shulman,R.G. See Sugano,S., 3=933
Shulman,R.G. See Sugano,S., 3=12893
Shul'man,S.G. Control of the parameters of semiconducting films during the evaporation process, 3=25776
Shulyachenko,V.N. See Ainutdinov,M.S., 3=15018
Shulyachenko,V.N. See Ainutdinov,M.S., 3=24767
Shumaker,J.B. See Yokley,C.R., 3=14347
Shumilov,S.N. Neutron transfer by the Be^9 nucleus, 3=24981
Shumyatskii,B.Ya. See Chekhovskoi,V.Ya., 3=8361
Shunk,E.R. See Wagner,R.T., 3=15208
Shupp,B.R. See Moest,R.R., 3=11239
Shur,Ya.S. Domain structure of ferromagnets, 3=11070
Shur,Ya.S. See Ermolenko,A.S., 3=25524
Shur, Ya.S. See Glazer, A.A., 3=18093
Shur,Ya.S. See Luzhinskaya,M.G., 3=3115
Shur,Ya.S. See Mogat,L.M., 3=5113
Shur,Ya.S. See Shtol'ts,E.V., 3=8657
Shur,Ya.S. See Shtol'ts,E.V., 3=13251
Shur,Ya.S. See Startseva,I.E., 3=11071
Shur,Ya.S. See Startseva,I.E., 3=13272
Shur,Ya.S. See Zaikova,V.A., 3=11077
Shurakov,S.A. See Sanfirova,T.P., 3=20729
Shuraleva,E.I. See Parfianovich,I.A., 3=20517
Shuralyĕva,E.I. See Parfianovich,I.A., 3=25303
Shuran'i,P. High energy behaviour of the real part of the scattering amplitude, 3=5961
Shure,F. See Oberman,C., 3=19244
Shure,K. The $O^{16}(n,p)N^{16}$ reaction cross-section, 3=22405
Shurmer,H.V. Mechanisms in silicon point contact diodes, 3=880
Shurȳgin,A.I. See Mandel'shtam,C.L., 3=9190
Shurygin,A.I. See Mandel'shtam,S.L., 3=23681
Shushkanov,A.D. See Anikin,I.N., 3=23874
Shustin,O.A. See Baranskii,K.N., 3=2726
Shustin,O.A. See Velichkina,T.S., 3=19013
Shustov,A.M. See Lotkova,E.N., 3=24038
Shute,B.E. See O'Keefe,J.A., 3=13878
Shute,G.G., Robson,D., McKenna,V.R. and Berztiss,A.T. Elastic scattering of protons by carbon, 3=635
Shute,G.G. See Parker,A.W., 3=12666
Shutilov,V.A. Stimulation of nuclear magnetic resonance by ultrasound, 3=20665
Shutt,R.D. See Baltay,C., 3=22209
Shutt,R.D. See Baltay,C., 3=24805
Shutt,R.P. Recent advances in bubble chamber technique, 3=17123
Shutt,R.P. See Androulakis, J.G., 3=17125
Shuttleworth,R. See McLellan,R.B., 3=12922
Shuvaev,A.T. Influence of the chemical bond on the energy and intensity of the X-ray lines of atoms in compounds, 3=6658
Shuvaev,A.T. and Demekhin,V.F. Investigation of the K absorption spectra of calcium in some compounds, 3=8273
Shuvaev,A.T. and Demekhin,V.F. Determination of the number of 3d-electrons in transition metals, 3=8862
Shuvaev,A.T. See Blokhin,M.A., 3=23092
Shuvalov,L.A. Limit groups of double antisymmetry, 3=20809
Shuvalov, L.A. and Belov, N.V. The symmetry of crystals in which ferromagnetic and ferroelectric properties appear simultaneously, 3=18069
Shuvalov,L.A. and Pluzhnikov,K.A. Features of the elastic properties and internal friction near the Curie point in triglycine sulphate crystals, 3=13323
Shvab,J. See Glazov,A.A., 3=7665
Shvaneva,M.K. See Dvorzhetskaya,L.A., 3=941
Shvangiradze,R.R.,Oganezov,K.A. and Chikhladze,B.Ya. Temperature and thermal equilibrium of arcs burning in inert gases, 3=1953
Shvangiradze,R.R.,Oganezov,K.A., and Chikhladze,B.Ya. Study of the direct current arc at different pressures of argon and air, 3=16922
Shvarts,N.Z. See Fistul',V.I., 3=15604
Shvarts,V.M. See Meiklyar,P.V., 3=9631
Shvartsman,L.A. See Petrova,E.F., 3=5117
Shved,M.M. The problem of measuring lattice constants and first type residual stresses by means of X-rays, 3=6834
Shvets,A.D. and Kashirin,V.B. Magnetic suspension for investigations at low temperatures, 3=2087
Shvets,A.D. See Esel'son,B.N., 3=1879
Shvets,A.D. See Esel'son,B.N., 3=3936
Shvets,A.D. See Esel'son,B.N., 3=5567
Shvets,A.D. See Esel'son,B.N., 3=12012
Shvets,A.D. See Esel'son,B.N., 3=24131
Shvets,A.D. See Semenenko,E.E., 3=6560
Shvets,V.F. Thermomagnetic saturation in ferrite cores, 3=1153
Shvets,V.F. Thermomagnetic saturation in ferrite cores, 3=6727
Shvidkovskiĭ,E.G.,Martynkevich,G.M. and Malyarova,G.V. The effect of the irradiation of indium by thermal neutrons on the molecular state of its vapour, 3=19179
Shvidkovsky,E.G.,Tjapunina,N.A.,Predvoditelev,A.A. and Martinuk,G.K. Dislocation multiplication and structure in cadmium crystals, 3=23324
Shvilkin,B.N. See Simonov,V.A., 3=12106
Sibahara,R. Sufficient condition for Lagrange stability in the three-body problem, 3=9389
Sibbett,D.J. See Chaiken,R.F., 3=1874
Sibilev, A.I. See Gross, E.F., 3=18002
Sibley,W.A. and Sonder,E. F- and M-band absorption in heavily gamma-irradiated KCl, 3=816
Sibley,W.A. and Sonder,E. Hardening of KCl by electron and gamma irradiation, 3=23359
Sibley,W.A. See Akimoto,K., 3=16008
Sibley,W.A. See Plint,C.A., 3=920
Sibley,W.A. See Sonder,E., 3=8461
Sicard,L. Use of thermograms in calorimetry, 3=9649
Sicard,L. See Dupré,M., 3=9648
Šícha,M. Application of the high frequency measuring method for the measurement of the electron concentration as a function of time in the positive column of the direct current glow discharge, 3=5641
Sičha,M. Measurement of the development of electron concentration in moving striations in neon, 3=21737
Šícha,M.,Veselý,V. and Studnička,J. Peculiar excitation of fast-running striations in neon by a high frequency field, 3=19195
Sicha,M. See Studnicka,J., 3=9754
Sichel,M. Leading edge of a shock-induced boundary layer, 3=1753
Sichel, M. Structure of weak non-Hugoniot shocks, 3=16694
Siddiqi,M.A. The concept of matter waves, electromagnetic waves and scattering. I. A re-examination of De Broglie's theory of matter waves, 3=16527
Siddique,M.H. Disintegration of hyperfragments, 3=12569
Siddique,M.H. See Husain,A., 3=603
Siddiqui,M.M. Some statistical theory for the analysis of radio propagation data, 3=502
Sidei,T. See Higashimura,T., 3=12611
Sidhu,S.S. See Mueller,M.H., 3=8822
Sidi,M and Sold,U. A simple transistorized fast coincidence circuit with a wide energy range (from 30 keV), 3=9708
Sidles,P.H. See Shanks,H.R., 3=15449
Sidlyarenko,V.I., Zaitov,F.N. and Lukantsever,Yu.L. The existence of F-centres with different thermal stability in the alkali-halide, 3=4890
Sidorenko,V.V., Ivanov,V.P. and Minin,K.F. Gamma dosimeter using a gaseous discharge. Counter with pulsed power supply, 3=14945
Sidorov,A.F. Certain exact solutions of unsteady two-dimensional gas dynamics, 3=16697
Sidorov,A.I. See Golovin,B.M., 3=2165
Sidorov,G.N. See Morozov,I.G., 3=25000
Sidorov,L.I. and Akishin,P.A. Mass-spectrometric method for determination of partial vapour pressures and of relative cross-sections of ionization of molecules from total evaporation isotherms, 3=24113
Sidorov,V.A. See Glukhov,Yu.A., 3=14497
Sidorov,V.A. See Kurashov,A.A., 3=3984
Sidorov,V.M. See Batusov,Yu.A., 3=4439
Sidorov,V.M. See Batusov,Yu.A., 3=17318
Sidorova,I.I. An investigation by the electrical analogue method of the dynamics of a reactor with negative feedback, 3=10426
Sidorova,T.A. See Guts,Z.A., 3=19115
Sidorova,T.S. See Panin,V.E., 3=23348
Sidorovich,A.V. See Kuvshinskii,E.V., 3=23491

Sieb,R. See Schwab,G-M., 3=20996
Siebrand,W. See Hatton,J.V., 3=25145
Siebring,B.R. Institutional influences in the graduate training of eminent physicists, 3=21190
Siedentopf,H. See Giese,R.H., 3=4275
Siefert,H.E. Experiments on the breakdown time of low-pressure gas discharges, 3=4093
Siegbahn,K. and Asaro,F. Magnetic field dependence of Am^{243} $\alpha-\gamma$ angular correlations, 3=6211
Siegbahn,K. See Hagström,S., 3=1575
Siegbahn,K. See Hollander,J.M., 3=638
Siegel,B.M. The investigation of inelastic scattering, 3=21885
Siegel,B.M. See Yoda,E., 3=13417
Siegel,B.M. See Yoda,E., 3=18435
Siegel,M.H. Discrimination of color. III. Effect of spectral bandwidth, 3=16465
Siegel,R.T. See Kane,J.R., 3=22034
Siegel,S. Model for OH-radical stabilization in ice at 77° K under γ irradiation, 3=25150
Siegel,S. and Eisenthal,K.B. Energy transfer between aromatic molecules, 3=22595
Siegel,S. and Gebert,E. Crystallographic studies of XeF$_2$ and XeF$_4$, 3=16073
Siegel,S. See Judeikis,H.S., 3=2669
Siegert,H. Measurement and interpretation of the dependence on concentration of the ultrasonic absorption in aqueous solutions of CoSO$_4$ in the frequency range 0·2 to 2 Mc/s, 3=14160
Sieglaff,C.L. and Kucsma,M.E. Frictional properties of polyvinyl chloride, 3=11192
Siegman,A.E. Nonlinear optical effects: an optical power limiter, 3=7319
Siegman,A.E. Nonlinear optical effects: an optical power limiter, 3=14331
Siegman,A.E. See Harris,S.E., 3=5535
Siegman,A.E. See McMurtry,B.J., 3=7320
Siekmann,J. The calculation of the thermal laminar boundary layer on a rotating sphere, 3=11766
Siemińska,J. See Gajewski,W., 3=19853
Siems,H. See Rosenhauer,K., 3=11891
Siems,R., Delavignette, P. and Amelinckx,S. Shift of extinction contours due to the presence of dislocations, 3=16060
Siems,R., Delavignette,P. and Amelinckx,S. The influence of the surface on the geometry of dislocation ribbons, 3=17734
Siems,R. See Aerts,E., 3=17764
Sienko,M.J. See Crowder,B.L., 3=13083
Sieskind,M. Investigations of the optical properties and exciton spectra of various red and orange modifications of mercuric iodide, 3=25462
Sieskind,M. See Nikitine,S., 3=2765
Sieskind,M. See Nikitine,S. 3=4972
Sieskind,M. See Nikitine,S., 3=10932
Sieskind,M. See Nikitine,S., 3=10934
Sieskind,M. See Nikitine,S., 3=10935
Sieskind,M. See Schwab,C., 3=932
Sieswerda,B.S. See Geus,J.W., 3=17020
Sievers,A.J., III and Tinkham,M. Far infrared spectra of rare-earth iron garnets, 3=8597
Sievers,A.J., III and Tinkham,M. Far infrared antiferromagnetic resonance in MnO and NiO, 3=8703
Sievers,A.J., III and Tinkham,M. Far-infrared spectra of holmium, samarium, and gadolinium iron garnets, 3=15680
Siffert,P. and Coche,A. Windowless N.I.P. semiconductor nuclear radiation detectors, 3=14839
Sigdell,J. See Ehrenborg,J., 3=20277
Sigfridsson,B. An automatically gain controlled pulse-amplifier, 3=12049
Sigfridsson,B. The high-frequency deflection method for measuring short half-lives. III. The time calibration, the shape of the time-resolution curve and a description of some of the electronic equipment, 3=12606
Sigmond,R.S. On the static and quasistatic characteristics of the self-sustained, low-pressure Townsend discharge in hydrogen, 3=7454
Sigmund,P. Magnetism of the free electron gas, 3=3769
Signarbieux,C. See Genin,R., 3=12467
Signorini,A. Simple results of the non-linearized elasticity theory, 3=8748
Siivola,A. On the alpha activity of neutron deficient europium and gadolinium isotopes, 3=2413
Sikkeland, T. See Viola, V.E.Jr., 3=689
Sikkeland,T. See Viola,V.E.,Jr., 3=15250
Siklós,T. See Tiablikov,S.V., 3=13287
Sikolenko,V.F. See Dvoretski,A.S., 3=17159
Sikora,D.I. See Grishaev,I.A., 3=24355
Sikov,A.A. and Chen' Fyn-Tsi [Ch'en feng-ch'i] Chamber for the observation of the negative optico-acoustic effect, 3=11369
Sil,N.C. See Dutta,S.K., 3=2441
Sil,N.C. See Dutta,S.K., 3=12660
Sil,N.C. See Mukherjee,S.C., 3=12781
Silaeva,V.S. See Gorbunov,A.N., 3=6227
Silant'ev,A.N. Measurement of the number of gamma-rays per decay of Mo^{99}, 3=8037
Silant'ev,A.N. and Kuznetsov,B.S. Numbers of photons per decay of Ce^{144} and Eu^{155}, 3=8041
Silant'ev,A.N. See Kuznetsov,B.S., 3=8039
Silberberg,A. The adsorption of flexible macromolecules. I. The isolated macromolecule at a plane interface, 3=6892
Silberberg,A. The adsorption of flexible macromolecules. II. The shape of the adsorbed molecule; the adsorption isotherm surface tension, and pressure, 3=6893
Silberberg,A. See Segré,G., 3=18788
Silberg,P.A. Ball lightning and plasmoids, 3=13686
Silberman,I. See Lehr,C.G., 3=430
Silbert,M.G. See Jarmie,N., 3=15047
Silbert,M.G. See Jarmie,N., 3=24376
Silbiger,A. Scattering of sound by an elastic prolate spheroid, 3=11867
Silcox,J. Magnetic domain walls in thin films of nickel and cobalt, 3=8676
Silcox, J. Magnetic domains in thin films of cobalt, 3=18086
Silcox,J. Magnetic domain structure in thin crystals of cobalt, 3=20587
Silcox,J. and Rollins,R.W. Hysteresis in hard superconductors, 3=19099
Silcox,J. See Gaunt,P., 3=1090
Silcox,J. See Schaffer,E.C., 3=18407
Sil'd,O.I. See Rebane,K.K., 3=7331
Siletskaya,N.V. See Meiklyar,P.V., 3=9631
Silhouette, D. See Benoit, H., 3=18155
Silin,I.N. See Kazarinov,Yu.M., 3=2257
Silin,I.N. See Kazarinov,Yu.M., 3=14977
Silin,I.N. See Kazarinov,Yu.M., 3=22081
Silin,I.N. See Lyu Yuian' [Lu Yang], 3=4561
Silin,I.N. See Zul'karneev,R.Ya., 3=7857
Silin,I.N. See Zulkarneÿev,R.Ya., 3=24722
Silin,N.I. See Do In Seb, 3=4393
Silin,V.P. The high frequency dielectric permeability of a plasma, 3=416
Silin,V.P. Contribution to the theory of electromagnetic fluctuations in a plasma, 3=417
Silin, V.P. Collision integral of a system of particles with Coulomb interaction, 3=3770
Silin,V.P. The collision integral for charged particles, 3=4354
Silin,V.P. The electron-electron collision integral, 3=5381
Silin,V.P. Relaxation of electron and ion temperatures of fully ionized plasma in a strong magnetic field, 3=14572
Silin,V.P. Theory of processes in plasma that produce migration across a magnetic field, 3=21774
Silin,V.P. Oscillations of a weakly inhomogeneous plasma, 3=24318
Silin,V.P. and Gorbunov,L.M. Kinetics of non-isothermal plasma, 3=7501
Silin,V.P. See Bogdankevich,L.S., 3=16940
Silin,V.P. See Eleonskii,V.M., 3=5654
Silin,V.P. See Eleonskii,V.M., 3=5829
Silin,V.P. See Klimontovich,Yu.L., 3=5653
Silin,V.P. See Klimontovich,Yu.L., 3=5669
Silin,V.P. See Kovrizhnykh,L.M., 3=19288
Silin,V.P. See Ramazashvili,R.R., 3=14604
Silin,V.P. See Rukhadze,A.A., 3=2003
Silin,V.P. See Rukhadze,A.A., 3=4855
Silin,V.P. See Rukhadze,A.A., 3=17033
Silin,V.P. See Rukhadze,A.A., 3=21769
Sill,N.C. See Mukherjee,S.C., 3=9720
Sill,L. See Mackintosh,A.R., 3=13140
Sillitto,R.M. Possible applications of coincidence counter techniques in optical intensity correlation studies, 3=21511

Sils,V. See Schwuttke,G.H., 3=25286

Silsbee,F.B. Systems of electrical units, 3=1905

Silsbee,R.H. Thermal broadening of the Mössbauer line and of narrow-line electronic spectra in solids, 3=2697

Siltanen,O. See Simons,L., 3=8097

Siltanen,O. See Simons,L., 3=12668

Silva,E. See Lerner,E., 3=5976

Silva,R.J. See Perey,F., 3=10338

Silva de Stuardo, E. See Batthyany, I., 3=4387

Silver,A.H. and Kushida,T. Nuclear magnetic resonance in transition-metal diborides, 3=10541

Silver,A.H. See Kushida,T., 3=15962

Silver,D.E.P. See Young,W.A.P., 3=16993

Silver,M.,Olness,D.,Swicord,M. and Jarnagin,R.C, Photogeneration of free carriers in organic crystals via exciton—exciton interactions, 3=10887

Silver,M., Rho,J.R., Olness,D. and Jarnagin,R.C. Drift mobilities of holes and electrons in naphthalene, 3=20339

Silver,M. and Witte,R.S. Kinetics of potassium chloride and chlorine on tungsten, 3=11323

Silver,M. See Bennett,H.E., 3=20443

Silver,M. See Jarnagin,R.C., 3=23549

Silverberg,L. and Winther,A. On the effect of pairing correlations on β-decays near closed shells, 3=6196

Silverman,A. See Berkelman,K., 3=7914

Silverman,B.D. Temperature-dependent spectrum of an antiferroelectric linear chain model, 3=748

Silverman,B.D. Electrostrictive constants of insulating crystals, 3=25413

Silverman,B.D. and Joseph,R.I. Temperature dependence of the dielectric constant of paraelectric materials, 3=8547

Silverman,J.N. and Obata,Y. Sum rules relating coherent X-ray scattering data to the diamagnetic nuclear shielding constant and to the self-energy of the charge distribution of the scatterer, 2=12775

Silverman,M.D. See Blander,M., 3=14153

Silverman,M.S. and Soulen,J.R. High-pressure preparation [and absorption spectrum] of solid carbon disulphide from the elements, 3=17999

Silverman,S.J.,Carlson,R.O. and Ehrenreich,H. Nearnst effect in n-type GaSb, 3=10819

Silverman,S.M. Photometric observations of the aurora of October 28, 1961, at Sacramento Peak, New Mexico, 3=21067

Silverman,S.M. See Ward,F., 3=11446

Silverstein,S.D. Influence of electron interactions on metallic properties. I. Specific heat, 3=753

Silverstein,S.D. Effects of electron correlations on the properties of alkali metals, 3=12947

Silverstein,S.D. Influence of electron interactions on metallic properties. II. Electron spin paramagnetism, 3=15756

Silvertsen,J.M. See Sundahl,R.C., 3=15499

Silveston,P.L. Convectional heat transport between rigid horizontal boundaries, 3=19037

Silvestri,M. Steam generating reactors operating in fog flow conditions, 3=10420

Silvestrini,V. See Bacci,C., 3=22187

Silvestrini,V. See Querzoli,R., 3=10164

Sil'vestrov,L.V. See Aripov,R.A., 3=600

Sil'vestrov,L.V. See Aripov,R.A., 3=2303

Sil'vestrov,L.V. See Bannik,B.P., 3=2481

Sil'vestrov,L.V. See Bannik,B.P., 3=4633

Silvestrov,L.V. See Dvoretski,A.S., 3=17159

Sil'vestrova,I.M. Dielectric parameters of deuterated triglycine sulphate, 3=13122

Sil'vestrova, I.M. and Yurin, V.A. Effect of gamma-radiation on piezoelectric and elastic properties of triglycine sulphate crystals, 3=17949

Sil'vestrova,I.M. See Yurin,V.A., 3=20387

Šima,V. The growth of AlAgCu alloy single crystals, 3=23394

Šimák,V. See Smrz,P., 3=10106

Simakov, G.V. See Al'tshuler, V.L., 3=18179

Simashkevich,A.V. See Kot,M.V., 3=2882

Simcox,L.N. See Brown,M.A.C.S., 3=10767

Sime,R.J. The vapour pressures and bond energies of some antimony halides, 3=21629

Simenhoff,J. See Atkins,G.R., 3=3564

Simerská,M. The temperature-dependence of the characteristic temperature of nickel, 3=17661

Simha,R.,Zimmerman,J.M. and Moacanin,J. Polymerization kinetic of biological macromolecules on templates, 3=25995

Simha,R. See Utracki,L., 3=21349

Simha,R. See Utracki,L., 3=21350

Simić,J.M. See Koički,S.D., 3=6179

Šimková,J. See Křemének,J., 3=22375

Šimková,J. See Skřivánková,M., 3=6241

Simkovich,G. The nature of point defects in solid lead chloride, 3=10645

Simkovich,G. The surface conductance of sodium chloride crystals as a function of water vapour, 3=22985

Simkovich,G. and Wagner,J.B.Jr. Self-diffusion of lead 210 in single crystals of lead sulfide as a function of stoichiometry and doping additions, 3=10688

Simmons,F.B. and Beatty,D.L. A theory of middle ear muscle function at moderate sound levels, 3=5286

Simmons,G. On Darcy's law, 3=14127

Simmons,G. and Birch,F. Elastic constants of pyrite, 3=23280

Simmons,J.E., See Perkins,R.B., 3=10121

Simmons,J.G. Intrinsic fields in thin insulating films between dissimilar electrodes, 3=8543

Simmons,J.G. Low-voltage current—voltage relationship of tunnel junctions, 3=13086

Simmons,J.G. Generalized formula for the electric tunnel effect between similar electrodes separated by a thin insulating film, 3=15626

Simmons,J.G. Electric tunnel effect between dissimilar electrodes separated by a thin insulating film, 3=23010

Simmons,J.G. and Unterkofler,G.J. Potential barrier determination in tunnel junctions, 3=20358

Simmons,J.G.,Unterkofler,G.J. and Allen,W.W. Temperature characteristics of BeO tunneling structures, 3=13069

Simmons,J.H.W. See Nettley,P.T., 3=25027

Simmons,L.,Nysten,K.E.,Jungner,H.,Holmberg,P.,Stenman,F. and Hagebø,E. Excited states of Cd^{112}, 3=24867

Simmons,R.O. Properties of vacancies in the noble metals, 3=22738

Simmons,R.O. and Balluffi,R.W. Measurement of equilibrium concentrations of vacancies in copper, 3=8428

Simmons,R.O.,Koehler,J.S. and Balluffi,R.W. Present knowledge of point defects in irradiated f.c.c. metals, 3=8420

Simmons,W.W. See O'Sullivan,W.J., 3=20680

Simmons,W.R. See Hummel,H.H., 3=22458

Simms,D.L. and Coiley,J.E. Some radiation characteristics of a gas-fired panel, 3=11991

Simms,D.L. and Hinkley,P.L. An absolute radiometer for the range 0·1-2·5 cal cm^{-2} sec^{-2} (0·4-10 W cm^{-2}), 3=14415

Simoda,M. See Unno,W., 3=16326

Simogyi,M. See Lendvay,E., 3=10997

Simon,A. Instability of a partially ionized plasma in crossed electric and magnetic fields, 3=9776

Simon,A. See Rostoker,N., 3=12109

Simon,B. and Kern,R. Comparative study of instrumental faults in three types of X-ray diffractometers, 3=16056

Simon, G. A new form of quantization for the Dirac equation, 3=16530

Simon,G. See Döring,W., 3=13261

Simon,G.W.,Denney,J.M. and Downing,R.G. Energy dependence of proton damage in silicon, 3=8474

Simon,H.A. and Eckert,E.R.G. Laminar free convection in carbon dioxide near its critical point, 3=21589

Simon,J.C. and Spitz,E. Guided propagation of coherent light, 3=21510

Simon,J.C. See Arsac,J., 3=5204

Simon,L. Emission, absorption and temperature measurements on an H_2-O_2 flame, 3=5162

Simon,M. On the phase separation in the liquid system. Ne$-$nD_2, 3=3801

Simon,M. On the phase separation in the liquid system Ne$-$pH_2, 3=23871

Simon,M. See Lambert,M., 3=1682

Simon,R. Gravitational instability in a gaseous medium in non-uniform rotation, 3=9155

Simon,R. The conservation equations of a classical plasma in the presence of radiation, 3=12102

Simon,R. Non-radial oscillations and stability of a homogeneous compressible [self-gravitating] cylinder, 3=21086

Simon,R.,Colombie,N.,Chuong Van Phan and Dandurand,L. Variation of the secondary electron emission of some metals as a function of the temperature, 3=427

Simon,R.E. See Spicer,W.E., 3=6491

Simon,R.E. See Spicer,W.E., 3=20318

Simon,W.G. See Heckman,H.H., 3=7447

Simonds,J.L. Factors affecting the quality of black-and-white reflexion prints, 3=14381
Simonds,J.L. Application of characteristic vector analysis to photographic and optical response data, 3=16723
Simonoff,G.N. See Alexander,J.M., 3=15119
Simonov,V.A.,Kleimenov,G.F.,Mileshkin,A.G. and Kochnev,V.A. Maintaining ultra-low pressures of neutral gases during the accumulation of high-temperature plasma in magnetic traps, 3=12107
Simonov,V.A.,Shvilkin,B.N. and Kutukov,G.P. Production of pure high-temperature plasma in quasi-stationary systems: processes leading to the introduction of impurities in the plasma, 3=12106
Simonov,Yu.A. Investigation of four-fermion interaction by means of unitarity and analyticity, 3=14879
Simonov,Yu.A. Multiple dispersion relations, 3=17225
Simonov,Yu.A. Integral representation of a square diagram with an anomalous mass ratio, 3=24651
Simonov,Yu.A. See Malinovskii,T.I., 3=6854
Simonov,Yu.N. See Kazarinov,Yu.M., 3=7866
Simons,D.G. See Cha,M.H., 3=9323
Simons,L. and Forsblom,I. Sign of the mixing ratio δ, 3=12674
Simons, L., Holland, R.E., Wendt, G., Spring, E., Käld, L. and Hagebø, E. Angular correlation measurements in Mo^{96}, 3=4591
Simons,L.,Nystén,K.E.,Holmberg,P.,Jungner,H.,Anttila,A., Bergström,S. and Hagebø,E. Gamma—gamma directional correlations of Ce^{140}, 3=22307
Simons,L.,Nystén,K.E.,Koskelin,M.,Siltanen,O.,Spring.E. and Wendt,G. On the 922 keV $Al^{27}(p,\gamma)Si^{28}$ resonance, 3=8097
Simons,L.,Nystén,K.E.,Koskelin,M.,Siltanen,O.,Spring,E. and Wendt,G. Gamma rays from the 992 keV $Al^{27}(p,\gamma)Si^{28}$ resonance, 3=12668
Simons,L.,Spring,E.,Holmberg,P.,Jungner,H. and Hagebø,E. Investigations of nuclear levels in Ba^{136}, 3=4572
Simons,S. On the mutual interaction of parallel phonons, 3=22647
Simons,S. Can additional electron scattering decrease resistance? 3=25316
Simons,W.B. See Noorman,P.E., 3=22480
Simonsen,E.B. Ductility of pure iron, 3=13349
Simonyan,Kh.A. Focusing properties of a spiral magnetic quadrupole lens, 3=2027
Simova,P.,Skorčev,B. and Karabaševa,V. Study of the effects of change of state on the raman spectra of substances, 3=731
Simpson,J.A. and Kuyatt,C.E. Design of low voltage electron guns, 3=12245
Simpson,P.G. and Lipscomb,W.N. Molecular structure of $B_{18}H_{22}$, 3=5109
Simpson,P.G. and Lipscomb,W.N. Molecular, crystal, and valence structures of $B_{18}H_{22}$, 3=19990
Simpson,W.T. See Barnes,E.E., 3=22583
Sims,A.L. and Lyon,A.G. A reversible duralumin microscope slide, 3=16755
Sims,C.C. and Henriquez,T.A. Cavity-loaded piston resonators, 3=225
Sims,G.D. See Lindsay,P.A., 3=14646
Sims,W.H. See Fabian,B.N., 3=14836
Sinaev,A.N. The use of the time intervals between arriving pulses for the restoration of data in potentialoscope memory devices, 3=24195
Sinanoğlu,O. Some aspects of the quantum theory of atoms, molecules, and their interactions, 3=12745
Sinanoğlu,O. and Fu-tai Tuan,D. Many-electron theory of atoms and molecules. III. Effect of correlation, 3=12744
Sinanoğlu,O. See Kestner,N.R., 3=4703
Sinanoğlu,O. See Kestner,N.R., 3=12880
Sinanoğlu, O. See McKoy, V., 3=17618
Sinclair,D. See Brown,J.L., 3=12500
Sinclair,R.A. See Feltham,P., 3=12978
Sinclair,R.M.,Yoshikawa,S.,Harries,W.L. and Kessler,J.O. On equilibrium of a current-carrying toroidal plasma. II. Experiments with the model C stellarator, 3=19269
Sinclair,R.M. See Grove,D.J., 3=12190
Sinclair,R.M. See Yoshikawa,S., 3=19268
Sinclair,R.N. See Brockhouse,B.N., 3=743
Sindel,P. Brightness coma and diaphragm coma in symmetrical optical systems. II, 3=7307
Sineglazov,O.M. See Vasil'ev,L.A., 3=19018
Sinegubov,B.I. See Savchenko,M.K., 3=25530
Sinegubov,V.I. See Savchenko,M.K., 3=13252
Sinel'nikov,K.D. See Nazarov,N.I., 3=7622
Sinel'nikov,K.D. See Volkov,Ya.F., 3=7512
Sinel'nikov,K.D. See Zykov,V.G., 3=14724
Sines,G.,Kikuchi,R. and Grupen,W. The effect of the elastic interaction on the rate of cluster growth, 3=22697
Singal,S.P. See Pancholy,M., 3=3803
Singal,S.P. See Pancholy,M., 3=14162
Singer,J. Faulting in ZnS: Analysis by a two-parameter model, 3=17771
Singer,J. See Peters,T., 3=23123
Singer,L.R. See Merkle,K.L., 3=22864
Singer,L.S. and Wagoner,G. Electron spin resonance, in polycrystalline graphite, 3=3174
Singer,P. Decay mode $\omega \rightarrow 2\pi + \gamma$, 3=4448
Singer,P. Radiative ρ-meson decay, 3=17329
Singer,S.F. Nuclear explosions in space, 3=6968
Singer,S.F. See Lenchek,A.M., 3=16292
Singh,G. and Saha,N.K. Concerning the multiple-wire spark counter for alpha-particle detection, 3=14545
Singh,I.S. See Becker,R.S., 3=15360
Singh,J.J. See Prosser,F.W.,Jr, 3=8094
Singh,K. See Rastogi,R.P., 3=25829
Singh,K.P. and Parr,J.G. Thermodynamics of the martensite transformation, 3=5121
Singh, K.P. and Parr, J.G. Reply to comments on 'Thermodynamics of the martensite transformation", 3=5123
Singh,M.P. See Ludford,G.S.S., 3=19429
Singh,M.P. See Ludford,G.S.S., 3=19430
Singh,N.L. and Avasthi,M.N. Emission spectrum of SbBr, 3=22539
Singh, P.P. See Segel,R.E., 3=17403
Singh,R.N. Interpretation of spread - F in terms of lateral deviation of electromagnetic waves, 3=18532
Singh,R.N. and Tolpadi,S.K. Magnetic field of the F-region from h'-f records, 3=1466
Singh,S. and Alexander,J.M. Recoil study of the reaction $C^{12}(p, pn)C^{11}$, 3=670
Singh,S. and Stoicheff,B.P. Double photon excitation of fluorescence in anthracene single crystals, 3=18040
Singh,S. See Hougen,J.T., 3=15694
Singh,S. See Thomas,K.S., 3=15689
Singh,S.P. and Tripathi,B.B. Lattice vibrations of aluminium by De Launay's method, 3=2714
Singh,S.P. See Dayal,B., 3=4824
Singh,V. Regge poles in πN scattering and in $\pi + \pi \rightarrow N + \bar{N}$, 3=7910
Singh,V. and Udgaonkar,B.M. Vector charge and magnetic moment form factors of the nucleon, 3=2253
Singh,V. and Udgaonkar,B.M. Theory of the $J = \frac{3}{2}$, $I = \frac{3}{2}$, πN resonance, 3=12491
Singh,V. See Cornwall,J.M., 3=22090
Singh,V. See Cornwall,J.M., 3=22205
Singh,Y. See Gupta,V., 3=12503
Singhal,O.P. Magnetic studies of feebly paramagnetic ions in state of solution, 3=146
Singhal,O.P. and Mookherji,T. Magnetic studies on chromates, 3=5000
Singleton,D.G. Spread-F and the parameters of the F-layer of the ionosphere. I. Spread-F and F-layer electron density, 3=3504
Singleton,D.G. Spread-F and the parameters of the F-layer of the ionosphere. II. Spread-F and F-layer height, 3=3505
Singleton, D.G. Sprea-F and the parameters of the F-layer of the ionosphere. III. Spread-F and the vertical movement of the F-layer, 3=3506
Singleton,D.G. Spread-F and the parameters of the F-layer of the ionosphere. IV. Causative mechanisms, 3=3507
Singleton,D.G. Occurrence of spread-F at magnetically conjugate points, 3=5218
Singleton,D.G. The spread-F equator, 3=11438
Singleton,J.H. and Suchow,L. Effects of ultraviolet radiation of fluorescent lamp phosphors, 3=10991
Singleton,W.J. See Ely,R.P., 3=19703
Singru,R.M. and Steffen,R.M. Beta-gamma circular polarization correlation in the decay of Sc^{46}, 3=15142
Singwi,K.S. See Larsson,K.E., 3=5428

Sinha,A.P.B. See Chadda,M.M., 3=25425
Sinha,A.P.B. See Momin,A.U., 3=15637
Sinha,A.P.B. See Sinha,K.P., 3=1017
Sinha,D.B. See Jalaluddin,A.K., 3=14420
Sinha,D.K. Note on problems of piezoelectric transducers with transient mechanical force and with transient electrical voltage, 3=21468
Sinha,D.K. Note on responses in a piezoelectric plate-transducer with a periodic step input, 3=23007
Sinha,D.K. Note on magneto-elastic stresses in a rotating cylinder acted on by a prescribed magnetic field, 3=23811
Sinha,J.K. and Sundaram,S. Study of microwave filters. I., 3=492
Sinha,K.P. and Mande,C. Localization of empty 4p orbitals in certain transition metal compounds, 3=25175
Sinha,K.P. and Sinha,A.P.B. Antiferromagnetism in spinel-like compounds, 3=1017
Sinha,K.P. and Sinha,M.K. Indirect spin coupling in magnetic garnets, 3=5021
Sinha,K.P. See Upadhyaya,U.N., 3=13285
Sinha,M.K. See Sinha,K.P., 3=5021
Sinha,M.S. See Sen Gupta,S.N., 3=6275
Sinha,S.B. See Verma,P.D.S., 3=16562
Sinha,S.K.,Ghosh,S.K.,Lahiri,J. and Roychoudhury,A. F^{19} free induction decay in polycrystalline MgF_2, 3=8732
Sinistri,C. Study of transport phenomena from the standpoint of the thermodynamics of irreversible processes, 3=18757
Sinistri,C. and Franzosini,P. Thermodynamic properties of mixing of fused salts binary systems. I. Liquidus curves of the systems $(Li + Na)NO_3$, $(Li = K)NO_3$, $(Li + Ag)NO_3$ and $(Li + Tl)NO_3$, 3=21618
Sinistri,C. and Franzosini,P. Thermodynamic properties of mixing of fused salt binary systems. III. Liquidus curves of the systems of some monovalent nitrates with $Sr(NO_3)_2$, $Ba(NO_3)_2$ or NaCNS, 3=21620
Sinistri,C. See Franzosini,P., 3=21617
Sinistri,C. See Franzosini,P., 3=21619
Sinitsȳn,V.A. See Ivanov,A.G., 3=18885
Sinitsȳn,V.I. See Klebanov,Yu.D., 3=1996
Sinitsyn,V.V. See Gorelik,L.L., 3=16956
Sinnis,J. and Schmidt,G. Experimental trajectory analysis of charged particles in a cusped geometry, 3=19246
Sinno,K. See Takenoshita,Y., 3=25925
Sinton,W.M. Infrared observations of Venus, 3=16354
Sinyakov,E.V. and Dudnik,E.F. Ferroelectric properties of $SrNb_2O_6$—0.5 $YbFeO_3$, 3=23003
Sinyakov,E.V. See Kolomoitsev,F.I., 3=8685
Sinyavskii,E.P. See Kovarskii,V.A., 3=15455
Siota,Y. Periodic potentials of diamond lattices and hexagonal close-packed lattices, 3=6455
Sipek,L. Stabilization of a betatron or synchrotron magnet excitation, 3=12274
Sipek,L. Beam storage in a betatron, 3=12276
Siratori,K. See Tasaki,A., 3=1021
Sirdeshmukh,L. See Puranik,P.G., 3=2648
Sirenko,A.F. See Pines,B.Ya., 3=6791
Sirenko,A.F. See Pines,B.Ya., 3=12995
Sirenko,A.F. See Pines,B.Ya., 3=16106
Sirenko, A.F. See Pines, B.Ya., 3=18191
Sirenko,G.A. and Khotkevich,V.I. Problem of accuracy in the determination of the size of regions of coherence scattering and the magnitude of microstresses by harmonic analysis of the shape of an interference line, 3=20704
Sirlin,A. K_{l4} decays and the structure of the $\Delta S = 1$ currents, 3=7918
Sirlin,A. See Berman,S.M., 3=591
Sirota, N. N. and Olekhnovich, N.M. X-ray determination of the diamagnetic susceptibility of various ionic and semiconducting compounds, 3=18058
Sirota,N.N. and Sheleg,A.U. Distribution of electronic density in grey tin and its diamagnetic susceptibility, 3=16069
Sirotenko,I.G., Spivak,G.V., Stoyanova,I.G. and Osad'ko,Z.M. Electron microscopic investigation of semiconductor whiskers, 3=3374
Sirotenko,I.G. See Yurasova,V.E., 3=2051
Sirotin,Yu.I. Magnetic symmetry of a tensor and the energy
Sirotin, Yu.I. See Kopstik, V. A., 3=17948
Sirotinin,E.I. See Vasil'ev,Yu.A., 3=12715
Sirotkin,I.A. See Ginzburg,V.L., 3=9119
Sirotyuk,M.G. Ultrasonic cavitation, 3=16594
Sirovich,E.M., See Leroy,C.C., 3=9652
Sirovich,L. Dispersion relations in rarefied gas dynamics, 3=7237
Sirovich,L. Formal and asymptotic solution in kinetic theory, 3=9501
Sirovich,L. Errata: Kinetic modeling of gas mixtures, 3=11830
Sirotvuk,M.G. Experimental investigation of the growth of ultrasonic cavitation at 500 kc/s, 3=14121
Sirugue,M. See Loupias,G., 3=12397
Sirtl, E. and Spielmann, W. Forms of growth of single crystals of silicon separated from the gas phase and their atomic significance, 3=18268
Sisakyan,I.N. See Vernov,Yu.S., 3=19594
Sissenwine,N.,Dubin,M.and Wexler,H. The U.S. standard atmosphere, 1962, 3=5187
Sisson,D.H. See Alexander,J.M., 3=6303
Sitenko,A.G. On the theory of the optical potential, 3=6121
Sitenko,A.G. Theory of the optical potential, 3=8083
Sitenko,A.G. and Chzyan' Yu-tai. Coefficients of dynamical friction and diffusion in a plasma, 3=14576
Sitenko,A.H. and Kharchenko,V.F. Polarization phenomena in direct nuclear reactions taking into account the spin—orbital interaction, 3=22353
Sitnik,G.F. A secondary energy standard for the spectral region 2450-26000 Å, 3=253
Sitnikov,K.P. The thermodynamic properties of the spin system of copper—potassium sulphate, 3=20109
Sitnikov,K.P. Experimental test of Van Vleck's theory of the spin-system heat capacity in paramagnetic salts, 3=22665
Siu-Chung Ho. See Huntington,H.B., 3=22829
Sivaramakrishnan,M.V. The origin of electricity carried by continuous, quiet type of rain in the tropics, 3=13671
Sivaramakrishnan,M.V. See Sivaraman,K.R., 3=13672
Sivaraman,K.R. and Banerjee,A.K. Studies of the variation of atmospheric electric potential gradient near the ground with weather at Poona, 3=18514
Sivaraman,K.R. and Sivaramakrishnan,M.V. Modification of the size distribution of raindrops with distance fallen, 3=13672
Sivergin,Yu.M. See Trubnikov,G.R., 3=5552
Sivokon',N.V. See Matyushenko,N.N., 3=20839
Six,J. See Darmon,J., 3=4456
Six,J. See Jauneau,L., 3=19708
Six,N.F. See Smith,A.G., 3=18654
Sizmann,R. and Däunert,U. Radiation-induced diffusion in metals, 3=8457
Sizmann,R. See Knobloch,J., 3=6678
Sizmann,R. See Lutz,H., 3=20251
Sizov,I.V. See Govorov,A.M., 3=6091
Sizov,I.V. See Kyun,B., 3=15237
Sizov,I.V. See Nedvedyuk,K., 3=24982
Sjoblom,R. See Fields,P.R., 3=19825
Sjögren,H. and Lindholm,E. Higher ionization potentials in alcohols and water measured by electron impact, 3=14520
Sjölin,T. See Johansson,C.H., 3=21379
Sjöstrand,N.G. See Beckurts,K.H., 3=24744
Sjöstrand,N.G. See Möller,E., 3=22148
Sjöstrand,N.G. See Nilsson,T., 3=22143
Škácha, J. See Frei,V., 3=10811
Škácha, J. See Matyás, M., 3=2912
Skachkov,Yu.F. Counter characteristics of a discharge tube using plane-parallel electrodes, 3=2154
Skachkov,Yu.F. See Demidov,B.A., 3=16913
Skakun,N.A. See Val'ter,A.K., 3=22220
Skala,G.F. A new instrument for the continuous measurement of condensation nuclei, 3=18491
Skála,J. Use of radioactive isotopes in Czecholslovakian metallurgy, 3=6874
Skála,M. and Hauptmanová,K. Observations on chemical transport in the growth of zinc sulphide single crystals, 3=25673
Skalafuris,A.J. See Whitney,C.A., 3=21491
Skaliński, T., Rogaczewski,J. and Zuk,T. Effect of temperature on broadening of the 2537 A Hg resonance line in the presence of other gases, 3=706
Skal'skaya,I.P. See Lebedev,N.N., 3=14771
Skarsgard,H.M. The theory of longitudinal plasma oscillations in the formation of a runaway electron stream, 3=9814
Skarsgard,H.M. See Olson,O.D., 3=7440
Skarsvåg,K. and Bergheim,K. Energy and angular distributions of prompt neutrons from slow neutron fission of U^{235}, 3=19893

Skarsvåg,K. See Høgåsen,H., 3=25174
Skazka,V.S. See Tsvetkow,V.N., 3=21353
Skewes, H.R. See Cullen, G.V., 3=3237
Skidmore,M.R. See McNally,J.R.,Jr., 3=14556
Skidmore,M.R. See McNally,J.R.,Jr., 3=19930
Skilbreid,O. See Friedman,A.M., 3=8005
Skillicorn,I.O. See Bertanza,L., 3=7935
Skillicorn,I.O. See Connolly,P.L., 3=17330
Skillings,D.J. See Tunnicliffe,P.R., 3=12710
Skillman,D.C. See Oster,C.F.,Jr., 3=19358
Skillman,T.L. See Heppner,J.P., 3=11466
Skinner,E.M. See Eldridge,D.C., 3=3905
Skinner,J.G. and Brady,J.J. Effect of gas flow on the microwave dielectric breakdown of oxygen, 3=9516
Skinner,J.G. and Brady,J.J. Net frequency of ionization in oxygen, 3=9723
Skinner,N.J.,Lyon,A.J. and Wright,R.W. Ionospheric drift measurements in the equatorial region, 3=13719
Skjeggestad,O. See Ammar,R.G., 3=10229
Skjeggestad,O. See Davis,D.H., 3=6147
Skjeggestad,O. See Jauneau,L., 3=19708
Skjeggestad,O. See Levi Setti,R., 3=14842
Skjeggestad,O. See Zakrzewski,J., 3=10227
Sklyarevskii,V.V., Samoilov,B.N. and Štepanov,E.P. The temperature dependence of the magnitude of the hyperfine splitting of Dy^{161} levels in paramagnetic dysprosium oxide, 3=4999
Sklyarevskii,V.V. See Samoilov,B.N., 3=4590
Sklyarevskii,V.V. See Samoilov,B.N., 3=5007
Skobeev,A.M. On the theory of unloading waves, 3=18887
Skobelev,N.K. See Druin,V.A., 3=4675
Skobelev,N.K. See Polikanov,S.M., 3=6315
Skobelkin,V.I. The theory of relaxation oscillations in a combustion chamber, 3=1389
Skobel'tsyn,D.V. The outstanding Russian physicist, S.I.Vavilov, 3=16480
Skobov,V.G. See Kazarinov,R.F., 3=5495
Skobov,V.G. See Kazarinov,R.F., 3=6576
Skobov,V.G. See Kazarinov,R.F., 3=15433
Skobov,V.G. See Kazarinov,R.F., 3=25339
Skobov,V.K. Quantum theory of sound absorption by metals in a magnetic field, 3=4813
Skobunov,V.V. Measurement of fluctuating velocity components by means of a single filament hot-wire anemometer, 3=14196
Skofronick,J.G. See Palmer,D.W., 3=12673
Skokov,I.V. See Korolev,F.A., 3=21564
Skoldinov,A.P. See Shigorin,D.N., 3=15383
Skopina,V.I. See Kel'man,V.M., 3=19363
Skopina,V.I. See Kel'man,V.M., 3=19364
Skorčev,B. See Simova,P., 3=731
Skorinko,G., Doughty,D.D. and Feibelman,W.A. An ultraviolet-sensitive image tube, 3=14643
Skorka,S.J. and Retz-Schmidt,T.W. Width of the 2^+ 1.77 MeV level in Si^{28}, 3=22299
Skornyakov,G.V. Some problems in the topology of magnetic fields. II, 3=7675
Skornyakov,G.V. Some questions on magnetic-field topology, 3=21793
Skorobogatov,B.S. See Sysoev,L.A., 3=20528
Skoromnȳi,G.M. See Bolotin,L.I., 3=2046
Skorupski,A. Boundary conditions for electromagnetic fields in the case of moving media, 3=2093
Skoryupin,V.A. See Babȳkin,M.V., 3=1987
Skoryupin,V.A. See Babȳkin,M.V., 3=16985
Skowronek,M. The passage of high-intensity currents in a filamentary discharge emitted by a fine point, 3=374
Skowronek, M. and Cabannes, F. Analysis of the luminous phenomena accompanying the explosion of a thread-shaped channel of ionized gas, 3=4124
Skrabek,E.A. and Wallace,W.E. Magnetic characteristics of laves phases containing lanthanide metals combined with nickel, 3=15746
Skril,I.I. See Dvoretski,A.S., 3=17159
Skripov,F.I. See Aleksandrov,N.M., 3=13314
Skrivanek,R.A. See Fullam,E.F., 3=18592
Skřivánková,M. and Šimková,J. A study of the reaction of $Al^{27}(p,\alpha)Mg^{24}$, 3=6241
Skřivánková,M. See Křemének,J., 3=22375
Skrȳshevskie,A.F. The interpretation of the structure of monatomic liquids, 3=21304
Skrzypczak,E. See Danysz,M., 3=24572
Skrzypczak,E. See Marquit,E., 3=12378
Skudera,W. See Wade,W., 3=16141
Skugarevskaya,O.A. See Koroleva,K.P., 3=2081
Skurnik,E.Z. See Blaugrund,A.E., 3=19794
Skvortsov,N.S. See Pikus,G.E., 3=5633
Skvortsov,V.I. See Mash,D.I., 3=5024
Skvortsov,Y. See Komelkov,V.S., 3=7560
Skvortsova,N.E. Procedure for measuring the negative resistance and capacitance of tunnel diodes, 3=22964
Skȳntei,N. See Khulubei,Kh., 3=6240
Slabospitskii,R.P. See Fogel',Ya.M., 3=24373
Slack,L. See Koehler,P.F.M., 2=12636
Slade,J.J., Jr. See Shrier,A., 3=20748
Sladek,R.J. Piezothermal conductivity of doped germanium, 3=10766
Sládková,J. Optical measurements of oxide films on silicon, 3=25439
Slaggie,E.L. See Fuller,R.W., 3=14032
Slama,L. See Consoli,T., 3=21794
Słapa,M. See Freindl,L., 3=22412
Slater,C. and Cohen,L. A centrifugal particle size analyser, 3=8981
Slater,C.H.W. See Fulford,R.M., 3=16754
Slater,W.E. See Schlein,P., 3=17336
Slater,W.E. See Schlein,P.E., 3=24804
Slätis,H. See Andreen,C.J., 3=12443
Slattery,G.F. and Connolly,D.E. A compendium of X-ray growth indices for mechanically worked uranium, 3=8480
Slattery,J.C. Quasi-linear heat and mass transfer. I. The constitutive equations, 3=24072
Slattery,J.C. Quasi-linear heat and mass transfer. II. Analysis of experiments, 3=24073
Slaucitajs,L. See Winch,D.E., 3=23645
Slaughter,M. See Jeffrey,G.A., 3=11268
Šlaus,I. See Ilakovac,K., 3=4652
Šlaus,I. See Ilakovac,K., 3=17350
Slavatinskii,S.A. See Guseva,V.V., 3=19618
Slavatinsky,S.A. See Chernavsky,D.S., 3=12541
Slavatinsky,S.A. See Güseva,V.U., 3=6100
Slavík,J.B. See Kodeš,J., 3=15512
Slavin,M. Effect of slit width on background correction in photographic photometry, 3=1843
Slavin,M. On background correction in spectrum line photometry, 3=11914
Slavin,W. Photometric standard for ultraviolet-visible spectrophotometers, 3=1816
Slavin,W. See Kahn,H.L., 3=24025
Slavnov,D.A. Exclusion of divergences from the scattering matrix, 3=5962
Slavnov,D.A. and Sukhanov,A.D. Ambiguity in the determination of the interpolating field, 3=4356
Slavnȳi,A.A. See Fogel',Ya.M., 3=24373
Slayter,G. Two-phase materials, 3=1209
Slechta,J. Evaluation of the bending of shell structures from interference line shifts, 3=7153
Sledziewski,Z. See Fischhoff,E., 3=185
Slee,O.B. Scintillations of radio sources and geomagnetic activity, 3=16423
Slee,O.B. and Higgins,C.S. Long baseline interferometry of Jovian decametric radio bursts, 3=13923
Sleeswyk,A.W. Note on the F.C.C. → H.C.P. and H.C.P. → F.C.C. transformations, 3=3256
Sleeswyk,A.W. $\frac{1}{2}\langle 111\rangle$ screw dislocations and the nucleation of $\{112\}$ 111 <twins>in the b.c.c. lattice, 3=25279
Sleeswyk,A.W.,De Geus,A. and Helle,J.N. Indented surface markings of deformation twins in α-iron, 3=13403
Sleeswyk,A.W. and Helle,J.N. Ductile cleavage fracture, yielding and twinning in α-iron, 3=11176
Sleeswyk,A.W. See Votava,E., 3=793
Slepian,J. The current induced by a magnetic field in a physically bounded plasma, 3=1974
Slepian,J. Application of a new method of calculating currents in the ionic centrifuge, 3=12307
Sletten,H. See Jauneau,L., 3=12511
Sletten,H. See Jauneau,L., 3=19708
Slevogt,K. and Wirth,H. The decidecameter: a measuring cable for the study of dielectric properties of matter, 3=12061

Slezenko,Z.F. Direct method of measurement of the local velocity profile in the boundary layer [in the vicinity] of a non-uniformly heated plate, 3=11755
Slezkin,L.N. Use of asymptotic methods for investigation of gyroscopic systems, 3=5397
Slezov,V.V. See Lifshits,I.M., 3=5556
Slichter,C.P. See Lurie,F.M., 3=20664
Slichter,L.B. See Harrison,J.C., 3=13637
Slichter,W.P. and Davis,D.D. Nuclear magnetic resonance studies of molecular motion in natural rubber, 3=11125
Slie.W.M. See Strakna,R.E., 3=13330
Slieker,C.J.G. and de Vries,A.E. Thermal diffusion in hydrogen—helium mixtures, 3=21430
Slifkin,L. See Childs,C.B., 3=5906
Slifkin,L. See Layer,H., 3=12966
Slifkin,L. See Williams,G.P.,Jr, 3=13005
Slifkin,L.M. See Childs,C.B., 3=7754
Slifkin,L.M. See Kabler,M.N., 3=17718
Slifkin,L.M. See Mallard,W.C., 3=6538
Slifkin,M.A. Spectra of amine—chloranil complexes, 3=1694
Slifkin,M.A. Interaction of amino-acids with riboflavin, 3=8954
Sliker, T.R. and Burlage, S.R. Some dielectric and optical properties of KD_2PO_4, 3=17943
Sliker,T.R. Rate of volume photolysis in copper-doped silver chloride, 3=11358
Sliker,T.R. Properties of divalent cobalt and nickel as impurities in silver chloride single crystals, 3=15487
Slinn,W.G. and Robson,J.M. The cross-section for the $Ni^{58}(n, \alpha)Fe^{55}$ ground-state transition, 3=12686
Sliv,L.A. and Kharitonov,Yu.I. Level with spin I = 16 in the Po^{212} nucleus, 3=22311
Sliv,L.A. See Band,I.M., 3=640
Sliv,L.A. See Bukat,G.M., 3=22257
Slivnik,J. See Blinc,R., 3=12868
Sloan,G.J. and McGowan,N.H. Automatic zone refiner for organic compounds, 3=8809
Sloanaker,B.M. See Mayer,C.H., 3=18653
Slobodchikov,S.V. See Nasledov,D.N., 3=15632
Slobodchikov, S.V. See Nasledov, D. N., 3=17879
Slobodkin,L.S. Investigation of heat and mass exchange between a [flowing] gas and single [solid] grains, 3=11966
Slobodrian,R.J. See Bilaniuk,O.M., 3=15224
Slobodskoy,A. See Lehovec,K., 3=10801
Slobodskoy,A. See Lehovec,K., 3=20315
Slodzian,G. See Castaing,R., 3=3422
Slonczewski,J.C. Band theory of anisotropy, 3=979
Slonczewski,J.C. Theory of the dynamical Jahn—Teller effect, 3=22527
Slonim,Yu.M. The relationship between chromospheric flares and prominences in active regions, 3=23688
Sloope,B.W. and Tiller,C.O. Formation conditions and structure of thin epitaxial germanium films on single-crystal substrates, 3=3280
Sloope,B.W. and Tiller,C.O. Surface roughness of epitaxial germanium films, 3=25771
Slooten,H.S.G. See Hermans,M.E.A., 3=2538
Slov'ev,L.E. See Gross,E.F. 3=4971
Slovokhotov,L.I. See Baranov,P.S., 3=4371
Slowinski,E.J.,Jr. See Masterton,W.L., 3=18795
Slutsker,A.I. See Betekhtin,V.I., 3=10682
Slutsker,A.I. See Marikhin,V.A., 3=18372
Slutsker, A.L. See Zhurkov,S.N., 3=11193
Slutsker,A.I. See Zhurkov,S.N., 3=20728
Slutskin,A.A. See Lifshitz,I.M., 3=15477
Slutskin,A.A. See Nabutorskii,V.M., 3=2702
Slutsky,L.J. and Jelinek,G. Low frequency lattice vibrational spectrum of indium, 3=8348
Smagin,A.G. Internal friction in quartz, 3=13336
Smagin,V.A. See Mishin,D.D., 3=20584
Smakula,A.,Maynard,N.C. and Repucci,A. Color centres in mixed crystals of alkali halides, 3=10693
Small,A.M.,Jr. and McClellan,M.E. Pitch associated with time delay between two pulse trains, 3=21166
Small,K.A. See Butler,S.T., 3=21037
Small,R.J. See Shine,H.J., 3=20013
Smaller,B. Electron and nuclear magnetic interaction in triplet states of various organic phosphors, 3=5035
Smalley,I.J. On the nature of twelve branched snow crystals, 3=16024
Smalley,I.J. Snow crystals formed in cirrus clouds, 3=18504
Smallman,R.E., Hernáez,J. and Adams,M.A. The effect of surface gas contamination on the mechanical properties of polycrystalline niobium, 3=20755
Smallman,R.E. See Ashbee,K.H.G. 3=5092
Smallman,R.E. See Ashbee,K.H.G., 3=23328
Smallman,R.E. See Lindley,T.C., 3=13351
Smallman,R.E. See Lindley,T.C., 3=23312
Smallman,R.E. See Westmacott,K.H., 3=22785
Smars.E.A. See Alfven,H., 3=12198
Smårs,E.A. See Johansson,R.B., 3=4048
Smart,D. and Smart,E. On the relationship between resistivity and thermo-e.m.f., 3=23025
Smart,E. See Smart,D., 3=23025
Smart,J.S. Exchange interactions in magnetic compounds, 3=15724
Smart,J.S. See Boyd,E.L., 3=25545
Smart,J.S. See McGuire,T.R., 3=3080
Smart,J.S. See McGuire,T.R., 3=15743
Smart,R.F. and Haynes,F.G. Some observations on the chromium—nickel system, 3=11289
Smazhevskaya,E.G. See Fedulov,S.A., 3=13116
Smazhevskaya,E.G. See Fedulov,S.A., 3=20770
Smedsdal,M. See Hvam,T., 3=24189
Smet,P. and Tillieu,J. Determination of Eigen energies and functions from the Maxwell—Boltzmann density-operator. II. Perturbed system, 3=7133
Smethurst,B. See Hendra,P.J., 3=21543
Smets,H.B. Critical size and flux distribution in a plane homogeneous reactor at power level, 3=12722
Smiddy,M. See Sagalyn,R.C., 3=11441
Smidt,F.A.,Jr and Daane,A.H. Electrical resistivity of rare-earth alloys, 3=13033
Smidt,J. Nuclear magnetic resonance of liquids. Principles and application, 3=14184
Smidt,J. See Mehlkopf,A.F., 3=24486
Śmigielski,J. See Milewski,J., 3=14759
Smilansky,U. See Goldring,G., 3=24837
Smiley,V.N. Window seal for gas lasers, 3=22026
Smiley,V.N. and Stuart,F.E. Analysis of infrared interference filters by means of an analog computer, 3=19011
Smirenkin,G.N.,Nesterov,V.G. and Bondarenko,I.I. Fission cross-sections of U^{233}, U^{235} and Pu^{239} in the neutron energy interval 0.3-2.5 MeV, 3=6309
Smirenkin,G.N. See Okolvich,V.N., 3=15246
Smirnov,A.A. See Danilenko,V.M., 3=25518
Smirnov,A.A. See Geichenko,V.V., 3=8904
Smirnov,A.A. See Kolomets,I.D., 3=20260
Smirnov,A.A. See Nosar',A.N., 3=3317
Smirnov,A.D. See Messel,H., 3=4486
Smirnov,A.I. See Kask,N.E., 3=20649
Smirnov,A.I. See Sumbaev,O.I., 3=6462
Smirnov,A.I. See Sumbayev,O.I., 3=14943
Smirnov,A.M. See Remaev,V.V., 3=15134
Smirnov.A.P. See Grigor'ev,A.D., 3=5148
Smirnov,A.P. See Kolchin,A.M., 3=3966
Smirnov,B.I. The problem of distinguishing the broadening effects in powder lines by the harmonic analysis of first and second order reflections, 3=8933
Smirnov,B.I. See Zimkin,I.N., 3=17748
Smirnov,B.M. Inelastic collisions of light atoms in the adiabatic approximation, 3=8203
Smirnov,B.M. Slowing down of protons and μ^+-mesons in metals, 3=22691
Smirnov,B.M. and Ivanov,Yu.M. Behaviour of low-energy μ^+-mesons in organic substances, 3=2291
Smirnov,B.M. See Ivanov,Yu., 3=7877
Smirnov,E.V. See Vovenko,A.S., 3=6042
Smirnov,I.A. and Shadrichev,E.V. Thermal conductivity of tellurium monocrystals in the 80-650°K temperature range, 3=6483
Smirnov,I.A. See Devyatkova,E.D., 3=10584
Smirnov,I.A. See Devyatkova,E.D., 3=2741
Smirnov,I.A. See Devyatkova,E.D., 3=5548
Smirnov,I.A. See Devyatkova,E.D., 3=6473
Smirnov, I.A. See Devyatkova, E.D., 3=17670
Smirnov,I.A. See Devyatkova,E.D., 3=22644
Smirnov,I.A. See Lemanov,V.V., 3=20120
Smirnov,L.S., Vavilov,V.S. and Gerasimenko,N.N. Kinetics of recombination radiation of silicon, 3=20540
Smirnov,L.S. See Sharendo,L.G., 3=15570
Smirnov,L.S. See Spitsÿn,A.V., 3=22710

Smirnov,L.V. See Bogoroditskii,N.P., 3=22999
Smirnov,L.V. See Petrova,S.N., 3=8778
Smirnov,P.V. See Popov,A.V., 3=17010
Smirnov,R.V. Short-period Pt-type oscillations of the natural electric field at sea, 3=3438
Smirnov,S.P. See Belyaev,L.M., 3=20791
Smirnov,S.P. See Emel'yanova,E.N., 3=25569
Smirnov,V.N. See Gribov,L.A., 3=15323
Smirnov,V.P. See Borodin,A.V., 3=21831
Smirnov,V.V. See Aglintsev,K.K., 3=8204
Smirnov,V.V. See Rimskii-Korsakov,A.A., 3=5694
Smirnov,Yu.F. Talmi transformation for particles with different masses. II, 3=5972
Smirnov,Yu.F. See Balashov,V.V., 3=7963
Smirnov,Yu.F. See Matthies,S., 3=636
Smirnov,Yu.F. See Mattkhiz,Z., 3=6163
Smirnova,E.M. See Zhuravlev,N.N., 3=11280
Smirnova,I.V.,Chapnin,V.A. and Vavilov,V.S. Radiation defects in lithium-doped silicon, 3=22849
Smirnova,I.V. See Vavilov,V.S., 3=22704
Smirnova,N.L. Possible values of the X coordinates in single-parameter lattice complexes of the cubic system, 3=20810
Smirnova,N.L. and Belov,N.V. Structures of alternating Thomson cubes and bipyramidal networks with over-all cubic or diamond symmetry, 3=20774
Smirnova,N.L. and Belov,N.V. Two major groups of structure types having the formula AX_2, 3=23423
Smirnova,N.P. See Bursian,É., 3=2954
Smirnova, N.V. See Shchukin, E.D., 3=18181
Smirnova, T.A. See Shamfarov, Ya.L., 3=18136
Smirnova,T.G. See Pokrovskii,N.L., 3=3334
Smirnova,T.G. See Pokrovskii,N.L., 3=20760
Smirnova,Z.A. See Mokievskii,V.A., 3=23404
Šmirous,K., Hrubý,A. and Beránková,J. Refining of CdSb and preparation of CdSb single crystals by zone melting, 3=5087
Smirous,K., Hrubý,A. and Štourač,L. The influence of impurities on the electric and thermoelectric properties of CdSb single crystals, 3=20325
Šmirous,K. and Štourač,L. The influence of the oxygen content on electrical and thermoelectric properties of the ternary system $Bi_2Te_{3-x}Se_x$, 3=860
Smit,C.,Alkemade,C.T.J. and Muntjewerff,W.F. Low-frequency fluctuations in the counting rate of photomultipliers, 3=7634
Smit,C.,Heideman,H.G.M. and Smit,J.A. Relative optical excitation functions of helium (excitation by electrons), 3=12778
Smit,J.,Lotgering,F.K. and van Stapele,R.P. Anisotropy of ferrous ions in spinels, 3=1028
Smit,J. See Enz,U., 3=11050
Smit,J.A. See Smit,C., 3=12778
Smith,A.B. The scattering of fast neutrons from W^{184}, 3=22399
Smith,A.B. and Jones,R.V. Magnetostriction constants from ferromagnetic resonance, 3=14714
Smith,A.B. See Friedman,A.M., 3=19896
Smith,A.C.H. See Fite,W.L., 3=21707
Smith,A.C.H. See Marino,L.L., 3=5629
Smith,A.C.H. See Stebbings,R.F., 3=14530
Smith,A.C.H. See Stebbings,R.F., 3=14531
Smith,A.C.H. See Stebbings,R.F., 3=24224
Smith,A.G.,Carr,T.D. and Six,N.F. Results of recent decameter-wavelength observations of Jupiter, 3=18654
Smith,A.G. and Shah,V.L. The calculation of wall and fluid temperatures for the incompressible turbulent boundary layer, with arbitrary distribution of wall heat flux, 3=5410
Smith,A.J.,Cambey,L.A. and Marshall,D.J. Mass analysis of sputtered particles, 3=24389
Smith,A.M. See Garvey,G.T., 3=15101
Smith,A.W. and Braslau,N. Observation of an optical difference frequency, 3=18955
Smith,A.W. See Armstrong,J.A., 3=24515
Smith,B.E. See Pillow,M.E., 3=24245
Smith,B.G. Inadequacy of a simple two-pion approximation to explain $\eta \rightarrow 3\pi$ distribution, 3=22188
Smith,B.H. Radiofrequency system of the Berkeley 88-inch cyclotron, 3=5755
Smith,B.H. See Dexter,W.L., 3=5796
Smith,B.L. Optical celss for pressurized solids and liquids at cryogenic temperatures, 3=7313
Smith,B.L. and Pings,C.J. Optical determination of the compressibility of solid argon, 3=11147
Smith,B.L. and Pings,C.J. Refractive index of solid argon, 3=15647
Smith,C.R. See Holladay.W.G., 3=3748
Smith,D. See Davies,D.E., 3=4010
Smith,D.A. See Smits,T.I., 3=5479
Smith,D.A. See Burge,E.J., 3=5719
Smith,D.B.,Jarmie,N. and Lockett,A.M. HE^3 + t reactions, 3=7939
Smith,D.B. See Jarmie,N., 3=15047
Smith,D.C.G. and Brindley,K.W. Physics experience on DFR, 3=2540
Smith,D.E., The perturbation of satellite orbits by extra-terrestrial gravitation, 3=3628
Smith,D.F. Xenon oxyfluoride, 3=17590
Smith,D.H. and Harlow,R.G. The velocity of sound in air, nitrogen and argon, 3=5497
Smith,D.K. Crystallographic changes with the substitution of aluminium for iron in dicalcium ferrite, 3=1340
Smith,D.K.,Cline,C.F. and Frechette,V.D. A high temperature crystallographic phase inversion in BeO, 3=1320
Smith.D.O. Positive and negative anisotropy in nickel-iron films, 3=1067
Smith,D.O. Negative anisotropy in nickel–iron films, 3=15807
Smith,D.O. See Harte,K.J., 3=13249
Smith,D.O. See Weiss,G.P., 3=15975
Smith,D.R. See Downs,B.W., 3=10179
Smith,D.S. and Baird,K.M. Wavelengths of Fe lines measured by a new technique, 3=11924
Smith,D.S. See Baird,K.M., 3=12763
Smith,D.W. See Franz,F.A., 3=19941
Smith,E.B. and Lea,K.R. Thermodynamic properties of mixtures of hard sphere molecules by Monte Carlo methods, 3=23925
Smith,E.B. See Lawley,K.P., 3=14204
Smith,E.J.,Davis,L.,Jr.,Coleman,P.J.,Jr. and Sonett,C.P. Mariner II: preliminary reports on measurements of Venus: magnetic field, 3=18619
Smith,E.J. and Sonett,C.P. Satellite observations of the distant field during magnetic storms: Explorer VI, 3=5226
Smith,E.J. See Coleman,P.J.,Jr, 3=7020
Smith,E.v.P. Spectrum of the flare of September 2,1960, 3=11541
Smith,E.v.P. Type V bursts and their association with flares, and addenda to the flare association of type I bursts, 3=11590
Smith,F.A. See Holmes,R., 3=9505
Smith,F.B. The problem of deposition in atmospheric diffusion of particulate matter, 3=9023
Smith,F.D. Optical image evaluation and the transfer function, 3=11887
Smith,F.G. Using low noise amplifiers, 3=5840
Smith,F.G. See Clarke,R.W., 3=11605
Smith,F.T. Three-body collision rates in atomic recombination reactions, 3=6424
Smith,F.J.,Smith,J.K. and McGlynn,S.P. Low temperature double path absorption cell, 3=5518
Smith,F.T. Collision lifetimes in many-body processes, 3=9351
Smith,F.T. Collision lifetimes and the thermodynamics of real gases, 3=9496
Smith,F.T. Quantum virial expansion, 3=23766
Smith,G. See Alexander,G., 2=7924
Smith,G.A. See Kalbfleisch,G.R., 3=17349
Smith,G.A. See Kalbfleisch,G.R., 3=19698
Smith,G.C. See Boniszewski,T., 3=11153
Smith,G.C. See Sack,H.S., 3=22974
Smith,G.E. Experimental determination of effective masses in a bismuth–antimony alloy, 3=15587
Smith,G.E.,Hebel,L.C. and Buchsbaum,S.J. Hybrid resonance and "Tilted-orbit" cyclotron resonance in bismuth, 3=4853
Smith, G.E. See Buchsbaum, S.J., 3=2856
Smith,G.E. See Wolfe,R., 3=4958
Smith,G.E. See Wolfe,R., 3=8573
Smith,G.E. See Wolfe,R., 3=10894
Smith,G.E. See Wolfe,R., 3=20424
Smith,G.F. On the yield condition for anisotropic materials, 3=11157
Smith,G.G. See Hardy,J.,Jr, 3=6261
Smith,G.G. See Hardy,J.,Jr, 3=6262
Smith.G.H. and Burge,R.E. A theoretical investigation of plural and multiple scattering of electrons by amorphous films, with special reference to image contrast in the electron microscope, 3=9866
Smith,G.H. See Burge,R.E. 3=5155

Smith, G.S. On the regularity of the tetrahedra in quartz, 3=18319
Smith, G.S. and Alexander, L.E. Refinement of the atomic parameters of α-quartz, 3=18318
Smith, G.S. See Alexander,L.E., 3=1282
Smith,G.S. See Alexander,L.E., 3=25694
Smith,G.W. The crystal structures of cobalt molybdate $CoMoO_4$ and nickel molybdate $NiMoO_4$, 3=5110
Smith,H.G. and Levy,H.A. Neutron diffraction study of ammonium perchlorate, 3=8857
Smith,H.G. See Peterson,S.W., 3=1312
Smith,H.J. and Hoffleit,D. Light variations in the superluminous radio galaxy 3C273, 3=23699
Smith,H.J. See Douglas,J.N., 3=13922
Smith,H.J. See Douglas,J.N., 3=18655
Smith,H.J. See Rodman,J.P., 3=9146
Smith,I.W.M. See Callear,A.B., 3=23936
Smith,I.W.M. See Callear,A.B., 3=23937
Smith,J. The effect of a previous glow discharge on the Townsend ionization coefficients, 3=4060
Smith,J. See Danovich,J.F., 3=20890
Smith,J.A.S. See Jones,D.W., 3=8865
Smith,J.F. See Ferris,R.W., 3=11134
Smith,J.F. See Meyerhoff,R.W., 3=20886
Smith,J.F. See Sumer,A., 3=23285
Smith,J.G. See Eaton,G.K., 3=2917
Smith,J.H. Analysis for diffusion theory flux peaking at a sharp corner, 3=15255
Smith,J.H. See Berman,B.L., 3=19716
Smith,J.H. See Frederick,D.E., 3=2172
Smith,J.H. See Frisch,D.H., 3=11680
Smith,J.H. See Hurwitz,H.,Jr, 3=12734
Smith,J.H. See Hurwitz,H.,Jr, 3=12735
Smith,J.K. See Smith,F.J., 3=5518
Smith,J.L. Waffle iron — a new memory structure, 3=14731
Smith,J.P. Display of rotational switching characteristics of magnetic thin films, 3=6708
Smith,J.V. and Bailey,S.W. Second review od Al-O and Si-O tetrahedral distances, 3=25716
Smith,K. and Uretsky,J.L. Low-energy pion–pion scattering, 3=19684
Smith,K. See Burke,P.G., 3=8211
Smith,K.M. See Joshi,B.R., 3=24547
Smith,K.U. See Gould,J., 3=1566
Smith,L. Comparison of accelerator types, 3=5775
Smith,L. See Garren,A.A., 3=5788
Smith,L.B. Monthly wind measurements in the mesodecline over a one-year period, 3=9063
Smith,L.T. See Schlein,P., 3=17336
Smith,M.E. See aufm Kampe,H.J., 3=9033
Smith,M.J. Determination of the nonstoichiometric doping mechanism in Bi_2Se_3, 3=8516
Smith,M.J. Co^{60} γ-radiation-induced point defects in Bi_2Te_3, 3=22712
Smith,P. Anisentropic rectilinear gas flows, 3=23916
Smith,P.A. See Kang,Y.W., 3=15088
Smith,P.F. Protection of superconducting coils, 3=14728
Smith,P.H. See Miles,J.L., 3=19107
Smith,P.L. and Martin,J.E. Structure of the high-pressure phase of indium antimonide, 3=13516
Smith,P.L. and Martin,J.E. The high-pressure structures of cadmium sulphide and cadmium telluride, 3=23443
Smith,P.W.,Jr and Malme,C.I. Fatigue tests of a resonant structure with random excitation, 3=7261
Smith,R.C. Resolution in the derivative recording of absorption spectra, 3=16766
Smith,R.C. and Mozley,R.F. Positive pion production by polarized X-rays between 227 and 373 MeV, 3=17308
Smith,R.C. and Wilmshurst,T.H. A technique for recording electron spin resonance difference spectra, 3=17064
Smith,R.D. Zebra – A zero power fast reactor, 3=2518
Smith,R.L. Two-photon photoelectric effect, 3=6625
Smith,R.L. See Brice,R.M., 3=13730
Smith,R.P. Excluded volume effect in polymer chains, 3=12887
Smith,R.T. Stress-induced anisotropy in solids — The acousto-elastic effect, 3=23275
Smith,R.W. See Hunt,M.D., 3=23393
Smith,R.V. and Imhof,W.L. Satellite measurements of the artificial radiation belt, 3=16285
Smith,R.V. See Stewart,R.B., 3=16846
Smith,S.D.,Hardy,J.R. and Mitchell,E.W.J. The study of lattice vibrations in diamond by infra-red absorption, 3=10577
Smith,S.D.,Pidgeon,C.R. and Prosser,V. Temperature dependence of effective mass in InSb: A detailed study of free carrier, interband and oscillatory Faraday rotation, 3=10823
Smith,S.D. See Hardy,J.R., 3=10933
Smith,S.F. See Malville,J.M., 3=21126
Smith,S.W. See Phinney,R.A., 3=18473
Smith,S.W. See Weaver,R.D., 3=1926
Smith,T.J. See McCamy,K., 3=1417
Smith,T.J.B. and Kilham,J.K. Noise generation by open turbulent flames, 3=14289
Smith,V.H.,Jr and Gersch,H.A. Theory of many-boson systems, 3=21260
Smith,W. See Evans,F., 3=7367
Smith,W.B. Radar observations of Venus,1961 and 1959, 3=11594
Smith,W.B. See Balser,M., 3=5860
Smith,W.B. See Richard,K.F., 3=15057
Smith, W.G. The energy levels of Pd^{106} populated in the decays of Ag^{106} and Rh^{106}, 3=17410
Smith,W.G. See Rhode,J.I., 3=6205
Smith,W.G. See Ritter,J.C., 3=2419
Smith,W.L. and Spencer,W.J. Quartz crystal thermometer for measuring temperature deviations in the 10^{-3} to 10^{-6} °C range, 3=11986
Smith,W.R. and Ivash,E.V. Distorted wave calculations of (d,p) angular distributions, 3=2487
Smith,W.R. and Ivash,E.V. Distorted-wave calculations of light nuclei (d, p) angular distributions, 3=17493
Smith,W.R. See Jones,R.J., 3=5734
Smith,W.R. See Hudson,E.D., 3=5752
Smith,W.V. See Dieleman,J., 3=3170
Smither,R.K. Gamma-ray spectrum from thermal-neutron capture in Hf^{177} and associated energy levels in Hf^{178}, 3=8011
Smither,R.K. See Weinman,J.A., 3=22269
Smith-Rose,R.L. The protection of frequencies for radio astronomy, 3=11586
Smits,D.W. See Vos,A., 3=25688
Smits,T.I.,Smith,D.A. and Lambert,R.F. Crest and extremal statistics of a square-law-derived random process, 3=5479
Smolenski,G.A. See Bokov,V.A., 3=6615
Smolenskii,G.A. and Andreev,A.A. Investigation of ferrimagnets with the structure of magnetoplumbite and garnet in strong magnetic fields, 3=11099
Smolenskii,G.A.,Chang Tsung and Sher,E.S. Frequency and temperature dependences of the initial permeability of ferrites with the garnet structure, 3=6723
Smolenskii,G.A. and Gurevich,A.G. Some investigations of non-metallic ferro- and antiferromagnetics, 3=3092
Smolenskii,G.A.,Isupov,V.A.,Krainik,N.N. and Agranovskaya,A.I. The coexistence of the ferroelectric and ferromagnetic states, 3=6614
Smolenskii,G.A., Polyakov,V.P. and Yudin,V.M. Investigation of the magnetic properties of some ferromagnets with the structure of perovskite and garnet, 3=5025
Smolenskii, G.A, Yudin, V.M. and Sher, E.S. A new group of antiferromagnetics with the K_2NiF_4 structure, 3=18107
Smolenskii,G.A., Yudin,V.M., Sher,E.S. and Stolypin,Yu.E. Antiferromagnetic properties of some perovskites, 3=3147
Smolenskii,G.A. See Men',A.N., 3=20616
Smolenskii,G.A. See Mitsek,A.I., 3=23176
Smolik,Ch.K. See Antonov,A.V., 3=4401
Smolin,M.D. Problem of the temperature dependence of electrical transport in metals, 3=20263
Smolin,M.D. See Frantsevich,I.N., 3=20235
Smolin,M.D. See Frantsevich,I.N., 3=20237
Smolin,M.D. See Kalinovich,D.F., 3=17782
Smolin,R.P. See Drokin,A.I., 3=11061
Smolin,R.P. See Vlasov,A.Ya., 3=11053
Smolkin,G.E. See Levin,G.L., 3=24361
Smolsky,B.M. and Sergeyev,G.T. Heat and mass transfer with liquid evaporation, 3=299
Smoluchowski,R. See Royce,B.S.H., 3=22730
Smorchkov,V.N. See Galanin,M.D., 3=19487
Smorodin,Y.A. See Baradzei,L.T., 3=4538
Smorodin,Yu.A. See Antonov,R.A., 3=6102
Smorodin,Yu.A. See Birger,N.G., 3=12539
Smorodin,Yu.A. See Van Gan-chan [Wang Kang-ch'ang], 3=2302

Smorodin,Yu.A. See Baradzei,L.T., 3=19725
Smorodin,Yu.A. See Rubtsov,V.I., 3=24715
Smorodinskii,Ya.A. Translation of spin in Lobachevsky space, 3=17183
Smorodinskii,Ya.A. See Klepikov,N.P., 3=15166
Smorodinskii,Ya.A. See Lyuboshits,V.L., 3=5818
Smorodinskii,Ya.A. See Nguen van Kh'ey, 3=24735
Smorodinskii,Ya.A. See Zel'dovich,Ya.B., 3=1507
Smorodinskii,Ya.Y. See Baz',A.I., 3=5956
Smotryaev,V.A. See Levintov,I.I., 3=24963
Smotryaev,V.A. See Trostin,I.S., 3=24807
Smrž,P. and Šimák,V. One-pion exchange model in high energy nucleon—nucleon collisions, 3=13106
Smulders,P.J.M. and Endt,P.M. Investigation of the ^{24}Mg$(\alpha,\gamma)^{28}$Si reaction and of some ^{27}Al$(p,\gamma)^{28}$ Si resonances, 3=2499
Smushkov,I.V. See Pines,B.Ya., 3=6532
Smuts, J. See Herbstein, F.H., 3=17662
Smy,P.R. Spot conduction of currents between moving plasma and cold electrodes, 3=21755
Smy,P.R. Electrical impedance of electrodes immersed in moving plasma, 3=21760
Smy,P.R. and Offenberger,A. Experiments with moving magnetized plasma, 3=9773
Smy̆rnov,A.A. See Kolomiet',I.D., 3=20261
Smythe,R. See Lind,D.A., 3=5735
Smythe,R. See Rickey,M.E., 3=5736
Smythe,W.R. Charged spheroid in cylinder, 3=16897
Snegirev,B.N. Vibrational spectra of aromatic compounds. XIII. Calculation of intensities in the infrared spectrum of p-xylene, 3=15369
Snelson,A. and Pitzer,K.S. Infrared spectra by matrix isolation of lithium fluoride, lithium chloride, and sodium fluoride, 3=22544
Snider,C.S. See Beehler,R.E., 3=11749
Snider,R.F. and McCourt,F.R. Kinetic theory of moderately dense gases: inverse power potentials, 3=18846
Śniegocki,S. Remark on the mass of the muonic neutrino, 3=10135
Snitko,O.V. See Primachenko,V.E., 3=20415
Snodgrass,F.E. See Munk,W.H., 3=16203
Snodgrass,R.J. and Bennett,L.H. Nuclear magnetic resonance in metal powders at low temperatures, 3=17066
Snoek,C. See Fluit,J.M., 3=4217
Snow,G. See Courant,H., 3=17346
Snow,W.B. See Spencer,E.G., 3=25601
Snow,W.R. See Fite,W.L., 3=5642
Snowden,D.P. Microwave Faraday rotation using a bimodal cavity, 3=12316
Snowden,K.U. The Bauschinger effect and dislocation arrangements in aluminium single crystals deformed by cyclic straining, 3=17746
Snowden,K.U. Dislocation arrangements during cyclic hardening and softening in Al crystals, 3=20738
Snowdon,J.C. Transverse vibration of free—free beams, 3=7262
Snowden,J.C. Mechanical impedance and transmissibility of simple supported beams, 3=9530
Snowdon,J.C. Transient response of nonlinear isolation mountings to pulselike displacements, 3=9535
Snowdon,J.C. Steady-state and transient behavior to two- and three-element isolation mounting, 3=9536
Snowdon,J.C. Representation of the mechanical damping possessed by rubberlike materials and structures, 3=18877
Snowdon,J.C. Transverse vibration of simply clamped beams, 3=18882
Snyatkov,V.I. See Baladin,M.P., 3=17126
Snyder,C.W. See Neugebauer,M., 3=7028
Snyder,D.D. See Lee,B.E., 3=243
Snyder,H.A. The attenuation of second sound in flowing He II in oxide capillaries, 3=3942
Snyder,H.A. Axial component of mutual friction in uniformly rotating liquid helium, 3=19087
Snyder,L.C. A simple molecular orbital study of aromatic molecules and ions having orbitally degenerate ground states, 3=12845
Snyder,L.C. One-center integrals of extraordinary
Snyder, L.C. See Saturno, A.F., 3=17561
Snyman,G.C. and Clayton,C.G. Some observations on the scattering of β-particles by thick absorbers, 3=22109
Šobajić,M.V. See Kovač,B.J., 3=19155
Sobakin,Yu.V. See Turkin,A.D., 3=6187
Sobel'man,I. See Vainshtein,L., 3=707
Sobel'man,I.I. See Rautian,S.G., 3=4787
Sobel'man,I.I. See Rautian,S.G., 3=25062
Sobiczewski,A. See Dabrowski,J., 3=19749
Sobiczewski,A. See Radojevic,V., 3=2381
Sobolak, E.S. and Stehle, P. Photon asymmetry in the bremsstrahlung of transversely polarized electrons, 3=4375
Sobolev,B.P.,Mineev,D.A. and Pashutin,V.P. The low temperature hexagonal modification of NaYF$_4$ with the Gagarinite structure, 3=23455
Sobolev,N.D. and Egerov,V.I. A strength criterion in thermal fatigue, 3=8779
Sobolev,N.N. See Dronov,A.P., 3=14218
Sobolev,N.N. See Kitaeva,V.F., 3=14558
Sobolev,N.N. See Kitayeva,V.F., 3=18861
Sobolev,N.N. See Kolesnikov,V.N., 3=14559
Sobolev,N.N. See Krindach,N.I., 3=19987
Sobolev,N.N. See Lotkova,É.N., 3=3018
Sobolev,V.V. Hydrogen lines in prominence spectra, 3=5260
Sobolev,V.V. and Minin,I.N. Dispersion of light in a spherical atmosphere, 3=23592
Soboleva,N.S. Measurements of the polarization of lunar radio emission at 3.2 cm, 3=9265
Soboleva,N.S.,Prozorov,V.A. and Pariskii,Yu.N. The distribution of polarized and non-polarized radio emission in the Crab nebula, 3=11606
Sochański,J. Contact potential changes on germanium surface channels, 3=2897
Sochański,J. Contact potential difference measurements on real semiconductor surfaces by means of a point vibrating electrode, 3=2896
Sochava,I.V. See Gotlib,Yu.Ya., 3=8366
Sochivko,V.L. See Fomenko,L.A., 3=25214
Soda,T. See Kaufman,A.N., 3=2089
Soda,T. See Mittleman,M.H., 3=22356
Sodan,H. See Jungclaussen,H., 3=15152
Sodha,M.S. Thermal and photoelectric ionization of solid particles, 3=9731
Sodha,M.S. and Palumbo,C.J. Non-linear propagation of an amplitude modulated electromagnetic wave in a plasma, 3=500
Sodha,M.S. and Palumbo,C.J. Non-linear interaction of oppositely propagating electromagnetic waves at a plasma-free space interface, 3=9789
Sodha,M.S. and Palumbo,C.J. Nonlinear propagation of electromagnetic waves in a plasma, 3=9792
Sodin,L.G., Braude,S.Ya. and Men,A.V. Observations of the spectra of very intense solar bursts in the 10-25 Mc/s range, 3=3619
Söding,P. See Escoubès,B., 3=19630
Sodomka,L. See Chudáček,I., 3=18035
Sodomsky,K.F. Microwave measurements of moving striations in a d.c. glow discharge, 3=16914
Sodov,V.E. See Gutkin,A.A., 3=20421
Soergel,V. See Depommier,P., 3=594
Soergel,V. See Depommier,P., 3=22161
Soezima, Y. See Tomoda, Y., 3=18241
Soezima, Y. See Yamada, T., 3=18177
Sofiev,C.N. See Levin,G.L., 3=24361
Soga,N. See Tashiro,M., 3=24066
Sohst,H. Breakdown potentials in air (760 torr) in a uniform field (7 to 30 cm separation), 3=19227
Sohma,J. Effect of lifetime of free radicals in chemical reaction on e.s.r. relaxation, 3=8311
Soicher,H. See Arendt,P.R., 3=12322
Soifer,G.B. See Grechishkin,V.S., 3=15964
Sokłakov,A.I. and Zhdanov,G.S. An X-ray study of radial distributions in amorphous solid solutions of sulphur with P_4S_{10}, 3=20916
Sokol,G.A. See Baranov,P.S., 3=4371
Sokolik,A.S. See Semenov,E.S., 3=5550
Sokolik,G.A. The theory of compensating fields, 3=16494
Sokolik,G.A. See Brodskii,A.M., 3=30
Sokolina,G.A., Krotova,N.A. and Khrustaler,Yu.A. Investigation of the properties of the interface between a polymer and a semiconductor, 3=20300
Sokolina,V.A. See Sevast'yanov,B.K., 3=6687
Sokoloff,J. Lorentz transformation in the undergraduate curriculum, 3=14004

Sokolov,A.A. On the four-component neutrino theory, 3=10083
Sokolov,A.A. and Lysov,B.A. Motion of electron with radiation damping and boundary conditions, 3=5819
Sokolov,A.D. See Matveev,V.V., 3=21135
Sokolov,A.V. See Bolotin,G.A., 3=3896
Sokolov,A.V. See Bolotin,G.A., 3=11925
Sokolov, A.V. See Bolotin, G.A., 3=17977
Sokolov, A.V. See Men', A.N., 3=17688
Sokolov,L.D. The problem of deformation ageing, 3=20723
Sokolov,N.D. See Korst,N.N., 3=10538
Sokolov,S.N. S-matrix for the one-dimensional Schrödinger equation and its behaviour in the quasi-classical region, 3=7791
Sokolov,V.A., ; Gorban',A.N. Candoluminescence from the standpoint of the Vavilov—Wiedemann criterion and present-day physical-chemical concepts, 3=20546
Sokolov,V.A. and Tolstoĭ,N.A. Single crystals of thallium halides and some of their properties, 3=20799
Sokolov,V.A. See Tolstoi,N.A., 3=952
Sokolov,V.A., See Tolstoi,N.A., 3=3050
Sokolov,V.I. See Belov,K.P., 3=3150
Sokolov,V.I. See Boltaks,B.I., 3=17784
Sokolov,V.I. See Gross,E.F., 3=22688
Sokolov,Yu.L.,Al'bitskaya,E.A. and Karpushkina,E.I. Measurement of the concentration of the "hot" component of a plasma, 3=21807
Sokolova,E.S. See Belyakov,V.A., 3=24764
Sokolova,E.S. See Belyakov,V.A., 3=24798
Sokolova,E.S. See Van Yun-chan [Wang Yung-chang], 3=2305
Sokolova,I.A. See Konstantinov,A.A., 3=7993
Sokolova,L.N. See Bundel',A.A., 3=3051
Sokolova,L.V. See Malȳshev,G.M., 3=24036
Sokolova,M.A. See Kuznetsov,V.G., 3=25734
Sokolova,N.P. See Kavtaradze,N.N., 3=11322
Sokolova,R.S. and Krylova,T.N. Multilayer dielectric systems with films of unequal optical thickness, 3=14359
Sokolova,R.S. and Krylova,T.N. Interference polarizers for the ultraviolet spectral region, 3=19027
Sokolovskii,V.V. Complete plane problems of plastic flow, 3=93
Sokol'skaya,I.L. Thermally stimulated field emission electron current from CdS single crystals, 3=19299
Sokol'skaya,I.L. Temperature dependence of the field emission of cadmium sulphide, 3=19300
Sokol'skaya,I.L. and Fursei,G.N. Study of the phenomena prior to destruction of tungsten emitters by high density auto-electronic current pulses, 3=7630
Sokol'skaya,I.L. See Novikov,B.V., 3=16972
Sokol'skaya,I.L. See Shcherbakov,G.P., 3=21852
Sokol'skaya,I.L. See Zubenko,Yu.V., 3=2011
Sokol'skii,V.V. See Babichev,A.P., 3=1958
Sokol'skii,V.V. See Babichev,A.P., 3=12089
Sokolskii,V.V. See Babichev,A.P., 3=12108
Sokovishin,Yu.A. See Strakhovich,K.I., 3=12301
Solanskiĭ,N.M. See Kolotov,O.S., 3=20601
Solari,P.A. See Jacquemin,J., 3=4692
Solari,P.A. See Krämer,H., 3=15261
Solarski,J.E. See Wiese,W.L., 3=4108
Solarski,J.E. See Wiese,W.L., 3=8176
Solarz,L. See Kaliski,S., 3=24449
Solarz,L. See Kaliski,S., 3=24450
Sold,U. See Sidi,M., 3=9708
Soldano,B.A. Is Planck's constant gravitational in origin? 3=1605
Soldatov,A.S. See Aleksandrov,Yu.A., 3=4646
Soldini,M. See Schumann,W., 3=5144
Solinas,L. See Barbier,M., 3=17002
Soller,R. See Friedman,I., 3=294
Solmar,L. and Ash,E.A. Focusing and stability of annular beams in periodic magnetic fields in the absence of applied electric fields, 3=5705
Solmitz,F. See d'Andlau,C., 3=17328
Solmitz,F.T. Experimental status of strange isobars, 3=4463
Solmitz,F.T. See Alvarez,L.W., 3=15039
Solntsev,V.M. See Blinova,N.I., 3=8642
Solo,R.B. See Mahan,B.H., 3=5159
Solodukhin,A.V. See Gubkin,A.N., 3=15620
Solomatina,L.V. See Sedov,V.L., 3=4829
Solomon,A.I. Motion of a particle with a spin in a nonhomogeneous electromagnetic field, 3=5924
Solomon,A.I. On the lepton masses, 3=542
Solomon,A.I. The nucleon electromagnetic mass difference, 3=7840
Solomon,I. Dynamic polarization and detection of resonance signals by double irradiation, 3=21982
Solomon,L.H. See Lovell,A.C.B., 3=18659
Solomon,R. See Muller,M.W., 3=15327
Solonenko,T.A. See Gol'danskii,V.I., 3=24707
Solopikhin,D.P. See Berezin,A.K., 3=14649
Soloshenko,I.I. See Garber,R.I., 3=6778
Solov'ev,A.M. and Vertsner,V.N. Some questions arising in the development of an X-ray microanalyser, 3=3371
Solov'ev,A.V. See Shpak,M.T., 3=11003
Solov'ev,E.S.,Il'in,R.N.,Oparin,V.A. and Fedorenko,N.V. Ionization of gases by fast hydrogen atoms and protons, 3=5620
Solov'ev,E.S. See Afrosimov,V.V., 3=365
Solov'ev,K.N. See Gurinovich,G.P., 3=25129
Solov'ev,L.D. Dispersion relations in quantum electrodynamics, 3=22051
Solov'ev,L.D. and Chén' Tsun-mo [Ch'êng Ts'ung-mo]. A phenomenological description of pion—pion interaction, 3=6041
Solov'ev,L.D. See Demina,N.V., 3=22162
Solov'ev,L.D. See Nemenov,L.L., 3=5994
Solov'ev,L.E. See Lider,K.F., 3=2990
Solov'ev,L.S. Axial-symmetrical oscillations of a plasma cylinder, 3=9822
Solov'ev,L.S. See Morozov,A.I., 3=4116
Solov'ev,L.S. See Morozov,A.I., 3=19427
Solov'ev,L.S. See Zueva,N.M., 3=7676
Solov'ev,M.I. See Belyakov,V.A., 3=24764
Solov'ev,M.I. See Belyakov,V.A., 3=24798
Solov'ev,M.I. See Van Gan-chan [Wang Kang-ch'ang], 3=2302
Solov'ev,M.I. See Van Gan-Chan, 3=19709
Solov'ev,M.I. See Van Yun-chan [Wang Yung-chang], 3=2305
Solov'ev,M.I. See Veksler,V.I., 3=22211
Solov'ev,M.I. See Wang Kang-Ch'ang, 3=22208
Solov'ev,M.V. See Baradzei,L.T., 3=19725
Solov'ev,M.V. See Wang Kang-Ch'ang, 3=19702
Solov'ev,S.P. See Lyubimov,V.N., 3=22997
Solov'ev,V.A. The relaxation of intramolecular oscillations in gases and liquids, 3=22609
Solov'ev,V.G. The influence of the pairing correlations of superconducting type on the velocity of α-decays, 3=2398
Solov'ev,V.G. Properties of the ground and excited states of strongly deformed nuclei, 3=7982
Solov'ev,V.G. Investigation of the properties of strongly deformed nuclei on the basis of a nuclear model, taking into account pair correlations, 1=10207
Solov'ev,V.G. See Lyu Yuian' [Lu Yang], 3=4561
Solov'ev,V.G. See Veresh,T., 3=24829
Solov'ev,V.I. and Brodskii,A.D. Apparatus for measuring a temperature by means of nuclear quadrupole resonance, 3=14401
Solov'ev,V.I. See Gurevich,A.G., 3=8702
Solov'eva,V.I. See Belyaeva,I.F., 3=19726
Solov'eva,V.I. See Vernov,S.N., 3=19719
Solov'ev,V.V. and Tsukerman,I.S. Production of charged vector bosons (x-mesons) by leptons in the Coulomb field of nuclei, 3=6060
Solov'ev,V.V. See Mandel'tsveig,V.B., 3=2318
Solov'ev,V.V. See Zhizhin,E.D., 3=7827
Solov'eva,Z.I. and Filov,R.A. Kinetic energy of fragments as a function of alpha-particle energy in the ternary fission of uranium, 3=15240
Soloviev,L.D. Infrared singularities in electron-phonon [proton] scattering, 3=5988
Soloviev,L.D. Infrared singularities and the positronium spectra, 3=22114
Soloviev,M.I. See Baladin,M.P., 3=17126
Soloviyeva,V.I. See Khristiansen,G.B., 3=4513
Solovjov,E.S. See Fedorenko,N.V., 3=7427
Solov'yev,L.A. See Panin,V.E., 3=5132
Solov'yeva,Yu.P. See Troyanskii,E.A., 3=5062
Solovyov,M.V. See Baradzei,L.T., 3=4538
Sołtan,M. See Gajewski,W., 3=19853
Sołtyński,K. See Gajewski,W., 3=19853
Soltys,T.J. See Hall,R.N., 3=4966
Soltysik,E.A. See McFarland,R.H., 3=2581
Soltysik,E.A. See McFarland,R.H., 3=6362
Soltysik,E.A. See McFarland,R.H., 3=8209

Soluyan,S.I. Magnetoacoustic waves in a cylindrical plasma column for which nonlinearity and absorption are taken into account, 3=7545
Soluyan,S.I. and Khokhlov,R.V. Finite amplitude acoustic waves in a relaxing medium, 3=14258
Solyakin,G.E. See Bochagov,B.A., 3=15248
Solymar,L. and Schefer,P.V. Non-conservation of kinetic power in non-linear electron beams, 3=435
Som,S.C. On partial coherence and the concept of "effective source" as used in instrumental optics, 3=21530
Som,S.C. See De,M., 3=14317
Somayajulu,Y.V. Changes in the F region during magnetic storms, 3=18539
Somenkov,V.A. See Livshits,B.G., 3=6812
Somers,E.V. See Church,C.H., 3=22011
Somerville,J.M. See Creagh,D.C., 3=9748
Somerville,W.B. Cross-sections for electron—hydrogen atom collisions in the Born approximation to the reactance matrix, 3=22503
Someya,T. See Watanabe,M., 3=9860
Someya,T. See Watanabe,M., 3=17807
Somló,A. See Tarján,I., 3=4955
Somló,Á. See Voszka,R., 3=8432
Sommer,A.,White,D.,Linesky,M.J. and Mann,D.E. Infrared absorption spectra of B_2O_3, B_2O_2, and BO_2 in solid argon matrices, 3=8272
Sommer,G. See Pfeiffer,H., 3=3347
Sommerfeldt,R.W. and Schecter,L. Static quadrupole interaction in Ta^{181}, 3=4803
Sommerhalder,R. See Drangeid,K.E., 3=16862
Sommerhalder,R. See Methfessel,S., 3=1073
Sommers,H.S.,Jr. Response of photoconducting imaging devices with floating electrodes, 3=24067
Somogyi,M. See Lendvay,E., 3=4989
Somojai,G.A. Charge transfer controlled surface interactions between oxygen and CdSe films, 3=11326
Somon,J.P.,Linhart,J.G. and Knoepfel,H. Contribution to the theory of converging shocks in a plasma, 3=12218
Sona,A. and Svelto,V. A transistor preamplifier for semiconductor detectors, 3=12048
Sona,A. See Arecchi,F.T., 3=14801
Sona,P.G. See Amar,V., 3=12398
Sona,P.G. See Bassani,G., 3=2584
Sona,P.G. See Colli,L., 3=4717
Sona,P.G. See Mangialajo,M., 3=15244
Sonder,E. and Sibley,W.A. Radiation equilibrium of F and M centers in KCl, 3=8461
Sonder,E. See Sibley,W.A., 3=816
Sonder,E. See Sibley,W.A., 3=23359
Sondericker, J.H. See Androulakis, J.G., 3=17125
Sonehara,K. See Tochigi,H., 3=19362
Sonett,C.P. The distant geomagnetic field. II. Modulation of a spinning coil E.M.F. by magnetic signals, 3=16296
Sonett,C.P. The distant geomagnetic field. IV. Microstructure of a disordered hydromagnetic medium in the collisionless limit, 3=16298
Sonett,C.P. and Abrams,I.J. The distant geomagnetic field. III. Disorder and shocks in the magnetopause, 3=16297
Sonett,C.P. See Coleman,P.J., Jr, 3=7020
Sonett,C.P. See Smith,E.J., 3=5226
Sonett,C.P. See Smith,E.J., 3=18619
Song,R.T. See Haltiner,G.J., 3=6955
Sonin,A.S. and Zheludev,I.S. Some dielectric properties of sodium nitrite single crystals, 3=23002
Sonin,B.E. See Martsinovskii,A.M., 3=21820
Sonnerup,B.U.O. and Laird,M.J. On magnetospheric interchange instability, 3=11464
Sonnino,T. See Pasternak,M., 3=19817
Sonntag,H. Properties of surface-active substances in liquid—liquid phase-boundaries. I. The influence of surface active boundaries on the coalescence of two mercury hemispheres in polar media, 3=23865
Sonntag,H. Properties of surface-active substances in liquid—liquid phase-boundaries. II. Relationship between the velocity of coalescence and the thickness of the intermediate liquid layer, 3=23866
Sonoike,S. and Akimoto,K. Luminescence of doped silver chloride with divalent anions and cations, 3=23106
Soo,J.P. See Alekseeva,K.I., 3=4535
Soo,S.L. See Sarafa,Z.N., 3=1736
Soo,S.L. Gas—solid suspensions at high temperatures, 3=14527
Soo,S.L. Thermal electrification and removal of electrons by solid particles in a gas, 3=14528
Sood,B.S. Mössbauer scattering of low energy gamma-rays, 3=2366
Sood,B.S. Linear polarization of 5.12 mc^2 gamma rays Rayleigh scattered from K-electrons in mercury, 3=8213
Sood,P.C. Heisenberg components in two-body forces and optical model potential, 3=621
Sood,P.C. and Waghmare,Y.R. Nucleon—nucleon potential from shell-model calculations for doublet splittings, 3=22258
Sood,P.M. See Aditya,P.K., 3=24568
Soohoo,R.F. Surface anisotropy energies of thin magnetic films, 3=15841
Soohoo,R.F. General exchange boundary condition and surface anisotropy energy of a ferromagnet, 3=20568
Soole,B.W. See Wilson,R.B., 3=10004
Soong,T.T. and Bogdanoff,J.L. On the natural frequencies of a disordered linear chain of N degrees of freedom, 3=21200
Soop,K. See Angerth,B., 3=12118
Sooy,W.R. and Stitch,M.L. Energy density distribution in a polished cylinder of laser material, 3=14803
Sooy,W.R. See Geller,M., 3=24525
Soper,J.M. See Lane,A.M., 3=633
Soper,J.M. See Warburton,E.K., 3=10252
Sørensen,G. See Lassen,N.O., 3=2508
Sorensen,S.O. See Breivik,F.O., 3=12380
Sorin,P. See Lagarde,F., 3=9422
Sorkin,R.D. Extension of the theory of signal detectability to matching procedures in psychoacoustics, 3=3678
Sorohan,M. The anisotropy of ferromagnetic wires feebly strained by torsion, 3=20577
Sorokin,A.A. and Mitrofanov,K.P. Investigation of the decay scheme of Gd^{147}, 3=10300
Sorokin,A.A. and Mitrofanov,K.P. Investigation of the decay scheme of Gd^{149}, 3=10301
Sorokin, A.A, Shtal', M.Z. and Shipnel', V.S. Zr^{97} decay scheme, 3=17436
Sorokin,A.A. See Strigachev,A. T., 3=10302
Sorokin,A.A. See Strigachev,A.T., 3=10305
Sorokin,O.M. See Shuba,Yu.A., 3=9150
Sorokin,P.P.,Axe,J.D. and Lankard,J.R. Spectral characteristics of GaAs lasers operating in "Fabry—Perot" modes, 3=23052
Sorokin,P.P. See Axe,J.D., 3=13204
Sorokin,P.P. See Stevenson,M.J., 3=9588
Sorokin,P.V.,Popov,A.I.,Storizhko,V.E. and Taranov,A.Ya. Elastic and inelastic scattering of protons by Ne^{22} nuclei, 3=2449
Sorokin,P.V.,Popov,A.I.,Storizhko,V.E. and Taranov,A.Ya. Inelastic scattering of protons by Ne^{20} nuclei, 3=4632
Sorokin,P.V. See Abuzeid,M.A., 3=19847
Sorokin,P.V. See Andreev,G.B., 3=5147
Sorokin,P.V. See Antoufiev,Y.P., 3=19811
Sorokin,P.V. See Zubritskii,L.A., 3=7748
Sorokin,Yu.I.,Shevchenko,V.G. and Yur'ev,B.A. Cross-sections for photoproton reactions in lead, 3=15176
Sorokina,A.V. See Graudy̆nya,L.Ya., 3=6256
Sorokina,A.V. See Graudynya,L.Ya., 3=8106
Sorokina,L.P. See Tsukerman,B.I., 3=16022
Soroko,L.M. See Akimov,Yu.K., 3=4389
Soroko,L.M. See Akimov,Yu.K., 3=4390
Sφrum,H. Absorption of the copper $K\beta_{2.5}$ X-ray emission line in copper, copper alloys and compounds, 3=25474
Sörum,H. See Trönsdal,G.O., 3=2822
Soshea,R.W. See Atalla,M.M., 3=20366
Soshin,L.D. See Pisarevskii,A.N., 3=2168
Soshnikov,V.N. Absolute intensities of electronic transitions in diatomic molecules, 3=15335
Soshnikov,V.N. Simplified method for calculating the shape of infrared molecular bands at high temperatures, 3=17554
Soshnikov,V.N. On a criterion for the applicability of a random model to the distribution of rotational lines, 3=17559
Soshnikov,V.N. The position of the upper electronic level and the oscillator strength of the optical transition ν(abs.max.) $\sim 25\,000$ cm^{-1} in NO_2, 3=19994
Sosin,A. Dislocation pinning in copper at 4·2°K and in stage I, 3=796
Sosin,A. The energy-dependence of electron damage in pure and doped copper, 3=8468
Sosin,A. and Rachal,L.H. Recovery in pure and alloyed aluminum following electron irradiation, 3=15489

Sosin,A. Radiation effects in metals at low temperatures, 3=22860
Soskin,M.S. See Babenko,V.P., 3=3874
Soskin,M.S. See Babenko,V.P., 3=11902
Soskin,M.S. See Broude,V.L., 3=22001
Sosnina,E.I. See Ovsienko,D.E., 3=23350
Sosnowski,R. See Bartke,J., 3=22206
Sosnowski,R. See Hofmokl,T., 3=12488
Sotobayashi,H. and Ueberreiter,K. Thermodynamics of polymer solutions. I. Molecular weight dependence of the second osmotic virial coefficients, 3=3802
Sotobayashi,H. and Ueberreiter,K. Thermodynamics of polymer solutions. III. Molecular weight dependence of the second osmotic virial coefficient of short-chain polystyrenes, 3=16615
Sotskiĭ,B.A. Oseen's theorem of extinction for metals and optically active isotropic media, 3=17049
Sotskii,B.A. See Bokut',B.V., 3=16788
Sotskiĭ,B.A. See Goncharenko,A.M., 3=23031
Sot-skii,B.A. See Khapalyuk,A.P., 3=5843
Sott,M. Matrix elements in the β-decay of Ir^{192}, 3=12645
Soucková,L. See Karel,F., 3=13213
Souckova,L. See Pastrnak,J., 3=13565
Soudek,I. Contribution to the temperature dependence of the luminescence of photographic emulsions, 3=16813
Souers, P.C. and Jura, G. Semiconducting region of ytterbium, 3=17899
Souffrin,P. On transistory movements of unstable systems: application to a model of solar granulation, 3=18630
Souffrin,S. Possibility of a non-Maxwellian distribution of electronic velocities [in a plasma], 3=4109
Souffrin,S. The thermal equilibrium of electrons in the chromosphere, 3=3581
Souillat, J.C. See Janin, J., 3=18053
Soulard,A and Ter-Minassian,L. Kinetics and thermodynamics in an adsorbant medium. I. Self-diffusion, 3=9376
Soulati,J. See Bass,S.T., 3=13631
Soulen, J.R. See Silvermann, M.S., 3=17999
Soulet,Y. New cellular method, 3=21292
Soundararajan,S. See Jain,S.R., 3=15358
Soundararajan, S. See Satyanarayana, S.K., 3=3990
Souquet,J. See Devienne,F.M., 3=24223
Souriau,J.M. and Kastler,D. Cayley octonions and strong interactions, 3=10031
Sousa,J.A. and Weinstein, J. Croyostat for absorption spectrophotometry, 3=9651
Southern,A.L.,Willis,W.R. and Robinson,M.T. Sputtering experiments with 1 to 5 keV Ar^+ ions, 3=9877
Southgate,P.D. and Attard,A.E. Thermally activated dislocation kink motion in silicon, 3=10663
Southon,M.J. See Brandon,D.G., 3=17775
Southon,M.J. See Brandon,D.G., 3=22706
Southworth,R.B. On S.H.Dole's paper "The gravitational concentration of particles in space near the earth", 3=23666
Soutif-Guicherd,J. See Minier,M., 3=13288
Sovers,O. and Kauzmann,W. Role of d-hybridization in the Pi molecular orbitals of unsaturated hydrocarbons, 3=10533
Sovers,O. See Dickens,P.G., 3=6433
Sowden,R.G. Radiolytic problems in water reactors, 3=15265
Sowden,R.G. See Hermans,M.E.A., 3=2538
Soxman,E.J. Hollow crystals of hexagonal ZnS, 3=11237
Spackman,J.W.C. Effect of oxygen on the electron spin resonance line-widths of amorphous carbons, 3=3168
Spacu,P., Voicu,V. and Labău,V. Electronic structure and absorption spectrum of the complex ion $[Cu(CN)_4]^{2-}$, 3=19992
Spaeth,J.M. See Schwink,C., 3=15793
Spaeth,J.M. See Schwink,Ch., 3=23160
Spain,R.J. The film switching by non-coherent rotation, 3=1081
Spain,R.J. Role of internal stresses in thin ferromagnetic films, 3=20595
Spain, R.J. and Puchalska, I.B. Interaction of domain walls in superimposed thin ferromagnetic films, 3=18085
Spain,R.J. See Puchalska,I.B., 3=20597
Spalding,D.B. and Chi,S.W. Mass transfer through laminar boundary layers. IV. Class I methods for predicting mass-transfer rates, 3=18787
Spalding,I.J. The hyperfine structure and nuclear moments of ^{143}Nd and ^{145}Nd, 3=4709
Spalding,I.J. See Allen,T.K., 3=12147
Spalter,J. See Crawford,F.W., 3=21803
Spalter,J. See Crawford,F.W., 3=21804
Spanel,L.E. See Mackintosh,A.R., 3=17826
Spangenberg,H.J. Intermolecular vibrations of the hydrogen bond, 3=25152
Spangler,R.A. Negative feedback electrometer circuit, 3=5604
Spänkuch,D. Method of determining the variation of sensitivity over the surface of thermocouples, 3=1860
Spänkuch,D. See Foitzik,L., 3=1445
Sparks,D.C. See Harris,F.S., Jr., 3=16038
Sparks,J.T. and Komoto,T. Neutron diffraction study of NiS, 3=15748
Sparks,J.T., Mead,W. and Komoto,T. Neutron diffraction investigation of the magnetic and structural properties of near-stoichiometric iron sulfide, 3=1023
Sparks,M. Two-magnon processes in ferromagnetic relaxation, 3=23202
Sparks,M. See White,R.M., 3=13291
Sparnaay, M.J. See Boonstra, A.H., 3=17856
Sparnaay, M.J. See Boonstra, A.H., 3=17857
Sparrman,P. See Lindskog,J., 3=2394
Sparrman,P. See Lindskog,J., 3=6178
Sparrman,P. See Lindskog,J., 3=12642
Sparrow,E.M., Eckert,E.R.G. and Minkowycz,W.J. Transpiration cooling in a magneto-hydrodynamic stagnation-point flow, 3=273
Sparrow,E.M. and Jonsson,V.K. Radiant emission characteristics of diffuse conical cavities, 3=14410
Sparrow,E.M. See Eckert,E.R.G., 3=275
Sparrow,E.M. See Eckert,E.R.G., 3=7364
Sparrow,E.M. See Eckert,E.R.G., 3=11971
Sparrow,E.M. See Eckert,E.R.G., 3=24071
Sparrow,J. See Jauneau,L., 3=12511
Spasskii,B.I. M.V.Lomonosov and the development of physics, 3=16484
Spaulding,A.D.,Roubique,C.J. and Crichlow,W.Q. Conversion of the amplitude-probability distribution function for atmospheric radio noise from one bandwidth to another, 3=5858
Speakman,J.C. See Dunsmore,H.S., 3=20854
Spear,R.H.,Larson,J.D. and Pearson,J.D. Excitation functions for the reactions $C^{13}(\alpha,n\gamma)O^{16}$, 3=10390
Spear,W.E., Adams,A.R. and Henderson,G.A. An optical lever gauge for local thickness measurements on fragile crystal plates, 3=14085
Spear,W.E. an d Lanyon,H.P.D. Carrier mobility and trapping centres in selenium, 3=873
Spear,W.E. and Mort,J. Electron and hole transport in CdS crystals, 3=4918
Spearman,T.D. Pion—pion interactions in the states T = 0 and T = 1, 3=7900
Spearman,T.D. See Kane,G.L., 3=24779
Specht,W.A.,Jr. Light scattering from dielectric film laser mirrors, 3=16805
Specq,A. See Wertheimer,R., 3=19465
Spector,H.N. Ultrasonic amplification in extrinsic semiconductors, 3=12921
Spector, H. N. Mapping of the fermi surface by means of magneto-acoustic resonances in the amplification of sound, 3=17680
Spector,H.N. Quantum resonances in the amplification of sound, 3=20094
Spector,H.N. Magnetic field dependence of the amplification of sound by conduction electrons, 3=25194
Spector,R.M. The value of $\int\vec{\alpha}/i\int\vec{r}$ in beta-decay theory, 3=6195
Spector,R.M. Shell model investigation of RaE beta-decay, 3=8055
Spedding, F.H. See Gerstein,B.C., 3=4799
Spedding, F.H. See Hegland, D.E., 3=18113
Speelman,R.G. and Krauskopf,J. Effects of chromatic adaptation on normal and dichromatic red—green brightness matches, 3=21176
Speerschneider,C.J. and Li,C.H. A correlation of mechanical properties and microstructure of polytetrafluorethylene at various temperatures, 3=25800
Spehl,H. See Kleine-Tebbe,A., 3=19793
Spehl, H. See Röpke, H., 3=2585
Speigel,E.A. A generalization of the mixing-length theory of turbulent convection, 3=21590
Speight,R.G. See Peabody,C.O., 3=17118

Speiser,D. See Finkelstein,D., 3=16524
Spejewski,E.H. See Howe,D.A., 3=4592
Spektor,E.Z. See Kamenetskaya,D.S., 3=21624
Spektor,F.U. See Kushnir,Yu.M., 3=2035
Spektorov,L.A. and Engel'sht,V.S. Calculation of the radial temperature distribution of a carbon arc stabilized by sodium, 3=24261
Spektorov,L.A. See Engel'sht,V.S., 3=24256
Speiser,D. See Finkelstein,D., 3=7089
Speiser,D.R. and Tarski,J. Possible schemes for global symmetry, 3=14868
Speliotis,D.E. See Bate,G., 3=15835
Spence,H.R. See Luhrs,H.N., 3=201
Spence,R.D.,Forstat,H.,Murty,C.R.K. and McNeely,D.R. Nuclear resonance and heat capacity studies of antiferromagnetic $LiCuCl_3.2H_2O$, 3=1205
Spencer,C.L. See Kundu,M.R., 3=11588
Spencer,C.W. See Knight,R.J., 3=16107
Spencer,C.W. See Miller,G.R., 3=13500
Spencer,E.G.,Berger,S.B.,Linares,R.C. and Lenzo,P.V. Sodium iron fluoride, a transparent ferrimagnet, 3=25547
Spencer,E.G.,Denton,R.T.,Bateman,T.B.,Snow,W.B. and Van Uitert,L.G. Microwave elastic properties of non-magnetic garnets, 3=25601
Spencer,E.G. See Denton,R.T., 3=16572
Spencer,E.G. See LeCraw,R.C., 3=1163
Spencer,L.V. and Coyne,J. Theory of the deep penetration of electrons and charged particles, 3=5711
Spencer,P.M.,Pamplin,B.R. and Wright,D.A. The structure and properties of some adamantine compounds, 3=11301
Spencer,W.J. X-ray diffraction study of acoustic mode patterns in crystalline quartz, 3=20087
Speranskii,N.M. See Mikryukov,V.E., 3=20618
Sperber,D. Equilibrium configuration and fission barrier for liquid drop nuclei with high angular momentum, 3=10211
Sperber,D. Interaction energy in a configuration of three equivalent particles, 3=17206
Sperber,D. Interaction energy in a configuration of several groups of many equivalent particles, 3=17207
Sperling,G. See Novak,S., 3=23720
Speros,D.M. and Buccilli,P.R. On the emission of electrons from solids in gas discharges. I. Emission in the vicinity of "zero field", 3=14617
Sperry,P.R. Discontinuous plastic flow in Al—Mg alloys, 3=13369
Sperry,P.R. Reply to discussion by B.A.Riggs and L.J.Demer, 3=25635
Speyer,E. Cloud chamber for optical measurements of aerosols, 3=9584
Spicer,B.M. See Chesterfield,C.M., 3=12549
Spicer,W.E. and Simon,R.E. Photoemissive studies of the band structure of silicon, 3=6491
Spicer,W.E. and Simon,R.E. The use of photoemission to investigate the band structure of silicon and other semiconductors, 3=20318
Spicer,W.E. See Stuart,R.N., 3=20264
Spiegler,P. See Norman,A., 3=23864
Spielmann,W. See Sirtl,E., 3=18268
Spies,K.P. See Wait,J.R., 3=9950
Spiess,F.N. See Harrison,J.C., 3=13636
Spillers,W.R. The quasi-static elastic and viscoelastic consolidating spherical cavity, 3=91
Spillman,G.R.,Copper,W.S.,III and Wilson,J.M. Nine-channel polychromator for observation of time-dependent spectral line profiles, 3=7346
Spillman,G.R. See Wilcox,J.M., 3=1967
Spinar,L.H. and Wang,C.C. The crystal structure of tridecarboron diphosphide, 3=6844
Spinar,L.H. See Wang,C.C., 3=20044
Spindel,W. See Monse,E.U., 3=3380
Spindel,W. See Monse,E.U., 3=13592
Spinner,S.,Knudsen,F.P. and Stone,L. Elastic constant-porosity relations for polycrystalline thoria, 3=13331
Spinner,S.,Stone,L. and Knudsen,F.P. Temperature dependence of the elastic constants of thoria specimens of varying porosity, 3=23283
Spinolo,G. See Feischi,R., 3=23130
Spinolo,G. See Levialdi,A., 3=6667
Spinolo,G. See Oggioni,R., 3=20505
Spinrad,H. The anomalous inclination of the Jovian ammonia lines, 3=11515
Spinrad,H. Spectroscopic temperature and pressure measurements for the Venus atmosphere, 3=16356
Spinrad,H.,Münch,G. and Kaplan,L.D. The detection of water vapor on Mars, 3=23674
Spîrchez,M. See Friedländer,E.M., 3=8102
Spiridon,S. See Constantinescu,M., 3=18453
Spiridonov,A.V. See Brodskii,V.B., 3=24302
Spiro,I.J. An investigation of wide field, large pupil, binocular eyepiece designs, 3=16739
Spite,F. Preliminary results of an evaluation of metal abundances in certain stars, 3=18641
Spitsÿn,A.V. and Smirnov,L.S. Theory of the annihilation of radiation defects in semiconductors, 3=22710
Spitsyn,V.I. See Yandushkin,K.N., 3=16175
Spittle,J.A. See Hunt,M.D., 3=23393
Spitz,E. See Simon,J.C., 3=21510
Spitzer,R. A note on the measurable electric charge of spin-$\frac{1}{2}$ bosons, 3=14880
Spitzer,W.G. Phonon assignments in GaAs and CdS, 3=10948
Spitzer, W.G. and Mead, C.A. Barrier height studies on metal—semiconductor systems, 3=25387
Spitzer,W.G. See Crowell,C.R., 3=908
Spitzer,W.G. See Mead,C.A., 3=20134
Spitzer,W.G. See Mead,C.A., 3=23013
Spitzer,W.G. See Miller,R.C., 3=4947
Spitzer,W.G. See Trumbore,F.A., 3=3342
Spivak,G.V.,Kirenskii,L.V.,Ivanov,R.D. and Sedov,N.N. Development of mirror electron microscopy of magnetic microfields, 3=13266
Spivak,G.V., Pryamkova,I.A., Fetisov,D.V., Kabanov,A.N., Lazareva,L.V. and Shilina,A.I. Mirror electron microscope for studying the structure of surfaces, 3=2034
Spivak,G.V. See Ivanov,R.D., 3=8674
Spivak,G.V. See Lazareva,L.V., 3=2075
Spivak,G.V. See Sedov,N.N., 3=3373
Spivak,G.V. See Sirotenko,I.G., 3=3374
Spizzichino,A. See Revah,I., 3=16277
Spokes,G.N. See Berry,R.S., 3=2565
Sponer,H. See Olness,D., 3=13211
Spooner,F.J. See Wilson,C.G., 3=13492
Sprackling,M.T. Polygonization in silver chloride, 3=15502
Sprague, G. See Gartlein, C.W., 3=510
Sprague,J.L. See Lehovec,K., 3=10801
Spreen,H. See Schwink,C., 3=6707
Spreen,H. See Schwink,C., 3=20591
Spreiter,J.R. and Briggs,B.R. On the choice of condition to apply at the boundary of the geomagnetic field in the steady-state Chapman—Ferraro problem, 3=6998
Spreiter,J.R. and Briggs,B.R. Analysis of the effect of a ring current on whistlers, 3=11411
Spreiter,J.R. and Hyett,B.J. The effect of a uniform external pressure on the boundary of the geomagnetic field in a steady solar wind, 3=13828
Spreiter,J.R. and Jones,W.P. On the effect of a weak interplanetary magnetic field on the interaction between the solar wind and the geomagnetic field, 3=25958
Sprenger,K.,Lauter,E.A. and Schmelovsky,K.H. Solar eclipse effects in low and medium frequency propagation, 3=6979
Spretnak,J.W. See Amateau,M.F., 3=23321
Spretnak,J.W. See Cunningham,G.W., 3=16114
Spriggs,R.S. See Learn,A.J., 3=9525
Spriggs,R.S. See Learn,A.J., 3=25327
Spring,C.T. See Friedlander,M.W., 3=6101
Spring,E. An investigation of the $P^{31}(p,\gamma)S^{32}$ reaction at the proton energies 642 keV, 812 keV, 116 keV, and 1147 keV, 3=22377
Spring,E. See Simons,L., 3=4572
Spring,E. See Simons,L., 3=4591
Spring,E. See Simons,L., 3=8097
Spring,E. See Simons,L., 3=12668
Springer,T. See Maier-Leibnitz,H., 3=22145
Springford,M. See Garlick,G.F.J., 3=20515
Sprokel,G.J. A liquid scintillation counter using anti-coincidence shielding, 3=22033
Sproull,R.L. and Pohl,R.O. Scattering of phonons by lattice defects, 3=22645
Spruch,L. See Hahn,Y., 3=53
Spruch,L. See Hahn,Y., 3=9352
Sprušil,B. An extimation of the activation energies for the formation and movement of vacancies in zinc, 3=10646
Spycher, U. See Baldinger, E., 3=25384

Squire,W. Comment on sound propagation in the critical-temperature region of hydrogen chloride, 3=18858
Squires,E.J., Forest,A.E. and Hodgson,P.E. The effect of spectator exchange terms in He^4 –He^3 scattering, 3=15051
Squires,E.J. See Charap,J.M., 3=558
Squires,E.J. See Charap,J.M., 3=7789
Squires,G.L. The relation between the interatomic forces and the frequencies of symmetry phonons in cubic crystals, 3=25179
Squires,P. and Turner,J.S. An entraining jet model for cumulo-nimbus updraughts, 3=6960
Squires,R.L., Weiner,R.T. and Phillips,M. Grain-boundary denuded zones in a magnesium–1/2 wt.% zirconium alloy, 3=16116
Squires,T.L. Transistorised time standard for laboratory use, 3=1654
Squires,T.L. Transistor and tunnel diode development discussed at semiconductor symposium, 3=8538
Srb,I.and Vaško,A. Remark on the infrared spectrum of rhombic sulphur, 3=3021
Srdoc,D. Parallel plate halogen counter for high intensity radiation, 3=12370
Średniawa,B. and Weyssenhoff,J. On the approximate applicability of the Schrödinger equation to non-isolated systems, 3=9345
Sreekantan,B.V. See Chatterjee,B.K., 3=4508
Sreekantan,B.V. See Chatterjee,B.K., 3=4510
Sreekantan,B.V. See Menon,M.G.K., 3=19608
Sreekantan,B.V. See Raghavan,R., 3=4509
Sreekantan,B.V. See Ramana Murthy,P.V., 3=24813
Sreeramamurty,K. See Rao,P.B., 3=4760
Srikameswaran,K. See Narasimham,N.A., 3=10519
Srikameswaran,K. See Narasimham,N.A., 3=10520
Srikameswaran,K. See Narasimham,N.A., 3=12826
Srinivasan,G.,Chessick,J.J. and Zettlemoyer,A.C. Adsorption studies on metals. XI. Water on n-type germanium powders, 3=6890
Srinivasan,J. See Jain,M.K., 3=13644
Srinivasan,R. Internal conversion in the photochemical system 1,3-cyclohexadiene:1,3,5-hexatriene, 3=11355
Srinivasan,R. and Powers,J.C.,Jr. Photochemical formation of phenanthrene from cis-stilbene in the vapor phase, 3=23551
Srinivasan,R. See Ganesan,S., 3=4826
Srinivasan, R. See Ramachandran, G.N., 3=18304
Srinivasan,S.K. Electromagnetic cascades and polarisation of the medium, 3=12432
Srinivasa Rao,M.V. See Chatterjee,B.K., 3=4508
Srinivasa Rao,M.V. See Chatterjee,B.K., 3=4510
Srivastava,A.C. and Sharma,S.K. The effect of a transverse magnetic field on the flow between two infinite discs –one rotating and the other at rest, 3=478
Srivastava,A.N. See Krishna,B., 3=2638
Srivastava,B.N. and Srivastava,I.B. Mutual diffusion coefficient of the polar gases: ammonia of diethyl ether, 3=9492
Srivastava,B.N. See Ghosh,S.N., 3=9594
Srivastava,G.P., Misra,M. and Tripathi,K. Frequency variation of collector to emitter impedance of a junction transistor in a common emitter state, 3=20364
Srivastava,H.N. Microwave investigations of relaxation times in dilute solutions, 3=1707
Srivastava,H.N. See Lal,K.C., 3=1708
Srivastava,I.B. See Srivastava,B.N., 3=9492
Srivastava,K. See Cohen,J., 3=1094
Srivastava,K.G. A magnetic study of some compounds having the K$_2$NiF$_4$ structure, 3=11024
Srivastava,K.G. See Cohen,J., 3=3137
Srivastava,K.G. See Cohen,J., 3=8697
Srivastava,K.G. See D'Aubigné,Y.M., 3=15905
Srivastava,K.M. See Banerji,A.C., 3=18596
Srivastava,K.S. See Gokhale,B.G., 3=4712
Srivastava,K.S. See Gokhale,B.G., 3=15293
Srivastava,P.K. Lee model with two V particles, 3=4312
Srivastava,P.K. Effect of overlapping resonances in final states, 3=17195
Srivastava,P.L. and Srivastava,R.S. Specific heats of sodium and potassium by Toya's method, 3=10599
Srivastava,P.L. and Srivastava,R.S. Electrostatic coupling coefficients of body centred cubic crystals, 3=20050
Srivastava,P.P. See Ferreira,E.M., 3=6070
Srivastava,R.C. A note on the elastic properties of pentaerythritol, 3=8749
Srivastava,R.C. Eddy structure of updraft in a cumulus cloud and observed depth of first radar echo, 3=13668
Srivastava,R.C. and Roy,A.K. Evolution of droplet spectrum in a cumuliform cloud–a theoretical study, 3=3464
Srivastava,R.C. See Kapur,J.N., 3=11770
Srivastava,R.C. See Ramana Murty,B.V., 3=13670
Srivastava,R.S. Diffraction of a plane straight shock wave, 3=21481
Srivastava,R.S. Diffraction of oblique shock wave, 3=21482
Srivastava,R.S. See Dayal,B., 3=2716
Srivastava,R.S. See Srivastava,P.L., 3=10599
Srivastava,R.S. See Srivastava,P.L., 3=20050
Srivastava,S.C. and Berkowitz,N. On the relationship between internal pressure and ultrasonic velocity, 3=21358
Srivastaya,G.P. See Mani,A., 3=18513
Šroubek,Z. and Žďánský,K. Paramagnetic resonance of Fe^{3+} ion in CdWO$_4$, 3=5040
Stäblein,H. The powder metallurgical manufacture of Alnico single crystals, 3=5142
Stablein, P.F. Dislocation behavior and the yield stress in neutron-irradiated MgO, 3=18185
Stabler,R.C. Capture of electrons by molecular ions, 3=21715
Stacey,F.D. A generalized theory of thermoremanence covering the transition from single domain to multi-domain magnetic grains, 3=5228
Stacey,F.D. The physical theory of rock magnetism, 3=13845
Stacey, F.D. and Westcott, P. Possibility of a 26- or 27-month periodicity in the equatorial geomagnetic field and its correlation with stratospheric winds, 3=5225
Stachowiak, H. On the open electronic orbits in magnetic field for Fermi surface in the form of a net, 3=2754
Stachowiak,H. On statistics of particles which cannot exchange their places, 3=3763
Stachowiak,H. Open electronic orbits in a magnetic field for the case of Fermi surfaces in the form of a net, 3=12943
Stack,E.R. and Knauer,W. Conversion of a high vacuum station from liquid nitrogen to zeolite trapping, 3=14226
Stadelmann,E. A photomicrographic quick-motion apparatus with evaluation facilities, 3=14388
Stadler,H.L. Thickness dependence of BaTiO$_3$ switching time, 3=4944
Stadler,H.L. Etched hillocks in BaTiO$_3$, 3=11220
Staes,K. See Van Itterbeek,A., 3=18801
Stafeev, V.I. See Vorob'ev, L.E., 3=17909
Stafford,D.F. and Weber,A.H. Photoelectric and thermionic Schottky deviations for tungsten single crystals, 3=21863
Stafford,F.E. See Brewer,L., 3=5514
Stafford,F.E. See Verghaegen,G., 3=740
Stafford,G.H. See Batty,C.J., 3=22123
Stafford,G.H. See Bowen,P.H., 3=2278
Stafford,G.H. See Scanlon,J.P., 3=10120
Stafford,L.F. and Tolbert,C.W. Shapes of oxygen absorption lines in the microwave frequency region, 3=22548
Stafsudd,O. See Margolis,J.S., 3=15706
Stafsudd,O.M. See Wong,E.Y., 3=20481
Stafsudd,O.M. See Wong,E.Y., 3=23072
Stager,A.A. and Drickamer,H.G. Ytterbium: effect of pressure and temperature on resistance, 3=13038
Stager,C.V. Zeeman effect of the R lines in Cr$_2$O$_3$, 3=15674
Stager,C.V. See Runciman,W.A., 3=10943
Stager,R.A. and Drickamer,H.G. Effect of temperature and pressure on the electrical resistance of four alkaline earth metals, 3=25323
Staggs,D.W. See Vonnegut,B., 3=9039
Stahl,F.A. Contemporary electricity for elementary physics, 3=12038
Stahlke,J.L. An electron spin resonance magnetometer for time-varying fields, 3=4279
Staicu,C.I. Fundamental theorem of the generalized dimensional analysis, 3=16487
Stainsby,A.G. Electron guns for crossed-field devices, 3=5699
Stainsby,D.F. See de Morton,M.E., 3=20697
Stairs,D.G.,Wilson,R. and Cooper,P.F.,Jr. Slightly-inelastic proton–deuteron scattering, 3=7850
Stajano, A. Energy-dependence on pion asymmetry in antinucleon–nucleon annihilation. II. Extension of the model to another process and a re-examination of some previous results, 3=17272

Staley,D.O. On the mechanism of mass and radioactivity transport from stratosphere to troposphere, 3=6954
Staley,D.O. Atmospheric circulation from Fission-product radioactivity in surface air, 3=18501
Stam,C.H. and MacGillavry,C.H. The crystal structure of the triclinic modification of vitamin-A acid, 3=8870
Stamer,P. See Bierman,E., 3=19689
Stamer,P. See Koller,E.L., 3=4455
Stamer,P. See Koller,E.L., 3=7925
Stamp,A.P. The character of the coupling potential in direct interactions, 3=19885
Stamper,J.A. Differential sensing controlled thermocouple, 3=21600
Stamper,J.F.,Jr. See Zachariasen,W.H., 3=13457
Stan,I. See Wiszmann,A.N., 3=22319
Stanaway,W.P. See Davies,D., 3=22440
Standing,K.G.,Burgerjon,J.J. and Konopasek,F. The University of Manitoba cyclotron, 3=5745
Standley,K.J.,Adam,G.D.,Moore,W.S. and Storey,B.E. Some measurements of the oscillation characteristics of a three level cavity maser, 3=22004
Standley,K.J. and Wright,J.K. Phonon heating effects during spin—lattice relaxation in copper dipyrromethene, 3=8725
Standley,K.J. See Owen,S.J.T., 3=14727
Standley,K.S. See Adam,G.D., 3=22763
Stanek,F. See Wiedemann,W., 3=12568
Stanek,F.W. See Fleischmann,H.H., 3=24869
Stanford,R.H.Jr, See Marr,H.E.III, 3=11265
Stangehellini,A. See Bertocchi,L., 3=7799
Stanghellini,A. The pion—pion interaction, 3=12485
Stanghellini,A. See Amati,D., 3=5929
Stanghellini,A. See Amati,D., 3=5943
Stanghellini,A. See Amati,D., 3=14878
Stanghellini,A. See Amati,D., 3=17222
Stangler,F. Effect of point defects on the electronic structure of copper and aluminium, 3=17816
Stanislavova,J. See Andrejtschin,R., 3=23015
Stankevich,I.V. See Bochvar,D.A., 3=14036
Stankevich,K.S. See Lazarevskii,V.S., 3=11607
Stanley,E. See Bhuiya,A.K., 3=25701
Stannard,F.R. See Ely,R.P., 3=19703
Stannard,F.R. See Jauneau,L., 3=12511
Stanoiu,Il. See Ştefănescu,D., 3=22151
Stanton,H.E. See Monahan,J.E., 3=4013
Stanton,R.L. See St.John,R.M., 3=2575
Stanyukovich,K.P. Adiabatic one-dimensional motions of an ultrarelativistic gas, 3=7236
Stanyukovich,K.P. A generalization of Einstein's gravitation equation, 3=18704
Stanyukovich,K.P. Question of the possible changing of the gravitational constant, 3=21212
Stapp,H.P. Intrinsic parity from the S-matrix viewpoint, 3=2218
Starfelt,N. See Asplund-Nilsson,I., 3=12707
Starfelt,N. See Asplund-Nilsson,I., 3=24988
Starfelt,N. See Bergqvist,I., 3=4649
Starfelt,N. See Bergqvist,I., 3=6266
Starfelt,N. See Bergqvist,I., 3=6267
Starikov,V.N. See Granovskii,Ya.I., 3=2325
Starikova,G.A. Comparison of the luminosity function of open clusters, 3=9243
Starikova,G.V. and Presnyakov,A.A. Metastability of cast eutectics assessed in connection with the "superductility effect, 3=13533
Staritsyn,V.E. See Yamzin,I.I., 3=13433
Stark,D. Field emission of rhodium and iridium, 3=12233
Stark,R.W. Oscillatory magnetic breakdown in zinc, 3=20276
Starkiewicz,J. See Allen,J.W., 3=13221
Starling,P.P. The numerical solution of Laplace's equation, 3=21193
Starner,K.E. Controlled high current rheostat for arc plasma generating facilities, 3=9694
Starobinets,S.S. See Gurevich,A.G., 3=8701
Starobinets,S.S. See Gurevich,A.G., 3=25558
Starodubov,Ya.D. See Gindin,I.A., 3=3224
Starodubov,Ya.D. See Gindin,I.A., 3=20945
Starodubtsev,S.V. Analogies between the radiation effects on solids caused by nuclear radiation and fluxes of slow charged particles in solids, 3=8464
Starosel'skiĭ,V.A. See Fuks,N.A., 3=18463
Starostin, I.I. See Drokin, A.I., 3=18101
Starostin,N.V. The origin of new lines in the spectrum of a cuprous oxide crystal, 3=25456
Starostin,Yu.N. See Brodskii,V.B., 3=24307
Starovoito,A.T. See Imyanitov,I.M., 3=21688
Starovoitov,A.T. See Andreev,S.I., 3=1959
Starovoitov, A.T. See Andreev, S.I., 3=14540
Starr,A. See Gerritsen,H.J., 3=25564
Starr,C.D. Correlation of electrical conductivity and resistivity of solid solution alloys with temperature coefficient of resistance, 3=15534
Starr,E. and Koppel,J. Determination of diffusion hardening in water, 3=6016
Startsev,A.A. The electromagnetic structure of the K-meson, 3=606
Startsev,V.I. The formation of defects in crystal lattice by twinning, 3=22696
Startsev,V.I. See Bengus,V.Z., 3=12971
Startsev,V.I. See Bengus,V.Z., 3=12982
Startsev,V.I. See Lavrent'yev,F.F., 3=8801
Startsev,V.I. See Pariiskii,V.B., 3=20201
Startseva,I.E.,Glazer,A.A.,Shur,Ya.S. Concerning the temperature dependence of the domain structure of silicon iron crystals. 3=11071
Startseva,I.E. and Shur,Ya.S. Concerning the rectangularity of the hysteresis loops of Mg—Mn ferrites, 3=13272
Startseva,I.E. See Zaikova,V.A., 3=11062
Startzev,A.A. See Lyul'ka,V.A., 3=15034
Stary,F. See Meiling,W., 3=12052
Stasiw,O. Absorption by impurity centres in ionic crystals, 3=3022
Statz,H. Theory of stacking fault energy of face-centred-cubic metals, 3=4879
Statz,H. The electrical resistance of stacking faults in face-centred cubic metals, 3=15533
Statz,H. Maximum solid solubility and distribution coefficient of impurities in germanium and silicon, 3=20910
Statz,H.,Tang,C.L. and Koster,G.F. Approximate electromagnetic transition probabilities and relative electron excitation cross-sections for rare-gas masers, 3=22005
Statz,H., Weber,M.J., Rimai,L., DeMars,G.A. and Koster,G.F. Exchange interactions in the paramagnetic resonance spectrum of ruby, 3=3167
Statz,H. See Schaufele,R.F., 3=25458
Statz,H. See Tang,C.L., 3=2144
Statz,H. See Tang,C.L., 3=19489
Statz,H. See Tang,C.L., 3=23054
Staub,H. See Meyer,V., 3=12473
Staub,H.H. See Brinkmann,D., 3=1734
Staub,H.H. See Brinkmann,D., 3=23944
Staub,H.H. See Meyer,V., 3=24966
Staub,H.H. See Rytz,A., 3=10219
Staub,H.H. See Rytz,A., 3=24836
Staub,J. See Meyer,V., 3=12473
Staudenmaier,W. See Blakney,R.M., 3=18584
Stauder,R.F. See Anderson,E.E., 3=1048
Stäudner,R. See Lauterjung,K.H., 3=14828
Stautberg,M.M.,Shera,E.B. and Casper,K.J. Angular correlations of cascade gamma rays in the decay of Lu^{172}, 3=14122
Staveley,L.A.K.,Grey,N.R. and Layzell,M.J. A calorimetric study of ammonium, rubidium, and potassium hexafluophosphate, 3=12927
Staveley,L.A.K. See Pool,R.A.H., 3=132
Stavinskii,V.S. and Kovalev,V.P. Calculation of the fission threshold and fragment excitation energies in the drop model of the nucleus by taking into account the Wigner symmetry energy, 3=6306
Stavinskii,V.S. See Barkov,L.M., 3=6080
Stavinskii,V.S. See Kolesov,V.E., 3=4650
Stavinskii,V.S. See Kovalev,V.P., 3=686
Stavinskii,V.S. See Vovenko,A.S., 3=14826
Stavinsky,V.S. See Likhatchev,M.F., 3=17107
Stavisskii,Yu.Ya. and Shapar',A.V. Scintillation counter with a CaF_2 crystal, 3=24550
Stavisskii,Yu.Ya. and Tolstikov,V.A. Fast neutron radiative capture cross-sections of V^{51}, Nb^{93}, W^{186} and Tl^{205}, 3=8118
Stavisskii,Yu.Ya.,Tolstikov,V.A. and Kononov,V.N. The fast neutron radiative capture cross-section of I^{127}, 3=2478
Stavroudis,O.N. See Malitson,I.H., 3=20439
Steadman,R. and Nuttall,P.M. Polymorphism in cronstedtite, 3=8854

Stearns,M.B. Internal magnetic fields, isomer shifts, and relative abundances of the various Fe sites in FeSi alloys, 3=8335
Stearns,R.L. See Palevsky,H., 3=17285
Stebbings,R.F.,Smith,A.C.H. and Ehrhardt,H. Dissociative charge transfer in He$^+$–O$_2$ and He$^+$–N$_2$ collisions, 3=24224
Stebbings, R.F., Smith,A.C.H. and Gilbody,H.B. Charge transfer between some atmospheric ions and atomic oxygen, 3=14531
Stebbings,R.F., Turner,B.R. and Smith,A.C.H. Charge transfer in oxygen, nitrogen, and nitric oxide, 3=14530
Stebbings,R.F. See Fite,W.L., 3=21707
Stecher, T.P. Continuous absorption in the solar atmosphere by the quasi-H$_2$ molecule, 3=5257
Stecher,T.P. and Milligan,J.E. An interim interstellar radiation field, 3=1527
Stecher,T.P. See Huang,S.S., 3=3601
Stecher-Rasmussen,F. See Møller,H.B., 3=22140
Stechkina,I.B. See Fuchs,N.A., 3=169
Stechkina,I.B. See Fuks,N.A., 3=18463
Steckel,F. and Szapiro,S. Physical properties of heavy oxygen water. I. Density and thermal expansion, 3=14144
Steeds,J. See Hirsch,P.B., 3=17732
Steeg,M.G.v.d. See de Vos,K.J., 3=15786
Steele,D. See Stutman,J.M., 3=22524
Steele,L.E. See Pellini,W.S., 3=11181
Steele,M.C.,Ando,K. and Lampert,M.A. Avalanche breakdown-double injection induced negative resistance in semiconductors, 3=8535
Steele,M.C. and Hattori,T. Generation of sound waves by a self-pinched plasma in a solid, 3=6597
Steele,M.C. and Tosima,S. Electron–hole scattering in solids exhibiting band-gap impact ionization, 3=25222
Steele,M.C. See Ando,K., 3=25334
Steele,W.A. Molecular reorientation in liquids. I. Distribution functions and friction constants, 3=16601
Steele,W.A. Molecular reorientation in liquids. II. Angular autocorrelation functions, 3=16602
Steele,W.A. See Moniz,W.B., 3=16638
Steenbeck,M.,Krause,F., and Radler,K.H. Electrodynamic properties of turbulent plasmas, 3=16932
Steenberg,N.R. The absorption of high-energy radiation, a Monte Carlo study. II. Spherical geometry, 3=12649
Steenberg,N.R. and Sharma,R.C. The alpha decay of even–even nuclei, 3=12616
Steenberg,N.R. and Van Iterson,W. The absorption of high-energy radiation, a Monte Carlo study. I. Rectangular geometry, 3=12648
Steeple,H., See Fletcher,R.O.W., 3=1342
Stefănescu.A. and Sabău,M. Some problems of the use of pile oscillator method in the VVR-S reactor, 3=25021
Ştefănescu,D. and Stănoiu,Il. Pressure technique for preparing neutron detecting scintillator disks, 3=22151
Stefanovich,A.E. Instability of an anisotropic plasma, 3=7624
Stefant,R. See Gendrin,R., 3=1486
Stefant,R. See Gendrin,R., 3=3485
Steff,P. See Pons,L., 3=5075
Steffen,R.M. See Alder,K., 3=8025
Steffen, R.M. See Alexander, P., 3=2412
Steffen,R.M. See Matthias,E., 3=12563
Steffen,R.M. See Raghavan,R.S., 3=19753
Steffen,R.M. See Singru,R.M., 3=15142
Steffensen,G.R. See Poynter,R.L., 3=7695
Steger,E. Research on the spectra of phosphorus compounds and on the spectroscopic effects of the crystal state, 3=20483
Stegun,I.A. See Fang,P.H., 3=10875
Stehle,P. High-intensity limit of Thomson scattering, 3=19600
Stehle, P. See Sobolak, E.S., 3=4375
Steichele,E. and Kienle,P. Decay of Gd^{151}, 3=24906
Steigerwald,R.F. and Greene,N.D. The anodic dissolution of binary alloys, 3=11350
Steigmann,G.A. See Goodyear,J., 3=25711
Steigmeier,E. See Baer,Y., 3=2926
Steigmeier,E.F. The Debye temperatures of III–V compounds, 3=22666
Steijn,R.P. Sliding and war in ionic crystals, 3=11189
Steimaier,W. Thermodynamical approach to the growth rate of epitaxial silicon from SiCl$_4$, 3=20797
Steimel,K. See Blaser,J.P., 3=5777
Stein,D.F. See Johnston,W.G., 3=13341
Stein,G. See Jortner,J., 3=3405
Stein, G. See Rabani, J., 3=3410
Stein,H.J. Temperature and illumination dependence of irradiation damage in silicon, 3=25312
Stein,I. Analysis of noise from magnetic storage media, 3=17030
Stein,N. See Axel,P., 3=15173
Stein,N. See Tipler,P.A., 3=10322
Stein,P., McAllister,R.W., McDaniel,B.D. and Woodward,W.M. Neutron form-factor measurement using electron–neutron coincidences, 3=4397
Stein,P.C. See Kenemuth,J.R., 3=10115
Stein,R.P. Low energy sputtering of alkali halide crystals, 3=4215
Stein,P.R. See Hecht,C.E., 3=19086
Stein,R.S.,Onogi,S.,Sasaguri,K. and Keedy,D.A. Dynamic birefringence of high polymers. II., 3=10915
Stein,R.S.,Wilson.P.R. and Stidham,S.N. Scattering of light by heterogeneous spheres, 3=9623
Stein,W.A. and Ney,E.P. Continuum electromagnetic radiation from solar flares, 3=11549
Steinbeiss,E. Influence of an induced uniaxial anisotropy on the impulse behaviour of Mn-Ferrite, 3=15893
Steinberg,E.P. and Schwartz,L.L. Search for delayed-neutron emission in Br^{86} decay, 3=12625
Steinberg,H.A. Generalized quota sampling, 3=11670
Steinberg,H.L. See McCrackin,F.L., 3=24062
Steinberg,M. Chemonuclear reactors and chemical processing, 3=6924
Steinberger,I.T. See Alexander,E., 3=6683
Steinberger,J. See Alff,C., 3=4432
Steinberger,J. See Alff,C., 3=4433
Steinberger,J. See Colley,D., 3=2322
Steinberger,J. See Danby,G., 3=14952
Steinberger,J. See Prodell,A.G., 3=5905
Steinberger,S. See Maecker,H., 3=21751
Steinborn,E.O. See Gustavs,A., 3=10244
Steiner,E. See Brown,W.B., 3=19961
Steiner,H. See Amaldi,U.,Jr, 3=24717
Steiner,H.M. See Elioff,T., 3=586
Steiner,K. See Gielessen,J., 3=7165
Steiner,O. See Aziz,N.E.A., 3=12790
Steiner, P. See Gerdau, E., 3=17419
Steinert,C. Xenon concentration in the functioning of a power reactor, 3=10424
Steinert,L.A. Ferromagnetic resonance and shape-dependent effects, 3=20632
Steinfelder,K. See Ardenne,M.v., 3=11372
Steinfink,H. The crystal structure of chlorite. I. A monoclinic polymorph. A correction, 3=8860
Steingraber,O.J. and Berlman,I.B. Versatile technique for measuring fluorescence decay times in the nanosecond region, 3=15697
Steingroever,E. See Heimke,G., 3=16094
Steinherz,H.A. and Redhead,P.A. Ultra high vacuum, 3=180
Steinmann,C. Definition of retarded and time-ordered products 3=9322
Steinrauf,L.K. Two Fourier functions for use in protein crystallography, 3=20811
Steins, K.A. and Strure, S.Y. The diffusion of comets, 3=3552
Steinwedel,H. See Beck,F., 3=2191
Stejskal,E.O. Use of an analog-to-digital converter in pulsed nuclear resonance, 3=24501
Steketee,J.W. and de Jonge,J. Photoconductance and spectral absorption of anthracene, 3=2970
Stekhanov,A.I. and Korol'kov,A.P. Raman scattering of light in a crystal of caesium bromide, 3=15692
Stekly,Z.J.J. and Hoag,E. Effect of copper plating on the velocity of propagation of a normal region in niobium–25% zirconium wire, 3=14456
Stekol'nikov,I.S. and Shkilev,A.B. New information on the development of a negative spark, and its comparison with lightning, 3=21738
Stell,G. The Percus–Yevick equation for the radial distribution function of a fluid, 3=14095
Stel'makh,M.F. See Kogan,A.V., 3=2417
Stelman,D. See Chan,S.I., 3=14030
Stelman,D. See Chan,S.I., 3=22523
Stelson,P.H. See Ritter,R.C., 3=6297
Stenemann,H. See Mayer,L., 3=25790

Stenman,A. See Kristiansson,K., 3=7942
Stenman,F. See Simmons,L., 3=24867
Stensland,W.A. and Voigt,A.F., The decay of Lu^{179}, 3=10311
Stepakoff,G.L. See Coulter,L.V., 3=3284
Stepanenko,I.A. See Zykov,V.G., 3=14724
Stepanenko,V.Z. See Pen'kov,S.N., 3=16811
Stepanov,A.V. and Tsivinskii,S.V. Preparation and properties of dendritic germanium crystals, 3=18282
Stepanov,A.V. See Gutmanas,E.Yu., 3=17759
Stepanov,A.V. See Kazarnovskii,M.V., 3=6368
Stepanov,A.V. See Kazarnovskii,M.V., 3=17286
Stepanov,A.V. See Nadgornyĭ,É.M., 3=17757
Stepanov,A.V. See Nadgornyĭ,É.M., 3=17758
Stepanov, A.V. See Nikanorov, S.P., 3=18163
Stepanov,B.I. Present state of the theory of luminescence of complex molecules, 3=10488
Stepanov,B.I. The stability of the stationary state of a quantum generator, 3=17081
Stepanov, B.I., Ivanov, A.P., Berkovskii, B.M. and Katsev, I.L. Transfer of radiation within a plane parallel plate in non-linear optics, 3=488
Stepanov,B.I. and Khapalyuk,A.P. Reflection and transmission of a plane-parallel layer in the amplification and generation modes, 3=9605
Stepanov,B.I. and Samson,A.M. The influence of noise on the spectral distribution and angular distribution of excitation in a limited, uniform and plane layer, 3=3883
Stepanov,B.I. and Samson,A.M. Calculation of the maser power of a system of particles with three energy levels, 3=17070
Stepanov,B.M. The problem of constructing S-matrices, 3=24644
Stepanov,B.I. See Anan'ev,Yu.A., 3=24517
Stepanov,B.I. See Khapalyuk,A.P., 3=5843
Stepanov,B.I. See Samson,A.M., 3=16787
Stepanov,B.I. See Samson,A.M., 3=19481
Stepanov,B.M. See Andreeva,L.I., 3=4373
Stepanov,B.M. See Andreeva,L.I., 3=23998
Stepanov,C.N. See Akhiezer,A.I., 3=4171
Stepanov,E.P. See Samoilov,B.N., 3=4590
Stepanov,E.P. See Sklyarevskii,V.V., 3=4999
Stepanov,G.N. See Levin,G.L., 3=24361
Stepanov,K.N. See Dolgopolov,V.V., 3=7613
Stepanov,K.N. See Pakhomov,V.I., 3=16938
Stepanov,K.N. See Pakhomov,V.I., 3=22106
Stepanov,K.N. See Pakhomov,V.I., 3=24308
Stepanov,N.S. A parametric effect in acoustics, 3=7290
Stepanov,S.B. See Yurova,L.N., 3=2271
Stepanov,S.M. See Khrushchev,V.G., 3=2396
Stepanov,V.D. See Almazov,V.Ya., 3=17120
Stepanov, V.G. See Arkhangel'skaya, E.D., 3=18130
Stepanov,V.G. See Vinokurov,V.M., 3=15943
Stepanov,V.G. See Vinokurov,V.M., 3=20855
Stepanov,V.G. See Zaripov,M.M., 3=23231
Stepanova,A.A. See Zhuravlev,N.N., 3=18332
Stepanova,A.A. See Zhuravlev,N.N., 3=20113
Stepanova,V.M. See Predvoditelev,A.A., 3=20183
Stepanova,V.M. See Rozhanskii,V.N., 3=13409
Stephan,C. See Kowalski,L., 3=10400
Stephen,M.J. Oscillations of a plasma in a magnetic field, 3=7615
Stephen,M.J. and Zalewski,K. On the classical approximation involved in the Thomas – Fermi theory, 3=697
Stephen,R.O. See Brink,D.M., 3=22354
Stephens,F.S. See Diamond,R.M., 3=15120
Stephens,F.S. See Diamond,R.M., 3=22310
Stephens,K.G. and Williams,G.H. The use of a phosphorus – polythene mixture for fast neutron measurements, 3=2284
Stephens,W.E. Measurement of the velocity of light through μ_0, ϵ_0, 3=5508
Stepić,R. and Mladjenović,M. Multipolarities of the 72 keV and the 134 keV transitions in ^{187}Re, 3=6180
Stepić,R. See Novakov,R., 3=6176
Stepin,L.D. See Kazanskii,V.B., 3=21678
Stepina, E.I. See Garber, R.I., 3=18237
Stepina,E.I. See Garber,R.I., 3=18239
Stepniewski,W. See Sujak,B., 3=24336
Stępniowski,I. and Sujak,B. Point air-flow counter as an exo-electron detector, 3=14815
Stepp,E. See Anderson,R., 3=24236

Sterlinski,S. and Malinowski,J. γ-ray spectrometric determination of trace amount of caesium in sodium and potassium salts, 3=11368
Sterlin'ski,S. See Yakovlev,Yu.V. 3=1398
Sterman,L.S. See Margulova,T.Kh., 3=8163
Stern,B.J. Thin film thickness measurement using silver-modified Newton's rings, 3=9394
Stern,E.A. Point by point mapping of the Fermi surface, 3=12948
Stern,E.A. and Callen,E.R. Helicons and magnons in magnetically ordered conductors, 3=20570
Stern,E.A. See Ferrell,R.A., 3=8407
Stern,F. See Cheroff,G., 3=19490
Stern,M.E. Joint instability of hydromagnetic fields which are separately stable, 3=17039
Stern,M.J. See Bigeleisen,J., 3=8248
Stern,O. On a proposal to base wave mechanics on Nernst's theorem, 3=47
Stern,R.,Levy,M.,Kagiwada,R. and Rudnick,I. On the measurement of resistivity of metal bars by eddy current decay, 3=12040
Stern,R. See Levy,M., 3=3858
Stern,R.A. Microwave reflection from small-diameter plasma columns, 3=21785
Stern,T.E.,Blaquiere,A. and Valat,J. Reactivity measurement using pseudo-random source excitation, 3=10428
Sternberg, R.L. On a multiple boundary value problem in generalized aplanatic lens design and its solutions in series, 3=14314
Šternberg,Z. and Tomaš,P. Excitation processes in helium induced by impact of protons and deuterons, 3=8199
Sternheim,M.M. Second-order effects of nuclear magnetic fields, 3=700
Sternheim,M.M. State-dependent mass corrections to hyperfine structure in hydrogenic atoms, 3=10441
Sternheimer,R.M. Quadrupole antishielding factors of ions, 3=12772
Sternheimer,R.M. See Pasternack,S., 3=6341
Sternlicht,H. Spin–spin interactions in N-heterocyclic molecules, 3=19969
Sternlicht,H.,Nieman,G.C. and Robinson,G.W. Triplet–triplet annihilation and delayed fluorescence in molecular aggregates, 3=10981
Stetson,R.F.,Lamborn,B.N.A. and Lafferty,D.L. Investigation of electron trajectories in an axially symmetric magnetic field, 3=9855
Steudel,A. See Hefft,K., 3=24050
Steudel,H. Conformal invariance in general-covariant field theories, 3=16493
Stevels,J.M. and Volger,J. Further experimental investigations on the dielectric losses of quartz crystals in relation to their imperfections, 3=20157
Stevens,A.E. and Ferguson,H.I.S. Photoelectric intensity measurements upon bands of the SiN ($B^2\Sigma^+ - X^2\Sigma^+$) spectrum, 3=8269
Stevens,B. and Hutton,E. Delayed fluorescence from micro-crystalline aromatic hydrocarbons, 3=13212
Stevens,J. See Bouillon,F., 3=18432
Stevens,J.C. and Stevens,S.S. Brightness function: effects of adaptation, 3=7074
Stevens,K.N.,Sandel,T.T. and House,A.S. Perception of two-component noise bursts, 3=7068
Stevens,K.W.H. See Jacobsen, 3=8351
Stevens, K.W.H. See Persico, F., 3=18139
Stevens,R.M.,Pitzer,R.M. and Lipscomb,W.N. Perturbed Hartree–Fock calculations. I. Magnetic susceptibility and shielding in the LiH molecule, 3=8260
Stevens,S.S. The basis of psychophysical judgments, 3=13959
Stevens,S.S. and Guirao,M. Loudness, reciprocality and partition scales, 3=3674
Stevens,S.S. See Stevens,J.C., 3=7074
Stevenson,D.A. See Burmeister,R.A., 3=18345
Stevenson,F.R. See Peiffer,H.R., 3=22715
Stevenson,J.R. See Palik,E.D., 3=12955
Stevenson,M.J.,Reuter,W.,Braslau,N.,Sorokin,P.P. and Landon,A. Spectral characteristics of exploding wires for optical Maser excitation, 3=9588
Stevenson,M.L. See Lynch,G.R., 3=19633
Stevenson,M.L. See Lynch,G.R., 3=19634
Stevenson,M.L. See Shafer,J.B., 3=15028
Stevenson,P.C. See Hicks,H.G., 3=688

Stevenson,P.E. See Gouterman,M., 3=2651
Stevenson,R. The approach to paramagnetic saturation, 3=5001
Stevenson,R. and Bolton,R. Transverse magnetoresistance of high-strength copper alloys, 3=20274
Stevenson,R. See Landry,P., 3=20552
Stevenson,R.W.H. See Baker,J.M., 3=1055
Stevenson,R.W.H. See Hall,T.P.P., 3=15407
Stevenson,R.W.H. See Hall,T.P.P., 3=20043
Stevenson,R.W.H. See Owen,J., 3=3176
Stevenson,R.W.H. See Teaney,D.T., 3=3144
Stewart,A.D.G. Investigation of the topography of ion bombarded surfaces with a scanning electron microscope, 3=22880
Stewart,A.L. Hyperfine splitting of the ground state of lithium-like ions, 3=10457
Stewart,A.L. and Webb,T.G. Photo-ionization of helium and ionized lithium, 3=25047
Stewart,A.L. See Flannery,M.R., 3=22483
Stewart,A.L. See Perrin,R., 3=4704
Stewart,A.T. See Van Der Zwan,L., 3=19881
Stewart,A.T. See Woods,A.D.B., 3=2709
Stewart,B.S. See Holmes,J.R., 3=10540
Stewart,D.T. and Martin,P. Fast scaling circuit, 3=14492
Stewart,E.S. and Stewart,J.L. Acoustical measurements with 3- and 10-Gc/s quartz-cavity resonators, 3=18934
Stewart,E.S. See Stewart,J.L., 3=18941
Stewart,G.E. and Kaprielian,Z.A. Microwave measurement of electron density distributions in plasma columns, 3=4147
Stewart,G.W. and Waniek,R.W. Use of gated image converters at high light intensities, 3=14644
Stewart,J.L. A law for loudness discrimination, 3=1561
Stewart,J.L. and Stewart,E.S. Analysis and design of a 3-Gc/sec quartz-cavity resonator as a hypersonic source for liquids, 3=18941
Stewart,J.L. See Stewart,E.S., 3=18934
Stewart,J.W. Compression of solid He^3 and He^4 to 20 000 bars, 3=8762
Stewart, K. See Holme, D.A., 3=17423
Stewart,L., Brolley,J.E., Jr. and Rosen,L. d–He^4 elastic scattering from 6 to 14 MeV, 3=611
Stewart,L. See Rosen,L., 3=15186
Stewart,M.G. See Rodda,J.L., 3=17695
Stewart,M.G. See Rodda,J.L., 3=19149
Stewart,R.B., Smith,R.V. and Strobridge,T.R. Current trends and prospects in cryogenics, 3=16846
Stewart,R.F. and Davidson,N. Use of an ultramicrotome for the preparation of thin sections of single crystals for absorption spectroscopy, 3=13978
Stewart,R.F. and Davidson,N. Polarized absorption spectra of purines and pyrimidines, 3=25131
Stewart,R.W. See Pond,S., 3=25880
Stewart,W.E. and Prober,R. Heat transfer and diffusion in wedge flows with rapid mass transfer, 3=5409
Stewart,W.E. See Prober,R., 3=11752
Stewartson,K. Magneto-fluid dynamics of thin bodies in oblique fields. II., 3=481
Stewartson,K. Magneto-fluid dynamics of bodies in aligned fields, 3=24448
Stewartson,K. See Roberts,P.H., 3=14117
Steyaert,J. See Jodogne,J.C., 3=2494
Steyert, W.A. See Rogers, J.D., 3=17433
Stibbs,D.W.N. Scattering functions for planetary atmospheres, 3=16345
Stich,W. See Ehhalt,D., 3=25892
Stich,W. See Ehhalt,D., 3=25901
Stichel,P.,Roepstorff,G. and Kramer,G. Pion—Pion interaction and K_{e3}-decay. 3=12502
Stickler,J.J. See Heller,G.S., 3=15906
Stickler,J.J. See Heller,G.S., 3=23217
Stickler,J.J. See Heller,G.S., 3=25577
Stickler,R. and Booker,G.R. Nature of the damaged layer on abraded silicon specimens, 3=3353
Stickler,R. and Booker,G.R. Surface damage on abraded silicon specimens, 3=16010
Stickler,R. and Booker,G.R. Surface damage due to the abrasion of silicon specimens, 3=18219
Stickler,R. See Booker,G.R., 3=805
Stickler,R. See Booker,G.R., 3=6514
Stickler,R. See Booker,G.R., 3=17772
Stickley,C.M. Optical quality and radiation patterns of ruby lasers, 3=23057
Stickley,C.M. and Bradbury,R.A. Far-field Fabry—Perot diffraction patterns of a neodymium in glass laser, 3=24512
Stickney,R.E. Momentum transfer between gas molecules and metallic surfaces in free molecule flow, 3=5456
Stidham,S.N. See Stein,R.S., 3=9623
Stief,L.J. See Porter,G., 3=3811
Stiegler,J.O.,Dubose,C.K.H.,Reed,R.E., Sr and McHargue,C.J. Dislocations in deformed and annealed niobium single crystals, 3=22780
Stiegler,J.O. and McHargue,C.J. Comments on stacking fault energy of thorium, 3=12991
Stiegler,K, On the space-time discontinuum. Remarks concerning the h—c—l_0 theories 3=9328
Stieltjes,F.H. Relations between currents and voltages in structures containing semiconductors, 3=2880
Stiening,R.F., Loh,E. and Deutsch,M. Elastic scattering of gamma rays by protons, 3=19601
Stier,H.E. See Kopitzki,K., 3=25315
Stier, P.M. See George, T.H., 3=3396
Stierlin,U. See Backenstoss,G., 3=10097
Stierlin,U. See Backenstoss,G., 3=10139
Stierlin,U. See Backenstoss,G., 3=17101
Stierstadt,K. See Mohnen,V., 3=13691
Stierstadt,O. See Hellwig-Zwiesler,O., 3=16983
Stierwalt,D.L. and Potter,R.F. Infra-red spectral emittance of Si, Ge and CdS, 3=10961
Stiles,P.J.,Burstein,E. and Langenberg,D.N. Azbel'-Kaner cyclotron resonance in P-type PbTe, 3=784
Stiles,P.J.,Burstein,E. and Langenberg,D.N. Landau level studies in p-type PbTe: Azbel'-Kaner type cyclotron resonance, 3=10831
Stiles,P.J. See Burstein,E., 3=785
Stiles,P.J. See Burstein,E., 3=10638
Stiles,P.J. See Shoenberg,D., 3=20559
Stiles,P.J. See Testardi,L.R., 3=25240
Stiller, H. and Fröhlich, F. The calculation of the Néel temperatures in the Haematite (α-Fe_2O_3)–ilmenite ($FeTiO_3$) system, 3=18105
Stiller,S. See Israel,H., 3=18520
Stillinger,F.H. See Frisch,H.L., 3=14041
Stillinger,F.H.,Jr. Rigorous basis of the Frenkel—band theory of association equilibrium, 3=12877
Stillinger,F.H.,Jr. Properties of Ising models containing dilute impurities, 3=25162
Stillinger, F.H., Jr. See Helfand,E., 3=3785
Stiltner,E. See Calvert,W., 3=13775
Stilwell,G.R. and Dove,D.B. Surface lines on soda-lime glass slides, 3=18375
Stimson,H.F. See Guildner,L.A., 3=18869
Stinchcombe,R.B.,Horwitz,G.,Englert,F. and Brout,R. Thermodynamic behavior of the Heisenberg ferromagnet, 3=11046
Stinchfield,R.P. See Swanson,H.E., 3=18324
Stinson,R.C., Jr. See Walker,J.V., 3=12461
Stipčić,N., Paić,M. and Tomas,P. The ion optical system of a 200 kV Cockcroft—Walton accelerator, 3=19382
Štirand,O. Radio-spectroscopic study of the decomposition of a K—NH_3 solution, 3=3381
Štirand,O. The signal distortion of the form of the derivative of the resonance curve in spectroscopic measurements, through the influence of the measuring arrangement, 3=24489
Štirand,O. See Pekárek,L., 3=19196
Stirland,D.J. See Campbell,D.S., 3=1375
Stirland,D.J. See Charig,J.M., 3=5091
Stirpe,D. See Brock,E.G., 3=6747
Stishov,S.M. The nature of the Mohorvičić discontinuity, 3=18481
Stishov,S.M. See Tikhomirova,N.A., 3=19066
Stitch,M.L. See Sooy,W.R., 3=14803
Stober,A.K.,Scolnik,R. and Hennes,J.P. A vacuum ultraviolet photoionization detector, 3=21537
Stobo,J.J. See Pawelski,B., 3=6310
Stockbridge,C.D. See Warner,A.W., 3=14764
Stockdale,J.A. See Hurst,G.S., 3=16902
Stockdale,J.A. See Hurst,G.S., 3=23940
Stöckel,H. Complete, closed solution for diffraction of a plane electromagnetic wave through a slit, 3=494
Stockendal, R.V. See Hankla, A.K., 3=17439
bands by a method of linear combination of bond orbitals, 3=779

Stocker,D. The electronic properties of tetrahedral intermetallic compounds. IV. The determination of valence

Stocker,D. See Coulson,C.A., 3=776

Stocker,H.J. Diffusion, solubility, and electrical properties of copper in indium antimonide, 3=17783

Stöckman,F. Space charge limited currents in semiconductors with blocking contacts, 3=8501

Stockmayer,W.H. See Gaven,J.V.,Jr, 3=7202

Stockmeyer,R. Production of monoenergetic neutron pulses by total reflection, 3=4410

Stoddart,J.C. See Bowcock,J.E., 3=12489

Stodiek,W.,Ellis,R.A.,Jr and Gorman,J.G. Loss of charged particles in a stellarator, 3=12153

Stodiek,W. See Grove,D.J., 3=12190

Stodôłkiewicz,J.S. The gravitational instability of gaseous spiral arms of the galaxy, 3=1534

Stodółkiewicz,J.S. See Pacholczyk,A.G., 3=9158

Stodolsky,L. and Sakurai,J.J. Vector meson exchange model for isobar production, 3=22199

Stoelinga,J.H.M. See Gersdorf,R., 3=1045

Stoenescu,A.,Boiangiu,D. and Ceauşu,V. Elements of ballistics for rockets of large range, 3=1544

Stoenner,R.W. See Dostrovsky,I., 3=15144

Stoenner,R.W. See Hudis,J., 3=4641

Stoeppler,M. See Schumann,G., 3=25903

Stoering,J.P. See Ashby,V.J., 3=8112

Stoessell,L. See Nag-Chaudhuri,J., 3=15359

Stoffregen,W. and Derblom,H. Auroral hydrogen emission related to charge separation in the magnetosphere, 3=3514

Stoffregen,W.,Derblom,H. and Anger,B. Lithium emission in twilight at Uppsala during November 1962, 3=13782

Stoicheff,B.P. and Szabo,A. Interference rings in ruby maser beams, 3=23056

Stoicheff,B.P. See Douglas,A.E., 3=19976

Stoicheff,B.P. See Hanes,G.R., 3=2142

Stoicheff,B.P. See Herranz,J., 3=22586

Stoicheff,B.P. See Singh,S., 3=18040

Stoiński,K. See Markuszewicz,M., 3=8653

Stoiński,K. See Wyslocki,B., 3=3238

Stoiński,K. See Wysłocki,B., 3=6704

Stojanović,B.M. See Jovanović,D.T., 3=14481

Stoker,P.H.,Bornham,C.H. and van der Merwe,J.P. Direct electron pair production in 0.15 cm lead plates by high energy cosmic rays muons, 3=6113

Stoker,P.H.,Bornman,C.H. and van der Merwe,J.P. Direct pair production by cosmic-ray muons, 3=22113

Stoker,P.H. See du Plooy,N.F., 3=22251

Stokes,F.E. See Wadsworth,J., 3=11959

Stokes,R.H. See Cook,B.M., 3=23547

Stokes,R.J. and Olsen,K.H. Dislocation interactions and dipole formation, 3=17724

Stolarik,J.D. See Cain,J.C., 3=9125

Stolbova,O.V. Calculation of the stationary value of reversible photodichroism of viscous solutions, 3=16625

Stolbova,O.V. See Neporent,B.S., 3=23881

Stoletov,G.D. See Azhgireĭ,L.S., 3=4630

Stoletov,G.D. See Azhgirey,L.S., 3=15189

Stoletov,G.D. See Azhgirei,L.S., 3=17265

Stoletov,G.D. See Azhgireĭ,L.S., 3=22374

Stoletov,G.D. See Azhgirey,L.S., 3=24723

Stoletov,G.D. See Kumekin,Yu.P., 3=14982

Stöllner,H. See Pohler,A., 3=23490

Stoloff,N.S. and Gensamer,M. Deformation and fracture of polycrystalline cadmium, 3=15994

Stoloff,N.S. and Johnston,T.L. Crack propagation in a liquid metal environment, 3=11185

Stolov,A.L. See Kalinenkov,N.D., 3=11485

Stolov,A.M. See Vladimirskii,V.V., 3=12275

Stolyarov,S.N. Movement of a charge parallel to the axis of a waveguide that is partially filled with a dielectric, 3=7683

Stolýpin,Yu.E. See Smolenskii,G.A., 3=3147

Stone,A.J. Gauge invariance of the g tensor, 3=6584

Stone,A.J. g factors of aromatic free radicals, 3=20029

Stone,A.P. Nuclear and relativistic effects in atomic spectra. II, 3=12752

Stone,C.D. See Martin,D.H., 3=17942

Stone,D.B. See Collinson,D.W., 3=14718

Stone,E.W. and Maki,A.H. Erratum: Hindered rotation and e.s.r. spectroscopy, 3=12861

Stone,E.W. and Maki,A.H. E.s.r. study of rotational isomerism in substituted benzaldehyde anions, 3=15373

Stone,F.S. See Haber,J., 3=13573

Stone,L. See Spinner,S., 3=13331

Stone,L. See Spinner,S., 3=23283

Stone,N.W.B. See Gebbie,H.A., 3=17580

Stone,N.W.B. See Gebbie,H.A., 3=22542

Stone,N.W.B. See Gebbie,H.A., 3=23932

Stone,P.H. Approximate integral equations for the temperature in non-gray model atmospheres, 3=11499

Stone,P.L. See Wallace,T.C., 3=23476

Stone,P.M. and Reitz,J.R. Elastic scattering of slow electrons by cesium atoms, 3=25064

Stone,R.N. See Hill,D.W., 3=21011

Stonehill,D. See Foelsche,H., 3=7913

Stonehill,D.L. See Baltay,C., 3=24805

Stonemetz,R. See Hoenig,S.A., 3=18960

Stoodley,L.G. The sensitivity of microwave electron spin resonance spectrometers for use with aqueous solutions, 3=17063

Stoodley,L.G. See Ormerod,M.G., 3=2664

Stopes-Roe,H.V. See Phipps,T.E., 3=3743

Stoppini,G. See Alberigi-Quaranta,A., 3=7879

Stops,D.W. Thin heater thermal conductivity apparatus, 3=7369

Storebö,P.B. The influence of the weather on the concentration of nuclear bomb debris in air, 3=25908

Storer,R.G. and Green,H.S. Theory of higher-order effects in fluids, 3=1655

Storey,B.E. See Adam,G.D., 3=22763

Storey,B.E. See Standley,K.J., 3=22004

Storey,R.S. See Dixon,W.R., 3=19868

Storey,R.S. See Jarvis,C.J.D., 3=19863

Storizhko,V.E. See Sorokin,P.V., 3=2449

Storizhko,V.E. See Sorokin,P.V., 3=4632

Storizhko,V.E. See Valter,A.K., 3=17456

Storizhko,V.E. See Val'ter,A.K., 3=22372

Stork,D.H. See Schlein,P., 3=17336

Stork,D.H. See Schlein,P.E., 3=24804

Storm,A.R. and Benson,K.E. Lanthanide—copper intermetallic compounds having the $CeCu_2$ and AlB_2 structures, 3=20874

Storm,L.and Frohne,H.C. Measurement of low-frequency alternating currents with thermal convertors, 3=345

Storm,M.L. See Hurwitz,H.,Jr, 3=12734

Storm,M.L. See Hurwitz,H.,Jr, 3=12735

Storm,M.L. See MacMillan,D.B., 3=25005

Storm,M.R. See Parzen,G., 3=5769

Storms,E.K. See Giorgi,A.L., 3=7406

Storozhilova,A.I. See Derjaguin,B.V., 3=3415

Stothers,R. Evolutionary time scales for late carbon-burning phases with neutrino emission, 3=13896

Stothers,R. Variable stars with period greater than 20 days in globular clusters, 3=16415

Stott,P.M. The magnetization of Red Hill Dike, Tasmania, 3=18580

Stott,P.M. See Irving,E., 3=18578

Stott,P.M. See Irving,E., 3=18582

Stoughton,R.W. and Halperin,J. Effective cutoff energies for boron, cadmium, gadolinium, and samarium filters, 3=12471

Stoughton,R.W. See Halperin,J., 3=22434

Štourač,L. See Šmirous,K., 3=860

Stourač,L. See Smirous,K., 3=20325

Stout,J.W. and Chisholm,R.C. Antiferromagnetism in linear chain crystals. Entropy changes accompanying magnetic ordering in anhydrous $CuCl_2$ and $CrCl_2$, 3=1061

Stout,J.W. See Trapp,C., 3=18115

Stovall,E.J.,Jr. See Dreicer,H., 3=12122

Stover,C.M. Aluminium oxide humidity element for radiosonde weather measuring use, 3=18490

Stoward,P.J. Fluorescence microscopy, 3=24012

Stowe,A.N.,Harris,W.P. and Hampton,D.B. Signal and context components of word-recognition behavior, 3=16443

Stowell,M.J. See Pashley,D.W., 3=18381

Stoyanov,P.A. Achromatization of lenses in multiple-lens magnetic electron microscopes, 3=2031

Stoyanov,P.A. An electron gun with higher stability, 3=24350

Stoyanov,P.A. and Vol'fson,L.Yu. Investigation of the magnetic circuits of electron-microscope lenses, 3=2037

Stoyanov,P.A. See Renskii,I.S., 1840

Stoyanova,I.G. and Morozova,T.P. Investigation of the damage occurring in electron microscope specimens by the action of electrons, 3=20971
Stoyanova,I.G. See Sirotenko,I.G., 3=3374
Strack,H. Ion bombardment of silicon in a glow discharge, 3=22823
Straiton,A.W.,Deam,A.P. and Walker,G.B. Spectra of radio refractive index between ground level and 5000 feet above ground, 3=7716
Straiton,A.W. See Gerhardt,J.R., 3=5190
Straizhis,V. Correlation between photometric systems, 3=16393
Straka,R.M.,Elkins,P.G. and Strick,H.A. Decametric wavelength absorption resulting from the nuclear detonation of July 9, 1962, 3=7721
Straka,W.C. See Struve,O., 3=16422
Strakhov,L.P.,Chernyavskii,B.G.,Kalinkin,I.P. and Ovsyuk,Z.Sh. Investigation of the wavelength dependence of light-induced changes in the contact potential of CdSe films, 3=23014
Strakhov,L.P. See Kalinkin,I.P., 3=18378
Strakhov,V.N. The analytic continuation of two-dimensional potential fields with applications to the solution of the inverse problem of magnetic and gravitational exploration. III. The inversion of the Newton integral transform. The solution of the second problem, 3=1583
Strakhov,V.N. Theory of the calculation of second-order vertical derivatives of potential fields, 3=14000
Strakhov,V.N. Some methods for estimating the depth of an anomalous mass, 3=18470
Strakhov,V.N. Some numerical methods for calculating the second-order vertical derivatives of potential fields, 3=18696
Strakhov,V.N. The analytic continuation of electric fields in a conducting half-space, 3=21690
Strakhovich,K.I. Fundamental equations for stream gas dynamics, 3=18837
Strakhovich,K.I. and Sokovishin,Yu.A. The escape of a conducting gas jet into a region with a magnetic field, 3=12301
Strakhovskii,G.M. and Tatarenkov,V.M. Radiation of molecules in resonance conditions, 3=6443
Strakhovskii,G.M. See Basov,N.G., 3=21214
Strakna,R.E.,Clark,A.E.,Bradley,D.L. and Slie,W.M. Effect of fast-neutron irradiation on the pressure and temperature dependence of the elastic moduli of SiO_2 glass, 3=13330
Strakna,R.E. See Clark,A.E., 3=767
Strand,K.A. Astrometry with large reflectors, 3=7008
Strand,K.A. The 60-in. (152-cm) atrometric reflector of the U.S. Naval Observatory, 3=7009
Strand,T.G.,Kohl,D.A. and Bonham,R.A. Modification to the Newton—Raphson method for the fitting of nonlinear functions by least squares, 3=23732
Strandberg,M.W.P. See Douglass,D.H.,Jr, 3=23726
Strange,J.H. See Powles,J.G., 3=737
Strange,J.H. See Powles,J.G., 3=14790
Strange,J.H. See Powles,J.G., 3=19472
Strasheim,A. A time-resolved spark as a source for atomic absorption analysis, 3=11923
Strashinskii,A.G. See Val'ter,A.K., 3=22220
Strashkevich,A.M. Main electron optical properties of transaxial electrostatic systems, 3=19341
Strashnikova, M.I. See Brodin, M.S., 3=18000
Strässler,S. and Wyder,P. Thermal conductivity and electron scattering at interphase boundaries in a superconductor, 3=24139
Strässler,S. See Baltensperger,W., 3=9681
Strathdee,J. See Kamefuchi,S., 3=12388
Stratton,R. Theory of surface specific heats of solids, 3=6475
Stratton,R. Dipole scattering in semiconductors, 3=10734
Stratton,T.F. See Jahoda,F.C., 3=7581
Stratton,T.F. See Marshall,J., 3=12126
Stratton,T.F. See Sawyer,G.A., 3=7503
Straub,H.H. See Müller,H.H., 3=6094
Strauch,K. See Chrétien,M., 3=24787
Strauch,K. See Palmieri,J.N., 3=5398
Strauch,R. See Wharton,L., 3=10510
Straumann,N. See Rasche,G., 3=2194
Strauss,A.J.,Harman,T.C.,Mavroides,J.G.,Dickey,D.H. and Dresselhaus,M.S., Optical and electrical properties of Cd_xHg_{1-x} Te alloys, 3=10938
Strauss,A.J. See Brebrick, R.F., 3=17973
Strauss,M. Generalizations of the Planck radiation law in H-C-L theories, 3=3918
Strauss,M.G. Solid-state pulse-height encoding system with pileup reduction for counting at high input rates, 3=14494
Strauss,W. See Eggers,F.G., 3=14778
Strauss,W.A. See Edse,R., 3=10504
Strausz,O.P. See Rousseau,Y., 3=25053
Strazielle,C. See Leng,M., 3=18443
Streekantan,B.V. See Lal,S., 3=17200
Street,J.C. See Chrétien,M., 3=24787
Street,R. Elasticity and anelasticity of chromium, 3=25604
Street,R.S. See Ferguson,I.F., 3=15445
Streever, R.L. Nuclear moment of Ni^{61} from nuclear resonance studies in steady external magnetic fields, 3=17393
Streever,R.L. and Bennett,L.H. Line shapes, saturation behavior, and temperature studies in the nuclear resonance of nickel, 3=25592
Streever,R.L., Bennett,L.H., La Force,R.C. and Day,G.F. Nuclear magnetic resonance of Ni^{61} in dilute alloys of nickel in cobalt, 3=3199
Streever,R.L.,Bennett,L.H.,La Force,R.C. and Day,G.F. Nuclear resonance and the hyperfine field in dilute alloys of nickel in iron, 3=15967
Strehlow,H. Bases and applications of nuclear magnetic resonance in physical chemistry, 3=25139
Strehlow,R.A. See Yonts,O.C., 3=449
Streib,J.F. A demonstration illustrating the Lorentz transformation, 3=23746
Streib,W.E.,Jordon,T.H. and Lipscomb,W.N. Single-crystal X-ray diffraction study of β nitrogen, 3=6839
Streit,L. The weight function of the mandelstam representation on the boundary of its support, 3=559
Streit,L. A Landau singularity of the exact scattering amplitude, 3=24635
Streitwolf,H.W. Methods for the calculation of the energy spectrum in ideal crystals, 3=4843
Strekalov,S.S. See Kitaigorodskii,S.A., 3=9012
Streketee,J.W. and de Jonge,J. Sensitized photoconductivity in anthracene, 3=13129
Strelets,P.L.,Sÿrkin,L.N. and Tkachenko,M.G. Synthesis of multiple component ferrites with high magnetostrictive parameters, 3=8686
Střelka,V. See Seidl,R., 3=5688
Strelkov,A.V. See Alfimenkov,V.P., 3=6459
Strelkov,P.G. and Shpunt,A.A. Dependence of the strength of cleavage whiskers on their dimensions, 3=15981
Strelkov,P.G. See Kraftmakher,Ya.A., 3=15482
Strel'stov,N.S. See Vladimirskii,V.V., 3=12275
Strel'tsov,V.N. See Aripov,R.A., 3=600
Strel'tsov,V.N. See Aripov,R.A., 3=2303
Streltsov,V.N. See Lyubimov,V.B., 3=7901
Strel'tsova,E.A. Determination of the electrophoretic velocity of an ion by the distribution functions method, 3=3399
Strelzoff,A. See Pondrom,L.G., 3=14965
Streng,A.G. See Streng,L.V., 3=21334
Streng,L.V. and Streng,A.G. Solubility and phase diagram of the liquid O_3-CF_4 system, 3=21334
Stretenski,L.N. A method of integration of tidal equations suggested by Fairbairn, 3=18484
Stretton,J.L. See Lambert,J.D., 3=6434
Strick,H.A. See Straka,R.M., 3=7721
Strickfaden,W.B. See Betts,D.D., 3=12393
Strickland,R.E. Symposium on Water Reactors for Power Generation, Risley, July 1962, 3=10402
Strickler,T.D. Ionization by alpha particles in binary gas mixtures, 3=21699
Strieb,B., Callen,H.B. and Horwitz,G. Cluster expansion for the Heisenberg ferromagnet, 3=15763
Striebel,H.R. See Seiler,F., 3=676
Strigachev,A.T.,Novikov,L.S.,Sorokin,A.A.,Khalkin,V.A., Tsvetkova,N.V. and Shpinel',V.S. Investigation of neutron deficient Tb isotopes, 3=10302
Strigachev,A.T.,Sorokin,A.A. and Shipnel',V.S. Investigation of the terbium fraction [from proton bombarded tantalum] 3=10305
Striganov,A.R., Golovin,A.F. and Gerasimova,M.P. Isotope effect in the spectrum of dysprosium, 3=15282
Strimer,P. See Hadni,A., 3=3006
Strine,G.L. See Beers,Y., 3=12041
Stringat,R. See Janin,J., 3=22547

Stringer,T.E. Low-frequency waves in an unbounded plasma, 3=21837
Strizhevskii,V.L. Quantization of the electromagnetic field in a crystal medium in the presence of dispersion, 3=2703
Strizhevskiĭ,V.L. The polarizability theory approximation in consideration of the Raman scattering of light in crystals, 3=20462
Strizhevskii,V.L. See Babich,I.L., 3=10487
Strizhevskiĭ,V.L. See Babich,I.L., 3=21372
Strizhevskii,V.L. See Kondilenko,I.I., 3=10486
Strizhevskii,V.L. See Kondilenko,I.I., 3=20463
Strizhevs'kiĭ,V.L. See Lisitsya,M.P., 3=21376
Strnad,A.R. See Kim,Y.B., 3=3951
Strnad,A.R. See Kim,Y.B., 3=5575
Strnad,A.R. See Kim,Y.B., 3=24133
Strnad,J. An approximation for the absorption in the quasi-elastic scattering of protons on light nuclei, 3=19842
Strobridge,T.R. See Stewart,R.B., 3=16846
Strocchi,F. Operator equations for Foldy-Wouthuysen transformations, 3=10065
Strod, R.K. See Roizin, N.M., 3=17668
Strohal,P. See Delaunay-Olkowsky,J., 3=24931
Strohal,P. See Olkowsky,J., 3=22382
Strohm,W.W., Jr and Sapp,R.C. Intermediate-state reorientation of nuclei aligned in cerium double nitrate, 3=25172
Stroitelev, S.A. See Presnov, V.A., 3=25364
Strokan,N.B. See Berkovskii,F.M., 3=16885
Stroke,G.W. Interferometric method of velocity of light measurement, 3=14305
Stroke,G.W. Attainment of high efficiencies in blazed optical gratings by avoiding polarization in the diffracted light, 3=19022
Stroke,G.W. and Stroke,H.H. Tandem use of gratings and echelles to increase resolution, luminosity, and compactness of spectrometers and spectrographs, 3=5519
Stroke,H.H. See Hull,R.J., 3=25049
Stroke,H.H. See Stroke,G.W., 3=5519
Stroke,H.H. See Tomlinson,W.J.,III , 3=17530
Strøm,L. Geophysiography: A synthesis of earth sciences, 3=11373
Strom,R.G. See Palm,A., 3=3546
Strom,R.G. See Palm,A., 3=21091
Stromberg,R.R. See McCrackin,F.L., 3=24062
Stromberg,T.F. and Swenson,C.A. Negative surface free-energy effects in superconducting niobium, 3=3961
Strome,W.M. See Baker,R.C., 3=23648
Strominger,D. See Foltz,J.R., 3=15267
Strong,I.B. and Roy, R.R. Multiple scattering of electrons and positrons, 3=17248
Strong,K.A. See Brugger,R.M., 3=4408
Strong,K.A. See Schmunk,R.R., 3=747
Strong,R.L. See Thompson,B.A., 3=20230
Strongin,M. See Maxwell,E., 3=16855
Stroot,J.P. See Barbier, M., 3=17002
Stroot,J.P. See Dowell,J.D., 3=17110
Stroot,J.P. See Meunier,R., 3=2163
Stroot,J.P. See Meunier,R., 3=2164
Strother,G.K. See Wolken,J.J., 3=24024
Stroud,M.F. and Wilman,H. The effects of brittle fracture on the wear and friction of metals during abrasion, in particular of antimony and bismuth, 3=13386
Strub,H. Electrical discharges through mixtures of xenon with hydrogen or helium, 3=4045
Strube,G. See Körner,H.J., 3=12560
Struble,G.L.,Shelton,N. and Sheline,R.K. Extensive rotational structure in odd—odd deformed nucleus Ho^{166}, 3=10268
Strugal'skii,Z.S. See Konovalova,L.P., 3=2174
Strukov, B.A. The temperature dependence of birefringence in crystals of ammonium sulphate and ammonium fluoroberyllate, 3=17981
Strukov,B.A. and Danilyčheva,M.N. Specific heat of ammonium hydrogen sulphate in the temperature range from -70 to +14° C, 3=20101
Strukov, B.A, Gavrilova, N.D. and Koptsik, V.A. Some aspects of the ferroelectric phase transition in $(NH_4)_2$ BeF_4, 3=17941
Strukov,B.A. and Koptsik,V.A. Thermodynamics of the ferroelectric phase transition in crystals of $(NH_4)_2BeF_4$, 3=15621
Strukov,V.S. An interpretation of the short-wavelength wing of the 2852 A resonance line of the magnesium atom. 3=15285
Strumane,R. and De Batist,R. The charge of dislocations in alkali halide crystals, 3=22777
Strumane,R.,De Batist,R. and Amelinckx,S. Charged dislocations in sodium chloride single crystals, 3=22776
Strunov,L.N. See Barkov,L.M., 3=6080
Strure,S.Y. See Steins,K.A., 3=3552
Strutinskii,V.M. Angular correlations in statistical nuclear reactions, 3=4612
Strutinskii,V.M. Equilibrium shapes of nuclei in the quasi-static fission model, 3=6304
Strutinskii,V.M. Probability of isomerism in the statistical model of the nucleus, 3=24835
Strutinskii,V.M., Lyashchenko,N.Ya. and Popov,N.A. Symmetrical shapes of equilibrium in a sharp surface nucleus model (the liquid drop model), 3=2355
Strutt,M.J.O. See Burckhardt,C.B., 3=13050
Struve,O. Comments on stellar spectra, 3=18643
Struve,O. and Straka,W.C. Notes on diffuse galactic Nebulae, 3=16422
Stryer,L. See Gouterman,M., 3=2650
Stryland,J.C. See Carswell,A.L, 3=16650
Stryland,J.C. See May,A.D., 3=24034
Stryuk,Yu.S. See Gofman,Yu.V., 3=6283
Stryukov, V.B. See Peshkov, V.P., 3=1885
Strzałkowski,A. See Freindl,L., 3=22412
Stuart, F.E. See Smiley,V.N., 3=19011
Stuart,G.W. Electron distributions in H_2 gas at high E/P, 3=4002
Stuart,G.W. Comment on Veksler's electron acceleration mechanism, 3=17361
Stuart,G.W. See Rosenbluth,M.N., 3=21763
Stuart,G.W. See Rosenbluth,M.N., 3=24291
Stuart,R.N., Wooten,F. and Spicer,W.E. Mean free path of hot electrons and holes in metals, 3=20264
Stuart,R.V.,Brower,K. and Mayer,W. Time-of-flight method of determining velocities of sputtered atoms, 3=14681
Stubbe,P. See Becker,W., 3=13755
Stubican,V.S.and Roy,R. Relation of equilibrium phase-transition pressure to ionic radii, 3=18225
Stuchinskii,G.B. Secondary electron emission of activated Al—Mg alloys with low magnesium content and with rare-earth metal admixtures, 3=24342
Studnička,J.,Sicha,M.,Veselý,V. and Prostějovský,J. Effect of standing statification on moving striations in a glow discharge in Ne, 3=9754
Studnička,J. See Šícha,M., 3=19195
Stueckelberg,E.C.G. Relativistic thermodynamics. III. Velocity of elastic waves and related problems, 3=7094
Stueckelberg,E.C.G. and Guenin,M. Quantum theory in real Hilbert space. IV. Fields of 2nd kind (antilinear field operators), T and CP invariance, 3=7111
Stuehr,J.,Yeager,E.,Sachs,T. and Hovorka,F. Ultrasonic investigation of the rate of hydrolysis of potassium cyanide, 3=8952
Stuetzer,O.M. Electrohydrodynamic precipitator, 3=4027
Stuetzer,O.M. Gass bubbles in a charged liquid, 3=9434
Stuetzer,O.M. Pressure analysis of conduction in liquids, 3=9479
Stukin,A.D. See Zaslavskii,Yu.S., 3=23827
Stukin,E.D. See Zaslavskii,Yu.S., 3=23827
Stull, J. L. Linear air trough – a modification, 3=1646
Stull,V.R. See Plass,G.N., 3=13865
Stump,R. See Baltay,C., 3=24805
Stump,R. See Pellett,D., 3=19524
Stump,R. See Wilson,R.K., 3=10099
Stumpf,F.B. Note on interesting physics students in the study of acoustics 3=9319
Stumpf,F.B. and Kendig,P.M. Determination of the power radiated by a pistonlike underwater sound transducer from near field axial pressure measurements, 3=9567
Stupak,V.G. See Berezin,A.K., 3=9780
Stupak,V.G. See Berezin,A.K., 3=9858
Stupak,V.G., See Berezin,A.K., 3=9859
Stupak,V.G. See Berezin,A.K., 3=14649
Stupp,E.H. Constant energy monochromator with independent dispersion control, 3=3882
Stupp,E.H. Photoconductivity in CdSe, 3=10888
Sturcken,E.F. and McDonell,W.R. An X-ray method for predicting anisotropic irradiation growth in uranium, 3=4898

Sturge,M.D. Optical spectrum of divalent vanadium in octahedral coordination. 3=12767
Sturge,M.D. Strain-induced splitting of the ^{2}E state of V^{2+} in MgO, 3=23108
Sturge,M.D. See McCumber,D.E., 3=15690
Sturkey,L. Electron diffraction intensities from thick crystals, 3=1304
Sturner, H.W. and Bleil, C.E. Induced conductivity in cadmium selenide by electron bombardment, 3=17873
Stutman,J.M.,Lippincott,E.R. and Steele,D. Calculations of higher-order spectroscopic parameters using empirical potential functions, 3=22524
Styczeń,J. See Bożek,E., 3=24905
Styles,G.A. See Seymour,E.F.W., 3=21419
Styris.D.L. and Tomizuka,C.T. Anomalous diffusion rate for small penetration distance in copper, 3=13001
Su,Den Pkhen. See Alekseeva,K.I., 3=2428
Su,Gouq-Jen,Borrelli,N.F.and Miller,A.R. An interpretation of the infra-red spectra of silicate glasses, 3=3019
Su Hung-kuei. See Su Khun-gui.
Su Hung-Yuan'. See Wang Chao-Chün, 3=22346
Su Khun-gui. See Bzranova,G., 3=8140
Su Krun-Guĭ. See Zvara,I., 3=21006
Suarez,J.F. See Baba,C.V.K., 3=8043
Suárez,J.F. See Baba,C.V.K., 3=15116
Suárez,J.F. See Baba,C.V.K., 3=15117
Subart,F. A note on convection over a source of heat, 3=9637
Subashiev, V.K. Effect of a layer with strong recombination on the characteristics of a p—n junction under illumination and in darkness, 3=17904
Subashiev,V.K. See Dubrovskiĭ,G.B., 3=15688
Subashiev, V.K. See Dubrovskii, G.B., 3=18007
Subbarao,E.C. See Harrison,D.E., 3=10982
Subbarao,E.C. See Hirayama,C., 3=891
Subbarao,E.C. See Hrizo,J., 3=7420
Subbarao,E.C. See Ryan,F.M., 3=8515
Subbarao,E.C. See Tien,T.Y., 3=25728
Subbarao,K. See Thiessen,G.J., 3=3680
Subbotin,V.G. See Polikanov,S.M., 3=6315
Subbotin,V.I., Papovyants,A.K., Kirillov,P.L. and Ivansvskii,N.N. Investigation of heat transmission to liquid sodium in tubes, 3=3909
Subbotina,Z.S.,Shturkin,D.A. and Yanus,R.I. Surface defect fields of ferromagnetics in a state of residual magnetization, 3=11039
Subirana,J.A.,Munster,A.,Krigbaum,W.R. and Benoit,H. Study of the variations of the dimensions of macromolecular chains by the "volume effect", 3=10555
Subotowicz,M. Test of the general theory of relativity, 3=5347
Subrahmaniam,V. Some theoretical investigations on dielectric rod waveguide, 3=9937
Subrahmanyam,B. and Krishnamurty,Bh. Elastic velocities and moduli of some copper base binary alloys, 3=23276
Subrahmanyam,K. An automatic single channel spectrometer for quick quantitative analysis, 3=15126
Subrahmanyam,S.V. Ultrasonic behaviour of aqueous solutions of rubidium halides, 3=16623
Subrahmanyam,S.V. Adiabatic compressibility of aqueous solutions of lithium nitrate, 3=18807
Subrahmanyam,V. Propagation of microwaves on a single wire. IV, 3=2126
Subrahmanyam,S.V. Ultrasonic behavior of aqueous solutions of lithium halides, 3=18812
Subrahmanyam,Y. See Ramana,Y.V., 3=15973
Subrahmanyam,B. and Krishnamurty,Bh. Elastic moduli of high nickel alloys, 3=23277
Subrahranian,A. See Lal,S., 3=17200
Subramanian,A. See Raghavan,R., 3=4509
Subramanian,A. See Ramana Murthy,P.V., 3=24813
Subramanian,S. Studies on sand ripples in the desert. I. relation between range of grain size and height to wavelength ratio of the ripple, 3=1421
Subudhi,K.S. See Collin,W., 3=22308
Subudhi,K.S. See Daniel,H., 3=22328
Succi,C. See Luccio,A., 3=5738
Suchet,J. Chemical interpretation of the activation energy of semiconductors, 3=2864
Sucher,J. Relativistic invariance and the square-root Klein—Gordon equation, 3=7812
Sucher,J. See Fong,R., 3=10056
Suchet,J. Evaluation of the field due to nearest neighbours in an octahedral environment and application to the prediction of electrical conductivity of compounds of transition elements crystallizing in structures B1, B8 and B31, 3=4798
Suchet,J. Ferro- and antiferromagnetic interactions in semiconducting compounds, 3=20565
Suchet,J.P. The nature of the bonds in compound semiconductors, 3=2687
Suchet,J.P. Crystallochemical study of indirect interactions, 3=3079
Suchkov,D.A. Bayukov,Yu.D., 3=7911
Suchkov,D.A. See Bayukov,Yu.D., 3=24541
Suchkov,D.A. See Bayukov,Yu.D., 3=24563
Suchkov,Yu.D. See Veselovskii,P.F., 3=21677
Suchorzewska,J. See Gajewski,W., 3=19853
Suchow,L. See Singleton,J.H., 3=10991
Suchy,K. The role of elastic collisions in the hydrodynamic equations, 3=7497
Suchy,K. Electron conductivity considering the velocity dependence of the collision frequency, 3=16241
Suckling,E.E. and Zvi-Ben,S. Ultrasonic phase microscopy, 3=222
Suckow,W. Studies on the use of a shut-down reactor as a strong γ-ray source, 3=25014
Šuda,P. Temperature dependence of electrical resistance and the magnetic resistance variation, 3=6710
Šuda,P. See Kaczér,J., 3=1062
Sudakov, N.I. See Drokin, A.I., 3=18101
Sudakov,N.I. See Kirenskii,L.V., 3=13273
Sudakov,N.I. See Savchenko,M.K., 3=11082
Sudakov,V.V. See Lifshitz,E.M., 3=3724
Sudan,R.N. Plasma electromagnetic instabilities , 3=7552
Sudan,R.N. Interaction of a conducting fluid stream with a traveling wave of magnetic field of finite extension, 3=9925
Sudarshan,E.C.G. Equivalence of semiclassical and quantum mechanical descriptions of statistical light beams, 3=16528
Sudarshan,E.C.G. The nature of the axioms of relativistic quantum field theory. II, 3=22049
Sudarshan,E.C.G. See Bilaniuk,O.M.P., 3=33
Sudarshan,E.C.G. See Dullemond,C., 3=22073
Sudarshan,E.C.G. See Greenberg,O.W., 3=46
Sudarshan,E.C.G. See Ryan,C., 3=23788
Sudarshan,E.C.G. See Schweber,S.S., 3=49
Suddaby,A. See Champion,J.V., 3=21316
Sudershan,E.C.G. See Lavakare,P.J., 3=14843
Sudovtsov,A.I. See Lazarev,B.G., 3=16875
Sudovtsov,A.I. See Semenenko,E.E., 3=6559
Sudovtsov,A.I. See Semenenko,E.E., 3=6560
Suekane,S. See Endo,H., 3=23903
Suemune,Y. See Okazaki,A., 3=1332
Suffczynski,M. Superconductivity in the case of overlapping bands, 3=1893
Suffczynski,M. Spin-orbit splitting of the F-center band. 3=13010
Suga,H. and Seki,S. Availability of high resolution n.m.r. method for the study of molecular motion in the crystalline state, 3=13313
Suga,N. See Katsuki,Y., 3=3683
Sugano,R. On classification of interactions. Possibility of existence of a new boson coupled with Λ and μ, 3=555
Sugano,R. See Nakazawa,K., 3=19550
Sugano,S. Spectroscopy for solid-state optical masers, 3=7330
Sugano,S. and Shulman,R.G. Molecular orbital analysis of optical and magnetic properties of KNiF$_3$, 3=933
Sugano,S. and Shulman,R.G. Covalency effects in KNiF$_3$. III. Theoretical studies, 3=12893
Sugano,S. See Knox,K., 3=12892
Sugano,S. See Shulman,R.G., 3=12891
Sugar,J. Analysis of the third spectrum of praseodymium, 3=15291
Sugarman,B. See Bowles,R., 3=9639
Sugarman,N. See Pierson,W.R., 3=17475
Sugata,E. and Nakamura,S. A study of build up phenomena of tungsten tip cathode by ion microscope, 3=19298
Sugata, E.,Terada,M.,Hamada,H. and Pack,H. Analytical design of electron gun with temperature-limited cathode, 3=432
Sugata,E.,Terada,M.,Ura,K. and Ishida,Y. A study on laminarity of electron stream, 3=9854
Sugawara,A. See Huang,K.K., 3=17472

Sugawara,H. See Miyazawa,H., 3=19551
Sugawara,M.,Mori,S.,Ono,A.,Hotta,A. and Kimura,M. Nuclear elastic scattering of photons near the particle threshold energy. II, 3=12653
Sugawara,M. and Nambu,Y. Double phase representation of analytic functions, 3=24659
Sugawara,M. and Tubis,A. High-energy behavior of elastic-scattering amplitudes, 3=2221
Sugawara,M. and Tubis,A. Phase representation of analytic functions, 3=14895
Sugawara,M. See Kimura,M., 3=22376
Sugawara,M. See Nambu,Y., 3=14916
Sugawara,S.,Sato,T. and Minamiyama,T. On the equation of state of mercury vapour, 3=5464
Sugawara,Y. Distribution of magnetic flux in a magnet, 3=470
Sugden,T.M. Conducting flames, 3=19178
Sugden,T.M. See Hayhurst,A.N., 3=24209
Sugeno,T.,Sakamoto,K. and Ino,H. Interstitial—dislocation interaction in cold-worked iron, 3=23293
Sugie,A. See Furuoya,I., 3=19761
Sugihara,K. Spin—lattice relaxation of shallow donors in heavily doped Si, 3=25221
Sugihara,K. and Sato,H. Electrical conductivity of graphite, 3=10714
Sugihara,M. and Tsuboya,I. Structural and magnetic properties of copper-substituted manganese—aluminium alloy, 3=25529
Sugihara,M. See Akashi,K., 3=18902
Sugihara,M. See Tsuboya,I., 3=1007
Sugihara,M. See Tsuboya,I., 3=15900
Sugihara,R. Harmonic structure of the radiation from a charge moving through a magnetoplasma, 3=24270
Sugihara,T.T. See Matuszek,J.M.,Jr , 3=15145
Sugimoto,D. See Hayashi,C., 3=21114
Sugimoto,H. See Ueta,M., 3=969
Sugimoto,H. See Ueta,M., 3=23104
Sugimoto,K. See Beghian,L.E., 3=12680
Sugimoto,M. See Kawai,T., 3=4143
Sugita,Y. Dislocation and crak formation in indented germanium single crystals, 3=20758
Sugita,T., Kohno,I., Watanabe,J. and Kawasaki,K. Pumping mechanism and development of a getter ion pump, 3=18864
Sugita,T. See Kawasaki,K., 3=179
Sugita,T. See Kawasaki,K., 3=14224
Sugita,Y. Triangular patterns on recrystallised and epitaxially deposited germanium films, 3=20925
Sugiura,C. X-ray K-absorption spectra of potassium in KF, KCl, KBr and Kl, 3=6662
Sugiura,C. X-ray K-absorption spectra of potassium and chlorine contained in KCl, $KClO_3$ and $KClO_4$, 3=20497
Sugiura,C. X-ray K-absorption spectra of chlorine in $LiClO_4 \cdot 3H_2O$, $NaClO_4 \cdot H_2O$, $KClO_4$, $RbClO_4$ and $CsClO_4$, 3=20498
Sugiura,C. X-ray K-absorption spectra of chlorine in $LiClO_3$, $\frac{1}{2}H_2O$, $NaClO_3$, $KClO_3$ and $RbClO_3$, 3=23090
Sugiura,C. See Kiyono,S., 3=6660
Sugiura,M. A note on the DS variation of geomagnetic storms: a critical examination of method of analysis, 3=1490
Sugiura,M. See Dote,T., 3=5634
Sugiura,M. See Wilson,C.R., 3=21075
Sugiura,M. See Wilson,C.R., 3=25945
Sugiyama,H. and Nishizawa,Y. Several improvements on the potentiometer and shunt testing, 3=14474
Sugiyama,K. and Kobayashi,A. Piezoresistance and magnetoresistance in impurity conduction of germanium, 3=13058
Sugiyama,K. See Ikegami,H., 3=10274
Sugiyama,K. See Kobayashi,A., 3=22931
Suh,K.S. See Gillis,J., 3=1666
Suhakov,V.Ĭ. See Pekar,S.I., 3=20430
Suhl,H. Magnetism and superconductivity, 3=3946
Suhl,H. and Fredkin,D.R. Many-body theory of localised d states in metals. I. The localized moment, 3=20136
Suhl,H. See Donnelly,R.J., 3=1664
Suhl,H. See Fredkin,D.R., 3=11042
Suhle,A. See Drescher,K., 3=24494
Suhrmann,R.,Kruel,M. and Wedler,G. Electronic interaction between evaporated germanium films and oxygen, 3=13062
Suhrmann,R., Kruel,M. and Wedler,G. Electrical resistance and work function of germanium films in ultra–high–vacuum conditions, 3=20309
Suhrmann,R.,Kruel,M. and Wedler,G. Electronic interaction between carbon monoxide and evaporated germanium films with surfaces clean or precovered with oxygen, 3=25346
Suhubi,E. and Özemre,A.Y. The most general equations for multigroup neutron diffusion in P_1 approximation, 3=2273
Suita,T. See Akasaka,K., 3=11017
Suita,T. See Hiraki,A., 3=22750
Suita,T. See Itoh,N., 3=11018
Suita,T. See Itoh,N., 3=22843
Suita,T. See Mori,I., 3=19285
Suita,T. See Okada,T., 3=22649
Suito, E. Crystal growth and dimorphic transformation of organometallic compounds, 3=18257
Suito,E. and Uyeda,N. The anomalous diffraction contrast in (111)-face of lamellar single micro-crystal of colloidal gold, 3=1316
Suito,E. See Hashimoto,H., 3=1285
Suito,E. See Kobayashi,K., 3=11334
Suits,J.C. Question of superconducting iron, 3=19109
Sujak,B. Air-filled counter as detector for exoelectrons, 3=4175
Sujak,B.,Gasior,S. and Stepniewski,W. On the effect of an external electric field on the emission of eletrons from additively coloured KCl into a gaseous atmosphere. I, 3=24336
Sujak,B. and Heffner,W. On the dielectric corona motor, 3=19161
Sujak,B. See Bujok,J., 3=20703
Sujak,B. See Lewowska,L., 3=8615
Sujak,B. See Stępniowski,I., 3=14815
Sujkowski,Z. See Żylicz,J., 3=12639
Suk,K. See Kantůrek,J., 3=20451
Suk,M. See Lanius,K., 3=4485
Sukegawa,T.,Fujikawa,K. and Nishizawa,J. Silicon alloy-diffused variable capacitance diode, 3=8536
Sukever,Sh. See Pismennўi,V.D., 3=16931
Sukhanov,A.D. The Tomonaga—Schwinger equation in the Bogolyubov method, 3=1636
Sukhanov,A.D. On the interaction Hamiltonian in quantum field theory, 3=4355
Sukhanov,A.D. The connection of the operators in Heisenberg and interaction representation, 3=12407
Sukhanov,A.D. The problem of "surface" divergences in the Bogolyubov method, 3=14851
Sukhanov,A.D. See Slavnov,D.A., 3=4356
Sukhanova,O.N. See Grum-Grzhimailo,S.V., 3=3001
Sukhanova,O.N. See Grum-Grzhimailo,S.V., 3=15681
Sukharevskaya,O.Yu. See Burov,V.A., 3=15426
Sukharevskii,V.G. and Teplov,I.B. Coulomb and nuclear interactions in deuteron stripping reactions, 3=4668
Sukhenko,K.A. See Buyanov,N.V., 3=25848
Sukhenko,K.A. See Grigorova,V.S., 3=25851
Sukhodrev,N.K. See Uvarova,V.M., 3=24064
Sukhotina,G.G. See Shakhparonov,M.I., 3=21354
Sukhovarov,V.F. Deformation ageing of nickel, 3=5072
Sukhovarov,V.F., Aleksandrov,N.A. and Kudryavtseva,L.A. The nature of the deformation ageing of nickel, 3=20722
Sukhovei,A.G. See Alekseev,Yu.I., 3=1539
Sukomel,A.S. See Mukhin,V.A., 3=14193
Sulakvelidze,G.K. See Vernidub,I.I., 3=8987
Sulikowski,J. See Semkowicz,A., 3=14695
Sulkovskaya,M.M. See Nikol'skii,B.A., 3=6061
Sullivan,E. See Temkin,A., 3=8210
Sullivan,J. See Buser,R.G., 3=24510
Sullivan,J.J. See Kaplan,H., 3=10580
Sullivan,J.W.W. See Parker,C.M., 3=16847
Sullivan,M.V.,Klein,D.L.,Finne,R.M.,Pompliano,L.A. and Kolb,G.A. An electropolishing technique for germanium and silicon, 3=23501
Sullivan,P.F. Bonding methods and a bonding clamp for ultrasonic measurements, 3=5503
Sullivan,S.A. Experimental study of the absorption in distilled water, artificial sea water, and heavy water in the visible region of the spectrum, 3=16626
Sultanyan,T.A. See Gavrilyuk,M.I., 3=11183
Sulyaev,R.M. See Falomkin,I.V., 3=7881
Sulyaev,R.M. See Zaimidoroga,O.A., 3=4417
Sulyaev,R.M. See Zaimidoroga,O.A., 3=7883
Sulyaev,R.M. See Zaimidoroga,O.A., 3=24770

Sulzer,J. and Waidelich,W. Photoconductivity in sulphate single crystals, 3=8570
Sumarokov,V.I. See Podgornyi,I.M., 3=12149
Sumbaev,O.I.,Smirnov,A.I. and Zykov,V.S. The Mössbauer effect on tungsten isotopes, 3=6462
Sumbayev,O.I. and Smirnov,A.I. 4-meter Cauchois spectrometer for neutron–capture γ-radiation research, 3=14943
Sumer,A. and Smith,J.F. A comparison of the elastic constants of chromium as determined from diffuse X-ray and ultrasonic techniques, 3=23285
Sumi,Y. See Hayashi,H., 3=22182
Sumi,Y. See Kaneda,H., 3=22256
Sumino,K. and Yamamoto,M. Work-hardening of foil crystals of copper, 3=23344
Summ,B.D. See Gorynov,Yu.V., 3=5427
Summerfield,G.C. and Zweifel,P.F. Slow neutron scattering, the "scattering law," and $G(\vec{r}, t)$, 3=19639
Summerfield,G.C. and Zweifel,P.F. On the energy dependent transport equation, 3=19647
Summerfield,G.C. See Plummer,J.P., 3=19640
Summers-Gill, R.G. See Cameron, J.A., 3=17391
Sumner,G. See Hyam,E.D., 3=8471
Sumner,H.M. See Griggs,C.F., 3=8155
Sun Chia-chung, Chaing Tung-chen and Chou Mo-yi. Theory of Cauchy's relation for the alkali halide crystals, 3=25600
Sun Chia-Chung and Kiang Tung-Chen. Problem of the Van der Waals forces for a system of symmetric top molecules, 3=22613
Sun Chzhei-chein'. See Kozlov,V.F., 3=24380
Sun Liu Lu See Lu Sun Liu.
Suna,A. See Chesnut,D.B., 3=20143
Sunagawa,I. Slip lines due to distortion during crystal growth, 3=25285
Sunaguchi,T. See Nakahara,O., 3=20363
Sund,R.E. and Wiedenbeck,M.L. Decay of Se^{81m} and Se^{81}, 3=2406
Sund,R.E. See Arns,R.G., 3=7996
Sundahl,R.C. and Silvertsen,J.M. Stacking faults in silver–lithium alloys, 3=15499
Sundara-vicharana, Y., Bhodigen, S. and Hayodom, V. Radioactivity in rain water in Bangkok, 3=1453
Sundarachary,N. Emission spectrum of NiBr, 3=10512
Sundaram,A.K. See Nanda,R.S., 3=4258
Sundaram,S. See Sinha,J.K., 3=492
Sundaresan,M.K. and Wu,T.Y. Kinetic equation of a plasma in weak static electric and magnetic fields, 3=5664
Sundaresan,M.K. and Wu,T.Y. Kinetic equation of a plasma in a strong static magnetic field, 3=5665
Sunderland,J.E. See Rollinger,C.N., 3=8575
Sundquist,B.E. On "Nucleation catalysis in supercooled liquid tin", 3=21621
Sundquist,B.E.,Bruscato,D.R. and Mondolfo,L.F. The structure of eutectics, 3=13503
Sundquist,B.E. See Oriani,R.A., 3=14426
Sundström,T. See Lindskog,J., 3=2394
Sundström,T. See Lindskog,J., 3=6178
Sundström,T. See Lindskog,J., 3=12605
Sundström,T. See Lindskog,J., 3=12642
Sung,B.N. See Shoda,K., 3=15172
Sung Chei-chin. See Sun Chzhei-chein'.
Sung Yung-chün and En Kuo-kuan. Rotational energy levels of the even–even nuclei Tb^{160}, Ta^{182} and Re^{186,188}, 3=17418
Sunier,J.W. Beta–gamma directional angular correlations in the disintegration of Sb^{124}, Eu^{152} and Eu^{154}, 3=24900
Sunier,J.W. See Bakken,J.F., 3=12633
Sunier,J.W. See Hess,R., 3=22270
Sunseri,R. See McGlynn,S.P., 3=2608
Suomi,V.E. and Shen,W.C. Horizontal variation of infrared cooling and the generation of eddy available potential energy, 3=9025
Suomi,V.E. See Sabatini,R.R., 3=1444
Supernowicz,E.J. Magneto-optical readout from a magnetized nonspecular oxide surface, 3=14735
Suprunenko,P.O. See Kuz'menko,P.P., 3=20127
Sur,S.P. A note on the longitudinal propagation of elastic disturbance in a thin inhomogeneous elastic rod, 3=14232
Suranyi,P. On the leading singularity in the angular momentum plane in perturbation theory, 3=24652
Surdin,M. Propagation of ultrasonic waves in plasmas, 3=4113
Surdin,M. Current fluctuations in a conductor, 3=5615

Surdin,M. Fluctuations of potential at the terminals of a condenser with a polar dielectric, 3=24204
Surdin,M. See Kassimatis,C., 3=15257
Suris,R.A. See Maleev,S.V., 3=23182
Surkova,L.V. See Ivanov,Yu., 3=7877
Surkova,L.V. See Nikol'skii,B.A., 3=6061
Surplice, N.A. and Jones, R.P. The thermoelectric power of oxide cathodes on platinum cores, 3=17969
Surplice,N.A. and Jones,R.P. The thermal conductivity of alkaline earth oxides, 3=25209
Surplice,N.A. and Jones,R.P. The thermoelectric power of oxide cathodes on nickel cores, 3=25426
Suryanarayana,M. See Krishnamurthi,M., 3=5439
Sushchinskii,M.M. and Zubov,V.A. The relation between Raman and electronic absorption spectra, 3=15319
Sushkov,A.D. and Molokovskii,S.I. Electric fields in charged-particle bunches, 3=24379
Suslina,L.G. See Gross,E.F., 3=23109
Suslina,L.G. See Gross,E.F., 3=25467
Süsskind,C. See Palmer,J.L., 3=5706
Sussman, M.H. Cemented aplanatic doublets, 3=1790
Süssmann,G. See Beck,F., 3=2191
Sussmann,J.A. Relaxation mechanism of the paraelastic centres, 3=1219
Sussmann,J.A. Relaxation mechanism of the paraelastic center, 3=23220
Sussmann,J.A. and Thellung,A. Thermal conductivity of perfect dielectric crystals in the absence of umklapp processes, 3=25208
Sutcliffe,B.T. See McWeeny,R., 3=10449
Sutcliffe,B.T. See McWeeny,R., 3=22568
Sutcliffe,H.K. See Greenhow,J.S., 3=13717
Sutcliffe,H.K. See Greenhow,J.S., 3=13772
Sutela,V. See Kantola,M., 3=648
Suter,T.,Reyes-Suter,P.,Scheuer,W. and Aasa,E. Conversion electrons in the decay of Ag^{110m} to Cd^{110}, 3=24898
Sutherland,G. Units of time and frequency, 3=11651
Sutherland,J.E. See Chaiken,R.F., 3=1874
Suto,H. See Monma,K., 3=121
Sutter,E. See Kessler,F.R., 3=13188
Sutter,G. See Gorodetzky,S., 3=19810
Sutter,P.H. and Norwick,A.S. Ionic conductivity and time-dependent polarization in NaCl crystals, 3=10872
Sutter,P.H. See Gallo,C.F., 3=10808
Sutter,R.J. See Palevsky,H., 3=17285
Sutton,A.L. and Howard,V.C. The role of porosity in the accommodation of thermal expansion in graphite, 3=8371
Sutton,A.L. See Eeles,W.T., 3=25705
Sutton,D.C. See Axel,P., 3=15173
Sutton,D.C. See Tipler,P.A., 3=10322
Sutton,G.H. See Espinosa,A.F., 3=1414
Sutton,G.W. End losses in magnetohydrodynamic channels with tensor electrical conductivity and segmented electrodes, 3=9924
Sutton,G.W. See BenDaniel,D.J., 3=18836
Sutton,J. See Townsend,P., 3=333
Sutton,L.E. See Ewing,V.C., 3=25113
Sutton,L.E. See Malitson,I.H., 3=20439
Sutton,M.M. See Dixon-Lewis,G., 3=6426
Sutton,S. See Babkoff,H., 3=13951
Sutugin,A.G. See Fuchs,N.A., 3=8983
Suura,H. and Yennie,D.R., Infrared divergence and positronium spectrum, 3=10102
Suvorov,L.Ya. See Ershler,B.Z., 3=10429
Suwa,S., Suzuki,A. and Yamada,T. Dee voltage stabilizer for the I.N.S. variable energy ordinary cyclotron, 3=2058
Suwa,S. and Yokosawa,A. Phase-shift analysis of p–He^4 elastic scattering at around 40 MeV, 3=22132
Suwa,S. See Hwang,C.F., 3=24731
Suwalski,G. See Brümmer,O., 3=25786
Suwalski,W. See Bouzyk,J., 3=24946
Suzdalev,I.P. See Bryukhanov,V.A., 3=744
Suzdalev,I.P. See Gol'danskii,V.I., 3=8340
Suzuki,A. Debunching of the beam pulse for the synchrocyclotron, 3=12271
Suzuki, A. and Yamada, T. A pulser circuit for the synchrocyclotron oscillator, 3=2059
Suzuki,A. See Kane,J.R., 3=22034
Suzuki,A. See Nonaka,I., 3=8100
Suzuki,A. See Sanada,J., 3=5756

Suzuki,A. See Suwa,S., 3=2058
Suzuki,C.K. See Winston,H., 3=23888
Suzuki,H. The general solution of the Boltzmann transport equation and boundary-value problems, 3=4847
Suzuki,H. Divacancies in irradiated copper, 3=22751
Suzuki,H. A note on the Peierls force, 3=23297
Suzuki,H. and Ariyama,K. Cyclotron resonance in thin metallic films, 3=6504
Suzuki,H. and Furusawa,A. Recovery of irradiation hardening of copper single crystals around 0°C, 3=20721
Suzuki,H. See Hattori,M., 3=10634
Suzuki,H. See Ikawa,H., 3=2908
Suzuki,H. See Ishioka,S., 3=22646
Suzuki,H. See Izui,K., 3=22855
Suzuki,H. See Tanikawa,Y., 3=25157
Suzuki, H. See Tubota, H., 3=25374
Suzuki,J.,Kadokawa,Y. and Nakata,K. Forman frequency extraction by the method of moment calculations, 3=13948
Suzuki,J.,Kadokawa,Y. and Nakata,K. Formant-frequency extraction by the method of moment calculations, 3=25998
Suzuki,K. See Katsuraki,H., 3=11093
Suzuki,K. See Maeda,K., 3=2929
Suzuki,K. See Miyake,S., 3=1280
Suzuki,K. See Miyake,S., 3=1309
Suzuki.K. See Mivazawa.H.. 3=25236
Suzuki,K. See Nakajima,K., 3=24480
Suzuki,K. See Nakazumi,Y., 3=11219
Suzuki,M. Studies on free molecular flow through clearance, 3=1716
Suzuki,M. The fine structure in the L-absorption spectrum of silver, 3=6661
Suzuki,M. Application of Regge hypothesis to multiple meson production, 3=19661
Suzuki,M. and Kikuchi,S. Hall coefficient of pure bismuth, 3=10807
Suzuki,M. See Kikuchi,M., 3=2936
Suzuki,M. See MacKay,G.D., 3=13620
Suzuki,S. and Baba,H. Electronic spectra and hydrogen bonding. II. Anthrols, 3=8287
Suzuki,S. See Ito,K., 3=19350
Suzuki,T., Umeno,M. and Shinoda,G. Improved light source system for a ruby laser, 3=18980
Suzuki,T. See Hiki,Y., 3=22795
Suzuki,T. See Ikushima,A., 3=23294
Suzuki,T. See Imura,T., 3=22796
Suzuki,T. See Komatsu,H., 3=15958
Suzuki,T. See Kuriyama,M., 3=12890
Suzuki,T. See Shinoda,G. 3=9589
Suzuki,Y. and Ishii,K. Normalised eigen-function for linear potential problem, 3=3706
Suzuki,Y., Kayama,T., Kawai,T. and Kodama,K. Fundamental solutions of modified Klein—Gordon equation, 3=14022
Suzuoka,T. Lattice and grain boundary diffusion in polycrystals, 3=8446
Suzuoka,T. See Hirone,T., 3=22814
Svec,H.J. See Conzemius,R.J., 3=24374
Svec,H.J. See Flesch,G.D., 3=21905
Sveklo,V.A. Solution of dynamic problems in the plane theory of elasticity for anisotropic media, 3=1750
Svelto,O. Pumping power considerations in an optical maser, 3=7733
Svelto,O. Pumping power considerations in an optical maser, 3=14333
Svelto,O. and Di Domenico,M.,Jr. High-index-of-refraction spherical sheath composite-rod optical masers, 3=11906
Svelto,O. See DiDomenico,M.Jr., 3=9970
Svelto,V. See Cavalleri,G., 3=12374
Svelto,V. See Sona,A., 3=12048
Svelto, V. See Fabri, G., 3=17677
Svennerstedt,S.,Berglund,S. and Westerlund,S. Magnetic field and temperature variations in a toroidal pinch discharge, 3=5637
Svennerstedt,S. See Berglund,S., 3=14599
Svensson,B.E.Y. Relation between Fourier transform and integral representation for the two and three point functions, 3=5321
Sventitskii,N.S. See Grigorova,V.S., 3=25851
Sventitskii,N.S. See Kaporskii,L.N., 3=24230
Sventitskii,N.S. See Kaporskii,L.N., 3=25035
Sventitskii,N.S. See Kiselevskii,L.I., 3=24252
Sverdlov,L.M. Relation between the anharmonicity constants in a system of isotopic polyatomic molecules, 3=2599
Sverhunenko,L.O. The effect of the addition of a third element on the sound absorption in binary alloys, 3=23489
Sveshnikov,B.Ya, Selivanenko,A.S, Shirokov, V.I. and Kiyanskaya,L.A. Dependence of the quenching of fluorescence by foreign substances on the viscosity of solution. I. Theory, 3=16632
Sveshnikov,B.Ya. The quenching of the luminescence of solutions by foreign substances, 3=21382
Sveshnikov,B.Ya. See Aristov,A.V. 3=3063
Svetlolobov,I.A. See Barkov,L.M., 3=6080
Svetlov,I.L. See Bokshtein,S.Z., 3=6801
Svetlov,I.L. See Bokshteĭn,S.Z., 3=20727
Svetlov,Yu.E. See Bulyanitsa,D.S., 3=780
Svheitser,I.G. See Blokhin,M.A., 3=23094
Sviridenkov,E.A. See Belikova,T.P., 3=25422
Sviridenkov,Z.A. See Galanin,M.D., 3=19487
Sviridov,A.G. See Dronov,A.P., 3=14218
Sviridov,D.T. Vibrational "structure" of a broad impurity absorption band in crystals, 3=8587
Sviridov,D.T. See Grum-Grzhimailo,S.V., 3=13180
Sviridova,A.I. Optical properties and structure of zirconium dioxide films, 3=8577
Sviridova,R.K. See Grum-Grzhimailo,S.V., 3=3001
Sviridov,D.T. See Grum-Grzhimailo,S.V., 3=15681
Sviridova,R.K. See Grum-Grzhimailo,S.V., 3=15681
Svirina,E. See Zaveta,K., 3=22949
Svirina,E.P. See Belov,K.P., 3=20334
Svirskiĭ,M.S. Effect of the frequency of sound on its absorption by a metal in a magnetic field, 3=22653
Svirskii,M.S. See Vonsovskii,S.V., 3=6489
Svistunova,K.I. Decay of nonequilibrium conductivity in a semiconductor containing two types of recombination centre, 3=17833
Sviszt,P. Narrow bands of the luminescence of CuBr and of alkali halide phosphors activated by CuBr, 3=3040
Sviszt,P. Ultraviolet irradiations of ZnS single crystals kept in the atmosphere of different gases, 3=10969
Sviszt,P. and Schanda,J. Some remarks on the photo-electroluminescence of ZnS single crystals, 3=3070
Swail,J.C. and Pattenson,C.F. A carrier frequency synthesis and time-signal control system, 3=14093
Swalin,R.A. See Weltzin,R., 3=22703
Swami,M.S. See Ganguli,S.N., 3=19757
Swaminathan,M.S. See Mani,A., 3=18513
Swaminathan,M.S. See Venkiteshwaran,S.P., 3=18512
Swamy,N.V.V.J. See Kulkarni,R.J., 3=22367
Swan,D.W. Electron attachment processes in liquid argon containing oxygen or nitrogen impurity, 3=19175
Swan,D.W. See Care,J.M., 3=11965
Swan,P. On the use of the Born approximation for small phase-shifts at low energies, 3=12420
Swan,P. On the accuracy of the tan η distorted wave approximation for scattering phase-shifts, 3=17198
Swanenburg,T.J.B.,Poulis,N.J. and Drewes,G.W.J. The dynamic polarization of protons in polystyrene, 3=20672
Swank,R.K. and Brown,F.C. Lifetime of the excited F center, 3=10695
Swann,C.P. Mean lifetime of the first excited state of Na^{23}, 3=15103
Swann,D.W. Electron drift velocity in liquid argon and argon—nitrogen mixtures, 3=21400
Swann,P.R. and Warlimont,H. The electron-metallography and crystallography of copper—aluminum martensites, 3=20869
Swann,W.G.F. A general approach to the electromagnetic origin of cosmic ray energy, 3=4495
Swanson,H.E.,Morris,M.C.,Stinchfield,R.P. and Evans,E.H. Standard X-ray diffraction powder patterns. Section 2—data for 37 substances, 3=18324
Swanson,K.M. and Kerswell,A.G. The X-radiography of radioactive specimens using a rotating lead disk with collimating slits, 3=7668
Swanson,J.A. See Grabner,L., 3=11
Swanson,L.W. See Gomer,R., 3=13570
Swanson,M.L.,Piercy,G.R. and Mackinnon,D.J. Effect of plastic deformation on neutron irradiation damage in copper and aluminium at 1.8°K, 3=6554
Swanson,N. and Powell,C.J. Excitation of π electrons in polystyrene and similar polymers by 20-keV electrons, 3=22617

Swanson,R.A. See Reynolds,G.T., 3=8122

Swanson,W.P., Carrigan,R.A.,Jr and Goldwasser,E.L. Extension of the NBS P2 chamber calibration to 260 MeV, 3=14819

Swarm,H.M. See Tyras,G., 3=21978

Swartz,B.E. See Packard,M.E., 3=13991

Swartz,G.A. See Napoli,L.S., 3=19257

Swartz,J.M. and Browne,L. Experimental calibrations of a silicon rectifier developed as a fast neutron sub-minature dosimeter, 3=24751

Swartz,M. See Kolb,A.C., 3=12159

Swartz,P.S. Evidence for the negative surface energy models of superconductivity in Nb_3Sn, Nb_3Al, V_3Ga, and V_3Si, 3=5591

Swartz,P.S. Evidence for the negative surface energy models of superconductivity in Nb_3Sn, Nb_3Al, V_3Ga, and V_3Si, 3=14455

Swartzendruber,D. Non-Darcy flow behavior in liquid-saturated porous media, 3=7192

Swartzendruber,L.J. Applications of a semiconductor-surface-state charge-storage device, 3=8540

Swarup,G.,Kakinuma,T.,Covington,A.E.,Harvey,G.A.,Mullaly,R.F. and Rome,J. High-resolution studies of ten solar active regions at wavelengths of 3-21 cm, 3=16424

Swarup,G. See Kakinuma,T., 3=3618

Swarz,B.A. See Halperin,J., 3=22434

Sweeney,D.M.C. See Lepard,D.W., 3=4765

Sweeney,G.G. See Hickam,W.M., 3=21014

Sweeney,J.P. See West,H.D., 3=2575

Sweet,P.A. Cooperative phenomena in stellar dynamics, 3=13914

Sweetman,D.R. Mirror machine experiments and related atomic cross-section measurements at A.W.R.E. Aldermaston, 3=12204

Sweetman,D.R. See Riviere,A.C., 3=7436

Sweezy,W.B. and Bean,B.R. Correction of atmospheric refraction errors in radio height finding, 3=9948

Sweig,M.J. Rare decay modes of K*, 3=19693

Swenson,C.A. See Heltemes,E.C., 3=1887

Swenson,C.A. See Stromberg,T.F., 3=3961

Swenson,G.W.,Jr. See Gschwendtner,A.B., 3=19440

Swenson,R.J. Derivation of generalized master equation, 3=71

Swenson,R.J. Generalized master equation and t-matrix expansion, 3=11732

Swiatecki,W.J. See Bowman,H.R., 3=10393

Swiatecki,W.J. See Cohen,S., 3=19899

Swicord,M. See Silver,M., 3=10887

Swiderski,J. Determination of the diffusion length of minority carriers from the position of the curve maximum of spectral response of photoconductivity in germanium, 3=909

Swift,A.R. and Lee,B.W. Complex angular momentum in spinor Bethe—Salpeter equation, 3=22086

Swift,A.R. See Lee,B.W., 3=12415

Swift,C.D. Small five-channel pulse-height analyser, 3=12055

Swift,C.D. See Jopson,R.C., 3=4711

Swift,C.D. See Jopson,R.C., 3=19953

Swift,D.A. See Barber,P.B., 3=9739

Swift,D.W. Very-low-frequency radio propagation in the ionosphere, 3=5859

Swift,D.W. The effect of solar X-rays on the ionosphere, 3=6981

Swift,D.W. The generation and effect of electrostatic fields during an auroral disturbance, 3=18559

Swift,J.D. Energy distribution of electrons in the positive column of a nitrogen discharge, 3=4058

Swift,R.E. See Mitchell,W.L., 3=17739

Swift-Hook,D.T. Large-scale magnetohydrodynamic power generation, 3=5833

Swift-Hook,D.T. See Clark,R.B., 3=7693

Swift-Hook,D.T. See Maycock,J., 3=5832

Swihart,J.C. Theory of the phase transition in a cylindrical superconductor, 3=9677

Swihart,J.C. Energy-gap function in the theory of superconductivity, 3=16867

Swim,R.T. See Alers,G.A., 3=23138

Swinehart,J.H.,Rogers,T.E. and Taube,H. Exchange of methanol between solvated cations and solvent. I, 3=8944

Swinehart,J.H. and Taube,H. Determination of the solvation number of the magnesium ion in methanol by n.m.r. techniques, 3=1685

Swings, P. and Fehrenbach, C. The spectrum of comet Seki-lines (1962c), 3=3554

Swinnerton,A.J. Variation of photochemical properties in crystals from different emulsions as revealed by the distribution of latent image and photolytic silver, 3=1396

Swinson,D.B. See Wilson,B.G., 3=12528

Swoboda,T.J. See Jarrett,H.S., 3=1026

Sybert, J.R. See Grenier, C.G., 3=25354

Sybesma,C. Measurement of energy distributions of ^{137}Cs gamma rays scattered in water, 3=10076

Sȳchev,V.V. On hypersonic flows of viscous heat-conducting gases, 3=160

Sȳdorkin,V.O. See Lavrentyev,O.O., 3=19274

Sȳdorȳk,Ye.P. See Shul'ha,S.Z., 3=20019

Syed,A. Reduction of S-matrix elements, 3=17204

Syed,A. See Rashid,M.A., 3=12386

Syed Ali Tahir Rizvi. On the steady rotation of a disc in magnetohydrodynamics, 3=14747

Sykes,M.F. Self-avoiding walks on the simple cubic lattice, 3=23774

Sykes,M.F. and Essam,J.W. Some exact critical percolation probabilities for bond and site problems in two dimensions, 3=11734

Sykes,M.F. See Essam,J.W., 3=12898

Sylwestrowicz,W.D. Mechanical properties of single crystals of silicon, 3=5064

Sylwestrowicz,W.D. and Koonce,S.E. Fracture mechanism of single crystals of silicon, 3=23360

Syme,R.W.G. See Runciman,W.A., 3=23066

Symm,G.T. Integral equation methods in potential theory. II, 3=23734

Symmons,H.F. and Bogle,G.S. Zero-field paramagnetic resonance in ferric acetylacetonate, 3=23228

Symons,G.D. and Treacy,P.B. The $B^{11}(p, \alpha)Be^8$ reaction and C^{12} states between 15 and 20 MeV, 3=19850

Symons,G.D. See Barker,F.C., 3=22292

Symons,M.C.R. See Blandamer,M.J., 3=13612

Symons,M.C.R. See Catterall,R., 3=11811

Synakh,V.S. See Baier,V.M., 3=2292

Syneček,V. Local order and mean vibrational state of atoms in substitutional metallic solid solutions, 3=8347

Syneček,V. On the spatial distribution of isotropic Guinier—Preston zones, 3=8878

Synek,M. Accurate analytical self-consistent field functions for atoms. IV. Ground states and several excited states for atoms and ions of Al and Cu, 3=22476

Synge,J.L. Water waves and hydrons, 3=120

Synge,J.L. Systematic approximations in the calculation of gravitational fields, 3=3718

Synge,J.L. Group motions in space-time and doppler effects, 3=16513

Synge,J.L. The Hamiltonian method and its application to water waves, 3=23580

Synge,J.L. See Florides,P.S., 3=1600

Syono,Y.,Akimoto,S. and Nagata,T. Remanent magnetization of ferromagnetic single crystal, 3=11063

Syono,Y. See Ishikawa,Y., 3=1496

Syono,Y. See Ishikawa,Y., 3=13255

Synorov,V.F. Effect of chemical treatment of a germanium surface on its electrical properties and stability, 3=15577

Sȳrkin,L.N.,Ivukina,A.K. and Podkuiko,T.S. Investigation of the magnetoelastic effect in ferrites, 3=20614

Sȳrkin,L.N. See Strelets,P.L., 3=8686

Sȳrovatskii,S.I. The spectrum of galactic and solar cosmic-rays, 3=4489

Sȳrovatskii,S.I. Stability of plasma in a nonuniform magnetic field and the mechanism of solar flares, 3=7515

Sysiö,P. The quantum-mechanical box model of simple ionic crystals, 3=4796

Sysoev,L.A., Krainyukov,N.I., S̄korobogatov,B.S. and Sazonova,S.A. Luminescence of zinc sulphide single crystals grown from the melt, 3=20528

Sysoeva,L.N. See Ankudinov,V.A., 3=2092

Sytinskaya,N.N. The application of photometry in researches on the nature of Mars, 3=18601

Syui Dun-Lyan. See Litvinov,R.O., 3=22960

Syuĭ Mao. See Frisman,É.V., 3=21352

Syutkina,V.I. and Yakovleva,E.S. Grain shift and boundary migration as a result of high temperature deformation in nickel alloys, 3=2815

Syutkina,V.I. and Yakovleva,É.S. Mechanical properties of ordering copper–gold alloys, 3=20685

Szabo,A. and Lipsett,F.R. Side emission from ruby laser rods, 3=521

Szabo,A. See Stoicheff,B.P., 3=23056

Szabó,F. See Gimeysi,Z., 3=25010
Szabó,J. See Balázs,L., 3=4993
Szabó,J. See Kovács,P., 3=6826
Szabó,P.,Krén,E. and Gordon,J. High intensity neutron diffractometer, 3=11246
Szabó,Z.G. and Lakatos,B. Remarks on the melting point of technetium and the periodicity of the melting points of transition metals, 3=7386
Szabó,Z.G. See Porter,G., 3=2668
Szalay, L., Gáti, L. and Sárkány, B. On the fundamental polarization of the fluorescence of viscous solutions, 3=1697
Szalay,L. and Sárkány,B. On the question of the sphere of action in theories relating to concentration depolarization of fluorescence light, 3=3808
Szalay,L. See Budó,A., 3=16633
Szamosi,G. Dynamics of spinning particles in classical and quantum theory, 3=23762
Szaniecki,J. Spin waves and phonons in ferromagnetics. I. The Hamiltonian, 3=1130
Szaniecki,J. Spin waves and phonons in ferromagnetics. II. Spontaneous magnetization at low temperatures, 3=1131
Szaniecki,J. Spin deviations and phonons in ferromagnetics. III. Spontaneous magnetization close to the Curie point, 3=1132
Szaniecki,J. Kinematical interaction in the spin wave theory for isotropic ferromagnetics. I, 3=1137
Szaniecki,J. Kinematical interaction in the spin wave theory for isotropic ferromagnetics. II, 3=1138
Szaniecki, J. Green's function for cubic ferromagnetics. I. One-particle Green's function, 3=3087
Szaniecki,J. Green's function for cubic ferromagnetics. II. Two-dimensional time-dependent Green's functions, 3=3088
Szaniecki,J. Green's function for cubic ferromagnetics. III. Two-dimensional time-dependent Green's functions. Spontaneous magnetization, 3=3089
Szaniecki,J. Some remarks on perturbation calculus, 3=3753
Szaniecki,J. Spin-wave theory for cubic ferromagnetics, 3=8651
Szaniecki,J. Some remarks on the spin wave theory for cubic ferromagnetics. I, 3=13234
Szaniecki,J. Some remarks on the spin wave theory for cubic ferromagnetics. II, 3=13235
Szaniecki, J. Spin wave theory for anisotropic cubic ferromagnetics, 3=18067
Szaniecki,J. See Szczeniowski,S., 3=15766
Szapiro,S. See Steckel,F., 3=14144
Szarras,S.,Bonkowski,L. and Auleytner,J. X-ray camera with oscillating crystal and film for studies of single crystals, 3=8819
Szász,L. Atomic many-body problem. II. The matrix components of the Hamiltonian with respect to correlated wave functions, 3=6344
Szasz,L. Pair correlations in the Be atom, 3=10450
Szasz,L. Formulation of the quantum mechanical many-body problem in terms of one- and two-particle functions, 3=16551
Szaynok,A. Some problems relating to the electrification of dust from β-irradiated KCl monocrystals, 3=902
Szczeniowski,S., Morkowski,J., Szaniecki,J. Spin waves in ferromagnetics. I. Quantum theory, 3=15766
Szczeniowski,S.,Ratajczak,H. and Gontarz,R. Dependence of magnetic properties of thin iron films on the geometry of evaporation, 3=1070
Szczeniowski,S.E. and Wrzeciono,A. Domain structure and magnetic properties of Mn_5Ge_3, 3=1086
Szczurek,T. See Bauer,R., 3=139
Szczurek,T. See Gutsze,A., 3=12965
Szebehely,V.G. Zero velocity curves and orbits in the restricted problem of three bodies, 3=11742
Szebehely,V.G. Generation of orbits by generalized hill curves, 3=16565
Szebeni,P. See Lőrinczy,A., 3=22786
Szekely,J. Mathematical model for heat or mass transfer at the bubble-stirred interface of two immiscible liquids, 3=21325
Szekely,J. Notes on the transfer at the interface of two independently stirred liquids, 3=24077
Szekeres,P. Spaces conformal to a class of spaces in general relativity, 3=21228
Szelényi,T.Z. Distance to potential minimum of the electronic space charge from externally heated cathodes in inert high pressure gas discharges, 3=7466
Szelényi,T.Z. See Winter,E., 3=9738
Szemző,E. See Lakatos,G., 3=7654
Szendy,Ch. Basic equations of the m.h.d. generator, 3=7692
Szeptycka,M. See Barbier,M., 3=17002
Szeptycka, M. See Dowell, J.D., 3=17110
Szewczyk,A.A. Stability and transition of the free-convection layer along a vertical flat plate, 3=277
Szigeti,B. Impurity activated infra-red absorption in valency crystals, 3=10928
Szilágyi,M. Radiometric identification of fission product fractions not sorbed by numic acids, 3=22439
Szkatula,A. See Niewiadomski,T., 3=589
Szklarz,E.G. See Giorgi,A.L., 3=7406
Szőke,A. and Javan,A. Isotope shift and saturation behaviour of the 1.15 μ transition of Ne, 3=19944
Szöllösy,L. Foreign additive quenching in luminescing dyestuff solutions, 3=3807
Szondy,T. Improvement of simple wave-functions in given regions of molecular systems, 3=2603
Szondy,T. Interpolation formulae for positive Thomas—Fermi ions, 3=7429
Szondy,T. and Vághó,I. A simple correction for wave mechanical expectation values, 3=14031
Szondy,T. See Gombás,P., 3=22464
Szostak,R. See Marmier,P., 3=3423
Szot,W. See Semkowicz,A., 3=14695
Szwarc,H. See Attarian,V., 3=8947
Szymańska,W. See Ginter,J., 3=22947
Szymanski,A. and Herman,J.A. Influence of a pulsed electric field on luminescence in the rare gases excited by ionizing radiation, 3=16664
Szymanski,A. and Herman,J.A. Luminescence of rare gases subjected to ionizing radiation in an electric field, 3=21448
Szymanski,B. See Bemski,G., 3=6750
Szymanski,J.J. See Chrétien,M., 3=24787
Szymański,Z. Ground-state equilibrium deformations of non-stable nuclei in the transuranic region, 3=19752
Szymański,Z. See Bĕs,D., 3=2351
Szymanski,Z. See Radojevic,V., 3=2381
Szymchak,R.A. See Belyaev,B.N., 3=15203

Tabachnikov,A.G. Calculation of thermodynamic properties of real gases at high temperatures, 3=7234
Tabei,H. Method of measuring the complex permeability of ferrites by coaxial resonator, 3=17017
Tabibian,R. See Heller,W., 3=5530
Tabor,D. See McLaren,K.G., 3=16012
Tabushi,M. See Iwata,S., 3=22341
Tabushi,M. See Yoshizawa,Y., 3=19822
Tachikawa,K. See Mori,S., 3=15579
Tachiki,M. and Nagamiya,T. Helical spin arrangement of band electrons, 3=8647
Tachiki,M. See Kanamori,J., 3=984
Tachiki,M. See Kanamori,J., 3=985
Tachon,J. Neutron study of a plutonium thermal neutron reactor "phosęrpine". Correlations between neutrons in a chain reaction, 3=10422
Tachon,J. See Bariud,A., 3=9800
Taconis,K.W. See Van Beelen,H., 3=17027
Tadano,B. See Katagiri,S., 3=21879
Tadić,D. On weak interaction Lagrangians which violate the $|\Delta I| = \frac{1}{2}$ rule, 3=22069
Tadic,D. Regge pole in high-energy neutrino reactions, 3=22104
Tadić,D. See Eman,B., 3=2400
Tadić,D. See Eman,B., 3=12632
Tadić, D. See Eman,B., 3=17425
Tadjbakhsh,I. See Gazis,D.C., 3=23812
Tadokoro,H.,Kobayashi,M.,Kawaguchi,Y.,Kobayashi,A. and Murahashi,S. Normal vibrations of the polymer molecules of helical configuration. III. Polyoxymethylene and polyoxymethylene-d_2, 3=10557
Tae Chung Kyung. See Kyung Tae Chung, 3=9340
Taft,H. See Baltay,C., 3=22209
Taft,H. See Ferbel,T., 3=19674

Taft,H.D. See Baltay,C., 3=24805

Taft,H.D. See Ferbel,T., 3=4395

Taft,R.W.,Prosser,F.,Goodman,L. and Davis,G.T. Relationship between pi-electronic distributions and F^{19} n.m.r. shielding in para-substituted fluorobenzenes, 3=8300

Taganov,K.I. Spectroscopic investigation of the erosive characteristics of electric discharges in vacuum, 3=24251

Tagliaferri,G. See Luccio,A., 3=5738

Taguchi,I. See Watanabé,T., 3=3259

Tagueña,C. See Vázquez,M., 3=22294

Tahir-Kheli,R.A.,Doman,B.G.S. and ter Haar,D. On the use of green functions in the theory of the Ising ferromagnet, 3=11047

Tahir-Kheli,R.A. and ter Haar,D. Use of Green functions in the theory of ferromagnetism. III. s-d interactions, 3=11045

Tai,C.T. Some wave functions and potential functions pertaining to spherically stratified media, 3=9929

Tai Tsun Wu. See Bjorken,J.D., 3=17209

Tai,Y.K. and Hsu,Y.C. Angular distribution of protons from the d(d,p) reaction, 3=22218

Tai,Y.K. See Hsu,Y.C., 3=22402

Taieb,C. Method of determination of electron density profiles in the ionosphere by means of a small number of ionogram parameters, 3=3496

Taieb,C. See Revah,I., 3=16277

Taillandier,P. See Roucayrol,J.C., 3=24705

Taillet,J. See Debiesse,J., 3=7449

Tait,J.H. and Taylor,A.J. The 1S—2S excitation of hydrogen atoms by electron impact, calculated with the use of the second Born approximation inclusive of exchange, 3=22506

Takabayasi,T. Irreducible internal variables of elementary particles and weak interaction symmetry, 3=7775

Takabayasi,T. Parity class, equivalence principle, and the mass formula for baryons and resonances, 3=19554

Takabayasi,T. Internal degrees and mass quantization for baryons and resonances, 3=22065

Takabayasi,T. See de Broglie,L., 3=2226

Takabayasi,T. See de Broglie,L., 3=4324

Takabayasi,T. See de Broglie,L., 3=4325

Takada,H. See Katsuraki,H., 3=11093

Takada,K. Axially asymmetric deformation and its stability in sd-shell nuclei, 3=24844

Takada,T. and Kawai,N. Magnetism in ultra fine oxide particles, 3=1095

Takada,T. See Kosuge,K., 3=15779

Takagi,K. and Oka,T. Millimeter wave spectrum of formaldehyde, 3=25123

Takagi,M. and Mirimoto,S. The forbidden 222 electron reflection from germanium, 3=23440

Takagi,S. Review of high-energy theories, 3=4546

Takagi,S. Dynamical theory of diffraction applicable to crystals with any kind of small distortion, 3=13576

Takagi,S. See Fukuda,H., 3=4511

Takagi,T. and Dairaku,J. Studies on the performance of infrared photo-detectors, 3=291

Takagi,Y. See Gesi,K., 3=13026

Takahama,T. See Irie,T., 3=10900

Takahashi,H. Change in the rigidity spectrum during short-term variation of cosmic rays, 3=12534

Takahashi,H. See Honeck,H.C., 3=12723

Takahashi,K. and Kotajima,K. A search for an E4 cross-over transition in the isomeric decay of ^{204}Pb, 3=8018

Takahashi,K. See Morinaga,H., 3=2392

Takahashi,M.,Sasakawa,T. and Fujimori,H. The magnetic annealing effect and the ordering process in a Ni$_3$Fe single crystal, 3=23155

Takahashi, M., Watanabe, D., Kono, T. and Ogawa, S. Magnetic anisotropy of evaporated films, 3=1068

Takahashi,N. The structure of films of Al—Ag (25%) alloys prepared by a fusion method, 3=6884

Takahashi,N.,Ashinuma,K. and Nagahama,Y. An electron microscope capable of simultaneous recording of an electron microscopic image and an electron diffraction pattern, 3=443

Takahashi,N. See Dupouy.G., 3=16110

Takahashi,S. See Koda,S., 3=12977

Takahashi,S. See Terao,K., 3=25826

Takahashi,T. See Kang,Y., 3=644

Takahashi,T. See Shimizu,M., 3=8363

Takahashi.T. See Shimizu.M., 3=13228

Takahashi,T. See Shimizu,M., 3=23143

Takahashi,T. See Shimizu,M., 3=25509

Takahasi,U. See Sakamoto,Y., 3=2689

Takaki,H.,Nakamura,Y. and Nakajima,T. Forced magnetostriction in ferromagnetic alloys with the order-disorder transition, 3=1046

Takaku,K. Propagation of electromagnetic waves over mixed boundaries, 3=9930

Takakura,T. Synchrotron radiations from Van Allen belts expected to be observed in the ionosphere, 3=1475

Takakura,T. Acceleration of electrons in the solar atmosphere and type IV radio outbursts, 3=11548

Takamatsu,K. See Yanabu,T., 3=22418

Takami,H. See Nakamura,Y., 3=6713

Takamura,J.,Furukawa,K.,Miura,S. and Shingu,P.H. Production of point defects due to plastic deformation in gold, 3=22720

Takamura,J. and Morimoto,T. Dynamic interaction between a moving dislocation and point defects, 3=23343

Takamura,J.,Okazaki,K. and Greenfield,I.G. Quenched-in vacancies in dilute aluminium-magesium alloys, 3=22745

Takamura, J. See Morimoto, T., 3=25355

Takano,M. See Ishiyama,M., 3=12431

Takasaki,H., Shimodaira,T. and Nagano,Y. Photoelectric measurement of polarized light by means of A.D.P. polarization modulator. Part VI. Automatic measurement of carriage nutation, 3=16808

Takasu,S.,Chiba,S.,Hirose,Y. and Kurihara,K. Constricted hysteresis loop of nonstoichiometric polycrystalline NiFe$_2$O$_4$, 3=1085

Takata,Y. Observation of domain structure and calculation of magnetostatic energy on the C-plane of cobalt single crystals, 3=11073

Takatsu,K. and Toda,T. Current dependence of sputtering in glow discharge, 3=4213

Takayama,K. See Kojima,S., 3=4160

Takayanagi,K. Behaviour of the charge transfer cross-section in the low energy atomic collisions, 3=10477

Takayanagi,K. Vibrational transition in molecular collision. VI. Dependence of the effective cross-section on the intermolecula force, the energy transferred, and the temperature, 3=10551

Takayanagi,K. See Hayakawa,S., 3=11507

Takayanagi,K. See Shimizu,T., 3=9225

Takayanagi,S. See Inoue,M., 3=10664

Takayangi,S. See Kato,H., 3=22806

Takebe,H.,Unno,W. and Hatanaka,T. On the condensation of interstellar gas. II. The mass function in galactic clusters, 3=16325

Takebe,H. See Hatanaka,T., 3=11506

Takeda,A. A method of analysis of reactor spatial kinetics of Calder Hall type reactors, 3=2532

Takeda,A. A study on the transfer functions of spatial kinetics in the nuclear reactor, 3=2533

Takeda,G. Possibility for copious production of the intermediate vector bosons, 3=17231

Takeda,S. Impedance method for measuring high electron density and electron collision frequency in a gaseous plasma column, 3=12182

Takeda,S. and Tsukishima,T. Microwave study of plasmas produced by electromagnetically driven shock waves, 3=12181

Takeda,S. See Tsukishima,T., 3=410

Takeda,S. See Tsukishima,T., 3=24289

Takei,H. See Koide,S., 3=13077

Takei,W.J.,Cox,D.E. and Shirane,G. Magnetic structures in the MnSb—CrSb system, 3=8698

Takei,W.J. See Cox,D.E., 3=13267

Takei,W.J. See Cox,D.E., 3=15911

Takei,W.J. See Shirane,G., 3=1109

Takei,W.J. See Shirane,G., 3=3133

Takemiya,T. Quasi-free proton—proton scattering in Li^7(p,2p)He^6 and Li^6(p,2p)He^5, 3=24942

Takeno,H. See Mimura,Y., 3=14017

Takeno,S. Energy spectrum of lattices with defects. III. Distribution of one-electron energy levels, 3=2760

Takeno,S. Resonance scattering of lattice waves by isotopes, 3=10595

Takeno,S. Surface vibration of a diatomic simple cubic lattice, 3=25184

Takenoshita,Y.,Outi,C. and Sinno,K. Radio observations on the high altitude nuclear explosion over Johnston Island on July 9, 1962, 3=25925

Takenouchi,T. On the characteristic motion and the critical argument of asteroid (279) Thule, 3=1510

Taketani,M. and Tati,T. $\Delta S/\Delta Q=-1$ decay and "induced transition", 3=10035
Takeuchi,H. Radiation intensity distribution in the space below the Van Allen radiation belt, 3=11462
Takeuchi,H.,Saito,M. and Kobayashi,N. Rigidity of the earth's core and fundamental oscillations of the earth, 3=13643
Takeuchi, K, See Sato,T., 3=9661
Takeuchi,M. See Ishiyama,M., 3=12431
Takeuchi,N.,Mizuno,T.,Sasakura,H. and Ishiguro,M. Electron spin resonance of Z_2 centre, 3=23235
Takeuchi, T. Activation energy of bordoni peak and its relation to Peierls stress, 3=18165
Takeuchi,T. and Ikeda,S. Yield points and transient creeps in polycrystalline iron of very low carbon content, 3=15992
Takeuchi,T. See Gesi,K., 3=13026
Takeuchi,Y. and Ikeda,S. Low temperature creeps and delay times in iron of very low carbon content, 3=23335
Takeuti,G. Dirac space, 3=14860
Takewaki,M. On the isothermal diffusion of nearly monodisperse system, 3=11785
Takezawa,S. and Nakamura,M. Photometry of nightglow OH emission, 3=9100
Takibaev, Zh.S., Kobzev,V.A., Tsadikova,G.R. and Shalagina,E.V. Emission of doubly charged energetic particles in proton induced nuclear disintegrations, 3=19623
Takibaev,Zh.S. See Botvin,V.A., 3=5997
Takibaev,Zh.S. See Loktionov,A.A., 3=19727
Takibaev,Zh.S. See San'ko,L.A., 3=19728
Takibaev,Zh.S. See Vinitskiĭ,A.Kh., 3=15009
Takibaev,Zh.S. See Vinitskiĭ,A.Kh., 3=24773
Takibayev,Zh.S. See Boos,E.G., 3=6002
Takiguchi,T. See Imamura,G., 3=4224
Takimoto,K. See Yanabu,T., 3=22418
Takimoto,N. Theory of electrical resistance with simple application to hot electron problem, 3=824
Takiuchi,M. See Ueda,I., 3=4948
Takizawa,É.I. and Kobayasi,K. Statistical consideration about the critical rate of strength of materials, 3=25638
Takizawa,E.I.,Kumazawa,A. and Kobayasi,K. On the scattering of sound wave in a nonisotropic turbulence, 3=23986
Takuma,H. See Shigenari,T., 3=25122
Talaev,M V. See Deryagin,B.V., 3=9483
Talashkevich,I.P. and Aleksandrov,K.S. Effect of the preferential orientation of grains on the elastic properties of polycrystals, 3=20686
Talât-Erben,M. and Güven,B. Isotopic and isotonic yields in nuclear fission, 3=8141
Talati,A.M. See Dewar,M.J.S., 3=22950
Talbot,J.H., Bradley,A.A., Kempis,E.B., Bergman,I., Cartwright,J. and Casswell,C. The disturbed layer on ground quartz powders of respirable size, 3=16128
Talbot,J.H. and Kempis,E.B. Effect of grinding on quartz particles, 3=8918
Talbot,L.,Katz,J.E. and Brundin,C.L. Comparison between Langmuir probe and microwave electron density measurements in an arc-heated low-density wind tunnel, 3=12184
Talbot,L.[Ed.]. Rarefied gas dynamics, 3=11813
Talbot-Besnard,S. See Bigot,J., 3=3268
Tallan,N.M. and Detwiler,D.P. An anomalous dissipation factor maximum in sapphire, 3=15612
Tallan,N.M.,Graham,H.C. and Vest,R.W. Origin of apparent negative impedance in three terminal measurements, 3=1906
Tallha,M.M. Thermal breakdown in solid dielectrics: the variation of temperature distribution with time in a dielectric in an alternating field, 3=25407
Tallini,B. See Bondàr,L., 3=19678
Talman,J.D. A calculation of the energy levels of the first rotational band of Ne^{20}, 3=4565
Talmi,I. Effective interactions and coupling schemes in nuclei, 3=6143
Talmi,I. See de-Shalit,A., 3=12545
Talmi,I. See Kendall,H.W., 3=664
Talmi,I. See Shadmi,Y., 3=7990
Taluts,G.G. See Zyryanov,P.S., 3=16967
Taluts,G.G. See Zȳryanov,P.S., 3=22633
Talwar,S.P. Helmholtz instability in hydromagnetics, 3=2099
Talwar,S.P. See Tandon,J.N., 3=9797
Talybov,A.G. and Vainshtein,B.K. An electron diffraction study of the second superlattice in $PbBi_4Te_7$, 3=13508
Talybov,A.G. and Vainshtein,B.K. Electron diffraction study of the structure of $PbBi_4Te_7$, 3=13510
Tamagaki,R. See Hoshizaki,N., 3=24721
Tamai,E. See Koshiba,M., 3=24815
Tamai,T. and Achiwa,M. Ruby laser and second harmonic generation, 3=23995
Tamai, Y. See Milligan, W.O., 3=18104
Tamaki,F. See Dote,T., 3=12180
Tamaki,F. See Dofe,T., 3=19280
Tamao,T. Geomagnetic pulsations and the earth's exosphere, 3=1485
Tamarin,A.I. See Borodulya,V.A., 3=14111
Tamássy-Lentei,I. and Bába,Á. Treatment of the H_2^+-ion by means of one-, two- and three-center wave functions, 3=22541
Tambovtsev,D.I. See Pasechnik,M.V., 3=15222
Tamburino,L. See Newman,E., 3=18716
Tamers,M.A. See Leger,C., 3=12615
Tamm,E.I. See Belousov,A.S., 3=2436
Tamm,E.I. See Belousov,A.S., 3=4427
Tamm,E.I. See Belousov,A.S., 3=24555
Tamm,E.I. See Belousov,A.S., 3=24766
Tamm,I.E. See Yakov Il'ich Frenkel, 3=23723
Tammann,G.A. Application of three-colour photometry in the r.g.u. system on two star-fields of medium galactic breadth, 3=9253
Tammet,Kh.F. Distorting effects in aero-ion aspiration counters, 3=3449
Tamoikin,V.V. and Biragov,S.B. Radiation reaction of sound due to the motion of small bodies in inhomogeneous gaseous media, 3=23974
Tamor,S. Perturbation theory of classical systems with time dependent forces, 3=23820
Tamrazyan,G.P. The presence of pulsations of the earth, connected in time with solar activity, 3=16190
Tamura,N. See Horikoshi,H., 3=20701
Tamura,T. Formation of a positive burst pulse corona in air, nitrogen and oxygen, 3=372
Tamura,T. Ionizing radiations excited in a positive burst pulse corona in hydrogen, 3=24247
Tamura,T. and Yoshida,H. Branching ratio of the E2 transitions in deformed even nuclei and the effective potential for vibrational motions, 3=2375
Tamurov,N.G. Calculation of non-stationary temperature fields in a two-layer plate, 3=16828
Tan Syao-Véĭ [T'ang Hsiao-Wei]. Counters with controllable pulse supply. I, 3=24190
Tan Syao-véĭ [T'ang Hsiao-Wei]. Counters with controllable pulse supply. III, 3=24191
Tan Syao-Véi [Tang Hsaio-wei]. On the applications of Vavilov—Cherenkov radiation, 3=24685
Tan,T.H. See Alff,C., 3=4432
Tan,T.H. See Alff,C., 3=4433
Tanabe,K. Application of dispersion relations to low energy kaon scattering in nuclei, 3=10369
Tanabe,Y. See Kamimura,H., 3=15673
Tanahashi,G. See Hasegawa,H., 3=4496
Tanaka,E. and Hiramoto, T. Background of coincidence type beta-ray scintillation spectrometer, 3=17251
Tanaka,E. See Kimura,M., 3=22376
Tanaka,E. See Mutsuro,N., 3=4615
Tanaka,E. See Mutsuro,N., 3=4616
Tanaka,E. See Mutsuro,N., 3=19832
Tanaka,H. Preliminary report of the solar radio spectropolarimeter in 2−4 Gc/s range, 3=11491
Tanaka,J. Horikoshi,G., 3=23953
Tanaka,J. See Kumagi,H., 3=460
Tanaka,K. Possible interpretations of high-energy cross-sections, 3=2267
Tanaka, K., Hashimoto, H. and Mannami, M. Theory and Observation of diffraction contrast of electronmicrographs of dislocation and G.P. zone, 3=1314
Tanaka,K.,Mannami,M. and Izumi,K. Electron microscopic study of aggregation of point defects in KCl, 3=22731
Tanaka,K.,Mannami,M.,Izumi,K. and Marukawa,K. Structure of G.P. zone in Cu—2% Be alloy, 3=13493
Tanaka,K.,Seto,T. and Mannami,M. An evidence of folding of molecules in polyethylene single crystal, 3=11274
Tanaka,K. See Haisguti,R.R., 3=22648
Tanaka,K. See Hashimoto,H., 3=1285
Tanaka,K. See Lu Sun Liu, 3=7759
Tanaka,M. Non-local correlation effect on periodic field, antiscreening, 3=20137

Tanaka,M. and Tomita,K. Green's function theory of magnetic relaxation. II. A ferromagnet above the Curie temperature, 3=25561
Tanaka,M. See Ozaki,M., 3=22616
Tanaka,M. See Sato,S., 3=25828
Tanaka,M. See Tomita,K., 3=15726
Tanaka,M. See Tomita,K., 3=20640
Tanaka,O. Neutron and gamma-ray discrimination in organic scintillators, 3=14991
Tanaka,O. See Tsukada,K., 3=19860
Tanaka,S. Towards unified and convergent theory of elementary particles, Quantum field theory with indefinite metric, 3=10028
Tanaka,S.,Mitani,K. and Kubo,H. Experiments on negative radiation temperqture at cyclotron resonance in cold plasmas, 3=9787
Tanaka,S. See Hudis,J., 3=4641
Tanaka,S. See Katayama,Y., 3=543
Tanaka,S. See Porile,N.T., 3=12679
Tanaka,S. See Porile, N.T., 3=17474
Tanaka,T. and Meijer,P.H.E. Relaxation phenomena in an ising spin system, 3=989
Tanaka,T. See Meijer,P.H.E., 3=11694
Tanaka,T. See Toyoda,K., 3=25406
Tanaka,Y.,Huffman,R.E. and Larrabee,J.C. Recent improvements in rare gas continua in the vacuum ultraviolet region, 3=7246
Tanaka,Y. and Yamamoto,K. A characteristic of P.I.G. discharge tube, 3=21733
Tanaka,Y. See Hasegawa,H., 3=4496
Tanaka,Y. See Higashi,S., 3=4523
Tanaka,Y. See Huffman,R.E., 3=7462
Tanaka,Y. See Huffman,R.E., 3=14220
Tanaka,Y. See Huffman,R.E., 3=16782
Tanaka,Y. See Huffman,R.E., 3=23934
Tanaka,Y. See Huffman,R.E., 3=25056
Tanaka,Y. See Huffman,R.E., 3=25101
Tanaka,Y. See Ikeda,T., 3=15624
Tanaka,Y. See Ogawa,M., 3=4754
Tanaoka,I. See Tochigi,H., 3=19362
Tanasawa,T. and Hiroyasu,H. On a drop size analyser for liquid sprays by sedimentation, 3=11363
Tanatarov,L.V. See Lifshits,I.M., 3=2704
Tandberg-Hanssen,E. Study of the HeI emission lines in the solar atmosphere. I. Profiles of the Infrared triplet line λ, 3=5256
Tandberg-Hanssen,E. Physical conditions in limb flares and active prominences. VI. Selective excitation conditions, 3=9207
Tandon,G.K. See McIntyre,J.A., 3=14938
Tandon,J.N. and Talwar,S.P. Stability of a rotating pinch, 3=9797
Tandon,J.N. See Bhatia,V.B., 3=16907
Tandon,P.N. See Devare,H.G., 3=14944
Tandon,P.N. See Devare,S.H., 3=22334
Tandon,S.P. See Mookherji,A., 3=1689
Taneda,S. The stability of two-dimensional laminar wakes at low Reynolds numbers, 3=11764
Taneda,Y. See Yamashita,T., 3=20198
Tanei,T. See Ohnishi,S., 3=2670
Tanemura,S. See Shinji,K., 3=7644
Tanemura,T. Analysis of adjacent elements in X-ray spectroscopy with radioisotopes, 3=21018
Tanenbaum,B.S. and Mintzer,D. Wave propagation in a partly ionized gas, 3=2009
Tanenbaum,B.S. and Mintzer,D. Wave propagation with a transverse magnetic field, 3=16250
Tanenbaum,M. See Kunzler,J.E., 3=339
Tang Au-chin and Chen Sih-yuan. Potential functions of restricted internal rotations of molecules, 3=25082
Tang,C.L. On diffraction losses in laser interferometers, 3=16794
Tang,C.L. On maser rate equations and transient oscillations, 3=24506
Tang,C.L. and Statz,H. Nonlinear effects in the resonant absorption of several oscillating fields by a gas, 3=2144
Tang,C.L.,Statz,H. and de Mars,G. Regular spiking and single-mode operation of ruby laser, 3=19489
Tang,C.L.,Statz,H. and de Mars,G. Spectral output and spiking behavior of solid-state lasers, 3=23054
Tang,C.L. See Statz,H., 3=22005
Tang Hsiao-Wei. The investigation of cascade showers, 3=17368
T'ang Hsiao-Wei. Counters with controlled linear momentum supply. II, 3=19503
T'ang Hsiao-Wei. See Tan Sayo-Vĕĭ.
Tang,K.-T. Effects of an anharmonic potential on periodic vibrations of a monatomic chain, 3=23735
Tang,Son-yei,Chi,Sen-yeng and Xo,Yei-Min High pressure -equipment and the mechanical properties of some light alloys under high pressure, 3=18157
Tang,S.W. Source of rapid light pulses, 3=16758
Tang,S.W. Discussion on the effect of deuteron contamination on π^--meson absorption in hydrogen, 3=17325
Tang,S.W. π^--meson star spectrograph, 3=17327
Tang Syao-Wei. See Dunaitsev,A.F., 3-24769
Tang Ting-yuan. Growth velocity of cadmium sulphide single crystals, 3=25672
Tang,Y.C.,Schmid,E. and Wildermuth,K. Scattering of He^3 by alpha particles, 3=24811
Tang,Y.C. See Herndon,R.C., 3=12559
Tang,Y.C. See Schmid,E.W., 3=12520
Tang,Y.C. See Schmid,E.W., 3=12558
Tange,H. See Okamoto,T., 3=22905
Tange,H. See Tatsumoto,E., 3=6700
Tangherlini,F.R. General relativistic approach to the Poincaré compensating stresses for the classical point electron, 3=1584
Tangherlini,F.R. Schwarzschild field in n dimensions and the dimensionality of space problem, 3=7105
Tangherlini, F.R. Self-stress, convariance and the classical electron, 3=10087
Tangri,K. See Arunachalam,V.S., 3=12990
Tangri,K. See Sharma,B.D., 3=8766
Tani,S. and Uhlenbrock,D.A. Hard core produced by orthogonality constraints, 3=5364
Tani,S. See Rosendorff,S., 3=561
Tani,S. See Rosendorff,S., 3=16537
Tani, Y. and Ishihara, N. Oriented growth of polymer crystal on KCl crystal, 3=18265
Tanifuji,M. Effects of knock-out mode in (d,p) and (d,n) reactions, 3=8123
Tanifuji,M. See Horie,H., 3=8133
Taniguchi,S., Tebble,R.S. and Williams,D.E.G. The paramagnetic susceptibility of some b.c.c. transition element alloys and its temperature dependence, 3=999
Taniguchi,S. See Yamamoto,M., 3=1041
Taniguchi, S. See Yamamoto, M., 3=18079
Tanikawa,Y.,Suzuki,H. and Yomosa,S. Exact solutions of the secular equations in the H.M.O. treatment for chain molecules of finite length, 3=25157
Tanisaki,S. X-ray study on the ferroelectric phase transition of $NaNO_2$, 3=25405
Taniuti,T. A note on the evolutionary conditions of hydromagnetic shocks, 3=7691
Taniuti,T. Nonlinear space charge effects in cold plasma, 3=12101
Tannenwald,P.E. Spin wave resonance in magnetic films, 3=1167
Tanner,F. See Heinrich,F., 3=22403
Tanner,L.E. and Radcliffe,S.V. Effect of hydrostatic pressure on the kinetics of recrystallization in high-purity copper, 3=6866
Tanner,N.W. See Barker,F.C., 3=22292
Tanner,N.W. See Thomas,G.C., 3=19745
Tanner,R.H. Variable acoustics for organ recital halls, 3=9571
Tanner,R.I. Note on the Rayleigh problem for a visco-elastic fluid, 3=18790
Tannhäuser,A. Interaction of equivalent erbuim ions in crystalline $(Er, Y)_2O_3$, 3=10565
Tannhäuser,A. Behaviour of the 4f electrons in some rare earth metals under the influence of light, 3=13182
Tanohata,K. See Kuriki,I., 3=21054
Tansal,S. See Toxen,A.M., 3=20095
Tanttila,W.H. See Chang,T.T., 3=13303
Tanttila, W.H. See Mahler, R.J., 3=17651
Tanttila,W.H. See Veigele,W.J., 3=13317
Tanttilla,W. H. See Jennings,D.A., 3=3186
Tao,K. Ionospheric irregularities detectable in v.h.f. ionospheric propagation, 3=11435
Tao,K. On the theoretical study of F scatter, 3=11439

Tao,S.J.,Green,J.H. and Celitans,G.J. Thermalization of positrons in argon, 3=24706
Taoka,T. and Ohkohchi,M. Improved high-temperature microscope and its metallurgical applications, 3=18972
Taraban'ko, V.A. See Zhezherun, I.F., 3=4404
Taran,Yu.V. See Kessenikh,A.V., 3=20064
Taran,Yu.V. See Lushchikov,V.I., 3=20065
Taranov,A.Ya. See Andreev,G.B., 3=5147
Taranov,A.Ya. See Sorokin,P.V., 3=2449
Taranov,A.Ya. See Sorokin,P.V., 3=4632
Tăranu,P. See Drimer,D., 3=25294
Taranukha,O.M. See Shul'ha,S.Z., 3=20019
Tarapov,I.E. See Dikii,G.P., 3=14757
Tarapov,I.E. See Dikii,G.P., 3=14758
Tarasov,E.K. See Vladimirskii,V.V., 3=12275
Tarasov,L.K. See Zvara,I., 3=21006
Tarasov,V.I. See Nikitin,E.N., 3=24159
Tarasov,Yu.A. See Kudrin,L.P., 3=14566
Tarasova,L.I. See Ivanova,N.I., 3=943
Tarasova,T.M. Direct measurements of the light of the night sky in the region λ = 8640 A, 3=23627
Targ,R. See Grosof,G., 3=19190
Tarján,I., Voszka,R. and Somló,A. The photoconductivity of X-irradiated in NaCl crystals, 3=4955
Tarján,I. See Voszka,R., 3=8432
Tarjanne,P. A group theoretical model for strong interaction dynamics, 3=2192
Tarmy,B.M. See Harman,T.C., 3=20289
Tarmy,B.M. See Harman,T.C., 3=21694
Tarnavskaya,M.V. See Tovstyuk,K.D., 3=25232
Tarnóczi,T. See Pál,L., 3=9900
Tarpinian, A. Recrystallized microstructures of pyrolytic graphite, 3=3261
Tarrago, X. See Gauvin, H., 3=17381
Tarrago,X. See Gauvin,H., 3=6251
Tarrago,X. See Lefort,M., 3=22385
Tárrega,P. See García,A., 3=7860
Tarski,J. See Speiser,D.R., 3=14868
Tarte,P. Infra-red spectrum and tetrahedral co-ordination of lithium in the spinel $LiCrGeO_4$, 3=13175
Tarte,P. and Preudhomme,J. Infra-red spectrum and cation distribution in spinels, 3=13184
Tarumoto,T. See Yoshizawa,Y., 3=19822
Tarski,J. Partition function for certain simple lie algebras, 3=11665
Tarski,J. See Peierls,R.F., 3=5934
Tartakovskii, B.D. Fifth All-Union Acoustics Conference, 3=1764
Tartakovskii,B.D. Amplification factor of a solid acoustic lens with losses, 3=14270
Tartakovskii,B.D. Aberrational characteristics of acoustic lenses, 3=14271
Tartakovskii,B.D. See Maslov,V.P., 3=14236
Tasaki,A. and Iida,S. Magnetic properties of synthetic single crystals of αFe_2O_3, 3=25523
Tasaki,A.,Siratori,K. and Iida,S. Experimental study on parasitic ferromagnetism of αFe_2O_3, 3=1021
Tasaki,I. See Fernández,C., 3=3684
Tashiro,M.,Soga,N. and Sakka,S. Photographic process in the silver-containing glass exposed to u.v. and gamma-radiation, 3=24066
Tasman,H.A.,Boerboom,A.J. and Kistemaker,J. Vacuum techniques in conjunction with mass spectrometry, 3=12263
Tassan,S. Cadmiun ratios of U^{235} fission in slightly enriched uranium, light water moderated lattices, 3=22435
Tassie,L.J. The scattering of electrons by a magnetic field contained in an impenetrable torus, 3=19422
Tatarenkov,V.M. See Strakhovskii,G.M., 3=6443
Tatarinova,L.I. and Kazmazovskaya,T.S. Electron-diffraction determination of the short-range order in indium selenide, 3=13515
Tatarinova,L.N. See Milner,A.S., 3=24424
Tatarinskaya,L.S. See Belousov,A.S., 3=4427
Tatarinskaya,L.S. See Belousov,A.S., 3=24555
Tatarinskaya,L.S. See Belousov,A.S., 3=24766
Tatarskii,V.I. Application of quantum field theory methods to the problem of decay of homogeneous turbulence, 3=5412
Tatarskiĭ,V.I. and Gertsenshtein,M.E. Propagation of waves in a medium with strong fluctuation of the refractive index, 3=21972
Tate,C. See Ahmadzadeh,A., 3=19568
Tate,J.R. See Corkill,J.M., 3=9433
Tateno,H. and Saito,K. Anodic phenomena in nitrogen plasma jet, 3=14539
Tatevskii,V.M. See Kotov,Yu.I., 3=22569
Tati,T. On the structure of elementary particles, 3=19541
Tati,T. See Paula e Silva,P.R., 3=7816
Tati,T. See Taketani,M., 3=10035
Tatsumoto,E.,Fujiwara,H.,Tange,H. and Kato,Y. Pressure dependence of the intrinsic magnetization of iron and nickel, 3=6700
Tatsumoto,E.,Kuwahara,K. and Goto,M. Magnetization reversal in permalloy films, 3=1082
Tatsumoto,E.,Nomura,M. and Goto,M. Calibration of pulsed magnetic fields, 3=24426
Tatsumoto,E. See Okamoto,T., 3=22905
Tatsuta,H. and Katō,K. (Translation by Scutt,R.A.). Zero-curren and polarity-effect in ionization chambers, 3=14820
Tatsuzaki,I. Temperature dependence of electron paramagnetic resonance of $(NH_4)_2Cd_2(SO_4)_3-Mn^{2+}$, 3=5043
Tattersall,H.G. and Clarke,F.J.P. Slip distribution and fracture in magnesium oxide, 3=6802
Tattersall,R.B. See Moore,P.G.F., 3=2544
Tatus',V.I. See Belogurov,Yu.P., 3=24001
Tau,L. See Alberigi-Quaranta,A., 3=7879
Taub,A.H. On Thomas' result concerning the geodesic hypothesis, 3=3722
Taube,D. See Hahn,D., 3=20901
Taube,H. See Jackson,J.A., 3=9481
Taube,H. See Swinehart,J.H., 3=8944
Taube,H. See Swinehart,J.H., 3=1685
Taubenheim,J. See Nestorov,G., 3=16271
Tauber,A., Kohn,J.A. and Savage,R.O. Dendritic crystals of cubic $(Ba,Bi)FeO_3$, 3=3277
Tauber,A.,Kohn,J.A. and Savage,R.O. Single-crystal ferroxdure $BaFe_{12-2x}{}^{3+}Ir_x{}^{4+}Zn_x{}^{2+}O_{19}$, with strong planar anisotropy, 3=15878
Tauber,A. See Banks,E., 3=1013
Taubkin,I.I. See Zargar'yants,M.N., 3=2933
Tauc, J. Summary talk, 3=2860
Tauc,J. Optical properties of semiconductors, 3=10906
Tauc,J. and Abrahám,A. Reflection spectra of semiconductors with diamond and sphalerite structures, 3=925
Tauc,J. See Abrahám,A., 3=14167
Tauchi,S. Observation of dislocations in germanium single crystal, 3=6526
Tauchi,S. See Kodera,H., 3=18804
Tauchi,S. See Kodera,H., 3=18805
Tauer,K.J. See Marotta,A.S., 3=15556
Tauffenbach,H.J. See Moritz,J., 3=1913
Taurel,L. and Baudelet,B. Study of the intensity of light scattered by solium chlorate between 100 and 170°C, 3=1092
Taurel,L. and Eimer,M. Study of the corrosion figures formed by the boundaries of the ferroelectric domains of triglycine sulphate, 3=8563
Tausend,A. See Gobrecht,H., 3=22951
Tavard,C.,Roux,M. and Cornille,M. Theoretical study of the phenomena of the diffraction of electrons and X-rays by molecules of ammonia, 3=8220
Tavernier,B.H. See Faelens,P.A., 3=11952
Tavernier,J. Lattice thermal conductivity, 3=2738
Tavernier,J. Method of solving the stationary Boltzmann equation, 3=3771
Tavernier,J. Solution of Boltzmann's equation for stationary states, 3=18754
Tavernier,J. Theory of transport phenomena in solids, 3=20258
Tavernier,J. See Godefroy,L.R., 3=6565
Tavkhelidze,A.N. See Arbuzov,B.A., 3=4347
Tavkhelidze,A.N. See Arbuzov,B.A., 3=14891
Tavkhelidze,A.N. See Arbuzov,B.A., 3=22087
Tavkhelidze,A.N. See Logunov,A.A., 3=17202
Tavkhelidze,A.N. See Logunov,A.A., 3=19560
Tavkhelidze,A.N. See Logunov,A.A., 3=24577
Tawara,Y. Relaxation loss in ferrites as a function of ferrous ion content, 3=8691
Tawara,Y. and Sato,K. On the magnetic anisotropy of single crystal of Mn_5Ge_3, 3=23154
Tawara,Y. See Kubota,B., 3=1035
Tawde,N.R. and Gopalakrishnan,K. On the excitation temperatur of under-glycerine spark by band spectroscopic, 3=381

Tawde,N.R. and Murthy,N.S. The relative transition probabilities of BeO($B^1\Sigma^+ - X^1\Sigma^+$) system, 3=8249
Tawde,N.R. and Savadatti,M.I. Intensity measurement in bands and rotational temperature, 3=12830
Taylor,A.B. See Seeger,R.J., 3=3847
Taylor,A.E. See Bird,L., 3=12456
Taylor,A.E. See Christmas,P., 3=10111
Taylor,A.J. See Tait,J.H., 3=22506
Taylor,B. See Seymour,E.F.W., 3=21419
Taylor,B.N. and Burstein,E. Excess currents in electron tunneling between superconductors, 3=7408
Taylor,C.J. See Ashby,V.J., 3=8112
Taylor,D.F. and Burns,C.L. An investigation of the constitution of the mercury—tin system, 3=13504
Taylor,E.C. Excitation of longitudinal waves in a bounded collisionless plasma, 3=21828
Taylor,G.W. High field polarization reversals in liquid electroded barium titanate crystals, 3=13114
Taylor,H.L. See Miller,D.P., 3=15524
Taylor,H.P.,Jr and Epstein,S. Oxygen isotope studies on the origin of tektites, 3=9014
Taylor,H.S. and Harris,F.E. Molecular orbital studies of diatomic molecules. II. Method of computation for multi-configurations of heteronuclear and homonuclear systems, 3=15318
Taylor,H.S. and Harris,R.E. Potential curve for the $^2\Sigma_u^+$ state of H_2^-, 3=25096
Taylor,H.S. See Harris,F.E., 3=19980
Taylor,H.W. and McPherson,R. A note on the 2320 keV level in Zn^{68}, 3=12590
Taylor,H.W.,Whyte,G.N. and McPherson,R. The decay of Cs^{132}, 3=10295
Taylor,I.J. An investigation of the energy levels of A^{38} and K^{38}, 3=10256
Taylor,J. See Parrish,W., 3=23426
Taylor,J.B. Rotation and instability of plasma in fast B_z compression experiments, 3=7570
Taylor,J.B. Stochastic methods in the theory of plasma diffusion, 3=12124
Taylor,J.B. The magneto-hydrodynamics of a rotating fluid and the earth's dynamo problem, 3=21961
Taylor,J.B. See Bodin,H.A.B., 3=12155
Taylor,J.C. See Islam,J.N., 3=17203
Taylor,J.C. See Pearson,D.B., 3=549
Taylor,J.G. See Fried,H.M., 3=17201
Taylor,J.E. Point target autocollimator, 3=11898
Taylor,J.L. Apparatus for tensile testing to 5400° F in vacuum, 3=15974
Taylor,J.W. Residual temperatures of shocked copper, 3=21597
Taylor,J.W. and Rice,M.H. Elastic—plastic properties of iron, 3=9540
Taylor,K. See Bullis,L.H., 3=23954
Taylor,K.N.R. A mechanism of field quenching in zinc sulphide phosphors, 3=13208
Taylor,K.N.R. See Corner,W.D., 3=1143
Taylor,L.S. Polarizing effect in nonlinear plasma interactions, 3=404
Taylor,L.S. The index of refraction of an irregular ionized gas, 3=9730
Taylor,L.S. Electron temperatures of gases in radiofrequency fields, 3=14529
Taylor, L.S. Lorentz—Lorenz and Sellmeier formulas in irregular gases, 3=17048
Taylor,M.J. See Baird,K.M., 3=19498
Taylor,M.J. See Dodd,J.N., 3=10471
Taylor,M.M. Visual discrimination and orientation, 3=16457
Taylor,M.T.,Merrill,J.R. and Bowers,R. Low-frequency magnetoplasma resonance in metals, 3=8409
Taylor,M.T. See Merrill,J.R., 3=25259
Taylor,P. Scattering of conduction electrons in metals, 3=8384
Taylor,P.L. The thermoelectric power of metals, 3=20422
Taylor,P.L. Theory of Kohn anomalies in the phonon spectra of metals, 3=25190
Taylor,P.L. The Boltzmann equation for conduction electrons, 3=25227
Taylor,P.L. The relaxation time of conduction electrons in the noble metals, 3=25228
Taylor,R. Calculation of dispersion of iris-loaded cylindrical electromagnetic waveguides, 3=9940
Taylor, R.B. See Mitchell,I.V., 3=19845
Taylor,R.D. See Kerr,E.C., 3=5563
Taylor,R.J. The effect of instrumental inertia on measurement of the turbulent flux of water vapour, 3=16209
Taylor,R.McK. See Huey,R.M., 3=13120
Taylor,S. See Bierman,E., 3=19689
Taylor,S. See Koller,E.L., 3=4455
Taylor,S. See Koller,E.L., 3=7925
Taylor,S. See Koller,E.L., 3=10143
Taylor,T.D. Heat transfer from single spheres in a low Reynolds number slip flow, 3=19038
Taylor,T.I. See Rush,J.J., 3=6010
Taylor,T.T. and Hygh,E.H. Electric field gradient in the arsenic structure, 3=8332
Taylor,W. and Moore,A. A simple X-ray microbeam
Taylor,W. See Hardy,J.R., 3=10933
Taylor,W.J. Concentrations in a molecular beam and the first inverse moment of the distribution of molecular speeds in the beam, 3=10533
Taylor,W.L. Radiation field characteristics of lightning discharges in the band 1 kc/s to 100 kc/s, 3=23598
Tazawa,S. See Hirone,T., 3=1025
Tazzari,S. See Beneventano,M., 3=19669
Tazzioli,F. See Amman,F., 3=12267
Tchen,C.M. Kinetic equation for plasmas with collective and collisional correlations, 3=4122
Teale,R.W. and Clarke,B.H. Ferrimagnetic resonance anomalies in cobalt-substituted manganese ferrite crystals, 3=15924
Teale,R.W. See Clarke,B.H., 3=15925
Teale,S.S. See Charman,H.B., 3=13603
Teaney,D.T. and Freiser,M.J. Antiferromagnetic resonance in cubic $RbMnF_3$, 3=15928
Teaney,D.T., Freiser,M.J. and Stevenson, R.W.H. Discovery of a simple cubic antiferromagnet: antiferromagnetic resonance in $RbMnF_3$, 3=3144
Teaney,D.T. See Freiser,M.J., 3=18123
Teare,J.D. See Lin,S.C., 3=12074
Teare,P.W. See Lucas,G., 3=8936
Teas,D.C. Lateralization of acoustic transients, 3=3673
Teas,D.C., Eldredge,D.H. and Davis,H. Cochlear responses to acoustic transients: an interpretation of whole-nerve action potentials, 3=3662
Tebble,R.S. See Grundy,P.J., 3=20605
Tebble,R.S. See Oxley,D.P., 3=15778
Tebble,R.S. See Popplewell,J., 3=15941
Tebble,R.S. See Taniguchi,S., 3=999
Tebble,R.S. See Warrington,D.H., 3=5400
Teboul,M. The phenomenon of noise due to the illumination of p—n junctions in germanium, 3=22958
Tedford,D.J. See Blair,D.T.A., 3=4085
Tedrow,P.M. See Weinstock,H., 3=315
Teegarden,K. See Edgerton,R., 3=4984
Teegarden,K.J. See Givens,M.P., 3=8596
Teele,R.P. Reproducibility of the international standard of light, 3=3701
Tefft,W.E. See Wachtman,J.B.,Jr, 3=6772
Tegart,W.J.M. The tensile properties of polycrystalline cadmium and some cadmium alloys in the range −196 to 200°C, 3=6800
Tegart,W.J.M. See Reynolds,R.A., 3=6857
Teghtsoonian,E. See Davis,K.G., 3=8800
Teh,H.H. Pseudo-high-energy positive ions in plasma jets, 3=7518
Teichmann,J. See Klíma,R., 3=9911
Teifel,V.G. Some data on the intensity of methane absorption in the atmosphere of Jupiter, 3=21101
Teikhman,J. Accelerators with a vertically increasing field, 3=12278
Teitler,S. Generation—recombination noise in an impurity semiconductor, 3=22914
Teitler,S. Asymptotic wave vector and nonrelativistic perturbation theory, 3=23764
Teitler,S. See Palik,E.D., 3=10822
Tejessy,W. See Lengeler,H., 3=22242
Tejessy,W. See Lengeler,H., 3=22369
Tekhonova,E.A. See Krivoglaz,M.A., 3=13437
Telbisz,F. See Hofmokl,T., 3=12488
Telegdi,V.L. Hypernuclei, 3=631
Telegdi,V.L. See Dick,L., 3=10100
Telegin,G.S. See Zubarev,V.N., 3=11853
Telegin,I.V. See Kolontsova,E.V., 3=8473
Telegina,I.V. See Kolontsova,E.V., 3=20948

Telenkov,V.V. See Bayukov,Yu.D., 3=24541
Telenkov,V.V. See Bayukov,Yu.D., 3=24563
Telesnin,R.V.,Kolotov,O.S. and Nikitina,T.N. Amplitude and time-dependent properties of some ferromagnetic films, 3=23173
Telford,J.W. and Turner,J.S. The motion of a wire through ice, 3=16836
Telford,J.W. and Warner,J. On the measurement from an aircraft of buoyancy and vertical air velocity in cloud, 3=1438
Telford,J.W. See Warner,J., 3=25876
Telgenkamp,J.A.M. See Janeschiftz-Kriegl,H., 3=19052
Telk,C.L. See Winston,H., 3=23888
Tel'kovskii,V.G. See Balarin,M., 3=7658
Tel'kovskii,V.G. See Endzheets,G., 3=13020
Tel'kovskii,V.G. See Gott,Yu.V., 3=1997
Tel'kovskii,V.G. See Molchanov,V.A., 3=10703
Teller,E. On the stability of molecules in the Thomas—Fermi theory, 3=8246
Teltow,J. See Meinig,K., 3=3020
Telyatnȳk,A.I. See Shul'ha,S.Z., 3=20019
Temkin,A. Position-hydrogen scattering, 3=2579
Temkin,A. Relative partial wave theory of diatomic molecules, 3=22517
Temkin,A. and Pohle,R. Electron-hydrogen phase shifts just below the inelastic threshold, 3=8205
Temkin,A. and Pohle,R. Electron-hydrogen phase shifts just below the inelastic threshold, 3=25067
Temkin,A. and Sullivan,E. Nonadiabatic theory of electron—hydrogen scattering. II, 3=8210
Temkin,D.E. Kinetics of growth of a crystal needle in a supercooled binary melt, 3=20787
Temmer,G.M. See Warsh,K.L., 3=17468
Temmer,G.M. See Warsh,K.L., 3=19849
Temmer,G.M. See Warsh,K.L., 3=22379
Temperley,H.N.V. Statistics of a two-dimensional lattice gas: I, 3=66
Temperley,H.N.V. Statistics of a two-dimensional lattice gas. II, 3=67
Tempest,W. See Holmes,R., 3=6431
Tempest,W. See Holmes,R., 3=9505
Templeton,D.H., Zalkin,A., Forrester,J.D. and Williamson,S.M. Crystal and molecular structure of xenon tetrafluoride, 3=16075
Templeton,D.H. See Forrester,J.D., 3=8847
Templeton,D.H. See Haag,J.N., 3=7969
Templeton,D.H. See Zalkin,A., 3=8851
Templeton,I.M. See Beck,A., 3=12944
Templeton,I.M. See Okumura,K., 3=1122
Templeton,I.M. See Okamura,K., 3=20557
Ten' En-Yun'. The influence of phosphor crystal size on electroluminescence emission, 3=20537
Tench,A.J. Electron spin resonance in an irradiated single crystal of tetramethyl ammonium chloride, 3=8716
Tendow,Y. and Hashizume,A. A sector-type double focusing beta-ray spectrometer, 3=17253
Tendow,Y. See Hashizume,A., 3=24909
Tenisheva,T.F. See Lazarev,A.N., 3=10579
Ten Napel,E.W. See De Boer,Th.J., 3=24871
Tennent,R.M. See Thompson,M.G., 3=4506
Tenner,A.G. Nucleation in bubble chambers, 3=14834
Tenzer,R.K. Influence of particle size on the coercive force of barium ferrite powders, 3=15879
Teodorescu,P.P. Equations of the theory of elasticity in two dimensions and in arbitrary curvilinear coordinates, 3=86
Teodoresku,I. Dynamic method for the investigation of high Q cavities, 3=5885
Teoderescu,I., Petraşcu,E. and Vinţan,I. On the criteria for the choice of parameters of the linear electron accelerator, 3=16996
Teodorescu,I. See Motoc,C., 3=22869
Teodorovich,E.V. Possible method for conversion of thermal energy into electricity, 3=19165
Teoreau,I. Considerations on the structure of the fluidized bed, 3=16586
Teoreanu,I. See Ruckenstein,E., 3=18786
Tepley,L.R. and Wentworth,R.C. Hydromagnetic emissions associated with the magnetic storm of September 30, 1961, 3=25948
Teplitz,V.L. See Igi,K., 3=24655
Teplov,I.B. A possible explanation of the variation of the differential cross-section for the reactions (p,α) and (α,p) in the large-angle region, 3=6244
Teplov,I.B.,Dmitriev,I.S.,Teplova,Ya.A. and Shevchenko,O.P. Investigation of the angular distributions of α-particles from the $Li^7(p,\alpha)He^4$ reaction, 3=6245
Teplov,I.B. See Sukharevskii,V.G., 3=4668
Teplova,Ya.A.,Nikolaev,V.S.,Dmitriev,I.S. and Fateeva,L.N. Slowing down of multi-charged ions in solid and gaseous media, 3=5722
Teplova,Ya.T. See Dmitriev,I.S., 3=712
Teplova,Ya.A. See Dmitriev,I.S., 3=7448
Teplova,Ya.A. See Teplov,I.B., 3=6245
Teplyakov,V.A. See Anisimov,G.M., 3=24402
Terada,H. See Tsuge,K., 3=6781
Terada,J.,Yoshida,J.,Shimada,J.,Kubo,M.,Ebara,Y. and Kobayashi,T. Semiconductor radiation detectors, 3=529
Terada,M. See Sugata,E., 3=432
Terada,M. See Sugata,E., 3=9854
Ter-Akop'yan,G.M. See Polikanov,S.M., 3=6315
Teramoto,E. Heat flow in the linear chain of harmonically coupled particles, 3=7132
Teramoto,E. See Ozaki,M., 3=22616
Teramoto, I. Vapour growth patterns of CdTe crystals, 3=18259
Teramoto,I. See Inoue,M., 3=10664
Teranishi,T. Magnetic and electric properties of chalcopyrite, 3=1027
Terao,K. Effect of the capacity and inductance components on the activation of a mixture in spark ignition in gases, 3=5639
Terao,K. Effect of lead tetraethyl on the ignition of n—heptane—air mixtures in shock waves, 3=20991
Terao,K.,Takahashi,S. and Miyazaki,S. Ignition limits of hydrocarbon—air mixture, 3=25826
Terao, N. Transformation of metallic lattices by insertion of nitrogen atoms. I. Structure of nickel nitrides, 3=1322
Terao, N. Transformation of metallic lattices by insertion of nitrogen atoms. II. Nitriding of Ni—Fe alloy, 3=1323
Terao,N. Structure of the oxides of niobium, 3=13458
Terasawa,T. Pairing correlation and the optical model potential, 3=6122
Teregulov. A variational theorem of the nonlinear theory of elasticity, 3=3221
Terekhova,S.F. See Barkalov,I.M., 3=6925
Terekhova,V.F. See Cherchernikov,V.I., 3=25508
Terenin,A.N. and Ermolaev,V.L. Deactivation of the triplet state of aromatic molecules, 3=11799
Terenin,A.N. See Baranov,E.V., 3=6751
Terenin, A.N. See Levshin,V.L., 3=16479
Terent'ev,M.V. Application of the dispersion relations for calculating the electron magnetic moment, 3=2242
Terent'ev,M.V. Conservation of vector current in weak interactions and the mass difference in isotopic multiplets. The $\pi^+ \rightarrow e^+ + \nu + \pi^0$ decay, 3=24761
Terentiuk,F. See Prescott,J.R., 3=14083
Tereshchenko,A.I. and Korobkin,V.A. Calculation of the frequency of a cylindrical resonator with a coaxial ferrite tube, 3=4267
Tereshenko,V.N. See Komelkov,V.S., 3=7560
Terëshin,V.I. See Kalmȳkov,A.A., 3=7547
Ter Haar, D. and Parry, W.E. A further note on the poles of Green functions, 3=1621
ter Haar,D. See Parry,W.E., 3=309
ter Haar,D. See Tahir-Kheli,R.A., 3=11045
ter Haar,D. See Tahir-Kheli,R.A., 3=11047
Terhune,R.W.,Maker,P.D. and Savage,C.M. Observation of saturation effects in optical harmonic generation, 3=12340
Ter-Krikorov,A.M. On internal waves in an inhomogeneous fluid, 3=18784
Terletskii,Ya.P. Some rules for a unified classification of elementary particles, 3=24591
Terletsky,J.P. Positive, negative and imaginary proper masses, 3=7092
Terlouw,J.C. See Postma,A.J., 3=12313
Ter-Martirosyan,K.A. The asymptotic values of the amplitudes of inelastic processes, 3=22079
Ter-Mikaelyan, M.L. See Alikhanyan, A.I., 3=4368
Ter Minassian,L. See Attarian,V., 3=8947
Ter-Minassian,L. See Soulard,A., 3=9376
Ternopol,A.M. See Zykov,V.G., 3=14724

Ternov,I.M.,Loskutov,Yu.M. and Korovina,L.I. The possibility of polarization of an electron beam due to relativistic radiation in a magnetic field, 3=437

Terol,S. and Rovidarcht,J.A. Cathodoluminescence of lanthanum oxide activated by rare earths, 3=13214

Terpilowski,J. See Jaśkiewicz,A., 3=15617

Terpstra,J. See Geus,J.W., 3=17020

Terreaux,C. See Fröhlich,H., 3=11667

Terrien,J. Unit of length 3=9316

Terrier,C. See Bizette,H., 3=3140

Ter-Sarkisyan,G.S. See Nikitina,A.N., 3=23891

Ter Veld,L.K. and Brinkman,H. The 355 and 439 keV resonances in the reaction ${}^{31}P(p,\gamma){}^{32}S$, 3=8090

Terwilliger,K.M. See Coffin,C.T., 3=17140

Teska,T.M. See Gehrels,T., 3=7019

Teske,R.G. The Hα line in the flare of November 12, 1960, 3=3576

Teslyuk,M.Yu. and Markiv,V.Ya. New ternary laves phases in systems containing Zn, Ga, In and Ge, 3=16091

Teslyuk, N.Yu. See Gladyshevskii, E.I., 3=18313

Tessman,J.R. See French,A.P., 3=12293

Testardi,L.R.,Stiles,P.J. and Burstein,E. De Haas—Van Alphen and high field galvanomagnetic studies of the Bi_2Te_3 valence band structure, 3=25240

Testardi,L.R. See Sehr,R., 3=22939

Testerman,M.K. and Hartman,R.D. Apparatus for measuring relative roughness factors of inert metals by the adsorption of radioactive iodine, 3=13556

Tetelman,A.S. The pinching-off of dislocation dipoles by glide, 3=4869

Tetelman,A.S. and Robertson,W.D. Direct observation and analysis of crack propagation in iron—3% silicon single crystals, 3=13379

Tetenbaum,M.,Mishler,L. and Schnizlein,G. Urandium powder ignition studies, 3=6916

Tetlow,J. See Herrmann,K., 3=6912

Teubner,W. Analogy between a vacuum circuit and the electric current circuit, 3=21452

Teucher,M.W. See Escoubès,B., 3=19630

Teucher,M.W. See Meyer,H., 3=19628

Teucher,R. Interpretation of retinal P_H value for the process of vision, 3=9309

Teufer,G. The crystal structure of tetragonal ZrO_2, 3=6845

Teumin,I.I. Measuring the power of elastic vibrations applied to a load, 3=16672

Teumin, I.I. See Abramov, O.V., 3=18248

Teutonico,L.J. Dynamical behaviour of dislocations in the primary slip systems of body-centered cubic crystals, 3=10665

Teutonico,L.J. Dislocations in the primary slip systems of face-centered cubic crystals, 3=12975

Teutsch,W.B. See Appel,J., 3=2872

Teutsch,W.B. See Harrison,H., 3=10090

Tevan,G. General expression for magnetic forces, 3=9398

Tevebaugh,A.D. See Herrick,C.S., 3=13071

Tevikyan,R.V. Spectral representation of matrix elements, 3=5322

Tewari,D.P. and Verma,G.S. Nuclear spin—lattice relaxation in noncubic or imperfect cubic crystals for 1 = 7/2 or 9/2, 3=8721

Tewari, D.P. and Verma, G.S. Temperature dependence of quadrupolar nuclear spin—lattice relaxation time, 3=18156

Tewary,V.K. See Jain,A., 3=19924

Tewary,V.K. See Kothari,L.S., 3=8362

Tewordt,L. Lifetime of a quasi-particle in a superconductor at finite temperatures and application to the problem of thermal conductivity, 3=331

Tewordt,L. Theory of the intrinsic electronic thermal conductivity of superconductors, 3=5581

Texereau,J. Limitations to the image quality of a large telescope, 3=7012

Teyssier, J.L.,Blanc,D.L. and Godeau,A.A. Device for gas scintillators, stable as a function of time, 3=4296

Teyssier,J.L.,Blanc,D. and Godeau,A. Gaseous scintillators: structure, mechanism, applications, 3=12372

Thach-Lan Tran and Sella,C. Electron microscope study of the structure of borosilicate glasses, 3=13545

Thackeray,D.P.C. Light sources for high-speed photography, 3=11945

Thaker,B.M. See Shah,G.Z., 3=10334

Thaler,R.M. See Giamati,C.C., 3=24729

Thaler,R.M. See Giltinan,D.A., 3=19557

Thanalakshmi,R. See Venkatewarlu,K., 3=8235

Thanalakshmi,R. See Venkateswarlu,K., 3=12798

Thanalakshmi,R. See Venkateswarlu,K., 3=15325

Thanalakshmi,R. See Venkateswarlu,K., 3=19989

Thankappan,V.K. and Pandya,S.P. Collective vibrations in Si^{30}, 3=6167

Tharmalingam,K. Optical absorption in the presence of a uniform field, 3=15664

Thaxton,H.M. See Kearney,J.P., 3=1772

Thayer,G.D. See Bean,B.R., 3=21055

Thayer, M.M. See Lasko, W.R., 3=18280

Theenhaus,R. See Fucks,W., 3=23971

Theeuwes,F. See Van Itterbeek,A., 3=20306

Theilacker,J.S. See Graves,H.W.,Jr, 3=6336

Theimer,O. Collective aspects of bremsstrahlung emission and electrical conductivity in a plasma, 3=14563

Theimer,O. and Theimer,R. Note on the C—H bond moment in hydrocarbons, 3=15334

Theimer,O. See Miller,A., 3=14551

Theimer,R. See Theimer,O., 3=15334

Thein,K.M. See Nakanishi,N., 3=22715

Thein,K.M. See Wayman,C.M., 3=22714

Theissing,H.H.,Caplan,P.J.,Ewanizky,T. and de Lhery,G. A method for evaluating laser potentialities of crystals, 3=19476

Thelen,A. See Grant,J., 3=1824

Thellung,A. See Sussmann,J.A., 3=25208

Théobald,J.G. Contribution to the study of paramagnetic spin resonance and relaxation, 3=21990

Theobald,J.G. and Uebersfeld,J. Structure of inhomogeneous electron resonance lines, 3=21988

Théobald,J.G. See Cerutti,M., 3=13305

Théobald,J.G. See Lhote,G., 3=14787

Theocaris,P.S. Diffused light interferometry for measurement of isopachics, 3=19008

Theriault,J.P. See Zwerdling,S., 3=10924

Theroux,P. See Mertens,F.P., 3=14357

Théry,B., Harrand,M. and Grammaticakis,P. Effect of free electrons of nitrogen on the intensity of Raman spectra of conjugated molecules, 3=20005

Theuerer,H.C. See Hauser,J.J., 3=3967

Thews,R. See Beghian,L.E., 3=17287

Thèye,M.-L. See Abelès,F., 3=15546

Thibault,R. A two-dimensional (magnetohydrodynamic) flow with non-parallel magnetic field, 3=14751

Thibault,R. See Maki,A., 3=6406

Thibault,R.J.,Jaffe,J.H. and Plyler,E.K. Broadening of the rotational lines of carbon monoxide by HCl and by argon, 3=12817

Thibault,R.J. See Maki,A.G., 3=19991

Thibault,R.J. See Plyler,E.K., 3=173

Thibault,R.J. See Plyler,E.K., 3=19978

Thie,J.A. Elementary methods of reactor noise analysis, 3=12733

Thiebaux,M.L.,Jr. Pion production in pion—pion collisions, 3=19683

Thiele,E. Comparison of the classical theories of unimolecular reactions. II. A model calculation, 3=16153

Thiele,E. Equation of state for hard spheres, 3=23924

Thielemann,W. Effect of the electric field on the conductivity of a shadow in a CdS single crystal, 3=13131

Thielheim,K.O. Note on the two-centre of jets, 3=4540

Thielo,W. See Kluge,W., 3=7583

Thiemann,W. and Wagener,K. Enrichment of lithium isotopes by counter-current electrolysis in aqueous solution, 3=13617

Thiene,P. Convective flexure of a plasma conductor, 3=21777

Thieringer,H-M. See Mader,S., 3=17744

Thiessen,D. See Linde,H., 3=3800

Thiessen,G.J. and Subbarao,K. Effect of reverberation on assessment of repetitive impulse noise, 3=3680

Thiessen,G.J. See Shaw,E.A.G., 3=226

Thiessen,K. Recombination in semiconductors for impurity excitation, 3=849

Thiessen,K.,Egorow,W.D. and Jungk,G. Photoconductivity kinetics in SiC, 3=8571

Thiessen,K. See Jungk,G., 3=13136

Thirion,J. See Abragam,A., 3=2263

Thirion,J. See Beurtey,R., 3=10374

Thirion,J.M. See Gorodetzky,S., 3=12584
Thirring,W. γ_5 invariance and fermion mass, 3=22063
Thirring,W. See Ranninger,J., 3=1628
Thirsk,H.R. See Fleischmann,M., 3=16170
Thirunamachandran,T. See Bree,A., 3=934
Thirunamachandran,T. See Craig,D.P., 3=4841
Thiry,H. The contrast transmission of a sinusoidal signal of large amplitude by photographic materials, 3=9633
Thodos,G. See Damasius,G., 3=14096
Tholl,H. Effect of the space charge on the carrier amplification of an avalanche in N_2, CH_4 and N_2+CH_4, 3=9761
Tholl,H. Electron avalanche transition in streamer build-up under high tension in nitrogen (with small methane addition), 3=24237
Thom,K. and Norwood,J., Jr. New method of measuring electrical conductivity with a magnetic probe, 3=5598
Thoma,P. See Reihl,N., 3=8429
Thoma, R.E. See Weaver, C.F., 3=18261
Thomaes,G. See Boon,J.P., 3=1673
Thomaes,G. See Boon,J.P., 3=7185
Thomaes,G. See Boon,J. P., 3=9423
Thomaes,G. See Boon,J.P., 3=11762
Thomas, A. A bakeable magnet for high power travelling wave tubes, 3=9908
Thomas,A. See Zessoules,N., 3=16911
Thomas,A.G. See Lake,G.J., 3=7256
Thomas,A.M. See Rochow,T.G., 3=20961
Thomas,C.O.,Kahng,D. and Manz,R.C. Impurity distribution in epitaxial silicon films, 3=10650
Thomas,C.O. See Kahng,D., 3=22824
Thomas,C.O. See Kahng,D., 3=23418
Thomas,C.T. See Raja Rao,K.S., 3=1479
Thomas,C.W. On the transfer of visible radiation through sea ice and snow, 3=13650
Thomas,D.B. A furnace for thermocouple calibrations to 2200°C, 3=283
Thomas,D.E. and Klein,J.M. Tunneling current structure resolution by differentiation, 3=22957
Thomas,D.E. See Rowell,J.M., 3=24146
Thomas,D.G. Bound excitons in CdS and ZnTe, 3=10630
Thomas,D.G.,Gershenzon,M. and Hopfield,J.J. Bound excitons in GaP, 3=25253
Thomas,D.G. and Hopfield,J.J. Fluorescence in CdS and its possible use for an optical maser, 3=526
Thomas,D.G. and Hopfield,J.J. Optical properties of bound exciton complexes in cadmium sulfide, 3=6651
Thomas,D.G. See Gershenzon,M., 3=10949
Thomas,D.G. See Hopfield,J.J., 3=15708
Thomas,D.G. See Lynch,R.T., 3=16049
Thomas,D.G. See Yafet,Y., 3=25254
Thomas,D.H. See Garabedian,H.L., 3=6325
Thomas,D.H. See Graham,D., 3=25290
Thomas,D.J.D. See Batsford,K.O., 3=804
Thomas,D.L. See Lewis,G.M., 3=7889
Thomas,D.P. Diffraction by a spherical cap, 3=3856
Thomas,E.L. See Long,D.A., 3=22559
Thomas,E.W. See Gilbody,H.B., 3=19185
Thomas,F. See Pinard,J., 3=21015
Thomas,G. and Hren,J.A. Direct observations of heterogeneous precipitation in Al – 20% Ag alloy, 3=18356
Thomas,G. See Donahue,T.M., 3=13788
Thomas,G. See Eikum,A., 3=22748
Thomas,G. See Finch,R.H., 3=10680
Thomas,G. See Nolder,R.L., 3=25621
Thomas,G. See Van Torne,L.I., 3=23314
Thomas,G.C. and Tanner,N.W. The surface of light nuclei, 3=19745
Thomas,G.E. A boron-loaded liquid scintillation neutron detector using a single photomultiplier, 3=4409
Thomas,G.E. See Bollinger,L.M., 3=2277
Thomas,H. Paramagnetic behaviour of thin ferromagnetic films above the Curie point, 3=20607
Thomas,H. See Drangeid,K.E., 3=16862
Thomas,H. See Methfessel,S., 3=1076
Thomas, H.C, Griffin, C.F, Phillips, W.E. and Davis, E.C.,Jr. The electron capture ratio and the conversion coefficient of the 14·4 keV gamma ray in the decay of ^{57}Co, 3=17431
Thomas,H.C. See Kranz,J., 3=15864
Thomas,J. See Ayant,Y., 3=13281
Thomas,J Jr.,Weston,N.E. and O'Connor,T.E., Turbostratic boron nitride, thermal transformation to ordered-layer-lattice boron nitride, 3=11201
Thomas,J.B., Jr. See Holladay,W.G., , 3=3746
Thomas,J.M.,Hughes,E.E.G. and Williams,B.R. Unusual twinning in graphite, 3=13405
Thomas,J.M.,Hughes,E.E.G. and Williams,B.R. Variations in orientation of etch pits on graphite surfaces, 3=25662
Thomas,J.M. See Hughes,E.E.G., 3=1260
Thomas,J.M. See Poulis,J.A., 3=9399
Thomas,J.O. See Garriott,O.K., 3=9088
Thomas,J.O. See Long,A.R., 3=9081
Thomas,J.P. Relation of brightness contrast to inducing stimulus output, 3=21172
Thomas, K. Electron-microscope investigation of fatigue, 3=18213
Thomas,K.S.,Singh,S. and Dieke,G.H. Energy levels of Tb^{3+} in $LaCl_3$ and other chlorides, 3=15689
Thomas,L. The winter anomaly in ionospheric absorption, 3=5883
Thomas,L. The occurrence of dense sporadic-E at magnetically conjugate points at high latitudes, 3=13748
Thomas,L. See Lyon,A.J., 3=25928
Thomas,L.F. See Tyler,J.K., 3=2649
Thomas,P. See Dreyfus,B., 3=10614
Thomas,R. See Benveniste,J., 3=24812
Thomas,R.A. See Johnson,L.F., 3=25447
Thomas,R.B.,Jr. Engineering aspects of magnetohydrodynamics 3rd symposium, 3=2095
Thomas,R.H. and Walters,K. The stability of the flow of an elastico-viscous liquid in a curved channel, 3=23846
Thomas,R.H. See Jauneau,L., 3=19708
Thomas,R.N. Comment on empirical inference of Doppler widths, 3=9224
Thomas,R.N. See Pecker,C., 3=13891
Thomas,T.D. See Viola,V.E. Jr., 3=10399
Thomas,T.Y. On the geodesic hypothesis in the theory of gravitation, 3=3721
Thomas,T.Y. Proper volume and its application in the general theory of relativity, 3=14014
Thomas,T.Y. Some further remarks on the geodesic hypothesis in the theory of gravitation, 3=23736
Thomassen,K.I. Evidence of anomalous resistance in plasmas, 3=12114
Thomassen,K.I. Interaction between a dielectric (or cold plasma) and a cavity, 3=14776
Thommen,K. See Paus,H., 3=22844
Thompson,A. See Danysz,M., 3=22276
Thompson,A. See Fletcher,E.R., 3=10232
Thompson,A.R. and Maxwell,A. Spectral observations of solar radio bursts. III. Continuum bursts, 3=3617
Thompson,A.R. See Maxwell,A., 3=13919
Thompson,B.A. and Strong,R.L. Self-diffusion of oxygen in lead oxide, 3=20230
Thompson,B.J. See Clift,J., 3=23087
Thompson,B.J. See Clift,J., 3=23088
Thompson,B.V. Neutron scattering by an anharmonic crystal, 3=20042
Thompson,C.J. and Matsubara,T. Self-consistency in the quasi-chemical equilibrium theory of superconductivity, 3=14440
Thompson,D.O. Evidence for vacancy clustering in dislocations of copper as measured by internal friction techniques, 3=23289
Thompson,E. See Fiocco,G., 3=16803
Thompson,E.D. Low-lying energy levels in ferromagnetic metals, 3=20564
Thompson,E.L. See Harris,P.H., 3=11332
Thompson,H.M. See Wurster,W.H., 3=3836
Thompson,H.W. An investigation of thermal spikes in gold by observing the energy spectrum of sputtered atoms, 3=8421
Thompson,H.W. See Crane-Robinson,C., 3=9510
Thompson,H.W. See Crane Robinson,C., 3=9511
Thompson,H.W. See Decius,J.C., 3=25189
Thompson,J.C. and McDonald,W.J. Low-temperature thermal conductivity of boron, 3=25211
Thompson,J.C. See Varlashkin,P.G., 3=14149
Thompson,J.E. and Turner,M.J.B. Mechanisms of the wear of graphite sliding on steel with and without an electric current passing across the interface, 3=6805
Thompson,J.E. See Boon,C.R., 3=25527
Thompson,J.E. See Holt,C., 3=5016

Thompson,J.L. and Miller,W.W. Atomic and ionic recoil from the (n, γ) reaction, 3=18458
Thompson,J.M.T. Basic principles in the general theory of elastic stability, 3=7155
Thompson,M.A. and Mallett,G.R. A simplified atmosphere controlled specimen holder for an X-ray diffraction goniometer, 3=13434
Thompson,M.G. and Tennent,R.M. The structure of extensive cosmic-ray air showers near the shower-axis, 3=4506
Thompson,M.G. See Burnham,J.U., 3=14837
Thompson,M.W. A theory of high-energy sputtering based on focused collision sequences, 3=4212
Thompson,M.W. and Nelson,R.S. Evidence for heated spikes in bombarded gold from the energy spectrum of atoms ejected by 43 keV A^+ and Xe^+ ions, 3=6552
Thompson,M.W. See Nelson,R.S., 3=452
Thompson,M.W. See Nelson,R.S., 3=2049
Thompson,M.W. See Nelson,R.S., 3=2845
Thompson,N. See Burr,D.J., 3=2797
Thompson,N. See Charsley,P., 3=8441
Thompson,S.G. See Bowman,H.R., 3=10393
Thompson,S.G. See Brandt,R., 3=24990
Thompson,S.G. See Gilmore,J., 3=6312
Thompson,S.G. See Haines,E.L., 3=24989
Thompson,T.J. See Anderson,C.A., 3=17291
Thomsen,P.V. See Lindhard,J., 3=8463
Thomsen,P.V. See Linhard,J., 3=25305
Thomson,A.A. See Ogilvie,G.J., 3=10707
Thomson,A.L.,Meyer,H. and Adams,E.D. Nuclear susceptibility of liquid helium-3 under pressure, 3=1882
Thomson,D.B. Nuclear level densities and reaction mechanisms from inelastic neutron scattering, 3=8107
Thomson,E. See Bauman,R.P., 3=8283
Thomson,J.O. See Roberts,L.D., 3=6458
Thomson,J.R. The crystal structue of ThPt and some related compounds, 3=11279
Thomson,J.R. The crystal structure of Th_3Pd_5 and Th_3Pt_5, 3=20878
Thomson,R. See Celli,V., 3=17730
Thomson,R. See Tucker,R., 3=10687
Thomson,R. See Tucker,R., 3=22817
Thomson,S.J. and Wishlade,J.L. Thin-walled cylindrical counter for Geiger-Müller counting of low energy beta radiation, 3=579
Thonemann,P.C. See Blevin,H.A., 3=12146
Thonemann,P.C. See Dolder,K.T., 3=21703
Thonemann,P.C. See Harrison,M.F., 3=7425
Thonemann,P.C. See Harrison,M.F.A., 3=21702
Thorn,R. Electronic equipment for a Cerenkov radiation detector, 3=24179
Thorn,R.J. See Ackermann,R.J., 3=3930
Thorn,R.J. See Carlson,K.D., 3=14201
Thorn,R.J. See Carlson,K.D., 3=16642
Thorndike,A.M. See Androulakis, J.G., 3=17125
Thorndike,A.M. See Baltay,C., 3=22209
Thorndike,A.M. See Baltay,C., 3=24805
Thorndike,A.M. See Bertanza,L., 3=12507
Thorndike,E.H. See Cromer,A.H., 3=22128
Thorndike,E.H. See Hoffman,R.A., 3=22127
Thorndike,E.H. See Lefrançois,J., 3=22126
Thorne, C.P. See Campbell-Allen, D., 3=17672
Thorne,S.W. A precision automatic pH titration apparatus, 3=8941
Thorness,R.B. and Nier,A.O. Device for remote opening of a vacuum system, 3=3842
Thornton,B.S. See Brisley,W., 3=24434
Thornton,E. and Baker,W.A.D. Viscosity and thermal conductivity of binary gas mixtures: Argon—neon, argon—helium, and neon—helium, 3=168
Thornton,J.A. and Cambel,A.B. The effect of radiative losses on the attenuation of electromagnetically driven shock waves, 3=1758
Thornton,P.R.,Mitchell,T.E. and Hirsch,P.B. The dependence of cross-slip on stacking-fault energy in face-centred cubic metals and alloys, 3=1230
Thornton,P.R. See Mitchell,T.E., 3=20725
Thornton,W.A. Some aspects of electroluminescence in ZnS, 3=23124
Thorsen,A.C. and Berlincourt,T.G. Miniature sample orienting device for use at low temperatures and high magnetic fields, 3=19413
Thorsen,A.C. and Joseph,A.S. De Haas—van Alphen effect in zirconium, 3=25502
Thorsen,A.C. See Joseph,A.S., 3=23137
Thorson,W.R. See Moskowitz,J.W., 3=15302
Thorwart,W. Photographic procedure for analysis of shortest times. I, 3=14387
Thorwart,W. Photographic procedures for analysis of shortest times. II, 3=21291
Thosar,B.V. Isotope shifts and internal conversion of γ-rays, 3=6151
Thosar,B.V.,Sharma,R.P. and Pasad,K.G. Further studies on the decay of Eu^{156}, 3=10299
Thosar, B.V. See Joshi, M.C., 3=17422
Thosar,B.V. See Kulkarni,V.G., 3=653
Thouless,D.J. See Brown,G.E., 3=19746
Thouless,D.J. See Peierls,R.E., 3=627
Thouvenin,J. and Rauch,A., Electrical conductivity of selenium under the action of a shock wave, 3=830
Thouvenin,P. See Didier,D., 3=8108
Thresher,J.J. See Beall,E.F., 3=24790
Thresher,J.J. See Bowen,P.H., 3=8105
Thresher,J.J. See Bowen,P.H., 3=2278
Thresher,J.J. See Bowen,P.H., 3=10349
Thresher,J.J. See Keefe,D., 3=17326
Thresher,J.J. See Scanlon,J.P., 3=10120
Thrierr,J.C. See Cagnet,M., 3=257
Thrower,P.A. and Reynolds,W.N. Problems in the electron-microscopy of irradiated graphite, 3=20194
Thrower,P.A. and Reynolds,W.N. Microstructural changes in neutron-irradiated graphite, 3=25651
Thrush,B.A. and Zwolenik,J.J. Predissociation in the absorption spectra of CF and CF_2, 3=15345
Thrush,B.A. See Clynne,M.A.A., 3=18436
Thrush,B.A. See Larkin,F.S., 3=8224
Thuillier,J.M. See Cyrot,M., 3=8572
Thuillier, J.M. See Schuttler, R., 3=1390
Thumwood,R.F. and Foreman,P.H. Electron multiplication in "multipactor" image intensifier tubes, 3=19325
Thunga,R. See Ramakrishnan,A., 3=610
Thurber,D.L. Anomalous U^{234}/U^{238} in nature, 3=13647
Thureau,P. Extensometry of certain thin films. Variation of electrical conductivity with constraints, 3=15980
Thureau,P. See Bouchard,F., 3=8622
Thürkauf,M.,Ramel,A.,Läuger,P. and Kuhn,W. Observation of cloud droplets in the electron microscope, 3=23529
Thurlow,W.R. and Marten,A.E. Perception of steady and intermittent sounds with alternating noise-burst stimuli, 3=7067
Thurnauer,P.G. A phenomenological approach to the nonmesonic decay of $^5He_\Lambda$, 3=6146
Thurston,G.B. and Heiserman,R.L. Calibration and free-field evaluation of a pressure-gradient microphone, 3=1781
Thurston,R.C.A. See McGrath,J.T., 3=3244
Thwaite,E.G. and Leslie,R.T. The calibration of linear scales by the method of Hansen—Perard, 3=9390
Thwaite,E.G. and Leslie,R.T. Variation in contact error between repeatedly wrung surfaces, 3=25770
Thwaites,T.T. Radioactive decay of Zn^{72}, 3=8035
Thwaites,T.T. See Megli,D.G., 3=22329
Thygesen,K.H. and Moore,F.L,Jr, Jet-controlled arc. I. Excitation of second spectra, 3=16783
Tiablikov,S.V. and Siklós,T. Resonance formulae for uniaxial anisotropic ferromagnetic materials, 3=13287
Tiberio,C.A. See Bolle,A., 3=1458
Tibu,M. Scintillation counters, 3=22032
Tice,W.K. See Lasko,W.R., 3=13581
Tice, W.K. See Lasko, W.R., 3=18280
Ticho,H.K. See Schlein,P., 3=17336
Ticho,H.K. See Schlein,P.E., 3=24804
Tickle,R.S. The University of Michigan 83-inch cyclotron. II. The magnetic field, 3=5742
Tickle,R.S. See Parkinson,W.C., 3=5741
Tickner,A.W. See Knewstubb,P.F., 3=5643
Tickner,A.W. See Knewstubb,P.F., 3=7480
Tickner,A.W. See Knewstubb,P.F., 3=14552
Tidwell,E.D. See Lafferty,W.J., 3=2637
Tidwell,E.D. See Plyler,E.K., 3=10531
Tièche,Y. See Busch,G., 3=9474
Tièche,Y. See Busch,G., 3=9475
Tielsch,E. See Becker,T., 3=22415
Tiemann,J.J. See Fritzsche,H., 3=13095

Tien,C.L. and Wasan,D.T. Law of the wall in turbulent channel flow, 3=11757
Tien,P.K. and Gordon,J.P. Multiphoton process observed in the interaction of microwave fields with the tunneling between superconductor films, 3=5595
Tien,T.Y. and Subbarao,E.C. X-ray and electrical conductivity study of the fluorite phase in the system ZrO_2—CaO, 3=25728
Tiernan,R.J. See Davey,J.E., 3=20926
Tiernan,T.O. See Futrell,J.H., 3=3409
Tiernan,T.O. See Futrell,J.H., 3=8977
Tierney,J. See Gold,B., 3=16444
Tiers,G.V.D.,Bovey,F.A. and Shapiro,B.L. Proton N.M.R. spectroscopy. XIII. molecular structure of diphenylethers: an erroneous conclusion, 3=10546
Tiersten,H.F. Thickness vibrations of piezoelectric plates, 3=7267
Tiersten,H.F. Wave propagation in an infinite piezoelectric plane, 3=9538
Tiersten,H.F. and Mindlin,R.D. Forced vibrations of piezoelectric crystal plates, 3=3844
Tiersten,H.F. See Onoe,M., 3=7266
Tietge,J. See Giacomelli,G., 3=10167
Tietz,T. Electronic polarizabilities of the free neutral atom, 3=6356
Tietz,T. An analytical expression for the determination of the phase-shifts in the statistical theory of atoms, 3=8170
Tietz,T. Elastic scattering of low-energy electrons and the periodic system of elements, 3=12774
Tietz,T. A direct proof for the condition of the method of the stationary phase integral for radial Schrödinger equation, 3=16526
Tietz,T. Note on the phase shifts for the Schrödinger and Dirac equations, 3=18728
Tietz,T. Electronic polarizabilities of free neutral atoms in Thomas—Fermi theory, 3=22463
Tietz,T. Pais approximate formula for the phase shift and electron scattering in the Thomas—Fermi theory, 3=22498
Tietz,T. The scattering and polarization of electrons by Hartree and Thomas—Fermi atoms, 3=22499
Tietz,T. Potential-energy function for diatomic molecules, 3=22538
Tikhani,E. See Bozoki,G., 3=2181
Tikhinskii,G.F. See Amonenko,V.M., 3=3297
Tikhinskii, G.F. See Amonenko, V.M., 3=18278
Tikhinskii,G.F. See Amonenko,V.M., 3=20908
Tikhinskii,G.F. See Amonenko,V.M., 3=25272
Tikhinskii,G.F. See Papirov,I.I., 3=301
Tikhomirova,N.A. and Stishov,S.M. Tellurium melting curve up to 23 000 kg/cm^2, 3=19066
Tikhomirova,N.A. See Zheludev,I.S., 3=23004
Tikhonova,E.A. See Krivoglaz,M.A., 3=3339
Tikoo,P.K. Influence of tube walls on the starting potentials in iodine vapour, 3=9514
Tiktopoulos,G. High-energy behavior of Feynman amplitudes, 3=17212
Tiktopoulos,G. High-energy behavior of Feynman amplitudes. II. Nonplanar graphs, 3=24638
Tilbury,R.S. and Yaffe,L. Ba^{131m}—a new isomer, 3=8000
Tilbury,R.S. and Yaffe,L. A study of $Cd^{115m,g}$ formed in the fission of natural uranium by protons of energies 8 to 60 MeV, 3=22438
Tilch,J. See Seiwert,R., 3=705
Tilford,S.G. Rydberg series in N V., 3=19939
Tilinin,G.N. See Kovan,I.A., 3=7544
Tille,J. and Kelly,J.C. The surface tension of liquid titanium, 3=23853
Tiller,C.O. See Sloope,B.W., 3=25771
Tiller,C.O. See Sloope,B.W., 3=3280
Tiller,W.A. Migration of a liquid zone through a solid. I, 3=23408
Tiller,W.A. Migration of a liquid zone through a solid. II, 3=23409
Tilley,D.R. See Fletcher,N.R., 3=679
Tillieu,J. See Smet,P., 3=7133
Timchenko,I.N. and Shalÿt,S.S. Thermoelectric properties of tellurium and the effective mass of hole carriers, 3=23028
Timerov,Kh.R. See Garifyanov,N.S., 3=150
Timerov,R.Kh. and Valiev,K.A. Theory of nuclear resonance in paramagnetic media, 3=3190
Timerov,R.Kh. See Garif'yanov,N.S., 3=5451
Timerov,R.K. See Garif'yanov,N.S., 3=20651
Timerov,R.Kh. See Valiev,K.A., 3=6763
Timerov,R.Kh. See Valiev,K.A., 3=21405
Timm,U. See Drost,H., 3=4063
Timofeev,A.N. See Arkharov,V.I., 3=20221
Timofeev,A.N. See Klotsman,S.M., 3=2816
Timofeev,A.N. See Klotsman,S.M., 3=8451
Timofeev,A.N. See Klotsman,S.M., 3=20222
Timofeev,A.V. Instability of a weakly ionized nonuniformly heated plasma in a uniform magnetic field, 3=14574
Timofeev,A.V. See Kadomtsev,B.B., 3=16960
Timofeev,A.V. See Mikhailovskii,A.B., 3=24315
Timofeev,G.A. Effect of polarization of the medium on development of electron-photon showers, 3=2339
Timofeev, V.B. See Gorban', I.S., 3=17690
Timofeev,V.V. See Lebedev,O.V., 3=1915
Timofeeva,G.M. See Korol'kov,D.V., 3=16426
Timofeeva,V.A. Spatial distribution of the degree of polarization of natural light in the sea, 3=16200
Timofeeva,V.A. and Popova,A.S. Some peculiarities of the growth of single crystals of potassium niobate and tantalate, 3=16033
Timofeeva,V.A. and Voskanyan,R.A. Controlled crystallization conditions for the production of monocrystals of $Y_3Fe_5O_{12}$, 3=20801
Timofeeva,V.A. See Belov,K.P., 3=8683
Timores,M.M. See Lacroute,M.P., 3=21113
Timoshuk,D.V. See Levin,B.A., 3=2275
Timotin,A. See Raduletz,R., 3=5313
Timushev,G.F. See Vasil'ev,S.S., 3=6237
Timusk,T. and Martienssen,W. Recombination luminescence in alkali halides, 3=3034
Tindo,I.P. See Mandel'shtam,C.L., 3=9190
Tindo,I.P. See Mandel'shtam,S.L., 3=23681
Ting,C.C.,Jones,L.W. and Perl,M.L. Pion—proton elastic diffraction scattering at 3, 4 and 5 GeV/c, 3=6050
Ting,C.C. See Bleuler,E., 3=24565
Ting,H.C. Variation principle in irreversible processes, 3=16541
Ting Ta-Ts'ao. See Wang Kang-Ch'ang, 3=19702
Ting Ta-Ts'ao. See Wang Kang-Ch'ang, 3=22208
Tinguely,R. See Germain,C., 3=19390
Tingye Li. See Fox,A.G., 3=24045
Tinkham,M. Far infrared exchange resonance in rare earth iron garnets, 3=1166
Tinkham,M. Effect of fluxoid quantization on transitions of superconducting films, 3=9675
Tinkham,M. See Barker,A.S., Jr., 3=15687
Tinkham,M. See Sievers,A.J., III, 3=8597
Tinkham,M. See Sievers,A.J., III, 3=8703
Tinkham,M. See Sievers,A.J., III., 3=15680
Tino,Y. and Maeda,T. On the anomalous thermoelectric variatio in the Invar-type iron—nickel alloys, 3=25607
Tinoco,I.,Jr.,Woody,R.W. and Bradley,D.F. Absorption and rotation of light by helical polymers: the effect of chain length, 3=10916
Tipler,H.R. See Inman,M.C., 3=16096
Tipler,P.A.,Axel,P.,Stein,N. and Sutton,D.C. Interpretation of quasi-elastic scattering of 11-19 MeV monochromatic photons by holmium using zero-point vibrations in the hydrodynamic model, 3=10322
Tippins,H.H. and Brown,F.C. Magnetoresistance of silver bromide, 3=8529
Tirapegui,E. On the Klein—Gordon equation in general relativity, 3=19547
Tiraspol'skii,V.I. See Indenbaum,G.V., 3=15497
Tiren,L.I. and Jenkins,J.M. Resonance shielding in thorium—graphite mixtures, 3=25028
Tiripicchio,A. See Ferrari,A., 3=23436
Tiruvenganna Rao,P. See Krishna Rao,S.V., 3=12818
Tiruvenganna Rao, P. See Santharam, C.V.V.S.N.K., 3=17582
Tischer,M. The emission mechanism of B—N cathodes, 3=21861
Tishchenko,B.I. Determination of the charge density of light nuclei by a generalized model, 3=19754
Tishchenko,B.I.,Kresnin,A.A. and Inopin,E.V. Nucleon motion in deformed light nuclei, 3=10203
Tissot,J. Techniques used in nuclear reactor safety apparatus, 3=10425
Tisza, L. The conceptual structure of physics, 3=16476

Titani,T. and Kobayakawa,M. Measurements of isotope ratio by mass spectrometry. II. Measurements of isotope abundance ratio of oxygen, 3=12785

Titchener,A.L. and Davies,G.J. Strain-free machining and cutting of metal single crystals including the design and performance of an electrolytic lathe, 3=8814

Tite,M.S. See Aitken,M.J., 3=7671

Titeica,S. See Hulubei,H., 3=10142

Titeica,S. See Khulubei,Kh., 3=6029

Titheridge,J.E. The analysis of ionospheric h^1 (f) records using the phase refractive index, 3=11440

Title,R.S. Covalency and the paramagnetic resonance of Mn^{++} in CdSe, 3=11115

Title,R.S. Electron paramagnetic resonance spectra of Cr^+, Mn^{++}, and Fe^{3+} in cubic ZnS, 3=20648

Title,R.S. Electron paramagnetic resonance detection of lattice distortion in Mn^{++}-doped II-VI compounds, 3=25167

Title,R.S. See Dieleman,J., 3=3170

Title,R.S. See Morehead,F.F., 3=18128

Titley,S.R. and Damon,P.E. Investigation of color centers in fluorite with application to geologic time, 3=8458

Titman,J.M.,Enderby,J.E. and Wignall,G.D. Conduction electron spin resonance in liquid lithium, 3=5450

Titova,E.M. See Voronov,B.K., 3=25671

Titova,V.M. and Futergendler,S.I. The orientation of graphite arising on diamond as a result of its allotropic conversion on heating, 3=20776

Tittel,K.F. See Sanders,J.H., 3=7846

Titterton,E.W. See Earwaker,L.G., 3=12671

Titterton, E.W. See Jenkin, J.G., 3=17463

Titterton,E.W. See Jenkin,J.G., 3=17466

Tittmann,B.R. See Libby,W.F., 3=12031

Titts,T.[Tietz,T]. Electron polarizability and diamagnetic susceptibility of neutral atoms in the Thomas–Fermi model, 3=4702

Titts,T. and Voichek,L. Formula for calculation of phase shifts in case of Thomas–Fermi and Hartree potentials, 3=8171

Tiuri,M.E. See Kraus,J.D., 3=515

Tiwari,L.M. See Sharan,B., 3=22641

Tiwari,R. and Misra,M. The gravitational and electromagnetic fields due to rotating bodies in general relativity, 3=3734

Tiwari,R. and Misra,M. Axially symmetric conformastat electrovac universes, 3=9337

Tiwari,R. and Roy,S.R. A composite field in Einstein's unified field theory. II, 3=1602

Tiwari,R. and Roy,S.R. A particular solution of the gravitational equations of a composite field in Einstein's unified field theory, 3-3738

Tjapunina,N.A. See Shvidkovsky,E.G., 3=23324

Tjötta,S. See Lauvstad,V., 3=18932

Tkachenko,A.A. Two-photon annihilation of polarized electrons and positrons, 3=24699

Tkachenko,M.G. See Strelets,P.L., 3=8686

Tkachenko,V.K. and Filimonov,A.I. A gasifier for obtaining pressures up to 100 atm using liquid helium, 3=12013

Tkachenko,V.K. See Peshkov,V.P., 3=1884

Tkachev,V.D. See Plotnikov,A.F., 3=23022

Tkachev,V.D. See Vavilov,V.S., 3=22764

Tkachuk, A.D. See Pashkovskii, M.V., 3=17944

Tkachuk,A.M. See Tolstoi,N.A., 3=3050

Tkachuk,A.M. See Tolstoi,N.A., 3=18030

Tkachuk,R. A continuous flow beta scintillation detector for aqueous solutions, 3=6185

Tkalich,E.F. and Tkalich,V.S. Stationary states in high-temperature plasma. The plasma column in a longitudinal magnetic field, 3=19235

Tkalich,V.S. Two-parameter flows in magnetogasdynamics (Gromeka and Chaplȳgin transformations), 3=2111

Tkalich,V.S. See Tkalich,E.F., 3=19235

Tkhorȳk,Yu.O. Emissivity of a diffused p–n junction, 3=4934

t'Kint De Roodenbeke,A. See Monod-Herzen,G., 3=9650

To ying sên. See Do In Seb.

Tobey,W. See McFarland,R.H., 3=1823

Tobias,C.W. See Newman,J.S., 3=13614

Tobias,M.,Vondy,D.R. and Fowler,T.B. A note on a simple method for acceleration of finite-difference group-diffusion calculations, 3=10123

Tobin,M.C. Calculated electron mobility and electrical conductivity in crystals of linear polyenes, 3=4926

Tobolsky,A.V. Relaxation times and normal mode distribution, 3=4794

Tobolsky,A.V. See Shibukawa,T., 3=13326

Tocci,L. See Bizzeti,P.G., 3=7847

Tochigi,H. and Onoguchi,A. A new high voltage stabilizer, 3=24165

Tochigi,H., Sonehara,K. and Tanaoka,I. An application of oxide-cored cathode to telefocal electron gun for electron microscope, 3=19362

Tocqueville,J. See Crozon,M., 3=24960

Toda,A. See Iizuka,J., 3=602

Toda,A. See Iizuka,J., 3=22191

Toda, M. Direct observation of self-pinched plasma distribution in indium antimonide, 3=25366

Toda,T. See Takatsu,K., 3=4213

Todd,J.E.,Whitehead,M.A. and Weber,K.E. Pure nuclear quadrupole resonances of several chlorinated cyclopropanes, 3=25142

Todd,S.S. See Scott,D.W., 3=8291

Todes,O.M. and Petrenko,I.I. New experiments in molecular physics, 3=21425

Todiryanu,D. See Dregichesku,M., 3=24746

Todorov,I.T. See Logunov,A.A., 3=5958

Todorov,I.T. See Lyu I-Chen', 3=14889

Todorov,I.T. See Mestvirishvili,M.A., 3=15020

Tohmatsu,T. and Nagata,T. Dynamical studies of the oxygen green line in the airglow, 3=13790

Toivanen,T. An application of a new method for the solution of group diffusion equations to a cylindrical flux trap assembly with spontaneous fission source, 3=19901

Tokarevskii,V.V. See Nemets,O.F., 3=12592

Tokarevskii,V.V. See Zaika,N.I., 3=22271

Tokheim,R.E. See Auld,B.A., 3=23178

Tokuda,A. Observation of the fatigue fracture surface of some carbon steels by electron microscope, 3=1244

Tokuda,H. V.L.V. emissions and geomagnetic disturbances at the auroral zone. I. Chorus bursts and preceding geomagnetic disturbances, 3=1481

Tokuda,N., Sakuma,T. and Kanazawa,A. On the Yang–Treiman asymmetry and the nuclear isobar, 3=19675

Tokuda,T. and Kingery,W.D. Oxygen diffusion and vaporization rates for liquid and solid germanium dioxide, 3=20224

Tokushima,T. See Sakata,T., 3=25427

Tokuyama,T. Microplasmas in alloyed germanium p–n junctions, 3=8533

Tokuyasu,T.,Utsumi,Y.,Kikuchi,Y.,Ōnuma,Y. and Komoda,T. Some design features of an improved electron microscope, HU-11A, 3=20955

Tolansky,S. Synthetic diamonds: growth and etch phenomena, 3=3266

Tolansky,S. Fire polished glass as an optical interference reference surface, 3=21566

Tolbert,C.W. See Stafford,L.F., 3=22548

Tolchenkov,D.L. See Levintov,I.I., 3=24963

Tolhoek,H.A. Some recent developments in the field of weak interactions, 3=17193

Tolhoek,H.A. See Lyten,J.R., 3=10370

Tolhoek,H.A. See Rood,H.P.C., 3=24961

Tolkachev,B.V. See Baradzei,L.T., 3=4538

Tolkachev,B.V. See Baradzei,L.T., 3=19725

Tolkachev,B.V. See Rubtsov,V.I., 3=24715

Toller,M. See Bellettini,G., 3=6076

Tollestrup,A.V. See Levine,P.H., 3=8488

Tolmachev, V.V. Problem of two-particle bound states for a non-ideal Fermi-Dirac system, 3=1629

Tolmachev,V.V. Systems of field equations for non-ideal Fermi-Dirac systems taking into account in a manifest way two particle bound states, 3=5377

Tolmachev,V.V. Criterion for superconductivity as the criterion for the occurrence of instability in the Bethe-Salpeter equation for the ground state, 3=5578

Tolmachev,Yu.M. See Blinova,N.I., 3=8642

Tolmasskii,I.S. See Volkov,V.L., 3=11089

Tolochko,M.N. See Selisskii,Ya.P., 3=11296

Tolok,V.T. See Nazarov,N.I., 3=7622

Tolok,V.T. See Volkov,Ya.F., 3=7512

Tolok,V.T. See Zykov,V.G., 3=14724

Tolpadi,S.K. See Singh,R.N., 3=1466

Tolpygo,K.B. The present state of the theory of polarization of ideal ionic and valence crystals, 3=15608

Tolpȳgo,K.B.and Chaika,G.V. Thermionic emission of ionic semiconductors in strong fields, 3=2982
Tolpȳgo,K.B. See Evseev,Z.Ya., 3=22679
Tolpȳgo,K.N. Investigation of long-wavelength vibrations of diamond-type crystals with an allowance for long-range forces, 3=6465
Tolstikov,V.A. See Stavisskii,Yu.Ya., 3=2478
Tolstikov,V.A. See Stavisskii,Yu.Ya., 3=8118
Tolstoi,M.N. See Feofilov,P.P., 3=4986
Tolstoi,N.A. and Epifanov,M.V. A multi-lamp source of modulated light for the pulse taumeter, 3=1808
Tolstoĭ,N.A., Khil'ko,G.I., Ryskin,A.I. and Trusov,A.A. Relation between luminescence and photoelectric phenomena in the phosphor ZnS:Mn, 3=15711
Tolstoi,N.A.and Lyu Shun'fu [Liu Shun-fu]. Relaxation spectra of the luminescence of uranium-activated alkali and alkali-earth fluorides, 3=3035
Tolstoi,N.A.,Lyu Shun'-fu [Liu Shun'-Fu]. Luminescence kinetics of chromium phosphors. IV. Runy, 3=13201
Tolstoi,N.A. and Lyu Shun'-Fu [Liu shun-Fu]. Luminescence kinetics of chromium phosphors..I. Gallium oxide. Methods; temperature and concentration dependence of luminescence spectra, 3=15707
Tolstoi,N.A.and Lyu Shun-fu [Liu Shun-Fu]. Luminescence kinetics of chromium phosphors. II. Gallium oxide. Relaxation spectra reabsorption, 3=20509
Tolstoi,N.A. and Lyu Shun'-fu [Liu Shun-fu]. Luminescence kinetics of chromium phosphors. V. Chromium-activated beryllium spinel, 3=20511
Tolstoi,N.A. and Liu Shun-Fu. Luminescence kinetics of chromium luminors. VI. Composite Al_2O_3-Ga_2O_3—Cr system and magnesium spinel activated by chromium, 3=20512
Tolstoi,N.A., Lyu Shun-fu [Liu Shun-fu] and Lapidus,M.E. Luminescence kinetics of chromium phosphors. III. Ruby. Pt 1. Luminescence spectra, relaxation spectra, effect of chromium concentration and of thickness, 3=20510
Tolstoi,N.A.,Osipov,B.S. and Fomin,G.A. Change of sign of the photo-e.m.f. in cuprous oxide, 3=6630
Tolstoi,N.A. and Sokolov,V.A. Luminescence of thallium chloride single crystals, 3=952
Tolstoi,N.A.,Tkachuk,A.M. and Ageeva,L.E. Some manifestations of a non-monomolecular excitation mechanism in platinocyanides, 3=18030
Tolstoi,N.A.,Tkachuk,A.M.,Sokolov,V.A.,Burlakov,A.V.,Ryskin,A.I., Mansurova,Z.S.and Epifanov,M.V. Flash of ZnS phosphors and competition of the luminescence bands, 3=3050
Tolstoĭ,N.A. See Sokolov,V.A., 3=20799
Tolstov,K.D. The interaction of fast particles with nuclei, 3=24938
Tolstoy,I. The theory of waves of stratified fluids including the effects of gravity and rotation, 3=21295
Toman,K. Precipitation from solid solution of NaCl—$CaCl_2$, 3=20840
Toman,K. Anisotropy of chemical bond in CdSd compound, 3=25649
Toman,L., Jr., Nye,W.T. and Gecas,A.J. Ultra-low-load indentation hardness measurements with the electron microscope, 3=20759
Tomar,J.S. Flexural vibrations of isotropic elastic plates, 3=9533
Tomaš,P. See Ilakovac,K., 3=4652
Tomaš,P. See Ilakovac,K., 3=17350
Tomaš,P. See Paić,M., 3=19652
Tomaš,P. See Šternberg,Z., 3=8199
Tomaš,P. See Stipcić,N., 3=19382
Tomashchuk,Yu.F. See Brevnov,N.N., 3=14602
Tomashevskii,É.E. See Sanifirova,T.P., 3=20729
Tomasini,A. See Fano,G., 3=22263
Tomasini,G. See Ammar,R.G., 3=10229
Tomasini,G. See Bizzeti,P.G., 3=7847
Tomasini,G. See Ciurlo,S., 3=8120
Tomasini,G. See Davis,D.H., 3=6147
Tomášková,L. Czechoslovak nuclear emulsion for detecting fast neutrons, 3=24569
Tomatsubara,T.,Murakami,M., and Hirahara,E. Magnetic properties of manganese telluride single crystals, 3=11104
Tomboulian,D.H. Recent studies of valence band emission spectra, 3=8605
Tomboulian,D.H. See Baker,D.J., Jr, 3=704
Tomboulian,D.H. See Deslattes,R.D., 3=7348
Tomboulain,D.H. See Kroger,H., 3=10956
Tomboulian,D.H. See Peterson,T.J., Jr, 3=6350
Tombrello,T.A. and Bacher,A.D. Scattering of He^3 from He^3, 3=12521
Tombrello,T.A.,Jones,C.M.,Phillips,G.C. and Weil,J.L. The scattering of protons from He^3, 3=6005
Tombrello,T.A. and Parker,P.D. Scattering of He^3 from He^4, 3=12522
Tombrello,T.A. and Parker,P.D. Direct-capture model for the $He^3(\alpha,\gamma)Be^7$ and $T(\alpha,\gamma)Li^7$ reactions, 3=24810
Tombrello,T.A. and Senhouse,L.S. Elastic scattering of alpha-particles from helium, 3=10386
Tomchuk,P.M. See Dykman,I.M., 3=22912
Tomczak,Z. See Bartenback,M., 3=10898
Tomil'chik,L.M. Concerning the existence of a monopole, 3=22054
Tomimasu,T. Field inhomogeneities of a betatron magnet, 3=7663
Tomishima,K. See Kawamura,H., 3=10776
Tomita,I. and Saisho,H. Radioactivation analysis of niobium in tantalum by irradiation with protons in a cyclotron, 3=8992
Tomita,K. Theory of magnetic relaxation, 3=987
Tomita,K. Theory of magnetic relaxation — corrigenda, 3=13265
Tomita,K. and Tanaka,M. Green's function theory of magnetic relaxation. I. General formulation, 3=15726
Tomita,K.,Tanaka,M.,Kawasaki,T. and Hiramatsu,K. Exchange amalgamation in paramagnetic resonance, 3=20640
Tomita,K. See Tanaka,M., 3=25561
Tomita,S. See Kumabe,I., 3=4669
Tomita,S. See Kumabe,I., 3=24934
Tomita,S. See Kumabe,I., 3=24935
Tomita,T. Electrical activity in the vertebrate retina, 3=5290
Tomizuka,C.T. Effect of hydrostatic pressure on the rate of atomic movement in noble metals, 3=22740
Tomizuka,C.T. See Styris,D.L., 3=13001
Tomkins,F.S. and Fred,M. Wavelength measurements with a concave grating spectrograph, 3=18984
Tomlin,D.H. See Askill,J., 3=17787
Tomlin,D.H. See Gibbs,G.B., 3=20233
Tomlin,D.H. See Peart,R.F., 3=4887
Tomlin,S.G. The back-scattering of electrons from solids, 3=22108
Tomlin,S.G. See Metchnik,V., 3=13193
Tomlinson,R.G. See Damon,E.K., 3=19170
Tomlinson,W.J., III and Stroke,H.H. Hyperfine structure, isotope, and isomer shifts in Hg^{193m}, Hg^{194}, Hg^{195m}, and Hg^{195} — comments on the paper of Kleiman and Davis, 3=17530
Tomoda, Y, Nagata, S. and Soezima, Y. Electron microscopic observation of thin films of metals etched by ion bombardment, 3=18241
Tomono,Y. See Ehara,S., 3=15945
Tomozawa,Y. A note on local commutativity, 3=9350
Tomozawa,Y. A note on local commutativity II, 3=16521
Tomozei,C. Experimental verifications concerning the general theory of relativity with the aid of a new metric, 3=21225
Tompkins,B.E. See Kessler,J.O., 3=20349
Tompkins,F.C. See Delchar,T., 3=9824
Tompkins,F.C. See Hall,P.G., 3=1381
Tompkins,L.M.,Muus,D.A. and Pearson,T. Water adsorption in the system AgI—KI—H_2O, 3=23522
Tompson,C.W. and Holroyd,L.V. Measurement of the electrostatic field between large parallel plates, 3=14502
Tompson,M.C., Jr. See Norton,K.A., 3=12321
Tomura,M. and Nishimura,H. Energy transfer by resonance in KCl/Ag, Pb single crystals, 3=23103
Tonapetyan,S.G. See Valter,A.K., 3=4673
Tonegawa,T. Temperature dependence of anisotropy energy of Mn_2Sb, 3=1129
Tonepanetyan,S.G. See Vatset,P.I., 3=4672
Toner,W.T. See Amato,G., 3=17001
Toner,W.T. See Danysz,M., 3=22276
Tong,B.Y. On Huby's rules for non-degenerate Rayleigh-Schrödinger perturbation theory in any order, 3=74
Tong,B.Y. Comments on the existing theories of magnetic effects on superconducting films, 3=14443
Tonin,M. See Bastai,A., 3=22089
Tonin,M. See Bertocchi,L., 3=7799
Tonndorf,J. Time/frequency analysis along the partition of cochlear models: a modified place concept, 3=3655

Tonnelat,M.A. and Lederer,S. Definition of the gravitational energy-momentum in a Euclidean theory of the gravitational field, 3=9330
Tonolini,F. See Colli,L., 3=2473
Tonolini,F. See Colli,L., 3=8127
Tonolini,F. See Facchini,U., 3=10365
Tonolini,F. See Marcazzan,G.M., 3=19864
Tonolini,L. See Facchini,U., 3=10365
Tontegode,A.Ya. See Zandberg,Ê.Ya, 3=2016
Toor,H.L. See Marchello,J.M., 3=14104
Toots,J. See Farnsworth,H.E., 3=11312
Topa,A. See Comănescu,V., 3=21028
Topa,J. See Bouzyk,J., 3=24946
Topfer,F. After-images, 3=16467
Topol,L.E. and Ransom,L.D. Magnetic susceptibilities of molten Bi—BiI$_3$ solutions, 3=11807
Topor,D. See Murgulescu,I.G., 3=3796
Toporkov,S.A. See Utkin,K.G., 3=21874
Toporov,Yu.P. See Deryagin,B.V., 3=13387
Topper,T. See Lowe,H., 3=13347
Toptȳgin,I.N. Annihilation of positrons in an ionized gas, 3=2249
Torbe,I. See Abbot,M.B., 3=9411
Toresson,Y.G. and Edlén,B. The $1s2s\,^1S$ level of Li$^+$, 3=2569
Torgesen,J.L.,Horton,A.T. and Saylor,C.P. Equipment for single crystal growth from aqueous solution, 3=13413
Torizuka,Y. See Barber,W.C., 3=10332
Torizuka,Y. See Goldemberg,J., 3=4626
Torizuka,Y. See Goldemberg,J. 3=10092
Torizuka,Y. See Goldemberg,J., 3=15181
Torlin,B.Z. Ershler,B.Z., 3=10429
Torney,F.L., Jr and Feakes,F. Pressure measurements below 10^{-10} torr with Bayard—Alpert and magnetron gauges, 3=23951
Tornielli,G. See Manduchi,C., 3=8036
Torok,E.J. and White,R.A. Longitudinal permeability in thin permalloy films, 3=15831
Török, T. Current problems in quantitative photographic techniques of emission spectrum analysis, 3=1405
Toropkin,Yu.N. See Biberman,L.M., 3=7432
Toropov,N.A. and Vasil'eva,V.A. Synthetic scandium silicates, 3=13485
Torossian,A. See Rebut,P.H., 3=1992
Torossian,A. See Rebut,P.H., 3=21765
Torrens,I.McC. See Chadderton,L.T., 3=25306
Torrey,H.C. Chemical shift and relaxation of Xe^{129} in xenon gas, 3=16667
Torrey,H.C. See Resing,H.A., 3=20662
Torrey,M.D. See Merts,A.L., 3=22468
Torun,A. See Figielski,T., 3=10845
Toschi,R. See Allen,J.E., 3=12169
Toselli,F. See Casini,G., 3=2519
Toshev,S.D. Detection of domain structure in ammonium fluoberyllate crystals, 3=25401
Toshyan,R.T. See Arustamova,M.E., 3=24849
Tosi,M. Cohesive energy of the alkali halide crystals, 3=22620
Tosi,M.P. and Fumi,F.G. Temperature dependence of the Debye temperatures for the thermodynamic functions of alkali halide crystals, 3=22667
Tosi,M.P. See Fumi,F.G., 3=2690
Tosima,S. and Hirota,R. New type of two-stream plasma instability, 3=24312
Tosima,S. See Hirota,R., 3=19419
Tosima,S. See Horita,R., 3=17838
Tosima,S. See Steele,M.C., 3=25222
Toth,I. See Kuhn,W., 3=16163
Tóth,J. See Nagy,E., 3=25753
Toth,K.S. N^{13} and C^{11} range and angular distributions from N^{14} on B^{10}, 3=17501
Toth,K.S. and Newman,E. Excitation functions for single-nucleon transfer reactions close to the barrier, 3=12703
Toth,K.S. See Boom,R.W., 3=5784
Toth,K.S. See Newman,E., 3=6301
Toth, L.E. See La Force, R.C., 3=18150
Toth,R.S. and Sato,H. Long period superlattice Cu$_3$Au II, 3=1356
Toth,R.S. See Sato,H., 3=1358
Toth,R.S. See Sato,H., 3=15830
Totubalin, V.N. See Kolchin,A.M., 3=3966
Toubeau,G. New optical methods for the determination of the difference in the coefficients of absorption in transparent crystalline media, 3=1822
Touchard,L.J. Elastic properties of semiconducting crystals belonging to the diamons, blende, and wurtzite types, 3=23279
Touitou,J. See Launay,L., 3=23573
Toulis,W.J. Electromechanical coupling and composite transducers, 3=7293
Toulis,W.J. Acoustic focusing with spherical structures, 3=9561
Toulis,W.J. Acoustic-wave-theory interpretation of surface and bottom reverberation, 3=16202
Toulis,W.J. Mutual coupling with dipoles in arrays, 3=18921
Toupin,R.A. See Gazis,D.C., 3=23812
Tourin,R.H. Optically thick plasmas, 3=16924
Tourin,R.H. See Babrov,H.J., 3=11992
Tournarie,M. Recent developments of the matrical and semi-reciprocal formulation in the field of dynamical theory, 3=1305
Tournier,R.,Veyssié,J.J. and Weil,L. Contribution to the study of the structure of dilute solutions of cobalt in copper, 3=8635
Tournier,R. and Weil,L. Ferrimagnetic and anti-ferromagnetic properties of dilute alloys of cobalt in copper down to 0·08 °K, 3=3132
Tournier, R. and Weil,L. Antiferromagnetism in dilute alloys of cobalt in copper, 3=5028
Tournois,P. See Lowenthal,S., 3=23982
Touschek,B. See Bernardini,C., 3=17005
Touschek,B.F. See Barbour,I.M., 3=16724
Tousey,R. Space spectroscopy at U.S. Naval Research Laboratory—photographic technique, 3=11615
Tousey,R. The extreme ultraviolet—past and future, 3=14337
Tousey,R. See Koomen,M.J., 3=18556
Toussaint,G. See Champier,G., 3=10578
Toutenhoofd,W. See Robson,D., 3=24928
Toutonghi,J.P. See Davis,H.F., 3=24757
Toutonighi,J.P. See Masek,G.E., 3=10140
Tovrog,T. See Krawetz,A.A., 3=9660
Tovstyuk,K.D. and Borets',O.M. Graphical method for the determination of optical constants of single-crystal semiconductors by transmission measurement, 3=23041
Tovstyuk, K.D. and Gemus, D.M. Energy spectrum structure of CdSb-type crystals, 3=17684
Tovstyuk, K.D, Gusev, S.M. and Rakin, G.V. The mobility of charge carriers in CdSb, 3=25358
Tovstyuk,K.D. and Havaleshko,M.P. Magnetic susceptibility of mercury telluride [from 90 to 400° K], 3=20563
Tovstyuk,K.D. and Tarnavskaya,M.V. Investigation of the energy spectrum in crystals with $O_h^1-O_h^{10}$ structures, 3=25232
Towle,J.H. and Gilboy,W.B. Spin assignments in Al^{27} from neutron scattering studies, 3=6140
Towle,J.H. and Gilboy,W.B. Inelastic neutron scattering in Pb^{208}, 3=17477
Townsend, J.R. and Keller, J.M. Boundary effect corrections for the Thomas–Fermi atomic interaction potential, 3=17562
Towle,J.H. See Batchelor,R., 3=2469
Towle,J.H. See Gilboy,W.B., 3=12681
Townes,C.H. See Garmire,E., 3=24524
Townes,C.H. See Jaseja,T.S., 3=19496
Townsend,M.G. See Porter,G., 3=2668
Townsend,P. and Sutton,J. Investigation by electron tunneling of the superconducting energy gaps in Nb, Ta, Sn, and Pb, 3=333
Townsend,P.D. See Mitchell,E.W.J., 3=4991
Toxen,A.M. and Burns,M.J. Critical fields of thin superconducting films. II. Mean free path effects in indium – tin alloy films, 3=14448
Toxen,A.M. and Tansal,S. Ultrasonic amplification in bismuth, 3=20095
Toyama,M. See Morino,Y., 3=8872
Toyoda,H. See Ikeda,T., 3=15624
Toyoda, H. See Itakura, M., 3=25360
Toyoda,K.,Kawabata,A. and Tanaka,T. Dielectric behaviours of γ-ray irradiated triglycine sulfate, 3=25406
Toyoda,Y. See Kameda,T., 3=4512
Toyozawa,Y. Localized spins and negative magneto-resistance in impurity conduction at high concentrations, 3=10737
Tozer,B.A. See Barber,P.B., 3=9739
Tozer,T.N. and Tuck,L.D. Proton and C^{13} hyperfine splitting in dibenzo-p-dioxin free radical, 3=20017
Trabucco,A. See Marzari-Chiesa,A., 3=19695

Tradowsky,K. Measurements on polarized electron beams with electron–electron (Møller) scattering, 3=19331
Trail,C.C. See Monahan,J.E., 3=6198
Trainor,L.E.H. See Revzen,M., 3=3765
Trakhtenberg,I.Sh. See Arkharov,V.I., 3=20221
Trakhtenberg,I.Sh. See Klotsman,S.M., 3=2816
Trakhtenberg',I.Sh. See Klotsman,S.M., 3=8451
Trakhtenberg,I.Sh. See Klotsman,S.M., 3=20222
Trammell,G.T. Magnetic ordering properties of rare-earth ions in strong cubic crystal fields, 3=20051
Trammell,G.T. Symmetry functions of the cube, 3=12901
Tramer,A. Vibration spectrum and structure of thiocyanate complexes. III. Spectrum of oriented single crystals, 3=3012
Tramposch,R.F. and Rindner,W. Room-temperature slip in Ge, 3=22792
Tramposch,R.F. See Rindner,W., 3=11155
Trapeznikov,V.A. Investigation of the binding forces in Ni–Mo solid solutions by observing the fine structure of the absorption spectra, 3=5141
Trapeznikov,V.A. Method of measuring the depth of a coating by means of reabsorption, 3=6898
Trapp, C. and Stout, J.W. Magnetic susceptibility of MnF_2, 3=18115
Trapp,H.D. See Lam,D.J., 3=23141
Trapp, H.D. See Van Ostenburg, D.O., 3=3204
Träuble,H. See Boser,O., 3=20576
Trautman,A. Analytic solutions of Lorentz-invariant linear equations, 3=3728
Trautman,A. Newtonian theory of gravitation, 3=23738
Travina,N.T. See Bagaryatskii,Yu.A., 3=16099
Traving,G. See Baschek,B., 3=9201
Travis,D.N. See Barrow,R.F., 3=10505
Travleev,G.N. See Isaenko,V.I., 3=1921
Travleev,G.N. See Vanyukov,M.P., 3=1950
Travleev, G.N. See Vanyukov, M.P., 3=21743
Trawiński,S. See Gutsze,A., 3=12965
Treacy,P.B. H.F.S. coupling of the 123 keV state of Gd^{154}, 3=19789
Treacy,P.B. See Barker,F.C., 3=660
Treacy,P.B. See Barker,F.C., 3=22292
Treacy,P.B. See Symons,G.D., 3=19850
Treado,P.A. See Chagnon,P.R., 3=7989
Treanor,C.E. See Marrone,P.V., 3=22604
Treanor,C.E. See Wurster,W.H., 3=3836
Treanor,P.J. Wavelength dependence of interstellar polarization, 3=13855
Trebukhovskii,Yu.V. See Vladimirskii,V.V., 3=7861
Treder,H. Gravitation fields in which the determinant of the $g_{\mu\nu}$ has zeros, 1596
Treder,H. See Dautcourt,G., 3=5333
Treder,H. See Papapetrou,A., 3=35
Tredgold,R.H. See Branwood,A., 3=2962
Tredgold,R.H. See Cohan,N.V., 3=20135
Tredgold,R.H. See Cox,G.A., 3=13128
Trees,R.E. Nonlinear effects in spectra of the iron group, 3=8185
Trefftz,E. The cross-section for ionization of O^{5+} by electron impact, 3=5619
Trehan,P.N.,French,J.D. and Goodrich,M. Decay of Cs^{134} and the level scheme of Ba^{134}, 3=24903
Trehan,P.N. See Shafroth,S.M., 3=10363
Treille,D. See Grossetete,B., 3=5985
Treille,D. See Grossetête,B., 3=19612
Treiman,S.B. Adair spin analysis with parity non-conservation, 3=2229
Treiman,S.B. See Bargmann,V., 3=3700
Treinin,A. See Burak,I., 3=21377
Treisman,M. Auditory unmasking, 3=21167
Treivus,E.B. See Kasatkin,A.P., 3=23405
Trellis,M. The axis of symmetry of the solar "Royal Zones", 3=16373
Trellis,M. The influence of [heliographic] latitude on the growth of sunspot areas, 3=21109
Treloar,F.E. See Maddock,A.G., 3=22871
Tremblay,R. See Arsac,J., 3=5204
Tremmel,J. See Morlin,Z., 3=17809
Trendelenburg,E.A. See Hengenvoss,J., 3=12008
Treptow,H. Form of the blue emission band of variously activated zinc sulphide, 3=10995
Treptow,H. An anastigmatic optical system with two spherical concave mirrors [for monochromators], 3=11920
Treptow,H. See Ortmann,H., 3=8625
Treptow,H.J. On the excitation mechanism in ZnCdS:Mn, 3=6676
Tret'yakov,Ch.A. and Shestoperov,V.Ya. Calculation of fluctuations of the lateral distribution of large atmospheric shower particles, 3=6120
Tret'yakov,E.F.,Pirogova,N.I. and Gol'din,L.L. Conversion transitions accompanying α-decay of Th^{229} and the level diagram for Ra^{225}, 3=8056
Tret'yakov,V.I. See Baskin,M.L., 3=25295
Tretyakova,C.A. See Babayan,H.P., 3=6103
Tretyakova,C.A. See Grigorov,N.L., 3=10197
Tret'yakova,Ch.A. See Babayan,Kh.P., 3=19595
Tret'yakova,Ch.A. See Babayan,Kh.P., 3=22237
Tret'yakova,M.I. See Alekseeva,K.I., 3=2334
Tret'yakova,M.I. See Alekseeva,K.I., 3=2428
Tretyakova,M.I. See Alekseeva,K.I., 3=4535
Tret'yakova,M.I. See Alekseeva,K.I., 3=6001
Tret'yakova,M.I. See Alekseeva,K.I., 3=19596
Tret'yakova,M.I. See Alekseeva,K.I., 3=22228
Tret'yakova,M.I. See Zhdanov,J.B., 3=7826
Treuenfels,E.W. Emissivity of isothermal cavities, 3=24101
Treuting,R.G. and Batterman,B.W. A diffractometer study of long-range ordering in Ni_3Fe and associated permalloys, 3=18337
Treuting,R.G. See Hauser,J.J., 3=14452
Trève,Y.M. See Golden,K.I., 3=7529
Treves,D. See Brown,W.F.,Jr, 3=14713
Treves,D. See Shtrikman,S., 3=13027
Treves,D. See Shtrikman,S., 3=15732
Treviño,S.F. See Behof,A.F., 3=19637
Trevino,S.F. See Kelsey,C.A., 3=6243
Trévoux,P. See Couture,L., 3=15702
Trévoux,P. See Forrat,F., 3=15670
Trezek,G.J. See Dimick,R.C., 3=24088
Triaille,E.A. See Courtoy,C.P., 3=6399
Tribes,R. See Grosvalet,J., 3=13101
Tric,C.,Benoit a la Guillaume,C. and Debever,J.M. Negative absorption in a specimen of InAs, 3=6639
Triché,H. Influence of the composition of a plasma on the intensity of spectral lines, 3=9812
Tricoles,G. Radiation patterns of a microwave antenna enclosed by a hollow dielectric wedge, 3=12317
Triebwasser,S. See Cheroff,G., 3=19490
Trier,A. See Gonzalez,L., 3=24957
Trifonov,E.D. The probability of phonon-less transitions in impurity centres of crystals, 3=10648
Trillat,J.J. See Sella,C., 3=17806
Trilling,G.H. See Brown,J.L., 3=12500
Trinkler,É.I.,Gol'din,V.A. and Osipov,V.B. Effect of gamma-irradiation on disaccommodation in Ni–Zn ferrites, 3=11095
Trinkler,M.F. See Plyavin',I.K., 3=945
Trinkler,M.F. See Zunde,B.Ja., 3=18023
Trinquier,J. See Dupouy,G., 3=19343
Tripathi,A.N. See Rustgi,M.L., 3=25703
Tripathi,B.B. Vibration spectrum of copper by Dayal's secular determinant, 3=2713
Tripathi,B.B. See Dayal,B., 3=2706
Tripathi,B.B. See Singh,S.P., 3=2714
Tripathi,K. See Srivastava,G.P., 3=20364
Tripathy,D.N. See Pradhan,T., 3=16908
Tripp,R.D. See Kirz,J., 3=17316
Tripp,R.D. See Watson,M.B., 3=24793
Trips,A.R. See Alexander,J.M., 3=10397
Triquet,A.M. See Fruchart,E., 3=1134
Trischka,J.W. Circuit for noise reduction in a magnetic suspension balance, 3=5608
Trivedi,G.K. See Chaudhari,K.R., 3=1663
Trivelpiece,A.W. and Maxum,B.J. Cyclotron wave nonconvective instability, 3=4162
Trivich,D. See Zirin,M.H., 3=25428
Trka,Z. See Kopylova,D.K., 3=24774
Trka,Z. See Lyubimov,V.B., 3=7901
Trka, Z. See Van Gan-chan [Wang Kang-ch'ang], 3=2302
Trlifaj,L. Partially inserted block in a square lattice, 3=2536
Trlifai,L. Two-group plane boundary conditions for square lattices, 3=8154
Trnka,J. See Bohun,A., 3=813

Trnka,J. See Bohun,A., 3=4985
Trnka,J. See Bohun,A., 3=18008
Trofimenko,A.P. and Sheinkman,M.K. Effect of an electric field on thermally stimulated conductivity of CdS monocrystals, 3=6592
Trofimova,G.M. See Barkalov,I.M., 3=6925
Troĭnar,E. On the destruction of superconductivity by a current, 3=21658
Troinar,E. See Batrakov,G.F., 3=5594
Troitskii,O.A. and Likhtman,V.I. The joint action of β-radiation and a surface active medium on the mechanical properties of zinc single crystals, 3=8781
Troitskii, O.A. and Likhtman, V.I. The joint action of mercury and radioactive radiations on the mechanical properties of zinc single crystals, 3=18174
Troitskii,O.A. and Likhtman,V.J. Anisotropy of the action of electron and gamma irradiation on the process of deformation of fragile single crystals, 3=20178
Troitskii,V.S. Directivity of a molecular beam formed by gas flow in a channel, 3=2679
Troitskii,V.S. See Ivanov,B.S., 3=25156
Troitskii,V.S. See Krotikov,V.D., 3=9264
Troitskii,V.S. See Lazarevskii,V.S., 3=11607
Trojan,O.A.D. See Mohindra,V.K., 3=23604
Troianowski,L. See Adamski,T., 3=13016
Trombe,F. Great lowering of temperature obtained in radiation of a black body to space, 3=11403
Trombe,F. New experiments on the cooling of black bodies radiating into space. Tests with an arrangement of five stages of radiators, 3=14412
Tromp,R.L. See Faler,K.T., 3=22437
Trönsdal,G.O. and Sörum,H. An X-ray diffraction method for the study of interdiffusion in metals, 3=2822
Tropé-Martres,M.J. See Avignon,Y., 3=16376
Tropin,Yu.D. See Vlasov,A.Ya., 3=8664
Tropper,H. See Zaky,A.A., 3=23900
Trorey,A.W. Theoretical seismograms with frequency and depth dependent absorption, 3=6946
Troshenskii,D.P. See Nilender,R.A., 3=972
Trossi,L. See Colombino,P., 3=7835
Trost, W. See Rose, H.J, 3=17399
Trostin,I.S. and Smotryaev,V.A. Neutron polarization in the D(d,n)He^3 reaction, 3=24807
Trostin,I.S. See Levintov,I.I., 3=4666
Trostin,I.S. See Levintov,I.I., 3=24963
Trotel,J. See Brun,E.A., 3=5458
Trotin,J.C. See Loupias,G., 3=12397
Trotter,D.E. and Billings,D.E. Longitudinal variation of a zone of solar activity, 3=7030
Trotter,J. See Catterall,J.A., 3=16628
Trotter,J. See Catterall,J.A., 3=25476
Troup,G. Masers and lasers, 3=14795
Trout,G.M. See Hassan,S.A., 3=14394
Troutner,D.E.,Ferguson,R.L. and O'Kelley,G.D. Yields and
Troy,D.J. See Glasser,L.G., 3=5175
Troyanskii,E.A. and Solov'yeva,Yu.P. The nature of the yield plateau, 3=5062
Trüb,F. See Pfefferkorn,G., 3=18413
Trubchaninov,S.A. See Kalmȳkov,A.A., 3=7547
Trübenbacher,E. Thermal diffusion for a binary mixture of gases of rough spheres of equal masses and equal diameters, 3=11818
Trubert,M.R.P. Response of elastic structures to statistically correlated multiple random excitations, 3=18880
Trubitsyn,V.P. See Kalinin,V.A., 3=14240
Trubnikov,B.A. and Yakubov,V.B. Cyclotron radiation of electrons having a two-dimensional Maxwellian distribution, 3=12112
Trubnikov,G.R.,Sivergin,Yu.M. and Grebennikov,B.V. Programme control of temperature, 3=5552
Truby,F.K.,MacCallum,C. and Hesse,J.E. E.S.R. studies of γ-irradiated n-octadecyl disulfide, 3=6416
Truchan,M. See Bryan,G.M., 3=11386
Truchasson,C. See Meric,J., 3=7177
True,W.W. Nitrogen–14 and the shell model, 3=15076
True,W.W. See Pinkston,W.T., 3=10275
Trueblood,K.N. See Gillespie,R.B., 3=8852
Truell,R. and Granato,A. Anomalous ultrasonic velocity changes in deformation and irradiation induced dislocation pinning, 3=23325
Truell,R. and Oates,W. Effect of lack of parallelism of sample faces on the measurement of ultrasonic attenuation, 3=23984
Truell,R. See Hikata,A., 3=17762
Truell,R. See Hikata,A., 3=23320
Truesdell,C. Mechanical basis of diffusion, 3=1639
Truitt,J. See Evans,R.B.III, 3=16652
Trujillo,S.M. See Neynaber,R.H., 3=8207
Trujillo,S.M. See Rothe,E.W., 3=711
Trukhan,É.M. Dispersion of the dielectric constant of heterogeneous systems, 3=22971
Trulio,J.G. See Brush,S.G., 3=21258
Trulio,J.G. See Keller,D.V., 3=11180
Trumbore,F.A., Spitzer,W.G., Logan,R.A. and Luke,C.L. Solid solubilities of antimony, arsenic, and bismuth in germanium from a saturation diffusion experiment 3=3342
Trümper,M. Mathematical structure and a class of rigorous solutions of Jordan's extended gravitation theory, 3=14003
Truneček,V. The torch discharge and torch arc, 3=16919
Trunin,R.F. See Al'tshuler,L.V., 3=6786
Truong,T.N. See Downs,B.W., 3=10179
Trusov,A.A. See Tolstoĭ,N.A., 3=15711
Truţia,A. Optimum conditions of detection and of spectroscopic abundance of alkali metals in a flame, 3=8990
Truţia,A. New method of determining the temperature of some spectral sources, 3=16829
Truţia,A. New spectral source, 3=19000
Truţia,A. New method for determination of the temperature of some spectral sources, 3=19051
Trutia,A. and Bohun,A. Optical behaviour of cobalt and nickel ions in different media, 3=10923
Trutia,A. and Voszka,R. The origin of OH^- bands in various electrolytically coloured NaCl crystals, 3=20488
Truttse,Yu.L. Anomalous rise in the intensity of the atmosphere's natural glow in the λ 5577 A region, 3=13780
Tsadikova,G.R. See Takibaev,Zh.S., 3=19623
Tsai,B. and Desportes,H. Electromagnets, 3=4246
Tsai-Chü,Fitan,J. and Schune-Boisble,D. Calculation of the multiple scattering in nuclear emulsions by summation of the second differences in the measured sagittas of tracks, 3=7752
Tsai-Chü,Fitan,J. and Schune-Boisble,D. A new proposed method for the study of multiple scattering by means of sums of the second differences of the measured sagittas of the tracks in nuclear emulsions, 3=7753
Tsai-Chu See Batthyany, I., 3=4387
Tsai-Chu. See Fitan,J., 3=24567
Tsai,D.H. See Cassidy,E.C., 3=14384
Tsai Ko-en. Heat transfer in a turbulent liquid flow at large Prandtl numbers and arbitrary viscosity, 3=18791
Tsakadze,D.S. Effective mutual friction between the superfluid and normal components of He II along its axis of rotation, 3=21645
Tsakadze,D.S. Formation of a central vortex in rotating liquid helium, 3=21646
Tsakadze,D.S. See Andronikashvili,E.L., 3=16851
Tsal', N.A. See Pashkovskii, M.V., 3=17944
Tsang,S.C. See Bauer,S.H., 3=8236
Tsang,T. See O'Reilly,D.E., 3=25587
Tsao, C.H. See Abraham, F., 3=17379
Tsapu,K. See Iftode,I., 3=25022
Tsarenkov,A.P. See Kazanskii,G.S., 3=19387
Tsarenkov,A.P. See Kazanski,G.S., 3=24416
Tsarenkov, B.V. See Gutkin, A.A., 3=17914
Tsarenkov,B.V. See Nasledov,D.N., 3=17990
Tsarenkov,B.V. See Nasledov,D.N., 3=20350
Tsarev,B.M. and Illarionov,S.V. Optical constants of LaB_6 and CeB_6, 3=20437
Tsarev,V.A. See Nelipa,N.F., 3=4426
Tsarev,V.A. See Nelipa,N.F., 3=22196
Tsarev,V.A. See Zavaritskii,N.V., 3=15792
Tsarevskii,B.V. and Popel',S.I. Effect of phosporus and sulphur on the surface properties of iron, 3=11775
Tschibissow,K.W. and Warschawer,B.G. The separation of foreign centres in the microcrystals of the emulsion, 3=3903
Tschoegl,N.W. Influence of hydrodynamic interaction on the viscoelastic behavior of dilute polymer solutions, 3=18810
Tsekhmīstrenko,Yu.V. See Ol'khovs'kii,V.S., 3=22396
Tsekhmīstrenko,Yu.V. See Ol'khovs'kiĭ,V.S., 3=22397
Tsekhomskii,V.A. See Evstrop'ev,K.K., 3=22936
Tseng,P.K. Convenient method for measuring single Moessbauer [Mössbauer] absorption line spectra, 3=22100

Tseng,P.K. See Hsu,Y.C., 3=22402
Tsenter,M.Ya. and Bobovich,Ya.S. Problem of dependence of intensity of Raman scattering lines upon the frequency of the perturbing radiation, 3=11797
Tsepas,J. See Eldridge,D.C., 3=3905
Tsertsvadze,A.A.,Chkhartishvili,Yu.V. and Kachlishvili,Z.S. Calculation of the ionic and atomic contributions to binding in silicon carbide crystals, 3=6451
Tsidil'kovskii, I.M. Scattering of electrons and holes in alloyed InSb, InAs, and GaAs, 3=17884
Tsidilkovski,I.M. [Tsidil'kovskii] and Guseva,G.I. The lattice scattering of electrons in InSb, 3=10820
Tsidil'kovskii, I.M. See Guseva, G.I., 3=17882
Tsidil'kovskii, I.M. See Guseva, G.I., 3=17885
Tsikanov,V.A., See Feinberg,S.M., 3=10421
Tsikin,A.N. See Kunin,V.Ya., 3=23000
Tsikora,I.L. See Zhitkevich,V.F., 3=19925
Tsilosani,N.N. See Matinyan,S.G., 3=2232
Tsin Chén-Zhui [Ch'ing Ch'êng Jui] and Novikov,L.S. Deviations from the allowed form of the P^{32} β-spectrum, 3=6201
Tsinober, L.I. A feature of the Pleochroism of coloured synthetic quartz, 3=17987
Tsinober,L.I. See Melankholin,N.M., 3=25691
Tsinzerling,E.V. and Mironova,Z.A. Revealing dislocations in quartz by the selective etch method, 3=25284
Tsirlin,Yu.A., Shishova,L.N. and Kibal'chich,G.A. On the form of Compton spectra of organic scintillators, 3=2162
Tsislyak,O.M. See Bychkov,Yu.A., 3=17160
Tsitseika,Sh. See Khulubei,Kh., 3=6029
Tsivinskii,S.V. See Stepanov,A.V., 3=18282
Tsivtsivadze,T.A. See Sanadze,V.V., 3=22812
Tskhai,N.S. Thermodynamic calculations of the concentration of metal atoms and flame temperature, 3=3393
Tso-hsiu,Ho. and Kuang-Chao,Chou. Suggestion of an experiment to detect the p-resonance in $\pi-\pi$ scattering, 3=17319
Tsong-Jen Lee. See Lien-Sheng Chuang, 3=14840
Tsou Chu-lien. See Tszou Chzhu-lyan'.
Tsou,K.C. See Sandler,S.R., 3=25491
Tsuboya,I. and Sugihara,M. The magnetic phase in Mn–Al–Co, –Cu, –Fe and –Ni ternary alloys, 3=1007
Tsuboya,I. and Sugihara,M. The magnetic properties of ϵ phase in Mn–Ga system, 3=15900
Tsuboya,I. See Sugihara,M., 3=25529
Tsuchida,A. and Ohno,K. "Bone-orbital" and "modified electron-pair" calculations on the ammonia molecule, 3=22565
Tsuchida,T. The effects of the two bipion resonances on low energy meson-nucleon scattering, 3=10160
Tsuchida,T. Role of hydrogen atoms in palladium, 3=25749
Tsuchimoto,T. and Hara,E. Pulsed ion source of high frequency type, 3=7649
Tsuchiya,T. Mass spectrometric study of positive-ion emission from iron oxide catalysts containing alkali metals, 3=21891
Tsuda,H. Thermonuclear reactions in stars involving heavy ions up to the formation of iron nuclei, 3=9232
Tsuda,H. and Tsuji,H. Synthesis of Fe-group elements by the rapid nuclear process, 3=24941
Tsuda,M. On the double oven method of mass spectrometer for relative partial pressure measurements, 3=12262
Tsuda,T. A theory of the turbulent electric field fluctuations in electron plasmas.I, 3=389
Tsuda,T. A theory of the turbulent electric field fluctuations in electron plasmas. II, 3=24310
Tsuge,K.,Enjoji,H.,Terada,H.,Ozawa,Y. and Wada,Y. Mechanical dispersion and molecular motion in crystals of polyethylene and other polymers, 3=6781
Tsuge,K. See Wada,Y., 3=1400
Tsui Va-Chuan. See Golovin,B.M., 3=22124
Ts'ui Wa-Ch'uang. See Tsui Va-Chuan.
Tsuji,H. Synthesis of 4N- and their neighboring nuclei by the rapid nuclear process, 3=21123
Tsuji,H. See Tsuda,H., 3=24941
Tsujikawa,I. and Murao,T. Possibility of optical cooling of ruby, 3=15660
Tsujimoto, T. See Adachi, M., 3=18204
Tsujimoto,T. See Adachi,M., 3=18354
Tsujimura,A. See Hihara,T., 3=3198
Tsujimura,A. See Hihara,T., 3=15961
Tsujimura,A. See Koi,Y., 3=1199
Tsukada,K. and Kikuchi,S. Directional anisotropy in the characteristics of the organic-crystal scintillators, 3=6680
Tsukada,K. and Tanaka,O. Statistical analysis of fast neutron total cross-sections of silicon, phosphor, sulfur, and chlorine, 3=19860
Tsukerman,B.I., Meil'man,M.L. and Sorokina,L.P. Radio spectroscopy as a means of orienting crystals, 3=16022
Tsukerman,B.I. and Vinetskaya,M.A. Interpretation of paramagnetic resonance spectra of crystals, 3=18127
Tsukerman,I.S. See Lyagin,I.V. 3=6020
Tsukerman,I.S. See Solov'ev,V.V., 3=6060
Tsukernik,V.M. See Gurzhi,R.N., 3=3096
Tsukernik,V.M. See Kaganov,M.I., 3=8661
Tsukernik,V.M. See Kaganov,M.I., 3=8662
Tsukishima,T. Formative processes in pulsed microwave discharges in mixtures of neon and argon, 3=14537
Tsukishima,T. and Takeda,S. Microwave reflection by uniform dense plasmas, 3=410
Tsukishima,T. and Takeda,S. Microwave reflection by magneto-plasmas, 3=24289
Tsukishima,T. See Fukui,S., 3=5647
Tsukishima,T. See Fukui,S., 3=17155
Tsukishima,T. See Kumagai,M., 3=12086
Tsukishima,T. See Takeda,S., 3=12181
Tsukkerman,I.I. Similarity transformations of electron-optical images, 3=5704
Tsulaya,T.S. See Kucherov,R.Ya., 3=14427
Tsuneto.T. On dirty superconductors, 3=7401
Tsupko-Sitnikov,V.M. See Falomkin,I.V., 3=7881
Tsupko-Sitnikov,V.M. See Zaimidoroga,O.A., 3=4417
Tsupko-Sitnikov,V.M. See Zaimidoroga,O.A., 3=7883
Tsupko-Sitnikov,V.M. See Zaimidoroga,O.A., 3=24770
Tsurumi,S., Kinoshita,K., Kasai,T. and Yamamori,K. Statistical analysis on lightning currents, 3=16224
Tsuruta,T. A new type of shearing interferometer for the measurement of transfer functions of the microscope objective, 3=11937
Tsuruta,T. Measurement of transfer functions of photographic objectives by means of a polarizing shearing interferometer, 3=24047
Tsushima,K. Disaccommodation of silicon-iron single crystal with frame type, 3=1044
Tsushima,T. Magnetic properties and crystal chemistry of nickel chromite single crystals, 3=1011
Tsushima,T. Magnetic properties of ferrite—chromite series of nickel and cobalt, 3=25544
Tsuya,N. and Ebina,Y. Ferromagnetic resonance of holmium nitride, 3=13292
Tsuya,N. See Ebina,Y., 3=8377
Tsuya,N. See Ebina,Y., 3=8378
Tsuya,N. See Ebina,Y., 3=8379
Tsuya,N. See Kainuma,S., 3=11085
Tsvetkov,O.S. See Gorshkov,V.G., 3=22429
Tsvetkov,V.P. See Kravtsova,N.F., 3=25704
Tsvetkova,N.V. See Strigachev,A.T., 3=10302
Tsvetkow,V.N.,Éskin,V.E. and Skazka,V.S. Asymmetry of critical opalescence in polymer solutions, 3=21353
Tsvirko,Yu.A. Excitation of "mechanical" exciton waves by the electromagnetic wave field at the surface of an optically active crystal, 3=20140
Tsvyetkov,V.P. and Kravtsova,N.F. Some aspects of the investigation of the electron distribution in atoms, 3=19934
Tsyashchenko,Yu.P. Infrared dispersion of liquid bromoform in the range 630-800 cm^{-1}, 3=18817
Tsȳbul'skii,V.V. See V'yugov,P.N., 3=4411
Tsyganov,E.N. See Azimov,S.A., 3=6007
Tsȳganov,E.N. See Do In Seb, 3=4393
Tsȳkora,I.L. See Lyuitȳĭ,A.I., 3=23542
Tsȳkora,I.L. See Lyutȳĭ,A.I., 3=23543
Tsypin,S.G. See Dulin,V.A., 3=2274
Tsypin,S.G. See Dulin,V.A., 3=7865
Tsȳtko,S.P. See Antuf'ev,Yu.N., 3=7746
Tsytko,S.P. See Antuf'ev,Yu.P., 3=6246
Tsȳtko,S.P. See Antuf'ev,Yu.P., 3=8087
Tsȳtko,S.P. See Val'ter,A.K., 3=2456
Tsȳtovich,V.N. Some problems in relativistic gas dynamics of charged particles, 3=3830
Tsȳtovich,V.N. Spatial dispersion in a relativistic [isotropic] plasma, 3=4127
Tsȳtovich,V.N. Energy losses of charged particles in a plasma, 3=5673

Tsȳtovich,V.N. Macroscopic renormalization of the mass and energy losses of charged particles in a medium, 3=5715
Tsytovich,V.N. Action of radiation on a charged particle passing through a magneto-active plasma, 3=6946
Tsȳtovich,V.N. Radiative corrections to energy losses of particles in a medium, 3=14929
Tsȳtovich,V.N. Structure of nonlinear plasma waves, 3=16958
Tsȳtovich,V.N. Interaction of fast particles with low-frequency plasma oscillations, 3=24317
Tsȳtovich,V.N. See Zhdanov,J.B., 3=7826
Tsyu-Yu-Mei [Ch'iu-Yu-Mei]. See Polyakova,G.N., 3=15338
Tszou Chzhu-lyan'. See Tyapkin,A.A., 3=24566
Tu,P.S. See Dwyer,O.E., 3=7366
Tu Yüan-ts'ai. See Du Yuan'-ts'ai.
Tu Yüan-Tz-ai. See Du Yan'-tsai.
Tuan,H.S. and Seshadri,S.R. Radiation from a line source in a uniaxially anisotropic plasma, 3=7601
Tuan I-shih and Chang Ching-yeh. Coordinate harmonicity condition in the general theory of relativity, 3=23751
Tubaev,V.M. See Pivovar,L.I., 3=5631
Tubaev,V.M. See Pivovar,L.I., 3=21909
Tubbs,E.F. See Muller,W., 3=9734
Tubbs,M.R. See Bassett,G.A., 3=17808
Tubbs, N., Sagan, U., Rzany, H., Janik, J. A. and Janik, J. The total scattering cross-section of slow neutrons in gaseous H_2S, 3=4733
Tubbs,N. See Gale,N.H., 3=22296
Tubis, A. and Chern, R. Impulse approximation calculation of high-energy deuteron-deuteron elastic scattering, 3=2328
Tubis,A. See Sugawara,M., 3=2221
Tubis,A. See Sugawara,M., 3=14895
Tubota,H. Electrical properties of $A^{II}B^{VI}$ compounds CdSe and ZnTe, 3=20327
Tubota, H., Suzuki, H. and Hirakawa, K. The electrical properties of zinc telluride, 3=25374
Tuček,J. See Patočka,J., 3=2482
Tuchan,F. See Hänsch,H., 3=11262
Tuchkevich,V.M. See Mirzabaev,M., 3=20302
Tuchkevich,V.M. See Romanenko,V.N., 3=25676
Tuck,D.G. See Bullock,E., 3=21410
Tuck,J.L. See Dreicer,H., 3=12122
Tuck,L.D. See Tozer,T.N., 3=20017
Tucker,A.B. See Wells,J.T., 3=22394
Tucker,C.W.,Jr. Gas atom scattering in low-energy electron diffraction, 3=6899
Tucker,D.G. Multiplicative arrays in radio-astronomy and sonar systems, 3=9261
Tucker,R.,Laskar,A. and Thomson,R. Pipe diffusion in LiF, 3=10687
Tucker,R.,Laskar,A. and Thomson,R. Pipe diffusion in LiF, 3=22817
Tuckfield,R.G. and Scott,F.R. Observations of a separation of the emission light during plasma injection, 3=12175
Tucker, J.W. See Persico, F., 3=18139
Tuczek,H. See Bieger,W., 3=7591
Tuczek,H. See Bieger,W., 3=21780
Tuczek,H. See Bieger,W., 3=21811
Tuerpe,D.R. and Knorr,T.G. Observation of self-decorated fission tracks in AgCl crystals, 3=821
Tufeu,R. See Colin,Y., 3=22940
Tufte,O.N., Chapman,P.W. and Long,D. Silicon diffused-element piezoresistive diaphragms, 3=887
Tufte,O.N. and Long,D. Recent developments in semiconductor piezoresistance devices, 3=22969
Tufte,O.N. and Stelzer,E.L. Piezoresistive properties of silicon diffused layers, 3=10798
Tufton,P.J. and Nicholson,R.B. The microstructure of some ductile precipitation-hardened permanent magnet alloy, 3=20895
Tufts,B.J. and Hunemuller,F.J. Determination of sodium cations in atmospheric particles, 3=1408
Tufts,C.F. Electron metallography of tungsten wire using a carbon replica technique, 3=18421
Tuijnman,C.A.F. The dielectric behaviour of oxidized high-pressure polyethylene, 3=22989
Tuinstra,F. See Prins,J.A., 3=18371
Tukhvatullin,R.H. and Vuks,M.F. Rotary mobility and form of molecules, 3=21301
Tukish,E.I. and Nikolsky,S.I. Energy composition of the extensive air shower cores, 3=4498
Tukish,E.I. See Nikolskii,S.I., 3=19730
Tulin,V.A. A field precision thermostat using mercury contact thermometers, 3=7377
Tulinov,A.F. See Bednyakov,A.A., 3=6238
Tulinov,A.F. See Bednyakov,A.A., 3=24718
Tulinov,A.V. See Balashov,V.V., 3=2378
Tulinova,Z.I. See Antonov,R.A., 3=6102
Tulub,A.V. Slow electrons in polar crystals, 3=4850
Tulupov,B.A. See Lazareva,L.E., 3=15087
Tulupov,B.A. See Semenko,S.F., 3=4620
Tumahyan,V.A. See Arustamova,M.E., 3=24849
Tuman, V.S. Streaming potentials at very high differential pressures, 3=16596
Tumanian,V.A. See Arutyunian,F.R., 3=14934
Tumanov, V.I. See Kreimer, G.S., 3=18184
Tumanov,V.S. Splitting of energy levels in the crystal field, 3=15458
Tumanov, V.S. Theory of cross-relaxation in paramagnetic crystals, 3=18142
Tumanov,V.S. See Klȳshko,D.N., 3=9983
Tumanyan,E.R. See Arustamova,M.E., 3=24849
Tumanyan,W.A. See Alikhanyan,A.I., 3=17242
Tumerman,L.A. Uses of luminescence in biological research, 3=13942
Tummers,L.J. See Courvoisier,J.C., 3=23511
Tümmler,R. See Ardenne,M.v., 3=11372
Tung,F. and Wang,P.K.C. Analysis of linear distributed systems with random parameters and inputs, 3=16538
Tung Li,H. and Regensburger,P.J. Photoinduced discharge characteristics of amorphous selenium plate, 3=15613
Tung Tsang. See O'Reilly,D.E. 3=5047
Tunin,M.S. See Shakhparonov,M.I., 3=21354
Tunitskaya,V.F. Thermal luminescence of ZnS phosphors in the temperature range 14-77°K, 3=23132
Tunitskii,L.N. See Krindach,N.I., 3=19987
Tunitskii,N.N. See Kupriyanov,S.E., 3=1931
Tunitskiĭ,N.N. See Kuprianov,S.E., 3=15391
Tunnicliffe,P.R.,Skillings,D.J. and Chidley,B.G. A method for the accurate determination of relative initial conversion ratios, 3=12710
Tunstall,D.P. See Andrew,E.R., 3=25590
Tuominen,J. On the North-South asymmetry of solar activity and hydrodynamical vortices as the immediate cause of sunspots, 3=1521
Turberfield,K.C. See Cocking,S.J., 3=1675
Turberfield,K.C. See Sanders,J.H., 3=7845
Turbin,Yu.A. See Belonogov,A.V., 3=17127
Turchaninova,É.V. Hydrogen distribution in some planetary nebulae, 3=23697
Turchinetz,W. See Bertozzi,W., 3=12513
Turcotte,D.L. See Falk,T.J., 3=1989
Turcotte,D.L. See Falk,T.J., 3=14588
Turf,J. Continuous measurement of natural β-radioactivity with the help of the filter method, 3=15124
Turi,L. See Gimeysi,Z., 3=25010
Turik, A.V. Theory of polarization and hysteresis of ferroelectrics, 3=17934
Turk,M. See Paić,M., 3=19652
Turkalo,A.M. Transmission electron microscopy of deformation twins in silicon iron, 3=17778
Turkdogan,E.T.,Grieveson,P. and Darken,L.S. Enhancement of diffusion-limited rates of vaporization of metals, 3=24120
Turkevich,A.L. See Keith,J.E., 3=7951
Turkin,A.D. and Sobakin,Yu.V. Determination of isotope composition of a mixture of β-active gases using a system of two linked ionization chambers, 3=6187
Turkington,R.R., Brown,J.B. and Osborne,D.V. Observation of the free surface of liquid helium II in rotation, 3=19083
Turkington,R.R. and Osborne,D.V. On the influence of surface tension on the surface profile of a rotating liquid, 3=23845
Turkot,F. See Chadwick,G.B., 3=2261
Turkot,F. See Fujii,T., 3=2262
Turkot,F. See Purcell,E.M., 3=10069
Turkovich von,B. See Koehler,J.S., 3=798
Turnbull,D. See Cormia,R.L., 3=21311
Turnbull,D. See Cormia,R.L., 3=23420
Turnbull,J.A. See Jenkins,G.M., 3=13395
Turnbull,W. See Medved,D.B., 3=4103
Turner,A. See Kramer,B., 3=23110
Turner,B.R. See Stebbings,R.F., 3=14530

Turner,D.T. See Peterlin,A., 3=16619
Turner,D.W. and Al Jobory,M.I. Determination of ionization potentials by photoelectron energy measurement, 3=7434
Turner,G. and Bauer,E. The structure of metal films evaporated in an inert gas and its relation to heterogeneous catalysis, 3=20929
Turner,J.A. See Hoffman,G.R., 3=23157
Turner,J.A. See Shepherd,W.H., 3=13066
Turner,J.J. See Ebsworth,E.A.V., 3=22603
Turner,J.S. Model experiments relating to thermals with increasing buoyancy, 3=11402
Turner,J.S. See Squires,P., 3=6960
Turner,J.S. See Telford,J.W., 3=16836
Turner,L.A. Further remarks on the zeroth law, 3=60
Turner,L.A. Temperature and Caratheodory's treatment of thermodynamics, 3=9664
Turner,M.J.B. See Thompson,J.E., 3=6805
Turner,P. See Lowe,H., 3=13347
Turner,R. See Baird,K.M., 3=19498
Turner,R. See Shibukawa,T., 3=13326
Turner,R.B. See Bigham,C.B., 3=25001
Turner,R.B. See Bigham,C.B., 3=25031
Turner,R.B. See Chidley,B.G., 3=25030
Turner,R.E. See Kosály,G., 3=4400
Turner,R.E. See Parry,W.E., 3=77
Turner,R.E. See Parry,W.E., 3=11725
Turner,R.E. See Rockmore,D.M., 3=22804
Turner,T.J. and Williams,G.P.,Jr. Concentration dependence of Zener relaxation in silver—gold solid solutions, 3=23299
Turov,E.A. Conditions of existence of weak ferromagnetism and classification of weakly ferromagnetic structures, 3=6696
Turov,E.A. Longitudinal magnetization effect in an antiferromagnetic by a transverse, circularly-polarized magnetic field, 3=6731
Turov,E.A. Noncollinear ferro- and antiferromagnetism, 3=6728
Turov,E.A. and Shavrov,V.G. Some galvano- and thermomagnetic effects in antiferromagnetics, 3=15529
Turovskiĭ,B.M. Problem of the visualization of the form of the crystallization front of silicon single crystals by the selective etching method, 3=20782
Turovskii,B.M. and Mil'vidskii,M.G. Modelling the mixing of a melt during the growing of crystals according to the Czochralski method, 3=13411
Turovtsev,V.V. See Luk'yanov,A.V., 3=2354
Turrell, B.G. See Cameron, J.A., 3=17636
Tursunov,A. See Bir,G.L., 3=20689
Turtle,A.J. and Baldwin,J.E. A survey of galactic radiation at 178 Mc/s, 3=7050
Turubarov,V.I. See Nikitenko,V.I., 3=18462
Turver,K.E. See Lillicrap,S.C., 3=19734
Tutakin,P.M. Polarization of the γ-rays from the $Si^{30}(p,\gamma)P^{31}$ reaction, 3=8088
Tutakin,P.M. Polarization of gamma-rays from the reaction $Si^{30}(p,\gamma)P^{31}$, 3=15195
Tutovan,V. and Bursuc,I.D. Critical thickness of thin layers of iron obtained by electrolytic deposition, 3=3109
Tutter,M. See von Gierke,G., 3=4030
Tuttle,W.A. See Androulakis, J.G., 3=17125
Tuul,J. A study of adsorption of various gases at 300°K, 3=3364
Tuzhilin,A.A. See Malyuzhinets,G.D., 3=5845
Tuzi,K. Tokyo Mitaka catalogue of equatorial stars for the equinox 1950.0 (tme), 3=9227
Tverskoi,B.A. One-dimensional self-similar waves moving in a plasma along a magnetic field, 3=5672
Tweedale,K. See Clarke,B.H., 3=15925
Twersky,V. On scattering of waves by the infinite grating of circular cylinders, 3=7705
Twiddy,N.D. Electron energy distributions in plasmas. V. A search for evidence of a high anomalous rate of energy exchange between the electrons of a low-pressure discharge, 3=24268
Twidell,J.W. See Hayes,W., 3=8710
Twidell,J.W. See Hayes,W., 3=20650
Twin,P.J. and Willmott,J.C. Finite solid angle corrections for NaI(Tl) crystals when pulse height selection is employed, 3=14823
Twiss,R.Q. On negative absorption in an electron—ion plasma when radiation takes place by free—free transitions, 3=1982
Twiss,R.Q., Carter,A.W.L. and Little,A.G. Radio source interferometry at 1427 Mc/s, 3=3626
Twomey,S. The determination of aerosol size distributions from diffusional decay measurements, 3=13625
Twomey,S.A. Table of the planck function for terrestrial temperatures, 3=18511
Tyablikov,S.V. Low temperature splittings in the theory of ferromagnetism, 3=18065
Tyablikov,S.V. and Bonch-Bruevich,V.L. Perturbation theory for double-time temperature-dependent Green functions, 3=7142
Tyablikov, S.V. and Yakovlev, E. N. Generalization of the spin-wave method to finite temperatures, 3=18070
Tyagi,N.K. New derivation of the Heisenberg uncertainty principle, 3=21229
Tyapkin,A.A. and Tszou Chzhu-lyan' [Tsou Chu-lien]. Production of a discharge along the particle track in a spark chamber, 3=24566
Tyapkin,A.A. See Peter,G., 3=24564
Týapkin,A.A. See Veksler,V.I., 3=578
Tyapkin,Yu.D.,Bagaryatskii,Yu.A. and Gavrilova,A.V. Study of the changes in crystal structure of nickel—beryllium alloy at an early aging stage, 3=13507
Tyapkin, Yu.D. See Bagaryatskii, Yu.A., 3=18291
Tyapkina,N.D. See Kurova,I.A., 3=2976
Tycho,D. See Barloutaud,R., 3=7888
Tycho,D. See Barloutaud,R., 3=7904
Tycko,D.H. See Plano,R.J., 3=17137
Tye,R.P. See Powell,R.W., 3=272
Tye,R.P. See Powell,R.W., 3=17671
Tye,R.P. See Powell,R.W., 3=25216
Tyler,J.E. Design theory for a submersible scattering meter, 3=19023
Tyler,J.K., Thomas,L.F. and Sheridan,J. Comments on the paper "rotational spectrum of the cyanamide molecule", 3=2649
Tyler,P.M. A method for testing magnets of simple shape in quantity, 3=7677
Tynan,R. See Potter,R.J., 3=5513
Tyras,G.,Ishimaru,A. and Swarm,H.M. Field of a horizontal magnetic dipole in the presence of a magnetoplasma halfspace, 3=21978
Tyror,J.G. See Beardwood,J.E., 3=10419
Tȳrziu,V.G. See Kot,M.V., 3=2882
Tȳs,Ya. See Flerov,G.N., 3=2501
Tȳs,Ya. See Volkov,V.V., 3=2502
Tȳs,Ya. See Volkov,V.V., 3=6302
Tystko,S.P. See Val'ter,A.K., 3=12586
Tyte,D.C. Intensity measurements on the nitrogen second positiv system in a low temperature discharge, 3=2620
Tyte,D.C. The effect of helium on the intensity of the second positive system of nitrogen, 3=2621
Tyte,D.C. Intensity variations of the nitrogen first negative system in nitrogen—helium mixtures, 3=2622
Tyte,D.C. Some observations on the nitrogen first negative system, 3=4755
Tyutikov,A.M. External photoeffect and secondary electron emission of BeO layers on an oxidized beryllium bronze surface, 3=24337
Tyutikov,A.M. An open-type electron multiplier with a venetian-blind cathode, 3=24341
Tyutikov,A.M. See Shuba,Yu.A., 3=9150
Tyutikova,L.P. See Shatilov,A.V., 3=21558
Tyutekin,V.V. Reflection and refraction of flexure waves at the boundary of separation formed by two plates, 3=14237
Tzalmona,A. See Aharoni,A., 3=20979
Tzalmona,A. See Sasson,M., 3=9958
Tzoar,N. See Ron,A., 3=16941
Tzou Chu-Lyang. See Peter,G., 3=24564
Tsou,K.-H. Complex spaces and quaternions in the theory of leptons, 3=17178
Tzou,K.H. Inversion M, symmetrization M and chirality, 3=17190
Tzyganov,E.N. Elastic high energy proton—proton scattering, 3=6000

Ubbelohde,A.R. Transitions between condensed states of matter. Second Van't Hoff lecture, 3=11207

Überall,H. Scattering of electromagnetic waves in Saxon—Schiff theory, 3=5846
Überall,H. Regge pole hypothesis and polarisations in πp and Kp scattering, 3=12493
Uberoi,M.S. Flow fields of flame propagating in channels based on the source sheet approximation, 3=21594
Uberoi,M.S. Energy transfer in isotropic turbulence, 3=23922
Uberoi,M.S. and Chuen-Yen Chow. Instability of a current-carrying fluid jet issuing from a nozzle, 3=21950
Uccelli,F. See Sacerdoti,G., 3=12249
Uccelli,F. See Sacerdoti,G., 3=14670
Uchevatkin,I.F. See Balalaev,V.A., 3=17415
Uchevatkin,I.F. See Dzhelepov,B.S., 3=4578
Uchevatkin,I.F. See Dzhelepov,B.S., 3=12641
Uchida,I. Impedance changes induced by photoconductive effect in ZnS:Cu,Cl phosphors, 3=911
Uchida,T. Whirl-like contraction phenomena observed in an azimuthal discharge, 3=4142
Uchida,T. "m = 3" instabilities observed for an azimuthal pinched plasma, 3=12111
Uchida,T. and Buyle-Bodin,M. Band-width and sensitivity of microwave spectroscopy oscillators (tube and parametric oscillators), 3=24484
Uchida,T.,Sato,M. and Hamada,S. On the radial contraction of plasma in an azimuthal pinch, 3=12143
Uchida,T. See Laffon,J.L., 3=19468
Uchida,Y. A diamagnetic effect of solar cosmic rays in the solar corona and the formation of prominences, 3=16392
Uchida,Y.,Kato,R. and Matsui,E. Optical properties of some solids in the vacuum ultraviolet, 3=13178
Uchida,Y., Matsui,E. and Nakagawa,M. Cathodoluminescence of beryllium oxide and its related compounds, 3=15717
Uchikoshi,H.U. See Hagihara,H., 3=1379
Uchikura,K. See Kuriki,I., 3=21054
Uchiyama,S.,Masuda,M. and Sakaki,Y. Measurement of anisotropy dispersion in Permalloy films by means of ferromagnetic absorption at radio frequency, 3=15828
Udalova,V.V. The superlattice in ammonium fluoroberyllate $(NH_4)_2BeF_4$, 3=16082
Udal'tsov,V.A. Polarization of 21-cm radiation of the Crab Nebula, 3=23713
Udgaonkar,B.M. See Khuri,N.N., 3=14969
Udgaonkar,B.M. See Singh,V., 3=2253
Udgaonkar,B.M. See Singh,V., 3=12491
Udo,F. and Koerts,L.A.C. Experimental evidence for the dissociation of deuterons during collisions with nuclei, 3=17491
Udovenchik,V.T. See Pashinin,P.P., 3=18134
Udovichenko,Yu.K. See Demirkhanov,R.A., 3=14585
Udralov,Yu.I. See Afonin,O.F., 3=17409
Udrya,I.,Kharaga,K. and Mentesku,L. Determination of the multiplication parameters ηf from the xenon poisoning characteristics, 3=25008
Ueberreiter,K.,Bruns,W. and Brenner,A. Glass-transition and vapour-pressure curve, 3=8920
Ueberreiter,K. Glass transformation, 3=12003
Ueberreiter,K. See Sotobayashi,H., 3=3802
Ueberreiter,K. See Sotobayashi,H., 3=16615
Uebersfeld,J. See Cerutti,M., 3=13305
Uebersfeld,J. See Legrand,A.P., 3=21406
Uebersfeld,J. See Theobald,J.G., 3=21988
Ueda,A. See Fukuda,H., 3=4511
Ueda,I., Takiuchi,M., Ikegami,S. and Sato,H. Temperature dependence of the breakdown field of ceramic $BaTiO_3$, 3=4948
Ueda,R. and Hasegawa,K. Vacancy distribution in γ-Fe_2O_3, 3=787
Ueda,R., See Kay,M.I., 3=1336
Ueda,S. and Zama,M. Non-equilibrium segregation due to the Beta—Alpha reaction of nickel—aluminium bronze cast, 3=18352
Ueda,T. The one Boson exchange model in the single pion production process in proton—proton collision, 3=19673
Ueda,T. See Sawada,S., 3=7853
Uehara,M. See Fujii,Y., 3=14886
Uehara,M. See Nakazawa,K., 3=19550
Uehara,Y. Electrodeposited nickel—iron thin films, 3=25537
Ueiz,H. See Wellinger,K., 3=6808
Ueno,Y. The nature of physical space, 3=11683
Ueno,Y. See Nagao,F., 3=16571
Uesugi,A. Non-coherent scattering for blended lines, 3=1529
Uesugi,A. Note on the resolvent of the auxiliary equation for non-coherent scattering, 3=3893
Uesugi,A. Atmospheric models of white dwarfs, 3=11573
Uesugi,A. An interpretation of photon diffusion process, 3=22097
Ueta,M., Kojima,M. and Hirai,M. Luminescence of X-rayed alkali halide crystal induced by plastic deformation, 3=4983
Ueta,M., Sugimoto,H. and Nagasawa,I. Thermal glow luminescence in plastically deformed KCl crystal irradiated by X-ray and ultra violet light, 3=969
Ueta,M.,Sugimoto,H. and Nagasawa,I. Thermal glow luminescence in plastically deformed KCl crystal, 3=23104
Ueta,M. See Hirai,M., 3=815
Ueta,M. See Hirai,M., 3=22840
Ueta,M. See Ikezawa,M., 3=818
Ueta,M. See Ikezawa,M., 3=20240
Ugai,Ya.A. and Averbakh,E.M. Some electrical properties of the intermetallic compound ϵ-Zn_3Sb_2, 3=20346
Ugaĭ,Ya.A.,Averbakh,E.M.,Gukova,Yu.Ya. and Lavrov,V.V. A new semiconductor phase of the zinc-antimony system, 3=22956
Ugai,Ya.A., Averbakh,E.M. and Lavrov,V.V. Some electrical properties of the intermetallic compound βZn_4Sb_3, 3=15597
Uglanova,V.V. See Naboikin,Yu.V., 3=963
Uhlenbeck,G.E.,Hemmer,P.C. and Kac,M. On the van der Waals theory of the vapor—liquid equilibrium. II. Discussion of the distribution functions, 3=12006
Uhlenbeck,G.E. See Kac,M., 3=12005
Uhlenbrock,D.A. See Tani,S., 3=5364
Uhlenbusch,J. See Schmitz,G., 3=4073
Uhlenbusch,J. See Schmitz,G., 3=14557
Uhler,J. Investigation of contamination properties with emphasis on broad range isotope collection in an electromagnetic separator of the 90° sector type, 3=12787
Uhler,J. On the use of an electromagnetic isotope separator in a wide energy interval, 3=12788
Uhler,J.,Domeij,B. and Borg,S. Range distributions of W^{187} ions of KeV energies in tungsten, 3=14678
Uhler,J.,Forsling,W. and Åström,B. Mass separated alpha activities produced by carbon ion bombardments on thallium, lead and bismuth targets, 3=12644
Uhler,J. and Rossi,J. Investigations of some properties of isotope separator beams of different charge states, 3=14669
Uhler,J. See Bergström,I., 3=14676
Uhler,J. See Davies,J.A., 3=14675
Uhler,J. See Domeij,B., 3=14677
Uhlhorn,U. Representation of symmetry transformations in quantum mechanics, 3=7130
Uhlig,H.H. Discussion on "Thermodynamics of the martensite transformation" by Singh and Parr, 3=5120
Uhrig,H. The describing function of a supercritical reactor, 3=8159
Ui,H. See Honda,T., 3=17496
Uibo,L.Ya. See Paé,A.Ya., 3=946
Ujlaki,E. Evaluation of coincidence measurements of complicated spectra, 3=24881
Ukhanov,Yu.I. Faraday effect in silicon at infrared wavelengths, 3=17985
Ukhanov,Yu.I. Determination of the effective electron mass in GaAs using the Faraday effect, 3=17986
Ukhanov,Yu.I. and Mal'tsev,Yu.V. Investigation of the Faraday effect in indium antimonide at temperatures from 290° to 500°K, 3=15658
Ukhanov,Yu.I. and Mal'tsev,Yu.V. Investigation of the temperature dependence of the effective electron mass in N-InAs in the region 293-603°K, 3=20333
Ůlehla,I. See Fuchs,V., 3=2187
Úlehla,I. See Lelek,V., 3=19744
Ulinska,A. See Duclaux-Dobry,A., 3=18464
Ullah,N. Theory of electron emission widths, 3=25037
Ullah,N. and Kahalas,S.L. Coupling of magnetohydrodynamic to electromagnetic waves at a plasma discontinuity. I. radiation field, 3=9818
Ullah,N. and Nesbet,R.K. Structure of the O^{16} nucleus, 3=6139
Ullman,F.G. Carrier injection electroluminescence in GaP, 3=3067
Ullman,J. See Gorodetzky,S., 3=2445
Ullman,R. See Benoît,H., 3=5531
Ullrich,S. See Rompe,R., 3=7500
Ulmer,K. See Claus,H., 3=4979
Ulmer,K. See Claus,H., 3=15468
Ulmer,K. See Hartwig,D., 3=12247

Ulmer,K. See Hartwig,D., 3=19336

Ulrici,W. See Gladun,A., 3=21640

Ulwick, J.C., Pfister, W., Vancour, R.P., Bettinger, R.T., Haycock, O.C. and Baker, K.D. Firing of an astrobee 200 rocket with a multiple ionospheric experiment, 3=5213

Ul'yanov,K.N. See Biberman,L.M., 3=7432

Umakantha,N. See Begum,R.J., 3=12911

Uman,M.A. The continuum spectra of lightning, 3=16625

Umanskii,Ya.S. See Ol'shanskaya,E.Ya., 3=20891

Umanskii,Ya.S. See Semenovskaya,S.V., 3=5054

Umanskii,Ya.S. See Semenovskaya,S.V., 3=10574

Umanskii,Ya.S. See Vishnyakov,Ya.D., 3=20160

Umarov,G.Ya. See Abdurazakov,A.A., 3=4597

Umeda,J.,Jeong,M. and Okada,T. Tin—tellurium phase diagram in the vicinity of stannous telluride SnTe, 3=6861

Umemura,I. and Watanabe,K. Vertex functions of baryon and boson, 3=19555

Umemura,T. and Kami,H. A measurement of the beam current of an electron accelerator, 3=9883

Umeno,M. See Shinoda,G., 3=9589

Umeno,M. See Suzuki,T., 3=18980

Umezawa,H. See Ezawa,H., 3=19544

Umezawa,M. Low excited states of O^{16}. II, 3=15105

Umezawa,M. See Berenbaum,R., 3=15104

Unal,B.C. See Barut,A.O., 3=12402

Unal,B.C. See Belinfante,J.G., 3=12413

Unangst,D. See Damaschun,G., 3=3349

Underhill,J. Dispersion relations for a two-channel scattering process: residues of the scattering amplitudes, 3=4344

Ungelenk,J. Polymorphy of thallium halides in evaporated films, 3=11261

Unger,K. Determination of trap energy distributions by use of glow curves, 3=846

Unger,K. The determination of trapping cross sections for photoelectrons by Paritskii and Ryvkin, 3=13130

Unger,K. See Schmidt,W., 3=17953

Ungstrup,E. and Jackerott,I.M. Observations of chorus below 1500 cycles per second at Godhavn, Greenland, from July 1957 to December 1961, 3=18518

Unno,W. A theory for non-gray atmospheres. III, 3=1530

Unno,W. and Kato,S. On the generation of acoustic noise from the turbulent atmosphere. I., 3=11540

Unno,W. and Simoda,M. On the condensation of interstellar gas. III. The structure of an interstellar cloud, 3=16326

Unno,W. See Hatanaka,T., 3=11506

Unno,W. See Takebe,H., 3=16325

Uno,R. Structure factors and temperature factors of

Unruh,W.P. and Culvahouse,J.W. Experimental study of relaxation processes for divalent cobalt ions, 3=8723

Unruh,W.P. See Culvahouse,J.W., 3=8722

Unsöld,A. Departures from local thermodynamic equilibrium in the solar atmosphere, 3=7029

Unsöld,A. On the interpretation of interstellar absorption bands, 3=13909

Unsöld,A. See Holweger,H., 3=23694

Unterberger,R.R. and Byerly,P.E. Magnetic effects of a high-altitude nuclear explosion, 3=23649

Unterkofler,G.J. and Verderber,R.R. Preparation of very thin suspended metal films, 3=23503

Unterkofler,G.J. See Simmons,J.G., 3=13069

Unterkofler,G.J. See Simmons,J.G., 3=20358

Untermyer,S. Neutron telescope monitors local power density, 3=6331

Unti,T. See Newman,E., 3=18716

Unvala,H.A. Quasi-invariants in ray-tracing, 3=1801

Uny,C. Contribution to the study of electrical properties and flicker effect in thin granular films of copper, silver, gold, and germanium, 3=15540

Unz,H. On gravitational waves and non-linear electromagnetic theory, 3=5351

Unz,H. Schlomilch's integral equation, 3=12331

Unz,H. Nonuniform lamination analysis of ionospheric h' (f) records, using wave refractive index, 3=13731

Unz,H. The magneto-ionic theory for bound electrons, 3=17062

Unz,M. Relative resolving power of four-point resistivity configurations, 3=21024

Unzicker,A.E. See Blake,R.L., 3=9206

Uo,Dzh.S.[Waugh,J.S.] and Fedin,E.I. Determination of barriers which hinder rotation in solids, 3=15417

Uo,K. Adiabatic compression of plasma by a cylindrical multipolar cusp magnetic field, 3=16947

Uotila,U.A. Harmonic analysis of world-wide gravity material, 3=5179

Upadhyaya,U.N. and Sinha,K.P. Phonon—magnon interaction in magnetic crystals. II. Antiferromagnetic systems, 3=13285

Upgren,A.R. Space distribution of stars of intermediate spectral type in a north galactic pole, 3=13913

Uphoff,H.L. and Healy,J.H. Thermoelectric properties of diphasal systems combining As_2Te_3 and Tl_2Se and Sb_2Te_3 Be_2Te_3, or Sb_2Se_3, 3=10893

Ur,H. See Scott,H., 3=11228

Ura,K. See Sugata,E., 3=9854

Uranova,T.A. Methods of investigation of thin dark nebulae by means of star counts, 3=3609

Urazakov,É.I. Some data on the rotational magnetomechanical effect in a low-pressure plasma, 3=21781

Urazakov,É.I. and Granovskii,V.L. On the determination of the values of $\omega_H \tau$ and the effective collision frequencies of plasma electrons and ions in a magnetic field, 3=1977

Urbach,E. See Rienitz,J., 3=16752

Urbain,G. and Rossin,R. Viscosity of slags in the system Al_2O_3-CaO, 3=5424

Urbain,G. See Lucas,L.D., 3=3793

Urbain,G. See Lucas,L.D., 3=9436

Urbain,G. See Wachtel,E., 3=8654

Urban,M. See Maecker,H., 3=21751

Urbanik,K. The principle of increase of entropy for spin operators, 3=61

Ure,R.W.Jr. High mobility n-type bismuth telluride, 3=10805

Uretsky,J.L. Reflection of a plane sound wave from a sinusodial surface, 3=18929

Uretsky,J.L. See Hiida,K., 3=17345

Uretsky,J.L. See Smith,K., 3=19684

Urey,H.C. Origin of tektites, 3=3561

Urick,R.J. Author's reply to comments by H.W.Marsh, 3=3855

Urick,R.J. and Saling,D.S. Backscattering of explosive sound from the deep-sea bed, 3=3444

Urick,R.J. Low-frequency sound attenuation in the deep ocean, 3=25862

Urin,M.G. and Zaretsky,D.F. Vibrations of non-spherical nuclei, 3=24854

Urin,M.G. See Zaretskii,D.F., 3=2379

Urin,M.G. See Zaretskii,D.F., 3=6158

Uritskii, Z.I. See Ikhsanov,R.N., 3=17834

Urlin,V.D. and Ivanov,A.A. Melting of substances caused by shock-wave compression, 3=24108

Urlin,V.D. See Kormer,S.B., 3=6787

Urry,G. See Cowell,R.D., 3=15362

Ursenbach,W.O. See Cook,M.A., 3=1751

Urstein,T. See Bosch,H.E., 3=24883

Urushadze,G.I. Theory of sound absorption in ferromagnetic substances at low temperatures, 3=22654

Urushihara,K. See Fujii,Y., 3=18857

Urusovskaya,A.A. Selective etching of caesium iodide crystals, 3=22791

Ury,J.F. Viscous damping in oscillating liquid columns, its magnitude and limits, 3=119

Uryu,N. See Nakamura,T., 3=1058

Usacheva,N.F. Paramagnetic resonance in solutions of Cr^{3+} salts, 3=3818

Usacheva,N.F. See Garifyanov,N.S., 3=150

Usacheva,N.F. See Garif'yanov,N.S., 3=5451

Usacheva,N.F. See Garif'yanov,N.S., 3=7219

Usami,S. and Funatogawa,Z. Ferromagnetic resonance in single crystals of Fe-Ni ferrite system, 3=1171

Usami,S.,Itoh,K.,Gondo,Y.,Konno,H. and Funatogawa,Z. Ferromagnetic resonance in thin single-crystal films of iron, 3=20630

Usami,S. See Gondō,Y., 3=15919

Usanov,V.V. Possible solutions of equations for the thermodynamics of viscous gas flows with heat transfer, 3=24122

Ushakob,V. See Dolgoshein,B., 3=4521

Ushakova,L.A. See Klÿshko,D.N., 3=9983

Ushakov,V. See Dolgoshein,B., 3=6116

Ushakov,V.I. See Dolgoshein,B.A., 3=24823

Usher,P.D. Radio transit telescopes steerable in azimuth, 3=9260

Usik,P.A. See Botvin,V.A., 3=5997

Usik,P.A. See Kuchin,I.A., 3=14972

Usik,P.A. See San'ko,L.A., 3=19728

Usikov,M.P. and Utevskii.L.M. Variation in the dislocation structure of Ni as a result of alloying with Ti, Cr and Al, 3=10658
Usikov,M.P. and Utevskii,L.M. Electron-microscopic investigation of the polygonization in nickel and nichrome, 3=17747
Usikova,N.E. See Borovik,E.S., 3=13279
Usova,I.N. Absolute sensitivity of a thick-walled graphite ionization chamber for photons with energy up to 260 MeV, 3=14821
Uspenskii, L.N. See Keirim-Markus, I.B., 3=3634
Uspenskii,M.D. Etching germanium crystals near dislocations, 3=17756
Ustenko,E.P. See Belonogov,A.V., 3=17127
Ustinov,V.V. Temperature and stress fields in the rupture of materials by means of thermal breakdown, 3=8565
Ust'yanov,V.I. See Litovchenko,P.G., 3=6629
Utevskii,L.M. See Usikov,M.P., 3=10658
Utevskii,L.M. See Usikov,M.P., 3=17747
Utkin,K.G. and Toporkov,S.A. Determination of the emission current in axially symmetric [electrostatic] systems by the method of rubber membranes, 3=21874
Utkin,V.I. and Burdin,Yu.B. A two-channel γ-spectrometer for wells, 3=23577
Utracki,L. and Simha,R. Dilute solution viscosities of polymers near the critical temperature; corresponding state relations, 3=21349
Utracki,L. and Simha,R. Molecular weight and temperature dependence of intrinsic viscosities in very poor solvents, 3=21350
Utsugi,H. and Gomer,R. Field desorption of barium from tungsten, 3=3360
Utsugi,H. and Gomer,R. Field desorption of cesium from tungsten, 3=3361
Utsumi,Y. See Tokuyasu,T., 3=20955
Utterback, N.G. Ionization of nitrogen and oxygen molecules by nitrogen and oxygen molecules, 3=4015
Uvarov,N.A. See Gorbachev,V.M., 3=24192
Uvarova,V.M.,Sukhodrev,N.K.,Pankova,A.A.,Shpol'skii,M.R. and Kovanova,A.N. New Nikfi photographic films for spectrographic analysis in the far ultraviolet, 3=24064
Uyeda,N. See Suito,E., 3=1316
Uyeda,R. On the contrast in electron microscopic images of crystalline materials, 3=1313
Uyeda,R. See Kamiya,Y., 3=1298
Uyeda,R. See Kamiya,Y., 3=20965
Uyeda,R. See Watanabe,H., 3=20954
Uyeda,S.,Fuller,M.D.,Belshé,J.C. and Gridler,R.W. Anisotropy of magnetic susceptibility of rocks and minerals, 3=11477
Uzan,R. See Déjardin,G., 3=4204

Vacca,J. Magnetohydrodynamic motion generated by vortical current rings in an infinite, electrically conducting fluid, 3=477
Vacca,M.T. On a rotating spherical vortex in magnetohydrodynamics, 3=476
Vacca,M.T. The magnetohydrodynamic motion of a spherical fluid mass in which the current lines are circles situated in parallel planes, 3=24441
Vacek,K. Effect of a pulsed electric field on the spectral behaviour of the luminescence of AgCl crystals, 3=18031
Vacek,K. A contribution to the course of luminescence of pure and doped AgCl crystals, 3=25486
Vacek,K., Ringeissen,J. and Nikitine,S. Note on the reflection spectrum of crystals of AgCl in the ultraviolet, 3=4959
Vacek,K. See Benes,J., 3=3899
Vacek,K. See Beneš,J., 3=6671
Vachaspati. Harmonics in the scattering of light by free electrons, 3=232
Vachaspati. Exact solution of relativistic equations of motion of an electron in an external radiation field, 3=24438
Vachaspati and Punhani,S.L. Scattering of electromagnetic radiation by free electrons into waves of half the incident wavelength, 3=24437
Vadets,D.I. See Giller,Ya.L., 3=1348
Vafiadi,V.G. Production of short light flashes by interrupted total internal reflection, 3=24014
Vager,Z. See Goldring,G., 3=4555
Vager,Z. See Goldring,G., 3=24837
Vághó,I. See Szondy,T., 3=14031
Vagradov,G.M. and Kirzhnits,D.A. Statistical model of a nucleus including correlations, 3=15083
Vahl,J. See Schur,K., 3=18279
Vai Tun-sen. See Polikanov,S.M., 3=24984
Vaidanych,V.I. See Lȳskovȳch,O.B., 3=20490
Vaidya,W.M. Flame spectra, 3=10483
Vaidya,W.M. Spectra excited by shock waves, 3=11912
Vaidya,W.M. and Nagpal,K.C. An experimental study of the "electron" and "vibrational" temperatures in low pressure discharges through nitrogen, 3=9763
Vail,V.W. See Ford,G.C., 3=5471
Vaillant,J. See Dessens,H., 3=25886
Vainshtein,B.K. Development of modern electron-diffraction structure analysis, 3=6838
Vainshtein,B.K. An empirical law of scattering in structural electron diffraction studies, 3=18296
Vainshtein,B.K. An empirical scattering law in structural electron diffraction, 3=25695
Vainshtein, B.K. and Lobachev, A.N. Dynamic scattering and its use in structural electron diffraction studies, 3=18293
Vainshtein,B.K. See Dvoryankin,V.F., 3=18330
Vainshtein,B.K. See Lobachev,A.N., 3=3310
Vainshtein,B.K. See Talybov,A.G., 3=13508
Vainshtein,B.K. See Talybov,A.G., 3=13510
Vainshtein,E.E. See Samsonov,G.V., 3=10763
Vainshtein,L.,Presnyakov,L.and Sobel'man,I. Excitation of atoms by heavy particles, 3=707
Vainshtein,L.A. Static boundary problems for a hollow cylinder of finite length. II. Numerical results, 3=14505
Vainshtein,L.A. Static boundary problems for a hollow cylinder of finite length. III. Approximate formulae, 3=14506
Vainshtein,L.A. See Kapitsa,S.P., 3=5800
Vaipolin,A.A. and Porai-Koshits,E.A. Structure of glassy chalcogenides of arsenic. Corrections to the radial distribution curves, 3=18363
Vaipolin,A.A. and Porai-Koshits,E.A. Structure of glassy chalcogenides of arsenic. Glassy and crystalline states in the system $As_2Se_3-As_2Te_3$, 3=18364
Vaîs,A.M. See Davidovich,M., 3=5533
Väisälä, V. Practicable recording methods for the Finnish radiosonde, 3=3447
Vaisenberg,A.O. See Alikhanyan,A.I., 3=24755
Vakhnin,V.M. The effect of the earth's orbital motion on measurements of range and velocity in interplanetary space by radio methods, 3=23654
Vakhomchik,L.P. See Kolontsova,E.V., 3=20202
Vakhovskaya, M.R. See Kreimer, G.S., 3=18184
Vaks,C.G. See Baz,A.I., 3=2320
Vaks,V.G. The asymptotic form of the vertex part in electrodynamics, 3=4319
Vaks, V.G. Branching of the electron and photon Green's functions, 3=4320
Vaks,V.G. Excited state masses and charges in the Fermi-Yang model, 3=17224
Vaks,V.G.,Galitskii,V.M. and Larkin,A.I. Collective excitations in a superconductor, 3=1897
Vaks,V.G.,Galitskii,V.M. and Larkin,A.I. Collective excitations of particles with non-zero anuglar momentum pairing, 3=5383
Vaks,V.G. and Larkin,A.I. The particle mass in the one-dimensional model with four-fermion coupling, 3=4330
Vaks,V.G. See Baz',A.I., 3=7912
Valabrega,P. See Bray,A., 3=23514
Valadares,M. See Foucher,R., 3=2395
Valadarés,M. See Foucher,R., 3=22312
Valarelli,J.V. See de Camargo,W.G.R., 3=20861
Valat,J. See Stern,T.E., 3=10428
Valatin,J.G. See Brémond,B., 3=12542
Valbert,J.R. See Reid,R.C., 3=11826
Valdés,L.M. See Canut,M.L., 3=25698
Valdrè,U. Rearrangement of dislocations in stainless steel during electropolishing, 3=17737
Valdrè,U. A heating-goniometer stage for the Siemens Elmiskop I, 3=27596
Valdre,U. and Hirsch,P.B. Rearrangement of dislocations in stainless steel during electropolishing, 3=10668
Valenta,L. and Zajac,Št. A contribution to the problem of inelastic magnetic scattering of polarized neutrons in Fe and Ni, 3=6717

Valenta,M.W. See Johnson,V.J., 3=6616
Valentin,J. and Santoni,A. Energy levels of $_{73}\mathrm{Ta}^{176}_{103}$, 3=24872
Valentin,J. See Potier,R., 3=7636
Valentin,J.P. See Potier,R., 3=16129
Valentin,L. See Albouy,G., 3=4642
Valentin,L. See Albouy,G., 3=12677
Valentin,L. See Albouy,G., 3=19852
Valentini,H.-B. On the calculation of the normal Coulomb interaction of charge carriers in a fully ionized, thermal, magnetic field-free plasma in the linear distribution approximation, 3=21761
Valeriu,A. ·Sources of error in the determination of nuclear magnetic resonance, 3=17068
Valeriu,A. See Gheorghiu,D., 3=517
Vali,V. See Krogstad,R.S., 3=13528
Valiev,K.A. Rotational diffusion of molecules and the scattering of light in liquids. II. Asymmetric and symmetric top molecules, 3=7209
Valiev,K.A. and Eskin,L.D. Rotational diffusion of molecules and the scattering of light in liquids. I. Spherical molecules, 3=15329
Valiev,K.A. and Timerov,R.Kh. Theory of nuclear resonance in paramagnetic media. II. Spin-lattice relaxation, 3=6763
Valiev,K.A.,Timerov,R.Kh. and Yulmet'ev,R.M. Effect of the shape of molecules on the rate of magnetic relaxation in liquids. II, 3=21405
Valiev,K.A. and Zaripov,M.M. On the theory of spin—lattice relaxation in liquid solutions of electrolytes, 3=149
Valiev,K.A. and Zaripov,M.M. Effect of the shape of molecules on the magnetic relaxation rate in liquids, 3=5449
Valiev,K.A. See Timerov,R.Kh., 3=3190
Val'kovskaya,M.I. See Boyarskaya,Yu.S., 3=16009
Vallados,G. See Omnes,R., 3=2300
Vallance Jones,A. and Gattinger,R.L. The seasonal variation and excitation mechanism of the 1.58 μ $^1\Delta_g - {}^3\Sigma_g^-$ twilight airglow band, 3=25933
Vallance Jones,A. See Noxon,J.F., 3=18553
Vallee,B.L. See Fuwa,K., 3=23556
Vallet,P. See Raccah,P., 3=5076
Valli,K. See Erlandsson,B., 3=10344
Vallier,J. See Doucet,Y., 3=4761
Vallin,J. and Beckman,O. Pulse echo method for measurement of ultrasonic velocity, 3=21501
Valluri,S.R. Some recent developments at "GALCIT" concerning a theory of metal fatigue, 3=20746
Valstyn,E.P.,Hanton,J.P. and Morrish,A.H. Ferromagnetic resonance of single-domain particles, 3=6741
Valstyn,E.P. See Morrish,A.H., 3=1175
Val'ter,A.K.,Antuf'ev,Yu.P.,Kopanets,E.G.,L'vov,A.N. and Tsȳtko,S.P. Quantum characteristics of the 6·847 Mev level of P^{30} observed in the reaction $Si^{29}(p, \gamma)P^{30}$, 3=2456
Val'ter,A.K.,Klyucharev,A.P.,Lutsik,V.A.,Orlenko,B.F., Pasechnik,M.V.,Prokopenko,V.S.and Lucherov,N.N. Elastic scattering of protons of energy 6·9 MeV by isotopes of chromium and zinc, 3=17457
Valter, A.K, Popov, A.I. and Storizhko, V.E. Elastic scattering of protons by Si^{30} nuclei, 3=17456
Val'ter,A.K.,Skakun,N.A.,Klyucharev,A.P. and Strashinskiĭ,A.G. Polarization of protons in the $He^3(d,p)He^4$ reaction, 3=22220
Val'ter,A.K.,Storizhko,V.E. and Popov,A.I. Elastic scattering of protons by Mg^{24} nuclei, 3=22372
Val'ter,A.K.,Tsytko,S.P.,Antuf'ev,Yu.P.,Kpoanets,E.P. and L'vov,A.N. Investigation of the levels of P^{31} by means of the $Si^{30}(p,\gamma)P^{31}$ reaction, 3=12586
Valter,A.K., Vatset,P.I., Kolesnikov,L.Ya., Tonapetyan,S.G., Chernyavskii,K.K. and Shpetnyi,A.I. Neutron yield for the reaction between tritons and fluorine and aluminium nuclei, 3=4673
Val'ter,A.K.,Zalyubovskii,I.I.,Klyucharev,A.P. and Lutsik,V.A. Levels in Cu^{64}, excited in the $Ni^{64}(p,n\gamma)Cu^{64}$ reaction, 3=12589
Val'ter,A.K. See Antuf'ev,Yu.P., 3=6246
Val'ter,A.K. See Antuf'ev,Yu.P., 3=8087
Val'ter,A.K. See Klyucharev,V.A., 3=24873
Valuev,B.N. Coulomb excitation of Λ-particles, 3=4466
Valuev,V.N. Angular correlations of leptons in K-meson decays, 3=7919
Valyev,K.A. Theory of energy dissipation processes of molecular vibrations in liquids, 3=3794
Vampola,A.L. See Mozer,F.S., 3=16288
Van Fu-tszyun' [Wang Fu-chün],Vizi,I.,Gromov,K.,Dzhelepov,B., Zhelev,Zh.,Kudryavtseva,A. and Yazvitskii,Yu. Decay scheme for Eu^{149}, 3=8045
Van Gan-Chan, Van Tsu-Tszen, Biryasov,N.M., Din Da-Tsao, Kim Khi-In, Kladnitskaya,E.N., Kuznetsov,A.A., Mikhul,A., Nguen Din Tȳ, Nikitin,A.V. and Solov'ev,M.I. Production of Ξ^--hyperons by π^--mesons with momentum 7 and 8 BeV/c. 3=19709
Van Gan-chan [Wang Kang-ch'ang], Van Tsu-tszen [Wang Ts'utsiang Din Da-tsao [Ting Ta-ts'ao], Katȳshev,Yu.V., Kladnitskaya,E.N. Kopȳlova,D.K., Lyubimov,V.B., Nguen Din Tȳ, Nikitin,A.V., Podgoretskii,M.I., Smorodin,Yu.A., Solov'ev,M.I. and Trka,Z. Inelastic interaction between 6·8 BeV/c π^- – mesons and nucleons, 3=2302
Van Tsu-tszen [Wang Ts'utsiang]. See Van Gan-chan [Wang Kang-ch'ang], 3=2302
Van Tsu-Tszen. See Van Gan-Chan, 3=19709
Van-Yan'-Ven'. See Shaskol'skaya,M.P., 3=13383
Van Yun-chan [Wang Yung-chang], Veksler,V.I., Du Yuan'-tsai [Tu Yuan-tsai], Kladnitskaya,E.N., Kuznetsov,A.A., Mikhul,A., Nguen Din Tȳ, Penev,V.N., Sokolova,E.S. and Solov'ev,M.I. A study of ΛK^0 and $K^0\bar{K}^0$ pair production in the interaction between 7–8 BeV/c π^--mesons and protons, 3=2305
Van Yun-chan. See Belyakov,V.A., 3=24798
Váňa,J. See Ďatlov,J., 3=9886
Van Allen,J.A. and Frank,L.A. The Iowa radiation experiment, 3=11616
Van Allen,J.A.,Frank,L.A. and O'Brien,B.J. Satellite observations of the artificial radiation belt of July 1962, 3=13809
Van Allen,J.A. See Frank,L.A., 3=13814
Van Allen,J.A. See Frank,L.A., 3=13816
Van Allen,J.A. See Frank,L.A., 3=18616
Van Allen,J.A. See Freeman,J.W., 3=18573
Van Allen,J.A. See O'Brien,B.J., 3=5224
Van Allen,J.A. See Pizzella,G., 3=11460
Van Allen,J.A. See Rosser,W.G.V., 3=9115
Van Aswegen,J.S.T. and Honeycombe,R.W.K. Precipitation on stacking faults in austenitic steels, 3=18357
van Beek,L.K.H. A.C. and d.c. polarization effects in a protonic conductor (borax), 3=8483
van Beek,L.K.H. A dielectric study of Maxwell—Wagner effects in model systems, 3=21691
Van Beelen, H., Arnold, A.J.P.T., de Bruyn Ouboter, R., Beenaker, J.J.M. and Taconis, K.W. A flux pump for the generation of high persistent currents in a superconducting foil magnet, 3=17027
Van Beelen,H. and Gorter,C.J. Some computations on a layer model for superconductivity of the second kind, 3=24138
van Bergeijk, W.A. Variation on a theme of Békésy: a model of binaural interaction, 3=3672
van Bergeijk,W.A. See Harris,G.G., 3=7069
Van Biesbroeck,G. See Marsden,B.G., 3=16362
Van Bueren,H.G.,Haisma,J. and De Lang,H. A small and stable continuous gas laser, 3=5888
van Bueren,H.G. Radiation of plasmas with special emphasis on coherent radiation, 3=22007
Van Burik,H.C.J. and Wessels,A.C.E. Heterodyne spectral noise analyzer, 3=19163
Van Cakenberghe,J. See Hérinckx,C., 3=2901
Van Camp,K.J. See Vanhuyse,V.J., 3=22298
Vance,D.W. and Bailey,T.L. Ion source for low-energy collision studies, 3=21893
Vancour,R.P. See Ulwick,J.C., 3=5213
Vančura,A. A remark on the decay rate of bound muons, 3=2289
Vand,V. Lunar dust and terrestial ice nucleus concentration, 3=21038
Van Daal,H.J.,Knippenberg,W.F. and Wasscher,J.D. On the electronic conduction of α—SiC crystals between 300 and 1500° K, 3=6603
Van Daal,H.J.,Knippenberg,W.F. and Wasscher,J.D. Mobility of electrons and holes in hexagonal silicon carbide, 3=10838
Van Dael,W. See Van Itterbeek,A., 3=23880
Vandakurov,Yu.V. Effect of finite conductivity on equilibrium in a weakly twisted pinch. II. 3=9803
Vandakurov,Yu.V. Stability of a nonideally conducting liquid cylinder in a magnetic field, 3=24454
Van Dang,N. Effects of tension on the creeping of asymmetric hysteresis loops, 3=6705
Vandarukov,Iu.V. Stability of a highly conducting plasma string in a magnetic field, 3=24324

van de Does de Bije,J.A.W. See Bölger,B., 3=9982
Van de Graaff,R.J.,Rose,P.H. and Wittkower,A.B. High-voltage acceleration tubes utilizing inclined-field principles, 3=9884
van de Hulst,H.C. and Irvine,W.M. General report on radiation transfer in planets: scattering in model planetary atmospheres, 3=16339
van de Hulst,H.C. See Brussard,P.J., 3=1969
van de Kamp,P. Elements of astromechanics, VII. Libration points for circular orbits, 3=3526
van de Kamp,P. Problems of long-focus photographic astrometry, 3=7010
van de Kamp,P. Elements of astromechanics. IX. Perspective secular changes in radial velocity and proper motion for a star having uniform rectilinear space motion, 3=18587
van de Klundert,L.J.M. See Michels,A., 3=11832
van de Mark,D.K. See Chaiken,R.F., 3=1874
van den Berg,G.J. and de Nobel,J. Low temperature properties of alloys of transition elements in normal metals, 3=8496
van den Berg,G.J. See van Elst,H.C., 3=5010
van den Berg,J.M. The crystal structure of $SnCl_2$. A correction, 3=5103
van den Bergh, S. The color-magnitude diagram of high-velocity stars, 3=3600
van den Beukel,A. Release of stored energy during low temperature annealing of some cold worked metals, 3=11173
van den Bold,H.J. See van der Kooi,J.B., 3=7999
van den Bos,W.H. Micrometer measures of double stars, III., 3=11551
Vandenbosch,R. Dependence of fission fragment kinetic energies and neutron yields on nuclear structure, 3=22436
Vandenbosch,R. See Schiffer,J.P., 3=22136
Vandenbosch,S.E.,Baba,C.V.K.,Christensen,P.R.,Nielsen,O.B. Nordby,H. The decay scheme of Pb^{211}, 3=10315
Vandenbosch,S.E. See Hansen,P.G., 3=22314
Van Den Broek,J. and Van Der Marel,L.C. Spin lattice relaxation in rare earth ethylsulphates. I, 3=25579
Van den Heuvel, A.P. See Mason, B.J., 3=18260
Vandenplas,P.E. See Messiaen,A.M., 3=393
Vandenplas,P.E. See Messiaen,A.M., 3=9771
Vandenplas,P.E.M. and Gould,R.W. Oscillations of a plasma slab condenser system, 3=7610
Van den Sype,J. See Lawley,A., 3=1236
Van Den Tempel,M. See De Jager,E.M., 3=11737
Van der Borght,R. and Meggitt,S. Equilibrium models of stars composed of pure helium, 3=11557
van der Does de Bye,J.A.W. Transient recombination in silicon carbide, 3=10840
Vanderdonck,R. See Verriest,G., 3=16466
Van der Glesson,A. See Goedemoed,S.H., 3=11066
van der Gulik,P.S. See Michels,A., 3=3832
van der Gulik,P.S. See Michels,A., 3=3833
Vander Haar,R.W. See Meyerson,S., 3=1933
Vanderhaeghe,G. See Amaldi,E., 3=14861
van der Hauw,T. See Schutten,J., 3=14484
van Hieu,N. See Logunov,A.A., 3=17202
van der Hoeven,B.J.C.,Jr and Keesom,P.H. Specific heat of various graphites between 0.4 and 2.0° K, 3=12925
Van der Hoeven,B.J.C.Jr. See Keeson,P.H., 3=10601
Van Der Kamp,H.A.J., See Born,P., 3=15147
van der Kooi,J.B., van den Bold,H.J. and Endt,P.M. The decay of $^{115}Cd^{m}$, 3=7999
van der Laan,H.R. See David,R., 3=14446
van der Laan,P.C.T. and Rietjens,L.H.T. The stability of an alternating pinch discharge, 3=12171
van der Leeden,P. See Poulis,J.A., 3=1015
van der Leeden,P. See Poulis,J.A., 3=24487
van der Leun,C. and Endt,P.M. Resonance in the reaction $^{26}Mg(p,\gamma)^{27}Al$, 3=24933
van der Linden,J. See Mazur,P., 3=11712
v.d.Linden,P.C. See Grath,R., 3=6642
van der Lugt,W. See Poulis,N.J., 3=1206
van der Maesen F.,Greebe,C.A.A.J. and Nunnink,H.J.C.A. Steady state injections in semiconductors, 3=10751
van der Maesen,F. See Greebe,C.A.A.J., 3=20279
Van Der Marel,L.C. See Van Den Broek,J., 3=25579
van der Meer,S. See Giesch,M., 3=17243
van der Merwe,J.H. Strains in crystalline overgrowths, 3=3278
van der Merwe,J.H. Crystal interfaces. I. semi-infinite crystals, 3=11216
van der Merwe,J.H. Crystal interfaces. II. Finite overgrowths, 3=11217
van der Merwe,J.H. Electromagnetic properties of Li^7, 3=24840
van der Merwe,J.P. See Stoker,P.H., 3=6113
van der Merwe,J.P. See Stoker,P.H., 3=22113
van der Meulen,D. See Rethmeier,J., 3=2464
Vandermeulen,J. See d'Andlau,C., 3=17328
van der Plas,T. See Hermans,M.E.A., 3=2538
Van der Sijde,B. The resistivity changes caused by ordering in some quenched AuAg alloys, 3=22894
Vander Velde,J.C. See Brown,J.L., 3=12500
Vandervoort,P.O. The character of the equilibrium of a compressible, inviscid fluid of varying density. II, 3=1659
Vanderslice,J.T. and Weissman,S. On the theory of vibrational energy exchange, 3=2546
Vanderslice,T.A. See Davis,W.D., 3=16916
van der Stright,E. See Malvicini,A., 3=12612
van der Valk,F. Thermal diffusion in ternary mixtures. I. Theory, 3=14202
van der Valk,F. and de Vries,A.E. Thermal diffusion in ternary mixtures. II. Experiments, 3=14203
Vandervoort,P.O. The formation of H II regions, 3=11556
Vandervoort,P.O. The formation of H II regions. II, 3=25975
van der Waals,J.H. See de Groot,M.S., 3=21417
van der Walt,A.J. See du Plooy,N.F., 3=22251
Van der Walt,J.J. See Meyer,M.A., 3=17104
van der Woude,F. See de Waard,H., 3=7995
van der Ziel,A. See Hanson,D.G., 3=14550
van der Ziel,A. See Huang,C.H., 3=21725
van der Ziel,A. See Zijlstra,R.J.J., 3=8520
Van Der Ziel, A. See Zijlstra, R.J.J., 3=25361
Van Der Zwan,L.,Stewart,A.T.,Park,J.Y. and Merzbacher,E. A study of the $Be^9(He^3,n)C^{11}$ reaction, 3=19881
Van de Vorst,A. and Williams-Dorlet,C. Free radical yields due to gamma-irradiation on d.n.a. bases [in solid state], 3=22606
Vandevyver, M. See Nguyen Van Dong, 3=17674
Vandevyvere,R. See Verriest,G., 3=16466
van Dijk,H. Units of temperature and temperature scales, 3=21599
van Dilla,M.A. See Arnold,J.R., 3=10185
van Dilla,M.A. See Metzger,A.E., 3=21145
van Dingenen,W. See van Loef,J.J., 3=5020
Van Dong,N. and Koch,L. The effect of fast neutrons on the processes of recombination of electron–hole pairs in n- and p- type germanium, 3=2884
van Doorn, C.Z. Colour centres in potassium chloride, 3=2836
Van Doorn,C.Z. See Aten,A.C., 3=10968
van Duuren,K. See Martinides,H., 3=4034
Van Duzer,T.,Buckey,C.R. and Brewer,G.R. Trajectory tracer for charged particles which includes magnetic fields and space charge, 3=14655
Van Dyk,G. See Jones,P.R. 3=4725
Van Eck, J., De Heer, F.J. and Kistemaker, J. Excitation processes in helium and polarization of the resulting light induced by proton impact (5-35 keV), 3=2560
van Eck,J., de Heer, F.J. and Kistemaker,J. Interaction of Li^+ ions with H_2 and He in the energy range of 5 to 25 keV, 3=4005
van Eck,J.,de Heer,F.J. and Kistemaker,J. Excitation of Ne, Ar, and Kr induced by H^+ and He^+ impact (5-35 keV), 3=12770
van Eck,J. See Fluit,J.M., 3=4217
Van Eck,J.L. Measurement of magnetic fields by nuclear magnetic resonance, 3=5808
Van Eek,J.L. See Hontoy,P., 3=5031
Vanek,I., Klima,K. and Pros,Z. Features of the procedure for measuring elastic wave absorption in rock specimens, 3=3429
van Elst,H.C., Lubach,B. and van den Berg,G.J. The magnetization of some nickel alloys in magnetic fields up to 15 kOe between 0°K and 300°K, 3=5010
Vanfleet,H.B.,Baker,G.S. and Gibbs,P. Ag ion transport and deposition in α-quartz, 3=10692
Van Gerven,L. Magnetic resonance line shapes in inhomogeneous fields, 3=21989
Van Gerven,L. and Van Itterbeek,A. General form of paramagnetic absorption lines in transverse fields (weak h.f. field), 3=25134
Van Gurp,G.J. Diffusion in superimposed films of normal metals and superconductors, 3=22805

van Haren,H.J. See Van Reijen,L.L., 3=13311
van Heel,A.C. Fibre vision, 3=11626
van Heel,A.C.S. and de Veer,J.D. Testing the straightness of lines and the flatness of surfaces, 3=16566
van Heerden,P.J. A new optical method of storing and retrieving information, 3=11910
van Heerden,P.J. Theory of optical information storage in solids, 3=11911
Van Heyningen,R. Electron drift mobility in silver chloride, 3=6486
Van Holde,K.E. Sedimentation in chemically reacting systems. I. The isomerization reaction, 3=3388
Van Hook,H.J. and Lenker,E.S. The system InAs–GaAs, 3=16120
Van Hook,W.A. See Bigeleisen,J., 2=8247
Van Hook,W.A. See Bigeleisen,J., 3=8248
Van Horenbeeck,J. and Binard,L. Isomeric state in Sb^{122}, 3=10263
Van Houten,S. Magnetic interaction in EuS, EuSe and EuTe, 3=1140
van Houten,S. See Enz,U., 3=11050
Van Hove,L. A phenomenological discussion of inelastic collisions at high energies, 3=14898
Van Hove,L. An extension of Pomeranchuk's theorem to diffraction scattering, 3=24641
van Hove,L. See Janner,A., 3=5380
Vanhuyse,V.J. and Vanpraet,G.J. Resonance scattering of Bremsstrahlung by the 2·14 MeV state of B^{11}, 3=15171
Vanhuyse,V.J. and Vanpraet,G.J. Gamma-ray widths of the 2.21 MeV level in Al^{27}, 3=22297
Vanhuyse,V.J.,Vanpraet,G.J. and Van Camp,K.J. Branching ratio and width of the 2.98 MeV level of Al^{27}, 3=22298
Van Iterson,W. See Steenberg,N.R., 3=12648
van Itterbeek,A.,Dupré,A. and Brandt,G. Resistivity measurements on permalloy films, 3=13041
van Itterbeek,A.,Forrez,G. and van Itterbeek,W. Investigation of the structure of thin metallic layers by means of the replica-method, 3=13559
Van Itterbeek,A.,Van Dael,W. and Cops,A. The velocity of sound in liquid normal and para hydrogen as a function of pressure, 3=23880
Van Itterbeek,A., Verbeke,O. and Staes,K. Measurements on the equation of state of liquid argon and methane up to 300 kg cm^{-2} at low temperatures, 3=18801
Van Itterbeek,A., Verbeke,O. and Theeuwes,F. Pressure dependence of the resistivity of germanium, 3=20306
Van Itterbeek,A. and Witters,J. Ferromagnetic resonance in thin permalloy films, 3=20633
Van Itterbeek,A.,Witters,J.,Forrez,G. and Peeters,B. Some experimental results on ferromagnetic resonance in nickel films, 3=23205
van Itterbeek,A. and Zink,J. Velocity of acoustical waves in liquid-filled capillary tubes at low temperatures, 3=1683
van Itterbeek,A. and Zink,H. Temperature dependency of the rotational-relaxation frequency of hydrogen, 3=14212
Van Itterbeek,A. See Van Gerven,L., 3=25134
van Itterbeek,W. See van Itterbeek,A., 3=13559
Van Kampen,N.G. Thermal fluctuations in nonlinear systems, 3=11705
van Kampen,N.G. See Alkemade,C.T.J., 3=5369
van Kampen,N.G. See Ruijgrok,T.W., 3=24582
Van Kh'eu,N. Investigation of elastic scattering of neutrino or antineutrino on electrons by taking into account higher approximations, 3=2241
Van Kleef,Th.A.M. and Fred,M. Zeeman effect measurements in neutral and singly ionized mercury, 3=15286
Van Kleef,Th.A.M. See Noorman,P.E., 3=22480
Van,Kranendonk,J. Calculation of the self-broadening of Raman lines due to dipolar and quadrupolar forces, 3=9508
Van Kranendonk,J. See Fiutak,J., 3=8226
Van Laar,J. and Scheer,J.J. Influence of band bending on the photoelectric emission of silicon, 3=9834
van Laar,J. See Scheer,J.J., 3=7633
van Leeuwen,J.M.J. Diagram techniques in statistical mechanics. III. The degenerate Bose–Einstein gas, 3=18753
van Lent, P.H. See Bokhout, H., 3=17896
Van Leuven,P. A "centre of gravity" theorem in second order, 3=2376
van Leuven,P. A semi-classical description of nuclear surface oscillations, 3=22264
Van Lieshout,R. See Ricci,R.A., 3=2371
van Lint,V.A.J. See Fite,W.L., 3=5642
van Loef,J.J. Influence of hydrogen on electric and magnetic properties of a nickel–palladium alloy, 3=20269
van Loef,J.J. and van Dingenen,W. The influence of hydrogen on the magnetic scattering of neutrons by a nickel–palladium alloy, 3=5020
Van Loef,J.J. See González,L., 3=24957
van Loon,L.G. See Brisbout,F.A., 3=6109
van Loon,L.G. See Farrow,E., 3=19724
Van Meerssche,M.,Dereppe,J.M. and Lobo,P.W. The proton structure of $NaBr.2H_2O$, 3=6852
Van Meerssche,M.,Dereppe,J.M. and Lobo,P.W. Proton resonance of $Na_2S_2O_8.2H_2O$, 3=8848
Van Meersche,M.,Dereppe,J.M. and Lobo,P.W. Nuclear magnetic resonance of $Na_2CO_3.NaHCO_3.2H_2O$ (trona), 3=8859
Van Meerssche,M. See Culot,J.P., 3=6851
Van Meerssche,M. See Gobillon,Y., 3=11271
van Meerssche,M. See Huynen,A.M., 3=16085
van Meerssche,M. See Piret-Meunier,J., 3=16086
Van Meerssche,M. See Van Tiggelen,P., 3=20853
Van Neste,A. and Dubé,A. The effect of temperature on the shear modulus of ferromagnetic metals, 3=3209
Van Neste,A. and Dubé,A. Variation of the shear modulus of ferromagnetic metals as a function of the amplitude of deformation, 3=6779
Van Neste,A. and Dubé,A. Influence of an alternating magnetic field on the elastic modulus of a ferromagnetic metal, 3=15970
van Nie,A.G. Dielectric wires as millimetre waveguides, 3=19452
van Norton,R. See Grad,H., 3=12193
Van Oers,W.T.H. and Brockman,K.W.,Jr. Elastic scattering of 24·85 MeV deuterons by He^4, 3=19713
Van Oers,W.T.H. and Brockman,K.W.,Jr. Deuteron disintegration in d–p scattering at 24.35 MeV, 3=24806
Van Ooijen,D.J. and Druyvesteyn,W.F. Analogon of Barkhausen noise observed in a superconductor, 3=24147
van Ooijen,D.J. and Fast J.D. Electrical resistance of hydrogen-charged iron wires 3=10721
Van Ooijen,D.J.,Van Vucht,J.H.N. and Druyvesteyn,W.F. Superconductivity of $NbSn_2$, 3=5592
Van Ooijen,D.J. See Druyvesteyn,W.F., 3=5588
van Ooijen,D.J. See Druyvesteyn,W.F., 3=14451
Van Oostrom,A. Temperature dependence of the work function of single crystal planes of tungsten in the range 78°-293°K, 3=12228
Van Ostenburg, D.O., Lam, D.J., Trapp, H.D. and MacLeod, D.E. Knight shifts and magnetic susceptibilities in V alloys with Ti, Cr, and Tc, 3=3204
Van Ostenburg,D.O. See Lam,D.J., 3=23141
Van Overstraeten,R. See Moll,J.L., 3=13089
Van Patter,D.M.,Nath,N.,Shafroth,S.M.,Malik,S.S. and Rothman,M.A. Gamma rays from inelastic neutron scattering in chromium, 3=2466
Van Patter,D.M. See Sem Gupta,A.K., 3=10343
van Patter, D.M. See Sen Gupta, A.K., 3=17408
Van Patter,D.M. See Shafroth,S.M., 3=10363
van Peski-Tinbergen,T. and Dekker,A.J. Spin-dependent scattering and resistivity of magnetic metals and alloys, 2=25319
Vanpraet,G.J. See Vanhuyse,V.J., 3=15171
Vanpraet,G.J. See Vanhuyse,V.J., 3=22297
Vanpraet,G.J. See Vanhuyse,V.J., 3=22298
Van Putten,J.D. See Von Dardel,G., 3=12481
Van Regemorter, H. Rate of collisional excitation in stellar atmospheres, 3=3597
van Regemorter,H. On the scattering of low-energy electrons, 3=25063
Van Regemorter,H. See Brechot,S., 3=8174
Van Reijen,L.L.,Cossee,P. and van Haren,H.J. Coordination and spin–lattice relaxation of Cr^{5+}, 3=13311
Van Reijen, L.L. See Rootsaert, W.J.M., 3=3369
van Riet,R. Rotational spectrum of the molecule $S^{34}O_2$ in the first vibrational excited state and an addition to the study of the molecules $S^{32}O_2$ and $S^{33}O_2$ in the interval 25 000 to 27 500 Mc/s, 3=15351
van Riet,R. Rotational spectrum of the molecule $S^{33}O_2$ in the first vibrational level, 3=15353
Van Riet,R. The rotation spectrum of $^{32}SO_2$ in the first excited vibrational state, 3=12840
van Riet,R. See de Hemptinne,M., 3=4763

Van Roggen,A. Electronic conduction of polymer single crystals, 3=8558
Van Rooijen,J.J. See Verheul,H., 3=14963
Van Rookhuyzen,P. See Barber,R.C., 3=12527
Van Rookhuyzen,P. See Barber,R.C., 3=22336
Van Rooyen,H.O. See Gledhill,J.A., 3=23640
van Ruler,J. See Boonstra, A.H., 3=17856
Van Ruler,J. See Boonstra, A.H., 3=17857
van Ruyven,L.J. and Adriaens,W.H.T. Double injection with negative resistance in plastically deformed germanium p—n junctions, 3=8534
van Sabben,D. Ionospheric current systems caused by non-periodic winds, 3=3491
Van Santen,J.H. See De Vries, K.J., 3=17926
van Senden,K.G. See Koning,H.N., 3=6908
van Sluiters,A. See Houtgast,J., 3=5244
van Stapele,R.P. See Smit,J., 3=1028
van Stralen,S.J.D. Demonstration examples for liquid currents, 3=9472
van Stralen,S.J.D. Growth rate of vapour bubbles in water—1—butanol mixtures boiling at atmospheric pressure, 3=18796
Van Tassell,W. See Pallone,A., 3=18853
Van Thyne,R.J. See Evans,P.P.V., 3=11169
Van Tiggelen,P., Dereppe,J.M. and Van Meerssche,M. The proton structure in $CoCl_2.2H_2O$, 3=20853
Van Torne,L.I. and Thomas,G. Yielding and plastic flow in niobium, 3=23314
Van't Veer,F. Determination of sunspot structure by means of the wings of strong absorption lines, 3=16372
van't Veer,F. A new model of sunspots, 3=21108
Van't Veer-Menneret,C. Abundance of principal metals in the atmosphere of the metallic-line star, 63 TAU, 3=16404
Van Uitert,L.G. A comparison of the intensities of emission of Eu^{3+} and Tb^{3+} in tungstates and molybdates, 3=10987
Van Uitert,L.G. See Linares,R.C., 3=1264
Van Uitert,L.G. See Spencer,E.G., 3=25601
Van Valkenburg,A. Visual observations of high pressure transitions, 3=11208
Van Valkenburg,A. and Powers,J. Optical observation of pressure induced transitions in polymers, 3=23494
Van Vleck,J.H. Exchange fields in rare earth iron garnets, 3=1159
Van Vleck,J.H. Note on the interactions between the spins of magnetic ions or nuclei in metals, 3=8652
Van Vleck,J.H. Note on the use of the dirac vector model in magnetic materials, 3=18055
Van Vleck,J.H. The theory of paramagnetic relaxation, 3=23219
Van Vleck,J.H. and Orbach,R. Ferrimagnetic resonance of dilute rare-earth doped iron garnets, 3=23216
van Vliet,K.M. See Khokley,W.S., 3=2021
Van Vliet,K.M. See Fassett,J.R., 3=10750
van Vucht,J.H.N. The problem of order or disorder of hydrogen in $Th_8Al_4H_8$, 3=20768
van Vucht,J.H.N. X-ray diffraction of Th_2Al containing hydrogen, 3=20848
van Vucht,J.H.N. Neutron diffraction and proton magnetic resonance of deuterium and hydrogen solutions in Th_2Al, 3=20849
van Vucht,J.H.N. Equilibrium pressures in the system Th_2Al-hydrogen, 3=20941
Van Vucht,J.H.N. See Van Ooijen,D.J., 3=5592
van Wageningen,R. See Wierts,D., 3=4550
van Wieringen,J.S.,Haven,Y. and Kats,A. Paramagnetic resonance of colour centres in alpha-quartz containing germanium, 3=22832
Van Wijk,A.M. Magnetic effects of high-altitude bomb, 3=11474
van Wijk,A.M. and Bergh,H.W. Preliminary investigation into the lunar semidiurnal variation in the magnetic elements at
Van Wijngaarden,A. and Duckworth,H.E. Energy loss in condensed matter of H^1 and He^4 in the energy range $4 < E < 30$ keV, 3=4394
Van Wijngaarden,L. See Broer,L.J.F., 3=14749
van Wijngaarden,L. See Broer,L.J.F., 3=21964
van Wulfften Palthe,D.W. See Nederveen,C.J., 3=18910
Vanyashin,V.S. A certain possibility of applying the Pauli-Villars regularization, 3=2202
Vanyashin,V.S. Theory of second order equations for fermions, 3=22064
Vanyek,U.M. See Bardócz,A., 3=2553
Vanyukov,M.P.,Isaenko,V.I. and Lyubimov,V.V. Time variation of the spectral composition of the radiation from an optical quantum generator containing neodymium-activated glass, 3=25444
Vanyukov,M.P.,Isaenko,V.I. and Serebryakov,V.A. Investigation of the directivity of a laser output, 3=24509
Vanyukov,M.P.,Isaenko,V.I. and Travleev,G.N. Spark channel explosions occurring at high frequencies of discharge repetition, 3=1950
Vanyukov,M.P.,Isaenko,V.I. and Travleev,G.N. Dielectric-strength recovery of a spark gap in a repeating-discharge regime, 3=21743
Vanyukov,M.P. See Andreev,S.I., 3=1959
Vanyukov,M.P. See Andreev,S.I., 3=9749
Vanyukov,M.P. See Andreev,S.I., 3=14540
Vanyukov,M.P. See Andreev,S.I., 3=14547
Vanyukov,M.P. See Andreev,S.I., 3=21742
Vanzandt,T.E. See Calvert,W., 3=16246
Van Zandt,T.E. See Knecht,R.W., 3=13734
VanZandt,T.E. See Norton,R.B., 3=13746
Van Zhun. See Barashenkov,V.S., 3=6040
van Zolingen,J.J. See Kersten,J.A., 3=2537
van Zyl,B. See Pretzer,D., 3=16910
Vapaille,A. Measurement of the lifetime of several specimens of silicon, 3=20320
Vapnyar,D.U. Method and some results of computation of characteristics of tidal friction from observations of high and low tidal currents, 3=16198
Varcaccio,G. See Covello,A., 3=15094
Vardanyan,V.A. and Oganesyan,R.S. Contribution to the theory of the stability of a plane layer of gravitating fluid with the density decaying exponentially within a magnetic field, 3=2112
Vardenga,G.L. See Andronikashvili,E.L., 3=4505
Vardenga,G.D. See Andronikashvili,É.L., 3=19731
Varenne,S. See Richard,J., 3=17996
Varfolomeev,A.A. See Messel,H., 3=4486
Varfolomeev,A.A. See Nikol'skii,B.A., 3=6061
Varfolomeev,A.T. Comparison of the excitation energies of B^{11} produced in the reactions $C^{12}(\pi^-,n)B^{11}$ and $C^{12}(p,2p)B^{11}$, 3=6277
Varfolomeev,A.T. High energy fragments emitted during the absorption of slow π^--mesons by O^{16} nuclei, 3=6279
Varfolomeev,A.T. See Gorbunov,A.N., 3=19715
Vargas,J.I. See Maddock,A.G., 3=22871
Varivoda,I.Kh. The problem of binding forces in the crystal lattice of α-iron, Fe—Cr and Fe—Mn solid solutions, 3=2984
Varlashkin,P.G. and Thompson,J.C. Heat conduction in metal—ammonia solutions, 3=14149
Varma,T.D. On the relativistic Thomas—Fermi—Dirac atom, 3=775
Varney,R.N. The formation and stability of molecular ions, 3=4004
Varoqui,R. See Jacob,M., 3=9454
Varsavsky,C.M. Excitation cross-sections for highly ionized atoms, 3=4713
Varsavsky,C.M., Gratton,F. and Pöppel,W.G.L. Some models of internal structure of subdwarfs, 3=1526
Varshalovich,D.A. and Peker,L.K. Distinctive features of deformed odd—odd nuclei with $K = 0$, 3=10236
Varshavskii,Ya.M. and Kitova,A.I. Optical cell for measuring absorption spectra of chemically active solutions under pressure, 3=7333
Varshavskiĭ,Yu.S. and Sheĭnin,A.B. Entropy of systems consisting of almost indistinguishable components, 3=18738
Varshni,Y.P. and Bloore,F.J. Rydberg function as an inter-atomic potential for metals, 3=4800
Varshni, V.P. and Shukla, R.C. Alkali hydride molecules: potential energy curves and the nature of their binding, 3=17569
Varshni,Y.P. See Bloore,F.J., 3=8217
Varsila,K. The effect of the plutonium conversion on the prompt temperature coefficient of TRIGA, 3=12731
Vartanian,Y.L. See Sahakian,G.S., 3=14013
Vartanov,N.A.,Rozman,I.M.,Ryukhin,Yu.A. and Chkuaseli,Z.D. Application of plastic scintillators in beta-spectrometry, 3=2247
Vartanov,N.A. See Khulelidze,D.E., 3=24902
Vartanov,N.A. See Selinov,I.P., 3=10291
Vartanyan,A.T. Spectral distribution of photoconductivity of chlorophyll A as affected by layer, 3=20400

Vartanyan,A.T. The activation energy of the dark conduction and photoconduction of chlorophyll A, 3=20401
Vartanyan,A.T. and Rozenshtein,L.D. Absorption and phosphorescence spectra of some organic substances, 3=958
Vartanyan, Yu.L. Energy losses of strongly interacting particles passing through hydrogen, 3=17274
Vartapétian, H, Khudaverdian, A. and Pétrossian, Z. Measurement of the mean life of the 619 keV level of Ta^{181}, 3=17420
Vartapetyan,G.A. The lifetime and nature of the 686 keV level in Re^{187}, 3=4580
Vartapetyan,G.A.,Petrosyan,Z.A. and Khudaverdyan,A.G. On forbidden E1 transitions in Tb^{159} and Yb^{173}, 3=4577
Vashchenko,V.I. See Rvachov,V.P., 3=21535
Vashchenko,V.Ya. and Zubarev,V.N. Concerning the Grüneisen constant, 3=25203
Vašíček,A. Complex amplitudes in the optics of a thin metal film, 3=3884
Vašíček,A. Fresnel and complex energy amplitudes in the optics of thin metallic films, 3=9602
Vašíček,A. Interpretation of the Airy formulae in terms of energy for a metal film, 3=19006
Vasilach,S. System of integro-differential equations for an electromagnetic field in excited or stationary media, 3=2088
Vasileff, H.D. Application of the p–n–p variable-capacitance diode to microwave switching, 3=25381
Vasilenko,A.T. See Blokhintseva,T.D., 3=24558
Vasilenko,S.S. See Badalov,N.B., 3=22347
Vasilenko,T.V. and Khar'kov,E.I. Diffusion of silver in liquid bismuth, 3=21331
Vasilenko,V.N. See Boltneva,L.I., 3=5185
Vasilescu,D. See Mesnard,G., 3=866
Vasilescu-Karpen,N. Origin of terrestrial magnetism, 3=23643
Vasil'ev,A.A. A possibility of decreasing the injection energy of ultra-high energy accelerators, 3=16998
Vasil'ev,A.A. See Burshtein,E.L., 3=7666
Vasil'ev,A.A. See Vladimirskii,V.V., 3=12275
Vasil'ev,A.F. Simplification of the reduction method of Burger and van Cittert, 3=7340
Vasil'ev,A.F. Measurement of the half-width of the apparatus function of a monochromator by analysing the transmission spectrum of a double Fabry–Perot etalon, 3=16781
Vasil'ev,A.M. The effect of orientation of the molecules of a fluid in an electric field on nuclear magnetic resonance, 3=14188
Vasil'ev,A.M. The problem of the effect of an external electric field on nuclear resonance, 3=20666
Vasilev,A.P.,Dolgov-Savel'ev,G.G. and Kogan,V.I. Radiation by impurities in rarefied hot plasma, 3=12137
Vasil'ev,B.N. See Mandel'shtam,C.L., 3=9190
Vasil'ev,D.I. Shortened mercury vacuum gauge, 3=1737
Vasil'ev,D.M. Nature of the initial stage of plastic deformation in polycrystalline metals, 3=20711
Vasil'ev,I.G. and Shapov,A.I. A sun-tracking head, 3=21550
Vasil'ev,L.A. and Sineglazov,O.M. Diffraction restrictions on the phase contrast method and the limits of applicability of the vector theory, 3=19018
Vasil'ev,S.S.,Komarov,V.V.and Popova,A.M. Investigation of disintegrations of carbon and oxygen nuclei induced by 15-29 MeV protons, 3=2458
Vasil'ev,S.S., Komarov,V.V. and Popova,A.M. Investigation of the reaction C^{12}(α, 4α), 3=4671
Vasil'ev,S.S.,Komarov,V.V. and Popova,A.M. Properties of low-lying states of Li^{5} and Be^{8} shown in disintegration reactions involving light nuclei, 3=10345
Vasil'ev,S.S.,No Sen Chan [No Seng Ch'ang] and Shavtvalov,L.Ya. Investigation of the radiation of Mn^{56}, 3=8032
Vasil'ev,S.S.,Romanovski,E.A. and Timushev,G.F. Inelastic scattering of 6.6 MeV protons on Ca^{40} and Mn^{55}, 3=6237
Vasil'ev,S.S. See Baskova,K.A., 3=2407
Vasil'ev,S.S. See Baskova,K.A., 3=6192
Vasil'ev,V.D. See Andreev,D.S., 3=10237
Vasil'ev,V.D. See Kurov,G.A., 3=23398
Vasil'ev,Ya.V. See Antun'ev,V.V., 3=3178
Vasil'ev, Ya. Y. and Shcherbakova, G.A. Magnetic susceptibility of the system $\alpha Fe_2O_3-\alpha Al_2O_3$, 3=18077
Vasil'ev,Yu.A.,Zamyatnin,Yu.S.,Sirotinin,E.I. and Fomushkin,E.F. Spectra of U^{235} fission neutrons emitted at 0, 45 and 90° to the direction of emission of the fragments, 3=12715
Vasil'ev,Yu.I. Two summaries of the attenuation constants of elastic vibrations in rocks, 3=3428
Vasil'ev,Yu.I. and Gurevich,G.I. Ratio between attenuation decrements and propagation velocities of longitudinal and transverse waves, 3=14234
Vasil'eva,L.L. See Ksendzov,Ya.M., 3=20337
Vasil'eva,M.N. and Reikhrudel',É.M. Influence of space charge on the electron kinetics in Penning-type tubes, 3=21871
Vasil'eva,V.A. See Toropov,N.A., 3=13485
Vasilevskaya,V.N., Miselyuk,E.G. and Fortunatova,N.N. Investigation of the structure and some electrical properties of germanium dendrites, 3=18281
Vasilevskii,I.M.,Prokoshkin,Yu.D. and Rykalin,V.I. Search for threshold anomalies in energy dependence of the total cross-section for the interaction of protons, 3=4388
Vasilevskis,S. On proper motions of open clusters, 3=7007
Vasiliu,A. See Luca,E., 3=9471
Vasiliu,R. Apparatus for the control of liquid levels, 3=11645
Vasiliu,V. See Agarbichanu,I., 3=15287
Vasiljev,V.I. See Bazilevskaya,O.A., 3=7561
Vasiljeva,N.N. See Morgenštern,Z.L., 3=18024
Vasil'yev,B.N. See Mandel'shtam,S.L., 3=23681
Vasilyev,S.S.,Komarov,V.V. and Popova,A.M. Decay of the nucleus C^{12} caused by 22 to 24 MeV α-particles, 3=2495
Vasilyev,S.S.,Komarov,V.V. and Popova,A.M. Mechanism of the C^{12}(p,p'3α) reaction for proton energies of 15 to 29 MeV, 3=8091
Vasil'yeva,M.Ya. See Zaytsev,A.A., 3=19214
Vasil'yeva,N.P. See Gavrilyuk,M.I., 3=11183
Vasin,I.G., Pozdnyakov,P.G., Khramov,L.V. and Yaroslavskii,M.I. Quartz crystals with slotted piezoelectric transducers, 3=15625
Vaško,A. Theory and structure of the temperature image, 3=1864
Vaško,A. Fatigue effects in caesium oxide cathodes irradiated with infrared, 3=2018
Vaško,A. The vibration spectra of sodium chloride doped with Na$_2$CO$_3$ and NaOH, 3=20489
Vaško,A. See Srb,I., 3=3021
Vassell,W.C. See Jaklevic,R.C., 3=15719
Vasseur,P.L. See Brachet,C.M.F., 3=7481
Vassiliev,A.,Nicolas,J. and Hildebrandt,M. Existence and variation of ferrimagnetic compensation points θ_C = f(x) of the ferrites NiO.(1-x)Fe$_2$O$_3$.xAl$_2$O$_3$, 3=13268
Vassuer,J. See Brunet,M., 3=21865
Vassy,A. See Jeannet,J.-C., 3=16281
Vassy,E. A new measurement principle of ionospheric absorption, 3=5867
Vastel,J. See Charles,D., 3=16994
Vastano,A.C. See Masket,A.V., 3=22
Vastano,A.C. See Masket,A.V., 3=23
Vasudevan,M. and Johnson,W. On multi-metal thermostats, 3=14406
Vasyutinskii,B.M., Kartmazov,G.N. and Finkel,V.A. Problems of the structure of chromium at temperatures of 700°–1700°C, 3=5100
Vatazin,A.B. On the flow in a diffusor in the presence of a magnetic field, 3=7689
Vater,O. See Lorenz,W., 3=17490
Vatolin,N.A. See Dubinin,É.L., 3=3816
Vatolin,N.A. See Dubinin,É.L., 3=20912
Vatolin,N.A. See Dubinin,E.L., 3=23905
Vatset,P.I., Kolesnikov,L.Ya. and Tonepanetyan,S.C. Neutrons from the C^{12}(t,n) reaction, 3=4672
Vatset,P.I. See Valter,A.K., 3=4673
Vaucher,B. See Joseph,C., 3=2266
Vaughan,D.E. The application of beta–gamma coincidence methods to radioisotopes with complex decay schemes, 3=15123
Vaughan,J.M. See Davies,J.T., 3=16764
Vaughan,P. See Langton,N.H., 3=23878
Vaughan,R. See Cole,P.H., 3=19136
Vaughan,W.E.,Roeder,S.B.W. and Provder,T. Dielectric relaxation of some aromatic molecules containing methoxy groups, 3=21389
Vaughan,W.H. See Patterson,D.A., 3=15682
Vaumoron,J. and Columbani,A. Qualitative study of the evaporation of a mixture Ni + Cr, 3=16143
Vautier,R. Damping in ferromagnetic resonance, 3=1165
Vautier,R. Effect of demagnetizing factors on the conditions of ferrimagnetic resonance, 3=3158

Vavilov,V.S. Radiation ionization processes in germanium and silicon crystals, 3=15578
Vavilov,V.S.,Chapnin,V.A. and Smirnova,I.V. On defects introduced by fast electrons into silicon doped by lithium, 3=22704
Vavilov,V.S.,Galkin,G.N.,Malovetskaya,V.M. and Plotnikov,A.F. Energies of photoionization and thermal ionization of deep levels of radiation defects in silicon, 3=6590
Vavilov,V.S. and Plotnikov,A.F. On defects introduced into silicon by fast electron and neutron irradiation, 3=22725
Vavilov,V.S.,Plotnikov,A.F. and Tkachev,V.D. Investigation of structural defects in silicon single crystals using the photoconductivity method, 3=22764
Vavilov,V.S. See Akimchenko,I.P., 3=20409
Vavilov, V.S. See Gippius, A.A., 3=17860
Vavilov,V.S. See Lotkova,É.N., 3=3018
Vavilov,V.S. See Plotnikov,A.F., 3=23022
Vavilov,V.S. See Smirnov,L.S., 3=20540
Vavilov,V.S. See Smirnova,I.V., 3=22849
Vavilov,Yu.N. The energy of μ-mesons in cosmic-ray μ-meson beams, 3=2345
Vavilov,Yu.N.,Pugachova,G.I. and Fedorov,V.M. Muon groups near the axis of an extensive air shower, 3=22239
Vavřinec,E. See Beneš,J., 3=6671
Vavrouch,D. and Boček,V. Some optimum parameters of Golay detector of infra-red radiation, 3=24103
Vázquez,M.,Tagueña,C. and de la Peña,V.C. Measurement of the lifetime of the first excited state of F^{19} by the method of delayed coincidences, 3=22294
Vazquez Jimenez,R. See Zanen,J., 3=11639
Vdovenko,I.D. See Hratsians'kyi,M.M., 3=20913
Vdovin,V.L. and Nedospasov,A.V. Instability of positive columns in magnetic fields, 3=7476
Veal,B.W. and Rayne,J.A. Heat capacity of β-CuZn below 4·2°K., 3=766
Veal, B.W. and Rayne, J.A. Heat capacity of α-CuZn alloys below 4·2°K, 3=17660
Vecht,A. and Apling,A. A new method of recrystallizing CdS thin films, 3=23396
Vedder,W. and McDonald,R.S. Vibrations of the OH ions in muscovite, 3=13164
Vedeneev,O.V.,Dmitriev,V.A. and Khristiansen,G.B. Amplitude distribution of bursts produced by high-energy muons under thick filters, 3=22240
Vedenov, A.A. Kinetic transitions, 3=16845
Vedenov,A.A. Quasilinear plasma theory (theory of a weakly turbulent plasma), 3=21838
Vedenov, A.A. and Velikhov, E.P. Quasilinear approximation in the kinetics of a rarefied plasma, 3=2007
Vedenov,A.A. and Velikhov,E.P. Concerning the growth of electrostatic instabilities in plasmas in strong magnetic fields, 3=16959
Vedenov,A.A.,Velikhov,E.P. and Sagdeev,R.Z. Quasi-linear theory of plasma oscillations, 3=12217
Vedula,Yu.S.,Gavrilyuk,V.M. and Medvedev,V.K. Effect of electron bombardment on the adsorption properties of the tungsten surface, 3=18395
Vedyaev,A.V. See Rode,V.E., 3=20617
Veefkind,A. See Born,P., 3=15146
Veefkind,A. See Born,P., 3=22305
Veenboer,J.Th. See Brinkman,G.A., 3=17111
Veenemans,C.F. The course of the development of materials and components for electronics applications, 3=20369
Veerman,J.,Franse,J.J.M. and Rathenau,G.W. Dependence of magnetocrystalline anisotropy on field strength, 3=20581
Vegter,H.J. See Bleekrode,R., 3=8713
Vegter,H.J. See Bleekrode,R., 3=11113
Vegter,H.J. See Bölger,B., 3=9982
Vehse,W.E. See Schumacher,R.T., 3=1053
Vehse,W.E. See Schumacher,R.T., 3=11031
Veigele,W.J. Growth of hexamethylenetetramine crystal from vapor: a laboratory experiment, 3=23400
Veigele,W.J. and Bevan,A.W.,Jr. Device for n.m.r. measurements under axial stress and hydrostatic pressure, 3=7726
Veigele,W.J. and Bevan,A.W.,Jr. Diffusion narrowing of nuclear magnetic resonance linewidth of F^{19} in $CaF_2 : Sm^{2+}$, 3=23271
Veigele,W.J.,Bevan,A.W.,Jr and Tanttila,W.H. Temperature dependence of the Al nuclear quadrupole interaction in ruby, 3=13317

Veilex,R. See Bok,J., 3=6595
Veilex,R. See Lichaber,A., 3=10827
Veillet,J.J., Hennessy,J., Bingham,H., Bloch,M., Drijard,D., Lagarrigue,A., Mitner,P., Rousset,A., Bellini,G., di Corato,M., Fiorini,E. and Negri,P. Existence and spin of the proposed "f^0" $\rightarrow \pi^+ + \pi^-$ resonance, 3=17313
Veillet,J.J.,Hennessy,J.,Bingham,H.,Bloch,M.,Lagarrigue,A., Mittner,P.,Rousset,A.,Bellini,G.,di Corato,M.,Fiorini,E. and Negri,P. Existence and spin of the f^0 resonance, 3=10163
Veinberg,V.B.,Ivanova,L.N. and Sattarov,D.K. Radiation-energy guides, 3=241
Veis,M. See Brabets,V., 3=8050
Vejs,M. See Kracík,B., 3=12635
Veklenko,B.A. and Novobrantsev,I.V. The single-electron approximation in collision theory, 3=2576
Veksler, A.Z. and Pen'kov, N.V. Theory of the surface effect in ferromagnets for a nonsinusoidal field, 3=18078
Veksler,V.I. Energy spectra of slow positive ions of rubidium and caesium scattered by the surface of molybdenum, 3=2047
Veksler,V.I. The interaction of slow positive rubidium and caesium ions with a molybdenum surface, 3=5714
Veksler,V.I. A method of investigating cathode sputtering, 3=12258
Veksler,V.I. Non-pair collisions in the interaction of slow positive ions with the surface of a metal, 3=22854
Veksler,V.I., Vishnyakov,V.V., Pontecorvo,B.and Týapkin,A.A. Search for anomalous scattering of muon neutrinos by nucleons, 3=578
Veksler,V.I.,Viryasov,N.M.,Vrana,I.,Kim Khi In,Kladnitskaya,E.N. Kuznetsov,A.A.,Nguen-Din Tў,Solov'ev,M.I.,Khofmokl',T.K. and Chen Lin-Yan [Ch'eng Ling-Yang]. Study of the polarization of Λ-hyperons produced in π^-p interactions at 7—8 GeV, 3=22211
Veksler,V.I. See Belyakov,V.A., 3=24798
Veksler,V.I. See Van Yun-chan [Wang Yung-chang], 3=2305
Veksler,V.I. See Wang Kang-Ch'ang, 3=19702
Veksler,V.I. See Wang Kang-Ch'ang, 3=22208
Veksli,Z. See Maricic,S., 3=2904
Vela,P. See Russell,B., 3=23346
Velarde,G. Dancoff correction for several infinitely long cylindrical rings, 3=10413
Velasco,R., Iglesias,L., Gullón,M.N. and Diago,M.C. Recent work on the second spectra of some iron group elements, 3=19948
Veldre,V.Ya. and Peterkop,R.K. Calculation of the distortion of the incident s-wave in the ionization of the hydrogen atom by electrons 3=10466
Velge,W.A.J.J. See de Vos,K.J., 3=15786
Velibekov,É.R. Collective excitations in the theory of superconductivity, 3=5579
Velichkin,A.I. Amplitude clipping of speech, 3=13944
Velichkina,T.S.,Shustin,O.A. and Yakovlev,N.A. The Michelson interferometer as an apparatus for lecture demonstrations, 3=19013
Velichkina,T.S. See Baranskii,K.N., 3=2726
Velichko,V.I. See Mukhin,V.A., 3=14193
Velický,B. See Abrahám,A., 3=14167
Velický,B. See Frei,V., 3=10811
Velikhov,E.P. Hall instability of current carrying slightly-ionized plasmas, 3=24272
Velikhov,E.P. See Bedenov,A.A., 3=4821
Velikhov, E.P. See Vedenov, A.A., 3=2007
Velikhov,E.P. See Vedenov,A.A., 3=16959
Velikhov,E.P. See Vedenov,A.A., 3=12217
Veltman,M. Unitarity and causality in a renormalizable field theory with unstable particles, 3=10014
Veltman,M. Higher order corrections to the coherent production of vector bosons in the Coulomb field of a nucleus, 3=10070
Veltman,M. See Bell,J.S., 3=19609
Venables,J.A. Deformation twinning in f.c.c. copper + aluminium alloys, 3=17766
Venables,J.A. Dislocation distributions and densities in f.c.c. copper alloys, 3=17753
Venables,J.D. Identification of precipitates on grown-in dislocations in MgO, 3=10673
Venables,J.H. See Evans,J.H., 3=1360
Venediktov,Yu.P.,Martўnov,A.I. and Koreshkova,V.A. A generator of bursts of pulses, 3=24193

Véneroni,M. See Arvieu,R., 3=17380
Véneroni,M. See Arvieu,R., 3=19797
Venevtsev,Yu.N. See Fedulov,S.A., 3=13116
Venevtsev,Yu.N. See Fedulov,S.A., 3=13481
Venevtsev,Yu.N. See Fedulov,S.A., 3=20767
Venevtsev,Yu.N. See Fedulov,S.A., 3=20770
Venevtsev,Yu.N. See Fedulov,S.A., 3=20852
Venevtsev,Yu.N. See Ivanova,V.V., 3=20851
Venevtsev,Yu.N. See Lyubimov,V.N., 3=12903
Venevtsev,Yu.N. See Lyubimov,V.N., 3=15409
Venevtsev,Yu.N. See Lyubimov,V.N., 3=15615
Venevstev,Yu.N. See Lyubimov,V.N., 3=22992
Venevtsev,Yu.N. See Lyubimov,V.N., 3=22997
Venevtsev,Yu.N. See Lyubimov,V.N., 3=25394
Venezia,A.C. See Ettinger,S.Y., 3=12044
Venikov,N.I. Reduction of the length and repetition frequency of the ion bunches in a cyclotron, 3=2063
Venikov,N.I. See Babichev,A.P., 3=21913
Vening Meinesz,F.A. Pattern of convection-currents in the earth's mantle, 3=11377
Venis,C.G. A simple laboratory technique for the making of rubber objects, 3=13980
Venkataraman,B. See Das,M.R., 3=22589
Venkata Rao,C. See Krishnamurty,V.V.G., 3=11788
Venkatasubramanian,V.S. and Duckworth,H.E. The vacuum vibrator as a source of ions for mass spectroscopy, 3=7659
Venkates,H.G. Formalized system of equations in electromagnetism, 3=12292
Venkatesan,D. See Akasofu,S.-I., 3=25947
Venkatesan,D. See Forbush,S.E., 3=9116
Venkatesan,D. See Rao,U.R., 3=10196
Venkatesan,K. and Santhanam,T.S. Some remarks on symmetries shared by strong and weak interactions, 3=22070
Venkateswaran, S.V. See Ballif, J.R., 3=3511
Venkateswaran,S.V. See Ballif,J.R., 3=9101
Venkateswara Rao,V. and Krishna Swamy Chetty,S.T. Slow motion devices for vertical and longitudinal movements of grating assembly in eagle mounting for gratings of large radius of curvature, 3=14365
Venkateswarlu,K. Potential constants of polyatomic molecules. II, 3=15326
Venkateswarlu,K. and Mariam,S. Raman spectra of alcohols, 3=22578
Venkateswarlu,K. and Mariam,S. Raman spectra of alcohols: depolarization measurements, 3=22579
Venkateswarlu,K. and Mariam,S. Raman spectra of alcohols: solvent effect, 3=25115
Venkateswarlu,K. and Rajalakshmi,K.V. Urey-Bradley force field and thermodynamic properties: pyramidal XYZ_2 type molecules, 3=2626
Venkateswarlu,K. and Rajalakshmi,K.V. Urey—Bradley force field and thermodynamic properties: planar XYZ_2 type molecules, 3=12797
Venkateswarlu,K. and Rajalakshmi,K.V. Urey—Bradley force field and thermodynamic properties: AXYZ type molecules, 3=12799
Venkateswarlu,K. and Rajalakshmi,K.V. Urey—Bradley force field—allene (C_3H_4), 3=20004
Venkateswarlu,K. and Thanalakshmi,R. Urey-Bradley force field: Tetrahedral XY_4 type molecules, 3=8235
Venkateswarlu,K. and Thanalakshmi,R. Urey—Bradley force field and thermodynamic properties of XY_3Z type of molecules, 3=12798
Venkateswarlu,K. and Thanalakshmi,R. Potential constants of polyatomic molecules. I, 3=15325
Venkateswarlu,K. and Thanalakshmi,R. Urey—Bradley force field: SF_4 molecule, 3=19989
Venkatraman,B. See Patel,S.A., 3=14076
Venkiteshwaran,S.P., Mani, A., Huddar,B.B. and Swaminathan,M.S. Some observations of electrical potential gradient and conductivity in cirrus cloud levels over Poona, 3=18512
Venkiteshwaran,S.P. See Mani,A., 3=9042
Venkiteshwaran,S.P. See Mani,A., 3=18513
Venning,B.H. See Bell,A.G., 3=14482
Ventress,G.B. See Kinloch,C.D., 3=13339
Venturino,A.J. See Riemersma,H., 3=3971
Venturini,G. See Bassi,P., 3=17480
Venturino,A.S. See Carter,F.L., 3=13431
Venugopal,V.R. and Alvi,H. The activation of a dark filament, 3=16379
Venus,W.A. See Fisher,C.M., 3=8060
Vepřek,J.A. A thermistor flowmeter, 3=9408
Veras,D.J. See Lee,T.H., 3=21453
Verbeke,G. See Chiltz,G., 3=11356
Verbeke,O. See Van Itterbeek,A., 3=18801
Verbeke,O. See Van Itterbeek,A., 3=20306
Verber,C.M. and Adelman,A.H. Laser-induced thermionic emission, 3=19305
Verber,M. See Adelman,A.H., 3=25490
Verber,T. See Bryukman,A., 3=1387
Verboven,E. The master equation with special transition probabilities, 3=11717
Verboven,E. and Buyst,L. The evolution to quantum statistical equilibrium for a simple model. II. A numerical solution, 3=18743
Verboven,E. See Janner,A., 3=5380
Verch,J. Evaluation of optical-pyrometric temperature measurements, 3=3914
Verdaguer,F. and Sagastibelza,F. Measurement of the specific activity of a solution of Au^{198}, 3=22349
Verde,M. On the Green's function of potential scattering, 3=14903
Verderber,R.R. Formation and orientation of Mg Au alloy thin films, 3=20924
Verderber,R.R. See Unterkofler,G.J., 3=23503
Verdier,P.H. See Brown,T.H., 3=15387
Verdier,P.H. See Brown,T.H., 3=20016
Verdingh,V. See Lauer,K.F., 3=11321
Verdone-Thuillier,J. See Dreyfus,B., 3=20475
Verein,N.V. See Muromtsev,V., 3=21993
Verel,D.J. Recovery of the resistivity of copper cold worked at low temperatures, 3=20266
Veremeev,M.M. See Aleksanyan,A.S., 3=2176
Veres,A. Photo-activation of cadmium-111m and indium-115m by cobalt-60 irradiation, 3=15111
Vereščagin, I.K. and Drapak, I.T. Electroluminescence of single crystals of ZnO, 3=18048
Vereščagin,I.K. and Kosiačenko,L.A. On avalanche processes in electroluminescence of single ZnS-Cu crystals, 3=11014
Veresh,T.,Solov'ev,V.G. and Shiklosh,T. Investigation of the properties of transuranium elements, 3=24829
Veresh,T. See Volkov,M.K., 3=19805
Vereshchagin,I.K. Electroluminescence of ZnS phosphors under excitation by square pulses of different duration, 3=15722
Vereshchagin, I.K. and Kosyachenko, L.A. Avalanche processes in the electroluminescence of ZnS−Cu, 3=18049
Vereshchagin, L.F., Semerchan, A.A., Popova, S.V. and Kuzin, N.N. Change of the electrical resistivity of some semiconductors under pressures up to 300 000 kgm/cm^2, 3=2902
Vereshchagin,L.F., Yuzefovich,N.A. and Chelovskii,A.V. Measu ment of the speed of ultrasound in some gases in a state of high density, 3=1728
Vereshchagin,L.F. See Evdokimova,V.V., 3=16015
Vereshchagin,L.F. See Frolov,A.P., 3=3252
Vereshchagin,L.F. See Frolov,A.P., 3=20815
Vereshchagin,L.F. See Kabalkina,S.S., 3=3302
Vereshchagin,L.F. See Kabalkina,S.S., 3=6848
Vereshchagin,L.F. See Kuzin,N.N., 3=8524
Vereshchagin,L.F. See Semerchan,A.A., 3=6557
Vereshchagin,L.G. See Evdokimova,V.V., 3=6811
Vergara,W.C., Greenhouse,H.M. and Nicholas,N.C. Evaporant sources for the deposition of pinhole-free films, 3=16135
Verghaegen,G.,Stafford,F.E.,Goldfinger,P. and Ackerman,M. Correlation of dissociation energies of gaseous molecules and of heats of vaporization of solids. I. Homonuclear diatomic molecules, 3=740
Verghese,C.A. See Bhatia,B., 3=7073
Vergnes, J. See Pesteil, L., 3=17605
Vergnes,M. Half-life of the 217 keV excited level in Hf^{179}, 3=19792
Vergnes,M.N. Evidence for two classes of E1 transitions in deformed rare-earth nuclei, 3=6152
Vergunas,F.I. and Enikeeva,K.Sh. Photodielectric effect in electroluminescent zinc sulphide phosphors, 3=15614
Vergunas, F.L.and Yashin,É.M. Certain regularities of the optical flash in the ZnS-Cu, Pb phosphors, 3=3053
Verhaar,B.J. Odd-even shift and moments of inertia for K = 0 rotation bands of odd nuclei, 3=10243
Verhaar,B.J. Structure of nuclear rotation bands according to the Peierls—Yoccoz theory of collective motion, 3=19759

Verhaegen,G. and Drowart,J. Mass spectrometric determination of the heat of sublimation of boron and of the dissociation energy of B_2, 3=305
Verheijke,M.L. Calculated efficiencies of a 3 x 3 in. NaI (Tl) well-type scintillation crystal, 3=10002
Verheijke,M.L. See Aalberts,J.H., 3=3338
Verheul,H.,Booy,H.M.W.,Okel,J.G.R. and Blok,J. The decay of $^{178}_{73}$Ta, 3=15155
Verheul,H., Van Rooijen,J.J., Kapteyn,Th.S. and Blok,J. A solenoidal β-ray spectrometer for coincidence experiments, 3=14963
Verhoogen,J. See Currie,R.G., 3=18577
Verié,C. Direct conversion of thermal energy into motion, 3=9717
Verié, C. and Rodot, M. Galvomagnetic and thermomagnetic effects in Corbino geometry using a cylindrical magnetic field, 3=1925
Verkhoglyadova,T.S., L'vov,S.N., Nemchenko,V.F. and Samsonov,G.V. Electrical and galvanomagnetic properties of chromium nitrides, 3=865
Verkhorobin,L.F. See Matyushenko,N.N., 3=20839
Verkhovtseva,É.T. See Kutsyna,L.M., 3=18815
Verlan,É.M. See Kondilenko,I.I., 3=20463
Verlet,L. and Levesque,D. On the theory of classical fluids. II, 3=5417
Verma,A.R. See Krishna,P., 3=11212
Verma,G.S. Recent application of ultrasonics to solid state physics, 3=10594
Verma,G.S. See Agrawal,B.K., 3=321
Verma,G.S. See Tewari,D.P., 3=8721
Verma, G.S. See Tewari, D.P., 3=18156
Verma,J.K.D. A four-point probe for resistivity measurements of semiconductors, 3=24160
Verma,M.P. and Dayal,B. The equation of state of NaCl, 3=15447
Verma,P.D.S. and Sinha,S.B. A few examples showing use of hypo-elasticity in plasticity, 3=16562
Verma,R.D. Note on the spectra attributed to CF^+ and CCl^+, 3=8252
Verma,R.D. and Warsop,P.A. The absorption spectrum of the Si_2 molecule, 3=8268
Verma,S.D. See Lal,S., 3=17200
Verma,S.D. See Raghavan,R., 3=4509
Verma,S.D. See Ramana Murthy,P.V., 3=24813
Verma,Y.K. See Auluck,F.C., 3=9159
Vermande,P. See Blanc,D., 3=19505
Vermande,P. See Blanc,D., 3=19650
Vermeer,A. Microwave Doppler shift measurements on the plasma of an arc discharge, 3=5645
Vermesse,J., Johannin,P. and Vodar,B. Determination of the coefficient of viscosity of nitrogen compressed up to 5000 bars, 3=14190
Verner,V.D. Internal friction due to the diffusion of nitrogen atoms in the elastic stress field in γ solid solutions of iron alloys, 3=20695
Verniani,F. On the density of meteoroids. I. The density of bright photographic meteors, 3=3557
Vernidub,I.I., Zhikharev,A.S., Medaliev,Kh.Kh., Pravdun,N.S., Sulakvelidze,G.K. and Chumakova,G.G. Investigation of the ice-forming properties of lead iodide aerosols, 3=8987
Vernon,S.N., Sadiq,M.G., Dmitriev,V.A. and Khristiansen,G.B. Investigation of high-energy μ-mesons at the depth of 40 m.w.e., 3=4525
Vernotte,P. Summation of divergent series occurring in the calculations of theoretical chronometry. II. Replacement of one series by another of similar form, 3=11668
Vernotte,P. Large and rapid adiabatic compression of a gas, 3=21421
Vernotte,P. Concerning a complication in the transfer of heat between rubbing bodies: case of unequal extension, 3=24082
Vernov,S.I., Savenko,I.A., Shavrin,P.I. and Pisarenko,N.F. Detection of the inner radiation belt at a height of 320 km in the region of the South Atlantic magnetic anomaly, 3=9109
Vernov,S.N., Dmitriev,V.A., Khristiansen,G.B. and Gulyam Salÿk Mukhibi. Investigation of the spectrum of energetic muons at a depth of 40 metres water equivalent, 3=19738
Vernov,S.N., Khristiansen,G.B., Belyaeva,I.F., Dmitriev,V.A., Kulikov,G.V., Nechin,Yu.A., Solov'eva,V.I. and Khrenov,B.A. Primary component of cosmic radiation in the region of ultrahigh energies and some characteristics of its interaction with air nuclei, 3=19719
Vernov,S.N., Li Don Khva, Khrenov,B.A. and Khristiansen,G.B. μ-meson beams in broad air showers, 3=6118
Vernov,S.N., Ly-Don-Khva, Khrenov,B.A. and Khristiansen,G.B. On μ-meson beams in the composition of extensive air showers, 3=4500
Vernov,S.N., Savenko,I.A., Shavrin,P.I., Nesterov,V.E. and Pisarenko,N.F. Outer radiation belt of the earth at the height of 320 km, 3=9108
Vernov,S.N., Savenko,I.A., Shavrin,P.I., Nesterov,V.E. and Pisarenko,N.F. The earth radiation belts at altitudes of 180—250 km, 3=23636
Vernov,Yu.S. and Sisakyan,I.N. Concerning the emission of photons and muons in the process of multiple production at high energies, 3=19594
Veron,D. See Waelbroeck,F., 3=12207
Veronesi,P. See Fuschini,E., 3=2389
Veronis,G. Penetrative convection, 3=11763
Veronis,G. On inertially-controlled flow patterns in a β-plane ocean, 3=16204
Verreault,R. See Hobson,J.P., 3=18844
Verriest,G. Further studies on acquired deficiency of color discrimination, 3=5305
Verriest,G., Vandevyvere,R. and Vanderdonck,R. New study on the influence of sex and age on colour discrimination, and the practical significance of the Farnsworth–Munsell 100 hue test, 3=16466
Verrillo,R.T. Investigation of some parameters of the cutaneous threshold for vibration, 3=3648
Verrillo,R.T. See Zwislocki,J., 3=1560
Verschuur,G.L. See Davies,R.D., 3=5282
Verschuur,G.L. See Davies,R.D., 3=9259
Verster,N.F. and Hagedoorn,H.L. Computer programs for an A.V.F. cyclotron, 3=5767
Verster,N.F., Hagedoorn,H.L., Zwanenburg,J., Franken,A.J.J. and Geel,J. Some design features of the Philips AVF prototype, 3=5740
Verster,N.F. See Hagedoorn,H.L., 3=5758
Verster,N.F. See Hagedoorn,H.L., 3=5768
Vertebny,V.P. and Koloty,V.V. Design of a neutron monochromator consisting of several disks with a longitudinal axis of rotation, 3=19657
Vertebny,V.P. and Koloty,V.V. Neutron pulse shape and transmission function of a two-rotor neutron chopper. I. The neutron chopper with flat slits, 3=19658
Vértes,P. Some problems concerning the theory of pulsed neutron experiments, 3=25004
Vértes,P. See Kosály,G., 3=25006
Vertoprakhov,V.N. Anisotropic solution of germanium and silicon monocrystals, 3=13410
Vertsner,V.N., Vorona,Yu.M., Vorob'ev,Yu.V., Bogdanovskii,G.A. and Chentsov,Yu.V. Optics of the EM-5 and EM-7 electron microscopes, 3=2033
Vertsner,V.N., Vorona,Yu.M. and Zhdanov,G.S. Observation of a crystal lattice in an EM-5 electron microscope, 3=11248
Vertsner,V.N. See Solov'ev,A.M., 3=3371
Vertsner,V.N. See Vorona,Yu.M., 3=24364
Vervier,J. Further experimental evidence for a three-particles configuration in V^{51}, 3=19778
Vervier,J. Core excitation in ^{65}Cu, 3=19780
Vervier,J. See Fettweis,P., 3=4568
Verweij,H. A 100 Mc/s discriminator and scaler, 3=19147
Verweij,H. A nanosecond pulse amplifier, 3=24180
Vescan,L. See Drimer,D., 3=25294
Vescan,T.T. Classical-relativistical considerations concerning the structure of elementary particles and other remarks, 3=17168
Vescan,T.T. Theoretical study of classical and relativistic motion of electric charges and magnetohydrodynamic waves in fields with cylindrical and toroidal symmetry, 3=24442
Veselov,M.G. and Bersuker,I.B. Calculation of the lithium atom in the adiabatic approximation and computation of its nuclear magnetic moment, 3=8187
Veselovskii,P.F. and Suchkov,Yu.D. The general case of the resonator method of determining the dielectric constant, 3=21677
Veselovskii,V.I. See Izidinov,S.O., 3=6923

Veselovskii,V.I. See Yakovleva,A.A., 3=16177

Veselý,V. See Šícha,M., 3=19195

Veselý,V. See Studnička,J., 3=9754

Vessot,R.F.C. and Peters,H.E. Design and performance of an atomic hydrogen maser, 3=12343

Vest,R.W. See Tallan,N.M., 3=1906

Vestine, E.H. Magnetic effect [of earth storms], 3=3518

Vet,H. Torsional vibration of beams having rectangular

Vetchinkin,A.N. An electronic seismograph with capacitance pickup, 3=3431

Vetchinkin,S.I. Approximate calculation of dipole transition probabilities — the lithium atom, 3=19937

Vetchinkin,S.I. The method of the determination of the optimal wave-functions for the approximate calculation of the matrix elements, 3=21236

Vettegren',V.I. and Novak,I.I. Calculation of the absorption of a convergent beam of light in a plane-parallel plate, 3=19002

Vetter,R. See Blaise,J., 3=8193

Veverka,A. and Hon,A. Surface discharges in some arrangements, 3=1940

Veverka,A. and Hon,A. Inception intensity of the electric field of electrodeless surface discharges, 3=24265

Veyrie,P. See Aycoberry,C., 3=4139

Veyssié,J.J. See Tournier,R., 3=8635

Veyssié-Counillon,M. See Dreyfus,B., 3=20475

Veyssiere,A. See Bergere,R., 3=5728

Vial,P. See Consoli,T., 3=14589

Vial,P. See Consoli,T., 3=14590

Vialard,A.M. and von Eller,M.G. Errors associated with the use of the Wulff chart for the consideration of structure factor space, 3=16061

Viallet,P. See Durivault,J., 3=11352

Viano,G.A. See Iwao,S., 3=4477

Viano,G.A. See Rebolia,L., 3=8130

Vicentini-Missoni, M. Note on the diffusion coefficient in mixtures of ^{3}He in helium II, 3=1881

Vick,L.L.J. See Hamilton,J., 3=2310

Victor,A.C. and Douglas,T.B. Thermodynamic properties of magnesium oxide and beryllium oxide from 298 to 1200°K, 3=25196

Victor,G. See Duke,F.R., 3=16172

Vidal,R.H. See Dosso,H.W., 3=5813

Vidal.R.H. See Dosso,H.W., 3=12062

Vidoz,A.E. and Brown,L.M. On workhardening in ordered alloys, 3=1233

Vidoz,A.E.,Lazarević,D.P. and Cahn,R.W. Strain-ageing of ordering alloys, with special reference to the nickel—iron system, 3=8775

Vidoz,A.E.,Lazarević,D. and Cahn,R.W. Influence of order on the tensile characteristics of Ni_3Fe, 3=23352

Viebrock,H. The transfer of energy between the ocean and the atmosphere in the Antarctic region, 3=9027

Vieland,L. See Kudman,I., 3=23070

Vieland,L.J. Phase equilibria of III-V compounds, 3=11199

Vieland,L.J. and Kudman,I. Behavior of selenium in gallium arsenide, 3=12942

Vienot,J.C. and Bulabois,J. Time-resolution of laser emission by continuous recording ultra-rapid photography, 3=12341

Viénot,J.C. See Bulabois,J., 3=2997

Vieth,W.R., Porter,J.H. and Sherwood,T.K. Mass transfer and chemical reaction in a turbulent boundary layer, 3=14103

Vieth,W.R. See Michaels,A.S., 3=11305

Vieth,W.R. See Michaels,A.S., 3=11306

Vigdorovich,V.N. and Marychev,V.V. Investigation of the distribution of impurities in a single crystal of aluminium, 3=3265

Vighetto,E. See Brovetto,P., 3=20018

Vigier,J.P. and de Broglie,L. Application of the theory of fusion to the new extended model of elementary particles, 3=17174

Vigier,J.P. See de Broglie,L., 3=2226

Vigier,J.P. See de Broglie,L., 3=4324

Vigier,J.P. See de Broglie,L., 3=4325

Vigier,J.P. See Hillion,P., 3=5971

Vigier,J.P. See Hillion,P., 3=12406

Vigier,J.P. See Katayama,Y., 3=19543

Vigone,M. See Bellière,J., 3=24775

Vigone,M. See Ferrero,M.I., 3=10150

Vigone,M. See Marzari-Chiesa,A., 3=19695

Vigroux,E. and Debaix,A. Results of observations of atmospheric ozone by the infrared method, 3=16207

Vihayaraghavan,P.R. See Iyengar,P.K., 3=1111

Vihinen,S. Experimental structure amplitudes of NaCl at high values of $\sin\Theta$, 3=13454

Vijayalakshmi,B. See Badhwar,G.D., 3=619

Vijayaraghavan,R. See Dharmatti,S.S., 3=5051

Vijayaraghavan,R. See Dharmatti,S.S., 3=8739

Vik,O.T. See Rugge,H.R., 3=10156

Viktorov,I.A. Propagation of finite amplitude flexural vibrations in a flat plate, 3=16677

Viktorov,I.A. Rayleigh waves in the ultrasonic range, 3=18906

Vila,S. See Savedoff,M.P., 3=3531

Vîlcov,I. See Mînzatu,I., 3=8089

Vîlcov,N. Time characteristics of semiconducting detectors, 3=19510

Vîlcov,N. Study of collective excitation states in nuclei by means of inelastic scattering of charged particles, 3=22287

Vil'dgrube,G.S.,Dalinenko,N.K.,Dunaevskaya,N.V. and Ronkin,Zh.M. Light pulse characteristics of Louvre type photomultipliers, 3=9837

Vil'dgrube,G.S., Dunaevskaya,N.V. and Kharitonova,I.A. New photomultipliers, 3=2020

Vil'dgrube,G.S.,Kolosov,Yu.A. and Ronkin,Zh.M. Generator of short light pulses, 3=9586

Vil'dgrube,G.S. and Ronkin,Zh.M. Lowering the level of the intrinsic noise in the photomultipliers "FEU-13" and "FÉU-14", 3=14639

Vilesov,F.I. and Akopyan,M.E. Photoionization and its application in analytical mass spectroscopy, 3=24392

Vilhonen,E. X-ray studies on the formation of a KCl—KBr mixed crystal as a result of diffusion, 3=13004

Vil'koviskiĭ,É.Ya. See Akkerman,A.F., 3=15149

Villa,F. See Pandarese,F., 3=19146

Villaire,A.E. See Wouters,L.F., 3=4180

Villar,E. See Catalá,J., 3=24716

Villard,O.G.,Jr. See Yeh,K.C., 3=5870

Villarroel,H.S. Accessory for adapting a single-crystal oscillation camera to record X-ray texture diagrams on a moving film, 3=13430

Villars,D.S. Equation of state of gaseous metallic plasmas, 3=16927

Villars,F. and Feshbach,H. The effect of the earth's magnetic field on irregularities of ionization in the E layer, 3=18536

Villers,G., Loriers,J. and Clerc,F. Some properties of yttrium—europium mixed garnets, 3=3124

Villers,G., Paulus,M. and Loriers,J. Crystallographic and magnetic studies of mixed gadolinium and ceric earth garnets, 3=3125

Villi,C. See Cernigoi,C., 3=4435

Villian,J. Attempt at a statistical theory of the formation of periodic antiphases, 3=8887

Vilms,J. See Baicker,J.A., 3=13023

Vil'ner, L.D., Rautian, S.G. and Khaikin, A.S. Certain possibilities of using a Fabry-Perot interferometer with internal illumination, 3=262

Viltange,M. Study of some nickel phosphates by infrared absorption, thermogravimetry, and differential thermal analysis, 3=15686

Viltange,M. See Dupuis,T., 3=4974

Vimba,S. See Ozol,Ya., 3=20862

Vinaver,R. See Belonogov,A.V., 3=17127

Vincent,C.A. See Nancollas,G.H., 3=14476

Vincent,C.H. and Rowles,J.B. A digital linear ratemeter, 3=16890

Vincent,C.H. See Gore,W.G., 3=19154

Vincent,C.H. See Montgomery,J., 3=9696

Vincent,P.I. The rupture factor of polymethylmethacrylate 3=3235

Vincent-Geisse,J. Integration of dispersion equations. Relation between absorption and dispersion, 3=19001

Vincent-Geisse,J. and Lecomte,J. Application to a beryl crystal of a new method of study using reflection. Determination of optical constants, vibration frequencies and bandwidths, 3=10905

Vinciguerra,D. See Calvi,G., 3=6269

Vinciguerra,R. See Latmiral,G., 3=19451

Vincow,G. Electron spin resonance of the thioxanthone S,S-dioxi mononegative ion. Conjugation in sulfones, 3=2655

Vincow,G. S.C.F. calculations of spin-density distributions in heteroatom radicals, 3=10530
Vincow,G. and Johnson,P.M. Second moments of electron spin resonance proton hyperfine spectra, 3=25560
Vinduška,M. Second forbidden Coulomb beta transitions, 3=6028
Vindušková,O. Temperature dependence of the Dember effect on AgCl, 3=2948
Vine,J. See Firestein,F., 3=19344
Vinetskaya, M.A. See Tsukerman,B.I., 3=18127
Vinetskii, V.L. Bipolaron states of charge carriers in ionic crystals, 3=4849
Vinev,B.W. See Robertson,A.J.B., 3=12067
Vineyard,G.H. Dynamics of radiation damage: a report on recent results at B.N.L., 3=22852
Vineyard,G.H. The number of distinct sites visited in a random walk on a lattice, 3=23775
Vineyard,G.H. See Gschneidner,K.A. Jr., 3=3319
Vineyard,G.H. See Maradudin,A.A., 3=2718
Vingiani,G.B. See Chilosi,G., 3=7992
Vinh Mau,N. Theoretical study of the excited levels of C^{12} and of the O^+ levels of O^{16}. Application to the inelastic scattering of 155 MeV protons on C^{12}, 3=19768
Vinh Mau,R. See Cottingham,W.N., 3=12450
Vinh Tuong,N.P. See Lagarde,F., 3=9422
Vinitskiĭ,A.Kh.,Golyak,I.G.,Rus'kin,V.I. and Takibaev,Zh.S. Investigation of the nature of particle production in inelastic pion—nucleon interactions, 3=15009
Vinitskiĭ,A.Kh.,Golyak,I.G.,Rus'kin,V.I. and Takibaev,Zh.S. Interactions between 7.5 GeV π-mesons and nucleons and their analysis on basis of pole diagrams, 3=24773
Vin-Jang Lee and Mason, D.R. Analytic expressions relating surface charge and potential profiles in the space-charge region in semiconductors, 3=22913
Vink,A T. See Aten,A.C., 3=10968
Vinogradov,G.V.,Belkin,I.M. and Kargin,V.A. High elasticity, shear strength and emergence of steady viscous flow in flowing [high] polymers, 3=21351
Vinogradov,N.I. See Anisimov,A.I., 3=14591
Vinogradov,V.N. See Belonogov,A.V., 3=17127
Vinogradov,V.P. See Filippov,N.V., 3=12162
Vinogradov, V.S. Theory of ultra-high frequency dielectric losses in crystals with a non-ideal lattice, 3=17933
Vinogradova, K.I., Galavanov, V.V. and Nasledov, D.N. Dependence of the carrier mobility on the concentration of impurities in InSb crystals, 3=2916
Vinogradova,M.N., Golikova,O.A., Dubrovskaya,I.N. and Moĭzhes,B.Ya. Thermoelectric power of p-type germanium as a function of the carrier density and temperature, 3=20426
Vinokurov,L.A.and Fok,M.V. Final stages of the build-up of the blue and green luminescence bands of the ZnS-Cu, Cl phosphor, 3=3052
Vinokurov,V.M.,Zaripov,M.M.,Pol'skii,Yu.E.,Stepanov,V.G., Chirkin,G.K. and Shekun,L.Ya. Electron spin resonance of Gd^{3+} in CaF_2, 3=15943
Vinokurov,V.M., Zaripov,M.M., Pol'skii,Yu.E., Stepanov,V.G., Chirkin,G.K. and Shekun,L.Ya. A study of the features of Fe^{3} ion isomorphism in andalusite by the paramagnetic resonance method, 3=20855
Vintaikin,E.Z. Thermodynamic activity of chromium in nickel - chromium - aluminium alloys, 3=1872
Vinţan,I. See Teoderescu,I., 3=16996
Vintr,Z. See Rozkoš,M., 3=12667
Viola,V.E., Jr.and Sikkeland,T. Total cross sections for fission of U^{238} induced by $He^4$and heavy ions, 3=689
Viola,V.E.,Jr. and Sikkeland,T. Fragment kinetic energy release in heavy-ion-induced fission reactions, 3=15250
Viola,V.E.,Jr,Thomas,T.D. and Seaborg,G.T. Angular distribution of fragments from fission induced by heavy ions in gold, 3=10399
Violet,C.E.,Booth,R. and Wooten,F. The electric quadrupole moment of the 35 keV state of Te^{125}, 3=19785
Virgopia,N. See Cimino,M., 3=16398
Virmani,Y.P. See Dharmatti,S.S., 3=738
Viryasov,N.M. See Belyakov,V.A., 3=24798
Viryasov,N.M. See Veksler,V.I., 3=22211
Visco,R.E. See Johnson,C.S., Jr., 3=2654
Vishevs'kȳĭ,V.N. and Pidziraĭlo,M.S. Simple photoelectric attachment to the KSA-1 spectrograph, 3=21552
Vishki,T. The measurement of the splitting and displacement of excited quantum levels by the methods of interference and frequency modulation (Mössbauer effect), 3=19755
Vishnevs'kȳi,V.N.,Liskovich,O.B.,Pidziraĭlo,M.S. and Chornȳi,Z.P Investigation of the dependences of the X-ray luminescence of NaI : Tl crystals on the temperature and the activator content, 3=23107
Vishnyakov,V.V. See Veksler,V.I., 3=578
Vishnyakov,Ya.D. and Umanskii,Ya.S. Appearance of packing defects in alloys as a result of evaporation of the volatile component, 3=20160
Visotskii,G.L. Angular correlations during inelastic scattering of high-energy nucleons, 3=4629
Visscher,W.M. Resonance absorption of gammas by impurity nuclei in crystals, 3=4805
Viste,E. and Anders,E. Cosmic-ray exposure history of tektites, 3=1515
Viswanathan,C.R. See Culver,W.H., 3=13298
Viswanathan,K.S. The many electron wave equation in the Schrödinger - Pauli form, 3=1632
Viswanathan,K.S. Temperature effect on light scattering in crystals, 3=10922
Viswanathan,K.S. and Rajappa,N. Close equatorial satellites of the Moon, 3=23671
Viswanathan,R. Pippard's relations in crystalline media, 3=8357
Viswanathan,S.P., Mace,R. and Palmatier,E.D. The knock-on electrons of fast μ-mesons, 3=17300
Visweswaramurthy,S. A nuclear magnetic resonance absorption spectrometer for the study of solids, 3=19470
Visweswaramurthy,S. Proton magnetic resonance study of the crystal structure of magnesium thiosulphate hexahydrate, $MgS_2O_3.6H_2O$, 3=25721
Vitagliano,V. See Savino,M.R., 3=9448
Vitale,B. See Amati,D., 3=12453
Vitale,S. See Becchi,C., 3=4618
Viting,B.I. See Chepel',L.V., 3=14701
Vitins, J. See Masing, L., 3=17930
Vitkevitch,V.V. See Alekseev,Yu.I., 3=1539
Vitkin,A.I.and Kokorin,G.A. Mechanism of the bond between a metal coating and its base, 3=5146
Vitman,F.F., Boguslavskii,I.A. and Pukh,V.P. The question of the toughening of glass, 3=3229
Vitman,F.F.,Boguslavskii,I.A., and Pukh,V.P. Toughening of glass, 3=16004
Vitman,F.F.,Dmitrieva,T.G. and Pukh,V.P. Residual stresses in glass quenched in liquids, 3=15984
Vitman,F.F. and Zlatin,N.A. A problem of collision between plastic bodies, 3=16558
Vitman,V.D.,Dzhelepov,B.S. and Karan,A.A. Relative intensities of gamma-rays from RaC in the 1300 to 2520 keV region, 3=8054
Vitman,V.D.,Voinova,N.A. and Dželepov,B.S. Relative intensities of 860 to 2130 keV Ir^{194} γ-lines, 3=12602
Vitman,V.D.,Voinova,N.A.,Dzhelepov,B.S. and Karan,A.A. Relative intensities of some gamma-lines in the spectrum of Ta^{182}, 3=8012
Vitovskii,N.A., Mashovets,T.V. and Rȳvkin,S.M. Energy spectrum of a γ-radiation defect in silicon, 3=20316
Vittoz, B, Secrétan, B. and Martinet, B. Internal friction and inelasticity of solids, 3=18170
Vivargent,M., Von Dardel,G., Mermod,R., Weber,G. and Winter,K. A threshold gas Čerenkov counter, 3=14825
Vivargent,M., See Von Dardel,G., 3=12481
Vives,C. See Crausse,E., 3=9916
Vives.C. See Crausse.E.. 3=12298
Vivet,B. See Allain,Y., 3=19412
Vizi,I.,Gromov,K.,Dzhelepov,B.,Zhelev,Zh.,and Yazvitskii,Yu. Decay scheme of Eu^{147}, 3=10298
Vizi,I. See Van Fu-tszyun', 3=8045
Vlaardingerbroek,M.T., Weimer,K.R.U. and Nunnink,H.J.C.A. On wave propagation in beam-plasma systems, 3=2127
Vlach,B. Breakdown of high spiral growth steps on silicon carbide crystals, 3=20798
Vladimirov,N.P. Induction magnetic pickups used in studying the magnetic field of the erath, 3=13820
Vladimirov,N.P. and Kleimenova,N.G. Structure of the earth's natural electromagnetic field in the frequency range of 0.5-100 C/S, 3=9121
Vladimirov,V.I. See Gurevich,L.É., 3=21782

Vladimirov,V.V. and Marchuk,P.M. Stability of a tubular pinch, 3=14593
Vladimirov,Yu.S. Annihilation of an electron—positron pair into two gravitons, 3=7837
Vladimirskii,K.V. and Labzov,B.A. Spectrometer stabilized by a nuclear-spin oscillator, 3=14794
Vladimirskii,V.V.,Grigor'ev,V.K.,Ergakov,V.A.,Zharkov,D.P. and Trebukhovskii,Yu.V. Electron-neutrino angular correlation in free neutron decay, 3=7861
Vladimirskii,V.V.,Komar,E.G.,Mints,A.L.,Gol'din,L.L., Monoszon,N.A.,Rubchinskii,S.M.,Tarasov,E.K.,Vasil'ev,A.A., Vodor'yanov,F.A.,Koshkarev,D.G.,Kuryshev,V.S., Malyshev,I.F.,Stolov,A.M.,Strel'stov,N.S. and Yakolev,B.M. Development of a 7 GeV proton synchrotron, 3=12275
Vladimirskii,V.V. See Kalebin,S.M., 3=2279
Vladȳmȳrov,V.V. and Matviyishȳna,N.M. Motion of a current-carrying conductor inside a conducting chamber, 3=19421
Vlasenko,G.Ja. See Derjaguin,B.V., 3=3415
Vlasenko,N.A.,Miloslavskii,V.K. and Shklyarevskii,I.N. Occurence of Brewster bands and of superposition bands, 3=1828
Vlasenko,N.A. and Pavlova,E.N. Role of additional impurities in the formation of luminescence centres in the phosphor ZnS:Cu, 3=8624
Vlasov,A.G. and Chebotareva,T.E. Determination of the quantitative relationship between the ordered and disordered phases in a glass with a composition of 33.3% Na_2O and 66.7% SiO_2, 3=11303
Vlasov,A.G. and Krupp,D.M. Calculation of electron lens fields, 3=2028
Vlasov,A.G. and Shakhmatova,I.P. Field of lens with disturbed axial symmetry, 3=21877
Vlasov,A.G.,Vorob'ev,A.A.,Kislov,A.N. and Meshcheryakov,R.P. Investigation of electron loss due to scattering by the residual gas in an accelerator chamber, 3=459
Vlasov,A.G. See Ermolaev,A.M., 3=1827
Vlasov,A.Ya.and Gus'kova,I.L. Temperature dependence of magnetostriction in ferro-silicon alloys, 3=1151
Vlasov,A.Ya.,Laptei,D.A.,Ayurzanain,B.A. and Smolin,R.P. Temperature dependence of the magnetic properties of Elinvar, 3=11053
Vlasov,A.Ya. and Tropin,Yu.D. Magnetization and magnetostriction jumps in nickel, 3=8664
Vlasov,A.Ya.,Zvegintsev,A.G. and Bogdanov,A.A. Self-reversal of magnetization in synthetic ilmenite-hematite solid solutions, 3=18576
Vlasov,A.Ya. See Antonov,I.V., 3=3101
Vlasov,A.Ya.,Bogdanov,A.A. and Zvegintsov,A.G. Changes in the magnetic properties of natural haematites due to temperature, 3=20575
Vlasov,K.B. Equation of motion for magnetization in deformed anisotropic media, 3=15774
Vlasov,K.B. and Fillippov,B.N. Dynamic elasticity moduli, rotation of the polarization plane and coupled longitudinal-transverse waves in magneto-polarized metals, 3=25606
Vlasov,K.B. and Ishmukhatov,B.Kh. Quasi-static properties of ferromagnetic materials which possess anisotropy of the effective factor of spectroscopic splitting in high magnetic fields, 3=3100
Vlasov,N.A. See Pankratov,V.M., 3=10395
Vlasov,V.G. See Bessonov,A.F., 3=3250
Vlasov, V.G. See Bessonov, A.F., 3=3251
Vlasov, V.G. See Zhukovskii, V.M., 3=25371
Vlasov,V.V. The automatic device for continuous determination of thermal diffusivity of solids under quasistationary thermal conditions, 3=7370
Vlasov,V.V. See Borisova,L.A., 3=18343
Vobetskȳ,M. See Brabets,V., 3=8050
Vodar,B. See M'hirsi,A., 3=7242
Vodar,B. See Minn,S., 3=15542
Vodar,B. See Offret,S., 3=15549
Vodar,B. See Oksengorn,B., 3=23935
Vodar,B. See Romand,J., 3=3881
Vodar,B. See Vermesse,J., 3=14190
Vodar, B. See Vu, H., 3=17572
Vodar,B. See Widenlocher,G., 3=21451
Vodička,V. Longitudinal vibrations of a conical bar, 3=187
Vodicka,V. Steady temperature in a composite rectangle, 3=11963
Vodička,V. Vibrations of an infinite composite membrane, 3=21465
Vodička,V. On forced vibrations of composite circular membranes, 3=21466
Vodička,V. A contribution to heat conduction of composite continua, 3=24080
Vodička,V. Steady temperature in a composite sector of a circle, 3=24086
Vodor'yanov,F.A. See Vladimirskii,V.V., 3=12275
Voegeli,O. See Chang,H., 3=15844
Voet,A. The dielectric constant of emulsions of the water-in-oil type, 3=13621
Vogan,E.L. See Hartz,T.R., 3=13805
Voge,J. Guided propagation along a thin atmospheric or (more particularly) exospheric layer. II, 3=14779
Vogel,A. Demagnetizing fields of inhomogeneous induced magnetization, 3=11064
Vogel,A. See Anghelescu,D., 3=22320
Vogel,A. See Anghelescu,D., 3=22321
Vogel,H. Excitation by modulated light of the luminescence of phosphors of the ZnS group. I, 3=20525
Vogel,H. Excitation by modulated light of the luminescence of phosphors of the ZnS group. II, 3=20526
Vogel,J.C. See Ehhalt,D., 3=25897
Vogelmann,M. See Clusius,K., 3=19073
Vogler,G. Impulsive magnetization, 3=15848
Vogler,G. See Haroski,D., 3=13275
Vogler,L.E. Point-to-point communication on the moon, 3=9174
Vogt,E. Theory of low energy nuclear reactions, 3=6215
Vogt,E. Metamagnetism. II, 3=20573
Vogt, K.J., Jensen, H.W. and Maas, A. Radioactivity of the region around the Nuclear Research Establishment, Jülich, 3=5205
Vogt,O. See Busch,G., 3=11038
Vogt,R. See Meyer,P., 3=10186
Vogt,R.H. See Ferguson,G.A., Jr, 3=6334
Vogt-Nilsen,N. See Barbier,M., 3=5778
Vohra,K.G. Radioactive fallout studies in India, 3=15127
Vohra,K.G.,Rangarajan,C. and Sarada,G. Seasonal variations of caesium-137 in air at ground-level during 1960 and 1961, 3=13689
Vöhringer,O. See Macherauch,E., 3=5066
Vöhringer,O. See Macherauch,E., 3=13350
Voichek,L. See Titts,T., 3=8171
Voicu,V. See Spacu,P., 3=19992
Voigt,A.F. See Rack,E.P., 3=11359
Voigt,A.F. See Stensland,W.A., 3=10311
Voigt,F. Effect of parallel or perpendicular field annealing on the dispersion of the complex permeability of Ni–Zn–Co ferrite, 3=3130
Voigt,F. The production of induced anisotropy energies through rotary field tempering of polycrystalline ferrite specimens, 3=15892
Voigt,F. See Manzel,M., 3=23190
Voigt,G. Glow curve as evidence for model representations, 3=11019
Voigt,J. Reaction-kinetic investigation of photoconductivity relaxation in sulphide phosphors, 3=4953
Voikhanskii,M.E. Concerning electromagnetic transitions of multipole order $L = |J_i - J_f| + 1$, 3=7983
Voĭkhanskiĭ,M.E. See Dzhelepov,B.S., 3=4578
Voinov,N.L. See Kochenov,I.S., 3=2513
Voinova,N.A.,Dzhelepov,B.S. and Khol'nov,Yu.V. Gamma-radiation from Ta^{183}, 3=12601
Voinova,N.A. See Vitman,V.D., 3=8012
Voinova,N.A. See Vitman,V.D., 3=12602
Voitenko,A.E.,Kuznetsov,F.O. and Model',I.Sh. The use of an IFK-50 lamp as a high-intensity, pulsed, standard source, 3=24000
Voitenko,R.M. See Airapetyants,A.V., 3=20341
Voitonis,V.V. and Yakovlev,V.F. Some remarks on the interferometer method for measuring ultrasonic absorption, 3=224
Voitonis,V.V. See Bashlachev,Yu.A., 3=16719
Voitsenya,V.S. See Safronov,B.G., 3=21822
Vojta,G. On the quantum statistics of molecules with internal rotation: Wigner expansions for the partition function and thermodynamic functions of symmetric rotators, 3=6381
Vojta,G. The principle of minimum entropy production in magnetic spin resonance effects in solids, 3=23222
Vojta,G. See Hantzsche,E., 3=12099

Vojta,G. See Reinhold,G., 3=165
Volavšek,B. See Blinc,R., 3=12868
Vŏlcker,H. Recent work in plasma physics and controlled fusion, 3=384
Vol'f,Yu. and Domokosh,G. The reaction $\pi^- + p \rightarrow \Lambda^0 + K^0$, 3=6043
Vol'fson,L.Yu. See Stoyanov,P.A., 3=2037
Volger,J. See Acket,G.A., 3=10842
Volkenshtein,N.V.,Fedorov,G.V. and Shirokovskii,V.P. The anisotropy of the Hall effect in ferromagnetic materials, 3=841
Volkenshtein,N.V. and Fyodorov,G.V. Temperature dependence of the electrical conductivity and Hall effect of dysprosium and erbium, 3=25322
Volkenshtein,N.V. See Vonsovskii,S.V., 3=6489
Volk-Levanovits,M.V. Measurement of temperature of a mercury arc by the method of Bartels, 3=21595
Volkman,R.A. See Kim,J.S., 3=21065
Volkmann,H. See Krüger,H.G., 3=11919
Volkoff,G.M. Electric field of a charge moving in a medium, 3=21938
Volkov,A.B. The asymptotic decay of mesh induced turbulence, 3=11754
Volkov,A.B. A soluble model for combined pairing and monopole-monopole interactions, 3=15075
Volkov,D.I., Pshenichkin,P.A. and Karpacheva,G.P. Temperature dependence of the magnetic susceptibility of manganese–copper alloys, 3=3081
Volkov,D.V. Coulomb transformation of Λ-particles, 3=2323
Volkov,D.V. and Bakai,A.F. On quantum electrodynamics with a Reggized photon, 3=19574
Volkov,D.V. and Gribov,V.N. Regge poles in nucleon—nucleon and nucleon—antinucleon scattering amplitudes, 3=24714
Volkov,M.K. and Veresh,T. Consideration of superfluid effects in the α-decay to the vibrational levels of the daughter nuclei, 3=19805
Volkov,S.D. and Klinskikh,N.A. On the form of the elastic constants in quasi-isotropic polycrystals, 3=5056
Volkov,S.D. See Ry̆balko,F.P., 3=20684
Volkov,V.L.,Tolmasskii,I.S. and Fridenberg,A.E. Carbonyl iron powders, 3=11089
Volkov,V.V.,Pomorskii,L.,Ty̆s,Ya. and Flerov,G.N. Transfer reaction of 2n and 3n by bombardment of Al, Cu and Ta with ions of N^{15} and N^{14}, 3=2502
Volkov,V.V.,Pomorskii,L.,Ty̆s,Ya. and Flerov,G.N. Observation of the reaction of pick-up of three neutrons and the reaction of stripping of three protons in interactions of N^{14} and Ne^{20} ions with C, Al, Cu, and Ta nuclei, 3=6302
Volkov,V.V. See Flerov,G.N., 3=2501
Volkov,V.Ya. See Bychkov,Yu.A., 3=17160
Volkov,Ya.F.,Tolok,V.T. and Sinel'nikov,K.D. Gamma radiation of a discharge in a magnetic trap with additional azimuthal magnetic field, 3=7512
Volkov,Yu.M.,Komar,A.P.,Korolev,G.A. and Kocharov,G.E. Use of an ionization alpha-spectrometer with a time analyser for determining decay periods, 3=8023
Volkov,Yu.M.,Kulikov,A.V. and Chizhov,V.P. Excitation functions for (γ,d) and (γ,p) reactions on B^{10} and Be^9 nuclei, 3=6224
Volkov,Yu.M. See Komar,A.P., 3=15178
Volkov,Yu.M. See Kulchitskii,L.A., 3=24921
Volkov,Yu.M. See Kulikov,A.V., 3=3983
Volkova,L.M. Effective excitation cross-section for potassium arc lines, 3=17533
Volkova,N.V. See Grum-Grzhimailo,S.V., 3=13180
Volkova,N.V. See Shigorin,D.N., 3=962
Volland,H. and Heydt,G. Statistical amplitude spectrum of atmospherics, 3=23603
Volland,H. See Heydt,G., 3=23600
Vollmer,A. An electronic controller for the production of a linear or hyperbolic temperature rise, 3=14407
Vollstädt,H. See Kleber,W., 3=20805
Volochine,B. Contribution to the study of an ionization cloud chamber. Application to the measurement of ionization potentials of alcohol vapours using the corona effect, 3=7745
Volodina,G.F.,Rumanova,I.M. and Belov,N.V. The crystal structure of praseodymium nitrate hexahydrate $Pr(NO_3)_3.6H_2O$, 3=18326
Volodina,G.F. See Rumanova,I.M., 3=13473
Volokobinskaya, N.I., Galavanov, V.V. and Nasledov, D.N. Galvanomagnetic phenomena in highly pure InSb, 3=25367
Volokobinskiĭ,Yu.M. A breakdown mechanism for brittle dielectrics at high and ultra-high frequencies, 3=901
Volokobinskiĭ,Yu.M. A breakdown mechanism for brittle dielectrics at high and ultra-high frequencies, 3=6620
Volokobinskiĭ,Yu.M. See Bogoroditskii,N.P., 3=13124
Voloshchuk,Ya.V. See Andrievskii,A.I., 3=13461
Voloshchuk,Ya.V. See Andrievskiĭ,A.I., 3=20915
Voloshchuk,Ya.V. See Andrievskiĭ,A.I., 3=20952
Voloshina,L.A. and Rozenberg,V.M. Effect of the orientation of aluminium single crystals on creep, 3=11161
Voloshina,L.A.,Rozenberg,V.M. and Finkel'shtein,I.B. The relationship between boundary migrations and deformations in boundary zones during creep, 3=2814
Voloshina,V.V. See Kilimov,A.P., 3=141
Voloshinskii, A.N. See Bolotin, G.A., 3=17977
Volosov,V.D.,Muraton,V.R. and Nilov,E.V. Resolving power of electron optical convertors, 3=24370
Volosov,V.I. Limiting stable current in a compensated electron beam, 3=7643
Volosov,V.I. Transit time oscillations in intense electron beams, 3=19337
Volotskaya,V.G. Anisotropy of the galvanomagnetic properties of aluminium in strong effective fields, 3=22903
Volpi,G.G. See Galli,A., 3=12082
Volpi,G.G. See Galli,A., 3=23539
Vol'skii,E.P. Quantum oscillations of the quasistatic conductivity of bismuth in a magnetic field, 3=2903
Volterra,V. See Mahlab,E., 3=20658
Volyak,L.D. A calculation of the thermophysical properties of sodium, 3=21444
Volz,F. Light scattering, polarization and extinction of ammonium chloride and cigarette smoke, 3=19024
vom Ende, H. Device for continuous recording of sunlight in several spectral regions, 3=1446
Von,Vi Chun. See Bychkov,Yu.A., 3=17160
Vonach,H. See Patzak,W., 3=6264
Vonarburg,H. Protective film for aluminium mirrors, 3=11927
Vonarburg,H. Evaporation material with refractive index 1.69 for two- and three-layer anti-reflection coatings, 3=11928
v.Ardenne,B.,Steinfelder,K. and Tummler,R. Extension of the EA-mass spectrographic method via the mechanism of the addition of negative ions to molecules, 3=11372
von Ardenne,M.,Jäger,G.,Köhler,F. and Petter,G. An electromagnetic isotope separator with small magnetic field volume, 3=12786
von Becker,H. Atomic number and energy of the K-absorption edge, 3=25470
von Bekesy,G. Hearing theories and complex sounds, 3=13954
von Bekesy,G. Three experiments concerned with pitch perception, 3=13955
von Békésy,G. Modification of sensory localization as a consequence of oxygen intake and reduced blood flow, 3=21148
v.Buttlar,H. See Engfer,R., 3=7741
von Dardel,G. Recent experimental information above 3 GeV 3=10071
Von Dardel,G.,Dekkers,D.,Mermod,R.,Van Putten,J.D., Vivargent,M.,Weber,G. and Winter,K. Mean life of the neutral pion, 3=12481
Von Dardel,G. See Vivargent,M., 3=14825
Von der Osten,W. Optical investigations of sharp absorption lines in irradiated LiF, 3=23073
Von Der Osten,W. and Waidelich,W. The line and band spectra of colour centres in irradiated lithium fluoride, 3=6540
Vondy,D.R. See Tobias,M., 3=10123
von Egidy,T. A double–focusing beta spectrometer for conversion electrons from (n, γ) reactions. The conversion electron spectrum of Dy 165 - Ho 165, 3=2245
V.Egidy,T. See Beiber,E., 3=10353
v.Egidy,T. See Schult,O.W.B., 3=12696
von Eller,M.G. See Vialard,A.M., 3=16061
Von Engel,A. and Cozens,J.R. The calorelectric effect in flames, 3=19184
von Engel,A. See Arnold,K.W., 3=4070
von Engel,A. See Goodyear,C.C., 3=4008
Von Foerster,H. See Ashby,W.R., 3=7061

v.Fragstein,C. and Kampermann,H. A new simple polarimetric method for the determination of the optical constants of metals, 3=11943
von Freytag,E. The distribution of OH^- ions in NaF, 3=18223
v.Gehlen,G. See Erdas,F., 3=10137
von Gierke, G., Lisitano,L., Müller,G., Schlüter,H., Tutter,M. and Wulff,H. Comparison of spectroscopic investigations [of discharges] with microwave and probe measurements, 3=4030
v.Gierke,G. and Wöhler,K.H. On the diffusion in the positive column in a longitudinal magnetic field, 3=14554
von Gierke,H.E. See Cole,J.N., 3=9569
von Goeler, E. and Lüscher, E. Adsorption study of gold atoms on molybdenum, 3=5149
von Goeler,E. and Peacock,R.N. Radiotracer measurement of the desorption energy of silver from molybdenum and nickel, 3=23521
von Gutfeld,R.J. See Nethercot,A.H.,Jr., 3=19123
Von Halle,E. Evaluation of the performance of thermal diffusion columns, 3=21432
von Haul,R. and Müller,M. The self diffusion of adsorbed molecules in porous systems, 3=18399
Von Herzen,M. See Merriam,M.F., 3=19111
von Hoerner,S. Numerical integration of the n-body problem for clusters. II, 3=9244
von Kenschitski,C.H. See Bierman,A., 3=21513
von Koch,H. and Friedman,L. Hydrogen-helium ion-molecule reactions, 3=11342
von Minnigerode,G. See Hilsch,R., 3=16133
Vonnegut,B.,Moore,C.B.,Semonin,R.G.,Bullock,J.W.,Staggs,D.W. and Bradley,W.E. Effect of atmospheric space charge on initial electrification of cumulus clouds, 3=9039
Von Neida, A.R. and Gordon, R.B. Change in the Hall coefficient during ordering of Cu_3Au, 3=839
von Oppen,G. See Bucka,H., 3=10451
von Ragué Schleyer, P. See Allerhand, A., 3=17566
von Roos,O. Influence of correlations on the dielectric behaviour of an electron gas. Nonperturbative approach to the many-fermion system, 3=73
von Roos,O. General theory of collision broadening of spectral lines, 3=3877
von Schopper,H. Symmetry principles and natural laws, 3=17192
Vonsovski,S.V. Some recent works of Soviet physicists on the theory of ferro- and antiferromagnetism, 3=1135
Vonsovskii,S.V. Some aspects of the modern theory of ferro- and antiferromagnetism, 3=6697
Vonsovskii,S.V. Magnetism and electrical conductivity of metals, 3=22888
Vonsovskii, S.V. and Izyumov, Yu.A. Electron theory of transition metals. I, 3=17676
Vonsovskii,S.V.and Kobelev,L.Ya. The energy of the magnetic interaction of two systems of interacting electrons, 3=2744
Vonsovskii,S.V.,Svirskii,M.S. and Volkenshtein,N.V. Indirect determination of shear on the Fermi surface of polarized conduction electrons in ferromagnetic materials, 3=6489
von Zahn,U. Monopole spectrometer, a new electric field mass spectrometer, 3=7660
Vook,F.L. Lattice strain of isolated defects in elemental and compound semiconductors, 3=22861
Vook,R.W. Observation of dislocations in evaporated single crystal tin films, 3=17736
Vook,R.W. and Schoening,F.R.L. X-ray diffractometer attachment for direct observation of evaporated thin films, 3=20812
Vook,R.W. See Delavignette,P., 3=13583
Voorhies,H.G. See Jensen,T.H., 3=7598
Vorlíček, M. The effect of the extent of stressed zone upon the strength of material, 3=18205
Vorob'ev,A.A., Komar,A.P. and Korolev,V.A. Decrease of ionization fluctuations of α-particles in argon, 3=2152
Vorob'ev,A.A.,Vorob'ev,G.A. and Murashko,L.T. Anisotropy of the electric strength of rocksalt, 3=6621
Vorob'ev,A.A. See Vlasov,A.G., 3=459
Vorob'ev,G.A. See Vorob'ev,A.A., 3=6621
Vorob'ev, L.E, Karakushan, E.I. and Stafeev, V.I. Effect of a magnetic field of the distribution of carriers in the body of a magnetodiode, 3=17909
Vorob'ev,V.S. See Biberman,L.M., 3=19232
Vorob'ev,Yu.V. and Karkhanin,Yu.I. Effect of oxygen vacancies of the luminescence and photoconductivity of cuprous oxide, 3=18029
Vorob'ev,Yu.V. and Kholodar',G.A. Energy structure of the spectrum of cuprous oxide exhibiting short-duration photoconductivity, 3=20403
Vorob'ev,Yu.V. See Karhanin,Yu.I., 3=3041
Vorob'ev,Yu.V. See Vertsner,V.N., 3=2033
Vorob'eva,M.A. Sensitivity of the radiant point method. III, 3=14320
Vorona,Yu.M. and Vertsner,V.N. Adjustment of fixed stigmatizers for magnetic lenses, 3=24364
Vorona,Yu.M. See Vertsner,V.N., 3=2033
Vorona,Yu.M. See Vertsner,V.N., 3=11248
Voronchev,A.T. See Brodskii,V.B., 3=24307
Voronel',A.V. The shape of the critical isotherm near the critical point, 3=3924
Voronel',A.V. See Bogatskii,M.I., 3=1729
Voronin,G.F., Evseev,A.M. and Alekhin,S.P. Determination of the molecular composition of metal and alloy vapors, 3=15399
Voron'ko,Yu.K. See Mandel'shtam,C.L., 3=9190
Voron'ko,Yu.K. See Mandel'shtam,S.L., 3=23681
Voronkov,A.A. and Pyatenko,Yu.A. The crystal structure of vlasovite, 3=13474
Voronkov,R.M.,Pevzner,M.I.,Flërov,N.N.,Aref'ev,A.V., Basalaev,M.I.,Korolev,B.M.,Moskalev,S.S. and Osipov,V.P. A 30 MeV linear electron accelerator for neutron spectrography, 3=5727
Voronov,B.K.,Dashevskii,M.Ya.,Titova,E.M. and Khvostikova,V.D. Growing homogeneous semiconducting monocrystals by the Czochralski method, 3=25671
Voronov,G.S. See Aleksandrov,Yu.A., 3=2177
Voronov,G.S. See Aleksandrov,Yu.A., 3=24560
Voronov,Yu.V. See Levshin,V.L., 3=3057
Vorontsov,E.I. Investigation of pulse discharges, 3=24231
Vorontsov,V.I. See Levashev,A.E., 3=21227
Vorontsov-Vel'yaminov,B.A. Dark matter in galaxies, 3=11577
Vörös,T. See Bardócz,A., 3=2553
Voroshilov, V.P. See Parfenov, V.V., 3=3102
Voroshilov,V.P. See Parfenov,V.V., 3=8669
Voroshilov,V.P. See Parfenov,V.V., 3=13247
Vorzhishek,M. Calculation of the efficiency of cylindrical counters in a beam of thermal neutrons, 3=24747
Vos,A. and Smits,D.W. Note on the intensity distribution in a diffraction maximum, 3=25688
Vos,A. See Elema,R.J., 3=13476
Vos,J.J. and Boogaard,J. Contribution of the cornea to entoptic scatter, 3=16459
Vos,J.J. See Bouman,M.A., 3=5303
Vos,K.D. and Dye,J.L. Hyperfine interactions in solutions of Cs and Rb in methylamine, 3=16640
Voskanyan,R.A. See Timofeeva,V.A., 3=20801
Voskresenskii,G.V. See Burshtein,É.L., 3=22102
Voskresenskii,Yu.N. Study of seismic reflections from nonspecular boundaries in three-dimensional models, 3=3434
Voslamber,D. and Callebaut,D.K. Stability of force-free magnetic fields, 3=5825
Voss,L.R. and Hollyer,R.N.,Jr. Nozzles for air flow measurement, 3=7227
Voss,R. See Bellini,G., 3=7899
Voss,R. See Bellière,J., 3=24775
Voss,R. See Fretter,W.B., 3=2301
Vossos,P.H.,Fitzwater,D.R. and Rundle,R.E. The crystal structure of $LiCuCl_3.2H_2O$, 3=25719
Voszka,R.,Tarján,I. and Somló,Á. The introduction of OH^- ions into the NaCl-lattice, 3=8432
Voszka,R. See Máthé,G., 3=528
Voszka,R. See Tarján,I., 3=4955
Voszka,R. See Trutia,A., 3=20488
Votava,E. and Sleeswyk,A.W. Emissary dislocations in a molybdenum-rhenium alloy, 3=793
Votinov,M.P. and Demidenko,N.I. Peculiarities of the electron paramagnetic resonance spectra in a ferroelectric ceramic containing titanium, 3=15935
Votinov,M.P. and Demidenko,N.I. Variation of the width of the electron paramagnetic resonance spectrum with temperature in the TiO_x system (x = 1.5-2.0), 3=15949
Votinov,M.P. See Antun'ev,V.V., 3=3178

Vovenko,A.S.,Golovanov,L.B.,Kulakov,B.A.,Lyubimov,A.L., Matulenko,Yu.A.,Savin,A.A. and Smirnov,E.V. Total cross-sections for π^--meson—proton interaction at high energies, 3=6042
Vovenko,A.S.,Kulakov,B.A.,Likhachev,M.F.,Lyubimov,A.L., Matulenko,Yu.A.,Savin,I.A. and Stavinskii,V.S. Differential gas Cherenkov counter, 3=14826
Vovk,V.N.,Goreva,E.I.,Kulik,S.I. and Leuta,T.M. Experience with two DFS-10 instruments at the Denprospetsstal' plant, 3=25849
Vozdvizhenskii,V.M. Microheterogeneities in metal alloys, 3=1347
Vozdvizhenskii,V.M. Dependence of the electrical volume resistivity of cast alloys of eutectic systems on composition and structure, 3=20262
Vrana,I. See Belyakov,V.A., 3=24798
Vrana,I. See Veksler,V.I., 3=22211
Vrana,I. See Wang Kang-Ch'ang, 3=19702
Vrana,I. See Wang Kang-Ch'ang, 3=22208
Vratny,F. and Kokalas,J.J. The reflectance spectra of metallic oxides in the 300 to 1000 millimicron region, 3=13154
Vreeland,T.Jr. See Brandt,R.C., 3=10676
Vreeland,T.Jr. See Brandt,R.C., 3=10677
Vřešťál,J. Determination of the thermodynamic functions of the alloying of cadmium with bismuth, and of thallium with bismuth and antimony, by the potentiometric method, 3=23548
Vrkljan,V. Velocity of sound in gas mixtures, 3=16656
Vrublevaskays,N.A. See Mazing,M.A., 3=10454
Vrzeciono,A. Domain structure of the intermetallic compound Mn_5Ge_3, 3=23481
Vsekhsvyatskii,S.K. Absolute magnitudes of comets 1954—1960, 3=9182
Vseksvyatskii,S.K. Observations of the comet Seki—Lines 1962 B at Kiev, 3=11519
Vsessviatsky,S.K. The cometary and meteoritic ring surrounding Jupiter, 3=23678
Vu, H., Atwood, M.R. and Vodar, B. 1—0, 2—0, 3—0, absorption bands of dense forms of pure CO and its solutions in N_2 and Ar, 3=17572
Vu Quang Kinh. See Reich,R., 3=8491
Vuillemin,M. Effect of a conducting wall on the stability of magnetic mirror configurations, 3=12205
Vuks,M.F. and Chernyavskaya,I.A. Relaxation time for dipole [orientation] and activation energy of bromides as obtained from spectroscopic measurements, 3=7207
Vuks,M.F. and Rozhdestvenskaya,N.B. A new determination of the optical scattering constant for benzene, 3=7208
Vuks,M.F. See Atakhodzhaev,A.K., 3=21302
Vuks,M.F. See Lisnyanskii,L.I., 3=21368
Vuks,M.F. See Tukhvatullin,R.H., 3=21301
Vul,B.M. Closing speech, 3=2862
Vul,B.M. Origin of the current in dielectrics during γ-irradiation, 3=4950
Vul,B.M.,Shotov,A.P. and Bagaev,V.S. Recombination radiation in degenerate indium antimonide, 3=23122
Vul,B.M.,Zavaritskaya,E.I. and Davydova,I.V. Thickness dependence of voltage breadkown in germanium at low temperatures, 3=10768
Vul,B.M., Zavaritskaya,E.I. and Davydova,I.V. Breakdown of thin germanium films at low temperatures, 3=20311
Vun Peĭ-Kun'. See Chzhou Yue-Hua, 3=24701
Vural,B. See Bloom,S., 3=16982
Vuylsteke,A.A. Theory of laser regeneration switching, 3=14802
Vvedenskaya,A.V. See Balakina,L.M., 3=13645
Vvedenskii,L.E.,Shekhobalova,V.I. and Novikova,A.S. Mechanism of the effect of "third" elements on the results of analysis of aluminium alloys, 3=25846
Vyalov,G.N. Certain problems in the formation of a magnetic field by a current, 3=14725
Vyas,N.N. See Mishal,S.H., 3=21342
Vyatkin, A.P. See Presnov, V.A., 3=25364
Vyazovskii,M.V. The stability of a gravitating cylinder relative to nonsymmetrical oscillations in the presence of a magnetic field, 3=482
Vychytil,P. See Felber,H., 3=7829
Vylkov,N. Time characteristics of semiconductor detectors, 3=22040
Vȳrodov,I.P. Problem of diffusion from a moving boundary, 3=7199
Vyrodov, I.P. Comments on the b.n. delaunay algorithm, 3=18231
Vȳshnevs'kȳi,V.N., Lȳskovȳch,O.B., Pidzȳraĭlo,M.S. and Chornȳi,Z.P. Investigation of X-ray luminescence of crystal phosphors NaI : Tl, 3=20519
Vȳshnevs'kȳi,V.N., Lȳskovȳch,O.B., Pidzȳraĭlo,M.S. and Datsȳshȳn,A.M. Study of the photoluminescence excitation spectra of NaI : Tl crystals, 3=20520
Vyšín,V. Statistical mechanics of bosons and fermions with negative energies, 3=5389
Vȳsotskii,G.L. Possibility of determining reduced widths from polarization effects in direct nuclear reactions, 3=10378
Vȳstavkin,A.N. See Lifshits,T.M., 3=6634
V'yugov,P.N., Dementii,V.S., Kalinichenko,S.S. and Tsȳbul'skii,V.V. Organic phosphors as neutron detectors, 3=4411

Waak,J.A. See McClain,E.F., 3=7047
Waber,J.T. See Boyd,R.G., 3=8194
Waber,J.T. See Gschneidner,K.A., Jr, 3=22669
Waché, A.M. See Dubois, B., 3=18263
Wachman,H.Y. Relevant dimension in the Knudsen number criterion, 3=21422
Wachtel,E. and Urbain,G. The variation with temperature of the magnetic susceptibility of iron, nickel and cobalt between 1000°C-1700°C, 3=8654
Wächter,F. See Badareu,E., 3=7632
Wächter, M.H. The rediscovered J = $\frac{5}{2}$ state of Li^7, 3=17397
Wächter,M.H. See Beghian,L.E., 3=12680
Wachter,P. See Luchner,K.M., 3=6677
Wachtman,J.B., Jr. Mechanical and electrical relaxation in ThO_2 containing CaO, 3=20700
Wachtman,J.B. and Peiser,H.S. Symmetry conditions for internal friction caused by jumping of point defects in crystals, 3=3213
Wachtman,J.B., Jr,Peiser,H.S. and Levine,E.P. Symmetry splitting of equivalent sites in oxide crystals and related mechanical effects, 3=25614
Wachtman,J.B., Jr,Tefft,W.E. and Lam,D.G., Jr. Elastic constants of rutile (TiO_2), 3=6772
Wachtman,J.B., Jr,Wheat,M.L. and Marzullo,S. A method for determining the elastic constants of a cubic crystal from velocity measurements in a single arbitrary direction; application to SrTiO, 3=13332
Wada,J.Y. and Knechtli,R.C. Measurements of electron—ion recombination in a thermal cesium plasma, 3=21821
Wada,J.Y. See Knechtli,R.C., 3=4107
Wada,M. and Kudo,S. Effect of atmospheric temperature on diurnal variation of cosmic ray intensity, 3=12535
Wada,N. Kerr magneto-optical measurement of magnetism, 3=9904
Wada,W.W. See Joseph,D.W., 3=12512
Wada,Y. and Tsuge,K. Mechanical dispersions in melt-grown and solution-grown polyethylenes, 3=1400
Wada,Y. See Hirose,H., 3=1226
Wada,Y. See Tsuge,K., 3=6781
Wadas,R. Observations of spin waves in polycrystalline ferrites, 3=3126
Waddell,C.N. See Cence,R.J., 3=2330
Waddell,C.N. See Cohen,D., 3=14947
Waddell,C.N. See Dickens,J.K., 3=6236
Waddell,J.,III. The source functions of the magnesium b-lines, 3=16369
Waddington,C.J. Recent studies of solar cosmic rays, 3=24816
Waddington,C.J. See Biswas,S., 3=22227
Waddington,C.J. See Guss,D.E., 3=22226
Waddington,T.C. See Chapman,D., 3=727
Wade,R.H. Contrast effects at edges and cracks in ferromagnetic films viewed by electron microscopy, 3=13580
Wade, R.H. Transverse magnetisation in permalloy films, 3=18087
Wade,W., Collins,T., Malinofsky,W.W. and Skudera,W. Chemically deposited thin ferrite films, 3=16141
Wadewitz,H. See Herbst,E.M., 3=20783
Wadewitz,H. See Schulze,D., 3=13544
Wadleigh,W. See Kahn,J.S., 3=18368
Wadsworth,J. and Stokes,F.E. Inexpensive 50 000 pictures per second framing camera, 3=11959

Wadsworth,N.J. Work hardening of copper crystals under cyclic straining, 3=20737

Waelbroeck,F.,Leloup,C.,Poffe,J.P.,Evrard,P.,Der Agobian,R. and Veron,D. Electrodeless plasma gun, 3=12207

Waelbroeck,F. See Breton,C., 3=7326

Waffler,H. See Buss,W., 3=17356

Wagener,G.N. and Grand,C.G. Ultraviolet recording micro-spectro-photometer, 3=14349

Wagener,K. See Thiemann,W., 3=13617

Wager,J.H. See Rothwell,P., 3=18524

Wager,J.H. See Sayers,J., 3=18546

Waggoner,J.A. See Schrader,C.D., 3=21096

Waghmare,Y.R. See Sood,P.C., 3=22258

Wagner,C.A. See Balser,M., 3=12326

Wagner,C.N.J. See Adler,R.P.I., 3=2811

Wagner,C.N.J. See Goldman,A.J., 3=12987

Wagner,C.U. On the quantum mechanics of many-electron atoms, 3=19914

Wagner,C.U. Studies on the geomagnetic effect of a solar eclipse, 3=25963

Wagner,Ch.U. See Bohme,A., 3=18527

Wagner,D. Thermodynamic properties at the Curie point, 3=20108

Wagner,E.B. See Hurst,G.S., 3=23940

Wagner,H. and Ericsson,U. Period and amplitude in atmospheric gravity waves from nuclear explosions, 3=13667

Wagner,H. See Brenig,W., 3=14054

Wagner,H.G.,MacNichol,E.F.,Jr. and Wolbarsht,M.L. Functional basis for "on"-center and "off"-center receptive fields in the retina, 3=5291

Wagner,J.B.,Jr. See Franklin,W.M., 3=25266

Wagner,J.B.,Jr. See Seltzer,M.S., 3=17785

Wagner,J.B.Jr. See Simkovich,G., 3=10688

Wager,J.H. See Sayers,J., 3=9092

Wagner,K.H. and Raether,H. Study of electron avalanches in a multistage image intensifier, 3=12077

Wagner,L.S. Zenith angle dependence of radio star scintillation, 3=11426

Wagner,L.S. Diffraction by a thin plase-changing ionospheric layer with applications to radio star scintillation, 3=11427

Wagner,M. Influence of localized modes on thermal conductivity, 3=22640

Wagner,M. Lattice vibrations in crystals with molecular impurity centers, 3=25183

Wagner,O.E. and Happ,W.W. Field emission in rutile diodes, 3=9846

Wagner,P. See Gorodetzky,S., 3=15231

Wagner,P.E. See Rannestad,A., 3=25572

Wagner,R. See Huber,P., 3=10131

Wagner,R. See Huber,P., 3=22395

Wagner,R. See Poppelbaum,C., 3=8104

Wagner,R.J. Variational principles for electromagnetic potential scattering, 3=17056

Wagner,R.J. and Lynch,P.J. Theorem on electromagnetic backscatter, 3=17055

Wagner,R.T., Shunk,E.R. and Day,R.B. Reaction Zr^{90} (n, n′) Zr^{90m}, 3=15208

Wagner,R.T. See Collard,H., 3=25065

Wagner,S. See Miller,G.L., 3=17114

Wagner,S. See Moisar,E., 3=24063

Wagner,W.G. Simplicity of Regge asymptotic amplitudes, 3=17214

Wagner,W.G. and Lengyel,B.A. Evolution of the giant pulse in a laser, 3=17082

Wagner,W.G. and Sharp,D.H. M meson and a generalization of the Pomeranchuk relations, 3=4446

Wagner,W.G. See Bellman,R., 3=9990

Wagner,W.G. See Sharp,D.H., 3=24713

Wagnerberger,W. Investigations on thin alkali metal films. VII. Electrical conductivity of thin potassium films, 3=18391

Wagoner, G. See Singer, L.S., 3=3174

Wahl,A.C. and Nethaway,D.R. Nuclear charge distribution in symmetric fission–Sn^{121} independent yield, 3=19894

Wahl,A.C. See Dietrich,M.W., 3=12866

Wahlborn,S. Effects of blocking on the level spacings of odd-mass deformed nuclei, 3=632

Wahlborn, S. See Eichler, J., 3=17435

Wahsweiler,H.G. Calculated rates for the reaction $\mu^- + He^3 \rightarrow H^3 + \nu$, 3=10181

Wahsweiler,H.G. Examination of the form of the muon absorption interaction and of the effect of the nuclear shell structure on the muon absorption by means of the total absorption rates for Cl^{35} and Cl^{37}, 3=10368

Wahsweiler,H.G. Note on Primakoff's formula, 3=10370

Wahsweiler.H.G. Non-normal parity states of N^{14}, 3=24861

Waibel,E. Method to eliminate noise during the transmission of radio pulses, 3=7713

Waidelich,W. See Fielder,G., 3=9897

Waidelich,W. See Sulzer,J., 3=8570

Waidelich,W. See Von Der Osten,W., 3=6540

Wain,H.L., Johnstone,S.T.M. and Henderson,F. The effect of rolling temperature, pre-strain, and strain rate on the ductility of chromium, 3=3236

Wainfain,N. See Nahemow,M., 3=24239

Wait,E.,Duck,M.J.,Fox,A.C.,Jackson,E.E. and Junkison,A.R. A single-crystal X-ray diffraction technique for the study of radiation damage, 3=10699

Wait,E.T. The thermionic energy converter, 3=9713

Wait, J.R. A note of the propagation of electromagnetic pulses over the earth's surface, 3=1451

Wait,J.R. Theory of magneto-telluric fields, 3=1477

Wait,J.R. The mode theory of v.l.f. radio propagation for a spherical earth and a concentric anisotropic ionosphere, 3=7715

Wait,J.R. Excitation of modes at very low frequency in the earth-ionosphere wave guide, 3=9953

Wait,J.R. Very low frequency propagation in the earth—ionosphere waveguide of non-uniform width, 3=16257

Wait,J.R. Concerning solutions of the v.l.f. mode problem for an anisotropic curved ionosphere, 3=19462

Wait,J.R. A note on diurnal phase changes of very-low-frequenc waves for long paths, 3=24482

Wait,J.R. and Jackson,C.M. Resonant characteristics of a corrugated sphere, 3=19442

Wait,J.R. and Spies,K.P. Height-gain for v.l.f. radio waves, 3=9950

Wait,J.R. and Walters,L.C. Reflection of v.l.f. radio waves from an inhomogeneous ionosphere. I. Exponentially varying isotropic model, 3=19463

Waite,W.M. See Harris,C.M., 3=11870

Waite,W.M. See Harris,C.M., 3=14283

Waintal.W. See Bund,G.W., 3=11721

Wakabayashi,J. Paramagnetic resonance spectrum of Fe^{3+} in calcite, 3=15940

Wakasa,A. See Hori,S., 3=22201

Wakatsuki,T.,Hirao.Y. and Miura,I. Gamma rays from proton bombardment of argon, 3=6250

Wakefield,G.F. See Woerner,P.F., 3=5401

Wakim,F.G. and Nolle,A.W. Paramagnetic resonance of glassy $Mn(H_2O)_6^{2+}$, 3=6748

Wakita,H. On an extension of the mathematical frame-work on the quantum theory. II. Mathematical meaning of the renormalization theory, 3=21233

Wakiya,K. See Komatsu,H., 3=15958

Wakiyama,T. See Bozorth,R.M., 3=6714

Wakiyama,T. See Bozorth,R.M., 3=6715

Wakiyama,T. See Bozorth,R.M., 3=11092

Wakiyama,T. See Bozorth,R.M., 3=15851

Wakiyama,T. See Chikazumi,S., 3=1040

Wakoh,S. See Yamashita,J., 3=25234

Wakuta,Y. Low frequency hydrogen vibrations in KH_2PO_4, 3=20384

Walch,A.P. See Meyerand,R.G.,Jr., 3=4120

Walczak,T. See Bozek,E., 3=12058

Wald,G.,Brown,P.K. and Gibbons,I.R. The problem of visual excitation, 3=5288

Wald,M. See Brandon,D.G., 3=17775

Wald,M. See Brandon,D.G., 3=22706

Waldersee,J. See Macinante,J.A., 4=9397

Waldmann,L. and Kupatt,H.D. Diffusion of spin particles in a magnetic field, 3=23134

Waldmeier,M. Coronal condensation in the solar eclipse of February 5, 1962, 3=9219

Waldmeier,M. The total eclipse of the sun, 4/5 February, 1962, 3=18626

Waldmeier,M. Anomalous division of a sunspot, 3=18634

Waldmeier,M. Brightness distribution in the corona at the solar eclipse of 5 February, 1962, 3=18637

Waldner,F. E.P.R. spectra of Mn^{2+} and Fe^{3+} in a natural $MgAl_2O_4$ spinel, 3=8711

Waldner,F. Mn^{2+} electron paramagnetic resonance spectrum in a natural $MgAl_2O_4$ spinel, 3=8712
Waldner,F. See Bellière,J., 3=24775
Waldner,F. See Brun,E., 3=25571
Waldorf,D.L. and Alers,G.A. Low-temperature elastic moduli of lead, 3=1212
Waldorf,D.M. and Babb,A.L. Vapor-phase equilibrium of NO, NO_2, H_2O, and HNO_3, 3=25813
Waldow,P. and Rollins,F.R., Jr. Remarks on a paper by Jones and Kobett, 3=18888
Waldow,P. See Grosskreutz,J.C., 3=20742
Waldron,R.A. Intrinsic and external permeabilities and susceptibilities of gyromagnetic materials, 3=25498
Walecka,J.D. and Willey,R.S. Electron scattering and effective charge, 3=7971
Walecka,J.D. See Dawson,J.F., 3=12579
Walecka,J.D. See Goldemberg,J., 3=15181
Walecka,J.D. See Lewis,F.H.,Jr., 3=19769
Walen,R.J. α-spectrography of radium-224 and its derivates, 3=4604
Walerys,H. See Gutsze,A., 3=23536
Wales,M. Particle size distribution in rubber latex, 3=6931
Wales,W. See Frankel,S., 3=7876
Wales,W. See Frankel,S., 3=10134
Walford,L.K. See d'Alte da Veiga,L.M., 3=13520
Wali,K.C. See Martin,A.W., 3=17296
Walisch,W. See Becker,F., 3=16830
Walker,A. See Collard,H., 3=25065
Walker,B.D. See Wong,C., 3=6255
Walker,B.E.,Ewing,C.T. and Miller,R.R. Thermoelectric instability of some noble metal thermocouples at high temperatures, 3=1861
Walker,C.B. and Keating,D.T. Neutron diffraction study of short-range order in β-CuZn, 3=16105
Walker,C.B. and Keating,D.T. A reanalysis of short-range order in Cu_3Au, 3=23465
Walker,C.B. and Marezio,M. A single-crystal X-ray study of order in β'-AgCd, 3=13501
Walker,C.C. See Ashby,W.R., 3=7061
Walker,C.T. and Pohl,R.O. Phonon scattering by point defects, 3=22639
Walker,D.C. New instrument for measuring evaporation; application to evaporation of water through thin films, 3=24114
Walker,D.C. and Back,R.A. Photochemistry in the photoionization region. II. Photochemistry of methane, ethane, and ethylene at wavelengths below 900 A, 3=13618
Walker,D.C. and Reis,H.E.,Jr. Direct measurement of adsorption of radiolabeled compounds, 3=8931
Walker,D.C. See Back,R.A., 3=3404
Walker,E.A. and Fisher,P.A. The development of metallurgically stable magnesium—zirconium alloys with high creep ductility, 3=25763
Walker,E.J. See Michel,A.E., 3=24528
Walker,G.A.H. Photoelectric measures of the 4430 A diffuse interstellar band, 3=9161
Walker,G.B. See Free,J.M., 3=13112
Walker,G.B. See Straiton,A.W., 3=7116
Walker,J. See Coombe,R.A., 3=2488
Walker,J.K. Some remarks on low energy pion phenomena, 3=2294
Walker,J.K.,Burq,J.P. and Round,V. Liquid hydrogen and deuterium target for use with high energy accelerators, 3=14688
Walker,J.K., Rutherglen,J.G., Miller,D.B. and Paterson,J.M. Low energy charged meson photoproduction, 3=4423
Walker,J.K. See Dunning,J.R., Jr., 3=19613
Walker,J.K. See Hunten,D.M., 3=9104
Walker,J.V.,Randall,J.D. and Stinson,R.C., Jr. Thermal neutron flux perturbation due to indium foils in water, 3=12461
Walker,J.V. See Randall,J.D., 3=17290
Walker,L.R., Wertheim,G.K. and Jaccarino,V. The isomer shift in Fe^{57}, 3=2699
Walker,L.R. See Gordon,J.P., 3=4264
Walker,L.R. See Gordon,J.P., 3=12356
Walker,P.L. and Banerjee,B.C. Topography of kish crystals and the effect of oxidation in air, 3=16031
Walker,P.M.B.,Leonard,J.,Gibb,D.,and Chamberlain,P.J. A scanning and integrating spectrophotometer for very small objects, 3=9595
Walker,R.L. and Grotenhuis,M. Concrete shielding constants, 3=17516
Walker,R.M. and Price,P.B. Investigations of charged particle tracks in solids, 3=17801
Walker,R.M.,Price,P.B. and Fleischer,R.L. A versatile, disposable dosimeter for slow and fast neutrons, 3=24752
Walker,R.M. See Fleischer,R.L., 3=16468
Walker,R.M. See Price,P.B., 3=2842
Walker,R.M. See Price,P.B., 3=2843
Walker,R.M. See Price,P.B., 3=5907
Walker,R.M. See Price,P.B., 3=6948
Walker,R.M. See Price,P.B., 3=21020
Walker,W.C. and Ostantowski,J. Reflection spectrum of cubic zinc sulfide in the interband transition region, 3=8582
Walker,W.C. and Weissler,G.L. Vacuum ultraviolet optical and photoelectric effects in solids, 3=13145
Walker,W.D. See Erwin,A.R., 3=17317
Walker,W.D. See March,R.H., 3=6087
Walker,W.S. See Hudson,C.I.Jr., 3=2467
Walkinshaw,W. The Royal Society meeting on recent European contributions to the development of the physics of elementary particles, London, February 1963, 3=14925
Walkley,J. See Hillier,I., 3=21434
Wall,F.T., Windwer,S. and Gans,P.J. Monte Carlo study of coiling-type molecules. I. Macromolecular configurations, 3=15400
Wall,F.T., Windwer,S. and Gans,P.J. Monte Carlo study of coiling-type molecules. II. Statistical thermodynamics, 3=15401
Wall,G. See Pickup,E., 3=4302
Wall,L.A. See Florin,R.E., 3=12874
Wallace,D.C. Spin waves in complex lattices, 3=3093
Wallace,D.C. Anharmonic free energy of crystals at high temperatures, 3=25163
Wallace,D.C. See Glower,D.D., 3=20122
Wallace,J.P. See Shrier,A., 3=20748
Wallace,L. Observation of the day airglow, 3=18552
Wallace,R. Shielding and activation considerations for a meson factory, 3=5776
Wallace,R.N. See Paik,S.F., 3=12091
Wallace,T.C.,Gutierrez,C.P. and Stone,P.L. The molybdenum—zirconium—carbon system, 3=23476
Wallace,W.E. See Cox,D.E., 3=15911
Wallace,W.E. See Kamath,G.S., 3=16103
Wallace,W.E. See Kubota,Y., 3=15744
Wallace,W.E. See Kubota,Y., 3=25507
Wallace,W.E. See Skrabek,E.A., 3=15746
Wallace,W.E. See Weinstein,S., 3=15745
Wallach,D. Unit cell and space group of technetium carbonyl, $Tc_2(CO)_{10}$, 3=3299
Waller,I. On the emission and absorption of γ-rays by an impurity atom in a crystal, 3=25168
Waller,W.A. See Gabriel,A.H., 3=7336
Walles,K.F.A. and Graham,A. On the extrapolation and scatter of creep data, 3=23331
Walling,J.C. Travelling wave masers, 3=5887
Walling,J.C. Travelling wave masers, 3=5893
Wallington,C.E. The use of smoothing or filtering operators in numerical forecasting, 3=5191
Wallis,G. See Baumgärtel,K. 3=9544
Wallis,P.M. See Birss,R.R., 3=8678
Wallis, P.M. See Birss, R.R., 3=18081
Wallis,R.F. and Maradudin,A.A. Interaction of lattice anharmonicity and higher order electric dipole moments in the optical absorption of crystals, 3=10926
Wallis,R.F. See Burstein,E., 3=785
Wallis,R.F. See Burstein,E., 3=10638
Wallis,R.F. See Mitchell,D.L., 3=25441
Wallis,R.F. See Palik,E.D., 3=10822
Wallis,R.F. See Palik,E.D., 3=10917
Walmsley,D.G. See Campbell,C.K., 3=12037
Walmsley,R.H. See Seitchik,J.A., 3=23270
Walmsley,S.H. See Anderson,A., 3=938
Waloschek,P. See Mongelli,S., 3=6276
Walrafen,G.E. Raman spectral studies of molten selenious acid, 3=137
Walrafen,G.E. See Hester,R.E., 3=7211
Walraven,P.L. and Leebeek,H.J. Foveal sensitivity of the human eye in the near infrared, 3=16456
Walraven,P.L. See Bouman,M.A., 3=5303
Walsh,A.D. See Mayor,L., 3=19996
Walsh,P. and Kemeny,G. Laser operation without spikes in a ruby ring, 3=9972

Walsh,P.J. and Courville,G.E. Stimulated emission of magnetic dipole radiation in electric discharges, 3=25059
Walsh,P.J.,Manning,G.W. and Larson,D.A. Gradients in mercury—rare-gas discharges, 3=21749
Walsh,T.R. A normal beam with linear focusing and space-charge forces, 3=12254
Walsh,W.M.,Jr and Fawcett,E. Cyclotron resonance in tungsten, 3=22692
Walsh,W.M.,Jr. See Fawcett,E., 3=2777
Walshaw,C.D. and Rodgers,C.D. The effect of the Curtis—Godson approximation on the accuracy of radiative heating-rate calculation, 3=11393
Walstedt,R.E. See Froidevaux,C., 3=23255
Walt,M. and MacDonald,W.M. Diffusion of electrons in the Van Allen radiation belt. I. Treatment of particles with mirroring points at high altitude, 3=9112
Walt,M. and MacDonald,W.M. Comment on a paper by Hess and Poirier, 3=11461
Walt,M. See Cladis,J.B., 3=9114
Walt,M. See MacDonald,W.M., 3=9113
Walter,F.J. See Moak,C.D., 3=21907
Walter,F.J. See Schmitt,H.W., 3=6313
Walter,G. and Coche,A. Measurement of the slow component of luminescence in organic scintillators; application to particle discrimination according to ionization ability, 3=20532
Walter,H. Theory of haloes, 3=21567
Walter,H. See Klinger,D., 3=24551
Walter,H.K.,Weitsch,A. and Kienle,P. Determination of the magnetic moment of the 206 keV level of Re^{187}, 3=24839
Walter,J.L. and Koch,E.F. Substructures and recrystallization of deformed (100) [001]-oriented crystals of high-purity silicon—iron, 3=23468
Walter,J.L. and Koch,E.F. Comments on "microbands in a rolled Si—Fe crystal and their role in crystallization" by Hsun Hu, 3=25739
Walter,P.H.L. See Jarrett,H.S., 3=1026
Walter,R.L. and Kelsey,C.A. Polarization of neutrons scattered from deuterons, 3=19645
Walter,R.L. See May,T.H., 3=19636
Walter,T.A. See Berlman,I.B., 3=3810
Walters,G.K. See Shearer,L.D., 3=12523
Walters,G.K. See Phillips,G.C., 3=15050
Walters,J. See Binnie,D.M., 3=10081
Walters,J. See Binnie,D.M., 3=17153
Walters,K. The solution of flow problems in the case of materials with memory. I, 3=11768
Walters,K. and Waters,N.D. On the use of a rotating sphere in the measurement of elastico-viscous parameters, 3=23840
Walters,K. See Thomas,R.H., 3=23846
Walters,L.C. See Wait,J.R., 3=19463
Walther,A. The question of phase retrieval in optics, 3=7311
Walther,A. See O'Neill,E.L., 3=7310
Walther,H. Nuclear quadrupole moment of Mn^{56}, 3=12564
Walther,K. Logarithmic-periodic underwater sound projector, 3=7297
Walther,V. and Hintenberger,H. Positive secondary ion emission from graphite, copper, and gold by bombardment with rare-gas ions at energies between 100 and 30 000 eV, 3=14665
Walton,A. The distribution in soils of radioactivity from weapons tests, 3=12613
Walton,A.G. Precipitation kinetics of silver chloride, 3=18270
Walton,A.K. and Moss,T.S. Determination of refractive index and correction to effective electron mass in PbTe and PbSe, 3=10904
Walton,A.K. See Moss,T.S., 3=10816
Walton,D. Nucleation of vapor deposits, 3=1873
Walton,D. The orientation of vapour deposits, 3=3279
Walton,D. Comment on 'Formation conditions of thin epitaxial germanium films on single-crystal substrates' by Billy W. Sloope and Calvin O. Tiller, 3=18284
Walton,D.,Rhodin,T.N. and Rollins,R.W. Nucleation of silver on sodium chloride, 3=16842
Walton,D.G. A new stroboscopic light source for precision timing applications, 3=18976
Wampler,E.J. Systematic variations in the slope of the correlation between the intensity of λ 4430 and color excess, 3=16400
Wan,Y.K. See Kê,T.S., 3=18277
Wan,Y.K. See Kê,T.S., 3=20726
Wan,Y.K. See Kê,T.S., 3=20796
Wanderlingh,F. See Messino,D., 3=18794
Wang Ao, Li Ho-Nian, Chen Er-Chih and Hsiao Chien. The direct production of electron pairs by high-energy charged particles, 3=17255
Wang Chao-Chün,Su Hung-Yuan',Ho Seng,Weng Pei-K'un and Mei Cheng'-Yüeh. The decay of Yb^{169}. Investigation of the excited levels of the strongly deformed rare earth nuclei. I, 3=22346
Wang Chao-Chün. See Hsieh Kuang-Chun, 3=22340
Wang,C.C. Space-charge-layer width and capacitance of symmetrical step junctions, 3=881
Wang,C.C. and Spinar,L.H. Electron transfer in zinc-blende III—V compounds, 3=20044
Wang,C.C. See Spinar,L.H., 3=6844
Wang,C.K. See Kê,T.S., 3=25609
Wang,C.K. See Kê,T.S., 3=25610
Wang,C.K. See Kê,T.S., 3=25611
Wang,C.L. See Beall,E.F., 3=24790
Wang,C.P. Interpretation of atmospheric waveforms, 3=9047
Wang,C.P. Lightning discharges in the tropics. I. Whole discharges, 3=18516
Wang,C.P. Lightning discharges in the tropics. II. Component ground strokes and cloud dart streamer discharges, 3=18517
Wang,C.P. Electronic instrumentation for research in elementary particle physics and cosmic rays at Hong Kong, 3=1914
Wang,C.-S. See Hwang,J.-L., 3=2705
Wang Fu-chün. See Van Fu-tszyun'.
Wang,F.E.,Kanda,F.A.,Miskell,C.F. and King,A.J. Comments on the crystal structures of Ba$_2$Mg$_{17}$ and Sr$_2$m$_{17}$, 3=20838
Wang,F.E.,King,A.J. and Kanda,F.A. The crystal structure of Sr$_6$Li$_{23}$ and Sr$_3$Li$_2$, 3=11266
Wang,H.S.C. Nonlinear stationary waves in relativistic plasmas, 3=21824
Wang,I-T. See Matumoto,Z., 3=7984
Wang Jung. See Barashenkov,V.S., 3=6040
Wang Kan-Chang and Wang Tzu-Tzen. π—N, p—N and p—N interactions with energies of incident particles not greater than 10 BeV, 3=22120
Wang Kang-Ch'ang, Wang Ts'u-Tseng, Veksler,V.I., Vrana,I., Ting Ta-Ts'ao, Ivanov,V.G., Kim-Khi In, Kladmitskaya,E.N., Kuznetsov,A.A., Nguen Din Ty, Nikitin,A.V., Solov'ev,M.V., Khofmokl,T. and Chen Ling-Yen. Parity non-conservation in strong interactions involving strange particles. 3=19702
Wang Kang-Ch'ang,Wang Ts'u-Tseng,Veksler,V.I.,Vrana,I., Ting Ta-Ts'ao,Ivanov,V.G.,Kladnitskaya,E.N., Kuznetsov,A.A.,Nguen Din Ty,Nikitin,A.V.,Solov'ev,M.I., and Chen Ling-Yen. The production of Λ and K^0 particles in the π^-—p interaction at 6.8 ± 0.6 BeV/c, 3=22208
Wang Kuei-Win. See Lung Ch'i-Wei, 3=20045
Wang,P.K.C. See Ma,J.T.S., 3=14135
Wang,P.K.C. See Tung,F., 3=16538
Wang,S. and Bodway,G.E. Relaxation oscillation near the threshold of instability in yttrium iron garnet, 3=3157
Wang,S.,Yee,S. and Nosaka,K. Direct radiative recombination in Ge mesa transistors, 3=22967
Wang,S.P. and Shull,C.G. Photography of neutron diffraction patterns, 3=1290
Wang Ta-Cheng, See Lu King, 3=16976
Wang Ts'u-Tseng. See Wang Kang-Ch'ang, 3=19702
Wang Ts'u-Tseng. See Wang Kang-Ch'ang, 3=22208
Wang T'ung-seng. See Vai Tun-sen.
Wang Tzu-Tzen. See Wang Kan-Chang, 3=22120
Wang,W.C. Strong acoustoelectric effect in CdS, 3=8567
Wang Yen-wen. See Van-Yan'-Ven.
Wang,Young-Chang. See Baladin,M.P., 3=17126
Wang Yung and Khu Shi-kĕ [Hu Shih-k'o]. A plausible model of Λ-particle production in high energy π-N collision, 3=4467
Wang Yung-ch'ang. See Belyakov,V.A., 3=24764
Wang Yung-Ch'ang. See Van Yun-chan.
Wang Yung-jan. Calculation of the nucleon charge radius with a modified propagator, 3=17261
Wang Zhu-xi. Theory of heat conduction in the presence of radiation, 3=24081
Wangermann,G. A liquid scintillation counter for absolute activity measurement by the extrapolation method, 3=2470
Wangler,T.P. See Erwin,A.R., 3=17317
Wangsnees,R.K. Response of a simple photoconductor to a square light pulse, 3=10886
Wanic,A., See Murasik,A., 3=3127
Waniek,R.W. See MacLeod,M.A., 3=14653

Waniek,R.W. See Stewart,G.W., 3=14644

Wänke,H. See Hintenberger,H., 3=13877

Wanklyn,J.N. and Jones,P.J. The aqueous corrosion of reactor metals, 3=695

Wannier,G.H. Dynamics of band electrons in electric and magnetic fields, 3=4834

Wannier,G.H. See Fredkin,D.R., 3=6608

Wansdronk,C. Threshold mechanism and masking by noise, 3=16451

Wanselow,R.D. Rectangular pulse distortion due to a non-linear complex transmission propagation constant, 3=505

Wapstra,A.H. Atomic masses of nuclides, 3=10221

Wapstra,A.H. See Hazewindus,N., 3=19775

Wapstra,A.H. See Jansen,J.F.W., 3=656

Warburton,E.K.,Alburger,D.E. and Wilkinson,D.H. Lifetime of the Be^{10} 3.37-MeV level. I. Experiment, 3=10251

Warburton,E.K.,Alburger,D.E.,Wilkinson,D.H. and Soper,J.M. Lifetime of the Be^{10} 3.37 MeV level. II. Analysis, 3=10252

Warburton,E.K. and Funsten,H.O. High-energy gamma rays and low-energy protons and deuterons from $C^{12} + p$ for E_p = 14-20 MeV, 3=2447

Warburton,E.K. See Brady,F.P., 3=671

Warburton,E.K. See Wilkinson,D.H., 3=7986

Warburton,J.A. See Fookes,R.A., 3=18503

Ward,A.L. Electronic conputation of the temporal growth of current in a gas, 3=7460

Ward,B.W. and Lewis,T.J. The influence of static stress and electrode surface layers on the electric strength of n-hexane, 3=14180

Ward,C.B. and York,C.M. A nanosecond pulse height discriminator, 3=24196

Ward,F. and Silverman,S.M. Characteristics of the 5577 A (O1) night airglow at Maruyama and its relation to magnetic activity, 3=11446

Ward,F. See Macdonald,N.J., 3=25952

Ward,F. See Shapiro,R., 3=9204

Ward,G.D. and Richardson,J.M. Analysis of a microwave radiometer for precise standardization of noise sources, 3=21980

Ward,G.N. On the integration of the acoustical equations, 3=23917

Ward,G.N. See Allan,R.R., 3=21083

Ward,I.M. Optical and mechanical anisotropy in crystalline polymers, 3=917

Ward,I.M. See McDonald,M.P., 3=3200

Ward,I.M. See Pinnock,P.R., 3=8754

Ward,J. See Masters,J.I., 3=14809

Ward,J.C. See Montroll,E.W., 3=13239

Ward,J.F. A high-frequency aerial array with surface wave launching to attain low angles of propagation, 3=19450

Ward,J.F. See Bass,M., 3=5537

Ward,J.F. See Franken,P.A., 3=21505

Ward,J.F. See Sanders,J.H., 3=7846

Ward,M.B. See Nolle,A.W., 3=23987

Ward,R.L. Photoinduced paramagnetism in solutions of nitrobenzene in tetrahydrofuran, 3=18831

Ward,R.L. See Happe,J.A., 3=25144

Ward,S.H. Dynamics of the magnetosphere, 3=13838

Ward,S.H. See Jewell,T.R., 3=16230

Ward,W.D. Damage-risk criteria for line spectra, 3=1554

Ward,W.D. Erratum: Studies on the aural reflex. III. Reflex latency as inferred from reduction of temporary threshold shift from impulses, 3=13960

Ward,W.D. Absolute pitch. I, 3=18678

Warda,E. See Rzeszot,T., 3=25017

Wardzynski,W. See Chadderton,L.T., 3=6652

Wardzuński,W. See Czan Czum Da, 3=915

Ware,A.A. See Allen,N.L., 3=7596

Ware,A.A. See Allen,N.L., 3=21813

Warekois,E.P. See Banus,M.D., 3=20771

Warfield,G. See Heilmeier,G.H., 3=8528

Warfield,G. See Heilmeier,G.H., 3=10890

Warfield,G. See Heilmeier,G.H., 3=10971

Warfield,G. See Heilmeier,G.H., 3=22680

Warhanek,H. See Riehs,P., 3=19818

Waring,J.L. See Roth,R.S., 3=6813

Waring,J.L. See Schneider,S.J., 3=12001

Wark,D.Q.,Yamamoto,G. and Lienesch,J.H. Methods of estimating infrared flux and surface temperature from meteorological satellites, 3=1411

Wark,K.,Jr. See Dunn,M.G., 3=2666

Warlimont,H. See Swann,P.R., 3=20869

Warneck,P. A microwave-powered hydrogen lamp for vacuum ultraviolet photochemical research, 3=14330

Warneck,P. and Marmo,F.F. No$_2$ in the Martian atmosphere, 3=18598

Warner,A.W. and Stockbridge,C.D. Quartz resonators; reduction of transient frequency excursion due to temperature change, 3=14764

Warner,B. See McCall,G.J.H., 3=5239

Warner,C., III. See Hansen,L.K., 3=21868

Warner,E. See Hale,K.F., 3=8937

Warner,J. and Telford,J.W. Some patterns of convection in the lower atmosphere, 3=25876

Warner,J. See Telford,J.W., 3=1438

Warnock,R.L. Extension of Levinson's theorem to the relativistic case, 3=19578

Warnock,R.L. See Frye,G., 3=14913

Warren,B.E. Single- and double-deformation faults in face-centered cubic crystals, 3=17768

Warren,B.E. X-ray profiles from cold worked metals, 3=25754

Warren,C.R. Surface material of the moon, 3=16334

Warren,E. Perturbation of the local electron density by alouette satellite, 3=11429

Warren,E.S. Some preliminary results of sounding of the top side of the ionosphere by radio pulses from a satellite, 3=13732

Warren,E.S. Sweep-frequency radio soundings of the top side of the ionosphere, 3=23614

Warren,K.L. Apparatus for an experiment in photometry, 3=234

Warren,R.M. Are loudness judgments based on distance estimates? 3=13961

Warren,R.W. Floating zone growth of single crystal alkali halides, 3=6825

Warren,R.W. and Parker,J.H.,Jr. Ratio of the diffusion coefficient to the mobility coefficient for electrons in He, Ar, N_2, H_2, D_2, CO, and CO_2 at low temperatures and low E/p, 3=4023

Warren,S.E. See Aspinall,A., 3=19779

Warren,W. See Fowler,J.M., 3=4201

Warrington,D.H.,Rodgers,J.M. and Tebble,R.S. The use of ferromagnetic domain structure to determine the thickness of iron foils in transmission electron microscopy, 3=5400

Warrington,M. See Robertson,A.J.B., 3=12067

Warschauer, D. Electrical and optical properties of crystalline black phosphorus, 3=17891

Warschauer, D.M. See Deutsch, T., 3=17913

Warschawer,B.G. See Tschibissow,K.W., 3=3903

Warsh,K.L., Temmer,G.M. and Blieden,H.R. The $Al^{27}(p, \alpha)Mg^{24}$ reaction with 3 to 12 MeV protons, 3=17468

Warsh,K.L.,Temmer,G.M. and Blieden,H.R. The reaction $Na^{23}(p, \alpha)Ne^{20}$ from 3 to 12 MeV, 3=19849

Warsh,K.L.,Temmer,G.M. and Blieden,H.R. Study of the $F^{19}(p,\alpha_0)O^{16}$ reaction with 3- to 12-MeV protons, 3=22379

Warshaw,S.D. See Burleson,G.R., 3=17145

Warshaw,S.D. See Burleson,G.R., 3=17146

Warshaw,S.D. See Burleson,G.R., 3=17149

Warshaw,S.D. See Kernan,W., 3=6084

Warsop,P. See Mayor,L., 3=19996

Warsop,P.A. See Herzberg,G., 3=8307

Warsop,P.A. See Verma,R.D., 3=8268

Warter,P.J., Jr. Effect of a small Stokes shift on the operation of three-level masers, 3=25446

Warter,P.J., Jr. See Heilmeier,G.H., 3=4935

Warty,M.D. Hydrogen–deuterium discrepancy and $\overline{K}$–N bound state, 3=19697

Warty,M.D. K^-–2N interaction mechanism, 3=24788

Warwick,C.S. Delay time of polar-cap blackout and its relation to delay time of geomagnetic disturbance, 3=18574

Warwick,C.S. The effect of geomagnetic crochet on cosmic ray intensity, 3=22249

Warwick,J.W. The source of solar flares, 3=3582

Warwick,J.W. Dynamic spectra of Jupiter's decametric emission, 1961, 3=9268

Warwick,J.W. The position and sign of Jupiter's magnetic moment, 3=18613

Warwick,J.W. Repeatability of Jupiter's decametric radio emission, 3=18657

Warwick,J.W. The relation between Jupiter's decametric emission and radiation belts, 3=21131

Wasan,D.T. See Tien,C.L., 3=11757
Wasel,A.D. Force on and motion of a spherical obstacle in a spherical sound field, 3=18909
Washburn,J. See Finch,R.H., 3=10680
Washburn,J. See Galligan,J., 3=25618
Washburn,J. See Saada,G., 3=23323
Washer,F.E. and Darling,W.R. Measurement of longitudinal spherical aberration in the extra-axial region of lenses, 3=237
Wasif,S. See Alexander,J.M., 3=10397
Wasilewski,R.J. Anisotropy of edge dislocations in body centred cubic elements, 3=10655
Wasscher,J.D., Albers,W. and Haas,C. Simple evaluation of the maximum thermoelectric figure of merit, with application to mixed crystals $SnS_{1-x}Se_x$, 3=20423
Wasscher,J.D. See Van Daal,H.J., 3=6603
Wasscher,J.D. See Van Daal,H.J., 3=10838
Wasserman,E. See Yager,W.A., 3=1186
Wasson,J.T. See Duce,R.A., 3=25868
Wasson,M.M. Fluorescence decay of anthracene in the region 0.1-10 μ sec, 3=11005
Watabe,A. See Yosida,K., 3=22687
Watabe,M. The influence of Coulomb correlation on various metallic properties, 3=15466
Watabe,M. Transport coefficients of quantum plasma, 3=21759
Watabe,M. See Makajima,I.S., 3=10588
Wataghin,A. See Marzari-Chiesa,A., 3=14844
Wataghin,G. On a non-local theory of high energy interactions, 3=4336
Wataghin,V. See Ferroni,F., 3=19619
Watanabe,A. A.C. methods in interfacial electrical phenomena, 3=12065
Watanabe,D., Fujime,S. and Ogawa,S. The observation on the phase transformation of cobalt and cobalt-nickel alloys in thin electron microscope, 3=1351
Watanabe,D. See Sato,K., 3=3321
Watanabe,D. See Takahashi,M., 3=1068
Watanabe,D. See Yamaguchi,S., 3=13532
Watanabe,H. Electronic states in a one-dimensional periodic square-well potential field having a defect, 3=18727
Watanabe,H. Discrete electronic states in a one-dimensional periodic potential field having a defect, 3=21238
Watanabe,H.,Fukuhara,A. and Kohra,K. Measurement of mean and anomalous absorption coefficients of electrons in MgO crystals by the use of electron micrographic images, 3=1299
Watanabe,H. and Uyeda,R. Energy-selecting electron microscope, 3=20954
Watanabe,H.,Yamamoto,H. and Ito,K. Neutron diffraction study of the intermetallic compound FeSi, 3=25543
Watanabe,H. See Sato,K., 3=1004
Watanabe,J. See Kawasaki,K., 3=14224
Watanabe,J. See Sugita,T., 3=18864
Watanabe,K. Infrared divergencies in statistical mechanics of electron plasma, 3=7149
Watanabe,K.,Nakayama,T. and Mottl,J. Ionization potentials of some molecules, 3=7430
Watanabe,K. See Higashi,S., 3=4530
Watanabe,K. See Umemura,I., 3=19555
Watanabe,M. and Someya,T. Electro-magnetic stigmator for magnetic lens, 3=9860
Watanabe,M., Someya,T. and Nagahama,Y. Temperature rise of specimen due to electron irradiation, 3=17807
Watanabe,M.,Yanaka,T. and Nagahama,Y. A new objective pole piece for special observation method of the jem, 3=25792
Watanabe,M. See Honjo,G., 3=18414
Watanabe, M. See Ikeda, T., 3=3255
Watanabe,M. See Ito,K., 3=19350
Watanabe,N. See Kanai,T., 3=867
Watanabe,T. Magnetic properties of $NiSO_4.7H_2O$ and α-$NiSO_4.6H_2O$ at low temperatures, 3=8644
Watanabe,T., Taguchi,I. and Kawabe,K. A twinning structure in crystals of aniline hydrobromide, $C_6H_5NH_3Br$, 3=3259
Watanabe,T. See Jacobs,J.A., 3=16302
Watanabe,T. See Jacobs,J.A., 3=25955
Watanabe,T. See Koizumi,H., 3=11273
Watanabe,T. See Osaki,K., 3=25730
Watanabe,Y.,Hayashi,H. and Hayashi,K. Direct observation of the aluminium-silver alloy by electron microscope, 3=25803
Watanabe,Y. See Nishizawa,J., 3=882
Watari,T. Some contribution to lattice model theory of polymer solutions, 3=133
Watari,W. See Hoshizaki,N., 3=24721
Watari,W. See Sawada,S., 3=7853
Watase,Y. See Higashi,S., 3=4499
Watase,Y. See Higashi,S., 3=4523
Watase,Y. See Higashi,S., 3=4530
Watelski,S.B. See Biard,J.R., 3=2889
Watelski,S.B. See Miller,D.P., 3=23515
Waterhouse,R.B. and Grubb,D. The embrittlement of alpha-brasses by liquid metals, 3=13378
Waterhouse,R.V. Radiation impedance of a source near reflectors, 3=18917
Waters,D.G. See Rout,V.M., 3=22419
Waters,J.R. Spark chambers with ferrite core memories, 3=10009
Waters,J.R. Measuring particle velocities with Čerenkov rings, 3=24554
Waters,J.R., Reynolds,G.T., Scarl,D.B. and Zdanis,R.A. A scintillation chamber-image intensifier beam profile detector, 3=2179
Waters,J.R. See Reynolds,G.T., 3=8122
Waters,J.R. See Reynolds,G.T., 3=17109
Waters,J.R. See Reynolds,G.T., 3=19326
Waters,N.D. See Walters,K., 3=23840
Waters,R.T. and Jones,R.E. High voltage impulse breakdown of rod-plane gaps in air, 3=4097
Waterton,P.J. See Cox,A.J., 3=5731
Waterworth,M.D. See Ellis,G.R.A., 3=9281
Watkins,C.D. See Greenhow,J.S., 3=13717
Watkins,C.D. See Greenhow,J.S., 3=13772
Watkins,C.D. See Greenhow,J.S., 3=13925
Watkins,G.D. An e.p.r. study of the lattice vacancy in silicon, 3=22734
Watson,A.A. See Evans,G.R., 3=3933
Watson,B.J. See Harris,G.G., 3=16448
Watson,C.S. Masking of tones by noise for the cat, 3=9301
Watson,D.B. See Cooper,R., 3=13125
Watson,D.D.,Moore,R.A.,Harris,G.I. and Seagondollar,L.W. A note on angular distribution analysis, 3=24880
Watson,G.M. See Evans,R.B.III, 3=16652
Watson,G.M. See Mason,E.A., 3=14200
Watson,H.L. See Halpern,F.R., 3=24593
Watson,J.H.L. Electron microscopy of single inorganic colloidal crystals, sectioned and unsectioned, 3=18408
Watson,K.M. See Froissart,M., 3=23767
Watson,K.R. See Burt,P., 3=7768
Watson,L.R. See Gleason,F.R., Jr., 3=16140
Watson,M. See Jarem,J., 3=7531
Watson,M.B.,Ferro-Luzzi,M. and Tripp,R.D. Analysis of Y_0^* (1520) and determination of the Σ parity, 3=24793
Watson,M.D.,Ferguson,H.I.S. and Nicholls,R.W. Electrical and optical studies of the argon plasma jet, 3=24276
Watson,M.J. See Harrower,G.A., 3=16432
Watson,P.G. Development of the magnetic cone for the center of the Berkeley 88-inch cyclotron, 3=5772
Watson,R. Temperature measurements in the $OH^2\Sigma^2\Pi$ band system for a transparent gas in a shock tube, 3=7281
Watson,R. Reduction of ultraviolet scattering from a continuous light source in a Littrow type monochromator, 3=7344
Watson, R.D. See Devane, C.J., 3=17870
Watson,R.E. and Freeman,A.J. On the theory of direct exchange in ferromagnets, 3=981
Watson,R.E. and Freeman,A.J. Electronic polarizabilities and Sternheimer shielding factors, 3=17518
Watson,R.E. and Freeman,A.J. Hyperfine interactions and nuclear magnetic moments of rare-earth ions, 3=22607
Watson,R.E. See Blume,M., 3=6347
Watson,R.E. See Freeman,A.J., 3=977
Watson,R.E. See Freeman,A.J., 3=15955
Watson,R.E. See Freeman,A.J., 3=25038
Watson,W.K.R. See Shapiro,A.R., 3=14742
Watson,W.K.R. See Shapiro,A.R., 3=19428
Watson, W.R. See Polanyi,T.G., 3=9985
Watson,W.W.,Howard,A.J.,Miller,N.E. and Shiffrin,R.M. Isotopic thermal diffusion factors for helium and neon at low temperatures, 3=11823
Watson-Munro,C.N. See Boley,F.I., 3=19291
Watson-Munro,C.N. See Brennan,M.H., 3=24306
Watt,D.A. The production of magnetic fields by superconductors, 3=17028

Watt,D.E.,Keith,R.L.G. and Brown,F. An intercomparison of the determination of Pu^{239}, Pu^{238} and Pu^{236} by α counting techniques in the UK, USA and Canada, 3=22351
Watt,D.H. See Pollak,M., 3=8511
Watt,I.M. See Cornish,D.C., 3=18373
Watt,J.S. See Fookes,R.A., 3=18503
Watt,P.A. See Bower,D.R., 3=11374
Wattenberg,A. See Bacci,C., 3=22187
Wattenberg,A. See Jones,R.S., 3=2233
Wattenberg,A. See Kernan,W., 3=6084
Watters,B.G. The (sound of a bursting) red balloon, 3=14255
Watters,B.G.,Beranek,L.L.,Johnson,F.R. and Dyer,I. Reflectivity of panel arrays in concert halls, 3=16722
Watts,A. See Bowling,K.M., 3=16585
Watts,B.R. The Fermi surface of beryllium, 3=8401
Watts,T.L. See McIntyre,J.A., 3=12609
Watts-Tobin,R.J. Surface structure of water and ice, 3=14139
Waugh,J.B.S. and Carver,J.H. Simple 25 kV target modulator sweep circuit, 3=12265
Waugh,J.S. Nuclear moments in fluctuating fields, 3=15379
Waugh,J.S. and Johnson,C.S.,Jr. Nuclear relaxation and intermolecular forces in gases, 3=14222
Waugh,J.S. See Blinc,R., 3=23251
Waugh,J.S. See Castellano,S., 3=2657
Waugh,J.S. See Dzh.S.Uo.
Waugh,J.S. See Gaven,J.V.,Jr, 3=7202
Wawner,F. See Krause,B.H., 3=25714
Wayman,C.M. and Altstetter,C.J. Martensite in zone-refined iron, 3=8890
Wayman,C.M.,Thein,K.M. and Nakanishi,N. Quenched-in defects in CsCl-type alloys, 3=22714
Wayman,C.M. See Johnson,K.A., 3=18346
Wayman,C.M. See Nakanishi,N., 3=22715
Wayne,R.C. and Cotts,R.M. E.S.R. measurement of spin susceptibility of graphite in a low magnetic field, 3=25501
Weale,R.A. The aperture of the eye in relation to vision and thermal hazards, 3=16454
Weatherly,T.L. See Beeson,E.L., 3=6411
Weaver,C. and Brown,L.C. Diffusion in evaporated films of gold-lead, 3=20226
Weaver,C. See Benjamin,P., 3=23504
Weaver, C.F, Ross, R.G. and Thoma, R.E. Production of high-purity Li^7F crystals, 3=18261
Weaver,C.W. Precipitation in dilute chromium—nitrogen alloys, 3=6865
Weaver,J.L. See Cuff,K.F., 3=22938
Weaver,J.N. See DiDomenico,M.Jr., 3=9970
Weaver,J.T. The electromagnetic field within a discontinuous conductor with reference to geomagnetic micropulsations near a coastline, 3=9928
Weaver,L.D. See Hughes,R.H., 3=8208
Weaver,R.D.,Smith,S.W. and Willmann,N.L. The sodium/tin liquid-metal cell, 3=1926
Weaving,B. The effects of heating on chlorophaeite and their importance in rock magnetism, 3=1499
Weaving,B. The magnetic properties of the Brewster meteorite, 3=7026
Webb,E.L.R. Mean and variance of some wave-form product distributions, 3=16
Webb,F.H.,Jr. See Levine,P.H., 3=8488
Webb,F.J. Cold neutron sources, 3=24745
Webb,M.B. See Neugebauer,C.A., 3=15536
Webb,P.P. and Williams,R.L. Gamma-ray spectroscopy using a germanium lithium drifted diode, 3=17238
Webb,S.L. See Brophy,J.J., 3=893
Webb,T.G. See Stewart,A.L., 3=25047
Webb,W.W. Atomic displacements in metallic solid solutions, 3=3341
Webber,W. The production of free electrons in the ionosphere D layer by solar and galactic cosmic rays and the resultant absorption of radio waves, 3=9083
Webber,W. The behaviour of the D layer under bombardment from solar cosmic rays and the parameters determining the free electron density in the lower ionosphere, 3=13745
Webber,W.R. The motion of low-rigidity cosmic rays in the earth's magnetic field and the effects of external fields, 3=22246
Webber,W.R. and Lockwood,J.A. Comparison of Forbush decrease measurements made at balloon altitude and ground elevation, 3=10192
Webber,W.R. See Freier,P.S., 3=15065
Weber,A. See Barrett,J.J., 3=20453
Weber,A.H. See Lundquist,C.A., 3=9111
Weber,A.H. See Stafford,D.F., 3=21863
Weber,E.H. See Böer,K.W., 3=20405
Weber,E.H. See Hänsch,H., 3=11262
Weber,G. Paramagnetic spin-lattice relaxation of some hydrated chlorides of rare earths between 1·1° and 4·2°K, 3=3183
Weber,G. Paramagnetic relaxation of $CeCl_3.7H_2O$ at helium temperatures, 3=8718
Weber,G. Paramagnetic spin-lattice relaxation of the hydrated chlorides of Nd, Gd, Dy and Er in the temperature range of 1.1 to 4.2°K, 3=8719
Weber,G. See Vivargent,M., 3=14825
Weber,G. See Von Dardel,G., 3=12481
Weber,G.G. On the l-type doubling and l-type resonance of molecules in the microwave region, 3=19960
Weber,H. See Boersch,H., 3=14804
Weber,H. See Boersch,H., 3=14805
Weber,J. Comments on McVittie's review of general relativity and gravitational waves, 3=24
Weber,J. and Hinds,G. Interaction of photons and gravitons, 3=5349
Weber,J. See Beghian,L.E., 3=12680
Weber,J. See Beghian,L.E., 3=17287
Weber,K. Apparatus developments in the area of metallurgical microscopy, 3=246
Weber,K. Contribution to the [x-ray] absorption factor for ellipsoids and cylinders with elliptical cross-section, 3=18295
Weber,K.E. See Todd,J.E., 3=25142
Weber,L.A. See Goodwin,R.D., 3=14146
Weber,L.A. See Roder,H.M., 3=14424
Weber,M.J. Temperature dependence of spin-lattice relaxation in alkali halides, 3=11118
Weber,M.J. and Allen,R.R. Nuclear magnetic resonance in study of the phase transition strontium titanate, 3=8791
Weber,M.J. and Allen,R.R. Dependence of spin-lattice relaxation on temperature and lattice vibrational spectrum, 3=23249
Weber, M.J. See Allen, R.R., 3=18143
Weber,M.J. See Statz,H., 3=3167
Weber,T.A., Deck,R.T. and Mullin,C.J. Low-energy spectrum of electrons scattered on bound electrons, 3=14955
Webre,N. See White,H.S., 3=24562
Webster,D.L. Schiff's charges and currents in rotating matter, 3=21937
Webster,J. and Donovan,B. The anisotropic Voigt effect in semiconductors, 3=6643
Webster,J. See Donovan,B., 3=4964
Webster J. See Donovan,B., 3=10778
Webster,J.C. and Klumpp,R.G. Articulation index and average curve-fitting methods of predicting speech interference, 3=25997
Webster,J.C. and Rubin,E.R. Noise attenuation of ear-protective devices, 3=16453
Webster,J.C. See Klumpp,R.G., 3=25996
Webster,M. See Baltay,C., 3=16999
Webster,M.S. See Baltay,C., 3=22209
Webster,M.S. See Baltay,C., 3=24805
Webster,R.J. See Parker,J.B., 3=19631
Wechsler,M.S. and Kernohan,R.H. The effect of radiation on diffusion-controlled reactions in copper-base alloys, 3=11291
Wechsler,M.S.,Williams,J.M. and Otte,H.M. Atomic rearrangements in deformed Cu-Si and Cu-Si-Mn alloys, 3=22701
Weckermann,B See Schult,O.W.B., 3=12696
Wecksler,O.S. See Bosworth,R.C.L., 3=24084
Weddigen,C. Reaction Li^7 (p,α) He^4 with polarized protons for proton energies between 1 and 3·2 MeV, 3=2459
Weddigen,C. Measurement of the proton polarization in the reaction C^{12}(d,p) C^{13} for deuteron energies between 0·8 and 1·2 MeV, 3=2490
Wedemeyer,R. See Bennewitz,H.G., 3=6440
Wedgwood,F.A. See Elliott,R.J., 3=13032
Wedler,G. See Suhrmann,R., 3=13062
Wedler,G. See Suhrmann,R., 3=20309
Wedler,G. See Suhrmann,R., 3=25346
Weeks,J.C. See Brocklehurst,J.E., 3=25309
Weeks,J.J. See Hoffman,J.D., 3=3272
Weeks,R.A. Paramagnetic spectra of E_1' centers in crystalline quartz, 3=13008
Weeks,R.A. See Castle,J.G.,Jr, 3=13009

Weertman,J. The thickness of continents, 3=13640
Weertman,J. Interstitial producing extended jogs in face-centred cubic lattices, 3=17725
Weertman,J. Dislocations moving uniformly on the interface between isotropic media of different elastic properties, 3=20182
Weertman,J. See Cohen,J.B., 3=25656
Weertman,J. See Cotner,J., 3=10654
Wegener,H. Investigations on thin alkali metal films. VIII. On the stability of thin layer small drops, 3=18392
Wegener,H. See Ischenko,G., 3=24891
Weger,M. Longitudinal nuclear magnetic relaxation in ferromagnetic iron, cobalt, and nickel, 3=3197
Wegmann,L. See Gribi,M., 3=20950
Wegner,H.E. See Britt,H.C., 3=10396
Wegner,H.E. See Britt,H.C., 3=12376
Wegner,H.E. See Britt,H.C., 3=19509
Wegner,H.E. See Britt,H.C., 3=24987
Wegrowe,J. Polar interferometer, 3=19007
Wegrowe,J. See Papoular,R., 3=7576
Wegrzyn,S. See Gille,J.C., 3=9326
Wehner,G.K. Physical sputtering, 3=7653
Wehner,G.K.,Kenknight,C. and Rosenberg,D.L. Sputtering rates under solar-wind bombardment, 3=23667
Wehner,G.K. See Anderson,G.S., 3=450
Wehrli,C.and Ziegler,H. Some structure equations consistent with the principle of greatest dissipative output, 3=308
Wei,J. and Norman,E. Lie algebraic solution of linear differential equations, 3=11664
Weibel,J. A magnification control for the Siemens Elmiskop I electron microscope, 3=19359
Weibrecht,R. See Burmeister,R., 3=12629
Weibull,W. A theory of fatigue crack propagation in sheet specimens, 3=20744
Weichman,F.L. See Fortin,E., 3=4954
Weidemann,V. Effective temperature and gravity acceleration fo white dwarfs, 3=11560
Weidenmüller,H.A. Coulomb effects and the O^{14} β-decay matrix element, 3=647
Weider,H. See Eck,T.G., 3=17526
Weier,J. Contribution to the quantum formalism of Daniel Kastler, 3=14863
Weigel,D. See Gallezot,P., 3=16084
Weigert,L.J. and Rose,M.E. Contribution to the theory of accidental degeneracies, 3=7116
Weigmann,H.,Hansen,H. and Flammersfeld,A. Z-dependence of single-quantum annihilation of positrons, 3=22111
Weigmann,H. See Langhoff,H., 3=12445
Weiguny,A. See Flügge,S., 3=1617
Weiher,R.L. and Ley,R.P. Thermal expansion of indium oxide, 3=20111
Weijsenfeld,C.H. Calorimetric measurement of the average energy of sputtered metal-atoms, 3=5724
Weijsenfeld,C.H. and Hoogendoorn,A. Cathode sputtering by rare gas ions of low energy, 3=4216
Weijts,A.G.L.M. See Poulis,J.A., 3=23907
Weik,H. and Lambert, V.L. Lattice distortions in a $SrTiO_3$ single-crystal electret, 3=10652
Weil, J.A. and Hecht, H.G. On the powder line shape of E.P.R. spectra, 3=17612
Weil,J.A. See Sane,K.V., 3=21418
Weil,J.A. See Wright,P.M., 3=8459
Weil,J.L. See Tombrello,T.A., 3=6005
Weil,L. and Cohen,J. Paramagnetic susceptibility of irradiated UO_2, 3=15758
Weil,L. See Aslanian,J., 3=15509
Weil,L. See Conte,R., 3=8763
Weil,L. See Dreyfus,B. 3=10550
Weil,L. See Dreyfus,B., 3=10614
Weil,L. See Perroud,P., 3=16605
Weil,L. See Tournier,R., 3=3132
Weil, L. See Tournier,R. 3=5028
Weil,L. See Tournier,R., 3=8635
Weil,R. and Lawson,A.W. On possible low-pressure polymorphism in LiH, 3=8794
Weill,A.R. See Barrachin,B., 3=25782
Weill,G. A contraction of the Antarctic auroral zone observed during the initial phase of geomagnetic storms, 3=11452
Weill,G. See Barbier,D., 3=5223
Weill,G. See Dufay,J., 3=6990
Weill,G. See Leroux-Hugon,P., 3=11976
Weill,J. See Kassimatis,C., 3=15257
Weill,M. See Consoli,T., 3=9783
Weill,M. See Consoli,T., 3=9784
Weill,M. See Consoli,T., 3=16951
Weill,M. See Consoli,T., 3=19252
Weill,R. Estimation of scatting efficiency, 3=9998
Weill,R. See Malamud,E., 3=7834
Weimer,K.E. See Johnson,J.L., 3=12191
Weimer,K.R.U. See Vlaardingerbroek,M.T., 3=2127
Weinberg,A.F. See Evans,P.P.V., 3=11169
Weinberg,A.M. See Dresner,L., 3=6320
Weinberg,D.L. Absolute intensity measurements in small-angle X-ray scattering, 3=19393
Weinberg,F. Grain boundary segregation of thallium in tin, 3=16118
Weinberg,F. Solute distributions in directionally solidified rods of dilute Sn—Ag alloys, 3=16119
Weinberg,F. Growth substructure in rapidly solidified Zn—2% Au alloys, 3=23470
Weinberg,F. and McLaren,E.H. The solidification of dilute binary alloys, 3=16838
Weinberg,F.J. See Chase,J.D., 3=25827
Weinberg,I. Shifts of the nuclear spin resonance in cadmium telluride, 3=3202
Weinberg,I. See Atkins,G.R., 3=3564
Weinberg,S. Universal neutrino degeneracy, 3=3533
Weinberg,S. Quasiparticles and the Born series, 3=17194
Weinberg,S. Elementary particle theory of composite particles, 3=12395
Weiner,D. See Eckhardt,G., 3=5445
Weiner,J.H. and Boley,B.A. Elasto-plastic thermal stresses in a solidifying body, 3=18764
Weiner,R.T. See Squires,R.L., 3=16116
Weiner,S.D. Stability of synchronous orbits of a sphere and an ellipsoid in the orbital plane, 3=11494
Weinman,J.A. The effect of target thickness and beam straggling on the magnitude of resonances in elastic scattering experiments, 3=12651
Weinman,J.A. and Smither,R.K. The observation of Be^8 in the ground state, 3=22269
Weinman,J.A. See Hanna,S.S., 3=2132
Weinreb,A. See Berlman,B., 3=138
Weinreb,S. An attempt to measure Zeeman splitting of the Galactic 21cm hydrogen line, 3=13927
Weinreich,G. See Bass,M., 3=5537
Weinreich,O.A. and Dermit.G. Preparation of crystalline germanium films on metals, 3=11317
Weinryb,E. See Philibert,J., 3=7637
Weinryb,E. See Pinard,J., 3=21015
Weinstein,J. See Sousa,J.A., 3=9651
Weinstein,M. and Mlavsky,A.I. The voltage breakdown of GaAs abrupt junctions, 3=13085
Weinstein,M. See Mlavsky,A.I., 3=23410
Weinstein,R. See Boyarski,A.M., 3=6065
Weinstein,S., Craig,R.S. and Wallace,W.E. Structural and magnetic characteristics of dysprosium—yttrium solid solutions, 3=15745
Weinstock,B.,Claassen,H.H. and Chernick,C.L. Jahn—Teller effect in the E_g vibrational mode of hexafluoride molecules. The infrared spectra of RuF_6 and RhF_6, 3=12839
Weinstock,H.,Lipschultz,F.P.,Kellers,C.F.,Tedrow,P.M.and Lee,D.M. Existence of minima in the melting curves of He^3—He^4 mixtures, 3=315
Weinstock,J. On the three-particle scattering operator in classical gases, 3=7240
Weinstock,R. Yes, what is happening to calculus? 3=5315
Weinstock,R. Internal energy and specific heats of a Boyle's-law gas, 3=11831
Weinzierl,P. See Bartl,W., 3=12373
Weir,C.E. See Piermarini,C.J., 3=5077
Weir,C.E. See Schroeder,R.A., 3=746
Weir,K.G. and Dryden,J.S. A substitution bridge for the measurement of permittivity at radio frequencies, 3=14477
Weisberg,L.H. and Celmer,P.R. Arsenic purification by crystal growth from the melt, 3=11225
Weisberg,L.R. and Blanc,J. Measurements of the density of GaAs, 3=13392
Weisberg,L.R. and Blanc,J. Diffusion with interstitial—substitutional equilibrium. Zinc in GaAs, 3=20225
Weisberg,L.R. See Blanc,J., 3=791

Weisbrod,S. See Ferraro,A.J., 3=16269

Weise,L. Sensitivity criterion for measurement with nuclear radiation detectors, 3=9997

Weise,L. Application of generating probability functions to the statistics of nuclear particle counting and pulse spectrometry, 3=14833

Weise,L. Statistical distribution of the amplitudes of scintillation counter impulses, 3=22038

Weiser,K. and Levitt,R.S. Stimulated light emission from indium phosphide, 3=19493

Weisman,D. Spatial distribution of light across the end of a ruby laser, 3=7315

Weismann,T.J. See Lilly,A.C.,Jr., 3=9874

Weiss,A. Quadrupole effect in nuclear magnetic resonance, 3=25586

Weiss,A. and Biedenkapp,D. Temperature dependence of the nuclear quadrupole coupling constants of Na^{23} in sodium nitrite, NaNO$_2$, 3=2696

Weiss,A. See Kosály,G., 3=25006

Weiss,A.A. The positions and movements of the sources of solar radio bursts of spectral type II, 3=18651

Weiss,G.H. See Abraham,P.B., 3=10

Weiss,G.H. See Abraham,P.B., 3=21196

Weiss,G.H. See Shuler,K.E., 3=8304

Weiss,G.P. and Smith,D.O. Measurement of internal friction in thin films, 3=15975

Weiss,H. Power measurement of reactor impulses by Cherenkov radiation, 3=12732

Weiss,J.J. Electron transfer in the formation of organic molecular complexes, 3=21003

Weiss,M.R. and Harris,C.M. Computer technique for high-speed extraction of speech parameters, 3=9291

Weiss,M.R. See Harris,C.M., 3=11620

Weiss,M.R. See Harris,C.M., 3=23988

Weiss,M.T. See Peressini,E.R., 3=490

Weiss,R. Stark effect and hyperfine structure of hydrogen fluoride, 3=19984

Weiss,R. See Grand-Jean,D., 3=1339

Weiss,R.D. Transient effects in cadmium sulfide-cadmium selenide type photoconductors, 3=2972

Weiss,R.J. Some calculations of observables based on the Schwartz method, 3=10445

Weiss,R.J. The origin of the "invar" effect, 3=20114

Weiss,R.J. Origin of the earth's magnetic field, 3=25936

Weiss,R.J. See De Marco,J.J., 3=1291

Weiss,R.J. See Kaufman,L., 3=13523

Weiss,V., Sessler,J. and Packman,P. Effect of several parameters on low cycle fatigue behavior, 3=20753

Weiss,W.L. and Whatley,E.M. Range—energy relationship of charged particles in silicon, 3=17113

Weissbach,R. See Rieckhoff,K.E., 3=5884

Weissberg,H.L. Effective diffusion coefficient in porous media, 3=23496

Weissberg, H.L. and Prager, S. Viscous flow through porous media. II. Approximate three-point correlation function, 3=1670

Weissglas,P. Longitudinal plasma oscillations, 3=2001

Weissglas,P. Resonance oscillations in a hot non-uniform plasma, 3=14610

Weissglas,P. See Lundquist,S., 3=15256

Weissglas,P. See Nagel,B., 3=3756

Weisskopf,V.F. Problems of nuclear structure, 3=12548

Weisskopf,V.F. [Ed.]. Nuclear physics [Proceedings of the International School of Physics "Enrico Fermi", Varenna, 1961; Course 23], 3=22027

Weissler,G.L. First International Conference on Vacuum Ultraviolet Radiation Physics, 3=5515

Weissler,G.L. Cross-section measurements for some photon—gas interaction processes, 3=9509

Weissler,G.L. See Schoen,R.I., 3=4753

Weissler,G.L. See Walker,W.C., 3=13145

Weissman,S. See Vanderslice,J.T., 3=2546

Weissman,S. See Wendt,R.P., 3=11817

Weissman,S.I. Relation between absorption and fluorescence spectra of triphenylmethyl, 3=4976

Weissman,S.I. See Cowell,R.D., 3=15362

Weissmann,M. and Mazo,R.M. Monte Carlo calculations on the cell-cluster theory of fluids, 3=5416

Weissmann,S.,Imura,T.,Nakajima,K. and Wisnewski,S.E. Lattice defects of quartz induced by fast neutron irradiation, 3=22765

Weissmann,S. and Nakajima,K. Defect structure and density decrease in neutron-irradiated quartz, 3=10467

Weissmann,S. See Lighty,P.E., 3=23415

Weissmann,S. See Shrier,A., 3=20748

Wiessner, W. On the temperature dependence of the dynamic elastic constants of six Jena optical glasses at a frequency of 3 Mc/s, 3=5058

Weisz,G. See Priestley,M.G., 3=20155

Weisz,M. See Lemaire,J., 3=11170

Weisz,M. See Lemaire,J., 3=11182

Weisz,R.S. and Brown,D.L. Low flux density ferrite memory cores, 3=15875

Weisz,S.Z. See Harnik,E., 3=903

Weiszmann,A.N. and Stan,I. Alpha disintegration in the semiclassical approximation, 3=22319

Weitkamp,C. The 2691 keV level of Te^{124}, 3=15113

Weitkamp,C. Experimental determination of the photofraction of a cylindrical 4" × 6" NaI(Tl) scintillation detector, 3=19604

Weitkamp,C. Monte-Carlo calculation of photofractions and intrinsic efficiencies of cylindrical NaI(Tl) scintillation detectors, 3=19605

Weitkamp,C. See Michaelis,W., 3=9838

Weitsch,A. See Walter,H.K., 3=24839

Weitzner,H. Green's function for the linearized one-dimensional Krook equation with electric forces, 3=12221

Weitzner,H. Plasma oscillations and Landau damping, 3=21825

Welander,E. See Hendeberg,L.O., 3=11961

Welander,P. Steady plane fronts in a rotating fluid, 3=16583

Welber,B. See Betts,D.S., 3=16849

Welch,B.J. See Bloom,H., 3=16155

Welch,D.O. See Otte,H.M., 3=12992

Welch,J.A.,Jr, Kaufmann,R.L. and Hess,W.N. Trapped electron time histories for L = 1·18 to L = 1·30, 3=16291

Welford,W.T. Bubble chamber photography, 3=533

Welford,W.T. Tracing skew rays through concave diffraction gratings, 3=3890

Welford, W.T. Stigmatic Ebert-type plane grating mounting, 3=16799

Welford,W.T. Optical problems in the design of large light-liquid bubble chambers, 3=17121

Welford,W.T. Aberration tolerances for spectrum line images, 3=21547

Welker,H. New results of semiconductors and mixed crystals with covalent bonding, 3=2914

Weller,W. Quantization of the magnetic flux in superconductors, 3=1896

Weller,W. On the superfluidity of a Bose system, 3=14059

Wellinger,K.,Ueiz,H. and Hakenjos,V. Sliding friction research with teflon, 3=6808

Wellner, U. See Münnich, F., 3=17440

Wellnitz,J.N. See Rolsten,R.F., 3=23824

Wells,D. See Bostick,W.H., 3=4125

Wells,D.O.,Blatt,S.L. and Meyerhof,W.E. Decay of Ni^{56}, 3=15143

Wells,D.R. Observation of plasma vortex rings, 3=395

Wells,D.R. and Schmidt,G. Observation of plasma rotation produced by an electrodeless plasma gun, 3=9799

Wells,D.R. See Bostick,W.H., 3=21797

Wells,G.F. See Moak,C.D., 3=21907

Wells,J.E. Developments in the generation of electricity and the production of soft magnetic steel sheets in Britain, 3=17015

Wells,J.T.,Tucker,A.B. and Meyerhof,W.E. Threshold effects in neutron elastic scattering, 3=22394

Wells,M.G.H. and West,D.R.F. The effect of applied tensile stress on the formation of martensite in a low-alloy steel, 3=3323

Wells,T.C. See Kent,R.P., 3=25629

Welsh,H.L. See Lepard,D.W., 3=4765

Weltin,H. Centripetal force apparatus 3=11655

Weltin,H. Slow-motion moment of inertia apparatus, 3=21282

Weltin,H. Vertical ballistic pendulum apparatus, 3=23819

Weltzin,R. and Swalin,R.A. Application of precipitation techniques to the study of defects in germanium, 3=22703

Wemple, S.H. See Geusic, J.E., 3=17936

Wen Tang. See Ohring,G., 3=7022

Wendel,G. Indium as a coactivator in ZnS : Cu phosphors, 3=4988

Wendel,G. On field enhancement (amplification) in ZnCdS—Mn-phosphors for ultraviolet excitation, 3=6673

Wendel,G. and Härtig,G. An investigation of the energy transfer mechanism by means of measurement of the decay times of organic phosphors, 3=6681
Wendel,G. See Kloss,H.G., 3=1804
Wendel,G. See Kloss,H.G., 3=3869
Wendel,G. See Kloss,H.G., 3=3870
Wendland,P.H. Nonuniformly excited photoconductivity in sensitive photoconductors, 3=20394
Wendlandt,W.W. Dynamic reflectance spectroscopy: A new thermal technique, 3=16777
Wendler,F. See Schreiner,H., 3=3346
Wendt,G. See Simons,L., 3=4591
Wendt,G. See Simons,L., 3=8097
Wendt,G. See Simons,L., 3=12668
Wendt,J.F. and Ali Bulent Cambel. Surface ionization of potassium on tungsten, 3=9733
Wendt,R.P. Studies of isothermal diffusion at 25° in the system water–sodium sulfate–sulfuric acid and tests of the Onsager relation, 3=1680
Wendt,R.P. The density gradient and gravitational stability during free-diffusion in three-component systems, 3=1681
Wendt,R.P.,Mundy,J.N.,Weissman,S. and Mason,E.A. Gaseous self-diffusion in a temperature gradient, 3=11817
Weng Pei-K'un. See Wang Chao-Chün, 3=22346
Wensch,G.W. Sodium graphite reactor programme. I, 3=2542
Wenske,G. See Witzmann,H., 3=8614
Went,J.J. See Kersten,J.A., 3=2537
Wentorf, R.H.Jr. and Kasper, J.S. Two new forms of silicon, 3=18228
Wentorf,R.H.Jr. See Bundy,F.P., 3=11203
Wentworth,R.C. Pitch angle diffusion in a magnetic mirror geometry, 3=9810
Wentworth,R.C. See Tepley,L.R., 3=25948
Wentzel,D.G. Fermi acceleration of charged particles, 3=9910
Wentzel,G. Hyperons with and without doublet symmetry. II, 3=7926
Wentzel,G. Quantization and metastability of supercurrents, 3=21656
Wenz,G.M. Acoustic ambient noise in the ocean: spectra and sources, 3=6951
Wenzel,P. Production of electrical energy from radioactive isotopes, 3=5616
Wenzel,W.A. See Beall,E.F., 3=6083
Wenzel,W.A. See Beall,E.F., 3=24790
Wenzel,W.A. See Cook,V., 3=10171
Wenzel,W.A. See Keefe,D., 3=17326
Wenzl,H. An adiabatic "heating-up" [Aufheiz] calorimeter, 3=11989
Wenzl,H. Measurements of stored energy in plastic-deformed copper, 3=15988
Werbrouck,A.E. See Marzari-Chiesa,A., 3=19695
Werkema,G.J. See Macintyre,W.M., 3=11244
Werle,D. See Rosinski,J., 3=8985
Werle,J. Relativistic partial wave expansions for multiparticle processes, 3=14896
Werle,J. A simple representation for relativistic many-particle systems, 3=18748
Wernbom,E. See Arnell,S.E., 3=4634
Werner,E. See Appel,K., 3=623
Werner, E. See Peischl, F., 3=17382
Werner,F.D. A simple liquid level sensor, 3=16567
Werner,R.D. See Eastwood,T.A., 3=22400
Werner,S.A. See Haakana,C.H., 3=14710
Wernick,J.H. See Bozorth,R.M., 3=992
Wernick,J.H. See Gossard,A.C., 3=1202
Wernick,J.H. See Gossard,A.C., 3=3192
Wernick,J.H. See Nesbitt,E.A., 3=15910
Wernick,J.H. See White,J.A., 3=20071
Wernick,J.H. See Williams,H.J., 3=991
Wernick,J.H. See Wolve,R., 3=836
Werntz,C. Virtual state of the α particle, 3=2331
Wersäll,J. See Flock,A. 3=3656
Wert,C. See Keefer,D., 3=20166
Wert,C. See Keefer,D., 3=22759
Wert,C.A. See Boone,D.H., 3=23309
Wert,C.A. See Cost,J.R., 3=11298
Wert,J.J. See Mohanty,G.P., 3=12988
Wert, J.J. See Mohanty, G.P., 3=18203
Wertheim,G.K. Resource Letter ME-1 on the Mössbauer effect, 3=6143
Wertheim,G.K. and Herber,R.H. Fe^{57} Mössbauer effect in ferrocene derivatives, 3=15425
Wertheim,G.K. See Cohen,R.L., 3=19514
Wertheim,G.K. See Walker,L.R., 3=2699
Wertheim,M.S. Exact solution of the Percus–Yevick integral equation for hard spheres, 3=14138
Wertheimer,R.,Bellet,J.,Caille,F.,Carlier,J.,Messelyn,J. and Specq,A. Installation of laboratory frequency standards for microwave spectroscopy at the Lille Faculty of Sciences, 3=19465
Wertz,J.E.,Saville,G.,Auzins,P. and Orton,J.W. Studies of point defects in magnesium oxide, 3=22717
Wesołowska,C. and Dobierzewska-Mozrzymasowa,E. Optical properties of thin indium films, 3=25434
Wessely,H.W. See McKiernan,M.A., 3=14338
Wessels,A.C.E. See Van Burik,H.C.J., 3=19163
Wesslau,H. See Luck,W., 3=13622
Wesslau,H. See Luck,W., 3=13623
Wesson,J.A. The ohmic heating of a multicomponent plasma, 3=1966
West,B.G. and Mizushima,M. Strong field Stark effect of asymmetric-top rotator, 3=8231
West, D. See Freeman,J.M., 3=668
West,D. See Freeman,J.M., 3=6200
West,D.R.F. See Howlett,B.W., 3=25764
West,D.R.F. See Wells,M.G.H., 3=3323
West,E.D. Heat exchange in adiabatic calorimeters, 3=24096
West,E.J. See Schulman,J.H., 3=23133
West, F.G. Rotating-field technique for galvanomagnetic measurements, 3=14470
West, F.G. Magnetization processes in permalloy films having dispersed anisotropy axes as revealed by dynamic magnetoresistance measurements, 3=15811
West, F.G.,Odom,W.J.,Rice,J.A. and Penn,T.C. Detection of low-intensity magnetic fields by means of ferromagnetic films, 3=14722
West,G.B. See Hinman,G.W., 3=19649
West,H.D. See St.John,R.M., 3=2575
West,J.E. See Sessler,G.M., 3=1780
West,J.E. See Sessler,G.M., 3=3859
West,R.G. Square loop properties of lithium–nickel–zinc ferrites, 3=15866
West,R.G. See Hickernell,F.S., 3=15887
West,R.H. See Jones,D.G., 3=24821
West,W. Some recent trends in the theory of spectral sensitization, 3=11949
Westbrook,J.H. and Gilman,J.J. An electro-mechanical effect in semiconductors, 3=23365
Westbrook,J.H. and Wood,D.L. A source of grain-boundary embrittlement in intermetallics, 3=11184
Westcott,B.S. Ionospheric reflection processes for long radio waves. III, 3=2134
Westcott,B.S. Ionospheric reflection processes for long radio waves. IV, 3=2135
Westcott,E.M. See Mather,K.B., 3=13711
Westcott,P. See Stacey,F.D., 3=5225
Westdorp,W. and Maddin,R. Nucleation of stacking fault tetrahedra in gold, 3=22798
Westenberg, A.A. and de Haas, N. Gas thermal conductivity studies at high temperature. II. Results for O_2-H_2O mixtures, 3=16655
Westendorp,W.F. See Goldman,L.M., 3=3972
Westendorp,W.F. See Goldman,L.M., 3=4144
Westendorp,W.F. See Kilb,R.W., 3=412
Westendorp,W.F. See Kilb,R.W., 3=21798
Westerlund,S. See Berglund,S., 3=14599
Westerlund,S. See Svennerstedt,S., 3=5637
Westervelt,P.J. Parametric acoustic array, 3=11860
Westervelt,P.J. Effect of sound waves on heat transfer, 3=11973
Westgard,J. See Bertanza,L., 3=7935
Westheimer,G. Optical and motor factors in the formation of the retinal image, 3=5294
Westin,R. See Lundquist,N., 3=1124
Westin,R. See Myers,H.P., 3=23140
Westmacott,K.H.,Barnes,R.S. and Smallman,R.E. The observation of a dislocation "climb" source, 3=22785

Westmacott,K.H.,Roberts,A.C. and Barnes,R.S. The growth of dislocation loops during the irradiation of aluminium, 3=6520
Westmacott, K.H, Roberts, A.C. and Barnes, R.S. The behaviour of vacancy and interstitial loops in aluminum bombarded with fission fragments, 3=17706
Westmacott, K.H. See Higgins, P.R.B., 3=17803
Weston,G.F. Impedance–pressure characteristics of glow discharge tubes, 3=4061
Weston,G.F. and Sethna,D.R. Pulse sputtering in inert gas glow discharges, 3=24243
Weston,N.E. See Thomas,J.Jr., 3=11201
Weston,R.E., Jr. See Bigeleisen,J., 3=12794
Weston,V.H. The effect of a discontinuity in curvature in high-frequency scattering, 3=7706
Weston,V.H. and Hemenger,R. High-frequency scattering from a coated sphere, 3=498
Westphal,J.A.,Murray,B.C. and Martz,D.E. An 8-14 micron infrared astronomical photometer, 3=21080
Westphal,J.A. See Murray,B.C., 3=16360
Westphal,W. Magnetohydrodynamic dispersion and absorption of supersonic sound, 3=3853
Westrum,E.F.,Jr and Justice,B.H. Thermophysical properties of the lanthanide oxides. III. Heat capacities, thermodynamic properties, and some energy levels of dysprosium (III), holmium (III), and erbium (III) oxides, 3=20106
Westrum,E.F.,Jr. See Justice,B.H., 3=20104
Westrum,E.F.,Jr. See Justice,B.H., 3=20105
Westwood,A.R.C. and Hitch,T.T. Surface energy of {100} potassium chloride, 3=25178
Westwood,A.R.C. and Kamdar,M.H. Concerning liquid metal embrittlement, particularly of zinc monocrystals by mercury, 3=16006
Wettermark,G. and Ricci,R. General acid catalysis of the fading of photoisomerized 2,4-dinitrotoluene, 3=25836
Wetzel,K., Schütze,H. and Kretzschmann,G. Separation of hydrogen isotopes by distillation of azeotropic mixtures of strong acids with water. III. Single-stage separation coefficient for the azeotrope nitric acid – water as a function of temperature, 3=715
Wever,E.G. Development of traveling-wave theories, 3=3654
Wever,H. Transport of matter in metallic phases, 3=12997
Wever,H. See Feller,H.G., 3=22828
Wexler,H. and Hass,W.A. Global atmospheric pressure effects of the October 30, 1961, explosion, 3=9036
Wexler,H. See Sissenwine,N., 3=5187
Wexler,R. See Atlas,D., 3=9934
Wexler,S. and Hess,D.C. Ionization by ions in the MeV range, 3=20024
Wexler,S. See Berkowitz,J., 3=360
Weyhmann,W. See Pipkin,F.M., 3=10292
Weyl,D.A. and Neale,S.M. A comparison of the dielectric behaviour of a charged and an uncharged polymer in aqueous solution, 3=16635
Weyl,R. See Dietrich,I., 3=14460
Weyl,W.A. Liquid structures and glass formation, 3=9443
Weymann,R. and Moore,E. The abundance of lithium and the structure of gravitationally contracting stars of one solar mass, 3=11562
Weymouth,F.W. See Flom,M.C., 3=21171
Weyssenhoff,J. See Sredniawa,B., 3=9345
Whale,H.A. The excitation of electroacoustic waves by antennas in the ionosphere, 3=11423
Whale,H.A. Focusing effects in spherical earth radio propagation, 3=12323
Whale,H.A. The impedance of an electrically short antenna in the ionosphere, 3=16261
Whale,H.A. Ionospheric scattering effects in long-distance propagation, 3=19461
Whale,H.A. See Kane,J.A., 3=6972
Whalen,B. See Almqvist,E., 3=12704
Whalen,J.E. See Friedman,A.M., 3=19896
Whalen,J.F. See Meadows,J.W., 3=15214
Whaling,W. See Fisher,T.R., 3=22380
Whalley,E. Some comments of electrostatic volumes and entropies of solvation, 3=9452
Whalley,E. See Bertie,J.E., 3=11202
Whang, Y.C. See Chang, C.C., 3=4254
Whapham,A.D. and Makin,M.J. The nature of fission fragment tracts in uranium dioxide, 3=822
Whapham,A.D. and Makin,M.J. The nature of fission fragment tracks in uranium dioxide, 3=17805
Wharmby,J.S. See Chantry,P.J., 3=4009
Wharton,A.E.B. See Armstrong,R.J., 3=16265
Wharton,L., Gold,L.P. and Klemperer,W. Preliminary values of some molecular constants of lithium hydride, 3=4752
Wharton, L. and Klemperer, W. Microwave spectrum of BaO, 3=17570
Wharton,L.,Klemperer,W.,Gold,L.P.,Strauch,R.,Gallagher,J.J. and Derr,V.E. Microwave spectrum, spectroscopic constants, and electric dipole moment of Li^{6}F^{19}, 3=10510
Whatley,E.M. See Weiss,W.L., 3=17113
Whatley,M.C. CP invariance and K_1° regeneration, 3=4454
Wheat,M.L. See Wachtman,J.B.,Jr, 3=13332
Wheatley,J.C. See Anderson,A.C., 3=12016
Wheatley,J.C. See Anderson,A.C., 3=14437
Wheeler,A. See Chaiken,R.F., 3=1874
Wheeler,D.A. See Collins,M.F., 3=25539
Wheeler,D.A. See Lowde,R.D., 3=1101
Wheeler,J.A. Problems on the frontiers between general relativity and differential geometry, 3=3735
Wheeler,J.A. "No fugitive and cloistered virtue", 3=7081
Wheeler,J.A. See Bargmann,V., 3=3700
Wheeler,J.A. See Fuller,R.W., 3=20
Wheeler,L. Color-matching responses to red light of varying luminance and purity in complex and simple images, 3=16730
Wheeler,V.E. See Wouters,L.F., 3=4180
Wheelon,A.D. Inversion of radio wave absorption data to establish ionospheric properties, 3=16249
Wheelwright, E.J. See Wilson, A.S., 3=18311
Whelan,J.M. See Archer,R.J., 3=20543
Whelan,M.J. Numerical methods in the theory of diffraction contrast of crystal lattice defects, 3=2803
Whelan, M.J. The theory of diffaction contrast from crystal lattice defects, 3=17740
Whelan,M.J. See Groves,G.W., 3=803
Whelan,M.J. See Hirsch,P.B., 3=6902
Whelpley,W.A. See Frank,L.A., 3=13816
Whetstone,A.L. Improving the tunnel diode univibrator, 3=14488
Whetstone, L.,Jr. Coincident time-of-flight measurements of the velocities of Cf^{252} fission fragments, 3=19897
Whetstone,S.L., Jr. See Britt,H.C., 3=24987
Whetten,N.R. Secondary electron emission of pyrolytic graphite cleaved in a high vacuum, 3=9841
Whiffen, D.H. Xth Colloquium Spectroscopicum Internationale, Maryland, June 1962, 3=247
Whiffen,D.H. See Chantry,G.W., 3=6418
Whipple,E. See Wold,A., 3=16018
Whipple,E.B. See Brown,T.H., 3=15387
Whipple,E.B. See Brown,T.H., 3=20016
Whipple,F.L. See Lovell,A.C.B., 3=18659
Whippman, M.L. See Nuttall, J., 3=17351
Whitaker,W.A. Heating of the solar corona by gravity waves, 3=13888
White,A.D, Gordon,E.I. and Rigden,J.D. Output power of the 6328 A gas maser, 3=17087
White,A.D. and Rigden,J.D. The effect of super-radiance at 3.39 μ on the visible transitions in the He–Ne maser, 3=19497
White,B.G. See Morantz,D.J., 3=2610
White,B.L., Robertson,L.P., Erdman,K.L. and MacDonald,J.R. Gas flow regulator for an r.f. ion source, 3=4208
White,C.E. See Keck,P.H., 3=21534
White,C.E. See Keck,P.H., 3=22014
White,D. See Ames,L.L. 3=10527
White,D. See Grenier,G., 3=2732
White,D. See Katorski,A., 3=22513
White,D. See Sommer,A., 3=8272
White,D.H. Angular correlation analysis, 3=12377
White,D.H. Capture-gamma determination of chromium-54 structure, 3=19866
White,D.H. See Lande,K., 3=17147
White,D.H. See Lande,K., 3=17331
White,D.J. and Wieder,H.H. Microwave-induced pyroelectric response in ferroelectric T.G.S., 3=25414
White,D.R. and Alpher,R.A. Comments on an experiment concerning Einstein's light velocity postulate, 3=23996
White,D.R. and Cary,K.H. Structure of gaseous detonation. II. Generation of laminar detonation, 3=18895

White,D.R. See Millikan,R.C., 3=20031
White,E.A.D. See Rooksby,H.P., 3=25726
White,F.A.,Sheffield,J.C. and Rourke,F.M. A cascade mass spectrometer, 3=14683
White,G.K. See McCammon,R.D., 3=15443
White,G.R. Space charge waves in relativistic Brillouin beams, 3=5697
White,G.R. See Collins,S.A., 3=17085
White,H. See Kolk,A., 3=13259
White, H.G. and Logan, R.A. GaP surface-barrier diodes, 3=17912
White,H.G. See Crowell,C.R., 3=908
White,H.S.,Aronstein,T.,Osborne,C.,Webre,N. and Moorhead,W.G. Preliminary operating experience with Hough—Powell device programs, 3=24562
White,J.A. Energy levels of rare earth ions in cubic crystal fields, 3=12907
White,J.A. and Clogston,A.M. Temperature dependence of localized moments in metals, 3=15725
White,J.A.,Williams,H.J. and Sherwood,R.C. Paramagnetic susceptibility of terbium hexa-antipyrene tri-iodide, 3=1125
White,J.A., Williams,H.J., Wernick,J.H. and Sherwood,R.C. Observation of a possible large crystalline Stark splitting in metallic $Ce:LaAl_2$, 3=20071
White,J.G. The crystal structure of tetramethylammonium mercury tribromide, $N(CH_3)_4HgBr_3$, 3=13488
White,J.G. See Hegyi,I.J., 3=16072
White,O.R. Analysis of center-to-limb variations in $H\alpha$, $H\beta$, and $H\gamma$, 3=16371
White,P. See Alston,M.H., 3=7091
White,P. See Haller,I., 3=18774
White,P.H. See Parker,J.B., 3=19631
White,R.A. See Torok,E.J., 3=15831
White,R.E. See Freeman,J.M., 3=6200
White,R.M. Elastic wave generation by electron bombardment or electromagnetic wave absorption, 3=18889
White,R.M. and Sparks,M. Ferromagnetic relaxation. III. Theory of instabilities, 3=13291
White,R.M. See Carlson,T.A., 3=16183
White,R.M. See Carlson,T.A., 3=18459
White,R.M. See Joseph,R.I., 3=23146
White,T.O., Jr. See Loeffler,F.J., 3=22217
White,W.B. See Bates,C.H., 3=3254
White,W.H., Jr. Magnet regulators for O.R.I.C., 3=5753
White,W.H., Jr,Duelli,B. and Jones,R.J. Beam-phase measurement studies, 3=5793
White,W.H., Jr. See Jones,R.J., 3=5734
Whitehead,J.D. Theory of equatorial sporadic-E, 3=11436
Whitehead,M.A. See Hinze,J., 3=12807
Whitehead,M.A. See Todd,J.E., 3=25142
Whitehead,W.D. See Bolen,L.N., 3=6223
Whitelaw,J.H. See Kestin,J., 3=14189
Whiteman,A.S. See Gilbody,H.B., 3=19185
Whiteoak,J.B. See Gardner,F.F., 3=25985
Whiterod,G.L. See Read,F.H., 3=22531
Whitham,K. See Caner,B., 3=11463
Whitham,K. See Caner,B., 3=23616
Whitlock,R.T. and Zilsel,P.R. Pseudospin model for hard-core bosons with attractive interaction. Zero temperature, 3=23803
Whitman,D.R. Direct analysis of n.m.r. spectra, 3=15380
Whitmer,R.F. Electromagnetic waves and transport phenomena in plasmas, 3=7549
Whitmore,D.H. See Janninck,R.F., 3=6602
Whitmore,D.H. See Janninck,R.F., 3=23026
Whitmore,D.H. See Rajdev,D., 3=2733
Whitmore,R.L. See Boardman,G., 3=14114
Whitney,C.A. The filtering of spectrophotometric noise, 3=11913
Whitney,C.A. and Skalafuris,A.J. The structure of a shock front in atomic hydrogen. I. The effects of precursor radiation in the Lyman continuum, 3=21491
Whitney,D.L. See McClelland,J.D., 3=6875
Whitney,D.R. See Beu,K.E., 3=8823
Whitney,R.E. See Brown,S.C., 3=9611
Whitney,W.M. and Chase,C.E. Velocity of sound in liquid helium at low temperatures, 3=319
Whitney,W.T. See Little,R.P., 3=21850
Whittaker,D. See Edels,H., 3=4080
Whittaker,E.J.W. The X-ray evaluation of axially symmetric distributions of fibres in preferred orientations, 3=18400
Whittaker,J.B. See Clayton,C.G., 3=24677
Whittaker,J.K. See Firk,F.W.K., 3=19655
Whitten, G.Z. and Rabinovitch, B.S. Accurate and facile approximation for vibrational energy-level sums, 3=17556
Whitten,J.L. Gaussian expansion of hydrogen-atom wave-functions, 3=25042
Whitten,R.C. Three-particle scattering. I. Planar case, 3=13999
Whitten,R.C. See Poppoff,I.G., 3=3498
Whittlestone,P.R. See Llewellyn,P.M., 3=7725
Whyte, G.N. Energy per ion pair for charged particles in gases, 3=14522
Whyte,G.N. See Taylor,H.W., 3=10295
Wibberenz,G. See Beuermann,K.P., 3=12371
Wichmann,D. See Hentschel,E., 3=12283
Wichmann,E.H. Density matrices arising from incomplete measurements, 3=18690
Wickersheim,K.A. Optically observed exchange splittings in antiferromagnetic Cr_2O_3, 3=15672
Wickham,D.G. Use of lead pyrophosphate as a flux for crystal growth, 3=5083
Wickham,D.G. See Larson,E.G., 3=13078
Wickman,H.H. See Abraham,M., 3=13299
Wickramasinghe,N.C. A note on the vapour pressure of a crystal, 3=5557
Wickramasinghe,N.C. A note on interstellar polarization by graphite flakes, 3=9162
Wickramasinghe,N.C. On graphite particles as interstellar grains. II, 3=21088
Wickramasinghe,N.G. See Hoyle,F., 3=3537
Widenlocher,G.,Dayan,E. and Vodar,B. A study of the pressure dependence of the nuclear magnetic resonance line of pure gaseous hydrogen and of hydrogen—nitrogen mixtures, 3=21451
Widenlocher,G. See Chaigneau,M., 3=10539
Widess,P.R. See Barry,G.H., 3=507
Widmer,A.E. See McCaldin,J.O., 3=25349
Widom,B. Relation between the compressibility and the coexistence curve near the critical point, 3=3786
Widom,B. Some aspects of the theory of vibrational transition probabilities in molecular collisions, 3=6432
Wiebes,J. and Kramers,H.C. Experimental evidence of a minimum in the melting curve of He^4, 3=21649
Wiechers,G. See Mouton,W.L., 3=4370
Wiedemann,W.,Kienle,P. and Stanek,F. Nuclear resonance fluorescence of the 113 keV level of Hg^{177}, 3=12568
Wiedemann,W. See Hüfner,S., 3=24841
Wiedemann,W. See Kalvius,M., 3=2416
Wiedemann,W. See Kalvius,M., 3=8006
Wiedemann,W. See Zinn,W., 3=25522
Wiedenbeck,M.L. See Arns,R.G., 3=7996
Wiedenbeck,M.L. See Sund,R.E., 3=2406
Wieder,G.M. and Dows,D.A. Absolute infrared intensities in crystalline C_2H_4 and C_2D_4, 3=6656
Wieder,G.M., and Marcus,R.A. Dissociation and isomerization of vibrationally excited species. II. Unimolecular reaction rate theory and its application, 3=3986
Wieder,H.H. Analog division based on the Hall effect, 3=13998
Wieder,H.H. and Clawson,A.R. Switching properties of biased ferroelectric colemanite, 3=20383
Wieder,H.H. and Collins,D.A. Faraday rotation in FeNi films, 3=13156
Wieder,H.H. See White,D.J., 3=25414
Wiederhorn,S. Elastic energy release from slip bands during fracture, 3=1242
Wiederhorn,S. Fracture of (110) planes in LiF, 3=23354
Wiedersich,H. See Gonser,U., 3=22698
Wiedersich,H. See Gonser,U., 3=23153
Wiegand,C. Electronic counter techniques at Berkeley, 3=191
Wiegand,C. See Bacastow,R., 3=17307
Wiegand,C. See Elioff,T., 3=586
Wiegmann,K. See Klemm,H., 3=14398
Wielebinski,R. and Shakeshaft,J.R. Faraday rotation of polarised galactic radio emission, 3=5280

Wielebinski,R., Shakeshaft,J.R. and Pauliny-Toth,I.I.K. A search for a linearly polarized component of the galactic radio emission at 408 Mc/s, 3=1542
Wielen,R. Automatic orbit computation for visual binaries, 3=5261
Wien,K. See Kienle,P., 3=12621
Wiener,G.W. See Foster,K., 3=16108
Wiener,R.,Chasman,C.,Harihar,P. and Wu,C.S. Monoenergetic positron line and three new gamma transitions in Bi^{206}, 3=12603
Wierts,D. and van Wageningen,R. Nuclear surfaces, 3=4550
Wiese,W.L. and Murphy,P.W. Shifts and widths of some Stark-broadened oxygen lines in an arc plasma, 3=24277
Wiese, W. L., Paquette, D.R. and Solarski, J.E. Experimental study of the Stark broadening of the Balmer line H_{α}, 3=4108
Wiese,W.L.,Paquette,D.R. and Solarski,J.E. Profiles of stark-broadened Balmer lines in a hydrogen plasma, 3=8176
Wiese,W.L. See Glennon,B.M., 3=2547
Wiesendanger,H.U.D. See Pasternak,R.A., 3=7379
Wieting,J. The composition of some intermetallic AB_2-compounds with ratios of [atomic] radii $r_A/r_B>1$, 3=20892
Wigen,P.E., Kooi,C.F., Shanabarger,M.R., Cummings,U.K. and; Baldwin,M.E. Angular dependence of spin pinning in thin ferromagnetic films, 3=15839
Wigen,P.E. See Kooi,C.F., 3=1168
Wiggins,C.S. and Earley,K. Photomultiplier refrigerator, 3=1863
Wiggins,T.A. See Plyler,E.K., 3=10531
Wiggins,T.A. See Rank,D.H., 3=4747
Wiggins,T.A. See Rank,D.H., 3=7244
Wiggins, T.A. See Rank, D.H., 3=17576
Wightman,A. See Bargmann,V., 3=3700
Wightman,A.S. On the localizability of quantum mechanical systems, 3=7114
Wigley,D.A. See Lee,J.A., 3=22856
Wignall,G.D. See Titman,J.M., 3=5450
Wigner,E.P. The problem of measurement, 3=3742
Wiig,E.O. See Maurer,D.W., 3=6248
Wiin-Nielsen,A. On truncation errors due to vertical differences in various numerical prediction models, 3=1432
Wiin-Nielsen,A. On baroclinic instability in filtered and non-filtered numerical prediction models, 3=16211
Wijnen,M.H.J. See Gregory,J.E., 3=18455
Wijnen,M.H.J. See Guercione,J.A., 3=8972
Wijnen,M.H.J. See Roquitte,B.C., 3=8974
Wike,R. See Yosim,S.J., 3=23904
Wikner,E.G. and Burns,G. Ionic contribution to field gradients in the rare earths, 3=742
Wikner,E.G.,Horiye,H. and Harrity,J.W. Irradiation and annealing behavior of n-type germanium and n-type silicon, 3=22859
Wikner,E.G. and Pereue,J. Interelectron scattering in quasi-intrinsic germanium and silicon, 3=20312
Wikner,E.G. See Appel,J., 3=10732
Wiktor,S. See Kolonko,N., 3=10376
Wiktor,S. See Pellegrini,F., 3=8125
Wilburn,F.W. and Hesford,J. Modification to a Stanton thermobalance to record changes in weight and rate of change in weight as functions of temperature, 3=9398
Wilcox,J.M.,Baker,W.R.,Boley,F.I.,Cooper,W.S.,III, DeSilva,A.W. and Spillman,G.R. Devices for generating highly-ionized hydrogen plasma, 3=1967
Wilcox, J.M. See Alfvén,H., 3=3544
Wilcox,J.M. See Boley,F.I., 3=19291
Wilcox,J.M. See Spillman,G.R., 3=7346
Wild,P.A.T. See Davies,R.D., 3=5282
Wild,W. See Maschke,E.K., 3=7148
Wilde,N. The discrete binomial time interval distribution, 3=1579
Wildenthal,B.H. See Purser,K.H., 3=19874
Wilder,D.R. See Berard,M.F., 3=22827
Wildermuth,K. See Faissner,H., 3=687
Wildermuth,K. See Tang,Y.C., 3=24811
Wildey,R.L. Optimum use of interstellar reddening data to obtain intrinsic stellar luminosities and colors, 3=13897
Wildey,R.L. See Murray,B.C., 3=13903
Wildey,R.L. See Murray,B.C., 3=16360
Wildt,R. Planetary interiors: introductory report, 3=16335
Wilets,J. Statistical distribution of reaction widths, 3=4610
Wilets,L. See Koltun,D.S., 3=6131
Wiley,D.S. See Ingard,U., 3=7686
Wiley,R.C. See Buehler,W.J., 3=13519
Wilfert,H. See Ebel,H., 3=20888
Wilford,M.J. See Eisenschitz,R., 3=129
Wilhelm,H.E. Stability of a viscous plasma, 3=7562
Wilhelm,H.E. Stability of a rotating plasma, 3=14571
Wilhelmi,Z. See Brzosko,J., 3=22406
Wilhelmi,Z. See Rondio,J., 3=12571
Wilhelmsson,H. The scattering of an electromagnetic wave by a dielectric-coated metallic cylinder, 3=9933
Wilhelmsson,H. Accounting for smoothing effects in 21 cm observation, 3=13917
Wilhelmsson,H. See Zazula,P., 3=24225
Wilke,K.T. Luminescence of molybdates, 3=20508
Wilkens,B.D. See Igo,G., 3=8095
Wilkens,J. See Hall,T.P.P., 3=15407
Wilkens,J. See Hall,T.P.P., 3=20043
Wilkens,M. X-ray scattering on crystals with dislocations. II. Consideration of the nonlinear displacement field of a screw dislocation, 3=2806
Wilkens,M. X-ray scattering in crystals with dislocations. III. Asymptotic representation of Debye—Scherrer line profiles, 3=25281
Wilkens,M. and Meier,F. Contrast breadths of X-ray imaged dislocations, 3=12979
Wilkens,M. See Kronmüller,H., 3=4871
Wilkerson,T.D. See Charatis,G., 3=8182
Wilkerson,T.D. See Eubank,H.P., 3=7588
Wilkerson,T.D. See Eubank,H.P., 3=19267
Wilkes,M.V. Oscillations of the earth's atmosphere with allowance for the variation of temperature with latitude, 3=5200
Wilkie,J.R. See McNicol,R.W.E., 3=13834
Wilking,S. Many-quantum processes in a two-state system, 3=14034
Wilking,S. Perturbation theory approximation for arbitrary perturbation times, 3=14035
Wilkins,B. and Igo,G. Total reaction cross-sections for 22.4 MeV deuterons, 3=6292
Wilkins,B.D. and Igo,G. 10-MeV proton reaction cross-sections for several elements, 3=10340
Wilkins,B.D. See Igo,G., 3=19884
Wilkins,B.J.S. and Bader,M.G. Fatigue-induced precipitation in metastable β-brass, 3=1359
Wilkins,C.A. Renewal theory and the slowing down of neutrons, 3=10127
Wilkins,C.A. and Keane,A. A comment on the collision density at epithermal energies, 3=12725
Wilkins,J.E.,Jr. Minimum mass thin fins with internal heat generation, 3=3908
Wilkins,J.E.,Jr. Luneberg apodization problems, 3=9619
Wilkins,J.W. See Schrieffer,J.R., 3=7409
Wilkins,J.W. See Schrieffer,J.R., 3=16858
Wilkins,R. See Jacobs,T.A., 3=18905
Wilkinson,B. and Proctor,B.A. The development of defects on etched glass surfaces, 3=11314
Wilkinson,C.A. See Chadwick,G.B., 3=10117
Wilkinson,D.H. Some interrelations of nuclear structure with elementary particle physics, 3=540
Wilkinson,D.H.,Alburger,D.E.,Gallmann,A. and Donovan,P.F. Alpha-particle emission in the decays of B^{12} and N^{12}, 3=15138
Wilkinson,D.H.,Alburger,D.E.,Warburton,E.K. and Pixley,R.F. Parity of the 2·13-MeV first excited state of B^{11}, 3=7[illegible]36
Wilkinson,D.H. See Gallmann,A., 3=8132
Wilkinson,D.H. See Warburton,E.K., 3=10251
Wilkinson,D.H. See Warburton,E.K., 3=10252
Wilkinson,D.T. and Crane,H.R. Precision measurement of the g factor of the free electron, 3=12441
Wilkinson,F. Transfer of triplet state energy and the chemistry of excited states, 3=13619
Wilkinson,F. and Dubois,J.T. Energy-transfer studies by spectrophotofluorometric method, 3=23890
Wilkinson,F. See Dubois,J.T., 3=16630
Wilkinson,F. See Dubois,J.T., 3=25489
Wilkinson,J.D. and Calvert,L.D. Direct melting-point calibration of a high-temperature X-ray camera, 3=16054
Wilkinson,M.K.,Child,H.R.,Koehler,W.C.,Cable,J.W.and Wollan,E.O Recent magnetic neutron scattering investigations at Oak Ridge National Laboratory, 3=1107
Wilkinson,M.K. See Child,H.R., 3=20609
Wilkinson,M.K. See Koehler,W.C., 3=1108

Wilkinson,M.K. See Wollan,E.O., 3=1110
Wilkinson,P.G. Some unsolved problems in the vacuum ultraviolet, 3=7329
Wilkinson,P.G. and Andrew,K.L. Proposed standard wavelengths in the vacuum ultraviolet. Spectra of Ge, Ne, C, Hg, and N, 3=13989
Wilks,E.M. The effects of neutron irradiation on some mechanical properties of diamond, 3=3248
Wilks,E.M. The hardness of diamond, 3=25645
Wilks,J. See Betts,D.S., 3=16849
Wilks,J. See Keen,B.E., 3=19093
Will,G. Crystal structure of imidazol. [$C_3N_2H_4$], 3=18329
Willard,D.,Hamilton,J.H. and Albridge,R.G. Internal conversion studies in the I^{132} decay, 3=2409
Willard,H.R. and Kenney,J.F. Ionospheric effects of high-altitude nuclear tests, 3=21058
Willard,J.E. See Collins,K.E., 3=3412
Willax,H. See Richardson,J.R., 3=5733
Willax,H.A. and Garren,A.A. Center-region geometry of the Berkeley 88-inch cyclotron, 3=5771
Willax,H.A. See Garren,A.A., 3=5788
Wille,P. See Kuttruff,H., 3=7291
Willens,R.H. Dendritic crystallization of an amorphous alloy, 3=1266
Willens,R.H. Vacuum X-ray diffractometer for high temperature studies of metals sensitive to contamination by oxygen and nitrogen, 3=2067
Willens,R.H. A new method for preparing samples for transmission electron microscopy, 3=18410
Willens,R.H. See Roesch,L., 3=22906
Willett,J.E. Quasi-one-fluid theory of wave propagation in a fully ionized plasma, 3=9785
Willett, R.D, Dwiggins, C.,Jr, Kruh, R.F. and Rundle, R.E. Crystal structures of $KCuCl_3$ and NH_4CuCl_3, 3=18314
Willey,R.S. Excitation of individual-particle states of nuclei by inelastic electron scattering, 3=10240
Willey,R.S. See Walecka,J.D., 3=7971
Williams,A. See Dixon-Lewis,G., 3=6426
Williams,A.J., III. See Anderson,J., 3=21856
Williams,B.F. See Hewitt,R.R., 3=8746
Williams,B.R. See Hughes,E.E.G., 3=1260
Williams,B.R. See Thomas,J.M., 3=13405
Williams,B.R. See Thomas,J.M., 3=25662
Williams,C.A. See Eichhorn,H., 3=16311
Williams, C.M. See Bailey, G.C., 3=17867
Williams,D. See Burch,D.E., 3=14216
Williams,D. See Burch,D.E., 3=23933
Williams, D. See Gebbie, H.A., 3=17580
Williams,D.A. See Dalgarno,A., 3=3587
Williams,D.C. The parallelism of a length bar with an end load, 3=7152
Williams.D.C. and Irving,J.W.,Jr. Nuclear excitation functions: Ar^{40}, Zn^{66},(d,He^3), 3=10384
Williams,D.C. and Irvine,J.W.,Jr. Nuclear excitation functions and thick-target yields: Zn + d and $Ar^{40}(d,\alpha)$, 3=10385
Williams,D.E.G. See Taniguchi,S., 3=999
Williams,D.J. See Pieper,G.F., 3=16287
Williams,D.L. Proton spin—lattice relaxation in gas mixtures, 3=21450
Williams,D.N. See Barut,A.O., 3=10059
Williams,D.P. and Brook,M. Magnetic measurements of thunderstorm currents. I. Continuing currents in lightning, 3=23596
Williams,E.M. See Feldman,J.M., 3=14533
Williams,F.A. Response of a burning solid to small-amplitude pressure oscillations, 3=280
Williams,G.H. See Stephens,K.G., 3=2284
Williams,G.I. See Furukawa,K., 3=7197
Williams,G.P.,Jr and Slifkin,L. Tracer insolubility and the anomalous diffusion of rare earths in silver and lead, 3=13005
Williams,G.P.,Jr. See Turner,T.J., 3=23299
Williams,H.B. See Miller,A., 3=14551
Williams,H.J.,Wernick,J.H., Nesbitt,E.A. and Sherwood,R.C. Magnetic properties of rare earth aluminium compounds with $MgCu_2$ structure, 3=991
Williams,H.J. See Clogston,A.M., 3=993
Williams,H.J., See Geller,S., 3=3129
Williams,H.J. See Geller,S., 3=20620
Williams,H.J. See Geller,S., 3=23191
Williams,H.J. See Geller,S., 3=25546
Williams,H.J. See Nesbitt,E.A., 3=15910
Williams,H.J. See White,J.A., 3=1125
Williams,H.J. See White,J.A., 3=20071
Williams,H.P. Increase in maximum usable frequency for two-hop transatlantic propagation due to horizontal gradients, 3=7722
Williams,J. The physics of magneto-fluid dynamics, 3=5827
Williams,J.E.F. The noise from turbulence convected at high speed, 3=11861
Williams,J.E.F. On the noise produced by boundary-layer turbulence, 3=18914
Williams,J.H. See Hwang,C.F., 3=24731
Williams,J.M. See Llewellyn,P.M., 3=7725
Williams,J.M. See Wechsler,M.S., 3=22701
Williams,K.C. See Oxley,D.P., 3=15778
Williams,M. See Brennan,P., 3=14712
Williams,M. See Mossman,P., 3=14734
Williams,M.M.R. Space—energy separability in pulsed neutron systems. Paper presented to the Brookhaven Conference on neutron thermalization, April—May 1962, 3=14989
Williams,P.H. Design of vibrating disks for mechanical radiation, 3=7263
Williams,Q. See Beeson,E.L., 3=6411
Williams,R. Domains in liquid crystals, 3=23867
Williams, R.J.P. See Day,P., 3=20496
Williams,R.L. See Webb,P.P., 3=17238
Williams,R.O. Liquid—gas film calorimeter for deformation of metals, 3=19058
Williams,R.V. See Allen,N.L., 3=7596
Williams,R.V. See Dyson,J., 3=5679
Williams,R.W. See Davis,H.F., 3=24757
Williams,R.W. See Masek,G.E., 3=10140
Williams,R.W. See Platner,E.D., 3=19530
Williams,S.E. Accurate recording of solid state emission spectra in 50-1000 A region, 3=11918
Williams,T.W.III. Apparatus drawings project. Report number 31. A versatile mercury reservoir for demonstratin properties of gases and vapors, 3=151
Williams,T.W.,III, Apparatus drawings project. Report number 33. Simple apparatus for three lecture demonstrations, 3=3703
Williams, T.Walley, III. Apparatus drawings project. Report number 32. Launching tube for a laboratory experiment on projectile motion, 3=3777
Williams,W.E. See Christman,R.J., 3=21158
Williams-Dorlet,C. See Van De Vorst,A., 3=22606
Williamson,C.F. See Jeronymo,J.M.F., 3=24949
Williamson,D.E. See Schurin,B., 3=16773
Williamson, G.K. See Eyre, B.L., 3=17702
Williamson,G.K. See Jenkins,G.M., 3=13395
Williamson,G.K. See Jenkins,G.M., 3=23308
Williamson, J.H. See McDowell, M.C.R., 3=14521
Williamson,J.M. See Hoffman,R.A., 3=7955
Williamson,M.A. See Ashby,V.J., 3=8112
Williamson,M.A. See Jopson,R.C., 3=19953
Williamson,R.M. See Fletcher,N.R., 3=679
Williamson,R.M. See Kyker,G.C., 3=457
Williamson,S.M. See Templeton,D.H., 3=16075
Willis,B.T.M. Use of a three-circle goniometer for diffraction measurements, 3=1277
Willis,B.T.M. Single-crystal neutron diffraction equipment at the Dido reactor, 3=7869
Willis,B.T.M. Neutron diffraction studies of the actinide oxides I. Uranium dioxide and thorium dioxide at room temperature, 3=20844
Willis,B.T.M. Neutron diffraction studies of the actinide oxides II. Thermal motions of the atoms in uranium dioxide and thorium dioxide between room temperature and 1100°C, 3=20845
Willis,B.T.M. See Arndt,U.W., 3=12475
Willis, C.R. and Bergmann, P.G. Quantum mechanical Liouville equation for a system in contact with a reservoir, 3=69
Willis,D.M. The sudden commencement and first phase of a geomagnetic storm, 3=13835
Willis,W. See Amato,G., 3=17001
Willis,W. See Aubert,B., 3=17333
Willis,W. See Courant,H., 3=17346
Willis, W.R. See Southern,A.L., 3=9877

Willmann,N.L. See Weaver,R.D., 3=1926
Willmore,A.P., Boyd,R.L.F. and Bowen,P.J. Some preliminary results of the plasma probe experiments on the satellite ariel, 3=16235
Willmore,A.P. See Pounds,K.A., 3=16388
Willmore,A.P. See Wrenn,G.L. 3=5222
Willmore,P.L. A new seismic research group for Edinburgh, 3=9002
Willmott,J.C. See Twin,P.J., 3=14823
Willot-Chemel, B. See Batthyany, I., 3=4387
Wills,J.G. See Ford,K.W., 3=4730
Wills,R.D. See Lillicrap,S.C., 3=19734
Willshaw,W.E. A survey of the present day position on the generation and amplification of millimeter waves, 3=5835
Wilman,H. See Dobson,P.S., 3=11188
Wilman,H. See Stroud,M.F., 3=13386
Wilmshurst,J.K. See Bowlden,H.J., 3=21517
Wilmshurst,R.E. See Reid,A.F., 3=23378
Wilmshurst,T.H.,Gambling,W.A. and Ingram,D.J.E. Sensitivity of resonant cavity and travelling-wave E.S.R. spectrometers, 3=516
Wilmshurst,T.H. See Gambling,W.A., 3=21991
Wilmshurst,T.H. See Smith,R.C., 3=17064
Wilner,B. See Alfven,H., 3=12198
Wilsdorf,H.G.F. See Greenfield,I.G., 3=22721
Wilsdorf,H.G.F. See Kuhlmann-Wilsdorf,D., 3=17743
Wilsdorf,H.G.F. See Kuhlmann-Wilsdorf,D., 3=25275
Wilshire,B. See Davies,P.W., 3=3227
Wilshire,B. See Davies,P.W., 3=13361
Wilshire, B. See Davies, P.W., 3=18195
Wilshire,B. See Dennison,J.P., 3=25631
Wilska,A.P. A new low-voltage electron microscope, 3=24366
Wilsky,K. See Hansen,P.G., 3=22313
Wilsky,K. See Hansen,P.G., 3=22314
Wilson,A.G. See Jauneau,L., 3=12511
Wilson,A.J.C. On variance as a measure of line broadening in diffractometry. II. Mistakes and strain, 3=5096
Wilson,A.J.C. See Langford,J.I., 3=8817
Wilson, A.S, Roberts, F.P. and Wheelwright, E.J. Promethium oxide structure, 3=18311
Wilson,A.T. A proposed electrostatic acceleration mechanism in the upper atmosphere and its bearing on the helium problem, 3=13692
Wilson,B.G. and Nehra,C.P. A statistical analysis of cosmic-ray intensity changes associated with solar flares, 3=10190
Wilson,B.G. and Swinson,D.B. Time variations in extensive air showers, 3=12528
Wilson,C.G. Order in binary σ-phases, 3=25752
Wilson,C.G. and Spooner,F.J. Ordering of atoms in the sigma phase FeMo, 3=13492
Wilson,C.R. and Sugiura,M. Hydromagnetic waves generated by the July 9, 1962, nuclear weapons test as observed at College, Alaska, 3=21075
Wilson,C.R. and Sugiura,M. Discussion of our earlier paper "Hydromagnetic interpretation of sudden commencements of magnetic storms", 3=25945
Wilson,D.J. Photochemical reactions in the gas phase and Slater's new approach to rate theory, 3=11357
Wilson,D.J. See Buff,F.P., 3=6907
Wilson,D.J. See Narl Chow Hung., 3=10489
Wilson,D.V. and Chapman,J.A. Effects of preferred orientation on the grain size dependence of yield strength in metals, 3=25628
Wilson,E.B., Jr. See Esbitt,A.S., 3=22000
Wilson,E.B., Jr. See Kirchhoff,W.H., 3=22563
Wilson,E.B., Jr. See Kuczkowski,R.L., 3=25111
Wilson,E.G. The Hall effect in liquid mercury, indium and tin, 3=144
Wilson,E.G. Electrical conductivity of a metal dissolved in a molten salt, 3=18829
Wilson,E.G. See Bradley,C.C., 3=143
Wilson,E.G. See Jortner,J., 3=20000
Wilson,G.V.H. A wide range frequency doubling circuit for
Wilson,G.W. A note in the phenomenon observed in magnetic domain patterns investigated in the electron microscope, 3=11076
Wilson,G.W.,Michie,G.M. and Roberts,D.C. A superconducting solenoid, 3=7678
Wilson,G.W. and Schomberg,S. An investigation of the constant-current characteristics of materials having a positive temperature coefficient of resistance, 3=25395
Wilson,H.A., Jr. Sonic boom, 3=221
Wilson,H.H. See Bauer,R.W., 3=658
Wilson,H.W. and Daly,N.R. Mass spectrometry of solids, 3=14685
Wilson,H.W. See Young,W.A.P., 3=16993
Wilson,J.A. See Bray,K.N.C., 3=24218
Wilson,J.T. A possible origin of the Hawaiian Islands, 3=18480
Wilson,J.W.G. See Kerr,L.W., 3=24168
Wilson,K. See Amati,D., 3=14878
Wilson, K.G. Proof of a conjecture by Dyson, 3=9
Wilson,L. See Gale,B., 3=7164
Wilson,L.D. See Heisler,L.H., 3=9085
Wilson,M.K. See Crawford,V.A., 3=2627
Wilson, M.K. See Freeman, D.E., 3=17551
Wilson, N. Breaking extension of nylon filaments under combined axial and transverse stresses, 3=18206
Wilson,O.C. Relationship between colors and spectra of late main-sequence stars, 3=3595
Wilson,P.B. Investigation of the Q of a superconducting microwave cavity, 3=19443
Wilson, P.J. See Cameron, J.A., 3=17636
Wilson,P.R. Radiative transfer in media exhibiting large horizontal variations, 3=1641
Wilson,P.R. See Stein,R.S., 3=9623
Wilson,R. The spectroscopy of non-thermal plasmas, 3=7504
Wilson,R. See Dunning,J.R., Jr., 3=19613
Wilson,R. See Lefrançois,J., 3=22126
Wilson,R. See Stairs,D.G., 3=7850
Wilson,R.B.,Cross,P.D. and Soole,B.W. An inexpensive, high flash point, low toxicity liquid scintillator of high efficiency, 3=10004
Wilson,R.J. See Hartley,C.S., 3=23313
Wilson,R.K.,Johnson,P.O.,and Stump,R. Variation in positron lifetime with pressure, 3=10099
Wilson,R.L. An instrument for measuring vector magnetization at high temperatures, 3=464
Wilson,R.R. Electric structure of nucleons, 3=4381
Wilson,R.R. See Berkelman,K., 3=14958
Wilson,R.W. Catalogue of radio sources in the galactic plane, 3=13929
Wilson,R.W. A discussion of the disk component of the galactic radio radiation, 3=16429
Wilson,R.W. See Seilstad,G.A., 3=18660
Wilson,S.A. See Bacon,G.E., 3=25745
Wilson,T.A. Structure of collision-free magnetohydrodynamic waves, 3=2107
Wimmer,F.T.,Kobes,W. and Fine,M.E. Tensile properties of NaCl–NaBr solid-solution single crystals, 3=15993
Wims,A. See McIntyre,D., 3=9459
Winand,L. See Beets,C., 3=12695
Winch,D.E.,Bout,B.A. and Slaucitajs,L. Geomagnetic fluctuations with the frequencies of torsional oscillations of the earth, 3=23645
Winch,G.T. Practical problems of specifying and measuring colour-rendering properties, 3=24003
Winchester,J.W. See Duce,R.A., 3=25868
Winckler, J.R. and Bhavsar, P.D. The time variations of solar cosmic rays during the September 3, 1960, event, 3=17377
Winckler,J.R.,Bhavsar,P.D. and Anderson,K.A. A study of the precipitation of energetic electrons from the geomagnetic field during magnetic storms, 3=9117
Winckler,J.R. See Anderson,K.A., 3=9220
Winckler,J.R. See Arnoldy,R.L., 3=3515
Winckler,J.R. See Arnoldy,R.L., 3=13817
Winckler,J.R. See Hoffman,R.A., 3=13818
Winckler, J.R. See Hofmann, D.J., 3=17370
Winder,G.E. A drum-pump continuous sampler for airborne dusts, 3=8982
Windham,P.M. See Phillips,G.C., 3=15050
Window,A.L. Photostress, 3=23814
Windsor,C.G.,Griffiths,J.H.E. and Owen,J. S-bonding in manganese complexes, 3=10564
Windwer,S. See Wall,F.T., 3=15400
Windwer,S. See Wall,F.T., 3=15401
Winkler,H. See Müller,H.H., 3=6094
Winkler,H. See Röppischer,H., 3=10994
Winkler,H. See Rytz,A., 3=10219

Winkler,H. See Rytz,A., 3=24836
Winkler,R. See Seel,F., 3=20980
Winkworth,R. See Allenden,D., 3=24753
Winn,M.M. See McCusker,C.B.A., 3=12526
Winsberg,S. Power dip at the center of gaseous lasers, 3=24514
Winslow,D.K. See Auld,B.A., 3=23178
Winsor,G. Measurement of the characteristics of magnetic thin film matrices, 3=4248
Winston,H.,Marsh,O.J.,Suzuki,C.K. and Telk,C.L. Fluorescence of europium thenoyltrifluoroacetonate. I. Evaluation of laser threshold parameters, 3=23888
Winston,R. Observable hyperfine effects in muon capture by complex nuclei, 3=10373
Winstel,G. Conductivity and band structure in tunnel diodes, 3=20356
Wintenberger,M. Electric and magnetic properties of the sulphide and arsenide compounds of transition elements. III. Electric and magnetic properties and bonds in mispickel, cobaltine and leucopyrites, 3=6601
Winter,E. Properties of monochromators, 3=254
Winter,E. and Szelényi,T.Z. Electron space-charge in high pressure, hot cathode gas discharges, 3=9738
Winter,G. See Schintlmeister,J., 3=10356
Winter,J.H. See d'Aubigné,Y.M., 3=23218
Winter,J.M. Nuclear resonance in magnetic materials, 3=3187
Winter,J.M. See de Gennes,P.G., 3=8726
Winter,J.M. See Pincus,B., 3=15956
Winter,J.M. See Robert,C., 3=23252
Winter,K. See Depommier,P., 3=594
Winter,K. See Vivargent,M., 3=14825
Winter,K. See Von Dardel,G., 3=12481
Winter,R.G. See Glickstein,S.S., 3=8030
Winter,T.G. Relaxation time in CO_2 as a function of H_2 and D_2 concentration at several temperatures, 3=16658
Winterberg,F. Experimental test for the dynamo theory of earth and stellar magnetism, 3=18566
Winterberg,F. Covariant treatment of linearized magneto-fluid dynamics, 3=21953
Winterberg,F. See Gajewski,R., 3=17034
Winterhalter,D. Scattering of fast neutrons by aluminium, 3=6254
Winterhalter,D. Angular distributions of fast neutrons scattered on aluminium, 3=15207
Winterton,G. See Reid,R.J., 3=4504
Winters,H.F.,Denison,D.R.,Bills,D.G. and Donaldson,E.E. Chemical sputtering of tungsten at elevated temperatures, 3=14680
Winters,I.J. See Androulakis, J.G., 3=17125
Winther,A. See Silverberg,L., 3=6196
Wintle,H.J. Diffusion recombination in polyethylene, 3=20379
Wippler,C. See Benoît,H., 3=5531
Wirhed,B. and Herrlander,C.J. On the decay of Pb^{200}, 3=6210
Wirth,H. See Slevogt,K., 3=12061
Wirth,H.O. See Furst,M., 3=5902
Wise,D.U. An origin of the moon by rotational fission during formation of the earth's core, 3=13861
Wise,M.E. Human radiation hazards, 3=3645
Wise,M.E. A statistical analysis of human hearing thresholds in a very large population, 3=21157
Wise, M.E. See Defares, J.G., 3=3635
Wise,R.E. See Bostwick,K.V., 3=14287
Wiseman,G.G. and Kuebler,J.K. Electrocaloric effect in ferroelectric Rochelle salt, 3=25403
Wiser,N. Dielectric constant with local field effects included, 3=4937
Wishlade, J.L. See Thomson,S.J., 3=579
Wiskott,D. See Anders,H., 3=19528
Wisnewski,S.E. See Weissmann,S., 3=22765
Wisnia,J. See Sagalyn,R.C., 3=11441
Wiśniewski,R. Measurement of saturation magnetostriction in nickel under hydrostatic pressure up to 10 000 atm, 3=1150
Wisnyi,L.G. See Secrist,D.R., 3=6843
Wit,R. See Namyslowski,J., 3=10037
Witalis,E. See Alfven,H., 3=12198
Witkowski,A. The coupling of charge transfer with nuclear motion in aromatic free radicals, 3=8309
Witonsky,R.J. and Miller,J.G. Compressibility of gases. IV. The Burnett method applied to gas mixtures at higher temperatures. The second virial coefficients of the helium–nitrogen system from 175° to 475°, 3=14192
Witt,E.O. See Lehner,F.E., 3=9168
Witt,F. See Jungk,G., 3=13136
Witt,G. See Heeger,A.J., 3=25582
Witt,G.L. See Portis,A.M., 3=15966
Witt,J. See Heisen,A., 3=19212
Witt,W. Stabilization of a 50 kV direct voltage, 3=14479
Witte,R.S. See Silver,M., 3=11323
Witte,W. Investigations on evaporography, 3=24104
Wittels,M.C.,Sherrill,F.A. and Young,F.W.,Jr. X-ray observations of nearly perfect copper single crystals, 3=652
Wittels,M.C., Sherrill,F.A. and Young,F.W.,Jr. Anomalous transmission of X-rays in copper crystals, 3=20828
Wittels,M.C.,Sherrill,F.A. and Young,F.W.,Jr. X-ray line width of nearly perfect copper crystals, 3=20946
Witteman,W.G. See Krikorian,N,H., 3=25759
Witteman,W.J. On vibrational relaxations in carbon dioxide, 3=22558
Witten,L. See Aranow,R.H., 3=11789
Witten,L. See Fulton,T., 3=1586
Witten,L. See Fulton,T., 3=5317
Witten,L. See Martin,J.P., 3=22252
Witters,J. See Van Itterbeek,A., 3=20633
Witters,J. See Van Itterbeek,A., 3=23205
Wittig,F.E. and Gehring,E. Calorimetric determination of heats of mixing in the liquid system silver–tin at 975° C in a new high-temperature calorimeter, 3=23876
Witting,J.M. Dissipative forces inside a vibrating magntostrictor, 3=19411
Wittkower,A.B.,Bastide,R.P.,Brooks,N.B. and Rose,P.H. The extraction of a negative hydrogen ion beam from a duo-plasmatron source, 3=9870
Wittkower,A.B. See Van de Graaff,R.J., 3=9884
Wittmann,E. See Patat,F., 3=20997
Wittwer,N.C. Detection of higher order ruby optical maser modes, 3=19484
Witzke, H.D. See Kleber, W., 3=18255
Witzmann,H., Anderson,H. and Jacobi,G. Electrical conductivity and photoconductivity of lead activated strontium borate in relation to its emission properties, 3=2925
Witzmann,H.,Anderson,H. and Oertel,K. Growth and decay of the luminescence of some oxygen-dominating phosphors, 3=10993
Witzmann,H.,Anderson,H. and Wenske,G. On the afterglow characteristics of oxygen phosphors offer u.v. excitation. I, 3=8614
Witzmann,H. and Herzoa,G. On the luminescence of strontium oxide-cerium oxide systems, 3=6672
Witzmann,H. and Knopp,R. Luminescence of activated alkaline earth aluminates in relation to their structure, 3=25479
Wlérick,G. See Bellier,M., 3=18612
Wobschall,D.,Graham,J.R., Jr and Malone,D.P. Ion cyclotron resonance and the determination of collision cross-sections, 3=21697
Woelfel, H. See Androulakis, J.G., 3=17125
Woerner,P.F. and Wakefield,G.F. High temperature thermobalance, 3=5401
Woessner,D.E. and Gutowsky,H.S. Nuclear pure quadrupole relaxation and its temperature dependence in solids, 3=25598
Wöhler,K.H. Anomalous diffusion in the positive column in a longitudinal magnetic field, 3=12095
Wöhler,K.H. See v.Gierke,G., 3=14554
Wohlfarth,E.P. High magnetic field effects in ferromagnetic metals, 3=6706
Wohlfarth,E.P. Collective electron treatment of transitions from antiferromagnetism to ferromagnetism in metals, 3=1332
Wohlfarth,E.P. and Rhodes,P. Collective electron metamagnetism, 3=5004
Wohlfarth,E.P. and Rhodes,P. The effective Curie–Weiss constant of ferromagnetic metals and alloys, 3=8606
Wohlfarth,E.P. See Daniel,E.D., 3=1091
Wohlfarth,E.P. See Rhodes,P., 3=13243
Wohrle,H. See Schnering,H.G., 3=13464
Wojaczek,K. Theory of moving striations of small amplitude in low-pressure discharges, 3=9752
Wojaczek,K. Positive column of the argon low-pressure discharge in the transition region. II. 3=9753
Wojaczek,K. Determination of electron mobility in weakly-ionized low-pressure plasmas, 3=14525
Wojaczek,K. Theory of striation waves in low-pressure gas discharges, 3=19209

Wojaczek,K. See Hayess,E., 3=19236
Wojaczek,K. See Novák,M., 3=19191
Wojaczek,K. See Novák,M., 3=19194
Wojaczek,K. See Rutscher,A., 3=19193
Wojcicki,S.J. See Alvarez,L.W., 3=15039
Wojcicki,S.G. See Graziano,W., 3=2321
Wojcicki,S.G. See Luzzi-Ferro,M., 3=15043
Wojciechowski,K.F. Fermi-energy of free electrons and the size effect, 3=2770
Wojciechowski,K.F. The size effect of a free electron gas, 3=15475
Wojciechowski, K.F. The dependence of the specific heat of solids on the size of a sample, 3=17657
Wojda,L. See Meclewski,R., 3=7629
Wojtczak,L. About the energy eigenvalues and eigenfunctions in the statistical theory of atom, 3=10437
Wojtowicz,B. See Böer,K.W., 3=20405
Wojtowicz,P.J. Diagram enumeration in the theory of magnetically dilute Heisenberg ferromagnets, 3=13240
Wolbach,J.G. On the unequal spottedness of the two solar hemispheres, 3=18632
Wolbach,J.G. See Bell,B., 3=18633
Wolbarsht,M.L. See Wagner,H.G., 3=5291
Wolczek,O. See Zylicz,J., 3=12639
Wold,A., Arnott,R.J., Whipple,E. and Goodenough,J.B. Crystallographic transitions in several chromium spinel systems, 3=16018
Wold,A. See Ferretti,A., 3=11230
Wold,A. See Heller,G.S., 3=15906
Wold,A. See Heller,G.S., 3=23217
Wold,A. See Kunnmann,W., 3=16043
Wold,A. See Rogers,D.B., 3=12934
Wolf,A.A. and Dietz,J.H. A statistical theory for parameter identification in physical systems, 2=11671
Wolf,E. Is a complete determination of the energy spectrum of light possible from measurements of the degree of coherence? 3=1783
Wolf,E. See Mandel,L., 3=233
Wolf,E. See Kano,Y., 3=1784
Wolf,F.A. See Mittleman,M.H., 3=4715
Wolf,G. The resolving time of proportional counters in the measurement of soft X-rays, 3=22103
Wolf,G. See Bondàr,L., 3=19678
Wolf,G. See Escoubès,B., 3=19630
Wolf,G. See Grossmann-Doerth,U., 3=7569
Wolf,H.C. See Pröpstl,A., 3=25493
Wolf,H.C. See Schmid,D., 3=2840
Wolf,H.C. See Schwoerer,M., 3=25302
Wolf,H.C. See Seidel,H., 3=15520
Wolf,I.W. The effect of small quantities of copper on the magnetic properties of electrodeposited permalloys, 3=15816
Wolf,I.W. and Crowther,T.S. Magnetoelastic sensitivities in evaporated and electrodeposited permalloy films, 3=15842
Wolf,J. See Domokos,G., 3=566
Wolf,P. Spin-wave resonance in films magnetized parallel to the surface, 3=15921
Wolf,S. See Colley,D., 3=2322
Wolf,S. See Dietzmann,G., 3=4939
Wolf,W.P.,Ball,M.,Hutchings,M.T.,Leask,M.J.M. and Wyatt,A.F.G. The magnetic properties of rare earth ions in garnets, 3=1052
Wolf,W.P.,Leask,M.J.M.,Mangum,B. and Wyatt,A.F.G. Ferromagnetism in gadolinium trichloride, 3=1057
Wolf,W.P. See Ball,M., 3=15436
Wolf,W.P. See Cooke,A.H., 3=1056
Wolf,W.P. See Garton,G., 3=15803
Wolf,W.P. See Lea,K.R., 3=2749
Wolf,W.P. See Leask,M.J.M., 3=8333
Wolf,W.P. See Leask,M.J.M., 3=8867
Wolfe,J. See Burtnyk,N., 3=5215
Wolfe,J.L. See Reed,R.J., 3=25875
Wolfe,R. and Smith,G.E. Effects of a magnetic field on the thermoelectric properties of a bismuth—antimony alloy, 3=4958
Wolfe,R. and Smith,G.E. Experimental verification of the Kelvin relation of thermoelectricity in a magnetic field, 3=8573
Wolfe,R. and Smith,G.E. Effects of a magnetic field on the thermoelectric properties of bismuth-antimony alloys, 3=10894
Wolfe,R., Smith,G.E. and Haszko,S.E. Negative thermoelectric figure of merit in a magnetic field, 3=20424
Wolfe,W.L. and Duncan,J. Immersion lenses for infra-red instruments, 3=16736
Wolfendale,A.M. See Ashton,F., 3=10193
Wolfendale,A.W. Review of studies on the momentum spectrum of muons, 3=4529
Wolfendale,A.W. Cosmic rays, 3=10184
Wolfendale,A.W. See Ashton,F., 3=10194
Wolfendale,A.W. See Burnham,J.U., 3=14837
Wolfendale,A.W. See Coxell,H., 3=10195
Wolfendale,A.W. See Hayman,P.J., 3=4490
Wolfendale,A.W. See Hayman,P.J., 3=24820
Wolfendale,A.W. See Jones,D.G., 3=24821
Wolfendale,A.W. See Meyer,M.A., 3=4526
Wolfenstein,L. See Klein,R., 3=4656
Wolff,C. On a linear asymptotic representation of the measurements of non-Newtonian intrinsic viscosity, 3=14157
Wolff,G.A. See Adams,I., 3=10985
Wolff,H. See Rompe,R., 3=7500
Wolff,J.R. and Ravanesi,R.M. Multichannel analysers in space, 3=19144
Wolff,N.E. and Pressley,R.J. Optical maser action in an Eu^{+3}-containing organic matrix, 3=25443
Wolff,O. See Engel,A., 3=20957
Wolff,P.A. Nuclear relaxation as a probe of electron spin correlation, 3=5046
Wolff,P.A. Theory of the band structure of very degenerate semiconductors, 3=10740
Wolff,W. See Müller,W., 3=5780
Wolfgang,R. See Colebourne,N., 3=21005
Wolfgang,R. See Poskanzer,A.M., 3=4639
Wölfli,W. See de Carvalho,H.G., 3=24991
Wölfli,W. See Jarczyk,L., 3=6670
Wolfram,T. and Callaway,J. Exchange narrowing of D bands in antiferromagnets, 3=11102
Wolfram,T. and Callaway,J. Spin-wave impurity states in ferromagnets, 3=15764
Wolfram,T.,Lehman,G.W. and De Wames,R.E. Lattice dynamics of white tin, 3=8346
Wolfram,T. See DeWames,R.E., 3=20082
Wolfram,T. See DeWames,R.E., 3=20083
Wolfram,T. See Lehman,G.W., 3=2711
Wolfsberg,K. See Bryant,E.A., 3=12737
Wolfsberg,M. The calculation of zero-point energies of molecules by perturbation methods, 3=12795
Wolfsberg,M. Isotope effects on intermolecular interactions and isotopic vapor pressure. Differences, 3=22614
Wolfsberg,M. See Bigeleisen,J., 3=12794
Wolfson,J. See Schulhof,M.P., 3=16231
Wolfson,J.L.,King,W.J. and Park,J.J.H. A precision iron-free $\pi\sqrt{2}$ beta-ray spectrometer of 35-cm optic circle radius, 3=24702
Wolfson,J.L.,Park,J.J. and Yaffe,L. Internal conversion spectrum of I^{131}(8.06 d), 3=6171
Wolfstirn,K.B. See Fuller,C.S., 3=8423
Wolfstirn,K.B. See Fuller,C.S., 3=10818
Wolfstirn, K.B. See Fuller, C.S., 3=17877
Wolfstirn,K.B. See Fuller,C.S., 3=22945
Wolga,G.J. See Berkley,D.A., 3=24529
Wolga,G.J. See Woodward,B.W., 3=9978
Wolicki,E.A. and Knudson,A.R. Simple way of using a multi-detector array, 3=5610
Wolicki,E.A. See Holmgren,H.D., 3=2496
Wolke,R.L.,Bishop,W.N.,Eichler,E.,Johnson,N.R. and O'Kelley,G.D. Ranges and stopping cross sections of low-energy tritons, 3=10180
Wolken,J.J. Structure and molecular organization of retinal photoreceptors, 3=5287
Wolken,J.J. and Strother,G.K. Microspectrophotometry, 3=24024
Wolkers,G.J. See Michels,A., 3=23930
Wollan,E.O.,Cable,J.W. and Koehler,W.C. The hydrogen atom positions in face centered cubic nickel hydride, 3=25709
Wollan,E.O.,Cable,J.W.,Koehler,W.C.and Wilkinson,M.K. Magnetic moment distribution in palladium and iron group alloys, 3=1110
Wollan,E.O. See Cable,J.W., 3=6729
Wollan,E.O. See Cable,J.W., 3=15737
Wollan,E.O. See Child,H.R., 3=20609
Wollan,E.O. See Koehler,W.C., 3=1108
Wollan,E.O. See Koehler,W.C., 3=15742
Wollan,E.O. See Wilkinson,M.K., 3=1107

Wollenberger,H. The energy distributions of primary atoms in copper produced by fast mono-energetic and reactor neutrons, 3=8431
Wollman,W. See Corngold,N., 3=8167
Wolmarans,N.S. See Meyer,M.A., 3=17104
Wolniewicz,L. Remarks on the evaluation of some integrals in the relativistic corrections to the binding energy of the H_2 molecule, 3=4746
Wolska,A. On surface recombination in germanium, 3=10786
Wolter, W. See Abraham, F., 3=17379
Wolter,W. See Bowler,M., 3=4537
Wolters,G.F. On the spins of pion—hyperon resonances, 3=4436
Wolters,G.F. On the spins of meson—meson resonances, 3=14993
Woltjer,L. The polarization of radio sources, 3=13934
Wolve, R., Wernick, J.H. and Haszko, S.E. Anomalous Hall effect in silver antimony telluride, 3=836
Wong, A.Y., D'Angelo, N. and Motley, R.W. Propagation and damping of ion acoustic waves in highly ionized plasmas, 3=4128
Wong,C., Anderson,J.D., McClure,J.W. and Walker,B.D. Polarization of 24-MeV neutrons elastically scattered from C, Al, Fe, Sn, Pb, and Bi, 3=6255
Wong,C. See Anderson,J.D., 3=10347
Wong,D.Y. Unitarity of the asymptotic amplitude, 3=4349
Wong,D.Y. See Ball,J.S., 3=14970
Wong,D.Y. See Frazer,W.R., 3=2312
Wong,D.Y. See Shaw,G.L., 3=7893
Wong,E.Y. Configuration interaction of the Pr^{3+} ion, 3=10960
Wong,E.Y.and Richman,I. Erratum: Absorption and fluorescence spectra of Pr^{3+} in $LaBr_3$, 3=3014
Wong,E.Y., Stafsudd,O.M. and Johnston,D.R. Optical absorption spectrum of Nd^{3+}-doped LaF_3 single crystal: the evidence of a hidden selection rule, 3=20481
Wong,E.Y.,Stafsudd,O.M. and Johnston,D.R. Absorption and fluorescence spectra of several praseodymium-doped crystals and the change of covalence in the chemical bonds of the praseodymium ion, 3=23072
Wong, E.Y. See Lenander, C.J., 3=17629
Wong,E.Y. See Margolis,J.S., 3=15706
Wong,E.Y. See Richman,I., 3=3009
Wong,H.-s. See Carruthers,P., 3=6035
Wong,H.-S. See Contogouris,A.P., 3=5952
Wong,H-S. See Contogouris,A.P., 3=7934
Wong,S.C. See Kivelson,D., 3=22462
Woo,C.H. A note on the generalisation of the Minami ambiguity, 3=22075
Woo,C.-H. See Adams,J.B., 3=7824
Wood,A.B. From board of invention and research to Royal Navy scientific service: Reminiscences of underwater-sound research, 1915—1917, 3=14277
Wood,C. Electrical and thermal properties of silver telluride, 3=837
Wood,C.D. See Helland,J.A., 3=10161
Wood,D.B. and Forbes,J.E. Ephemerides of eclipsing stars, 3=16394
Wood,D.E. and Hewitt,T.L. New instrumentation for making spectrographic pictures of speech, 3=21153
Wood,D.E.and McConnell,H.M. Paramagnetic resonance of cycloheptatrienyl, 3=1184
Wood,D.H. See Sands,D.E., 3=20841
Wood,D.L.,Ferguson,J.,Knox,K. and Dillon,J.F.,Jr. Crystal-field spectra of $d^{3,7}$ ions. III. Spectrum of Cr^{3+} in various octahedral crystal fields, 3=25454
Wood,D.L. See Ferguson,J., 3=25453
Wood,D.L. See Pappalardo,R., 3=12902
Wood,D.L. See Porto,S.P.S., 3=7347
Wood,D.L. See Westbrook,J.H., 3=11184
Wood,E. See Bird,L., 3=12456
Wood,E. See Jarvis,O.N., 3=12457
Wood,E.A.,Miller,R.C. and Remeika,J.P. The field-induced ferroelectric phase of sodium niobate, 3=8853
Woods,G.S. See Nassimbeni,L.R., 3=13435
Wood,J.D.L.H. A sealed-off 14 MeV neutron source incorporating a solid state alpha-particle detector, 3=10129
Wood,J.D.L.H. and Crocker,A.G. An electrostatically focused ion source and its use in a sealed-off d.c. neutron source, 3=9868
Wood,P.J. See Rushbrooke,G.S., 3=20624
Wood,M.R. See Ryley,D.J., 3=13981
Wood,R.F. See Berggren,K.F., 3=10455
Wood,R.M. Martensitic alpha and omega phases as deformation products in a titanium—15% molybdenum alloy, 3=23477
Wood,V.E.,Austin,A.E. and Milford,F.J. Theoretical solutions of grain-boundary diffusion problem. Approximations and interpretation of experiments, 3=2820
Wood,W.A. Metal fatigue in torsion at large and intermediate amplitudes, 3=13335
Wood,W.A. Removal of internal stresses from a metal by cyclic strain, 3=13345
Wood,W.A.,Cousland,S.M. and Sargant,K.R. Metal fatigue at small amplitudes, illustrated by copper and brass under alternating torsion, 3=13337
Wood,W.A., Cousland,S.McK. and Sargant,K.R. Systematic microstructural changes peculiar to fatigue deformation, 3=20735
Wood,W.D. See Deem,H.W., 3=3910
Wood,W.W. Existence of detonations for large values of the rate parameter, 3=21487
Wood,W.W. and Fickett,W. Investigation of the Chapman—Jouguet hypothesis by the "Inverse Method", 3=16700
Woodall,G.N.C. See Rousseau,Y., 3=8973
Woodbridge,D.D. Ionospheric winds, 3=9077
Woodbury,E.J. See Eckhardt,G., 3=5445
Woodbury,G. and Prager,S. Brownian motion in many-particle systems, 3=11704
Woodbury,H.H. Measurement of the Cd—CdS liquidus, 3=19063
Woodbury, H.H. See Lorenz, M.R., 3=17874
Woodbury,H.H. See Lorenz,M.R., 3=25268
Woodbury,M.A. See Bradley,D.A., 3=3461
Woodbury,W.C. See Edwards,M.H., 3=9669
Woodbury,W.W. See Bartleson,C.J., 3=14382
Woodcock,A.H., Blanchard,D.C. and Rooth,C.G.H. Salt-induced convection and clouds, 3=16218
Woodger,S.C. X-ray fluorescence spectroscopy, 3=16185
Woodhouse,E.J. See Bullock,E., 3=21410
Woodley,W.A. See Burren,J.W., 3=19523
Woodman,M.J. See Powell,R.W., 3=17671
Woods,A.D.B., Brockhouse,B.N., Cowley,R.A. and Cochran,W. Lattice dynamics of alkali halide crystals. II. Experimental studies of KBr and NaI, 3=20074
Woods,A.D.B.,Brockhouse,B.N.,March,R.H.,Stewart,A.T., and Bowers,R. Crystal dynamics of sodium at 90°K, 3=2709
Woods,A.D.B. and Hallett,A.C.H. The viscosity of liquid helium II between 0·79° K and the lambda point, 3=14434
Woods, A.D.B. See Brockhouse,B.N., 3=743
Woods,A.D.B. See Brockhouse,B.N., 3=2708
Woods,A.D.B. See Brockhouse,B.N., 3=6467
Woods,A.D.B. See Cowley,R.A., 3=20075
Woods,A.D.B. See Dixon,A.E., 3=15422
Woods,E.J. See Araki,H., 3=14056
Woods, J. See Marlor, G.A., 3=25362
Woods,J.D. See Mason,B.J., 3=14132
Woods,J.F. and Ainslie,N.G. Role of oxygen in reducing silicon contamination of GaAs during crystal growth, 3=13416
Woods,L.C. Plasma instabilities induced by resistivity gradients, 3=16965
Woodward,B.W., and Wolga,G.J. Fabrication of high-efficiency laser cavities, 3= 9978
Woodward,I. See Barton,J.C., 3=22896
Woodward,W.M. See Stein,P., 3=4397
Woody,R.W. See Tinoco,I.Jr., 3=10916
Woolcock,W.S. The parameters of low energy pion physics, 3=2307
Woolcock,W.S. Pion—nucleon phase shifts up to about 350 MeV, 3=2308
Woolf,A.A. See Covington,A.K., 3=3344
Woolf,M.A. See Reif,F., 3=3953
Woolfson,M.M. See Main,P., 3=25699
Woolfson,M.M. See Main,P., 3=25702
Woolley,R.L. Bond energy of vacancies and interstitial atoms in graphite, 3=8425
Woolley,R.v.d.R. The size of the galaxy, 3=18644
Woolston,J.R. See Honig,R.E., 3=14626
Wooster,W.A. Geometrical factors influencing the design of automatic single-crystal X-ray and neutron diffractometers, 3=8818
Wooster,W.A. See Sándor,E., 3=20859
Wooster,W.A. See Sándor,E., 3=20860
Wootan,G.G. See Packard,W.B., 3=7082
Wooten,F. and Condas,G.A. Resistivity, Hall constant, and Seebeck coefficient of CsAu, 3=20328

Wooten,F. See Stuart,R.N., 3=20264
Wooten,F. See Violet,C.E., 3=19785
Worden,E.F., Gutmacher,R.G. and Conway,J.G. Use of electrodeless discharge lamps in the analysis of atomic spectra, 3=18998
Worley,C.E. Measures of 313 double stars, 3=11552
Worley,R.E. Impact demonstration with plastic croquet balls, 3=95
Worm,M. See Burck,H., 3=19192
Worrell,F.T. Low-cost thermocouple potentiometer, 3=14475
Worsham,R.E. See Jones,R.J., 3=5734
Wort,D.J.H. The emission of microwave noise by plasma, 3=1968
Wort,D.J.H. Solar temperature at 2-MM wavelength, 3=5271
Wort,D.J.H. Refraction of microwaves by a plasma cylinder, 3=12140
Worth,D.C. See Nisimura,K., 3=24720
Wortman, D.E. and Langer, L.M. Beta decay of Fe^{59}, 3=17430
Wortman,D.E. See Howe,D.A., 3=4592
Wössner, E. See Reimer, L., 3=18089
Wösten,W.J. and Geers,M.G. The vapor pressure of zinc selenide, 3=1871
Woszczerowicz,S. The generation of sonic and ultrasonic vibrations by reversal of the U-effect II, 3=18911
Woszczyk,A. The spectrum of the comet MRKOS(1957d) in the visible region, 3=11521
Wotherspoon,N. See Kallmann,H., 3=23238
Wotruba,K. Magnetization coils without iron core for high field intensities, 3=12291
Wotten,F. See Artley,J.L., 3=11025
Wouters,L.F., Villaire,A.E., Wheeler,V.E. and Kalibjian,R. A fast, high-current photomultiplier, 3=4180
Wouthuysen,S.A. See Hilgevoord,J., 3=7771
Wraight,L.A. See Egelstaff,P.A., 3=8772
Wraith,G.C. The connection between r-structure and T-structure, 3=7776
Wray,K.L. Shock-tube study of the recombination of O atoms by Ar catalysts at high temperatures, 3=13595
Wrenn,G.L.,Willmore,A.P.and Boyd,R.L.F. A profile of sporadic-E ionization, 3=5222
Wright,A.J.C. See Morantz,D.J., 3=2610
Wright,B.T. See Clark,D.J., 3=5730
Wright,C.S. See Lokken,J.E., 3=13684
Wright,D.A. Theory of the Nernst–Ettingshausen generator, 3=3998
Wright,D.A. Ettingshausen cooling in pyrolytic graphite, 3=15530
Wright,D.A. See Spencer,P.M., 3=11301
Wright, D.H. See Androulakis, J.G., 3=17125
Wright,F.E. See Martin,F.L., 3=17061
Wright,F.J. Reactions of O atoms with isobutane, 3=11340
Wright,G.B. See Galeener,F.L., 3=20542
Wright,G.T. See Driver,M.C., 3=4949
Wright,G.T. See Page,D.J., 3=861
Wright,H. See Neufeld,J., 3=7625
Wright,H. See Neufeld,J., 3=21834
Wright,H.C. and Newman,P.C. Properties of Ga$_2$Te$_3$ at the boundaries of the solidus, 3=10815
Wright,H.N. See Zwicker,E., 3=16450
Wright,J.K. A temperature instability in magnetohydrodynamic flow, 3=9918
Wright,J.K.,Medford,R.D. and Chambers,B. Longitudinal shock waves in plasma columns confined by external magnetic fields, 3=7530
Wright,J.K. See Clark,R.B., 3=7693
Wright,J.K. See Maycock,J., 3=5832
Wright,J.K. See Medford,R.D., 3=7582
Wright,J.K. See Standley,K.J., 3=8725
Wright,J.W. Temperature control of the structure and variations of the quiet ionosphere, 3=13754
Wright,J.W. The lifetime and movement of artificially produced electron clouds observed with spaced ionosondes, 3=21052
Wright,K. See Bemski,G., 3=6750
Wright,K. See O'Neill,G.K., 3=17144
Wright,M.D. Night-time travelling disturbances at Rarotonga, 3=1464
Wright,P.G. Theoretical expressions for relaxation effects in the thermal conductivity of gases as measured in the modified co-axial cylinder apparatus of Callear and Robb, 3=7372
Wright,P.G. The effect of the transport of heat on the rate of evaporation of small droplets. I. Evaporation into a large excess of a gas, 3=7391
Wright,P.G. See Gray,P., 3=11833
Wright,P.M.,Weil,J.A.,Buch,T. and Anderson,J.H. Titanium colour centres in rose quartz, 3=8459
Wright,R.W. Effect of magnetic disturbances on the equatorial ionospheric jet current, 3=5212
Wright,R.W. See Skinner,N.J., 3=13719
Wright,S.B. The use of Monte Carlo calculations in the analysis of radiation damage experiments, 3=10403
Wright, W.D. An attack on the problem of high-accuracy colorimetry and spectrophotometry, 3=16728
Wrigley,C. See Lindmayer,J., 3=431
Wrigley,C. See Lindmayer,J., 3=10709
Wrigley,C. See Lindmayer,J., 3=10757
Wrigley,C. See Lindmayer,J., 3=13092
Wrigley,C. See Lindmayer,J., 3=22961
Wróbel,Z. See Kolonko,N., 3=10376
Wroblewski,A. See Brandt,S., 3=17324
Wroblewski,A. See Hofmokl,T., 3=12488
Wronski,A. See Fourdeux,A., 3=11649
Wronski,A.A. and Johnson,A.A. The relative importance of grain boundaries and sub-grain boundaries in the irradiation hardening of molybdenum, 3=4881
Wronski,A.S. and Johnson,A.A. A hardening effect associated with stage III recovery in neutron-irradiated molybdenum, 3=20730
Wronski,K.R. See Matthews,H.I., 3=18380
Wrzeciono,A. and Gemperle,R. Influence of an external magnetic field on the domain structure of Mn$_5$Ge$_3$, 3=3107
Wrzeciono,A. and Gemperle,R. The domain structure in Mn$_5$Ge$_3$ near the Curie temperature, 3=13250
Wrzeciono,A. See Szczeniowski,S.E., 3=1086
Wrzeclonko,J. See Deloff,A., 3=19681
Wrzesinska,A. and Jaszczyn,P. Quenching of the luminescence of ZnS phosphors by irradiation in a nuclear reactor, 3=4987
Wrzwcionko,J. See Krzywicki,A., 3=10156
Wu,C.S. The effect of ionization and recombination on the electron distribution function of a slightly ionized gas with presence of electric and magnetic fields, 3=4022
Wu,C.S. See Lee,Y.K., 3=15137
Wu,C.S. See Lee,Y.K., 3=15140
Wu,C.S. See Wiener,R., 3=12603
Wu,E. See Pariseau,M., 3=22552
Wu,J.C. See Benson,S.W., 3=8314
Wu,J.C. See Benson,S.W., 3=10502
Wu,T.T. Input admittance of infinitely long dipole antennas driven from coaxial lines, 3=5852
Wu,T.T. Theory of the thin circular loop antenna, 3=5853
Wu,T.T. Dimers on rectangular lattices, 3=6447
Wu,T.T. Quantization of the electromagnetic field, 3=7765
Wu,T.T. See Gooch,D.W., 3=19453
Wu Ta-You, See Rosenberg,R.L., 3=18847
Wu,T.-Y. Remarks on the statistical mechanics of irreversible processes in gases, 3=11710
Wu,T.Y. Dispersion of water waves, 3=23851
Wu,T.Y., and Rosenberg,R.L. Kinetic equation describing irreversible processes in ionized gases. Addenda and corrections, 3=170
Wu,T.Y. See Sundaresan,M.K., 3=5664
Wu,T.Y. See Sundaresan,M.K., 3=5665
Wu, V.Y. See Jeffrey, G.A., 3=18320
Wuensch,B.J. See Buerger,M.J., 3=23448
Wuerker,R.F. See Clark,G.L., 3=5675
Wuilleumier,F. See Bonnelle,C., 3=25057
Wulf,O.R. See Nicholson,S.B., 3=9126
Wulff,C.A. Determination of barrier heights from low-temperature heat-capacity data, 3=25197
Wulff,H. See Bergstedt,K., 3=4069
Wulff,H. See von Gierke,G., 3=4030
Wulff,J. See Cline,H.E., 3=14457
Wulfhekel,H. and Schaal,G. A gas discharge detector for gas chromatographic detection of N$_2$, O$_2$ and other gases, 3=8993
Wülfing,A. See Pottel,R., 3=21391
Wunderlich,B. Motion in polyethylene. III. The amorphous polymer, 3=3350
Wung P'ei-Kun'. See Vun Peĭ-Kun'.
Wurlitzer,M. Diffusion aftereffect of polycrystalline Ni–Zn ferrites in the temperature region below 90°K, 3=5022

Wurm,J. See Rinderer,L., 3=19118
Wurster,W.H., Treanor,C.E. and Thompson,H.M. Nitric oxide bands near $1\ \mu$ in shock-heated air, 3=3836
Wurtsteisen,L. See Nikitine,S., 3=10932
Wursteisen,L. See Nikitine,S , 3=10934
Wyard,S.J. $\Delta M = 2$ transitions in u.v. irradiated frozen hydrogen peroxide, 3=23229
Wyatt,A.F.G. See Ball,M., 3=15436
Wyatt,A.F.G. See Garton,G., 3=15803
Wyatt,A.F.G. See Wolf,W.P., 3=1052
Wyatt,A.F.G. See Wolf,W.P., 3=1057
Wyatt,P.J. Author's reply to the Beard—Johnson comments, 3=11612
Wyatt,P.J. Interdependence of plasma frequency and surface diffusivity from electromagnetic scattering analyses, 3=16961
Wyatt,R.E. See Companion,A.L., 3=23040
Wybourne,B.G. Nuclear moments and intermediate coupling, 3=2362
Wybourne,B.G. Electrostatic interactions in complex electron configurations, 3=12746
Wybourne,B.G. See Conway,J.G., 3=15283
Wycklendt,D.A. Eddy-current losses calculated from a domain model and observed densities of mobile walls. 3=15800
Wyckoff,R.W.G. and Davidson,F.D. Windowless tubes for X-ray spectroscopy, 3=14703
Wyckoff,R.W.G. See Davidson,F.D., 3=3033
Wyder,P. Anisotropic superconducting thermal switch, 3=16882
Wyder,P. Mean free paths in the normal and supraconducting states, 3=22672
Wyder P. See Cotti P., 3=10728
Wyder,P. See Gaide,A., 3=15548
Wyder,P. See Strässler,S., 3=24139
Wydeven,T. See Gregory,N.W., 3=25710
Wylie,A.W. See Reid,A.F., 3=23378
Wylie,R.G., Davies,D.K., Caw,W.A. Pre-freezing effects in ionic aqueous solutions, 3=3927
Wyly, L.D., Braden, C.H. and Dulaney, H. Beta—gamma directional correlation in Re^{186}, 3=4601
Wyly,L.D. See Dulaney,H., 3=4600
Wyller,A.A. Dispersion relations in a fully ionized hydrogen plasma, 3=4123
Wyluda,B.J. See Alexander,S., 3=8737
Wyman,L.L. See Moore,G.A., 3=13586
Wyman,M.E. See Min,K., 3=16184
Wynn,V.T. See Andrew,E.R., 3=20683
Wynne,C.G. The relevance of aberration theory to computing machine methods, 3=16733
Wyon,G. See Marchin,J.M., 3=1261
Wyrwich,H. High coercivity AlNiCo materials, 3=15795
Wyslocki,B. Determination of the crystallographic orientation of iron—silicon alloy single crystals from the observation of etch pits, 3=8873
Wyslocki,B. The magnetic structure of cobalt single crystals, 3=15799
Wysłocki,B. Study of the magnetic structure of large cobalt single crystals, 3=23164
Wysłocki,B. and Stoiński,K. Brittleness anisotropy of an iron-silicon alloy, 3=3238
Wysłocki,B. and Stoiński,K. Anisotropic magnetic properties of an iron-silicon alloy, 3=6704
Wysłocki,B. See Markuszewicz,M., 3=8653
Wyszecki,G. See Nayatani,Y., 3=11407
Wyszecki,G. See Nayatani,Y., 3=14307

Xanthakis,J. Analytic relations of the numbers of sunspot groups and of relative numbers, 3=5255
Xanthakis,J. and Banos,G. The sunspot areas and the Wolf numbers. A study of the analytical relations given by J.Xanthakis and J.Mergentaler, 3=13885
Xo Yei-Min. See Tang Son-yei, 3=18157
Xu Zheng-yi. See Li Yin-yoan, 3=17047
Xuong Nguyen-huu. and Lynch,G.R. Search for multipion resonances in the reaction $\bar{p} + p \rightarrow 3\pi^{+} + 3\pi^{-} + n\pi^{0}$, 3=2258

Yablokov,Yu.V. See Yafaev,N.R., 3=3179
Yablokov,Yu.V. See Yafaev,N.R., 3=20656
Yablonskii,F.M. Recovery of electric strength of a two-electrode gap after a glow discharge, 3=19228
Yabuki,S. See Kobayashi,S., 3=21969
Yacheva,S.K. See Petrov,D.A., 3=6823
Yacob,A. Solar control of the annual variation of the quiet-day horizontal component of geomagnetic force, 3=16300
Yada,K. See Hibi,T., 3=802
Yada,K. See Hibi,T., 3=2782
Yada,K. See Hibi,T., 3=12967
Yada, K. See Hibi, T., 3=17711
Yada,K. See Hibi,T., 3=22708
Yadavalli,S.V. Effect of hydrostatic pressure on the propagation constant of space-charge waves, 3=398
Yadavalli,S.V. Collision damping of space-charge waves in a plasma and its consequences, 3=5666
Yadavalli,S.V. Dispersion relation for the case of a finite cold electron beam penetrating a plasma, 3=21832
Yaék,I.V. See Lushchik,Ch.B., 3=20501
Yafaev,N.R.,Garif'yanov,N.S. and Yablokov,Yu.V. Electron paramagnetic resonance of W^{5+} ions in glasses, 3=20656
Yafaev,N.R. and Yablokov,Yu.V. Electron spin resonance of Ti^{3+} in some silicate and phosphate glasses, 3=3179
Yafaev,N.R. See Garif'yanov,N.S., 3=20660
Yafet,Y. and Thomas,D.G. Zeeman effect of bound excitons in gallium phosphide, 3=25254
Yafet,Y. See Clogston,A.M., 3=336
Yaffe,L.,Alexander,J.M. and Hyde,E.K. Neutron-deficient isotopes of lanthanum—La^{127}, La^{128}, La^{129}, La^{130}, and La^{131}, 3=22339
Yaffe,L. See Davies,J.H., 3=15249
Yaffe,L. See Davies,J.H., 3=24995
Yaffe,L. See Friedlander,G., 3=8147
Yaffe,L. See Hontzeas,S., 3=24937
Yaffe,L. See Horen,D.J., 3=8001
Yaffe,L. See Lafleur,M.S., 3=24693
Yaffe,L. See Tilbury,R.S., 3=8000
Yaffe,L. See Tilbury,R.S., 3=22438
Yaffe,L. See Wolfson,J.L., 3=6171
Yager, W.A., Wasserman, E. and Cramer, R.M.R. E.S.R. observation of $\Delta m = 1$ transitions of triplet states in glasses, 3=1186
Yagi,K.,Nakajima,Y.,Katori,K.,Awaya,Y. and Fujioka,M. Energy level structure of O^{19}, O^{18} and O^{17} investigated by (d,p) reactions with 15 MeV deuterons, 3=12583
Yagi,K. See Huang,K.K., 3=19843
Yagi,M. See Porile,N.T., 3=17474
Yagodovskii,I.V. See Boltneva,L.I., 3=5185
Yagudina,F.R. See Adamovich,M.I., 3=2299
Yagudina,F.R. See Adamovich,M.I., 3=4428
Yahagi,K. and Danno,A. Gamma-ray induced conductivity in polyethylene and teflon under radiation at high dose rate, 3=10874
Yahia,J. Dependence of the electrical conductivity and thermo-electric power of pure and aluminum-doped rutile on equilibrium oxygen pressure and temperature, 3=15596
Yahya,Q.A.M.M. Multiple meson production in antiproton—proton annihilation, 3=7873
Yahya,Q.A.M.M. Leptonic decays in finite space, 3=24601
Yai'U-Guan. See Alfimenkov,V.P., 3=6459
Yai'U-Guan See Alfimenkov,V.P., 3=3460
Yajima,K. See Hiki,Y., 3=22795
Yajima,N. See Daiyasu,K., 3=12530
Yajima,N. See Itô,H., 3=21940
Yajima,T.,Shimizu,F. and Shimoda,K. High-speed photography using a ruby optical maser, 3=11960
Yajima,T.,Shimizu,E. and Shimoda,K. Cylindrical mode of oscillation in a ruby optical maser, 3=19482
Yajima,T. See Nakazumi,Y., 3=11219
Yajima,T. See Shimoda,K., 3=1841
Yakel,H.L. and Borie,B. Structural changes in irradiated BeO, 3=18298
Yakel, H. L. and Fankuchen, I. Systematic multiple diffraction in equi-inclination Weissenberg geometry, 3=3285
Yakel,H.L.,Koehler,W.C.,Bertaut,E.F. and Forrat,E.F. On the crystal structure of the manganese (III) trioxides of the heavy lanthanides and yttrium, 3=25722
Yakhkind,É.Z. See Ilisavskii,Yu.V., 3=6599
Yakimenko,V.L. Absorption of waves in a plasma (quasilinear approximation), 3=24283
Yakimenko,V.L. See Demidov,V.D., 3=14612

Yakimenko,V.L. See Demidov,V.P., 3=24327

Yakimova,P.P. See Zaidel',A.N., 3=10988

Yakimovich,K.A. See Chekhovskoi,V.Ya., 3=8361

Yakoleva,A.V.,Kudryavtseva,L.A.,Britaev,A.S.,Gerasev,V.F., Kachalov,V.P.,Kuznetsov,A.P.,Pavlenko,N.A. and Ionezas,V.A. Spectrometric investigation of the ozone layer in the altitude range up to 60 km, 3=23581

Yakovenko,V.M. See Bass,F.G., 3=14746

Yakovenko,V.M. See Bass,F.G., 3=17240

Yakovenko,V.M. See Kaner,É.A., 3=5681

Yakovkin,A.A. An unsolved astrometrical problem, 3=1511

Yakovlev,B.M. See Vladimirskii,V.V., 3=12275

Yakovlev,D.A. See Zhileiko,G.I., 3=12268

Yakovlev,É.A. and Gerasimov,F.M. On the remarks of C.H.Palmer, 3=1832

Yakovlev,E.N. Resonance absorption of spatially inhomogeneous electromagnetic radiation in ferromagnetics, 3=3153

Yakovlev, E.N. See Tyablikov, S.V., 3=18070

Yakovlev,G.P. See Dunaev,F.N., 3=11137

Yakovlev,I.A. See Baranskii,K.N., 3=2726

Yakovlev, L.A. See Merkulov,L.G., 3=14264

Yakovlev,N.A. See Velichkina,T.S., 3=19013

Yakovlev,S.A. The temperature dependence of the transparency of white sapphire in the u.v. region of the spectrum, 3=18010

Yakovlev,S.A. Xenon resonance lamp, 3=24040

Yakovlev, S.A. See Kir'yanova, L.A., 3=1821

Yakovlev,V.A. Light absorption by electrons on non-metallic crystals in an electric field, 3=4967

Yakovlev,V.A. Anisotropic absorption of light by carriers in semiconductors in a strong electric field, 3=20459

Yakovlev, V.F. See Bashlachev, Yu.A., 3=16719

Yakovlev,V.F. See Voitonis,V.V., 3=224

Yakovlev,V.I. See Nikolskii,S.I., 3=19730

Yakovlev,Yu.M. Anisotropy in the spin-wave spectrum of yttrium garnet single crystals, 3=23209

Yakovlev,Yu.M. and Lebed',B.M. Investigation of the temperature and frequency dependences of the ferromagnetic resonance line widths in ferrite single crystals having garnet and spinel structures, 3=23210

Yakovlev,Yu.M. See Lebed',B.M., 3=6743

Yakovlev,Yu.M. See Lebed',B.M., 3=24502

Yakovlev,Yu.V. and Sterlin'ski,S. Determination of contaminations in pure phosphorous by means of neutron activation using γ-ray spectrometry, 3=1398

Yakovleva,A.A., Borisova,T.I. and Veselovskii,V.I. State of the surface of a germanium electrode during anodic dissolution, 3=16177

Yakovleva,E.S. See Syutkina,V.I., 3=2815

Yakovleva,E.S. See Syutkina,V.I., 3=20685

Yakovleva,I.V. See Nosov,V.G., 3=15416

Yakovleva,N.G. See Borovik,E.S., 3=20615

Yakubov,I.T. See Lagar'kov,A.N., 3=14243

Yakubov,V.B. See Trubnikov,B.A., 3=12112

Yakubovskii,O.A. See Nikitin,A.A., 3=21116

Yakunin,A.Ya. See Kolomoitsev,F.I., 3=8685

Yakunin,M.I. Cathode sputtering of substances onto large surfaces, 3=14682

Yakunin,M.I. See Petrzhak,K.A., 3=4602

Yakushevskaya,K.E. See Kondrat'ev,K.Ya. 3=23564

Yama-Ai,M. See Nagata,T., 3=11065

Yamabe,S. See Kondo,M., 3=10388

Yamabe,S. See Yamazaki,T., 3=19883

Yamada,E. See Katayama,Y., 3=543

Yamada,H. and Person,W.B. Absolute infrared intensities in crystalline benzene, 3=13191

Yamada,K. General expressions of absorption coefficient and radiation intensity in plasma and Kirchhoff's law, 3=391

Yamada,K. Conductivities for inhomogeneous electric fields in space and time, 3=22886

Yamada,K. See Hattori,M., 3=10633

Yamada,K. See Hattori,M., 3=10634

Yamada,M. See Hirone,T., 3=1025

Yamada,M. See Matumoto,Z., 3=7984

Yamada,N. See Kobayshi,J., 3=20445

Yamada,O. Influence of temperature on the initial magnetization curve and on hysteresis cycles, 3=1088

Yamada,O. Differences in the laws governing magnetic effects due to stress and temperature for permalloy containing 94% nickel and for pure nickel, 3=1142

Yamada,O. See Higashimura,T., 3=4293

Yamada,R. New magnetic pickup probe for charged particle beams, 3=446

Yamada,R. See Kumagi,H., 3=460

Yamada,T. Antiferromagnetic domain walls in nickel oxide, 3=15912

Yamada, T. and Soezima, Y. Stress behaviour at grain boundaries of aluminium crystals, 3=18177

Yamada,T. See Aoki,M., 3=2979

Yamada,T. See Misawa,T., 3=10862

Yamada,T. See Suwa,S., 3=2058

Yamada,T. See Suzuki,A., 3=2059

Yamada,Y. See Kumabe,I., 3=4669

Yamada,Y. See Kumabe,I., 3=24934

Yamada,Y. See Kumabe,I., 3=24935

Yamada,Y. See Shull,C.G., 3=1102

Yamadaya,T.,Mitui,T.,Okada,T.,Shikazono,N. and Hamaguchi,Y. A Mössbauer study of Jahn—Teller crystal distortion in copper-ferrite, 3=11205

Yamadaya,T. See Ohta,K., 3=1034

Yamadaya,T. See Okada,T., 3=11097

Yamagata,H. and Ishihara,T. On unified representation of state vectors in quantum field theory, 3=4313

Yamagata,H. See Ishihara,T., 3=3705

Yamagata,H. See Ishihara,T., 3=10016

Yamaguchi,A. See Kawasaki,S., 3=12536

Yamaguchi,H. See Nonaka,I., 3=8100

Yamaguchi,I. Magnetic anisotropy of the nitro group studied by nuclear magnetic resonance, 3=12856

Yamaguchi, J. and Horiuchi, S. Diffusion of boron in silicon through silicon oxide layer. II, 3=17789

Yamaguchi,J. See Hamakawa,Y., 3=8506

Yamaguchi,J. See Hamakawa,Y., 3=22927

Yamaguchi,J. See Hamakawa,Y., 3=22928

Yamaguchi,J. See Horiuchi,S., 3=8453

Yamaguchi,J. See Horiuchi,S., 3=10690

Yamaguchi,K. Spectral response of evaporated PbS : Tl_2S film, 3=23018

Yamaguchi,K. See Arai,S., 3=4778

Yamaguchi,S. Electron diffraction study on the magnetic crystal structure of magnetite, 3=1148

Yamaguchi,S. Antiferromagnetic structure of NiO as revealed by electron diffraction, 3=1157

Yamaguchi,S. Electron diffraction for the magnetic analysis of an antiferromagnetic substance, 3=3135

Yamaguchi,S. Method for magnetic analysis of thin films, 3=5014

Yamaguchi, S. On the antiferrimagnetic structure of NiO, 3=18111

Yamaguchi,S. Magnetic analysis by means of electron diffraction with variable wavelengths, 3=19396

Yamaguchi,S. Electron diffraction analysis of the magnetization of Fe_3O_4, 3=23181

Yamaguchi,S.,Watanabe,D. and Ogawa,S. Confirmation of existence of Cu_3Au II using thin films, 3=13532

Yamaguchi,S. See Hasiguti,R.R., 3=22877

Yamaguchi,S. See Kumagi,H., 3=460

Yamaguchi,T. Electronic states of single vacancies in diamond, 3=786

Yamaguchi,T. Electronic states of single interstitial atoms in diamond, 3=10620

Yamaguchi,Y. See Sakamoto,N., 3=1030

Yamaguchi,Y. See Yoshida,M., 3=6537

Yamaguchi,Y. See Yoshida,M., 3=25666

Yamakawa,H., Rice,S.A., Corneliussen,R. and Kotin,L. On the thermodynamic properties of solutions of polar polymers. Theory, 3=14158

Yamakawa,H. See Corneliussen,R., 3=11790

Yamakawa,T. See Kumagi,H., 3=460

Yamaki,T. See Kumabe,I., 3=4669

Yamaki,T. See Kumabe,I., 3=24935

Yamamori,K. See Tsurumi,S., 3=16224

Yamamoto,G. See Wark,D.Q., 3=1411

Yamamoto,H. A model of weak interaction, 3=7779

Yamamoto,H. See Hirone,T., 3=22814

Yamamoto,H. See Sasaki,S., 3=24589

Yamamoto,H. See Watanabe,H., 3=25543

Yamamoto,K. Asymptotic behaviour of the scattering amplitude for particles with arbitrary spins, 3=12416

Yamamoto,K. Use of the requirement of baryon number conservation in quantum field theory, 3=22058

Yamamoto,K., Miyajima,S. and Ito,S. Cylindrical plasma in a longitudinal magnetic field, 3=4119
Yamamoto,K. Elementary of vector mesons, 3=22152
Yamamoto,K. See Karube,N., 3=13600
Yamamoto,K. See Karube,N., 3=23516
Yamamoto,K. See Konishi,G., 3=7786
Yamamoto,K. See Miyajima,S., 3=7507
Yamamoto,K. See Okuda,T., 3=24298
Yamamoto,K. See Okuda,T., 3=24319
Yamamoto,K. See Okuda,T., 3=24320
Yamamoto,K. See Okuda,T., 3=24321
Yamamoto,K. See Tanaka,Y., 3=21733
Yamamoto,M. Stable plasma jet for spectroscopic source, 3=1820
Yamamoto,M. Characteristics of the ammonia beam maser, 3=12352
Yamamoto,M. Oscillation frequency of the ammonia beam maser, 3=12353
Yamamoto,M. An ammonia maser spectrometer, 3=12354
Yamamoto,M. Arc jet excitation source, 3=24259
Yamamoto, M. and Taniguchi, S. Ferromagnetic domain patterns of nickel–cobalt alloy and pure cobalt crystals, 3=18079
Yamamoto,M.,Taniguchi,S. and Aoyagi,K. The additional magnetic anisotropy induced by magnetic anneal in ferromagnetic face-centered cubic solid solutions, 3=1041
Yamamoto,M. See Iwata,M., 3=1020
Yamamoto,M. See Maeda,H., 3=11475
Yamamoto,M. See Nakamichi,T., 3=1016
Yamamoto,M. See Nakamichi,T., 3=23177
Yamamoto,M. See Sumino,K., 3=23344
Yamamoto,S. See Baltay,C., 3=16999
Yamamoto,S.S. See Bertanza,L., 3=7935
Yamamoto,S.S. See Bertanza,L., 3=12507
Yamamoto,T. Diffusion magnetic after-effect and the accompanying phenomena in substitutional ferromagnetic alloys, 3=8681
Yamamoto,T. See Françon,M., 3=3887
Yamamura,Y. See Nakai,S., 3=9545
Yamamuro,N. Photoprotons from magnetium, 3=10325
Yamamuro,N. See Odera,M., 3=10326
Yamanaka,C. See Nakai,S., 3=9545
Yamanaka,H. Dielectric measurements by line length variation method, 3=24157
Yamanaka,I.I. See Rashid,M.A., 3=24621
Yamanaka, T, Shiraishi, T. and Mitsuda, H. Triangular growth patterns on the surfaces of ZnSe crystals, 3=18273
Yamanaka,T. See Kurioka,Y., 3=23997
Yamanoto,R.K. See Chretien,M., 3=17129
Yamanoto,S.S. See Connolly,P.L., 3=17330
Yamanouchi,C. and Sasaki,W. Magnetoresistance in the impurity conduction of n-type germanium, 3=4915
Yamanouchi,G. Sasaki,W. and Shibuya,M. Low field magneto resistance in impurity conduction in the hopping region in n-type germanium, 3=10775
Yamanouchi,M. Discrimination of charged particles of different masses by an improved method of grain-counting, 3=4304
Yamanouchi,M. Yield of photodeuterons from nickel, copper, tin and antimony, 3=19833
Yamanouchi,T. See Melissinos,A.C., 3=6034
Yamanuchi,S. Optical properties of silver films—direct observation of the Im $1/\epsilon$-spectrum, 3=10963
Yamasaki,S. On the singularity of t-matrix of interacting Fermion systems, 3=75
Yamasaki,S. See Sano,M., 3=10215
Yamashita,H.,Ibuki,S. and Komiya,H. Electroluminescence of cadmium sulfide single crystals, 3=13219
Yamashita,J. Electronic structure of TiO and NiO, 3=25235
Yamashita,J.,Fukuchi,M. and Wakoh,S. Energy band structure of nickel, 3=25234
Yamashita,J. See Hasegawa,A., 3=8499
Yamashita,S. See Yanabu,T., 3=22418
Yamashita,T. Direct observation of Lomer dislocation in germanium crystal, 3=10679
Yamashita,T. and Taneda,Y. Arrangement of dislocations in iron crystals stretched in tension, 3=20198
Yamashita,Y. Absorption coefficients in atmospheres of M-type stars, 3=11574
Yamashita,Y. See Saito,K., 3=1519
Yamashita,Y. See Yoshimoto,H., 3=12093
Yamashita,Y. See Yoshimoto,H., 3=12116
Yamazaki,H. See Morita,A., 3=11022
Yamazaki,K. See Mitter,H., 3=17384
Yamazaki,M. See Lefebvre-Brion,H., 3=19977
Yamazaki, T. Lower excited states in Os^{188} and Os^{190} investigated by electron-gamma directional correlation, 3=17421
Yamazaki,T.,Kondo,M. and Yamabe,S. The (α, p) reactions on light and medium-weight nuclei, 3=19883
Yamazaki,T. See Ikegami,H., 3=10274
Yamazaki,T. See Kondo,M., 3=10388
Yamdagni,N.K. See Bhowmik,B., 3=4464
Yamdagni,N.K. See Bhowmik,B., 3=7973
Yamshchikov, E.F. Dispersion curves of n-perfluoro-heptane and completely fluorinated methylcyclohexane, 3=17591
Yamshchikov, E.F. Dispersion curves of n-pentane, isopentane and n-octadecane, 3=17592
Yamzin,I.I.,Belov,N.V. and Nozik,Yu.Z. A neutron-diffraction study of manganese ferrites, 3=1114
Yamzin,I.I.,Staritsyn,V.E. and Nozik,Yu.Z. A small neutron diffractometer, 3=13433
Yamzin,I.I. See Kuz'minov,Yu.S., 3=22391
Yamzin,I.I. See Kuz'minov,Yu.S., 3=23183
Yamzin,I.I. See Kuz'minov,Yu.S., 3=23186
Yamzin,I.I. See Nozik,Yu.Z., 3=13463
Yamzin,I.I. See Nozik,Yu.Z., 3=20818
Yanabu,T.,Yamashita,S.,Nakamura,T.,Takamatsu,K.,Masaike,A.. Kakigi,S.,Nguyen,D.C. and Takimoto,K. (d,α) reactions on C^{12} and O^{16} with deuterons in the energy range from 15 MeV to 20 MeV, 3=22418
Yanagi,T. Fundamental absorption and reflectivity spectrum of thallous chloride, 3=3023
Yanagihara,K. Geomagnetic micropulsations with periods from 0.03 to 10 seconds in the auroral zones with special reference to conjugate-point studies, 3=25957
Yanaka,T. See Ito,K., 3=19350
Yanaka,T. See Watanabe,M., 3=25792
Yanase,A. See Hirota,E., 3=15413
Yanase,A. See Kubota,B., 3=1035
Yanase,A. See Kubota,B., 3=11054
Yanchevskaya,I.S. See Ioffe,V.A., 3=6617
Yandushkin,K.N.,Balezin,S.A. and Spitsyn,V.I. The electrode potentials of radioactive samples of "Armco" iron and steel-2 in distilled water and in aqueous solutions of inhibitors, 3=16175
Yang Ch'i Lêng. See Ang Wang-Shou, 3=20819
Yang,C.N. Mathematical deductions from some rules concerni high-energy total cross-sections, 3=7784
Yang,C.N. Concept of off-diagonal long-range order and the quantum phases of liquid He and of superconductors, 3=144
Yang,C.N. Some properties of the reduced density matrix, 3=18749
Yang,C.N. See Lee,T.D., 3=552
Yang,C.N. See Oakes,R.J., 3=24782
Yang,H.T. Moment equations and boundary conditions for magneto-gas dynamics, 3=5821
Yang,K. Chemical reactivity and bond interaction, 3=18440
Yankevich,Ch. Equations system for the components of the mas tensor in the external gravitational field, 3=26
Yankevich,Ch. A proof of uniqueness of hydrodynamic mass tensor in the external gravitational field, 3=27
Yankevich,Ch. A proof of uniqueness of the energy-momentum tensor of the electromagnetic field in Riemannian space, 3=1604
Yankevich,Ch. A proof of the uniqueness of the mass-tensor of non-relativistic hydrodynamics, 3=1665
Yankevich,Ch.[Jankiewicz,Cz.]. Newtonian equations of motion and the harmonic coordinate conditions in the theory of gravitation, 3=23758
Yankevich,V.F. and Bezruchko,I.V. Investigation of the processes occurring in the surface layer of metals during spectroscopic analysis, 3=25844
Yankov,V.V. Distribution of energy in the continuous absorption spectrum of xenon, 3=17535
Yankulovich,B. See Dregichesku,M., 3=24746
Yannaquis,N., Regourd,M., Mazières,C. and Guinier,A. Polymorphism of silicate tricalcite, 3=3301
Yanovskaya, G.N. See Berezin,I.A., 3=17527

Yanovskii,B.M., Sholpo,L.E. and Gorshkov,E.S. Some features of viscous magnetization, 3=3117
Yanson,Z.A. See Buldyrev,V.S., 3=14239
Yanson,Z.A. See Buldȳrev,V.S., 3=18886
Yanus,R.I. See Subbotina,Z.S., 3=11039
Yanus,R.I. See Zatsepin,N.N., 3=19401
Yaqub,M. and Cochran,J.F. Current dependence of the resistance in small gallium single crystals, 3=17817
Yaqub,M. See Cochran,J.F., 3=22892
Yaramis,B. See Benenson,R.E., 3=6289
Yarba,V.A. See Batusov,Yu.A., 3=4439
Yarba,V.A. See Batusov,Yu.A., 3=17318
Yargin,V.S. Laminar flow of a conducting liquid in a homopolarizer, 3=7690
Yarin,V.I. See Krassovsky,V.I., 3=9098
Yaris,R. Perturbation theory and the Hellmann—Feynman theorem, 3=25033
Yaris,R. and Kirtman,B. Polarizability change in liquids due to many-body interactions, 3=1705
Yariv,A. Paramagnetic resonance and charge compensation of tetravalent uranium (U^{4+}) in calcium, strontium and barium fluorides, 3=3180
Yariv,A., and Leite,R.C.C. Dielectric-waveguide mode of light propagation in **p**—junctions, 3=10851
Yariv,A. See Archer,R.J., 3=20543
Yariv,A. See Bond,W.L., 3=10852
Yariv,A. See Mahlab,E., 3=20658
Yarkovoi,O.I. Stationary state of an axially symmetric system of charged particles, 3=14756
Yarmola.T.M. See Karkhanin.Yu.L.. 3=18028
Yaroshetskii,I.D. See Rȳvkin,S.M., 3=6583
Yaroshetsky,I.D. See Ryvkin,S.M., 3=10769
Yaroslavskii,M.I. See Vasin,I.G., 3=15625
Yarov,A.S. See Korolyov,F.A., 3=14954
Yarovaya,R.G. See Shklyarevskii,I.N., 3=15646
Yashin,Ė.M. See Vergunas,F.L., 3=3053
Yash Pal and Ray,A.K. Studies on multiple Coulomb scattering in nuclear emulsions, 3=8063
Yasin,M. Fast helium nuclei emitted from high-energy nuclear disintegrations, 3=17359
Yaskolko,V.Ya. See Krasnaya,A.R., 3=2013
Yassievich,I.N. See Gurevich,L.É., 3=20275
Yastrebinskii,A.A. See Marikhin,V.A., 3=18372
Yasuda,Y. See Saburi,Y., 3=12347
Yasuda,Y. See Saburi,Y., 3=24170
Yasuhara,M. Theory of the magnetic shock tube with varying driving magnetic field, 3=202
Yasukawa,S. See Inoue,H., 3=650
Yasukōchi,K., Kanematsu,K. and Ohoyama,T. Magnetic studies of the binary systems (Mn, Fe) – (Ge, Sn), 3=1005
Yasuoka, H, Abe, H, Hirai, A. and Hashi, T. Nuclear magnetic resonance of Cr^{53} in ferromagnetic CrO_2, 3=18149
Yates,B. See James,B.W., 3=9645
Yates,E.L. The change in colour of a silver-gold alloy on plastic deformation, 3=10962
Yates,M.J.L. Angular correlation attenuation coefficients for photopeaks measured with NaI crystals, 3=19512
Yates, M.J.L. See Litherland, A.E., 3=17402
Yatsiv,S. See Makovsky,J., 3=953
Yatsiv,S. See Nardi,E., 3=3061
Yatsuk,K.P.,Shestopalov,V.P. and Lyashchenko,V.A. The limits of application of the spiral wave-guide method for measuring the dielectric permittivity of a substance, 3=21675
Yatsuk,K.P. See Shestopalov,V.P., 3=14469
Yavin,A.I. On the duty cycle of cyclotrons, 3=5795
Yavor,I.P. See Komar,A.P., 3=15178
Yavor,S.Ya. See Dymnikov,A.D., 3=24363
Yavorskii,B.M. See Rȳdnik,V.I., 3=1936
Yazeva,V.H. See Habovȳch,M.D., 3=19293
Yazu,K. See Ookawa,A., 3=23304
Yazvitskii,Yu. See Van Fu-tszyun', 3=8045
Yazvitskii,Yu. See Vizi,I., 3=10298
Yeager,E. See Stuehr,J., 3=8952
Yearian,M. See Chambers,B., 3=24531
Yearian,M.R. See Collard,H., 3=25065
Yeater,M.L. See Gaerttner,E.R., 3=2057
Yee,S. See Wang,S., 3=22967
Yeh,C. Elliptical dielectric waveguides, 3=504
Yeh,C. The diffraction of waves by a penetrable ribbon, 3=7699
Yeh,C. Dyadic Green's function for a radially inhomogeneous spherical medium, 3=24467
Yeh,C. and Kaprielian,Z.A. Scattering from a cylinder coated with an inhomogeneous dielectric sheath, 3=7703
Yeh,C. and Kaprielian,Z.A. Radiation from an axially slotted cylinder coated with an inhomogeneous dielectric sheath, 3=24431
Yeh,K.C. Propagation of spherical waves through an ionosphere containing anisotropic irregularities, 3=514
Yeh,K.C. and Villard,O.G., Jr. Fading and attenuation of high frequency radio waves propagated over long paths crossing the auroral, temperate and equatorial zones, 3=5870
Yeh,T.H. Surface masking in gallium arsenide during diffusion, 3=25289
Yeh.Y. See Cummins,H., 3=7210
Yeh,Y. See Cummins,H.Z., 3=21508
Yeivin,Y. See Rakavy,G., 3=12463
Yekutieli,G. See Alexander,G., 3=22135
Yekutieli,G. See Goldberg,H., 3=17280
Yelagin,Yu.P. See Nemirovsky,P.E., 3=19855
Yelahin,Yu.P. and Nemirovs'kȳi,P.E. Optical model for the cross-sections of radiative capture and inelastic neutron scattering, 3=19869
Yelon,A. See Chang,H., 3=15844
Yen,J.L. Multiple scattering and wave propagation in periodic structures, 3=7697
Yen,J.L. and Chow,Y.L. On large nonuniformly space arrays, 3=7708
Yen, W.M. and Norberg, R.E. Nuclear magnetic resonance of Xe^{129} in solid and liquid xenon, 3=18154
Yen Wu-kuang. See Yai'U-Guan.
Yen Yin-Chao. Heat transfer by vapor transfer in ventilated snow, 3=11979
Yennie,D.R. See Meister,N., 3=12423
Yennie,D.R. See Suura,H., 3=10102
Yerick,R.E. See Ross,H.H., 3=21381
Yershova,L.S. and Bogachev,I.N. Phase work-hardening during the $\gamma \rightleftarrows \epsilon$ transformation in a ferromanganese alloy, 3=5128
Yguerabide,J. and Burton,M. Luminescence decay times: concentration effects, 3=1701
Yildiz,M. and Ingard,K.U. Some characteristic features of Cherenkov radiation, surface waves and leaky waves excited by moving charged particles in cylindrically stratified media, 3=14763
Yip,S. and Osborn,R.K. Slow-neutron scattering by hindered rotators, 3=17284
Yip,S. and Osborn,R.K. Small-energy rotational transitions in slow-neutron scattering by water, 3=23869
Yiryasov,N.M. See Belyakov,V.A., 3=24764
Yngström,S. Observation of moving light-sources and objects, 3=7101
Yngstrom,S. See Eriksson,K.-E., 3=18718
Yngström,S.A. See Eriksson,K.E., 3=24627
Yntema,J.L. (d, p) reaction on the titanium isotopes, 3=19877
Yntema,J.L. See Broek,H.W., 3=2491
Yockey,H.P. See Kruegar,H.H.A., 3=10883
Yocom,P.N. See Goldsmith,G.J., 3=25496
Yoda,E. and Siegel,B.M. Investigation of the oxidation of copper by electron diffraction, 3=13417
Yoda,E. and Siegel,B.M. The oxidation of copper single crystals, 3=18435
Yodh,G.B. See Olsson,M., 3=15005
Yodh,G.B. See Pewitt,E.G., 3=22179
Yodzis,P.P. and Koski,W.S. g-Tensor anisotropy in polycrystalline diphenyl picryl hydrazyl, 3=23227
Yoffe,A.D. See Chadderton,L.T., 3=6652
Yoffe,A.D. See Chadderton,L.T., 3=8444
Yoffe,A.D. See Chadderton,L.T., 3=17769
Yoffe,A.D. See Chadderton,L.T., 3=20207
Yoffe,A.D. See Frindt,R.F., 3=10957
Yokley,C.R. and Shumaker,J.B. Computer for the Abel inversion, 3=14347
Yokoi,K. See Lattes,C.M.G., 3=15058
Yokomi,H. See Daiyasu,K., 3=12530
Yokomi,H. See Kawaguchi,M., 3=15016
Yokomi, H. See Kobayakawa, K., 3=17366
Yokosawa,A. See Suwa,S., 3=22132
Yokota,I. Plasma theory of sound wave generation associated with supersonic carrier drift in semiconductors, 3=22915

Yokota,I. and Miyatani,S. Low frequency characteristics of mixed conductors, 3=2874
Yokota,M. Electron temperature of helium plasmas produced by theta pinch, 3=12142
Yokoyama,I. Observed relations between the changes in geomagnetism and telluric currents, 3=7000
Yokoyama,K. See Shimazu,H., 3=10029
Yokoyama,M. See Shoda,M., 3=12210
Yomeyama,T. See Daiyasu,K., 3=12530
Yomosa,S. See Tanikawa,Y., 3=25157
Yoneda,Y. Anomalous surface reflection of X-rays, 3=25685
Yonemitsu, H. See Hasiguti, R.R., 3=17895
Yonemitsu,H. See Maruyama,T. 3=23128
Yonemura,M. See Kotera,Y., 3=13400
Yoneyama,T. See Shimoida,H., 3=4542
Yonezawa,M. See Kundu,S.K., 3=17233
Yonezawa,M. See Sawada,S., 3=7853
Yonezawa,T. The characteristic behaviour of the F2-layer during severe magnetic storms, 3=13760
Yonts,O.C. and Strehlow,R.A. Effect of bombardment of titanium by energetic deuterium ions, 3=449
York,C.M. See Ridgway,S.L., 3=14335
York,C.M. See Ward,C.B., 3=24196
York,D.B. Properties of evaporated thin films of SiO, 3=20486
Yorke,B.A. See Richards,R.E., 3=14185
Yoseli,M. See Rybka,V., 3=13002
Yoshida,H. and Lin,C.L. Relative E1 transition probabilities in strongly deformed odd nuclei, 3=6177
Yoshida,H. See Tamura,T., 3=2375
Yoshida,J. See Shibahara,R., 3=18768
Yoshida,J. See Terada,J., 3=529
Yoshida,M.,Yamaguchi,Y. and Aoki,H. Precipitation of nickel in silicon, 3=6537
Yoshida,M.,Yamaguchi,Y. and Aoki,H. Hexagonal precipitates of nickel in silicon, 3=25666
Yoshida,M. See Hukuo,N., 3=1857
Yoshida,S. Spectroscopic study of low energy vibrational states of spherical nuclei, 3=2372
Yoshida,S. and Hatanaka,T. Variations in the v.l.f. emissions with reference to the exosphere, 3=23619
Yoshida,S.,Kino,T.,Kiritani,M.,Kabemoto,S.,Maeta,H. and Shimomura,Y. An experimental study on electrical resistivities of vacancy, dislocation and stacking fault in aluminum, 3=22891
Yoshida,S. and Kiritani,M. Recrystallization and boundary migration of zinc crystal, 3=23407
Yoshida,S.,Kiritani,M. and Shimomura,Y. Dislocation loops with stacking fault in quenched aluminum, 3=10667
Yoshida,S.,Shimomura,Y. and Kiritani,M. Dislocation loops containing a stacking fault in quenched super-pure aluminium, 3=2804
Yoshida,S. See Kino,T., 3=22746
Yoshie,T. See Miyake,S., 3=1280
Yoshikawa,K. See Mamuro,T., 3=10280
Yoshikawa,K. See Mamuro,T., 3=13688
Yoshikawa,S. Electrical conductivity of a turbulent plasma, 3=1963
Yoshikawa,S.,Sinclair,R.M.,Kessler,J.O. and Harries,W.L. Equilibrium of a current-carrying toroidal plasma, 3=19268
Yoshikawa,S. See Sinclair,R.M., 3=19269
Yoshimatsu,M. Studies on lattice defects of a pair of rods and platelets in silicon single crystals observed by X-ray diffraction micrography, 3=22783
Yoshimatsu,M. See Kohra,K., 3=22707
Yoshimine,M. See Bassani,F. 3=10625
Yoshimori,A. Theory of antiferromagnetic spin waves in some metamagnetic crystals, 3=13286
Yoshimori,A. and Korringa,J. A Fokker–Planck equation for spin relaxation, 3=1623
Yoshimori,A. See Korringa,J., 3=1624
Yoshimoto,H. and Yamashita,Y. Longitudinal electric field in resonance phenomena for moving striations in Hg—A discharge, 3=12093
Yoshimoto,H. and Yamashita,Y. Effects of locally applied magnetic field on plasma in Kr discharge, 3=12116
Yoshimura,T. On the singularity at vanishing coupling constant, 3=7763
Yoshimura,T. On possible observable effects of singularities on the left half plane. $\mathrm{Rel} < -1$, 3=24628
Yoshinaga,H. See Mitsuishi,A., 3=13014
Yoshino,T.,Kyogoku,H.,Komiyama,J. and Manabe,Y. High-resolution proton magnetic resonance spectra of polystyrene, 3=11812
Yoshioka,H. and Kainuma,Y. The effect of thermal vibrations on electron diffraction, 3=1296
Yoshioka,T. The specific heat of liquid sulphur containing either phosphorus, selenium or tellurium, 3=5430
Yoshizawa,Y. High phonon states of quadrupole vibration in spherical nuclei, 3=4563
Yoshizawa,Y.,Okamura,H.,Iwata,S.,Fujiwara,I.,Shigematsu,T., Tabushi,M.,Tarumoto,T. and Sakamoto,K. Decay of ^{150}Eu, 3=19822
Yoshizawa,Y. See Fukushima,S., 3=10389
Yoshizawa,Y. See Inoue,H., 3=650
Yoshizawa,Y. See Katoh,T., 3=15150
Yosida,K. Spin polarization of band electrons, 3=8646
Yosida,K. and Miwa,H. Magnetic ordering in the ferromagnetic rare earth metals, 3=975
Yosida,K. and Watabe,A. Fermi surfaces and spin structures in heavy rare-earth metals, 3=22687
Yosim,S.J.,Grantham,L.F.,Luchsinger,E.B. and Wike,R. Electrodeless determination of electrical conductivities of melts at elevated temperatures, 3=23904
Yosim,S.J. See Grantham,L.F., 3=11805
Yoss,K.M. Relationship between CN anomaly and U, V, and W components of space velocity, 3=7037
Youden,W.J. Uncertainties in calibration, 3=11650
Youmans,A.P. See Belser,R.B., 3=9647
Young,A.G. See Kench,J.R., 3=8908
Young,A.P. and Schwartz,C.M. High pressure forms of $CrVO_4$ and $FeVO_4$, 3=11270
Young,A.S. See Heritage,R.J., 3=18377
Young,A.T. Temperature effects in photomultipliers and astronomical photometry, 3=5695
Young,B.G., Johnson,A.W. and Carruthers,J.A. The loss of free electrons in irradiated air, 3=14598
Young,C. and Epstein,E.S. Atomic oxygen in the polar winter mesosphere, 3=9018
Young,C.G. Continuous glass laser, 3=24526
Young,C.T. Nuclear reactions and nuclear structure, 3=24915
Young,F.C., Armstrong,J.C. and Marion,J.B. Interference effects in the $C^{12}(p,\gamma)N^{13}$ reaction, 3=17465
Young,F.C. and Marion,J.B. A precise comparison of the neutron threshold energy and the Q value for the $Li^7(p,n)Be^7$ reaction, 3=13046
Young,F.C. See Latorre,V., 3=19508
Young,F.J. and Hughes,W.F. Boundary conditions in m.p.d. channel flow, 3=24457
Young,F.J. See Oldham,I.B., 3=14179
Young,F.W.,Jr. Etch pit studies of dislocations in copper crystals deformed by bending. I. Annealed crystals. II. Irradiated crystals, 3=2808
Young,F.W.,Jr. Etch pit studies of dislocations in copper crystals deformed by bending. I. Annealed crystals. II. Irradiated crystals, 3=22788
Young,F.W.,Jr. See Wittels,M.C., 3=6523
Young,F.W.,Jr. See Wittels,M.C., 3=20828
Young, F.W.,Jr. See Wittels,M.C., 3=20946
Young,J.A. and Bludman,S.A. Electromagnetic properties of a charged vector meson, 3=24614
Young,J.D.,Kenney,A.S. and Garren,A.A. Computational procedures in the adjustment of a cyclotron magnetic field by trim coils, 3=5766
Young,J.E. Single particle energies in the many-particle Green's function formalism, 3=14053
Young,J.M. See Cook,R.K., 3=16233
Young,J.R. Palladium-diaphragm hydrogen pump, 3=14225
Young,J.R. Purity of hydrogen permeating through Pd, Pd-25% Ag, and Ni, 3=22819
Young,K.M. See Allen,N.L., 3=7596
Young,K.M. See Dyson,J., 3=5679
Young,K.M. See Hughes,T.P., 3=9986
Young,L. Multilayer reflection coatings on a metal mirror, 3=11930
Young, L. See Masing, L., 3=17930
Young,M.J. See Epstein,N., 3=11781
Young,M.R. See Couling,C.W., 3=245
Young,N.O. See Mertz,L., 3=16742
Young,N.O. See Mertz,L, 3=16771

Young,P.G., Ohlsen,G.G. and Okhuysen,P.L. The angular distribution of 1·79 MeV neutrons scattered from helium, 3=17281
Young,P.G. See Shamu,R.E., 3=15099
Young,R.A. and Sharpless,R.L. The nitric oxide β, γ, δ bands in the airglow, 3=3508
Young,R.A. and Sharpless,R.L. Excitation of the β, γ, δ, and Ogawa bands of nitric oxide in the association of atomic nitrogen and oxygen, 3=8264
Young,R.A. and Sharpless,R.L. Excitation of the O_2 bands in the nightglow, 3=9103
Young,R.A. and Sharpless,R.L. Chemiluminescent reactions involving atomic oxygen and nitrogen, 3=25819
Young,R.A. See Bennett,A.L., 3=15982
Young,R.A. See Brine,D.A., 3=23506
Young,R.A. See Campbell,W.B., 3=25686
Young,R.A. See Gatz,C.R., 3=25820
Young,R.A. See Nicklow,R.M., 3=10604
Young,R.C. Cyclotron resonance in lead at 36 000 Mc/sec, 3=6505
Young,R.C. See Mackintosh,A.R., 3=17826
Young,T.R. and Rothrock,B.D. Theory of frustrated total reflection involving metallic surfaces, 3=14356
Young,W.A.P., Silver,D.E.P., Hitchcock,A.J. and Wilson,H.W. A two stage mass spectrometer for nuclear physics applications. II, 3=16993
Young,W.H. Dynamical and statistical correlations in an electron gas, 3=10635
Young,W.H. Solutions of the density matrix-pairing tensor equations of superconductivity theory, 3=16868
Young-Smith,D. Variational theory of paramagnetic impurities in Van der Waals crystals, 3=25274
Younger,R.N., Haddrill,D.M. and Baker,R.G. Precipitation of niobium and chromium carbides at the grain boundaries of an 18 Cr/12 Ni/1 Nb austenitic steel, 3=18358
Younglove,B.A. and Diller,D.E. The specific heat at constant volume of para-hydrogen at temperatures from 15 to 90°K and pressures to 340 atm., 3=11784
Younkin,R.L. and Munch,G. Spectral energy distributions of the major planets, 3=16342
Yount,D. and Pine,J. Scattering of high-energy positrons from protons, 3=2248
Yount,D. See O'Neill,G.K., 3=17144
Ypsilantis,T. See Bacastow,R., 3=17307
Ypsilantis,T. See Elioff,T., 3=586
Yu,L.T. D.c. conductivity of macromolecular substances, 3=20367
Yu,S.P. and Mihran,T.G. Nonlinear r.f. behavior of electron beams with velocity distribution. I. General analysis, 3=24353
Yu,S.P. See Mihran,T.G., 3=24354
Yu,Y.Y. Nonlinear flexural vibrations of sandwich plates, 3=188
Yü yung-an. See Li Hsien-Shu , 3=17553
Yüan Jung-fang. See Yuan' Zhun-fan.
Yuan,L.C.L. See Foley,K.J., 3=17323
Yuan,L.C.L. See Foley,K.J., 3=19688
Yuan,L.C.L. See Lindenbaum,S.J., 3=17106
Yuan,L.C.L. See Melissinos,A.C., 3=6034
Yuan,L.C.L. See Miller,G.L., 3=17114
Yuan,S. See Busch,G., 3=9480
Yuan,S.W. Turbulent flow in a porous-wall pipe, 3=3784
Yuan' Zhun-fan. See Blokhintseva,T.D., 3=6044
Yuan' Zhun-Fan. See Blokhintseva,T.D., 3=22176
Yuan' Zhun-Fan. See Blokhintseva,T.D., 3=22177
Yuan' Zhun-fan. See Blokhintseva,T.D., 3=24558
Yuan-Ben,D. The probability of $\pi^- \rightarrow \pi^0 + e + \bar{\nu}$ decay in the case of non-conserved weak current, 3=17305
Yuan-Heng,K. Study of the electrical clean-up in A B−A ionization gauge, 3=16670
Yuasa,Y. On the fluidization of fine particles packed in layer condition. I, 3=100
Yudin,D.M. See Karapetyan,G.O., 3=17795
Yudin,D.M. See Karapetyan,G.O., 3=25483
Yudin,N.P. See Balashov,V.V., 3=4619
Yudin, V.M. See Smolenskii, G., 3=18107
Yudin,V.M. See Smolenskii,G.A., 3=3147
Yudin,V.M. See Smolenskii,G.A., 3=5025
Yudina, G.I. See Aver'yanov, I.S., 3=18262
Yudkovskii,S.I. See Funke,V.F., 3=3316
Yudkovskii,S.I. See Funke,V.F., 3=13498
Yudovich,V.I. The problem of the flow of a perfect incompressible liquid through a given region [of space], 3=5419
Yue,A.S. The magnesium−iron eutectic and the maximum solid solubility of iron in magnesium, 3=11299
Yu Hak Hahn and Rexroad,H.N. Electron spin resonance in a gamma-irradiated single crystal of mercaptosuccinic acid, 3=13304
Yui Lu. See Kaganov,M.I., 3=13289
Yukawa,H. See Katayama,Y., 3=19542
Yukawa,H. See Katayama,Y., 3=19543
Yuldashbaev,T.S. See Azimov,S.A., 3=19737
Yuldashev,A.A. See Azimov,S.A., 3=6007
Yuldashev,A.A. See Do In Seb, 3=4393
Yulmet'ev,R.M. See Valiev,K.A., 3=21405
Yun,K.S. See Monchick,L., 3=9495
Yun,K.S. See Monchick,L., 3=21437
Yung-Kwon-Sung. See Inuishi,Y., 3=23020
Yungul,S.H. See Dehlinger,P., 3=8997
Yurachkovskii,P.A. See Kalabukhov,N.P., 3=3013
Yurasova,V.E. and Bukhanov,V.M. The anisotropy of cathode sputtering of a copper single crystal as a function of its temperature, 3=15522
Yurasova,V.E. and Sirotenko,I.G. Cathode sputtering of single crystalline spheres, 3=2051
Yur'ev,B.A. See Shevchenko,V.G., 3=2432
Yur'ev,B.A. See Shevchenko,V.G., 3=2433
Yur'ev,B.A. See Shevchenko,V.G., 3=6219
Yur'ev,B.A. See Shevchenko,V.G., 3=8070
Yur'ev,B.A. See Shevchenko,V.G., 3=10249
Yur'ev,B.A. See Shevchenko,V.G., 3=24923
Yur'ev,B.A. See Sorokin,Yu.I., 3=15176
Yur'ev,V.G. See Martsinovskii,A.M., 3=21820
Yur'ev,V.G. See Mirlin,D.N., 3=22509
Yur'ev,V.G. See Pikus,G.E., 3=5633
Yurin, V.A, Baberkin, A.S. and Zheludev, I.S. Effects of γ-rays on the ferroelectric parameters of crystals of guanidinium sulphate, 3=17937
Yurin,V.A., Sil'vestrova,I.M. and Zheludev,I.S. The ferroelectric properties of triglycine sulphate crystals irradiated with γ-quanta, 3=20387
Yurin, V.A. See Sil'vestrova, I.M., 3=17949
Yurin,V.A. See Zheludev,I.S., 3=13111
Yurka,C.E. See Burleson,G.R., 3=17149
Yurka,G.E. See Burleson,G.R., 3=17145
Yurka,G.E. See Burleson,G.R., 3=17146
Yurko,G.A.,Barton,J.W. and Parr,J.G. The crystal structure of Ti_2Ni. (A correction), 3=8845
Yurkov,V.A. Physical properties of Cu—Zn—Sb alloys, 3=23466
Yurkova,L.I. See Malkevich,M.S., 3=23568
Yurova,L.N.,Stepanov,S.B.,Okorokov,V.V. and Kudryashov,E.I. Results of measurements of diffusion parameters of organic liquids by a pulse method, 3=2271
Yushchenkova,N.I. See Kosterin,S.I., 3=14197
Yushmanov,E.E. See Ioffe,M.S., 3=12214
Yuster,P.H. See Delbecq,C.J. 3=5044
Yutlandov,I. See Jasinski,A., 3=10310
Yutlandov,I. See Levenberg,I., 3=10351
Yutlandov,I. See Levenberg,I., 3=15201
Yutlandov,I. See Żylicz,J., 3=12639
Yuzefovich,N.A. See Vereshchagin,L.F., 3=1728
Yuzuri,M., Kang,Y.H. and Goto,Y. Reduction of the saturation magnetization by quenching and by pressure squeezing in some ferrimagnetic compounds, 3=1024
Yvon,J. Thermal agitation waves and energy transfer, 3=3805

Zabara,M.Ya. See Khotkevich,V.I., 3=19127
Zabrodsky,S.S. Heat transfer between solid particles and a gas in a non-uniformly aggregated fluidized bed, 3=7184
Zabusky,N.J. Exact solution for the vibrations of a non-linear continuous model string, 3=186
Zachariasen,F. and Zemach,C. Pion resonances, 3=597
Zachariasen,F. See Gell-Mann,M., 3=14862
Zachariasen,W.H. The crystal structure of cubic metaboric acid, 3=13465
Zachariasen,W.H. The crystal structure of monoclinic metaboric acid, 3=13466

Zachariasen,W.H. Interpretation of monoclinic powder X-ray diffraction patterns, 3=25707

Zachariasen,W.H. and Ellinger,F.H. The crystal structure of beta plutonium metal, 3=13448

Zachariasen,W.H. and Ellinger,F.H. The crystal structure of alpha plutonium metal, 3=25706

Zachariasen,W.H.,Holley,C.E.,Jr and Stamper,J.F.,Jr. Neutron diffraction study of magnesium deuteride, 3=13457

Zachariasen,W.H. and Plettinger,H.A. Refinement of the structure of potassium pentaborate tetrahydrate, 3=13477

Zachariasen,W.H. See Marezio,M., 3=13467

Zachariasen,W.H. See Marezio,M., 3=18322

Zachariasen,W.H. See Marezio,M., 3=25724

Zachariasen,W.H. See Raub,Ch.J., 3=24148

Zacharov,B. A method for the design of axially symmetric magnetic fields for image tube systems, 3=4244

Zacharov,B. Image intensifier spark tube, 3=9849

Zacharov,B. Variable magnification operation of cascaded image tubes, 3=19327

Zacharov,B. See Bleuler,E., 3=24565

Zacharov,B. See Fukui,S., 3=19531

Zadarozhny,G. See Nadjakov,G., 3=25411

Zadumkin,S.N. The statistical electron theory of the free surface energy of binary metal solutions, 3=23485

Zadumkin,S.N. and Khokonov,Kh.B. Surface energy of thin metal films, 3=10573

Zadumkin,S.N. and Khulamkhanov,V.Kh. A simple method of calculating the surface energy of ionic crystals, 3=20073

Zadumkin,S.N. and Pugachevich,P.P. Temperature dependence of the surface tension of [liquid] metals, 3=7194

Zadworny,F. See Dreyfus, B., 3=2742

Zaffarano,D.J. See Gustafson,D.R., 3=12954

Zăgănescu,M. Riemann—Cauchy relations in the theory of the pion—nucleon interaction, 3=4350

Zăgănescu,M. and Drecin,G. The equations of relativistic magnetohydrodynamics, 3=4256

Zagik,S.E. See Brodskii,V.B., 3=24302

Zagirova,E.K. See Kirenskii,L.V., 3=13273

Zahaczewski,M. See Bellière,J., 3=24775

Zahlan,A. See Maria,H., 3=10586

Zahn,C.T. New absolute null method for the measurement of magnetic susceptibilities in weak low-frequency fields, 3=12289

Zahn,P. Energy loss of α-recoil nuclei in Formvar, 3=7938

Zahorski,S. On a certain form of the equations of the theory of finite elastic strain, 3=14072

Zahorski,S. Experimental investigation of certain mechanical properties of rubber, 3=15972

Zaidel',A.N. On the paper "The absorption spectra of neodymium chloride in alcohol—water solutions at low temperatures", 3=18816

Zaidel',A.N., Konstantinov,O.V. and Malȳshev,G.M. Spectroscopic measurements of ion energy in a zeta-type device, 3=1999

Zaidel,A.N.,Lazeeva,G.S.,Ostroskaya,G.V. and Yakomova,P.P. Luminescence of gadolinium salts, 3=10988

Zaidel',A.N.,Malȳshev,G.M. and Ptitsyna,E.A. Spectroscopic measurements of electron temperatures with the "alpha" apparatus, 3=24303

Zaidel',A.N.,Zhiglinskii,A.G. and Karklina,É.A. Investigation of a d.c. arc at high pressures, 3=24250

Zaidel,A.N. See Berezin,A.B., 3=7451

Zaidel',A.N. See Berezin,A.B., 3=24304

Zaidenman,I.A. See Muchnik,G.F., 3=16820

Zaika, N.I. and Nemets, O.F. Spin and parity assignments for some states of Si^{30}, Zr^{91}, Zr^{92} and Cd^{114}, 3=17405

Zaika,N.I.,Nemets,O.F. and Tokarevskiĭ,V.V. Spins and parities of some states of molybdenum isotopes, 3=22271

Zaika,N.I. and Sanzhur,I.E. Stripping reaction on Mo^{97} and Te^{125}, 3=24973

Zaika,N.I. See Gofman,Yu.V., 3=7744

Zaikin,D.A. See Belyak,V.I., 3=10206

Zaikova,V.A.,Shur,Ya.S. and Falaleev,G.A. Dependence of magnetic properties on the thickness of ferromagnetic sheets, 3=11077

Zaikova,V.A. and Startseva,I.E. Regarding the stability of the magnetic state of soft materials, 3=11062

Zaimidoroga,O.A.,Kulyukin,M.M.,Pontekorvo,B.,Sulyaev,R.M. Falomkin,I.V.,Filippov,A.I.,Tsupko-Sitnikov,V.M. and Shcherbakov,Yu.A. Measurement of the probability of the reaction $\mu^- + He^3 \to \nu$, 3=7883

Zaimidoroga,O.A., Kulyukin,M.M., Pontekorvo,B., Sulyaev,R.M., Filippov,A.L., Tsupko-Sitnikov,V.M. and Shcherbakov,Yu.A. Observation of the reaction $\mu^- + He^3 \to H^3 + \nu$, 3=4417

Zaimidoroga,O.A.,Kulyukin,M.M.,Sulyaev,R.M.,Falomkin,I.V., Filippov,A.J.,Tsupko-Sitnikov,V.M. and Shcherbakov,Yu.A. Panofsky ratio for He^3 and the mean square radius for the $He^3 \to H^3$ transition, 3=24770

Zaimidoroga,O.A. See Falomkin,I.V., 3=7881

Zaitov,F.N. See Sidlyarenko,V.I., 3=4890

Zaitsev,A.A. See Akhmedov,A.R., 3=24285

Zaitsev,G.A. and Khotkevich,V.I. Effect of excess vacancies and dislocation loops on Hall field in aluminium at 20°K, 3=4907

Zaitsev,G.P. The problem of the dependence of the elastic constants of steels on the magnitude of tensile stresses, 3=3210

Zaitsev,P.V. See Der-Shvarts,G.V., 3=2038

Zaitsev,P.V. See Rozenfel'd,A.M., 3=2036

Zaitsev,V.M. Ferromagnetic and paramagnetic Curie points, 3=1127

Zaitsev,Yu.A. Geometrical optics of anisotropic absorbent surfaces, 3=12319

Zaitseva,M.A. See Belov,K.P., 3=8683

Zaitseva,M.A. See Belov,K.P., 3=15867

Zaitseva,M.P. See Fotchenkov,A.A., 3=13121

Zaitseva,M.P. See Fotchenkov,A.A., 3=20391

Zaĭtseva,N.G., Kuznetsova,M.Ya., Min Nam Buk and Khalkin,V.A. Investigation of nuclear reactions of the (p, xn) and (p, 2pxn) type on separated tellurium isotopes, 3=15202

Zajac,Št. See Valenta,L., 3=6717

Zak,J. Selection rules for integrals of Bloch functions, 3=6484

Zak,J. See Grunzweig,J., 3=8738

Zakharchenya, B.P. and Ryskin, A.Ya. Magneto-optic phenomena in the absorption and emission spectra of a crystal of $CaF_2:Eu^{++}$, 3=17983

Zakharchenya,B.P. and Rȳskin,A.Ya. Zeeman effect in the absorption and luminescence spectrum of $CaF_2:Sm^{2+}$ and $SrF_2:Sm^{2+}$ crystals, 3=18026

Zakharchenya, B.P. See Agekyan, V.T., 3=18001

Zakharchenya, B.P. See Gross, E.F., 3=18002

Zakharchenya,B.P. See Zakhartchenya,B.P.

Zakharenkov,V.F.,Kaidanovskii,N.L.,Pariiskii,Yu.N. and Prozorov,V.A. Observations of discrete radio sources at 3.2 cm, 3=13933

Zakhar'ev,B.N., Pyatov,N.I. and Furman,V.I. Matrix elements for β-transitions, 3=2399

Zakhar'ev,B.N. See Balashov,V.V., 3=6157

Zakhar'ev,B.N. See Belyaev,V.B., 3=10205

Zakharov,A.I. Problem of the effect of neutron irradiation on the modulus of elasticity and the damping capacity of copper, 3=5059

Zakharov,L.N. The effect of seiche oscillations of the surface of a reservoir on the phase fluctuations of an acoustic signal, 3=16709

Zakharov,V.E. and Karpman,V.I. Nonlinear theory of attenuation of plasma waves, 3=2006

Zakharov,V.E. See Alikhanov,S.G., 3=19239

Zakharov,Yu.V. See Ignatchenko,V.A., 3=1149

Zakharov,Yu.V. See Ignatchenko,V.A., 3=25531

Zakharova,M.I. and Khatanova,N.A. Investigation of the structure of solid solutions as a function of the conditions of crystallization and heat treatment, 3=20906

Zakharova,V.P. See Apalin,V.F., 3=12713

Zakhartchenya,B.P. See Gross,E.F., 3=10631

Zakhaveaa,N.N. See Deryagin,B.V., 3=9483

Zaki,S.O. On the energy loss of the μ-mesons in the ground, 3=4522

Zakian,V. See Brinkworth,B.J., 3=16888

Zakiev,Yu.É. See Amirkhanov,Kh.I., 3=4925

Zakiev,Yu.É. See Amirkhanov,Kh.I., 3=17888

Zakis,Yu.R. See Shmits,O.A., 3=2999

Zakrzewski,J.,Davis,D.H. and Skjeggestad,O. Hyperframgent production by 4.5 GeV/c π^--Meson interactions in emulsion nuclei. A reappraisal, 3=10227

Zakrzewski,J. See Baran,J., 3=14694

Zakrzewski,J. See Danysz,M., 3=22276

Zakrzewski,J. See Fletcher,E.R., 3=10232

Zakrzewski,J. See Semkowicz,A., 3=14695

Zaky,A.A.,Tropper,H. and House,H. Electrical conduction in organic liquids, 3=23900

Zalesskii, A.V. Anisotropy in the change in electrical resistivity during magnetization of a nickel ferrite single crystal, 3=17927
Zalesskii,A.V. See Belov,K.P., 3=13270
Zalewski,K. Long-time behaviour of the response function, 3=18742
Zalewski,K. See Stephen,M.J., 3=697
Zalkin,A.,Ruben,H. and Templeton,D.H. The crystal structure of cobalt sulfate hexahydrate, 3=8851
Zalkin,A. See Forrester,J.D., 3=8847
Zalkin,A. See Templeton,D.H., 3=16075
Zallen,R. See Feinleib,J., 3=25495
Zalubovskii,I.I. See Klyucharev,V.A., 3=24873
Zalyubovskiĭ,I.I. See Chursin,G.P., 3=22410
Zalyubovskii,I.I. See Val'ter,A.K., 3=12589
Zama,M. See Ueda,S., 3=18352
Zamboni,F. See Rytz,A., 3=10219
Zamboni,F. See Rytz,A., 3=24836
Zamchalova,E.A. See Alekseeva,K.I., 3=2334
Zamchalova,E.A. See Alekseeva,K.I., 3=6001
Zamchalova,E.A. See Alekseeva,K.I., 3=22228
Zamfiresku,I. See Sabeu,M., 3=4406
Zamick,L. Impulse approximation and distorted waves, 3=10337
Zamick,L. Scattering of high energy deuterons by complex nuclei, 3=12698
Zamir,D. See Grunzweig,J., 3=8738
Zamkov,V.A. Theory of electro-optical phenomena in the critical region, 3=21371
Zámori,Z. See Lovas,I., 3=6268
Zamorzaev,A.M. The 1651 Shubnikov groups, 3=20808
Zamorzaev,A.M. See Galyarskii,E.I., 3=23424
Zamozhskii, V.D. See Klevtsov, P.V., 3=18240
Zamyatnin,Yu.S. See Vasil'ev,Yu.A., 3=12715
Zandberg,É.Ya, Ionov,N.I., Paleev,V.I. and Tontegode,A.Ya. Determination of the thermal emission constants from the energy distribution curves for thermoelectrons and positive ions, 3=2016
Zandstra,P.J. and Michaelsen,J.D. Electron spin resonance of some arylsulfenyl radicals, 3=25137
Zanello,D. See Franzini,P., 3=22212
Zanen,J. and Vazquez Jimenez,R. Study of the absolute values of energy of the achromatic foveal thresholds, 3=11639
Zangger,C. See Nussbaum,C., 3=10130
Zankel,K.L. See Colbert,H.M., 3=9616
Zankel,K.L. See Colbert,H.M., 3=14366
Zankl,G. See Schwink,C., 3=3231
Zannoni,G. See Manduchi,G., 3=8033
Zanozina,Z.M. and Shukin,E.D. Rupture of metals in the presence of highly absorption-active metal melts along the grain and the grain boundary, 3=20757
Zanstra,H. The gaseous nebula as a quantum counter, 3=3612
Zapalski,G. See Bozek,E., 3=12058
Zapesochnȳi,I.P. and Shimon,L.L. Study of the optical excitation functions of sodium using the photoelectric method, 3=10469
Zapevalov,V.A. and Leikin,E.M. A coincidence network of the chronotron type, 3=19156
Zapevalov,V.A. See Bogdankevich,O.V., 3=6230
Zapevalov,V.A. See Dolbilkin,B.S., 3=24684
Zappa,L. See Bisi,A., 3=5992
Zappa,L. See Bisi,A., 3=20148
Zappa,L. See Bisi,A., 3=22101
Zar,J.L. Measurement of low resistance and the A.C. resistance of superconductors, 3=19126
Zareba,A. The β-conductivity of germanium in the region of medium energies of the bombarding electrons, 3=2885
Zarembo, L.K. See Gedroitz, A.A., 3=17654
Zarembo,L.K. See Gedroits,A.A., 3=25182
Zaretskii,D.F. and Novikov,V.M. Excitation of collective nuclear levels in heavy μ-mesic atoms, 3=6372
Zaretskii,D.F. and Urin,M.G. A microscopic description of collective levels of nonspherical nuclei, 3=2379
Zaretskii,D.F. and Urin,M.G. Low-lying levels of negative parity in nonspherical nuclei, 3=6158
Zaretskii,D.F. See Grin',Yu.T., 3=10238
Zaretsky,D.F. See Urin,M.G., 3=24854
Zargar'yants,M.N., Popov,V.S. and Taubkin,I.I. Device for measuring the position depth of p–n junctions, 3=2933
Zaripov,M.M.,Murtazin,Sh.F. and Stepanov,V.G. On the calculation of the e.p.r. spectrum of Mn^{2+}, 3=23231
Zaripov,M.M. See Al'tshuler,S.A., 3=23237
Zaripov, M.M. See Arkhangel'skaya, E.D., 3=18130
Zaripov, M.M. See Valiev,K.A., 3=149
Zaripov,M.M. See Valiev,K.A., 3=5449
Zaripov,M.M. See Vinokurov,V.M., 3=15943
Zaripov,M.M. See Vinokurov,V.M., 3=20855
Zarzycki,J. and Mezard,R. A direct electron microscope study of the structure of glass, 3=3348
Zarzycki,J. and Mezard,R. Periodic structure of silica fibres, 3=18370
Zarzycki,J. and Naudin,F. Measurement of the degree of Faraday rotation in molten salts at high temperatures, 3=7206
Zarzycki,J. and Naudin,F. Refractive index and refractivity of fused salts, 3=11796
Zarzycki,J. and Naudin,F. Verdet constant and magnetic rotativity of fused salts, 3=13158
Zashkvara,V.V. and Korsunskii,M.I. Electrostatic analyser with electrodes on which the potential is linearly distributed, 3=7661
Zasimchuk,E.É. See Larikov,L.N., 3=23484
Zaslavskii,A.I. and Brȳzhina,M.F. An X-ray structural investigation of the antiferroelectric Pb_2MgWO_6 and the system of solid solutions Pb_2MgWO_6—$PbTiO_3$, 3=23459
Zaslavskiĭ,A.I.,Karachentseva,Z.V. and Zharinova,A.I. The cation disposition in the spinel $CuMn_2O_4$, 3=20846
Zaslavskii,G.M. Stabilization of "universal" instability in weakly non-uniform plasma containing relativistic electrons in a magnetic field, 3=14595
Zaslavskii,G.M. and Moiseyev,S.S. Some peculiarities in the behaviour of a relativistic plasma with an anisotropic distribution of electron velocities, 3=5659
Zaslavskii,Yu.S.,Shor,G.I.,Stukin,A.D. and Stukin,E.D. Determination of the thickness of coatings by recording scattered beta radiation, 3=23827
Zastawny,A. See Mościcki,W., 3=1420
Zastawny,A. See Mościcki,W., 3=11382
Zasymchuk,O.E. See Dubovits'ka,N.V., 3=20794
Zasȳmchuk,O.E. See Larikov,L.N., 3=20904
Zatsepin,G.T. Air shower projects in USSR, 3=4516
Zatsepin,G.T. On the character of collisions of high energy nucleons, 3=12538
Zatsepin,G.T. Fundamental characteristics of collisions involving high-energy nucleons, 3=22116
Zatsepin,G.T. and Kuz'min,V.A. Neutrino production in the atmosphere, 3=4493
Zatsepin,G.T. and Mikhalchi,E.D. The solution of the kinetic equation for μ-mesons passing through the great depths of substance, 3=4528
Zatsepin,G.T. See Gorjunov,N., 3=6098
Zatsepin,G.T. See Goryunov,N.N., 3=19720
Zatsepin,G.T. See Kuzmin,V.A., 3=4527
Zatsepin,G.T. See Zheleznykh,I.M., 3=22253
Zatsepin,N.N., Shcherbinin,V.E. and Yanus,R.I. Problem of the measurement of nonuniform magnetic fields by means of ferroprobes, 3=19401
Zatsepin,V.I. and Chudakov,A.E. Lateral distribution of the intensity of Cherenkov radiation from broad atmospheric showers, 3=6119
Zatzick,M.R. and Maxson,D.R. Angular distributions of (n,d) pickup reactions in N^{14}, P^{31}, and S^{32} at 14 MeV, 3=8111
Zauli,C. See Coulson,C.A., 3=19997
Zavadskii,E.A. and Fakidov,I.G. Variation in the electrical conductivity of n-Ge in strong pulsating magnetic fields, 3=2887
Zavadskii,É.A. and Fakidov,I.G. Magnetization of the intermetallic compound $MnAu_2$ in ultra-strong pulsating magnetic fields, 3=3136
Zavadskii,É.A. and Fakidov,I.G. Electrical conductivity of germanium in strong pulsed magnetic fields in the mixed conduction region, 3=6581
Zavadskii, É.A, Kovrizhnȳkh, Yu.T. and Fakidov, I.G. Negative photoconductivity of germanium in a magnetic field, 3=17958
Zavaritskaya,E.I. See Vul,B.M. 3=10768
Zavaritskaya,É.I. See Vul,B.M., 3=20311
Zavaritskii,N.V. and Tsarev,V.A. Variation of saturation magnetization of ferromagnetic substances at helium temperatures, 3=15792
Zavaritskii,N.V. Tunnel effect in bulk tin, 3=1901
Zavattini,E. See Conforto,G., 3=4795

Zavattini,E. See Conforto,G., 3=15216
Zaveta,K.,Svirina,E. and Malikova,O. Effect of heat treatment on the electrical properties of a manganese ferrite crystal, 3=22949
Zavětová,M. Optical properties of single crystals of CdSb and $Zn_xCd_{1-x}Sb$ solid solutions in infrared, 3=923
Závětová,M. See Frei,V., 3=10811
Zavoiskii,E.K. See Afonin,I.P., 3=19283
Zavoiskii,E.K. See Babȳkin,M.V., 3=1987
Zavoĭskiĭ,E.K. See Babykin,M.V., 3=16948
Zavoiskii,E.K. See Babȳkin,M.V., 3=16985
Zavt,G.S. Theory of the vibrational spectra of U-centres, 3=17798
Zavt, G.S. and Kristofel', N.N. Applicability of the Condon approximation to the centre of luminescence, 3=3044
Zavt,G.S. See Kristofel',N.N., 3=20458
Zav'yalov,O.I. and Pavlov,V.P. Spectral representations of a five-tail diagram in perturbation theory, 3=24650
Zawadzki,A. See Firkowski,R., 3=2337
Zawadzki,A. See Firkowski,R., 3=22236
Zawadzki,J, See Firkowski,R., 3=10188
Zawadzki,W. Diffusion coefficient of electrons in InSb, 3=13074
Zawadzki,W. On the theory of transport phenomena in semiconductors in the presence of non-equilibrium concentrations, 3=17841
Zawadzki,W. The magnetic susceptibility of semiconductors with nonparabolic energy bands, 3=23139
Zawadzki,W. See Kołodziejaczak,L., 3=10892
Zawidzki,T.W. and Papée,H.M. Pseudo-whiskers of ice, grown from clouds of supercooled water in an electric field, 3=5089
Zawidzki,T.W. See Papée,H.M., 3=25890
Zawidzki,T.W. See Petriconi,G.L., 3=13558
Zayika,M.I. Reduced nuclear-level widths from stripping reactions, 3=19765
Zaytsev,A.A. and Vasil'yeva,M.Ya. A striated positive column of gas discharge in a longitudinal magnetic field, 3=19214
Zazula,P. and Wilhelmsson,H. Surface ionization phenomena investigated by mass spectrometric determination of the ion initial velocity distribution, 3=24225
Zborovskii,V.A. See Abroyan,I.A., 3=858
Zborovskii,V.A. See Abroyan,I.A., 3=6588
Zdanis,R.A. See Reynolds,G.T., 3=8122
Zdanis,R.A. See Waters,J.R., 3=2179
Zdanowicz,W. Electric properties of copper-doped cadmium arsenide (Cd_3As_2), 3=2906
Ždánský,K. See Šroubek,Z., 3=5040
Zebouni,N.H. See Grenier,C.G., 3=8492
Żebrowski,J. See Nikliborc,J., 3=8928
Zegler,S.T. See Darby,J.B.,Jr., 3=19113
Zeh,H.D. Contributions to the theory of alpha-decav. 3=24889
Zeidman,B. See Broek,H.W., 3=2491
Zeidman,B. See Lawson,R.D., 3=626
Zeiger,H.J. See Galeener,F.L., 3=20542
Zeiger,H.J. See Heller,G.S., 3=25577
Zeiger,H.J. See McWhorter,A.L., 3=12351
Zeigler,H.J. See Quist,T.M., 3=9971
Zeil,W., Hüttner,W. and Plein,W. Microwave spectrum and the quadrupole coupling constant of $(CH_3)_3C^{35}Cl$, 3=4769
Zein,F.N. See Johnson,A.A., 3=8784
Żelazny,R.S. The initial value problem for longitudinal and transversal plasma oscillations, 3=4159
Zelby,L.W. Propagation modes on a dielectric coated wire, 3=491
Zelby,L.W. Radiation from a magnetic line dipole source of finite width, 3=2120
Zel'chin'ski,M. Use of columnar recombination for determination of relative biological efficiency of radiation, 3=1550
Zeldes,H. and Livingston,R. Paramagnetic resonance study of production of NO_2 and NO_3 in irradiated KNO_3, 3=11116
Zeldes,P. See Bernard,W., 3=20357
Zeldes,P. See Roth,H., 3=10860
Zel'dovich,A.G. See Belonogov,A.V., 3=17127
Zel'dovich,N.K. See Belonogov,A.V., 3=17127
Zeldovich,Ya.B. Semi-closed worlds in the general theory of relativity, 3=1588
Zel'dovich, Ya.B. Equation of state at ultra-high densities and its relativistic limitations, 3=3528
Zel'dovich,Ya.B. Static solutions with energy excess in the general theory of relativity, 3=5354
Zel'dovich,Ya.B. The collapse of small mass in the general theory of relativity, 3=7036
Zel'dovich,Ya.B. Stellar formation in an expanding universe, 3=16323
Zel'dovich,Ya.B. Pre-stellar state of matter, 3=16324
Zel'dovich,Ya.B. Problems of present-day physics and astronomy, 3=23652
Zel'dovich,Ya.B.,Barenblatt,G.I. and Salganik,R.L. Quasi-periodic precipitation in the inter-diffusion of two substances (Liesegang rings), 3=8957
Zel'dovich,Ya.B. and Smorodinskii,Ya.A. The upper limit of neutrino, graviton and baryon density in the universe, 3=1507
Zelenkov,A.G. See Baranov,S.A., 3=2420
Zelenkov,A.G. See Baranov,S.A., 3=2421
Zelenkov,A.G. See Baranov,S.A., 3=4605
Zelenkov,A.G. See Baranov,S.A., 3=15162
Zelenskaya,N.S. and Shirokov,Yu.M. Relativistic corrections to the magnetic moments of H^3 and He^3, 3=4556
Zelentsov,I.A. See Kolmakov,M.V., 3=9122
Zelený,M. See Kaczér,J., 3=1062
Zelevinskaya,N.G. See Güseva,V.U., 3=6100
Zelevinskaya,N.G. See Guseva,V.V., 3=19618
Zelevinskii,V.G. See Belyaev,S.T., 3=6161
Zelevinsky,V.G. See Beliaev,S.T., 3=6155
Zelikin,Ya.M. Preparation and properties of sublimed layers of luminescent zinc oxide and sulphide, 3=16144
Zelikin,Ya.M. and Paracheva,G.T. Characteristics of zinc oxide thermoluminescence, 3=8633
Zeller,E.J. and Ronca,L.B. Thermoluminescence techniques in determination of the stress and crystallization history of ice, 3=13649
Zemach,C. See Zachariasen,F., 3=597
Zemach,C. See Abers,E., 3=24613
Zemel, J.N. See Mitchell, D.L., 3=17984
Zemel, N.J. and Greene, R.F. Semiconductor surface transport, 3=2858
Zemke,H.J. See Cremer,L., 3=7299
Zemlyanov, M.G. See Chernoplekov, N.A., 3=17641
Zemlyanov, M.G. See Chernoplekov, N.A., 3=17644
Zemlyanov,M.G. See Chernoplekov,N.A., 3=25185
Zemlyanskii,M.G. See Kozlov,V.F., 3=12730
Zemskov,V.S. and Belaya,A.D. Interaction of aluminium and antimony during crystallization of germanium from melts containing these elements, 3=20902
Zemskov,V.S., Belaya,A.D. and Puris,T.E. Interaction of indium and gallium during crystallization of germanium from melts containing these elements, 3=20793
Zemskova,M.G. See Melamed,S.G., 3=25854
Zen,J. See Gorodetzky,S., 3=5607
Zenger,J.H. See Benveniste,J., 3=2474
Zenger,J.H. See Schrader,C.D., 3=21096
Zenkevich,V.S. See Gerasimov,V.F., 3=6258
Zenkova,R.A. See Gorbenko-Germanov,D.S., 3=24033
Zeno,S. See Sălceanu,C., 3=355
Zepp,G. Generation of dense electron beams in the relativistic region, 3=19334
Zerbi,G.,Crawford,B.,Jr and Overend,J. Normal coordinates of the planar vibrations of pyridine and its deuteroisomers with a modified Urey—Bradley force field, 3=8293
Zerbi,G.,Overend,J. and Crawford,B.,Jr. Urey—Bradley force constants of methanol, 3=8292
Zerby,C.D. and Moran,H.S. Studies of the longitudinal development of electron—photon cascade showers, 3=22234
Zerevitinov,S.S. See Komelkov,V.S., 3=7560
Zessoules,N.,Brinkerhoff,J., and Thomas,A. Recombination and mobility of nuclear radiation induced ionization in liquid hydrogen, 3=16911
Zetta,L. See Marcazzan,G.M., 3=19864
Zetta,L. See Principi,P., 3=19386
Zetterström,H.O. See Schwarz,S., 3=530
Zettlemoyer,A.C. See Srinivasan,G., 3=6890
Zetzsche,A. See Balarin,M., 3=6509
Zevin,L.S. See Kheiker,D.M., 3=23427
Zhabotinskii,M.E. See Atsarkin,V.A., 3=21992
Zhao Yu-zhi and Leng Zhung-ang. Dispersion and attenuation of electromagnetic oscillations in an antiferromagnetic medium, 3=25549
Zharinov,A.V. See Elizarov,L.I., 3=12127
Zharinova,A.I. See Zaslavskii,A.I., 3=20846
Zharkov,D.P. See Vladimirskii,V.V., 3=7861

Zharkov,G.F. The magnetic moment of thin superconducting films, 3=6688
Zharkov,V.N. Natural oscillations of the earth. II. The reverse problem in the theory of torsional oscillations, 3=9006
Zharkov,V.N. Natural oscillations of the earth. III. The theory of attenuation of radial oscillations, 3=9007
Zharkov,V.N. and Kalinin,V.A. Seismic wave reflection at the core–mantle boundary, 3=3430
Zharkov,V.N. and Kalinin,V.A. The Grüneisen constant for NaCl at high pressures, 3=4827
Zharov,A.M. See Sapa,V.A., 3=9384
Zhdan,A.G.,Elinson,M.I. and Sandomirskii,V.B. Investigation of the spectra of field emission electrons emitted from semiconductors, 3=21851
Zhdanov,A.P. and Fedotov,P.I. Cascade α-particles from carbon nuclei split by 660 MeV protons, 3=2462
Zhdanov,A.P. and Fedotov,P.I. Inelastic interaction of 660 MeV protons with carbon nuclei, 3=4643
Zhdanov,A.P. and Kuks,I.M. Concerning the angular distributions of relativistic particles in alpha–nuclear showers, 3=19729
Zhdanov,A.P. See Berkovich,I.B., 3=24848
Zhdanov,G.B. See Alekseeva,K.I., 3=2334
Zhdanov,G.B. See Alekseeva,K.I., 3=2428
Zhdanov,G.B. See Alekseeva,K.I., 3=4535
Zhdanov,G.B. See Alekseeva,K.I., 3=6001
Zhdanov,G.B. See Alekseeva,K.I., 3=19596
Zhdanov,G.B. See Alekseeva,K.I., 3=22228
Zhdanov,G.S. and Kuz'min,R,N. Structures of compounds in the MSb$_2$ group: CoSb$_2$, RhSb$_2$, IrSb$_2$ and α-RhBi$_3$, 3=13518
Zhdanov,G.S. See Dudarev,V.Ya., 3=4219
Zhdanov,G.S. See Fedulov,S.A., 3=13116
Zhdanov,G.S. See Fedulov,S.A., 3=13481
Zhdanov,G.S. See Fedulov,S.A., 3=20770
Zhdanov,G.S. See Fedulov,S.A., 3=20852
Zhdanov,G.S. See Ivanova,V.V., 3=20851
Zhdanov,G.S. See Kiselev,S.V., 3=5018
Zhdanov,G.S. See Lyubimov,V.N., 3=12903
Zhdanov,G.S. See Lyubimov,V.N., 3=15409
Zhdanov,G.S. See Lyubimov,V.N., 3=15615
Zhdanov,G.S. See Lyubimov,V.N., 3=22997
Zhdanov,G.S. See Ozerov,R.P., 3=1319
Zhdanov,G.S. See Ozerov,R.P., 3=16080
Zhdanov, G.S. See Ozerov, R.P., 3=18306
Zhdanov,G.S. See Soklakov,A.I., 3=20916
Zhdanov,G.S. See Vertsner,V.N., 3=11248
Zhdanov,G.S. See Zhuravlev,N.N., 3=11280
Zhdanov,J.B.,Tret'yakova,M.I.,Tsy̆tovich,V.N. and Shcherbakova,M.N. On the ionization losses of ultra relativistic electrons, 3=7826
Zhdanov,V.,Kagan,Yu.Sazy̆kin,A. Effect of viscous transfer of momentum on diffusion in a gas mixture, 3=5463
Zhdanov, V.A. and Brysneva, L.A. Moduli of elasticity of crystals with the structure of sphalerite and wurtzite, 3=18159
Zhdanov,V.M. Transport phenomena in a partly ionized gas, 3=16928
Zhelev,Zh. See Abdumalikov,A., 3=22345
Zhelev,Zh. See Bakhmat,A., 3=10265
Zhelev,Zh. See Van Fu-tszyun', 3=8045
Zhelev,Zh. See Vizi,I., 3=10298
Zhelev,Zh.T. See Grigor'ev,E.P., 3=8049
Zhelev,Zh,T. See Gromov,K.Ya., 3=10304
Zheleznykh,I.M.,Zatsepin,G.T.,Kuz'min,V.A. and Markov,M.A. Contribution to high-energy cosmic-ray physics, 3=22253
Zheleznykh,I.M. See Kuzmin,V.A., 3=4527
Zheludev,I.S. Dipole patterns in the structures of some ferroelectrics and antiferroelectrics, 3=22991
Zheludev,I.S.,Filimonov,A.A.,Yurin,V.A. and Pomanyuk,N.A. Observation of the domain structure of ferroelectric crystals by means of electroluminofors, 3=13111
Zheludev,I.S. and Lelekov,V.S. The inverse piezoelectric effect in Z-cut crystals of guanidine aluminium sulphate (GAS), 3=23008
Zheludev,I.S.,Tikhomirova,N.A. and Fridkin,V.M. Ferroelectric behaviour of triglycine sulphate at high hydrostatic pressures, 3=23004
Zheludev,I.S. See Blokh,O.G., 3=23048
Zheludev,I.S. See Fotchenkov,A.A., 3=13121
Zheludev,I.S. (translation from the Russian by Tybulewicz,A.). See Fridkin,V.M., 3=15622
Zheludev, I.S. See Gurevich, V.M., 3=17924
Zheludev,I.S. See Sonin,A.S., 3=23002
Zheludev, I.S. See Yurin, V.A., 3=17937
Zheludev,I.S. See Yurin,V.A., 3=20387
Zherebtsova,K.I.,Litvin,V.F.,Lyu Chzhao-yuén and Nemilov,Yu.A. Levels of the Si^{30} nucleus from the reaction Si^{29}(d,p)Si^{30}, 3=4667
Zherebtsova,K.I.,Litvin,V.F. and Nemilov,Yu.A. Investigation of stripping and elastic scattering of deuterons on the C^{12} nucleus, 3=8128
Zherebtsova,K.I. See Guseva,M.I., 3=24971
Zhernovoi,A.I. An absolute method for determining the gyromagnetic ratio sign in experiments with a through-flow data transmitter, 3=2139
Zhevandov,N.D. Investigation of excitation energy migration in molecular crystals by observation of the polarization of their luminescence, 3=11000
Zhevandrov,N.D., Gribkov,V.I. and Khan-Magometova,Sh.D. Migration of energy between the impurity molecules in molecular crystals, 3=2691
Zhezherun,I.F.,Sadikov,I.P. and Chernyshov,A.A. A detector of 0·3 eV resonance neutrons, 3=2280
Zhezherun,I.F., Sadikov,I.P. and Cherny̆shov,A.A. Effect of temperature and microstructure of baked beryllium oxide on the scattering cross-section for thermal neutrons, 3=4403
Zhezherun, I. F., Sadikov, I. P., Taraban'ko, V.A. and Cherny̆shov, A.A. Measurement of the slowing-down length of fission neutrons to energies of 1.44 and 0.3 eV in baked beryllium oxide, 3=4404
Zhidomirov,G.M. See Aleksandrov,I.V., 3=3817
Zhigalovskaya,T.N. See Balabanova,T.N, 3=11398
Zhiglinskii,A.G. See Zaidel',A.N., 3=24250
Zhikharev,A.S. See Vernidub,I.I., 3=8987
Zhileiko,G.I. Beam current loading of a linear accelerator buncher, 3=14689
Zhileiko,G.I. and Yakovlev,D.A. An experimental study of a linear accelerator with an electron pre-buncher, 3=12268
Zhilich, A.G. See Gross, E.F., 3=18002
Zhilin,Iu.L. Similarity parameters at high hypersonic speeds, 3=16643
Zhilinskii,A.P. See Golant,V.E., 3=14575
Zhinkina,V.B. See Borishanskiĭ,V.M., 3=16816
Zhirnov,A.D. See Feinberg,S.M., 3=10421
Zhirnov,V.A. Effective cross-section for photoionozation of lithium ions, 3=5621
Zhitkevich,V.F.,Lyutyi,A.I.,Nesterko,N.A.,Rossikhin,V.S. and Tsikora,I.L. Excitation of atomic spectra in the reaction zone of the acetylene air flame, 3=19925
Zhitnikov,R.A.,Kolesnikov,N.V. and Kosyakov,V.I. Paramagnetic resonance of free silver atoms trapped in nonpolar media at 77° K, 3=15948
Zhitnikov,R.S.,Kolesnikov,N.V. and Kosyakov,V.I. Paramagnetic resonance of silver atoms trapped in polar media at 77° K, 3=25575
Zhivlyuk,Yu.N., See Gurevich,A.V., 3=24273
Zhizhin,E.D. and Nikitin,Yu.P. Inelastic diffraction processes at high energies, 3=15169
Zhizhin,E.D. and Solov'ev,V.V. Some new opportunities for studying the electromagnetic properties of the electrons and μ-mesons, 3=7827
Zhmailo,V.A. Application of an optical potential for estimating the neutron absorption coefficient of an excited nucleus, 3=2480
Zhmailo,V.A. See Serov,V.I., 3=22289
Zhmuds'ky̆i,O.E. Physics research at higher educational institutions in the Ukraine, 3=18686
Zhmurova,Z.I. See Khaimov-Mal'kov,V.Ya., 3=20785
Zhukhovitskiĭ, A.A. and Krishtal,M.A. One possibility for realizing theoretical strength, 3=20709
Zhukhovitskii,A.A. See Bokshtein,B.S., 3=6539
Zhukhovitskii,E.M. See Gershuni,G.Z., 3=5830
Zhukov,A.A. Constitution and thermodynamic activity diagrams for the components of alloys, 3=5118
Zhukov,A.G. Long-wavelength infrared spectrometer, 3=21544
Zhukov,V.A. See Blokhintseva,T.D., 3=6044
Zhukov,V.A. See Blokhintseva,T.D., 3=22176
Zhukov,V.A. See Blokhintseva,T.D., 3=22177
Zhukov,V.A. See Blokhintseva,T.D., 3=24558
Zhukovskii,A.P. See Ivanova,N.I., 3=943
Zhukovskii, V.M., Vlasov, V.G. and Lebedev, A.G. Electrical properties of the uranium–oxygen system in the composition region UO$_3$–U$_3$O$_8$, 3=25371

Zhukovskii,V.S. Isothermal flow of gas along pipes, 3=18838
Zhumartbaev,M.T. Stability of magnetic tangential discontinuities in relativistic hydrodynamics, 3=4261
Zhuravlev,A.A.,Ivanov,I.N.,Karmasin,M.,Kotov,V.I.,Myae,E.A. Oboznyi,V.A.,Obukhov,Yu.L. and Petukhov,V.A. Investigation of particle motion in a annular synchrocyclotron, 3=9889
Zhuravlev,A.A.,Kotov,V.I.,Myaé,É.A. and Oboznȳi,V.A. On a method for accelerating electrons in an annular phasotron, 3=24403
Zhuravlev,A.A.,Kotov,V.I.,Myaé,É.A.,Oboznȳi,V.A.,Obukhov,Yu.L. and Fisher,É. Impositions of the induction acceleration conditions on electrons in an annular phasotron, 3=24404
Zhuravlev,D.A. See Grigorov,N.L., 3=9163
Zhuravlev,N.N. and Stepanova,A.A. An X-ray investigation of superconducting alloys of bismuth with platinum in the range 20°—640°C, 3=18332
Zhuravlev,N.N., Stepanova,A.A., Paderno,Yu.B. and Samsonov,G.V. X-ray determination of the expansion coefficients of hexaborides, 3=20113
Zhuravlev,N.N.,Zhdanov,G.S. and Smirnova,E.M. Investigation of alloys of bismuth with platinum in the range from 10 to 50 at. % platinum, 3=11280
Zhurkov,I.S. and Oskotskii,V.S. A microscopic calculation of distortions of the NaCl lattice caused by impurities, 3=15484
Zhurkov, S.N. Note on paper by I.E.Kurov and V.A.Stepanov, 3=18208
Zhurkov,S.N. and Abasov,S.A. Dependence of the strength of polymers on their molecular weight, 3=16003
Zhurkov,S.N.,Betekhtin,V.I. and Slutsker,A.I., Block misorientation and the strength of aluminium, 3=11193
Zhurkov,S.N., Betekhtin,V.I. and Slutsker,A.I. Misorientation of [mosaic] blocks and the strength of metals, 3=20728
Zhuze,V.P. and Shelȳkh,A.I. Hall effect in nickel oxide, 3=20338
Zichichi,A. See Conversi,M., 3=19629
Ziebold,T.O. and Ogilvie,R.E. Quantitative analysis with the electron microanalyzer, 3=18466
Ziegelbecker,R. See Blaha,J., 3=21016
Ziegler,B. See Buss,W., 3=17356
Ziegler,G.G. See Hilsenrath,J., 3=23926
Ziegler,H. See Wehrli,C., 3=308
Ziegler,M. See Jánossy,L., 3=21235
Ziegler,N.F. A high-voltage regulator for the O.R.N.L. 86-inch cyclotron, 3=5757
Ziegler,N.F. See Livingston,R.S., 3=5779
Zieliński,P. See Bogdanowicz,J., 3=8103
Zieliński,P. See Ciok,P., 3=8084
Ziemer,P.L. See Christian,J.E., 3=6186
Zierfuss,H. An apparatus for the rapid determination of the heat conductivity of poor conductors, 3=9636
Ziering,S. Transport theory, 3=7150
Ziesche,P. See Macke,W., 3=21768
Zięteck,W. Influence of a uniform external magnetic field on Néel walls, 3=20594
Ziętek,W. Magnetic structure of a uniaxial ferromagnetic single crystal, 3=3105
Ziętek, W. The classical Landau–Lifshits theory of the magnetic structure of uniaxial ferromagnetic crystals, 3=3106
Ziętek,W. Quantum theory of the Néel wall in thin ferromagnetic films, 3=5015
Ziętek,W. Phenomenological operator form for the anisotropy energy of uniaxial ferromagnetic substances, 3=8656
Ziętek,W. The influence of an axial external magnetic field on the domains of a uniaxial ferromagnetic crystal, 3=8671
Zietek,W. Effect of an external vertical magnetic field on the domains in a uniaxial ferromagnetic. I. Direction of field parallel to the Bloch walls, 3=15796
Ziętek,W. See Klamut,J., 3=20588
Zigan,F. Gasdynamical calculation of the separation jet de-mixing [effect] 3=5459
Zijlstra,H. See de Vos,K.J., 3=15786
Zijlstra,R.J.J. and Berendsen,H.J.C. A mechanical electrometer as noise spectrum analyzer, 3=21681
Zijlstra,R.J.J. and van der Ziel,A. Noise in space-charge limited currents in CdS crystals, 3=8520
Zijlstra, R.J.J. and Van Der Ziel, A. Noise in thin n-type CdS layers on an insulating CdS substrate, 3=25361
Zilahi-Sebess,L. On the geomagnetic quadrupole-field, 3=16295
Zilsel,P.R. See Whitlock,R.T., 3=23803
Zima,V.L. and Faidysh,A.N. Luminescence of anthracene crystal obtained by sublimation in an oxygen atmosphere under irradiation, 3=20533
Ziman,J.M. See Bradley,C.C., 3=143
Ziman,J.M. See Phariseau,P., 3=23901
Zimen,K.E. and Ertel,D. Nuclear recoil in solids. II. The reaction Al^{27}(n,p)Mg^{27}, 3=6270
Zimerman, A.H. See Hadjioannou,F.T., 3=10152
Zimin,É.P. Operating conditions in a magnetohydrodynamic channel, 3=24443
Zimkin,I.N., Nadgornyĭ,É.M. and Smirnov,B.I. Investigation of sodium chloride whisker crystals by the method of X-ray diffraction microscopy, 3=17748
Zimkina,T.M. See Rumsh,M.A., 3=20944
Zimmerer,J. See Dosch,H.G., 3=16892
Zimmerer, J. See Finckh, E., 3=17451
Zimmering,S. See Jansen,L., 3=23442
Zimmerman,D. See Kenney,G.N., 3=19511
Zimmerman,E.J. Reply to "Special relativity theory and space–time" by R.Schlegel, 3=5341
Zimmerman,E.J. See Park,J.T., 3=22133
Zimmerman,G.O. See Strongin,M., 3=5564
Zimmerman,J. Method for measuring the distortion of photographic objectives, 3=21580
Zimmerman,J.M. See Simha,R., 3=25995
Zimmerman,R.L. Asymptotic pion–pion elastic scattering amplitude, 3=24780
Zimmerman,S.P. and Champion,K.S.W. Transport processes in the upper atmosphere, 3=21048
Zimmermann,B. See Kerler,W., 3=12894
Zimmermann,W. See Höhle,R., 3=12367
Zinchenko,N.S. and Saenko,V.I. Calculation of the potential difference in a cylindrical electron beam in a fixed electrostatic field, 3=24359
Zindel,D. An instrument for photoelectric image-sharpness measurement, 3=11901
Zingerman,Ya.P. and Ishchuk,V.A. The problem of adsorption of barium atoms on tungsten, 3=14615
Zingerman,Ya.P. and Morozovskii,V.A. Interaction of molecular oxygen with the surface of tungsten, 3=6887
Zingerman,Ya.P. See Dȳkman,I.M., 3=14621
Zink,H. See van Itterbeek,A., 3=14212
Zink,J. See van Itterbeek,A., 3=1683
Zinn,W. Investigation of the insulating properties of thin liquid and evaporated layers, 3=21388
Zinn,W.,Kalvius,M.,Kankeleit,E.,Kienle,P. and Wiedemann,W. Short-range order study on magnetically isotropic and anisotropic iron–nickel alloys by the Mössbauer effect, 3=25522
Zinn,W. See Fuchs,E., 3=23169
Ziomecki,H. See Nalecz,M., 3=21287
Zipf, E.C., Jr. Measurement of the diffusion coefficient and radiative lifetime of nitrogen moldecules in the A$^3\Sigma_u^+$ state, 3=17579
Zipf,T.F. See Cook,V., 3=10171
Zirin,M.H. and Trivich,D. Thermoelectric effect in single-crystal cuprous oxide at high temperatures, 3=25428
Zisin,Yu.A.,Lbov,A.A. and Sel'chenkov,L.I. Derivation of the average number of secondary neutrons per fission from the mass distribution of the products, 3=12714
Zisk,S.H. and Fish,R.A. A direct analyzer for stellar images, 3=7013
Zito,R. and Epstein,L.M. Intensity modulation of γ-rays by means of magnetic fields, 3=24681
Zito,R., Jr. Rate analysis of multiple-step excitation in mercury vapor, 3=14221
Živanović,B. and Ristić,M.M. Balance of energy at high-temperature torsion of sintered UO$_2$, 3=6777
Žižka,E. Cathode sputtering of metals using copper ions, 3=16988
Zlatarich,S.A. See Brabbs,T.A., 3=15389
Zlateva,A.I.,Kyurkchieva,D.T.,Markov,P.K. and Chernev,Kh.M. Elastic proton–proton scattering at 6.2 BeV, 3=24726
Zlatin,N.A. See Vitman,F.F., 3=16558
Zlatkina,A.S. See Shteinberg,M.M., 3=20900
Zlatogorskii,M.L. See Grechishkin,V.S., 3=23272
Zl'Perin,I.T. Relation between intensity and irreversibility of the heat transfer process, 3=24075
Zmuda,A.J.,Pieper,G.F. and Bostrom,C.O. Solar protons and magnetic storms in February 1962, 3=22225

Zmuda,A.J.,Shaw,B.W. and Haave,C.R. Very low frequency disturbances and the high-altitude nuclear explosion of July 9, 1962, 3=12329
Zmuda,A.J. See Pieper,G.F., 3=7952
Znamenskii,B.V. and Fakidov,I.G. Magnetization and magnetocalorific effect in the polycrystalline alloy Cu + 22.8% Mn, 3=8694
Znamenskii,B.V. and Fakidov,I.G. Electrical resistivity of the polycrystalline alloy Cu + 22.8 at. % Mn and its variations in a magnetic field, 3=13031
Znamenskii,B.V. and Fakidov,I.G. Superparamagnetic properties of some antiferromagnetic alloys of the Cu–Mn system, 3=25506
Znamenskii,B.V. See Fakidov,I.G., 3=4997
Zobor,E. See Gimeysi,Z., 3=25010
Zograf,Yu.N. See Gavrilov,V.Yu., 3=18669
Zoli,M.T. More on perfect concentric optical systems, 3=11893
Zöller,O. See Ecker,V.G., 3=9804
Zöllner,H. Ultra-rapid objectives and their limitations, 3=16814
Zollweg,R.J. Electron and ion emission from cesium-coated refractory metals in electric fields, 3=14625
Zollweg,R.J. Electron reflection from cesium-coated polycrystalline metals at low primary energy, 3=21889
Zolotarev,V.F. and Nasledov,D.N. Photomagnetic e.m.f. of p-type InSb at room temperature in an alternating magnetic field, 3=6638
Zolotarev, V.F. and Nasledov, D.N. Photomagnetoelectric phenomena in InSb at room temperature, 3=17881
Zolotavin,A.V. See Grigor'ev,E.P., 3=8052
Zolototrubov,I.M., Novikov,Yu.M. and Kiselev,V.A. Electrodynamic excitation of shock waves, 3=1757
Zoltai,T. See Papike,J.J., 3=8821
Zombkovskii,S.M. See Ainutdinov,M.S., 3=6053
Zombkovskii,S.M. See Ainutdinov,M.S., 3=6058
Zombkovskii,S.M. See Ainutdinov,M.S., 3=15018
Zombkovskii,S.M. See Aĭnutdinov,M.S., 3=24767
Zook,J.D. and Dexter,R.N. Galvanomagnetic effects in cadmium sulfide, 3=8523
Zoré,V.A.,Kuzikova,N.S.,Malov,M.N. and Nikulina,L.N. Some new lecture demonstrations, 3=18687
Zorkii,P.M. and Porai-Koshits,M.A. Structures of molecular crystals. I. Graphical determination of the close-packed arrays of figures in a plane, 3=13391
Zorll,U. Simple procedure for selected area preparation in electron microscopy, 3=16148
Zorn,G.T. See Fischer,J., 3=17339
Zorn,G.T. See Sechi-Zorn,B., 3=14835
Zorn,J.C.,Chamberlain,G.E. and Hughes,V.W. Experimental limits for the electron–proton charge difference and for the neutron, 3=10091
Zorn,J.C. See Chamberlain,G.E., 3=6357
Zorzoli,G.B. On the calculation of the effective resonance surface, 3=2524
Zorzoli,G.B. Neutron temperature in fuel elements, 3=2525
Zorzoli,G.B. Theoretical analysis of fine flux measurements in concentric annuli fuel elements, 3=10409
Zorzoli,G.B. A modified two-group theory model, 3=24999
Zorzoli,G.B. See Accinni,F., 3=22461
Zosel,A. See Heydemann,P., 3=6776
Zouckermann,R. See Gillet,E., 3=11316
Zsoldos,L. On the most probable differences occurring in the Lipson–Hesse difference method for indexing powder photographs, 3=20825
Zsoldos,L. See Elkholy,H., 3=13529
Zubarev,V.N. and Telegin,G.S. Calculation of parameters of detonation waves produced by concentrated high explosives, 3=11853
Zubarev,V.N. See Vashchenko,V.Ya., 3=25203
Zubenko, Yu. V. and Sokol'skaya, I. L. Work function of tungsten carbide, 3=2011
Zuber,N. Nucleate boiling. The region of isolated bubbles and and the similarity with natural convection, 3=7392
Zubke,D. See Calvi,G., 3=2485
Zubov,V.A. Variation of the degree of depolarization of Raman lines with the frequency of the exciting light, 3=16765
Zubov,V.A. Dependence of the intensity of the CH group Raman lines of the frequency of the exciting light, 3=25117
Zubov,V.A. See Sushchinskii,M.M., 3=15319
Zubov,V.G.,Firsova,M.M. and Molokova,T.M. Variation of dielectric constants of crystalline and fused quartz with temperature, 3=25392
Zubov, V.G. and Grishina, A.P. Dielectric constant and refractive indices of quartz after exposure to fast neutrons, 3=17929
Zubov,V.G.and Osipova,L.P. Raman scattering in α-quartz irradiated by fast neutrons, 3=3026
Zubov,V.G.,Osipova,L.P. and Firsova,M.M. Effects of a steady electric field on the strengths and widths of the Raman lines of α-quartz, 3=18009
Zubritskii,L.A.,Popov,A.I.,Sorokin,P.V. and Samoilov,V.F. Semiconductor spectrometers for charged particles, 3=7748
Zucker,A. See Boom,R.W., 3=5784
Zucker,A. See Livingston,R.S., 3=5779
Zucker,J. and Conwell,E.M. Speed-dependence of electronic capture cross sections in Ge, 3=2891
Zucker,J. and Conwell,E.M. Recombination of hot carriers, 3=10784
Zuckermann,M.J. and Brink,D.M. The effect of non-magnetic impurities on anisotropic superconductors, 3=16876
Zuev,V.S. Hyperfine structure of the inversion line J = 6, K = 6, of $N^{14}D_3$, 3=2633
Zuev,V.S. See Basov,N.G., 3=522
Zuev,V.S. See Basov,N.G., 3=7740
Zuev,V.S. Basov,N.G., 3=17073
Zueva,N.M.,Morozov,A.I. and Solov'ev,L.S. Proof up to the 4th approximation that periodic magnetic fields with large longitudinal components have magnetic surfaces, 3=7676
Zuk,T. See Skaliński,T., 3=706
Zuk,W. and Gustafsson,S. Gamma–gamma angular correlation and intensity measurements on low energy gamma rays in the decay of Ce^{144}, 3=10296
Żukotyński,S. and Kołodziejczak,J. On the theory of transport phenomena in semiconductors possessing non-spherical and non-quadratic energy bands, 3=17840
Żukotyński,S. See Kołodziejczak,J., 3=20286
Zuleeg, R. CdS thin-film electron devices, 3=17920
Zul'karneev,R.Ya. and Silin,I.N. Phase shift analysis of elastic pp–scattering at 660 MeV, 3=7857
Zul'karneev,R.Ya. See Golovin,B.M., 3=22124
Zulkarney̆ev,R.Ya. and Silin,I.N. Phase-shift analysis of elastic 660 MeV pp-scattering, 3=24722
Zumino,B. Normal forms of complex matrices, 3=12
Zunde,B.Ja., Plavin,I.K., Trinkler,M.F. and Zverte,A.K. Kinetics of internal luminescence centres of alkali halide crystals activated with thallium, 3=18023
Zundel,G.,Murr,A. and Schwab,G.M. Foils of polystryrol sulphonic acid and its salts. IV. I.R. container for study of test pieces of a definite vapour pressure, 3=11999
Zupančič,Č. Fast deuterons and other very light nuclei from high energy proton bombardment of matter. 3=15198
Zupančič,Č. See Schwarzschild,A., 3=6090
Zupančič,I. Current shims for high-resolution nuclear magnetic resonance on the problem of correcting magnetic field inhomogeneities, 3=7727
Zupančič, I. See Blinc, R., 3=18153
Zupančič,I. See Blinc,R., 3=23256
Zupančič,I. See Blinc,R., 3=25594
zu Putlitz,G. Determination of the nuclear electric quadrupole moment of the stable odd nucleus Sr^{87}, 3=24842
Zürcher,R.F. Longitudinal and transverse electron polarizabilities and magnetic susceptibilities of the aliphatic C–C and C–H bonds, 3=2636
Zusman,A. See Low,W., 3=11112
Zusman,Sh.I. See Aptekar',I.L., 3=3326
Zussman,J. See Cheng,G.C.H., 3=25717
Zvara,I.,Tarasov,L.K.,Krzhivanek,M.,Su Krun-Guĭ [Su Hung-Kuei] and Zvarova,T.S. Formation of $Zr^{97}Cl_4$ in slowing-down of fission fragments in chlorine-containing gases, 3=21006
Zvarova,T. See Bzranova,G., 3=8140
Zvarova,T.S. See Zvara,I., 3=21006
Zvegintsev,A.G. See Vlasov,A.Ya., 3=18576
Zvegintsov,A.G. See Vlasov,A.Ya., 3=20575
Zverev,G.M. The nature of spin–lattice interaction in chromium corundum. I, 3=5037
Zverev,G.M.,Karlov,N.Y.,Kornienko,L.S.,Manenkov,A.A. and Prokhorov,A.M. Application of paramagnetic crystals in quantum electronics, 3=24505

Zverev,G.M. and Petelina,N.G. Electron paramagnetic resonance of Co^{3+} ions in corundum, 3=6745
Zverev,G.M. and Prokhorov,A.M. Electron paramagnetic resonance of rutile containing cobalt, 3=1183
Zverev,G.M.,Prokhorov,A.M. and Shevchenko,A.K. Effect of vanadium on the spin—lattice relaxation of chromium in corundum, 3=15953
Zverev,G.N. and Kusov,V.A. A magnetic dipole in a medium with cylindrical interface, 3=19417
Zverte,A.K. See Zunde,B.Ja., 3=18023
Zvi-Ben,S. See Suckling,E.E., 3=222
Zvinchuk,R.A. See Elistratov,A.M., 3=16053
Zvolinskii,N.V. and Rykov,G.V. Reflection of a plastic wave from an obstacle, 3=23968
Zvol'ska,V. See Gan Men-khua, 3=10309
Zvol'ska,V. See Grigor'ev,E.P., 3=8049
Zvol'ska,V. See Grigor'ev,E.P., 3=8052
Zvol'skii,I. See Dzhelepov,B.S., 3=8047
Zvol'skii,I. See Dzhepelov,B.S., 3=15154
Zvol'skii, I. See Dzhelepov, B.S., 3=17443
Zvol-skii,I. See Gan Men-khua, 3=10309
Zvol'skii,I. See Grigor'ev,E.P., 3=8049
Zvyagin,B.B. Polymorphism of double-layer minerals of the kaolinite type, 3=13447
Zvyagin,B.B. Theory of polymorphism of micas, 3=13482
Zvyagin,B.B. Theory of the polymorphism of chlorites, 3=23370
Zvyagin,B.B. Effect of elongation of crystals on the reflection intensity distributions of electron diffraction patterns from lamellar-textured specimens, 3=23527
Zvyagina,A.P. and Iveronova,V.I. Thermal vibration spectrum and characteristic temperature of a crystal lattice of the CsCl type, 3=20079
Zwanenburg,J. See Verster,N.F., 3=5740
Zwanzig,R. Method for finding the density expansion of transport coefficients of gases, 3=3829
Zwanzig,R. Dielectric friction on a moving ion, 3=12294
Zwanzig,R. Dielectric friction on a rotating dipole, 3=12295
Zwanzig,R. Dielectric relaxation in a high-temperature dipole lattice, 3=16543
Zwanziger,D. Unstable particles in S-matrix theory, 3=19567
Zwanziger,D. Representations of the Lorentz group corresponding to unstable particles, 3=24595
Zweifel,P.F. and Happell,J.J. Re: "An $H_2O—D_2O$ moderated reactor", 3=6335
Zweifel,P.F. See Summerfield,G.C., 3=19639
Zweifel,P.F. See Summerfield,G.C., 3=19647
Zweig,G. K-leptonic decay and partially conserved currents, 3=17332
Zwell,L. See Marcinkowski,M.J., 3=13495
Zwerdling,S.,Kleiner,W.H. and Theriault,J.P. Magneto-absorption in InSb; Valence band anisotropy. Measurements far above absorption edge, 3=10924
Zwick,H.H. and Shepherd,G.G. Ratio and absolute brightness measurements of the sodium D lines in the twilight glow, 3=9099
Zwick,J.W. Calculating control rod worth in epithermal reactors, 3=15266
Zwick,M.M. See Drexhage,K.H., 3=13195
Zwicker,E. Direct comparisons between the sensations produced by frequency modulation and amplitude modulation, 3=3671
Zwicker, E. The present state of objective loudness measurements. II, 3=16718
Zwicker,E. and Wright,H.N. Temporal summation for tones in narrow-band noise, 3=16450
Zwicker,H. The behaviour of linear impulse discharges with medium mass density, 3=7558
Zwicker,H. Determination of line shape in thick plasmas, 3=7578
Zwicker,U. See Dietrich,I., 3=14460
Zwicker,U. See Heine,W., 3=1344
Zwicky,F. and Rudnicki,K. Area of the sky covered by clusters of galaxies, 3=13912
Zwiesler,W. See Hellwig-Zwiesler,O., 3=16983
Zwingenberger,J. See Hohler,G., 3=2306
Zwislocki, J. Analysis of the middle-ear function. I. Input impedance, 3=3667
Zwislocki,J. Analysis of the middle-ear function. II. Guinea-pig ear, 3=21169
Zwislocki,J. and Feldman,A.S. Post-mortem acoustic impedance of human ears, 3=9293
Zwislocki, J., Hellman, R.P. and Verrillo, R.T. Threshold of audibility for short pulses, 3=1560
Zwislocki,J. See Hellman,R.P., 3=18673
Zwolenik,J.J. See Thrush,B.A., 3=15345
Zykov,V.G.,Il'enko,P.B.,Lats'ko,E.M.,Stepanenko,I.A., Ternpol,A.M.,Tolok,V.T. and Sinel'nikov,K.D. Properties of magnetic surfaces in helical magnetic fields, 3=14724
Zy̆kov,V.S. See Sumbaev,O.I., 3=6462
Zy̆kova,N.M. Current density in the cathode spot on metal electrodes in an a.c. arc, 3=24253
Żylicz,J.,Sujkowski,Z.,Jastrzebski,J.,Wołczek,O.,Chojnacki,S. and Yutlandov,I. Experimental matrix element for the electron capture transition $Er^{165} \rightarrow Ho^{165}$, 3=12639
Zyroyanova,L.N. and Pantyushin,A.A. Correction to the shape of allowed beta-spectra, arising from the matrix elements and the relativistic Dirac operators, 3=10282
Zyryanov,P.S. Quantum theory of acoustic oscillations of an electron—ion plasma in a magnetic field, 3=4114
Zyryanov,P.S. Ultrasonic absorption in crossed static electric and magnetic fields, 3=9778
Zy̆ryanov,P.S.and Kalashnikov,V.P. Quantum theory of the dielectric permeability tensor for an electron plasma in a magnetic field, 3=402
Zyryanov,P.S. and Taluts,G.G. Non-equilibrium electron and phonon systems in an external magnetic field, 3=16967
Zy̆ryanov,P.S. and Taluts,G.G. Theory of ultrasonic amplification, 3=22633
Zy̆ryanov,P.S. See Eleonskii,V.M., 3=5654
Zyryanov,P.S. See Eleonskii,V.M., 3=5829
Zyryanova,L.N. Screening effect for forbidden beta-spectra, 3=8027
Zy̆sina-Molozhen,L.M. Calculation of a thermal boundary layer in a compressible gas flow, 3=18842

IT IS REGRETTED THAT THE FOLLOWING ENTRIES HAVE BEEN OMITTED FROM THE TEXT OF THIS INDEX:

Chuang Lien-Sheng and Lee Tsong-Jen. Fading of latent image in Japanese Fuji ET-7A and ET-6B nuclear emulsions, 3=14840
Colgate,S.O. Circular chevron diffusion pump baffle, 3=18863
Colin,Y. and Tufeu,R. Semiconducting properties of cadmium oxide powders, 3=22940
Collard,H. and Hofstadler,R. Structure of the H^3 nucleus, 3=17357
Kleine-Tebbe,A. and Spehl,H. Average G-factor of the first excited rotation states of the even Tungsten isotopes in natural Tungsten, 3=19793
Le Montagner,S. See Le Traon,F., 3=894
Mahner,H. Design of magnet systems with stable magnets, 3=1792